

# FEDERAL LOGISTICS INFORMATION SYSTEM



## FLIS PROCEDURES MANUAL DATA ELEMENT DICTIONARY

**DISTRIBUTION STATEMENT A**

Approved for public release;  
Distribution Unlimited

DTIC QUALITY INSPECTED 2

**APRIL 1997**

19970903 045

**VOLUME    TITLE**

- |    |   |
|----|---|
| 1  | General and Administrative  |
| 2  | Multiple Application Procedures   |
| 3  | Development and Maintenance of Item<br>Logistics Data Tools   |
| 4  | Item Identification   |
| 5  | Data Bank Interrogations/Search   |
| 6  | Supply Management   |
| 7  | Establish/Maintenance of<br>Organizational Entity (OE) and<br>Provisioning Screening Master Address |
| 8  | Document Identifier Code (DIC) Input/<br>Output (I/O) Formats (Fixed Length)                        |
| 9  | Document Identifier Code (DIC) Input/<br>Output (I/O) Formats (Variable Length)                     |
| 10 | Multiple Application References/<br>Instructions/Tables and Grids                                   |
| 11 | Edit/Validation Criteria  |
| 12 | Data Element Dictionary and Glossary of<br>Term/Acronyms  |
| 13 | Material Management Decision Rule<br>Tables   |
| 14 | Reports and Statistics  |
| 15 | Publications  |
| 16 | Logistics On-Line Access (LOLA) End Users Manual  |
| 17 | Reserved  |
| 18 | Automated Mailing Labels System (AMLS)  |

Above volumes are available as a complete set or on an individual basis





DEFENSE LOGISTICS AGENCY  
DEFENSE LOGISTICS SERVICES CENTER  
74 WASHINGTON AVENUE N  
BATTLE CREEK MICHIGAN 49017-3084

DoD 4100.39-M  
Volume 12

## FOREWORD

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. It is published under the authority of Department of Defense Directive 4100.39-M. Federal Logistics System (FLIS).

1. Under the Defense Integrated Data System (DIDS, all data was input to the DLSC Total Item Record (TIR using coding defined by Data Record Numbers (DRN's) and stored in limited arrangements. Characteristic/user data was input to, stored and retrieved from 'tables' known as "DIDS Segments". Formal programs had to be developed for each data input or extract from this system. Only the programming staff knew where the information was stored and how to get to it.

The modernized system was eight years in development, today's physical relational data base was derived from the Logical Data Model provided to the contractor. Data in the modernized system continues to be stored using coding defined by DRN's, which can be viewed as groups of DB2 Elements. With minor exceptions, most data remains unchanged, but some DRN's have been expanded and split to allow greater flexibility in data storage and retrieval. i.e., for example, FSC 5865 for old DRN 3990 (ASGD-FSC) is now stored as DRN 3994 (ASGD-FSG)(58) and DRN 3996 (ASGD-FSC-WI-FSG) (65). Other changes include replacing the limited number of TIR segments by grouping DB2 data elements into approximately 1000 relational table groups. Each grouping of relational data has an assigned group table name and group table number. DB2 Elements are used to link to and extract other unique data stored under a different Group Table Name. The most major change is that responsibility for knowing where and how data is stored or extracted has been shifted from the programmer to the user AND informal user developed programs extract, process and format the data.

This document supersedes Volume 12, DoD 4100.39-M, July 1994.

2. There are 6 chapters to this manual.

Chapter 1; GROUP TABLE INDEX identifies basic Group Table information. The listing is provided in Group Table Name sequence and displays the following information:

Group Table Name  
Assigned Group Table Number  
Quantity of DB2 Elements assigned to that table grouping  
Total length of the DB2 Element records

Chapter 2. GROUP TABLE NUMBER TO DB2 ELEMENT NAME CROSS REFERENCE identified all DB2 Element names associated with Group Table Number/Name. The listing, used in conjunction with Chapters 3 and 4 is provided in Table Group Number sequence (alpha, numeric, 06 follows 059), and displays the following information:

Group Table Number  
Group Table Name  
Key DB2 Elements  
DB2 Element Name in Data Record Number (DRN) sequence within the group  
DRN's

Host/COBOL Name ( which may vary from the DB2 Element Name)  
Description of the data stored under that DRN, i.e., type, record length and number of decimals required/permitted

Chapter 3. USAGE - HOST/COBOL NAME TO TABLE GROUP NUMBER cross references the Host/Cobol Name to the associated DB2 Element Name and identifies all Group Table Numbers where that data element is used as part of the Table Group. The listing, used in conjunction with Chapters 2 and 4, is provided in Host/COBOL Name sequence and displays the following information:

Host COBOL Name  
DB2 Element Name  
Group Table Number

Chapter 4: DRN DEFINITIONS, CUSTODIAN ID, OTHER RECORD DATA identifies the DRN record custodian and provides the DRN title and definition in clear text with other pertinent information on the DRN. The listing, use alone or with Chapters 2 and 3, is provided in DRN sequence and displays the following information:

Data Record Number  
Host/COBOL Name  
DB2 Element Name  
Custodian Office Symbol  
Data Format information  
    FV -- Fixed or Variable length field  
    TYPE  
        CHAR -- Fixed length alphanumeric character data text string  
        VARCHAR -- Variable length alphanumeric character data text string  
        SMALLINT(eger) -- Numeric value only, range -32768 to +32767  
        INTEGER -- Numeric data only, value range -2147383648 to +2147483647  
        DECIMAL -- Numeric data requiring decimal value, decimal point is system supplied  
        DATE -- Numeric 4 to 17 position field depending upon DRN  
        LENGTH -- Maximum number of characters permitted in field  
Un-abbreviated Host/Cobol Name  
Clear text definition of the DRN


Chapter 5. CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE cross references the Clear Text Host COBOL name to its associated DRN. The listing, used alone or with Chapter 4 is provided in Clear Text Host/COBOL Name sequence, and displays the following information:

Clear Text Host/COBOL Name  
Data Record Number

Chapter 6: DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE identifies each Table Group No. Where a specific DRN is used. The listing, used alone or in conjunction with Chapter 2, is provided in DRN sequence and displays the following information

DRN  
DB2 Element Name  
Group Table Number

BY ORDER OF THE DIRECTOR



RANDALL B. HAGLUND  
Colonel, USMC  
Commander  
Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41,12  
**ARMY:** To be distributed in accordance with Special Distribution List.  
**NAVY:**

Commanding Officer  
Naval Publications and Forms Center  
15801 Tabor Avenue  
Philadelphia, Pa 19120

**Air Force:** Distribution "X"

TABLE OF CONTENTS

	<u>PAGE</u>
FOREWORD .....	i
TABLE OF CONTENTS.....	v
CHAPTER 1, GROUP TABLE INDEX.....	1-1
CHAPTER 2, GROUP TABLE NAME TO DB2 ELEMENT NAME CROSS REFERENCE.....	2-1
CHAPTER 3, USAGE -- HOST/COBOL NAME TO GROUP TABLE NO.....	3-1
CHAPTER 4, DRN DEFINITIONS, CUSTODIAN ID, AND OTHER RECORD DATA.....	4-1
CHAPTER 5, CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE.....	5-1
CHAPTER 6, DRN TO TABLE GROUP NO. CROSS REFERENCE.....	6-1

# CHAPTER 1

## DATA DICTIONARY

### GROUP TABLE

### INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
AAC_ALL_CL_ACTV	642	11	22	AEB_MC_MGT_CD4_FSC	904	2	4
AAC_ALL_CL_A_A	644	11	22	AEB_MC_MGT_CD4_FSG	903	1	2
AAC_ALL_CL_A_TL	643	11	22	AEB_MC_MGT_CD5_FSG	905	1	2
AAC_ALL_CL_A_TL_A	645	11	22	AEB_MC_MGT_CD6_FSC	907	2	4
AAC_ALL_CL_DEPT	638	7	13	AEB_MC_MGT_CD6_FSG	906	1	2
AAC_ALL_CL_D_A	640	7	13	AF_BUDGET_CD	164	5	644
AAC_ALL_CL_D_TL	639	6	11	AF_EXP_REC_REP_CD	165	6	105
AAC_ALL_CL_D_TL_A	641	6	11	AF_FSC_MGR_EDIT	720	1	6
AAC_ASGN_CL_A	636	8	20	AF_FUND_CD	166	2	242
AAC_ASGN_CL_MGR	634	8	20	AF_SOS_LOAD	440	2	7
AAC_ASGN_CL_TL	635	7	18	AIA_MSG_HEADER_LOG	844	2	80
AAC_ASGN_CL_TL_A	637	7	18	AIR_CMDTY_CD	162	2	351
AAC_ASGN_INT_A	630	7	13	AIR_DIMENSION_CD	163	2	1001
AAC_ASGN_INT_MGR	628	7	13	AIR_SPECIAL_HDLG	167	2	501
AAC_ASGN_INT_TL	629	6	11	AIR_S_HDLG_PART1	728	4	503
AAC_ASGN_INT_TL_A	631	6	11	AIR_S_HDLG_PART2	729	2	501
AAC_INDV_CLASSES	019	9	17	AMC_CHANGE_DATA	329	8	14
AAC_INDV_CL_A	442	9	17	AMC_CHANGE_DATA_A	330	8	14
AAC_INDV_CL_TL	625	8	15	AMC_DATA	021	11	13
AAC_INDV_CL_TL_A	627	8	15	AMC_DATA_A	444	11	13
ABV_MRC_DATA	020	5	21	AMLS_REQUEST_PARM	378	19	625
ABV_MRC_DATA_A	472	5	21	AMMO_CD_DESC	001	8	1784
ACCESS_DEFINITION	359	12	1194	AMMO_CODE_VALUES	723	2	5
ACCESS_DESCR_TBL	333	15	2255	AMMO_EDIT_CRITERIA	487	2	12
ACCESS_RCRD_DSCR_T	334	16	18	AMSC_AMC_COMBO	153	3	3
ACQUISITION_ADV_CD	156	3	1002	AMSC_DATA	022	7	12
ACQ_MTHD_CD	154	2	1001	AMSC_DATA_A	445	7	12
ACQ_MTHD_SUF_CD	155	2	1001	AMSC_DATA_TOT	425	6	11
ACTIVITY_CAT_CODE	159	2	121	AMSC_DATA_TOT_A	556	6	11
ACTIVITY_FORMAT_ID	382	7	29	APPLIC_MESSAGE_DAT	132	2	70
ACTIVITY_MEDIA_ID	783	8	19	APPL_OP_HOLD	408	7	1527
ACTY_CD_AND_ADD	158	2	7	APPL_OUTPUT_DIC	476	5	26
ACTY_DIC_EDIT	398	3	10	ARCHIVE_LOG	840	7	50
ACTY_OP_HOLD	475	9	1536	ARMY_ACCT_REQT_CD	168	2	401
ACTY_STORAGE_STATS	474	7	38	ARMY_MCC_SUBGROUP	171	2	81
ADDRESS_LINE_NBR	160	2	142	ARMY_MCC_SUBGROUP1	172	2	212
ADPEC_FSC	338	2	4	ARMY_RECOVERBTY_CD	173	2	251
ADPE_IDENTIFICA_CD	161	2	1001	AR_FSC_MGR_EDIT	719	1	6
ADP_CAO_DATA	077	5	24	AR_MCC_APPRO_SUBGP	169	2	101
ADP_CAO_TO_BATCH	710	6	89	AR_MCC_DESC_USE	170	2	601
ADRS_SEQ_CDS	862	1	1	ASN970107135959PC	010	7	82
AEB_ACCT_REQ_CD_D	908	2	4	ASN970107140251PC	1QF	7	82
AEB_ACCT_REQ_CD_N	909	2	4	ASSIGN_ISAC_RPLY	952	4	13
AEB_MC_MGT_CD1_FSC	898	2	4	ASSIGN_MRC	919	4	13
AEB_MC_MGT_CD1_FSG	897	1	2	ASSIGN_REPLY	920	2	8
AEB_MC_MGT_CD2_FSC	900	2	4	ASSOC_ADDRESS_ENT	145	5	342
AEB_MC_MGT_CD2_FSG	899	1	2	AUTHZD_DIC_ACTYS	175	3	54
AEB_MC_MGT_CD3_FSC	902	2	4	AUTHZD_SUB_ORIG_CD	157	22	597
AEB_MC_MGT_CD3_FSG	901	1	2	AUTODIN	041	5	4000

# CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
AUTODIN_KWA_LOG	841	8	24
AUTODIN_MESSAGES	012	7	38
AUTZD_ABBREVIATON	174	2	135
BILLING_DATA	104	6	22
BUSINESS_CAT_DATA	079	3	10
CAGE_ACT_AACNSN	493	4	9
CAGE_ACT_AACNSN_A	419	4	9
CAGE_AFFL_CODES	700	2	51
CAGE_AUDIT_DATA	081	6	89
CAGE_CD_VALUES	725	3	14
CAGE_CLEAR_TEXT	069	2	1101
CAGE_DATA_I	082	26	83
CAGE_DATA_NSNREF	023	4	11
CAGE_DATA_NSNREF_A	413	4	11
CAGE_DEL_HIST	502	3	6
CAGE_EDI_INPUT	070	4	1143
CAGE_FSCNSN	494	5	15
CAGE_FSCNSN_A	420	5	15
CAGE_INCNSN	495	4	16
CAGE_INCNSN_A	421	4	16
CAGE_KEYWORD_ADRS	504	3	31
CAGE_KHN_BKUP	151	5	1505
CAGE_LI_NBR_DATA	083	3	7
CAGE_REF_NBR_FMT	176	4	231
CAGE_RSN_CODES	708	2	101
CAGE_TRADING_PART	222	6	133
CAGE_ZIP_RNG_EXCP	004	3	17
CALLABLE_ACCESS	477	14	364
CALLABLE_DESCR_TBL	336	13	363
CALL_ACCESS_LIST	337	3	17
CAO_ADP_PT_PROC_CD	178	2	131
CARD_IDENTIFIC_CD	179	3	721
CAT_DEST_ACTY	188	2	5
CDD_FRT_DEST_DATA	090	8	50
CG_INVTRY_ACCT_CD	229	2	271
CG_REPARABILITY_CD	184	2	181
CG_SERIAL_NBR_CTRL	180	2	81
CHAR_DATA	116	11	1011
CICS_TO_BATCH	102	3	58
CIIC_CLASS_CD	182	3	345
CIIM_RTRN_ACTN_DRN	746	3	7
CIMM_RTRN_ACTN_CD	183	5	485
CMD_AUTHZN_CD	858	2	15
CMD_BASIC	006	46	75
CMD_BASIC_DOC_DIC	972	7	17
CMD_BASIC_HIST	505	52	89
CMD_PHRASE_DOC_DIC	973	7	17
CMD_PHRASE_IS_HIST	506	21	81
CMD_PHRASE_I_S	007	15	67

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
CMD_RCVRS_ACTY_CD	955	2	8
CNTRL_INVTY_ITM_CD	270	3	1002
COCO_TABLE	117	5	1323
COLLABORATORS	008	6	15
COLLABORATORS_HIST	507	12	29
COLLABOR_DOC_DIC	974	7	17
COLLOQ_XREF	091	4	10
COLLOQ_XREF_HIST	513	9	19
COMALTY_DDOD_DTL	792	34	31
COMALTY_DDOD_DTL_A	793	30	10
COMALTY_DDOD_TOT	790	33	19
COMALTY_DDOD_TOT_A	791	33	19
COMALTY_MGD_TOT	763	26	19
COMALTY_MGD_TOT_A	764	26	19
COMALTY_MS_D_DTL	369	66	31
COMALTY_MS_D_DTL_A	546	66	31
COMALTY_MS_D_TOT	788	65	19
COMALTY_MS_D_TOT_A	789	65	19
COMALTY_MS_S_DTL	786	26	31
COMALTY_MS_S_DTL_A	787	26	31
COMALTY_MS_S_TOT	784	25	19
COMALTY_MS_S_TOT_A	785	25	19
COMALTY_M_S_TOT	694	21	19
COMALTY_M_S_TOT_A	695	17	19
COMALTY_SDOD_DTL	024	22	31
COMALTY_SDOD_DTL_A	446	22	31
COMALTY_SDOD_TOT	692	21	19
COMALTY_SDOD_TOT_A	693	21	19
COMMONALITY_FAA	367	6	6
COMMONALITY_FAA_A	545	6	6
COMMONALITY_MGD	370	11	17
COMMONALITY_MGD_A	547	11	17
COMMON_NBR_SYS_IND	186	2	151
COMMRI_ACTY_CD	409	7	20
COMM_CATG	944	3	6
COMM_DATA	709	8	103
COMM_DATA_BATCH	606	3	12
COMPONENT_TABLE	388	17	234
COM_GOV_ENT_STA_CD	185	2	1001
CONFLICT_NOTIF_CD	187	3	1702
CONTR_ID_CDS	863	2	43
CONT_LABL_CD	860	5	46
CONVERSION_GD_DATA	119	9	48
CONVERT_REF_NBR	108	3	96
CONV_GD_SKLTN	118	5	15
CORP_ADDRESS	002	7	123
CORP_ADRS_NM_LINES	003	4	44
CORP_PHONE	005	3	26
COUNTRY_CODES	701	2	39

# CHAPTER 1

## DATA DICTIONARY

### GROUP TABLE

### INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
CRITL_CD_FIIG_TBL	111	2	251	DISTRIBUTION_ENT	146	4	19
CTOC_SUSPNS_FL	875	11	30	DIST_SEG_M_EDIT	721	1	6
CUTOFF_DATE	026	4	18	DLA_REP_CHAR_IN_CD	200	2	1001
CUTOFF_DATE_A	448	5	12	DLN_ENTITY	147	2	30
DAAS_ACCESS	387	2	9	DOC_AVLB_CD_DATA	201	2	1001
DAAS_SOS	331	9	24	DOD_CMDTY_MAT_MGMT	202	2	101
DAAS_SOS_HIST	519	11	24	DRAW_NOTE_DATA	826	6	335
DAC_DATA	027	11	15	DRN_WITHIN_A_DIC	207	9	56
DAC_DATA_A	449	11	15	DRN_WTHN_DIC_NOTES	208	3	1510
DATA_TRANM_CRTL_CD	190	2	251	DROP_DICS_SEGMENT	209	4	7
DCSC_AY_FSG_FSC	896	2	4	DRP_DICS	480	3	6
DCSC_AY_SUB_ACT	894	1	2	DRP_SEGMENTS	210	2	3
DD_PARM_CRITERIA	135	12	45	DSOR_ACTY_CD_XREF	833	3	165
DEBARRED_BDRS_DATA	092	8	49	DSOR_CD_NIMSC_CMPT	829	3	24
DECDE_COMP_DESCR_T	339	14	27	DSOR_DOC_DIC	975	7	17
DECODE_ACCESS	461	8	198	DSOR_MISMO_ADRS	834	9	289
DECODE_COMPONENT	473	18	226	DXRF_OVERNIGHT	579	3	16
DEGREE_OF_MATCH_CD	191	3	17	EDIT_GUIDE_1	120	12	25
DELETION_REASON_CD	192	2	1001	EDIT_GUIDE_2	121	10	20026
DEMAND_INDICATR_CD	193	2	201	EDIT_GUIDE_3	122	5	15
DEMILITARIZATIO_CD	194	3	1002	EDIT_GUIDE_4	123	2	7
DEMIL_AGENCY	426	5	10	EFFECTIVE_DAT_DLSC	365	3	8
DEMIL_AGENCY_A	557	5	10	EFF_AMMO_CD_DESC	073	10	1784
DEMIL_MGR_CODES	428	5	11	EFF_DATD_CHAR_DATA	380	9	23
DEMIL_MGR_CODES_A	559	5	11	EFF_DATED_ITM_DATA	010	17	50
DEMIL_MGR_ITEMS	427	4	10	EFF_DATED_ITM_HIST	509	23	64
DEMIL_MGR_ITEMS_A	558	4	10	EFF_DTD_FSC	094	19	24
DEMIL_NIIN	028	4	8	EFF_DTD_FSC_HIST	515	21	32
DEMIL_NIIN_A	450	4	8	EFF_DT_ITM_DOC_DIC	976	7	17
DEMIL_REVIEW	129	14	56	EFF_MOE_RULE_COLBR	095	3	6
DEPARTMENT_ACTY	029	4	10	EFF_MOE_RULE_RCVR	096	3	6
DEPARTMENT_ACTY_A	451	4	10	ELEC_STAT_DISCH	211	2	126
DEPOT_SRC_OF_REP	009	7	17	EMERGENCY_NIIN	960	3	10
DEPOT_SRC_REP_HIST	508	13	31	EST_ACTUAL_PRIC_CD	212	2	91
DEPT_GOALS_TAB	030	5	8	EXTD_FRT_DEST_DATA	732	5	258
DEPT_GOALS_TAB_A	452	5	8	EXTRACT_DESCR	133	20	60
DESC_TY_FSG_FSC	895	2	4	FCS_GOALS_DEPT_DTL	744	10	10
DESC_TY_SUB_ACT	893	1	2	FCS_GOALS_DEPT_D_A	745	10	10
DIC_BATCH_T912	181	3	5	FCS_GOALS_DEPT_TOT	429	9	8
DIC_DATA	196	11	382	FCS_GOALS_DEPT_T_A	560	9	8
DIC_I_O_CORRELATON	197	8	59	FCS_GOAL_ACTY_DTL	794	10	10
DIC_OTHER_OUTPUT	624	3	9	FCS_GOAL_ACTY_D_A	795	10	10
DIC_RELATED_TO_FD	198	3	9	FCS_GOAL_D_F_A_DTL	031	12	14
DIC_RTN_CD_ED_CRIT	770	1	1	FCS_GOAL_D_F_A_D_A	453	12	14
DIC_RTN_CD_ED_NOTE	864	3	1200	FCS_GOAL_D_F_A_TOT	804	18	12
DIC_SEG_ODRC	499	5	30	FCS_GOAL_D_F_A_T_A	805	18	12
DIC_SPEC_NOTES	992	4	89	FCS_GOAL_FSC_A_DTL	800	13	16
DIC_TABLE	383	13	52	FCS_GOAL_FSC_A_D_A	801	13	16
DIDS_SEG_CD	199	2	81	FCS_GOAL_FSC_A_TOT	802	12	14

# CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
FCS_GOAL_FSC_A_T_A	803	12	14	FSC_MOE_RULE_CHG	215	3	1010
FCS_GOAL_FSC_D_DTL	796	12	14	FSC_NOTE_DATE_GP2	491	10	1999
FCS_GOAL_FSC_D_D_A	797	12	14	FSC_NOTE_DAT_GROUP	076	8	7917
FCS_GOAL_FSC_D_TOT	798	11	12	FSC_POP_MGD	038	8	21
FCS_GOAL_FSC_D_T_A	799	11	12	FSC_POP_MGD_A	470	8	21
FCS_Q_S_AIN	682	4	10	FSC_POP_MGD_DTL	434	7	23
FCS_Q_S_AIN_A	683	15	10	FSC_POP_MGD_DTL_A	471	7	23
FCS_Q_S_REF	678	15	10	FSC_POP_NONMGD	435	8	21
FCS_Q_S_REF_A	679	15	10	FSC_POP_NONMGD_A	562	8	21
FCS_Q_S_TYPII	032	15	10	FSC_REQ_ESD_CD	216	2	4
FCS_Q_S_TYPII_A	454	15	10	FSC_RI_TABLE	525	3	5
FC_COLLOQ_XREF	592	4	10	FSC_SEGM_FILE_MNT	148	5	10
FC_FSC_NOTE_DAT_GP	591	8	7917	FSC_SEGM_FM_HIST	530	7	11
FC_FSG_NOTE_DAT_GP	595	5	3959	FSG_FSC_NAIN_EDIT	986	3	23
FC_NAMES_BY_TYP	593	12	3552	FSG_NOTE_DATE_GP2	492	9	1997
FC_NM_CD_FSC_XREF	594	6	1771	FSG_NOTE_DAT_GROUP	316	5	3959
FED_COND_CD_DSPL	832	3	531	FST_POS_MOE_EDIT	734	2	3
FED_COND_CD_SPLY	831	3	651	FUTURE_R_OUTPUT	918	7	32
FIIG_COUNT_DATA	033	5	17	FUT_SSR_MOE_RL_ST	218	2	101
FIIG_COUNT_DATA_A	414	5	17	GATEKEEPER	876	6	50
FIIG_DRAWING_DATA	072	9	136	GD_REF_BACK	501	4	15
FIIG_POP_MGD	034	8	21	GIRDER	772	16	176
FIIG_POP_MGD_A	415	8	21	GIRDER_CAGE_CNTL	929	2	6
FIIG_POP_MGD_DTL	430	7	23	GIRDER_DAT_GROUP_1	317	3	1060
FIIG_POP_MGD_DTL_A	467	7	23	GIRDER_ERROR	780	6	337
FIIG_POP_NONMGD	431	8	21	GIRDER_EXCEPTION	781	10	151
FIIG_POP_NONMGD_A	466	8	21	GIRDER_LTI	773	4	87
FIIG_SB_SCTN_TITLE	963	4	128	GIRDER_MFR_UPD	932	8	128
FIIG_SCTN_TITLE	964	2	121	GIRDER_STATS	779	5	9
FIIG_VAL_TABLE	815	3	129	GIRDER_TRN_HLD	937	3	85
FILE_ACCESS_RECORD	418	10	47	GLOSSARY_ACRONYM	219	3	140
FILE_COMPONENT	447	18	199	GLOSSARY_OF_TERMS	220	3	1320
FILE_MAINT_ACTN_CD	213	2	251	GROUPING_CRITERIA	130	19	18
FIRST_OF_MONTH	956	2	5	GROUPING_DESCR	138	11	20
FIXD_FMT_EDIT_CRIT	228	4	1405	HCC_TABLE	711	3	102
FIXED_OR_VRBLE_DIC	214	5	2512	HISTORY_CHAR_DATA	115	14	1011
FOREIGN_ADDRESS	328	8	163	HIST_KRU_IMAGE	314	4	1132
FREIGHT_DATA	035	6	23	HMIC_FSC_TBL	962	3	5
FREIGHT_DATA_A	416	6	23	HMIC_TBL	110	2	251
FREIGHT_DATA_TOTAL	503	5	18	HOLD_TRANS	845	2	9
FREIGHT_DATA_TTL_A	423	5	18	HSM_APPL_OP_HOLD	866	7	1527
FREIGHT_LGN_DATA	149	7	24	HSM_KRU_IMAGE	315	4	1132
FRT_STATS_ENTITY	097	14	0	HSM_ORIGINAL_IMAGE	867	3	1152
FSC_FSCINC_DATA	432	6	15	HSM_ORIG_IMAGE_EXT	868	3	1151
FSC_FSCINC_DATA_A	465	6	15	HSM_ORIG_IMAGE_KEY	869	7	115
FSC_GOALS_TAB	036	7	10	HSM_TRANS_HIST_KEY	871	8	64
FSC_GOALS_TAB_A	455	7	10	HSM_TRANS_HIST_MST	872	16	83
FSC_INC_DATA	037	3	11	HSM_TRANS_HIST_SEG	319	5	1152
FSC_INC_DATA_A	417	3	11	HSM_TRANS_PROC_ERR	323	9	84



# CHAPTER 1

## DATA DICTIONARY

### GROUP TABLE

### INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
HSM_TRANS_SEG_EXT	931	5	1151	ITEM_DRAWING_DATA	136	5	26
HZRD_MATERIAL_CD	224	2	1002	ITEM_MANAGEMENT_CD	231	4	1102
H_D_BRK_FSC_CAT_XT	221	4	1005	ITEM_NAME_DATA	438	3	25
IANDS_ACTY_DATA	373	10	10	ITEM_NAME_DATA_A	565	3	25
IANDS_ACTY_DATA_A	550	10	10	ITEM_NAME_DEPT_ACT	043	2	6
IANDS_DEPT_ALL_TOT	933	6	6	ITEM_NAME_DEPT_A_A	460	7	10
IANDS_DEPT_ALL_T_A	938	6	6	ITEM_NAME_DEPT_TOT	690	6	8
IANDS_DEPT_DATA	039	9	12	ITEM_STDZN_CD	232	2	1001
IANDS_DEPT_DATA_A	456	9	12	ITM_EXC_CRI_REC_TP	342	6	20
IANDS_DEPT_TOTAL	934	7	8	ITM_NM_FUT_HIST	489	9	2001
IANDS_DEPT_TOTAL_A	939	7	8	IT_VLD_IMCA_TBL	080	1	2
IANDS_FSG_TOTAL	935	8	10	KEYWORD_INDEX	364	2	42
IANDS_FSG_TOTAL_A	940	8	10	KFU_COND_CD_DATA	217	3	802
IDS_AUTO_QA	699	4	4	KFU_STATUS_CD	233	7	256
IDS_JCL_GEN_INFO	134	5	81	KHN_ACTY_TBL	327	2	7
ID_CAT_ITEM_SELECT	497	4	22	KVI_STRAGLER_FL	949	3	2
ID_DECODE_CAT_CHAR	498	8	1126	KVI_SUSPNS_FL	948	15	30
ID_INC_XREF	828	6	20	LABEL_FORMAT	379	32	110
ID_MRC_XREF	827	6	19	LAD_SEG_DRN	889	3	5
IL_SCREEN_DECISION	230	4	54	LCD_SEG_DRN	890	3	5
IMCA_FSC_EDIT	716	1	6	LCG_SEG_DRN	892	3	5
IMC_ALL_DATA	040	7	19	LDD_SEG_DRN	891	3	5
IMC_ALL_DATA_A	457	7	19	LESS_THN_CRLD_CD	234	2	21
IMC_NEW_DATA	436	7	19	LESS_THN_TL_CD	235	2	21
IMC_NEW_DATA_A	563	7	19	LFU_ARCHIVE_BUILD	605	4	44
IMM_FSC_EDIT	735	1	6	LIMITED_DIST	782	14	62
IMPS_ERROR_LOG	086	8	279	LMTD_DISTRIBUTION_CD	236	5	1291
IMPS_HEADERS_IN	084	15	198	LMT_DIS_ACT_CD_VAL	936	2	7
IMPS_MESSAGES_IN	085	4	22080	LMX_LMD_COMB	403	3	7
INACTIVE_PHRD_CD	884	1	1	LOLA_INQ_ALL_DEPT	621	15	9
INCOMP_ADRS_EDIT_CD	226	2	101	LOLA_INQ_ALL_DEP_A	623	15	9
INC_CAGE_COMBOS	225	2	10	LOLA_INQ_DEPT	620	16	11
INC_FIIG_CORL	830	8	190	LOLA_INQ_DEPT_A	622	16	11
INC_MRC_COUNT	356	3	11	LOLA_INQ_STATS	045	17	13
INC_MRC_VAL_MODE_F	361	6	44	LOLA_INQ_STATS_A	462	17	13
INC_MRC_VAL_MODE_H	362	12	62	LOLA_MGMT_STATS_A	554	7	38
INC_MRC_VAL_MODE_J	360	10	71	LOLA_MGMT_STATS_DT	381	7	38
INC_MRC_VAL_MOD_AB	358	5	29	LOLA_OVERNIGHT	341	8	82
INC_MRC_VAL_MOD_DL	357	5	20	LOLA_RESPONSE	957	8	45
INFO_DISSEM_DATA_A	458	31	6	LOLA_UPD_STATS_DATA	368	9	37
INTEGRITY_CD_FRGHT	227	2	1001	LOLA_UPD_STATSHIST	374	7	23
ISAC_RPLY_AUD	950	7	396	LOLA_UPD_TRANSDATA	375	8	1504
ISAC_RPLY_TAB	125	4	387	LTI_LFN_FOLLOWUP	958	3	9
ISC_AUTH_SPEC_STD	917	2	6	LVI_R_TABLE_EDIT	989	2	4
ISC_DATA	042	8	11	MADS_DIST_CNTL	666	8	0
ISC_DATA_A	459	8	11	MADS_DIST_HOLD	612	5	22080
ISC_DATA_TOT	741	7	12	MAINTENANCE_DIC	013	1	3
ISC_DATA_TOT_A	742	7	12	MAJ_MAT_CAT_ARMY	237	2	201
ITEMNM_DEPT_TOT_A	691	6	8	MARKUP_DESCR_TBL	335	11	176

# CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
MASTER_DRAW_FILE	816	3	24	MGT_INFO_TABLE	340	27	118
MAT_MGMT_AG_AF	238	3	648	MGT_RSP_CHG_DATA	578	10	12
MC_CDG_DATA	880	6	1020	MGT_RSP_CHG_DATA_A	590	10	12
MC_CHARACTERISTICS	881	6	21	MIOS_ACTIVE_SEG	071	5	1152
MC_COMBAT_ESNTL_CD	239	2	321	MJR_ORGN_ENTITY_CD	247	2	102
MC_ECHELON_CD	240	3	391	MM07_CAGE_ASSET	343	7	84
MC_MAINT_DATA	878	7	3990	MM08_NIIN_ASSET	344	6	56
MC_MATERIL_IDEN_CD	241	3	82	MNDTRY_CAGE_RNCC	245	2	6
MC_MGT_CD	242	3	481	MOBIL_RESERVE_REQT	246	2	101
MC_OPERTNL_TEST_CD	266	2	701	MODE_A_B_REPLY	351	7	39
MC_PHYSICAL_CAT_CD	269	2	61	MODE_CD_EDIT	390	6	24
MC_RECOVERABLT_Y_CD	243	2	321	MODE_D_L_REPLY	350	7	30
MC_STORES_ACCT_CD	244	2	81	MODE_F_REPLY	353	8	54
MDLS_BATCH_DEPT_A	326	27	8	MODE_H_REPLY	354	16	1062
MDLS_BB_COMMENT	599	4	251	MODE_I_REPLY	352	15	139
MDLS_BTCH_INQ_DATA	048	28	10	MODE_TEXT_INDEX	349	6	58
MDLS_BTCH_INQ_DA_A	526	28	10	MODE_TEXT_REPLY	348	8	1014
MDLS_BTCH_INQ_DEPT	223	27	8	MOE_CD_MOE_RL_RLTN	137	2	6
MDLS_DAT_ASSET_DRC	320	10	53	MOE_FSGFSC_DATA	433	6	12
MDLS_DAT_AST_TITLE	321	6	66	MOE_FSGFSC_DATA_A	561	6	12
MDLS_DGTZD_MEDIA	279	3	34	MOE_RL_DLT_DOC_DIC	977	7	17
MDLS_FTP_TRNSMT	143	3	12	MOE_RULE_COLL_REC	439	5	10
MDLS_INIT_ACCESS	597	1	8	MOE_RULE_COLL_RE_A	566	5	10
MDLS_INQ_ORDR_DATA	046	30	10	MOE_RULE_DELT_HIST	510	12	28
MDLS_INQ_ORDR_DA_A	463	30	10	MOE_RULE_DELT_RSN	011	4	13
MDLS_INQ_ORDR_DEPT	112	29	8	MOE_RULE_DEPT	051	5	10
MDLS_INQ_OR_DEPT_A	113	29	8	MOE_RULE_DEPT_A	529	5	10
MDLS_MEDIA	322	2	7	MOE_RULE_FSC	437	5	14
MDLS_ORDERS	324	11	41	MOE_RULE_FSC_A	564	5	14
MDLS_REPOSITORY	325	15	554	MOE_RULE_PS_EDITS	152	5	10
MDLS_REPOS_PHN	488	4	23	MOE_RULE_RPLM_DATA	730	2	8
MDLS_UPDT_BB	598	4	87	MOE_RULE_STATS	088	8	0
MDLS_UPDT_STAT_DAT	047	21	13	MOE_RULE_TBL	093	19	529
MDLS_UPDT_STAT_D_A	464	21	13	MOE_TO_IMC_ACTY	318	2	4
MDLS_UPDT_ST_DEPT	114	20	8	MRC_RPLY_TAB	126	4	8
MDLS_UPDT_ST_DPT_A	195	20	8	MRD_DECODE	127	10	254
MDLS_USR_ADRS_DAT	355	9	254	MRD_KEY_GRP_CD	391	2	22
MEDALS_DIST_LEVEL	204	2	41	MRD_REPL_AUD_TABLE	923	7	399
MEDALS_SEC_CLASS	205	2	41	MRD_REQ_AUD_TABLE	921	14	763
MEDIA_MESSAGE_ID	397	6	161	MRD_REQ_AUD_T_SEQ	922	5	5
MEDIA_TYPE_TABLE	410	13	151	MRD_REQ_STMT_DEF	347	2	504
MGMT_CHG_DA_DTL	751	5	11	MRSP_ALL_CL_ACTV	572	22	21
MGMT_CHG_DA_D_A	752	5	11	MRSP_ALL_CL_A_A	588	22	21
MGMT_CHG_DEPT	749	6	8	MRSP_ALL_CL_A_TL	577	22	21
MGMT_CHG_DEPT_A	750	6	8	MRSP_ALL_CL_A_TL_A	589	22	21
MGMT_CHG_DEPT_ACTY	049	7	10	MRSP_ALL_CL_DEPT	571	12	12
MGMT_CHG_DEPT_A_A	527	7	10	MRSP_ALL_CL_D_A	586	12	12
MGMT_CHG_DEPT_DTL	753	4	9	MRSP_ALL_CL_D_TL	576	11	10
MGMT_CHG_DEPT_D_A	754	4	9	MRSP_ALL_CL_D_TL_A	587	11	10

# CHAPTER 1

## DATA DICTIONARY

### GROUP TABLE

### INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
MRSP_ASGN_CL_A	584	13	19	NAVY_MATL_CNTRL_CD	253	2	161
MRSP_ASGN_CL_MGR	570	13	19	NEXT_NIIN_PSCN	914	3	10
MRSP_ASGN_CL_TL	575	12	17	NIIN_DRAWING_DATA	075	5	31
MRSP_ASGN_CL_TL_A	585	12	17	NIIN_ID_NBR_DATA	842	5	142
MRSP_ASGN_INT_A	582	12	12	NIIN_MOE_RULE_DATA	345	14	24
MRSP_ASGN_INT_MGR	569	12	12	NIIN_MOE_RULE_HIST	521	20	38
MRSP_ASGN_INT_TL	574	11	10	NIIN_MOE_R_DOC_DIC	980	7	17
MRSP_ASGN_INT_TL_A	583	11	10	NIIN_PKG_DAT_GROUP	346	34	177
MRSP_INDV_CLASSES	371	14	16	NIIN_PKG_DAT_HIST	928	40	191
MRSP_INDV_CL_A	580	14	16	NIIN_PKG_DOC_DIC	981	6	14
MRSP_INDV_CL_TL	573	13	14	NIIN_PSCN_STATU_CD	255	3	1101
MRSP_INDV_CL_TL_A	581	13	14	NIIN_REF_DOC_DIC	982	6	14
MS_DEPT_MATRIX	959	3	6	NIIN_REF_NBR_DATA	014	14	88
MS_JOB_CNTL	993	10	14	NIIN_REF_NBR_HIST	522	20	102
MS_JOB_CNTL_HIST	879	11	14	NM_CD_FSC_XREF	099	6	1771
MULTIMEDIA_RR_FIXD	995	3	1152	NM_CD_FSC_XRF_HIST	518	11	1780
MULTIMEDIA_RR_VARI	996	3	1152	NONEFF_DTD_ITM_DAT	016	35	83
MULTI_MEDIA_OUT	945	7	1541	NONEFF_ITM_DOC_DIC	983	6	14
M_RL_FSC_G_MGT_EX	733	4	9	NONEF_DTD_ITM_HIST	523	40	95
NAIN_CHAL_BY_ACTY	912	1	6	NONSMBL_ITM_MAT_CD	256	2	1201
NAIN_FSG_FSC_EDIT	985	3	23	NON_CMD_ACTY_ACC	015	6	14
NAIN_POP_DATA	053	6	29	NON_CMD_ACTY_HIST	511	12	28
NAIN_POP_DATA_A	531	6	29	NON_CMD_AC_DOC_DIC	978	7	17
NAIN_POP_DATA_DTL	611	6	31	NORMAL_SOURCE_PROC	257	3	601
NAIN_POP_DATA_DT_A	615	6	31	NOTES_DATA	394	6	1204
NAIN_POP_TOT	696	5	10	NSCM_PRFX_CDFN_BUR	258	5	35
NAIN_POP_TOT_A	697	5	10	NSCM_SUFX_CDFN_BUR	259	5	30
NAMES_BY_TYP	098	12	3552	NVY_IRC_SOS_NSP_CD	261	3	7
NAME_CODE_VALUES	724	3	7	NVY_IS_RE_REQ_CD	262	2	402
NATL_CDFN_BUREU_CD	251	3	23	NVY_SOS_CD	260	4	57
NATO_ACTIVITY_SEG	999	7	1514	NVY_SPEC_MTL_ID_CD	254	2	562
NATO_ACTY_SUR_OP	888	1	6	ODRC_DIC_VAL_TBL	859	15	20
NATO_AUDIT_DATA	025	8	26	ORIGINAL_IMAGE	399	2	1151
NATO_CAGE	685	4	276	ORIGINAL_IMAGE_KEY	385	7	115
NATO_CASE_DATA	044	8	1513	ORIG_IMAGE_EXTENTS	848	3	1151
NATO_CHAR	688	5	1122	ORIG_KRU_IMAGE	994	4	1132
NATO_IDENT	684	8	54	OTPT_MODE_MEDIA_CD	267	11	528
NATO_ISAC_EXTRACT	124	4	19	O_E_DESIGNATOR_CD	263	2	101
NATO_L07_DCSN_DATA	998	9	19	PAGE_HEADERS	393	5	85
NATO_MASS_CHG	103	7	55	PAGE_TRAILERS	395	3	803
NATO_MOE_RULE	687	3	13	PASSTHRU_CHECK	206	3	16
NATO_NCC_COMMENT	422	6	511	PASSTHRU_STATS	608	7	36
NATO_NIIN_REF	686	10	53	PASS_LINE_ACCESS	926	5	33
NATO_PRIMARY_DATA	060	21	35	PASS_TO_CICS	443	2	80
NATO_REF_NBR_DATA	059	7	48	PHRASE_CD_DATA	268	3	1101
NATO_RTN_CD_DATA	105	9	267	PHRASE_CD_PKG_COMB	839	3	3
NATO_SUSPENSE_DATA	997	7	1514	PHRASE_CD_SVC	836	3	151
NATO_TRACKING_DATA	106	15	54	PHRS_CD_DRN_0217	882	1	1
NAVY_COGNIZANCE_CD	252	4	453	PICA_LEVEL_OF_AUTH	271	2	1302

# CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
PICA_SICA_CMD_CMPT	837	9	220	REPBL_DEPT_TOT_A	532	4	9
PIC_ACTY_TOT	551	8	10	REPLACEMENT_AMMO	496	2	8
PIC_ACTY_TOT_A	552	8	10	REPLACEMENT_INCS	990	2	10
PIC_DATA	372	9	13	REPLY_TABLE	128	4	390
PIC_DATA_A	549	9	13	REROUTED_TRANS	402	3	1152
PIC_DATA_TOT	441	7	8	REROUTED_TRAN_KEYS	389	7	115
PIC_DATA_TOT_A	568	7	8	REROUTE_LOG	401	6	44
PKG_UP_QTY	946	2	123	RETURN_ACTION_CD	291	5	1405
PMIC_MRC_TYPE	988	2	5	RETURN_CD_RLTD_DRN	292	5	21
PMIC_RPLY	987	3	8	RNAAC_BYPASS	490	1	2
PREC_METL_IND_CODE	272	2	101	RNCC_RNVC_COMB_MAY	289	5	14
PRICE_VALIDATON_CD	273	2	1201	RNCC_RNVC_COMB_MST	290	4	4
PRIM_BUS_CODES	704	2	51	RPDMRC_FOLLOW_UP	877	4	10
PRIORITY_IND_CODE	412	4	27	RPLD_NSN_DOC_DIC	984	6	14
PRODUCT_CONSOL	478	6	19	RPLD_NSN_STDZN	018	4	22
PROD_NM_XREF	966	2	25	RPLD_NSN_STDZ_HIST	524	10	36
PROPOSAL_INITIATOR	203	2	95	RPLM_CAGE_CD	101	2	10
PSEUDO_SOS_SPLY_CD	274	2	1003	RTN_CD_CAT_TAB	061	4	13
PSMAT_ADDR	144	12	451	SCRN_OTHER	066	5	8
QUANT_UNIT_PACK_CD	277	2	201	SCRN_OTHER_A	542	5	8
RDG_TITLE	965	3	167	SCRN_PRENIIN	757	5	8
RECEIVERS	017	6	15	SCRN_PRENIIN_A	758	5	8
RECEIVERS_DOC_DIC	979	7	17	SCRN_PREREF	755	5	8
RECEIVERS_HIST	512	12	29	SCRN_PREREF_A	756	5	8
REC_MENU3	968	25	619	SCRN_PRONIIN	761	5	8
REC_PROFI	967	13	58	SCRN_PRONIIN_A	762	5	8
REC_PROF2	969	3	11	SCRN_PROREF	759	5	8
REC_PROF3	925	2	14	SCRN_PROREF_A	760	5	8
REC_TERM	970	2	12	SEG_CD_SUPMTL	293	3	83
REF_NBR_COMBO	278	9	19	SEG_FORMAT	249	7	20
REF_NBR_CTGY_CD	280	2	1601	SEG_FORMAT_HEADERS	177	5	1392
REF_NBR_DUPL_DECSN	287	8	29	SEG_FORMAT_NOTES	305	4	1209
REF_NBR_FORMAT_CD	282	2	201	SEG_RTN_CD_ED_CRIT	771	6	7
REF_NBR_GATEKEEPER	953	6	78	SELECT_FMT_MODULE	407	2	13
REF_NBR_JUSTIFN_CD	283	2	1001	SERVICE_AGENCY_ACTY	063	4	15
REF_NBR_STATUS_CD	284	2	1001	SERVICE_CD_PSMAT	835	2	77
REF_NBR_VARITON_CD	285	2	1001	SERVICE_ENTITIES	482	5	26
REF_PAR_DES_RSN_CD	286	2	1001	SERV_AGCY_DESIG_CD	294	2	22
REIMBURSEMENT_CD	288	2	126	SGL_MULT_OUTPUT_CD	873	2	501
REJ_REPLY_RECORD	924	9	18	SHELF_LIFE_CODE	295	2	201
RELEASE_NOW	849	2	9	SICA_LEVEL_OF_AUTH	296	2	1302
REORDER_CRITERIA	850	5	23	SINGLE_SUB_BY_PASS	304	2	6
REPBL_ACTY_LOA	058	6	13	SIZE_OF_BUS_CODES	705	2	51
REPBL_ACTY_LOA_A	535	6	13	SKO_COMPONENTS	942	9	64
REPBL_ACTY_TOT	056	5	11	SNF_NIINS	089	4	10
REPBL_ACTY_TOT_A	533	5	11	SORTING_TABLE	486	7	132
REPBL_DEPT_LOA	057	5	11	SOS_MODIFIER_CODES	298	2	203
REPBL_DEPT_LOA_A	534	5	11	SOS_SUB_ACT_MOE_CD	886	2	8
REPBL_DEPT_TOT	055	4	9	SOURCE_OF_SPLY_CD	299	4	510

# CHAPTER 1

## DATA DICTIONARY

### GROUP TABLE

### INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH	GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
SPCL_APPL_OP_HOLD	961	7	1508	TM_CONVID_ACTY	618	3	11
SPCL_MTL_CONT_CD	301	2	121	TM_CONVID_MSG	619	4	22004
SPECIAL_PACK_REQT	302	2	101	TM_MESSAGE_OUT	843	9	22099
SPECL_HANDLING_CD	300	2	81	TM_MESSAGE_RECOVER	054	8	99
SP_PROJ_MM_OUT	715	8	1545	TM_RECOVERY	617	11	1041
SSP_FSC_EDIT	717	1	6	TM_RELEASED_KEYS	616	8	120
STATE_CODES	483	2	22	TM_SEGMENT_DROP	074	27	34
STATISTICAL_IND_CD	303	2	101	TM_TAPE_LOG	603	7	26
STATS_REACTIVATION	626	4	16	TM_TRACKING_LOG	604	17	112
STAT_ARCHIVE_TBLS	913	9	57	TM_TRANS_COUNT	613	7	32
STAT_DEPT_NME_CD	698	2	9	TM_TRANS_HOLD	614	7	99
STAT_LOG_STATUS	141	6	31	TRANSACT_STATUS_CD	306	5	453
STAT_MGR	857	5	17	TRANSITION_TABLE	386	1	3
STAT_OF_STATS	062	4	24	TRANS_ACTIVE_BATCH	851	4	81
STAT_RESTORE_STATUS	142	2	10	TRANS_ACTIVE_KEYS	602	8	64
STAT_USER_REQUEST	140	5	32	TRANS_ACTIVE_MAST	600	7	63
STDZN_SUB_FSC_EDIT	718	1	6	TRANS_ACTIVE_SEG	609	5	1152
STOP_WORD_CDM	485	1	35	TRANS_ACTIVE_STATS	601	10	41
STYL_RPLY_AUD	951	7	403	TRANS_ACTIVE_TRACK	052	8	92
STYL_RPLY_TAB	131	4	394	TRANS_HIST_EXTENTS	747	5	1151
SUR_SUB_ACT_MOE_CD	887	2	8	TRANS_HIST_KEYS	774	8	64
SVCBL_STD_DATA	943	18	74	TRANS_HIST_MAST	852	16	83
SVC_PEC_DE	883	2	5	TRANS_HIST_SEG	775	5	1152
TABLE_ALIAS	971	3	36	TRANS_PROC_ERROR	405	9	84
TABLE_CONTENTS	392	9	1573	TRANS_SEG_EXTENTS	838	5	1151
TBL_DIRECTR_CSTDN	150	4	36	TRANS_SUSP_EXTENTS	854	5	1151
TEL_TYP_CODES	702	2	21	TRANS_SUSP_KEYS	776	8	64
TEXT_TABLES	736	5	79	TRANS_SUSP_MAST	777	8	26
TIIM_ALL_CL_ACTV	660	34	21	TRANS_SUSP_SEG	778	5	1152
TIIM_ALL_CL_A_A	661	34	21	TRN_DIC_IO_STATS	064	6	16
TIIM_ALL_CL_A_TL	662	34	21	TRN_DIC_IO_STATS_A	540	6	16
TIIM_ALL_CL_A_TL_A	663	34	21	TRN_DIC_OAC_A	740	18	13
TIIM_ALL_CL_DEPT	656	18	12	TRN_DIC_OAC_DTL	739	18	13
TIIM_ALL_CL_D_A	657	18	12	TRN_DIC_OAC_TOT	818	17	10
TIIM_ALL_CL_D_TL	658	17	10	TRN_DIC_OAC_TOT_A	819	17	10
TIIM_ALL_CL_D_TL_A	659	17	10	TRN_DIC_SAC_A	541	18	13
TIIM_ASGN_CL_A	653	19	19	TRN_DIC_SAC_DTL	065	18	13
TIIM_ASGN_CL_MGR	652	19	19	TRN_DIC_SAC_TOT	820	17	10
TIIM_ASGN_CL_TL	654	18	17	TRN_DIC_SAC_TOT_A	821	17	10
TIIM_ASGN_CL_TL_A	655	18	17	TRN_QDIC_OAC_DPT	810	17	10
TIIM_ASGN_INT_A	649	18	12	TRN_QDIC_OAC_DPT_A	811	13	6
TIIM_ASGN_INT_MGR	648	18	12	TRN_QDIC_OAC_ST	808	11	13
TIIM_ASGN_INT_TL	650	5	10	TRN_QDIC_OAC_ST_A	809	11	13
TIIM_ASGN_INT_TL_A	651	17	10	TRN_QDIC_SAC_DPT	824	17	10
TIIM_INDV_CLASSES	050	20	16	TRN_QDIC_SAC_DPT_A	825	17	10
TIIM_INDV_CL_A	528	20	16	TRN_QDIC_SAC_ST	822	11	13
TIIM_INDV_CL_TL	646	19	14	TRN_QDIC_SAC_ST_A	823	11	13
TIIM_INDV_CL_TL_A	647	19	14	TRN_TIMING_DATA	376	6	11
TIN_EXMP_CODES	707	2	51	TRN_TIMING_DATA_A	468	6	11

# CHAPTER 1 DATA DICTIONARY GROUP TABLE INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
TYPE_OF_CARGO_CD	311	2	1001
TYPE_O_E_AGENCY_RSP	265	2	81
TYPII_FSC_OAC_FYD	548	11	14
TYPII_FSC_SAC_FYD	396	11	14
TYPII_FSC_SAC_FY_A	555	11	14
TYPII_OAC_DTL	676	15	10
TYPII_OAC_DTL_A	677	15	10
TYPII_OAC_FYD	424	9	10
TYPII_OAC_QTR	067	9	10
TYPII_SAC_DTL	680	15	10
TYPII_SAC_DTL_A	681	15	10
TYPII_SAC_FYD	068	9	10
TYPII_SAC_QTR	668	9	10
TYPII_XFR_OAC_FYD	377	17	14
TYPII_XFR_OAC_QTR	664	15	10
TYPII_XFR_SAC_FYD	670	17	14
TYPII_XFR_SAC_QTR	672	15	10
TYPII_XFR_SAC_QT_A	673	15	10
TYP_FIN_MGMT_CTRL	308	2	101
TYP_OF_ADDRESS_CD	307	2	101
TYP_OF_BUS_CODES	703	2	51
TYP_OF_CORP_CODES	706	2	101
TYP_OF_ITM_IDNT_CD	309	3	103
TYP_SP_PRCSG_IN_CD	310	2	361

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
UNAPPRV_ITEM_NM_DT	363	4	997
UNDEFINABLE_TRANS	481	5	212
UNIT_OF_ISSUE_CD	312	4	823
USER_ACCESS_AUTH	954	3	10
USER_DATE_XREF	366	4	414
USER_INPUT_FORMAT	406	7	22
USER_OUTPUT_FORMAT	404	7	22
USG_CAGE	189	1	5
USING_SERVICE_CD	313	2	81
U_I_CONVERN_FACTOR	813	8	136
U_OF_MEASURE_DESIG	276	2	22
VALID_CONTINUATION	853	3	5
VALID_DIC_ODRC	855	4	9
VALID_FSC_W_B_ISC	916	2	4
VALID_ISC_COMBO	915	2	2
VALID_SEGMENTS	411	4	7
VAL_DMIL_CIIC_COMB	941	2	2
VAR_FMT_R_ED_CRI	536	6	1408
VAR_SEG_PARAM	479	7	5
WEAPON_NAME	846	3	78
WEAPON_TO_NIIN	847	7	15
WORKLOAD_DATA	109	5	4
ZIP_ADRS_DATA	139	8	77

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
001	AMMO_CD_DESC	0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR	( 1762,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	( 4,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		0	INC_4080	4080	INC	CHAR	( 5,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	( 8,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	( 4,	0)
002	CORP_ADDRESS	0	POBOX_1361	1361	POBOX	CHAR	( 36,	0)
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	( 36,	0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	( 36,	0)
		0	ZIP_ADD_ON_4398	4398	ZIP-ADD-ON-CD	CHAR	( 4,	0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR	( 5,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	( 1,	0)
003	CORP_ADRS_NM_LINES	0	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	( 1,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	ADRS_NM_LN_NO_1087	1087	ADRS-NM-LN-NO	CHAR	( 2,	0)
004	CAGE_ZIP_RNG_EXCP	3	ADRS_NM_C_TXT_1086	1086	ADRS-NM-CLR-TXT	CHAR	( 36,	0)
		0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR	( 6,	0)
		0	CAO_CD_8870	8870	CAO-CD	CHAR	( 6,	0)
005	CORP_PHONE	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		0	TEL_NBR_1359	1359	TEL-NBR	CHAR	( 20,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
006	CMD_BASIC	2	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	( 1,	0)
		0	AAC_2507	2507	ACQ-AD-CD	CHAR	( 1,	0)
		0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	( 1,	0)
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	( 1,	0)
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	( 2,	0)
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	( 1,	0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	( 1,	0)
		0	CIIC_2863	2863	CIIC	CHAR	( 1,	0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	( 1,	0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	( 2,	0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	( 1,	0)
		0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	( 1,	0)
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	( 2,	0)
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	( 1,	0)
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	( 2,	0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	( 1,	0)
		0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	( 1,	0)
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	( 1,	0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	( 1,	0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	( 2,	0)
		0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	( 1,	0)
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	( 1,	0)
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	( 1,	0)
		0	QUP_6106	6106	QUP-CD	CHAR	( 1,	0)
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	( 1,	0)
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	( 1,	0)
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	( 1,	0)
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	( 1,	0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
007	CMD_PHRASE_I_S	0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER	( 4,	0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	( 4,	0)
		0	SER_NO_CTL.CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	( 1,	0)
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	( 1,	0)
		0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	( 2,	0)
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	( 3,	0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR	( 3,	0)
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	( 1,	0)
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	( 1,	0)
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	( 1,	0)
		0	UI_3050	3050	UI	CHAR	( 2,	0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR	( 5,	0)
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	( 11,	2)
		0	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	( 1,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR	( 2,	0)
		0	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR	( 13,	0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	( 4,	0)
		0	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR	( 2,	0)
		1	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER	( 4,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		2	REL_NSN_2895	2895	REL-NSN	CHAR	( 13,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		3	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR	( 20,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR	( 2,	0)
		6	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	( 1,	0)
		7	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	( 1,	0)
		8	JTC_0792	0792	I-S-JTC	CHAR	( 3,	0)
		9	OOU_0793	0793	I-S-OOU-CD	CHAR	( 3,	0)
008	COLLABORATORS	0	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
		4	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR	( 2,	0)
009	DEPOT_SRC_OF_REP	5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		0	FMR_DSOR_0904	0904	FMR-DSOR	CHAR	( 2,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
010	ASN970107135959PC	4	DSOR_0903	0903	DSOR	CHAR	( 2,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		0	CNTL_SERVER			CHAR	( 18,	0)
		0	COPY_OWNER			CHAR	( 18,	0)
		0	COPY_SERVER			CHAR	( 18,	0)
		0	COPY_STRUCTURE			SMALLINT	( 2,	0)
		0	COPY_TABLE			CHAR	( 18,	0)



# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
011	MOE_RULE_DELT_RSN	0	IBMSNAP_LOG-MARKER			TIMESTAMP ( 10, 0)		
		0	PRUNE_LIMIT_SEQ			CHAR ( 10, 0)		
		0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR ( 1, 0)		
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR ( 1, 0)		
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR ( 1, 0)		
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)		
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)		
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)		
		0	INC_4080	4080	INC	CHAR ( 5, 0)		
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER ( 4, 0)		
		0	PINC_3084	3084	PINC	CHAR ( 7, 0)		
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR ( 1, 0)		
		0	RPDMRC_4765	4765	RPDMRC	CHAR ( 1, 0)		
		0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR ( 13, 0)		
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)		
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR ( 1, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)		
		3	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)		
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)		
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)		
		012	AUTODIN_MESSAGES	0	AUTODIN_DT_TM_9486	9486	AUTODIN-MSG-DT-TM	CHAR ( 7, 0)
				0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
				0	SSN_9765	9765	SSN	CHAR ( 4, 0)
				1	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR ( 16, 0)
		013	MAINTENANCE_DIC	2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
				3	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
				4	JRNL_TMSTMP_9487	9487	JRNL-TMSTMP	TIMESTAMP ( 10, 0)
				1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		014	NIIN_REF_NBR_DATA	0	DAC_2640	2640	DAC	CHAR ( 1, 0)
0	REF_NBR_3570			3570	REF-NBR-LOG	CHAR ( 32, 0)		
0	RNAAC_2900			2900	RNAAC	CHAR ( 2, 0)		
0	RNCC_2910			2910	RNCC	CHAR ( 1, 0)		
0	RNFC_2920			2920	REF-NBR-FMT-CD	CHAR ( 1, 0)		
0	RNJC_2750			2750	RNJC	CHAR ( 1, 0)		
0	RNSC_2923			2923	REF-NBR-STAT-CD	CHAR ( 1, 0)		
0	RNVC_4780			4780	RNVC	CHAR ( 1, 0)		
0	SADC_4672			4672	SVC-AGCY-DESI-CD	CHAR ( 2, 0)		
0	TMSTMP_3059			3059	TMSTMP	TIMESTAMP ( 10, 0)		
1	NCB_CD_4130			4130	NCB-CD	CHAR ( 2, 0)		
2	I_I_NBR_4131			4131	I-I-NBR	CHAR ( 7, 0)		
3	CONV_REF_NBR_3571			3571	CONV-REF-NBR	CHAR ( 32, 0)		
4	CAGE_CD_9250			9250	CAGE-CD	CHAR ( 5, 0)		
015	NON_CMD_ACTY_ACC	0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)		
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)		
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)		
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)		
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)		
		4	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)		

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
016	NONEFF_DTD_ITM_DAT	0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	(	2, 0)
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	(	1, 0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1, 0)
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	(	1, 0)
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	(	4, 0)
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-PSCN-ASGMT	INTEGER	(	4, 0)
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	(	4, 0)
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	(	1, 0)
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	(	3, 0)
		0	HMC_2720	2720	HMC	CHAR	(	2, 0)
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	(	1, 0)
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	(	1, 0)
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	(	1, 0)
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	(	1, 0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(	1, 0)
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	(	3, 0)
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	(	3, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
		0	NMFC_2850	2850	NMFC-CD	CHAR	(	6, 0)
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	(	2, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	(	1, 0)
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	(	13, 0)
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	(	1, 0)
		0	STYL_RP_IL_DW_0771	0771	STYL-RPLY-CD-IL-DWG	CHAR	(	6, 0)
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(	1, 0)
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	(	1, 0)
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	(	9, 0)
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	(	2, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	(	1, 0)
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(	5, 0)
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	(	3, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
	017	0	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)
		4	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR	(	2, 0)
	018	5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		3	RP_NSN_STDZ_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	(	13, 0)
	019	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER	(	4, 0)
		0	AAC_STAT_CNT_5431	5431	AAC-FSC-DEPT-LOA-AAC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH-DECIMAL
020	ABV_MRC_DATA	6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AMRC_STAT_CNT_8224	8224	ABV-MRC-FIIG-INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		3	INC_4080	4080	INC	CHAR ( 5, 0)
021	AMC_DATA	4	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	AMC_STAT_CNT_6355	6355	AMC-DP-CC-BBAL-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6357	6357	AMC-DP-CC-ADDS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6359	6359	AMC-DP-CC-DLTS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6371	6371	AMC-AT-CC-BBAL-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6373	6373	AMC-AT-CC-ADDS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6377	6377	AMC-AT-CC-DLTS-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR ( 2, 0)
		5	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
		0	AMC_STAT_CNT_6387	6387	AMSC-DP-AT-AMC-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6400	6400	AMSC-DP-AMC-NSN	INTEGER ( 4, 0)
022	AMSC_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
		5	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR ( 1, 0)
		0	CAGE_STAT_CNT_6654	6654	CAGE-NSN	INTEGER ( 4, 0)
023	CAGE_DATA_NSNREF	0	CAGE_STAT_CNT_6655	6655	CAGE-REF	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
024	COMALTY_SDOD_DTL	0	ICDS_STAT_CNT_5835	5835	ICDS-FSC-ALL-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5837	5837	ICDS-FSC-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5839	5839	ICDS-FSC-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5909	5909	ICDS-IM-ALL-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5911	5911	ICDS-IM-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5913	5913	ICDS-IM-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5915	5915	ICDS-IM-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5925	5925	ICDS-LA-ALL-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5927	5927	ICDS-LA-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5929	5929	ICDS-LA-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5931	5931	ICDS-LA-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5941	5941	ICDS-LA-FSC-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5943	5943	ICDS-LA-FSC-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5945	5945	ICDS-LA-FSC-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5947	5947	ICDS-LA-FSC-LC-OD-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
025	NATO_AUDIT_DATA	6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR ( 12, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
026	CUTOFF_DATE	0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	(	4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(	8, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(	10, 0)
		0	BEG_DATE_0912	0912	BEGINNING-DATE	INTEGER	(	4, 0)
		0	ENDING_DATE_0913	0913	ENDING-DATE	INTEGER	(	4, 0)
		1	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(	12, 0)
027	DAC_DATA	2	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		0	DAC_STAT_CNT_5629	5629	DAC-TYPE-II-1-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5630	5630	DAC-TYPE-II-1A-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5631	5631	DAC-TYPE-II-1B-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5632	5632	DAC-TYPE-II-4-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5633	5633	DAC-TYPE-II-4A-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5634	5634	DAC-TYPE-II-4B-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5635	5635	DAC-TYPE-II-2-TOT	INTEGER	(	4, 0)
		0	DAC_STAT_CNT_5637	5637	DAC-DEPT-REF-QTY	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
028	DEMIL_NIIN	2	STAT_LMD_RT_G_8159	8159	STAT-LIMITED-RIGHTS-GRP	CHAR	(	2, 0)
		3	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR	(	7, 0)
		0	DS1_STAT_CNT_8215	8215	DS1-DEML-NSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1, 0)
		3	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
		0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE	(	, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
030	DEPT_GOALS_TAB	0	PIC_STAT_CNT_5824	5824	PIC-DEPT-STD-PCT-ZER	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9697	9697	PIC-DEPT-STD-PCT-ONE	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9698	9698	PIC-DEPT-STD-PCT-TWO	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	M3D_STAT_CNT_6329	6329	M3D-D-FSC-AT-MG	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6330	6330	M3D-D-FSC-AT-DM	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6331	6331	M3D-D-FSC-AT-DM-G	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6334	6334	M3D-D-FSC-AT-AIN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6335	6335	M3D-D-FSC-AT-AIN-G	INTEGER	(	4, 0)
031	FCS_GOAL_D_F_A_DTL	0	M3D_STAT_CNT_6338	6338	M3D-D-FSC-AT-RN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6339	6339	M3D-D-FSC-AT-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	FCS_STAT_CNT_6392	6392	FCS-SAC-TII-1-NSN	INTEGER	(	4, 0)
		0	FCS_STAT_CNT_6393	6393	FCS-SAC-TII-2-NSN	INTEGER	(	4, 0)
		0	FCS_STAT_CNT_6394	6394	FCS-SAC-TII-4-NSN	INTEGER	(	4, 0)
032	FCS_Q_S_TYPII	0	FCS_STAT_CNT_6402	6402	FCS-C-SAC-TII-1-NSN	INTEGER	(	4, 0)
		0	FCS_STAT_CNT_6403	6403	FCS-C-SAC-TII-2-NSN	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	FCS_STAT_CNT_6404	6404	FCS-C-SAC-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6410	6410	FCS-SDP-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6411	6411	FCS-SDP-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6412	6412	FCS-SDP-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6419	6419	FCS-C-SDP-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6420	6420	FCS-C-SDP-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6423	6423	FCS-C-SDP-TII-4-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
033	FIIG_COUNT_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	INC_4080	4080	INC	CHAR ( 5, 0)
		0	POP_STAT_CNT_6611	6611	POP-FIIG-EFFDTD-INC-NSN	INTEGER ( 4, 0)
		0	POP_STAT_CNT_6612	6612	POP-FIIG-INC-NSN	INTEGER ( 4, 0)
		0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
034	FIIG_POP_MGD	0	POP_STAT_CNT_6724	6724	POP-FIIG-AIN-FSC-MG-FU	INTEGER ( 4, 0)
		0	POP_STAT_CNT_6725	6725	POP-FIIG-AIN-FSC-MG-PA	INTEGER ( 4, 0)
		0	POP_STAT_CNT_7172	7172	POP-FIIG-AIN-FSC-MG-RE	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		3	INC_4080	4080	INC	CHAR ( 5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
035	FREIGHT_DATA	5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FRGT_STAT_CNT_6599	6599	FREIGHT-INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		5	INC_4080	4080	INC	CHAR ( 5, 0)
036	FSC_GOALS_TAB	0	M3D_STAT_CNT_6318	6318	M3D-D-FSC-DM-G	INTEGER ( 4, 0)
		0	M3D_STAT_CNT_6322	6322	M3D-D-FSC-AIN-G	INTEGER ( 4, 0)
		0	M3D_STAT_CNT_6326	6326	M3D-D-FSC-RN-G	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6777	6777	TRFR-FSC-ODP-FYD-GOAL	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
037	FSC_INC_DATA	0	INC_STAT_CNT_5750	5750	INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
038	FSC_POP_MGD	0	POP_STAT_CNT_5601	5601	POP-FSC-FIIG-AIN-MG-FU	INTEGER ( 4, 0)
		0	POP_STAT_CNT_5602	5602	POP-FSC-FIIG-AIN-MG-RE	INTEGER ( 4, 0)
		0	POP_STAT_CNT_5617	5617	POP-FSC-FIIG-AIN-MG-PA	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		5	INC_4080	4080	INC	CHAR ( 5, 0)
039	IANDS_DEPT_DATA	0	IANS_STAT_CNT_9599	9599	IANDS-DEPT-FSC-REL-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9600	9600	IANDS-DEPT-FSC-MTR-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9601	9601	IANDS-DEPT-FSC-REL-PICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9602	9602	IANDS-DEPT-FSC-MTR-PICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9603	9603	IANDS-DEPT-FSC-TOT-FAM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
040	IMC_ALL_DATA	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	IMC_STAT_CNT_5653	5653	IMC-AL-DP-AT-IMC-CIC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1, 0)
041	AUTODIN	6	IMC_2744	2744	IMC	CHAR	(	1, 0)
		0	MESSAGE_LENGTH			INTEGER	(	4, 0)
		0	MESSAGE_SEG			VARCHAR	(	4000, 0)
		0	MSG_SEGMENT_NO			SMALLINT	(	2, 0)
		0	TMSTP			TIMESTAMP	(	10, 0)
		0	TOTAL_MSG_SEGS			SMALLINT	(	2, 0)
042	ISC_DATA	0	ISC_STAT_CNT_5746	5746	ISC-FSC-WMGR-NSN	INTEGER	(	4, 0)
		0	ISC_STAT_CNT_5747	5747	ISC-FSC-USGOVT-NSN	INTEGER	(	4, 0)
		0	ISC_STAT_CNT_5748	5748	ISC-FSC-DOD-NSN	INTEGER	(	4, 0)
		0	ISC_STAT_CNT_5749	5749	ISC-FSC-WOMGR-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	ISC_2650	2650	ITM-STDZN-CD	CHAR	(	1, 0)
		0	IN_STAT_CNT_6695	6695	IN-DP-AT-AIN-NR-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
043	ITEM_NAME_DEPT_ACT	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(	1500, 0)
		1	CASE_NBR_2544	2544	CASE-NBR	CHAR	(	2, 0)
044	NATO_CASE_DATA	2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		3	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		4	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		5	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		7	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(	2, 0)
		0	LRN_STAT_CNT_1132	1132	LRN-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1153	1153	LRN-P-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1173	1173	LRN-NM-NIIN-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1193	1193	LRN-CHS-ACTY-DLY	INTEGER	(	4, 0)
045	LOLA_INQ_STATS	0	LRN_STAT_CNT_1233	1233	LRN-FSG-FSC-ITM-NM-ACT-D	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1667	1667	LRN-NIIN-INQ-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1729	1729	LRN-COMB-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_2410	2410	LRN-ACT-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_5975	5975	LRN-C-NIIN-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6178	6178	LRN-C-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6202	6202	LRN-C-P-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_8232	8232	LRN-PROC-ACTY-DLY	INTEGER	(	4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
046	MDLS_INQ_ORDR_DATA	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
047	MDLS_UPDT_STAT_DAT	0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER	( 4,	0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER	( 4,	0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER	( 4,	0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	RPTY_ID_2638	2638	RPTY-ID	CHAR	( 5,	0)
048	MDLS_BTCH_INQ_DATA	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
049	MGMT_CHG_DEPT_ACTY	0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	MCHG_STAT_CNT_6840	6840	MGMTCHG-ACTY-NEW-NSN	INTEGER	(	4, 0)
		0	MCHG_STAT_CNT_6841	6841	MGMTCHG-ACTY-NEW-MGR-NSN	INTEGER	(	4, 0)
		0	MCHG_STAT_CNT_6842	6842	MGMTCHG-ACTY-REIN-NSN	INTEGER	(	4, 0)
		0	MCHG_STAT_CNT_6843	6843	MGMTCHG-ACTY-REACT-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
050	TIIM_INDV_CLASSES	0	M6B5_STAT_CNT_7952	7952	M6B5-FSC-DP-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7953	7953	M6B5-FSC-DP-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7954	7954	M6B5-FSC-DP-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7955	7955	M6B5-FSC-DP-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7956	7956	M6B5-FSC-DP-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7957	7957	M6B5-FSC-DP-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B5_STAT_CNT_7958	7958	M6B5-FSC-DP-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
051	MOE_RULE_DEPT	5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	MOE_STAT_CNT_7812	7812	MOE-NSN	INTEGER ( 4, 0)
		0	MOE_STAT_CNT_7813	7813	MOE-EFFDTD-DEL-NSN	INTEGER ( 4, 0)
		0	MOE_STAT_CNT_7814	7814	MOE-EFFDTD-ADD-NSN	INTEGER ( 4, 0)
052	TRANS_ACTIVE_TRACK	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR ( 20, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR ( 3, 0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR ( 15, 0)
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR ( 3, 0)
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR ( 15, 0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 12, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
053	NAIN_POP_DATA	0	POP_STAT_CNT_6729	6729	POP-NAIN-FSC-INAC	INTEGER ( 4, 0)
		0	POP_STAT_CNT_6730	6730	POP-NAIN-FSC-MG	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
054	TM_MESSAGE_RECOVER	4	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR ( 19, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR ( 7, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER ( 4, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP ( 10, 0)
		0	SSN_9765	9765	SSN	CHAR ( 4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		0	REP_STAT_CNT_1653	1653	REP-DEPT-NSN	INTEGER ( 4, 0)
055	REPBL_DEPT_TOT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	REP_STAT_CNT_1651	1651	REP-ACTY-NSN	INTEGER ( 4, 0)
056	REPBL_ACTY_TOT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
057	REPBL_DEPT_LOA	0	REP_STAT_CNT_1652	1652	REP-DEPT-LOA-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
058	REPBL_ACTY_LOA	4	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	REP_STAT_CNT_1650	1650	REP-ACTY-LOA-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
059	NATO_REF_NBR_DATA	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		5	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
060	NATO_PRIMARY_DATA	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		6	REF_NBR_3570	3570	REF-NBR-LOG	CHAR ( 32, 0)
		7	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR ( 1, 0)
		0	BTCH_CTL_NBR_0998	0998	BTCH-CTL-NBR	CHAR ( 10, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR ( 1, 0)
		0	DT_BILD_1041	1041	DT-BILD	INTEGER ( 4, 0)
		0	DT_DSK_CD_CHG_1013	1013	DT-TRAN-DSK-CD-CHNG	INTEGER ( 4, 0)
		0	DT_FOR_BLNG_1036	1036	DT-FLGD-FOR-BLNG	INTEGER ( 4, 0)
		0	DT_FOR_PRG_1042	1042	DT-FLGD-FOR-PURGE	INTEGER ( 4, 0)
		0	DT_FOR_RTC_1044	1044	DT-FLGD-FOR-RTC	INTEGER ( 4, 0)
		0	DT_PRCSD_1031	1031	DT-PRCSD	INTEGER ( 4, 0)
		0	DT_PRIM_OP_1008	1008	DT-PRIM-OP	INTEGER ( 4, 0)
		0	DT_PURGED_1051	1051	DT-PURGED	INTEGER ( 4, 0)
		0	DT_RTC_1016	1016	DT-RTC	INTEGER ( 4, 0)
		0	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR ( 2, 0)
		0	RTC_CD_1002	1002	RTC-CD	CHAR ( 3, 0)
		0	TM_CD_1987	1987	TM-CD	CHAR ( 1, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
061	RTN_CD_CAT_TAB	4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		3	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
062	STAT_OF_STATS	4	STAT_RETN_CAT_5666	5666	STAT-RETURN-CATEGORY	CHAR ( 2, 0)
		0	MGR_STAT_CNT_6605	6605	MGR-ACCESS-COUNT	INTEGER ( 4, 0)
		1	STATS_ACCS_DT_9705	9705	STATS-ACCESS-DATE	CHAR ( 10, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
063	SERVICE_AGENCY_ACTY	3	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR ( 12, 0)
		0	STATS_SA_PREF_3844	3844	STATS-SVC-AGCY-PREF-CD	SMALLINT ( 2, 0)
		0	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR ( 7, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
064	TRN_DIC_IO_STATS	2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	IO_STST_CNT_6546			INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
065	TRN_DIC_SAC_DTL	3	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		5	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	DIC_STAT_CNT_5325	5325	DIC-SAC-DEPT-TOT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6779	6779	DIC-SAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6780	6780	DIC-SAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6781	6781	DIC-SAC-CLRLCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6782	6782	DIC-SAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6783	6783	DIC-SAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6786	6786	DIC-SAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6788	6788	DIC-SAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9587	9587	DIC-SAC-DEPT-TOT-RECVD	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
066	SCRN_OTHER	0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_6744	6744	TRFR-OAC-CUR-T2-NSN	INTEGER	(	4, 0)
067	TYPII_OAC_QTR	0	TRFR_STAT_CNT_6745	6745	TRFR-OAC-CUR-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6746	6746	TRFR-OAC-CUR-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6754	6754	TRFR-ODP-CUR-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6755	6755	TRFR-ODP-CUR-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6756	6756	TRFR-ODP-CUR-T4-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_2455	2455	TRFR-SAC-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2456	2456	TRFR-SAC-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2457	2457	TRFR-SAC-FYD-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9643	9643	TRFR-SDP-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9644	9644	TRFR-SDP-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9645	9645	TRFR-SDP-FYD-T4-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
068	TYPII_SAC_FYD	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_2455	2455	TRFR-SAC-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2456	2456	TRFR-SAC-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2457	2457	TRFR-SAC-FYD-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9643	9643	TRFR-SDP-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9644	9644	TRFR-SDP-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9645	9645	TRFR-SDP-FYD-T4-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	ORG_ID_TXT_SG_0010	0010	ORGN-IDEN-CLRTXT-LI-SEG	VARCHAR	(	1096, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	(	1, 0)
		0	DUNS_3405	3405	DUNS	CHAR	(	9, 0)
069	CAGE_CLEAR_TEXT	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(	1128, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(	1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(	1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(	2, 0)
		0	DWG_STAT_DT_5073	5073	DWG-STAT-DT	INTEGER	(	4, 0)
		0	DWG_STAT_IND_5072	5072	DWG-STAT-IND	CHAR	(	1, 0)
		0	FIIG_DWG_SEQ_5061	5061	FIIG-DWG-SEQ	SMALLINT	(	2, 0)
		0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR	(	120, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	(	5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	(	1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(	2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	(	2, 0)
070	CAGE_EDI_INPUT	5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(	5, 0)
		0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER	(	4, 0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_6744	6744	TRFR-OAC-CUR-T2-NSN	INTEGER	(	4, 0)
071	MIOS_ACTIVE_SEG	0	TRFR_STAT_CNT_6745	6745	TRFR-OAC-CUR-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6746	6746	TRFR-OAC-CUR-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6754	6754	TRFR-ODP-CUR-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6755	6755	TRFR-ODP-CUR-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6756	6756	TRFR-ODP-CUR-T4-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_2455	2455	TRFR-SAC-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2456	2456	TRFR-SAC-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2457	2457	TRFR-SAC-FYD-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9643	9643	TRFR-SDP-FYD-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9644	9644	TRFR-SDP-FYD-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_9645	9645	TRFR-SDP-FYD-T4-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
072	FIIG_DRAWING_DATA	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	ORG_ID_TXT_SG_0010	0010	ORGN-IDEN-CLRTXT-LI-SEG	VARCHAR	(	1096, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	(	1, 0)
		0	DUNS_3405	3405	DUNS	CHAR	(	9, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(	1128, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(	1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	(	1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(	2, 0)
		0	DWG_STAT_DT_5073	5073	DWG-STAT-DT	INTEGER	(	4, 0)
		0	DWG_STAT_IND_5072	5072	DWG-STAT-IND	CHAR	(	1, 0)
		0	FIIG_DWG_SEQ_5061	5061	FIIG-DWG-SEQ	SMALLINT	(	2, 0)
		0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR	(	120, 0)
073	FIIG_DRAWING_DATA	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	(	5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	(	1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(	2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	(	2, 0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(	5, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
073	EFF_AMMO_CD_DESC	0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR ( 1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	INC_4080	4080	INC	CHAR ( 5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR ( 4, 0)
		2	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP ( 10, 0)
074	TM_SEGMENT_DROP	0	ALL_SEGS_DRPD_9735	9735	ALL-SEGS-DRPD-IND	CHAR ( 1, 0)
		0	DRPD_SEG_1_9711	9711	DRPD-SEG-1-IND	CHAR ( 1, 0)
		0	DRPD_SEG_6_9712	9712	DRPD-SEG-6-IND	CHAR ( 1, 0)
		0	DRPD_SEG_7_9713	9713	DRPD-SEG-7-IND	CHAR ( 1, 0)
		0	DRPD_SEG_9_9714	9714	DRPD-SEG-9-IND	CHAR ( 1, 0)
		0	DRPD_SEG_A_9715	9715	DRPD-SEG-A-IND	CHAR ( 1, 0)
		0	DRPD_SEG_B_9716	9716	DRPD-SEG-B-IND	CHAR ( 1, 0)
		0	DRPD_SEG_C_9717	9717	DRPD-SEG-C-IND	CHAR ( 1, 0)
		0	DRPD_SEG_D_9718	9718	DRPD-SEG-D-IND	CHAR ( 1, 0)
		0	DRPD_SEG_E_9719	9719	DRPD-SEG-E-IND	CHAR ( 1, 0)
		0	DRPD_SEG_F_9720	9720	DRPD-SEG-F-IND	CHAR ( 1, 0)
		0	DRPD_SEG_G_9721	9721	DRPD-SEG-G-IND	CHAR ( 1, 0)
		0	DRPD_SEG_H_9722	9722	DRPD-SEG-H-IND	CHAR ( 1, 0)
		0	DRPD_SEG_J_9723	9723	DRPD-SEG-J-IND	CHAR ( 1, 0)
		0	DRPD_SEG_K_9724	9724	DRPD-SEG-K-IND	CHAR ( 1, 0)
		0	DRPD_SEG_L_9725	9725	DRPD-SEG-L-IND	CHAR ( 1, 0)
		0	DRPD_SEG_M_9726	9726	DRPD-SEG-M-IND	CHAR ( 1, 0)
		0	DRPD_SEG_N_9727	9727	DRPD-SEG-N-IND	CHAR ( 1, 0)
		0	DRPD_SEG_P_9728	9728	DRPD-SEG-P-IND	CHAR ( 1, 0)
		0	DRPD_SEG_Q_9729	9729	DRPD-SEG-Q-IND	CHAR ( 1, 0)
		0	DRPD_SEG_R_9730	9730	DRPD-SEG-R-IND	CHAR ( 1, 0)
		0	DRPD_SEG_V_9731	9731	DRPD-SEG-V-IND	CHAR ( 1, 0)
		0	DRPD_SEG_W_9732	9732	DRPD-SEG-W-IND	CHAR ( 1, 0)
		0	DRPD_SEG_Y_9733	9733	DRPD-SEG-Y-IND	CHAR ( 1, 0)
		0	DRPD_SEG_Z_9734	9734	DRPD-SEG-Z-IND	CHAR ( 1, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
075	NIIN_DRAWING_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	PRPRTY_IND_5066	5066	PRPRTY-IND	CHAR ( 1, 0)
			DGTZD-			
		1	_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR ( 15, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
076	FSC_NOTE_DAT_GROUP	3	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR ( 1978, 0)
		0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR ( 1978, 0)
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR ( 1978, 0)
		0	FSC_TI_4970	4970	FSC-TI	VARCHAR ( 1978, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR ( 6, 0)
077	ADP_CAO_DATA	0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
079	BUSINESS_CAT_DATA	0	CAO_CD_8870	8870	CAO-CD	CHAR	(	6, 0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(	2, 0)
		1	FRM_ZIP_CD_3414	3414	FRM-ZIP-CD	CHAR	(	5, 0)
		2	TO_ZIP_CD_3415	3415	TO-ZIP-CD	CHAR	(	5, 0)
		0	SIC_CD_SQ_IND_9368	9368	SIC-CD-SQ-IND	CHAR	(	1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
080	IT_VLD_IMCA_TBL	2	STD_IND_CL_CD_1368			CHAR	(	4, 0)
		1	IMCA_4075	4075	IMCA	CHAR	(	2, 0)
081	CAGE_AUDIT_DATA	0	DE_IMG_AFT_CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR	(	36, 0)
		0	DE_IMG_BEFCG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR	(	36, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR	(	4, 0)
082	CAGE_DATA_1	3	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		4	TMSTMPI_4564	4564	TMSTMPI	TIMESTAMP	(	10, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	ASSOC_CD_CAGE_8855	8855	ASSOC-CD-CAGE-NSCM-CD	CHAR	(	5, 0)
		0	BUS_FM_CD_3406	3406	BUS-FM-CD	CHAR	(	1, 0)
		0	CAGE_NSCM_DES_2620	2620	CAGE-NSCM-DESI-CD	CHAR	(	1, 0)
		0	CAGE_RQST_RSN_3407	3407	CAGE-RQST-RSN-CD	CHAR	(	1, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	(	1, 0)
		0	CAGE_TYP_CD_4238	4238	CAGE-NSCM-TYP-CD	CHAR	(	1, 0)
		0	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR	(	1, 0)
		0	CONTR_ESTBMT_3404	3404	CONTR-ESTBMT-CD	CHAR	(	9, 0)
		0	CONTR_ID_CHNG_3412	3412	CONTR-ID-CHNG-CD	CHAR	(	1, 0)
		0	CRTFN_NBR_5295	5295	CRTFN-NBR	CHAR	(	7, 0)
		0	DT_OE_RCD_EST_2262	2262	DT-OE-RCD-ESTB	INTEGER	(	4, 0)
		0	DUNS_3405	3405	DUNS	CHAR	(	9, 0)
		0	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR	(	1, 0)
		0	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR	(	1, 0)
		0	PARNT_TAXPYR_3403	3403	PARNT-TAXPYR-ID	CHAR	(	9, 0)
		0	PLND_PRDCR_CD_3411	3411	CONTR-PLND-PRDCR-CD	CHAR	(	1, 0)
		0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR	(	1, 0)
		0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR	(	1, 0)
		0	TAX_PYR_EXMPN_3402	3402	TAXPYR-ID-EXMPN-CD	CHAR	(	1, 0)
		0	TAX_PYR_ID_3401	3401	TAXPYR-ID	CHAR	(	9, 0)
		0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR	(	1, 0)
		0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NSCM-AFFL-CD	CHAR	(	1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		0	WMN_OWND_BUS_1367	1367	WMN-OWND-BUS-CD	CHAR	(	1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
083	CAGE_LI_NBR_DATA	0	DT_OE_LI_CHG_8656	8656	DT-OE-LI-SEG-CHNGD	INTEGER	(	4, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
084	IMPS_HEADERS_IN	2	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR	(	2, 0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	(	7, 0)
		0	EDIT_CMPLT_TS_9383	9383	EDIT-CMPLTD-TS	TIMESTAMP	(	10, 0)
		0	EDIT_RESULTS_9384	9384	EDIT-RESULTS-TX	CHAR	(	20, 0)
		0	EDIT_STAT_9382	9382	EDIT-STAT-CD	CHAR	(	1, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(	2, 0)
		0	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTAMP	(	10, 0)
		0	MED_TRAIL_9387	9387	TM-MED-TRAIL-TX	CHAR	(	80, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	(	4, 0)
		0	RECVD_MSG_TS_9386	9386	TM-RECVD-MSG-TS	TIMESTAMP	(	10, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
085	IMPS_MESSAGES_IN	0	RECVD_TD_QUE_9388	9388	TM-RECVD-TD-QUE-TX	CHAR ( 4, 0)
		0	RELED_MSG_TS_9385	9385	TM-RELED-MSG-TS	TIMESTAMP ( 10, 0)
		0	RE_PRCSD_TS_9394	9394	TM-RE-PRCSD-MSG-TS	TIMESTAMP ( 10, 0)
		0	SSN_9765	9765	SSN	CHAR ( 4, 0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR ( 22000, 0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		2	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTAMP ( 10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
086	IMPS_ERROR_LOG	0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	CICS_ERR_9392	9392	CICS-ERR-CD	CHAR ( 4, 0)
		0	DB2_SQL_ERR_9390	9390	DB2-SQL-ERR-CD	INTEGER ( 4, 0)
		0	DB2_SQL_STA_9391	9391	DB2-SQL-STA-ERR-CD	CHAR ( 5, 0)
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTAMP ( 10, 0)
		0	ERR_MSG_9393	9393	ERR-MSG-TX	VARCHAR ( 256, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR ( 8, 0)
		1	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTAMP ( 10, 0)
		0	MOE_CR_ADD_CT_1109	1109	MOE-CUR-ADD-CT	INTEGER ( 4, 0)
		0	MOE_CR_CHG_CT_1117	1117	MOE-CUR-CHG-CT	INTEGER ( 4, 0)
088	MOE_RULE_STATS	0	MOE_CR_DEL_CT_1119	1119	MOE-CUR-DEL-CT	INTEGER ( 4, 0)
		0	MOE_ED_ADD_CT_1493	1493	MOE-EFF-DT-ADD-CT	INTEGER ( 4, 0)
		0	MOE_ED_CHG_CT_1495	1495	MOE-EFF-DT-CHG-CT	INTEGER ( 4, 0)
		0	MOE_ED_DEL_CT_1497	1497	MOE-EFF-DT-DEL-CT	INTEGER ( 4, 0)
		0	MOE_MST_INQ_C_1499	1499	MOE-MOE-MSTR-INQ-CT	INTEGER ( 4, 0)
		1	MR_STAT_DT_3474		INTEG	INTEGER ( 4, 0)
		0	SNF_TYP_UPDT_9309	9309	SNF-TYP-UPDT	CHAR ( 1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	SNF_END_DT_9308	9308	SNF-END-DT	INTEGER ( 4, 0)
090	CDD_FRT_DEST_DATA	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER ( 4, 0)
		0	FRT_CD_STAT_2090	2090	FRT-CD-STAT-CD	CHAR ( 1, 0)
		0	FRT_DESC_4020	4020	FRT-DESC	CHAR ( 35, 0)
		0	LST_TL_CD_2770	2770	LS-THN-TL-RTNG-CD	CHAR ( 1, 0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR ( 1, 0)
		1	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	REL_INC_2926	2926	REL-INC	CHAR ( 5, 0)
091	COLLOQ_XREF	1	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		2	NM_CD_2303	2303	NM-CD	CHAR ( 5, 0)
		0	DBRD_END_DT_0867	0867	DBRD-CONTR-END-DT	INTEGER ( 4, 0)
		0	DBRD_STAT_CD_0866	0866	DBRD-BDR-STAT-CD	CHAR ( 1, 0)
		0	DBRMT_SYM_MNG_1380	1380	DBRMT-PPSL-INITR-SYM-MNG	CHAR ( 30, 0)
		0	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR ( 5, 0)
		0	DT_DBR_REC_CH_1375	1375	DT-DBRD-BDR-RCD-CHNGD	INTEGER ( 4, 0)
		0	DT_DBR_REC_ES_1374	1374	DT-DBRD-BDR-RCD-ESTB	INTEGER ( 4, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
092	DEBARRED_BDRS_DATA	0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR ( 2, 0)
		0				
		0				
		0				
		0				
		0				
		0				
		0				
		0				
		0				
093	MOE_RULE_TBL	0				
		0				
		0				
		0				
		0				
		0				
		0				
		0				
		0				
		0				

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
094	EFF_DTD_FSC	0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR ( 1, 0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR ( 2, 0)
		0	CRYPTO_IND_CD_0857	0857	CRYPTO-IND-CD	CHAR ( 1, 0)
		0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER ( 4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR ( 1, 0)
		0	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR ( 1, 0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR ( 1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR ( 1, 0)
		0	MGMT_EXCP_NTS_9542	9542	MGMT-EXCP-NOTES	VARCHAR ( 500, 0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR ( 2, 0)
		0	M_RL_STAT_CD_8458	8458	MOE-RULE-STAT-CD	CHAR ( 1, 0)
		0	PICA_2866	2866	PICA	CHAR ( 2, 0)
		0	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR ( 2, 0)
		0	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR ( 4, 0)
		0	SICA_2938	2938	SICA-CD	CHAR ( 2, 0)
		0	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR ( 2, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR ( 2, 0)
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR ( 2, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR ( 1, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR ( 1, 0)
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR ( 1, 0)
		0	IMCA_4075	4075	IMCA	CHAR ( 2, 0)
		0	IMM_9090	9090	IMM	CHAR ( 2, 0)
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR ( 2, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR ( 2, 0)
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR ( 1, 0)
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR ( 1, 0)
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR ( 1, 0)
		0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR ( 1, 0)
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP ( 10, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		3	AUTH_II_COLBR_2531	2531	AUTHZD-II-DATA-COLLBR-CD	CHAR ( 2, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		3	AUTH_II_RCVR_2532	2532	AUTHZD-II-DATA-RCVR-CD	CHAR ( 2, 0)
		0	FR_EXD_ADD_CT_1960	1960	FRT-EXTND-DESC-ADD-CT	INTEGER ( 4, 0)
		0	FR_EXD_ADD_ER_1955	1955	FRT-EXTND-DESC-ADD-ER-CT	INTEGER ( 4, 0)
		0	FR_EXD_CHG_CT_1961	1961	FRT-EXTND-DESC-CHG-CT	INTEGER ( 4, 0)
		0	FR_EXD_CHG_ER_1532	1532	FRT-EXTND-DESC-CHG-ER-CT	INTEGER ( 4, 0)
		0	FR_EXD_DEL_CT_1962	1962	FRT-EXTND-DESC-DEL-CT	INTEGER ( 4, 0)
		0	FR_EXD_DEL_ER_1957	1957	FRT-EXTND-DESC-DEL-ER-CT	INTEGER ( 4, 0)
		0	FR_MST_ADD_CT_1524	1524	FRT-MSTR-ADD-CT	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
098	NAMES_BY_TYP	0	FR_MST_ADD_ER_1517	1517	FRT-MSTR-ADD-ER-CT	INTEGER ( 4, 0)
		0	FR_MST_CHG_CT_1959	1959	FRT-MSTR-CHG-CT	INTEGER ( 4, 0)
		0	FR_MST_CHG_ER_2029	2029	FRT-MSTR-CHG-ER-CT	INTEGER ( 4, 0)
		0	FR_MST_DEL_CT_1954	1954	FRT-MSTR-DELETE-CT	INTEGER ( 4, 0)
		0	FR_MST_DEL_ER_1533	1533	FRT-MSTR-DEL-ER-CT	INTEGER ( 4, 0)
		0	FR_MST_TI_FRM_1528	1528	FRT-MSTR-TIME-FRAME	INTEGER ( 4, 0)
		1	FR_MST_INQ_DT_1952	1952	FRT-MSTR-INQ-DATE	DATE ( , 0)
		0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR ( 3, 0)
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR ( 1, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR ( 1, 0)
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR ( 1762, 0)
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR ( 1, 0)
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR ( 10, 0)
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR ( 1743, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR ( 19, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR ( 5, 0)
099	NM_CD_FSC_XREF	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR ( 1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR ( 5, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
101	RPLM_CAGE_CD	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR ( 5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
102	CICS_TO_BATCH	0	BTCH_FMT_PARM_2602	2602	BTCH-FMT-PARM	CHAR ( 50, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
103	NATO_MASS_CHG	1	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP ( 10, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR ( 5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
104	BILLING_DATA	2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR ( 32, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	DT_PR_EFF_1967	1967	DT-PR-EFF	INTEGER ( 4, 0)
		0	NATO_FG_TR_P_1024	1024	NATO-FGN-GOVT-TRANS-PR	DECIMAL ( 7, 0)
105	NATO_RTN_CD_DATA	0	NATO_O_TR_PR_1972	1972	NATO-FG-OLD-TRAN-PR	DECIMAL ( 7, 0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		2	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		3	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR ( 2, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	DRN_VAL_9975	9975	DRN-VAL	VARCHAR ( 250, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP ( 10, 0)
		6	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
106	NATO_TRACKING_DATA	0	DT_SECD_IP_1009	1009	DT-SECD-IP	INTEGER	( 4,	0)
		0	DT_SECD_OP_1011	1011	DT-SECD-OP	INTEGER	( 4,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		0	INC_4080	4080	INC	CHAR	( 5,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	( 19,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		0	SUPL_DIC_IP_1028	1028	SUPLMNTY-DIC-IP	CHAR	( 3,	0)
		0	SUPL_DIC_OP_1029	1029	SUPLMNTY-DIC-OP	CHAR	( 3,	0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	( 2,	0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	( 2,	0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	( 4,	0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	( 7,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
108	CONVERT_REF_NBR	0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	( 32,	0)
		0	REF_NBR_9999		REF-NBR	CHAR	( 32,	0)
		1	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	( 32,	0)
109	WORKLOAD_DATA	0	WRKLD_CNT_1026	1026	WRKLD-CNT	INTEGER	( 4,	0)
		0	WRKLD_LOCK_OT_2024	2024	WRKLD-LOCK-OT-CD	CHAR	( 1,	0)
		1	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	( 1,	0)
		2	TM_CD_1987	1987	TM-CD	CHAR	( 1,	0)
		3	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR	( 1,	0)
110	HMIC_TBL	0	HMIC_EXPLN_3466	3466	HMIC-EXPLN	VARCHAR	( 250,	0)
		1	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	( 1,	0)
111	CRITL_CD_FIIG_TBL	0	CRT_CD_FIG_EX_3467	3467	CRITL-CD-FIIG-EXPLN	VARCHAR	( 250,	0)
		1	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	( 1,	0)
112	MDLS_INQ_ORDR_DEPT	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
113	MDLS_INQ_OR_DEPT_A	0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
114	MDLS_UPDT_ST_DEPT	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
115	HISTORY_CHAR_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	AND_OR_4410	4410	AND-OR	CHAR ( 2, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR ( 990, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER ( 4, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT ( 2, 0)
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR ( 1, 0)
		1	TMSTMP3_4443	4443	TMSTMP3	TIMESTAMP ( 10, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		4	MRC_3445	3445	MRC	CHAR ( 4, 0)
		5	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR ( 1, 0)
		6	SAC_8990	8990	SAC	CHAR ( 3, 0)
		7	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT ( 2, 0)
116	CHAR_DATA	0	AND_OR_4410	4410	AND-OR	CHAR ( 2, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR ( 990, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT ( 2, 0)
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR ( 1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	MRC_3445	3445	MRC	CHAR ( 4, 0)
		4	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR ( 1, 0)
		5	SAC_8990	8990	SAC	CHAR ( 3, 0)
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT ( 2, 0)
		0	CNV_FRM_LEFT_4416	4416	CNV-FRM-LEFT	DECIMAL ( 15, 0)
		0	CNV_FRM_RIGHT_4417	4417	CNV-FRM-RIGHT	DECIMAL ( 7, 0)
		0	COCO_CONV_TYP_4415	4415	COCO-CONV-TYPE	CHAR ( 1, 0)
		0	UNIT_MEAS_DES_4411	4411	UNIT-MEAS-DES	VARCHAR ( 1300, 0)
117	COCO_TABLE	1	COCO_NBR_2254	2254	COCO-NBR	SMALLINT ( 2, 0)
		0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR ( 6, 0)
		0	COCO_NBR_2254	2254	COCO-NBR	SMALLINT ( 2, 0)
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR ( 1, 0)
		1	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR ( 2, 0)
118	CONV_GD_SKLTN	2	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR ( 6, 0)
		0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR ( 6, 0)
		0	CNV_FRM_LEFT_4416	4416	CNV-FRM-LEFT	DECIMAL ( 15, 0)
		0	CNV_FRM_RIGHT_4417	4417	CNV-FRM-RIGHT	DECIMAL ( 7, 0)
		0	COCO_CONV_TYP_4415	4415	COCO-CONV-TYPE	CHAR ( 1, 0)
119	CONVERSION_GD_DATA	0	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR ( 2, 0)
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR ( 1, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR ( 6, 0)
		0	DIML_MRC_IND_0326	0326	DIML-MRC-IND	CHAR ( 1, 0)
		0	FIIG_SEQ_NO_4404	4404	GDE-NBR-FIIG-SEQ-NO	SMALLINT ( 2, 0)
		0	ISAC_IND_CD_0826	0826	OPTNL-MAND-ISAC-IND-CD	CHAR ( 1, 0)
		0	MRC_IND_CD_8450	8450	OPTNL-MAND-MRC-IND-CD	CHAR ( 1, 0)
		0	PRPTN_EDIT_CD_0762	0762	PRPTN-EDIT-SYMBL-IND-CD	CHAR ( 1, 0)
120	EDIT_GUIDE_1	0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR ( 4, 0)
		0	SAC_CDNG_IND_0115	0115	SAC-CDNG-IND	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
121	EDIT_GUIDE_2	0	SCR_KEY_CD_1047	1047	SCRNG-KEY-CODE	CHAR ( 1, 0)
		0	TAIL_SEQ_NO_4403	4403	TAIL-SEQ-NO	SMALLINT ( 2, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
		3	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	CRD_SEQ_CD_8264	8264	CRD-SEQ-CD	CHAR ( 4, 0)
		0	ED_CRITE_STMT_4129	4129	EDIT-CRITE-STMT	VARCHAR ( 20000, 0)
		0	ISAC_LMTN_CD_0825	0825	ISAC-LMTN-CD	CHAR ( 2, 0)
		0	ISAC_PRES_CD_2348	2348	ISAC-PRES-CD	CHAR ( 1, 0)
		0	PROP_CHAR_CD_2514	2514	PROP-CHAR-CD	CHAR ( 1, 0)
		0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR ( 4, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	MRC_3445	3445	MRC	CHAR ( 4, 0)
122	EDIT_GUIDE_3	4	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		0	INC_APPL_IND_4405	4405	INC-APPLIC-IND	CHAR ( 1, 0)
		0	INC_LOCKT_IND_0583	0583	INC-LOCKT-IND	CHAR ( 1, 0)
		0	TAIL_ACT_CD_2513	2513	TAIL-ACT-CD	CHAR ( 2, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
123	EDIT_GUIDE_4	0	FIIG_LCKT_IND_0581	0581	FIIG-LOCKT-IND	CHAR ( 1, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
124	NATO_ISAC_EXTRACT	0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR ( 4, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
		3	MRC_3445	3445	MRC	CHAR ( 4, 0)
125	ISAC_RPLY_TAB	0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR ( 379, 0)
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR ( 4, 0)
		2	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR ( 1, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
126	MRC_RPLY_TAB	0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT ( 2, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR ( 4, 0)
		1	MRC_3445	3445	MRC	CHAR ( 4, 0)
		2	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT ( 2, 0)
127	MRD_DECODE	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR ( 2, 0)
		0	KEYWRD- _MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR ( 108, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR ( 1, 0)
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR ( 1, 0)
		0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR ( 1, 0)
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR ( 20, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR ( 110, 0)
		1	MRC_3445	3445	MRC	CHAR ( 4, 0)
128	REPLY_TABLE	0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR ( 379, 0)
		0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR ( 1, 0)
		1	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR ( 4, 0)
		2	CDD_RPLY_3465	3465	CDD-RPLY	CHAR ( 6, 0)
		0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR ( 2, 0)
129	DEMIL_REVIEW	0	CIIC_2863	2863	CIIC	CHAR ( 1, 0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
130	GROUPING_CRITERIA	0	DEMIL_MATCH			CHAR	(	1, 0)
		0	DISAGREE_NC_CD			CHAR	(	1, 0)
		0	FUTURE_REVIEW			CHAR	(	1, 0)
		0	ITEM_NAME			CHAR	(	32, 0)
		0	NEW_CIIC			CHAR	(	1, 0)
		0	NEW_DEMIL			CHAR	(	1, 0)
		0	PICA_2866	2866	PICA	CHAR	(	2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	(	2, 0)
		0	END_ACCS_NBR_8606	8606	IDS-END-ACCS-NBR	SMALLINT	(	2, 0)
		0	END_CMP_8607	8607	IDS-END-CMP-NBR	SMALLINT	(	2, 0)
		0	END_RCD_TYP_8605	8605	IDS-END-RCD-TYP-CD	SMALLINT	(	2, 0)
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	(	1, 0)
		0	POST_BRK_ACCS_8612	8612	IDS-POST-BRK-ACCS-NBR	SMALLINT	(	2, 0)
		0	POST_BRK_CMP_8613	8613	IDS-POST-BRK-CMP-NBR	SMALLINT	(	2, 0)
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	(	1, 0)
		0	POST_BRK_RCD_8611	8611	IDS-POST-BRK-RCD-TYP-CD	SMALLINT	(	2, 0)
		0	PRE_BRK_ACCS_8609	8609	IDS-PRE-BRK-ACCS-NBR	SMALLINT	(	2, 0)
		0	PRE_BRK_CMP_8610	8610	IDS-PRE-BRK-CMP-NBR	SMALLINT	(	2, 0)
		0	PRE_BRK_RCD_8608	8608	IDS-PRE-BRK-RCD-TYP-CD	SMALLINT	(	2, 0)
		0	START_ACCS_8603	8603	IDS-START-ACCS-NBR	SMALLINT	(	2, 0)
		0	START_CMP_8604	8604	IDS-START-CMP-NBR	SMALLINT	(	2, 0)
		0	START_RCD_TYP_8602	8602	IDS-START-RCD-TYP-CD	SMALLINT	(	2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(	1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	(	2, 0)
131	STYL_RPLY_TAB	0	DCOD_STYL_RPY_2309	2309	DCODD-STYL-RPLY-STMT	VARCHAR	(	379, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		2	MRC_3445	3445	MRC	CHAR	(	4, 0)
132	APPLIC_MESSAGE_DAT	3	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(	5, 0)
		0	MSG_0983	0983	MSG	CHAR	(	66, 0)
		1	MSG_CD_1105	1105	MSG-CD	CHAR	(	4, 0)
133	EXTRACT_DESCR	0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR	(	1, 0)
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR	(	1, 0)
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR	(	1, 0)
		0	EXTR_ITM_QY_4209	4209	IDS-EXTR-DATA-ITM-QY	INTEGER	(	4, 0)
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER	(	4, 0)
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR	(	1, 0)
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR	(	8, 0)
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR	(	1, 0)
		0	ITM_PRCSG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT	(	2, 0)
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER	(	4, 0)
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER	(	4, 0)
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR	(	1, 0)
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR	(	1, 0)
		0	RCD_LGTH_ATTR_8622	8622	IDS-RCD-LGTH-ATTR-ID	VARCHAR	(	30, 0)
		0	RNDM_SMPL_IND_2671	2671	RNDM-SMPL-IND-CD	CHAR	(	1, 0)
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR	(	1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
134	IDS_JCL_GEN_INFO	0	UPDT_KEY_LGTH_8626	8626	IDS-UPDT-KEY-LGTH-QY	SMALLINT	(	2, 0)
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT	(	2, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		0	JCL_TX_4315	4315	IDS-JCL-TX	VARCHAR	(	72, 0)
		1	JOB_JCL_4311	4311	IDS-JOB-JCL-ID	CHAR	(	7, 0)
		2	STEP_JCL_4312	4312	IDS-STEP-JCL-ID	CHAR	(	1, 0)
135	DD_PARM_CRITERIA	3	JCL_TYP_4313	4313	IDS-JCL-TYP-CD	CHAR	(	1, 0)
		4	STEP_SEQ_4314	4314	IDS-STEP-SEQ-ID	SMALLINT	(	2, 0)
		0	ASCII_IND_4325	4325	IDS-ASCII-IND-CD	CHAR	(	1, 0)
		0	FILE_RET_TIME_4322	4322	IDS-FILE-RET-TIME-QY	CHAR	(	3, 0)
		0	FXD_BLCKSZ_4324	4324	IDS-FXD-OP-BLCKSZ-QY	CHAR	(	5, 0)
		0	FXD_LRECL_4323	4323	IDS-FXD-OP-LRECL-QY	CHAR	(	5, 0)
		0	PRIM_SPC_ALOC_4317	4317	IDS-PRIM-SPC-ALOC-QY	CHAR	(	3, 0)
		0	PRIM_WS_ALOC_4319	4319	IDS-PRIM-WS-ALOC-QY	CHAR	(	3, 0)
		0	SECD_SPC_ALOC_4318	4318	IDS-SECD-SPC-ALOC-QY	CHAR	(	3, 0)
		0	SECD_WS_ALOC_4320	4320	IDS-SECD-WS-ALOC-QY	CHAR	(	3, 0)
		0	STOR_UNIT_TYP_4321	4321	IDS-STOR-UNIT-TYP-TX	CHAR	(	5, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		3	FILE_TYP_4316	4316	IDS-FILE-TYP-CD	CHAR	(	1, 0)
136	ITEM_DRAWING_DATA	0	ILL_ACPT_IND_4063	4063	ILL-ACPT-IND	CHAR	(	1, 0)
		0	ILL_ID_4066	4066	ILL-ID	CHAR	(	10, 0)
		0	ILL_RTN_DT_4061	4061	ILL-RTN-DT	INTEGER	(	4, 0)
		0	ILL_START_DT_4062	4062	ILL-START-DT	INTEGER	(	4, 0)
			DGTZD-					
		1	_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	(	15, 0)
		0	MOE_CD_2833	2833	MOE-CD	CHAR	(	2, 0)
137	MOE_CD_MOE_RL_RLTN	1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)
138	GROUPING_DESCR	0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	(	2, 0)
		0	CTR_FUNC_8623	8623	IDS-CTR-FUNC-CD	CHAR	(	1, 0)
		0	END_CMP_SEQ_8620	8620	IDS-END-CMP-SEQ-NBR	SMALLINT	(	2, 0)
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	(	1, 0)
		0	GRP_TYP_8618	8618	IDS-GRP-TYP-ID	CHAR	(	1, 0)
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	(	1, 0)
		0	START_CMP_SEQ_8619	8619	IDS-START-CMP-SEQ-NBR	SMALLINT	(	2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(	1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	(	2, 0)
139	ZIP_ADRS_DATA	0	CITY_1084	1084	CITY	CHAR	(	36, 0)
		0	CNGRSL_DSTRCT_3410	3410	CNGRSL-DSTRCT-CD	CHAR	(	3, 0)
		0	CNTY_NM_3409	3409	CNTY-NM	CHAR	(	21, 0)
		0	FIPS_CNTY_CD_1371	1371	FIPS-CNTY-CD	CHAR	(	3, 0)
		0	FIPS_CTY_CD_1369	1369	FIPS-CTY-CD	CHAR	(	5, 0)
		0	FIPS_STA_CD_1370	1370	FIPS-STA-CD	CHAR	(	2, 0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	(	2, 0)
		1	ZIP_CD_4400	4400	ZIP-CD	CHAR	(	5, 0)
140	STAT_USER_REQUEST	0	ARCH_BEG_DT_9311	9311	ARCHIVE-BEGIN-DATE	CHAR	(	6, 0)
		0	ARCH_END_DT_9312	9312	ARCHIVE-END-DATE	CHAR	(	6, 0)
		1	USER_RQST_DT_3309	3309	STAT-USER-RQST-DT	TIMESTAMP	(	10, 0)
		2	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
141	STAT_LOG_STATUS	3	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR ( 12, 0)
		0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR ( 1, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR ( 12, 0)
		3	LOG_DT_3339	3339	STAT-LOG-DT	TIMESTAMP ( 10, 0)
142	STAT_RESTOR_STATUS	4	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		5	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR ( 4, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP ( 10, 0)
143	MDLS_FTP_TRNSMT	0	TM_TRNSMT_TS_2578	2578	TM-TRNSMT-TS	TIMESTAMP ( 10, 0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR ( 12, 0)
144	PSMAT_ADDR	0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR ( 2, 0)
		0	CMD_AU- THZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR ( 1, 0)
		0	DT_ESB_PSMAT_R_0874	0874	DT-ESB-PSMAT-RD	INTEGER ( 4, 0)
		0	DT_LST_ACC_PS_0875	0875	DT-LST-ACCSD-PSMAT-RD	INTEGER ( 4, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		0	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR ( 3, 0)
		0	P_SCR_RCV_ADD_0232	0232	PRVSNG-SCRNG-RCVR-ADRS	VARCHAR ( 432, 0)
		0	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR ( 2, 0)
		0	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR ( 1, 0)
		1	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR ( 2, 0)
		2	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR ( 5, 0)
		3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR ( 1, 0)
		0	CLR_MLNG_ADRS_1282	1282	IN-THE-CLR-MLNG-ADRS	VARCHAR ( 320, 0)
		0	MLNG_PIC_0985	0985	MLNG-PIC	CHAR ( 3, 0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR ( 10, 0)
145	ASSOC_ADDRESS_ENT	1	LBL_ID_2235	2235	LBL-ID	CHAR ( 2, 0)
		2	AA_0979	0979	AA	CHAR ( 7, 0)
		0	TOT_PRD_ADRS_0978	0978	TTL-DLN-PRDCT-PER-ADRS	INTEGER ( 4, 0)
		1	LBL_ID_2235	2235	LBL-ID	CHAR ( 2, 0)
		2	AA_0979	0979	AA	CHAR ( 7, 0)
146	DISTRIBUTION_ENT	3	DLN_1283	1283	DLN	CHAR ( 10, 0)
		0	PRDCT_TI_0982	0982	PRDCT-TI	CHAR ( 20, 0)
		1	DLN_1283	1283	DLN	CHAR ( 10, 0)
147	DLN_ENTITY	0	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR ( 2, 0)
		0	FILE_MNT_RCVR_8905	8905	FILE-MAINT-RCVR-CD	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
148	FSC_SEGM_FILE_MNT	3	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
		0	FMR_NMFC_0096	0096	FMR-NMFC-CD	CHAR ( 6, 0)
		0	FMR_NMFC_SUB_0862	0862	FMR-NMFC-SUB-ITEM-NBR	CHAR ( 1, 0)
		0	FMR_UFC_0097	0097	FMR-UFC-CD	CHAR ( 5, 0)
		1	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		4	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
149	FREIGHT_LGN_DATA	0	TBL_CSTDN_2232	2232	TBL-CSTDN	CHAR ( 15, 0)
		0	TBL_CSTDN_ALT_2231	2231	TBL-CSTDN-ALT	CHAR ( 15, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
		2	TBL_RSP_DIR_2233	2233	TBL-RSPNSBL-DRCTRT	CHAR ( 6, 0)
150	TBL_DIRECTR_CSTDN	0	TBL_CSTDN_2232	2232	TBL-CSTDN	CHAR ( 15, 0)
		0	TBL_CSTDN_ALT_2231	2231	TBL-CSTDN-ALT	CHAR ( 15, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
		2	TBL_RSP_DIR_2233	2233	TBL-RSPNSBL-DRCTRT	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
151	CAGE_KHN_BKUP	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	( 1500,	0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP	( 10,	0)
		2	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	( 2,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	( 4,	0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
152	MOE_RULE_PS_EDITS	1	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR	( 2,	0)
		2	PICA_2866	2866	PICA	CHAR	( 2,	0)
		3	SICA_2938	2938	SICA-CD	CHAR	( 2,	0)
		4	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	( 2,	0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR	( 2,	0)
153	AMSC_AMC_COMBO	0	AMSC_AMC_VC_8009	8009	AMSC-AMC-VLD-COMBS-CD	CHAR	( 1,	0)
		1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	( 1,	0)
		2	AMC_2871	2871	ACQ-MTHD-CD	CHAR	( 1,	0)
154	ACQ_MTHD_CD	0	AMC_EX_5204	5204	ACQ-MTHD-CD-EXP	VARCHAR	( 1000,	0)
		1	AMC_2871	2871	ACQ-MTHD-CD	CHAR	( 1,	0)
155	ACQ_MTHD_SUF_CD	0	AMSC_EX_5205	5205	ACQ-MTHD-SUF-CD-EXPLN	VARCHAR	( 1000,	0)
		1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	( 1,	0)
156	ACQUISITION_ADV_CD	0	AAC_EXPLN_5250	5250	AAC-EXPLN	VARCHAR	( 1000,	0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR	( 1,	0)
		1	AAC_2507	2507	ACQ-AD-CD	CHAR	( 1,	0)
157	AUTHZD_SUB_ORIG_CD	0	ACTY_CITY_3246	3246	ACTY-CITY	VARCHAR	( 60,	0)
		0	ACTY_NM_LINE1_3238	3238	ACTY-NM-LINE1	VARCHAR	( 60,	0)
		0	ACTY_NM_LINE2_3239	3239	ACTY-NM-LINE2	VARCHAR	( 60,	0)
		0	ACTY_NM_LINE3_3240	3240	ACTY-NM-LINE3	VARCHAR	( 60,	0)
		0	ACTY_NM_LINE4_3241	3241	ACTY-NM-LINE4	VARCHAR	( 60,	0)
		0	ACTY_NM_LINE5_3242	3242	ACTY-NM-LINE5	VARCHAR	( 60,	0)
		0	ACTY_OFC_SYM_3243	3243	ACTY-OF-SYM	VARCHAR	( 60,	0)
		0	ACTY_ST_ADRS1_3244	3244	ACTY-ST-ADRS1	VARCHAR	( 60,	0)
		0	ACTY_ST_ADRS2_3245	3245	ACTY-ST-ADRS2	VARCHAR	( 60,	0)
		0	ACTY_ST_US_AB_3247	3247	ACTY-ST-POS-ABR	CHAR	( 2,	0)
		0	ACTY_ZIP_CD_3248	3248	ACTY-ZIP-CD	CHAR	( 9,	0)
		0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR	( 2,	0)
		0	CNTRY_NM_1966	1966	CNTRY-NM	CHAR	( 26,	0)
		0	DROP_IN_MAINT_2223	2223	DROP-INDX-CD-MAINT	CHAR	( 2,	0)
		0	DROP_IN_NOTIF_2224	2224	DROP-INDX-CD-NOTIF	CHAR	( 2,	0)
		0	MOE_CD_2833	2833	MOE-CD	CHAR	( 2,	0)
		0	ORG_ACT_IND_2222	2222	ORG-ACT-IND	CHAR	( 1,	0)
		0	RNAAC_IND_2221	2221	RNAAC-IND	CHAR	( 1,	0)
		0	SSR_OP_MED_CD_2094	2094	CT-OP-MED-CD	CHAR	( 2,	0)
		0	SUBMR_ACT_IND_2143	2143	SUBMR-ACT-IND	CHAR	( 1,	0)
		0	TIR_OP_MED_CD_2093	2093	TIR-OP-MED-CD	CHAR	( 1,	0)
158	ACTY_CD_AND_ADD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
		2	CTGY_CD_0905	0905	CTGY-CD	CHAR	( 1,	0)
159	ACTIVITY_CAT_CODE	0	CTGY_CD_ACT_X_2227	2227	CTGY-CD-ACT-EXPLN	VARCHAR	( 120,	0)
		1	CTGY_CD_0905	0905	CTGY-CD	CHAR	( 1,	0)
160	ADDRESS_LINE_NBR	0	OE_LI_SEG_EXP_0011	0011	OE-LI-SEG-NBR-EXPLN	VARCHAR	( 140,	0)
		1	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR	( 2,	0)
161	ADPE_IDENTIFICA_CD	0	ADPEC_DEF_5262	5262	ADPE-IDEN-CD-DEF	VARCHAR	( 1000,	0)
		1	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	( 1,	0)
162	AIR_CMDTY_CD	0	AIR_CMTY_EX_5232	5232	AIR-CMDTY-CD-EXPLN	VARCHAR	( 350,	0)
		1	AIR_CMDTY_CD_2497	2497	AIR-CMDTY-CD	CHAR	( 1,	0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
163	AIR_DIMENSION_CD	0	AIR_DIM_CD_EX_5231	5231	AIR-DIM-CD-EXPLN	VARCHAR ( 1000, 0)
		1	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR ( 1, 0)
164	AF_BUDGET_CD	0	AF_BDGT_APPRP_3160	3160	AF-BDGT-APPRP	CHAR ( 15, 0)
		0	AF_BDGT_PGM_3159	3159	AF-BDGT-PGM	CHAR ( 3, 0)
		0	AF_BGT_STK_FD_3162	3162	AF-BDGT-STK-FD-DIV	CHAR ( 25, 0)
		0	BDGT_CD_AF_EX_3161	3161	AF-BDGT-CD-MDL-DEF	VARCHAR ( 600, 0)
		1	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR ( 1, 0)
165	AF_EXP_REC_REP_CD	0	ERRC_CNDM_LV_2841	2841	ERRC-CNDM-LV-AF	CHAR ( 15, 0)
		0	ERRC_DSG_AF_2842	2842	ERRC-DSG-AF	CHAR ( 3, 0)
		0	ERRC_EXP_Y_N_2843	2843	ERRC-EXP-Y-N-AF	CHAR ( 3, 0)
		0	ERRC_EX_AF_3164	3164	ERRC-CD-EXPLN-AF	VARCHAR ( 80, 0)
		0	ERRC_REP_Y_N_2844	2844	ERRC-REP-Y-N-AF	CHAR ( 3, 0)
		1	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR ( 1, 0)
166	AF_FUND_CD	0	FD_CD_DEF_AF_3163	3163	FD-CD-DEF-AF	VARCHAR ( 240, 0)
		1	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR ( 2, 0)
167	AIR_SPECIAL_HDLG	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR ( 500, 0)
		1	AIR_S_HDLG_3169	3169	AIR-SP-HDLG-CD	CHAR ( 1, 0)
168	ARMY_ACCT_REQT_CD	0	ACT_RQM_BR_EX_3157	3157	ACCTG-RQMTS-CD-EXPLN-AR	VARCHAR ( 400, 0)
		1	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR ( 1, 0)
169	AR_MCC_APPRO_SUBGP	0	AR_MCC_AP_TXT_2164	2164	AR-MCC-APPROP-SUBGRP-TXT	VARCHAR ( 100, 0)
		1	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR ( 1, 0)
170	AR_MCC_DESC_USE	0	AR_MCC_USE_TX_2162	2162	AR-MCC-DESCP-USE-TXT	VARCHAR ( 600, 0)
		1	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR ( 1, 0)
171	ARMY_MCC_SUBGROUP	0	AR_MCC_SG_TX_2166	2166	AR-MCC-SUB-GRP-TXT	CHAR ( 80, 0)
		1	AR_MCC_SG_CD_2165	2165	AR-MCC-SUB-GRP-CD	CHAR ( 1, 0)
172	ARMY_MCC_SUBGROUP1	0	AR_MCC_SG_TX1_2168	2168	AR-MCC-SUB-GRP-TXT1	VARCHAR ( 210, 0)
		1	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR ( 2, 0)
173	ARMY_RECOVERBTY_CD	0	RECOV_EX_AR_5259	5259	RECOV-CD-EXPLN-AR	VARCHAR ( 250, 0)
		1	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR ( 1, 0)
174	AUTZD_ABBREVIATON	1	PUB_TRM_ABR_3190	3190	PUB-TERM-ABBREV	CHAR ( 15, 0)
		2	PUB_TERM_3192	3192	PUB-TERM	VARCHAR ( 120, 0)
175	AUTHZD_DIC_ACTYS	0	CTGY_DIC_CMNT_4626	4626	CTGY-DIC-CMNT	CHAR ( 50, 0)
		1	CTGY_CD_0905	0905	CTGY-CD	CHAR ( 1, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
176	CAGE_REF_NBR_FMT	0	FMT_REMARKS_4511	4511	FMT-REMARKS	VARCHAR ( 200, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		2	FMT_R_NBR_CAG_3113	3113	FMT-REF-NBR-GOVT-CAGE	CHAR ( 15, 0)
		3	FMT_EXAMPLE_3114	3114	FMT-EXAMPLE	CHAR ( 11, 0)
177	SEG_FORMAT_HEADERS	0	DIDS_INTRO_4469			VARCHAR ( 1300, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	HEAD_NARRTV_4453	4453	HEAD-NARRTV	CHAR ( 79, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR ( 8, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
178	CAO_ADP_PT_PROC_CD	0	CAO_EX_PR_EX_5270	5270	CAO-ADP-EXCP-PRCSG-CD-EX	VARCHAR ( 130, 0)
		1	CAO_EX_PR_CD_8868	8868	CAO-ADP-EXCP-PROC-CD	CHAR ( 1, 0)
179	CARD_IDENTIFIC_CD	0	CRD_ID_CD_EX_5212	5212	CRD-IDEN-CD-EXPLN	VARCHAR ( 600, 0)
		0	CRD_ID_CD_TI_5211	5211	CRD-IDEN-CD-TI	VARCHAR ( 120, 0)
		1	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR ( 1, 0)
180	CG_SERIAL_NBR_CTRL	0	SRN_CTL.CG_EX_3182	3182	SER-NBR-CTL-CD-CG-EXPLN	VARCHAR ( 80, 0)
		1	SER_NO_CTL.CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR ( 1, 0)
181	DIC_BATCH_T912	0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR ( 2, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH-DECIMAL
182	CIIC_CLASS_CD	2	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP ( 10, 0)
		0	CIIC_CLS_EX_2496	2496	CIIC-CLS-CD-TI-EX	VARCHAR ( 320, 0)
		1	CIIC_CLS_CD_5255	5255	CIIC-CLS-CD	CHAR ( 1, 0)
183	CIIM_RTRN_ACTN_CD	2	CIIC_CLS_TI_2495	2495	CIIC-CLS-CD-TI	CHAR ( 24, 0)
		0	CIIM_IN_IND_3138	3138	CIIM-INPUT-FILE-IND	CHAR ( 15, 0)
		0	CIIM_RTN_DEF_3137	3137	CIIM-RTN-ACTN-CD-DEF-INS	VARCHAR ( 450, 0)
		0	CIIM_RTN_TO_3139	3139	CIIM-ACTN-RTN-TO	CHAR ( 15, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
184	CG_REPARABILITY_CD	1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR ( 2, 0)
		0	REP_CD_CG_EX_3180	3180	REPBL-CD-CG-EXPLN	VARCHAR ( 180, 0)
		1	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR ( 1, 0)
185	COM_GOV_ENT_STA_CD	0	CAGE_USR_INTP_5293	5293	CAGE-STAT-CD-USER-INTPTN	VARCHAR ( 1000, 0)
186	COMMON_NBR_SYS_IND	1	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR ( 1, 0)
		0	CNBR_SYS_I_EX_5271	5271	COMN-NBRG-SYS-IND-EXPLN	VARCHAR ( 150, 0)
187	CONFLICT_NOTIF_CD	1	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR ( 1, 0)
		0	CONF_NOTI_EX_5110	5110	CONF-NOTI-CD-EXPLN	VARCHAR ( 850, 0)
		0	CONF_NOT_CDRK_5111	5111	CONF-NOTI-CD-RMK	VARCHAR ( 850, 0)
188	CAT_DEST_ACTY	1	CONF_NOTI_CD_0095	0095	CONF-NOTI-CD	CHAR ( 2, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	DEST_ACTY_OP_3880	3880	DEST-ACTY-CD-OP	CHAR ( 2, 0)
189	USG_CAGE	1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
190	DATA_TRANM_CTRL_CD	0	D_TRN_CTL_EX_5135	5135	DATA-TRNSMSN-CTL-CD-EXPL	VARCHAR ( 250, 0)
		1	D_TRN_CTL_CD_0756	0756	DATA-TRNSM-CTL-CD	CHAR ( 1, 0)
191	DEGREE_OF_MATCH_CD	0	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR ( 8, 0)
		0	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR ( 8, 0)
		1	DEG_MTCH_CD_0595	0595	DEG-MTCH-CD	CHAR ( 1, 0)
192	DELETION_REASON_CD	0	DELT_RSN_EX_5132	5132	DELT-RSN-CD-EXPLN	VARCHAR ( 1000, 0)
		1	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR ( 1, 0)
193	DEMAND_INDICATR_CD	0	DMD_IND_EX_5217	5217	DMD-IND-CD-EXPLN	VARCHAR ( 200, 0)
		1	DMD_IND_CD_0728	0728	DMD-IND-CD	CHAR ( 1, 0)
194	DEMILITARIZATIO_CD	0	DEMIL_CD_EX_5136	5136	DEMIL-CD-EXPLN	VARCHAR ( 1000, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR ( 1, 0)
		1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR ( 1, 0)
195	MDLS_UPDT_ST_DPT_A	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER ( 4, 0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
196	DIC_DATA	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	DIC_CSTDN_2214	2214	DIC-CSTDN	CHAR	(	15, 0)
		0	DIC_CSTDN_ALT_2213	2213	DIC-CSTDN-ALT	CHAR	(	15, 0)
		0	DIC_I_O_TYPE_2052	2052	DIC-I-O-TYPE	CHAR	(	1, 0)
		0	DIC_REF_2211	2211	DIC-REF	CHAR	(	15, 0)
		0	DLSC_ONLY_IND_4621	4621	DLSC-ONLY-IND	CHAR	(	1, 0)
		0	I_I_DATA_IND_4622	4622	I-I-DATA-IND	CHAR	(	1, 0)
		0	MAND_SEG_STNG_4624	4624	MAND-SEG-STNG	CHAR	(	30, 0)
		0	OPTL_SEG_STNG_4625	4625	OPTNL-SEG-STNG	CHAR	(	30, 0)
		0	SUPT_DATA_IND_4623	4623	SUPT-DATA-IND	CHAR	(	1, 0)
		0	TRANS_TI_2057	2057	TRANS-TI	VARCHAR	(	270, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	CM_NOTE_IND_2101	2101	CAT-MGMT-IP-OP-NOTE-IND	CHAR	(	2, 0)
		0	ED_DIC_2099	2099	ED-DIC	CHAR	(	3, 0)
197	DIC_I_O_CORRELATON	0	ED_DIC_DESTN_2102	2102	ED-DIC-DESTN	CHAR	(	15, 0)
		0	OP_DESTN_2096	2096	OP-DESTN	CHAR	(	15, 0)
		0	RL_UP_DIC_DES_2098	2098	ROLL-UP-DIC-DESTN	CHAR	(	15, 0)
		0	ROLL_UP_DIC_2097	2097	ROLL-UP-DIC	CHAR	(	3, 0)
		1	DIC_OP_1052	1052	DIC-OP	CHAR	(	3, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
198	DIC_RELATED_TO_FD	2	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	(	1, 0)
		3	DIC_TO_FD_2212	2212	DIC-RLTD-FUNCTNL-DSCPTN	CHAR	(	5, 0)
		0	DIDS_SEG_EX_3175	3175	DIDS-SEG-CD-EXPLN	VARCHAR	(	80, 0)
199	DIDS_SEG_CD	1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(	1, 0)
1QF	ASN970107140251PC	0	CNTL_SERVER			CHAR	(	18, 0)
		0	COPY_OWNER			CHAR	(	18, 0)
		0	COPY_SERVER			CHAR	(	18, 0)
		0	COPY_STRUCTURE			SMALLINT	(	2, 0)
		0	COPY_TABLE			CHAR	(	18, 0)
		0	IBMSNAP_LOG-MARKER			TIMESTAMP	(	10, 0)
		0	PRUNE_LIMIT_SEQ			CHAR	(	10, 0)
200	DLA_REP_CHAR_IN_CD	0	REP_CD_DLA_EX_5261	5261	REPBL-CHAR-IND-CD-DLA-DE	VARCHAR	(	1000, 0)
		1	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	(	1, 0)
201	DOC_AVLB_CD_DATA	0	DAC_EX_5123	5123	DOC-AVLB-CD-EXPLN	VARCHAR	(	1000, 0)
		1	DAC_2640	2640	DAC	CHAR	(	1, 0)
202	DOD_CMDTY_MAT-MGMT	0	CMDTY_MMC_ID_5308	5308	CMDTY-MAT-MGMT-CD-DOD-ID	VARCHAR	(	100, 0)
		1	CMDTY_MMC-DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(	1, 0)
203	PROPOSAL_INITIATOR	0	DBR_PRO_INIT_3193	3193	DOD-DBRMT-PPSL-INITR	VARCHAR	(	90, 0)
		1	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR	(	5, 0)
204	MEDALS_DIST_LEVEL	0	DOC_DIST_DESC_8016	8016	MEDALS-DOC-DIST-DESC-TX	CHAR	(	40, 0)
		1	DOC_DIST_STMT_8013	8013	MEDALS-DOC-DIST-STMT-CD	CHAR	(	1, 0)
205	MEDALS_SEC_CLASS	0	DOC_SEC_DESC_8015	8015	MEDALS-DOC-SEC-DESC-TX	CHAR	(	40, 0)
		1	DOC_SEC_8011	8011	MEDALS-DOC-SEC-CD	CHAR	(	1, 0)
206	PASSTHRU_CHECK	0	PSTHRU_ACT_NM_2140	2140	PASSTHRU-ACTY-NM	CHAR	(	9, 0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		2	PSTHRU_ACT_ID_2139	2139	PASSTHRU-ACTY-ID	CHAR	(	4, 0)
207	DRN_WITHIN_A_DIC	0	DIC_DRN_NOTE_2111	2111	DIC-DRN-NOTE	CHAR	(	30, 0)
		0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(	1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	REC_COL_2109	2109	REC-COL	CHAR ( 7, 0)
		0	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR ( 2, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR ( 8, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR ( 1, 0)
		4	ROW_NBR_4518	4518	ROW-NBR	INTEGER ( 4, 0)
		5	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
208	DRN_WTHN_DIC_NOTES	0	DIC_DRN_N_DEF_2113	2113	DIC-DRN-NOTE-DEF	VARCHAR ( 1500, 0)
		0	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR ( 8, 0)
		1	DIC_DRN_N_NBR_2112			CHAR ( 2, 0)
209	DROP_DICS_SEGMENT	0	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR ( 1, 0)
		1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR ( 2, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
210	DRP_SEGMENTS	1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR ( 2, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
211	ELEC_STAT_DISCH	0	ESD_EMI_CD_EX_2508	2508	ESD-EMI-CD-EX	VARCHAR ( 125, 0)
		1	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR ( 1, 0)
212	EST_ACTUAL_PRIC_CD	0	EST_ACT_PR_EX_5219	5219	EST-ACT-PR-CD-EXPLN	VARCHAR ( 90, 0)
		1	EST_ACT_PR_CD_0731	0731	ESTD-OR-ACTL-PR-CD	CHAR ( 1, 0)
213	FILE_MAINT_ACTN_CD	0	FILE_MAINT_EX_3173	3173	FILE-MAINT-ACTN-CD-EXPLN	VARCHAR ( 250, 0)
		1	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR ( 1, 0)
214	FIXED_OR_VRBLE_DIC	0	TRANS_DEF_2127	2127	TRANS-DEF	VARCHAR ( 1000, 0)
		0	TRANS_INST_2131	2131	TRANS-INST	VARCHAR ( 1500, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR ( 8, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR ( 1, 0)
215	FSC_MOE_RULE_CHG	0	FSC_M_RL_C_EX_5305	5305	FSC-MOE-IND-CD-EXPLN	VARCHAR ( 1000, 0)
		0	FSC_M_RL_C_TI_4504	4504	FSC-MOE-RL-CHG-IND-CD-TI	CHAR ( 9, 0)
		1	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR ( 1, 0)
216	FSC_REQ_ESD_CD	1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
217	KFU_COND_CD_DATA	0	FU_COND_DEF_5104	5104	FLW-UP-COND-CD-DEF	VARCHAR ( 500, 0)
		0	FU_COND_INST_5105	5105	FLW-UP-COND-CD-INST	VARCHAR ( 300, 0)
		1	FU_COND_CD_0155	0155	FU-COND-CD	CHAR ( 2, 0)
218	FUT_SSR_MOE_RL_ST	0	FUT_M_RL_ST_D_5306	5306	FUT-CT-MOE-RL-ST-CD-DEF	VARCHAR ( 100, 0)
		1	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR ( 1, 0)
219	GLOSSARY_ACRONYM	0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR ( 30, 0)
		1	GLOS_ACRNM_2135	2135	GLOS-ACRNM	CHAR ( 20, 0)
		2	GLOS_ACRNM_TI_2136	2136	GLOS-ACRNM-TI	CHAR ( 90, 0)
220	GLOSSARY_OF_TERMS	0	GLOS_TERM_DEF_2133	2133	GLOS-TERM-DEF	VARCHAR ( 1200, 0)
		0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR ( 30, 0)
		1	GLOS_TERM_2132	2132	GLOS-TERM	CHAR ( 90, 0)
221	H_D_BRK_FSC_CAT_XT	0	CMDTY_CT_EXP_5301	5301	CMDTY-CTGY-EXPLN	VARCHAR ( 1000, 0)
		1	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR ( 1, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
222	CAGE_TRADING_PART	0	CNTCT_NM_3374	3374	CAGE-PNT-OF-CNTCT-NM	CHAR ( 35, 0)
		0	DUNS_3405	3405	DUNS	CHAR ( 9, 0)
		0	DUNS_PLUS4_4361	4361	CCR-DUNS-PLUS4-ID	CHAR ( 4, 0)
		0	EMAIL_ADRS_3375	3375	EMAIL-ADRS-TX	CHAR ( 80, 0)
		0	RGSTR_RNWL_DT_3373	3373	VND-RGSTR-RNWL-DT	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
223	MDLS_BTCH_INQ_DEPT	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
224	HZRD_MATERIAL_CD	0	HMC_EXPLN_5222	5222	HMC-EXPLN	VARCHAR	(	1000, 0)
		1	HMC_2720	2720	HMC	CHAR	(	2, 0)
225	INC_CAGE_COMBOS	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		2	INC_4080	4080	INC	CHAR	(	5, 0)
226	INCMF_ADRS_EDIT_CD	0	MINM_ADRS_EX_5288	5288	MINM-ADRS-CD-EXPLN	VARCHAR	(	100, 0)
		1	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR	(	1, 0)
227	INTEGRITY_CD_FRGHT	0	INTGTY_CD_DEF_5220	5220	INTGTY-CD-DEF	VARCHAR	(	1000, 0)
		1	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	(	1, 0)
228	FIXD_FMT_EDIT_CRIT	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(	4, 0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR	(	1400, 0)
		1	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(	4, 0)
		2	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	(	1, 0)
229	CG_INVTRY_ACCT_CD	0	INV_ACT_CG_EX_3179	3179	INV-ACCT-CD-CG-EXPLN	VARCHAR	(	270, 0)
		1	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	(	1, 0)
230	II_SCREEN_DECISION	1	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR	(	8, 0)
		2	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR	(	8, 0)
		3	RESULT_ACTN_3104	3104	RESULT-ACTN	CHAR	(	30, 0)
		4	TYP_MATCH_3103	3103	TYP-MATCH	CHAR	(	8, 0)
231	ITEM_MANAGEMENT_CD	0	IMC_DEF_5209	5209	IMC-DEF	VARCHAR	(	1000, 0)
		0	IMC_TI_5208	5208	IMC-TI	VARCHAR	(	100, 0)
		0	INVLD_IMC_IND_2747	2747	INVLD-IMC-IND	CHAR	(	1, 0)
232	ITEM_STDZN_CD	1	IMC_2744	2744	IMC	CHAR	(	1, 0)
		0	ITM_STDZN_EX_5134	5134	ITM-STDZN-CD-EXPLN	VARCHAR	(	1000, 0)
		1	ISC_2650	2650	ITM-STDZN-CD	CHAR	(	1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
233	KFU_STATUS_CD	0	ADD_R_P_Q_SEG_3146	3146	ADDNTL-R-P-Q-SEG	CHAR	(	1, 0)
		0	CURR_TIR_SEG_3145	3145	CURR-TIR-SEG	CHAR	(	1, 0)
		0	FU_STAT_DEF_3141	3141	FU-STAT-CD-DEF	VARCHAR	(	125, 0)
		0	FU_STAT_INST_3142	3142	FU-STAT-CD-INST	VARCHAR	(	125, 0)
		0	SGR_WO_OP_DIC_3144	3144	SEG-R-W-O-OP-DIC	CHAR	(	1, 0)
		0	SGR_W_OP_DIC_3143	3143	SEG-R-WITH-OP-DIC	CHAR	(	1, 0)
		1	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR	(	2, 0)
234	LESS_THN_CRLD_CD	0	LCL_EX_5233	5233	LS-THN-CRLD-RTNG-CD-EXPL	CHAR	(	20, 0)
		1	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	(	1, 0)
235	LESS_THN_TL_CD	0	LST_TL_EX_5234	5234	LS-THN-TL-RTNG-CD-EXPLN	CHAR	(	20, 0)
		1	LST_TL_CD_2770	2770	LS-THN-TL-RTNG-CD	CHAR	(	1, 0)
236	LMTD_DISTRIBTON_CD	0	AUTH_INT_SUB_4506	4506	AUTH-INTEROG-SUB	CHAR	(	30, 0)
		0	AUTH_UPD_RCVR_4507	4507	AUTH-FL-UPDT-RCVRS	CHAR	(	30, 0)
		0	CAT_SGL_SUB_4503	4503	DOD-CAT-ACT-SGL-SUB	CHAR	(	30, 0)
		0	LMT_DIST_EX_5106	5106	LMT-DIST-CD-EXPLN	VARCHAR	(	1200, 0)
		1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	(	1, 0)
237	MAJ_MAT_CAT_ARMY	0	MAJ_MCC_AR_EX_2283	2283	MAJ-MCC-AR-EXPLN	VARCHAR	(	200, 0)
		1	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(	1, 0)
238	MAT_MGMT_AG_AF	0	MMAC_DEF_AF_3158	3158	MAT-MGMT-AG-CD-DEF-AF	VARCHAR	(	640, 0)
		1	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(	2, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
239	MC_COMBAT_ESNTL_CD	0	CMBT_MC_EXP_3165	3165	CMBT-ESNTL-CD-EXPLN-MC	VARCHAR	(	320, 0)
		1	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	(	1, 0)
240	MC_ECHELON_CD	0	ECH_REM_MC_3152	3152	ECH-REM-MC	VARCHAR	(	350, 0)
		0	EC_ACQ_STK_MC_3151	3151	ECH-ACQ-STK-MC	CHAR	(	40, 0)
		1	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	(	1, 0)
241	MC_MATERIL_IDEN_CD	0	MAT_ID_MC_EX_3166	3166	MAT-IDEN-CD-EXPLN	VARCHAR	(	80, 0)
		0	MAT_ID_MC_NOT_3167	3167	MAT-IDEN-CD-NOTE-IND	CHAR	(	1, 0)
		1	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(	1, 0)
242	MC_MGT_CD	0	MAT_CAT_MC_3148	3148	MAT-CAT-MC	VARCHAR	(	80, 0)
		0	MGT_AG_G_C_MC_3149	3149	MGMT-AGENCY-GRP-OR-CLS-MC	VARCHAR	(	400, 0)
		1	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(	1, 0)
243	MC_RECOVERABLT_Y_CD	0	RECOV_EX_MC_3154	3154	RECOV-CD-EXPLN-MC	VARCHAR	(	320, 0)
		1	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(	1, 0)
244	MC_STORES_ACCT_CD	0	STRS_ACT_MC_X_3153	3153	STRS-ACCT-EXPLN-MC	CHAR	(	80, 0)
		1	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(	1, 0)
245	MNDTRY_CAGE_RNCC	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		2	RNCC_2910	2910	RNCC	CHAR	(	1, 0)
246	MOBIL_RESERVE_REQT	0	TYP_MBL_RSV_X_5215	5215	TYP-MBLZTN-RSV-RQT-CD-EX	VARCHAR	(	100, 0)
		1	TYP_MBL_RSV_0723	0723	TYP-MOBLZTN-RSRV-RQMT-CD	CHAR	(	1, 0)
247	MJR_ORGN_ENTITY_CD	0	MOE_CD_IDEN_5299	5299	MOE-CD-IDEN	VARCHAR	(	100, 0)
		1	MOE_CD_2833	2833	MOE-CD	CHAR	(	2, 0)
249	SEG_FORMAT	0	DRN_0950	0950	DATA-REC-NBR	CHAR	(	4, 0)
		0	REC_COL_2109	2109	REC-COL	CHAR	(	7, 0)
		0	SEG_NOTE_NBR1_4528	4528	DLIS-SEG-NOTE1	SMALLINT	(	2, 0)
		0	SEG_NOTE_NBR2_4529	4529	DLIS-SEG-NOTE2	SMALLINT	(	2, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(	8, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	(	1, 0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(	4, 0)
251	NATL_CDFN_BUREU_CD	0	NCB_CD_CTRY_5101	5101	NATL-CDFN-BUR-CD-CTRY	CHAR	(	20, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
252	NAVY_COGNIZANCE_CD	0	NCB_CD_NOTE_5102	5102	NATL-CDFN-BUR-CD-NOTE	CHAR	(	1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		0	COG_CD_NVY_EX_5256	5256	COG-CD-NVY-DEF	VARCHAR	(	300, 0)
		0	COG_RETL_OF_C_5257	5257	COG-CD-INV-MGR-RETL-OF_C	VARCHAR	(	150, 0)
		0	NO_Q8_ED_NVY_3181	3181	NO-Q8-RTN-CD-ED-NVY	CHAR	(	1, 0)
253	NAVY_MATL_CNTRL_CD	1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(	2, 0)
		0	MCC_NVY_EX_3156	3156	MAT-CTL-CD-DEF-NVY	VARCHAR	(	160, 0)
254	NVY_SPEC_MTL_ID_CD	1	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	(	1, 0)
		0	SP_MAT_APL_IK_3155	3155	SP-MAT-APL-ITEM-OR-KIT	VARCHAR	(	560, 0)
255	NIIN_PSCN_STATU_CD	1	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	(	2, 0)
		0	N_PSCN_ST_DEF_5201	5201	NIIN-PSCN-ST-CD-DEF-INST	VARCHAR	(	100, 0)
		0	N_PSCN_ST_NOT_5203	5203	NIIN-PSCN-ST-CD-CON-NOTE	VARCHAR	(	1000, 0)
256	NONSMBL_ITM_MAT_CD	1	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
		0	NIMSC_EXPLN_5210	5210	NIMSC-EXPLN	VARCHAR	(	1200, 0)
257	NORMAL_SOURCE_PROC	1	NIMSC_0076	0076	NIMSC	CHAR	(	1, 0)
		0	NRM_SRC_PR_EX_5214	5214	NOR-SRC-PRCMT-CD-EXPLN	VARCHAR	(	500, 0)
		0	NRM_SRC_PR_TI_5213	5213	NORM-SRC-PRCMT-CD-TI	VARCHAR	(	100, 0)
258	NSCM_PRFX_CDFN_BUR	1	NRM_SRC_PR_CD_0721	0721	NORM-SRC-PRCMT-CD	CHAR	(	1, 0)
		0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	(	1, 0)
		0	NSCM_CD_BUR_N_5268	5268	NSCM-PRFX-CDFN-BUR-CD-NT	CHAR	(	1, 0)
		0	NSCM_CD_BUR_X_5272	5272	NSCM-PRFX-CDFN-BUR-CD-EX	CHAR	(	30, 0)
		0	SUBMB_ACTY_CD_3720			CHAR	(	2, 0)
259	NSCM_SUFN_CDFN_BUR	1	NSCM_CDFN_BUR_4180	4180	NSCM-CDFN-BUR	CHAR	(	1, 0)
		0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	(	1, 0)
		0	NSCM_S_CD_B_N_5265	5265	NSCM-SUF-CDFN-BUR-CD-NOT	CHAR	(	1, 0)
		0	NSCM_S_CD_B_X_5266	5266	NSCM-SUF-CDFN-BUR-CD-EXP	CHAR	(	25, 0)
		0	SUBMB_ACTY_CD_3720			CHAR	(	2, 0)
260	NVY_SOS_CD	1	NSCM_S_CD_BR_5267	5267	NSCM-SUF-CDFN-BUR-CD	CHAR	(	1, 0)
		0	COG_CD_NV_CM_4558	4558	COG-CD-CMNT-NVY	CHAR	(	50, 0)
		1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	(	2, 0)
		2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(	2, 0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3, 0)
261	NVY_IRC_SOS_NSP_CD	1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(	2, 0)
		2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(	2, 0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3, 0)
262	NVY_IS_RE_REQ_CD	0	IRRC_NVY_DEF_5260	5260	ISS-REP-RQNG-RSTRN-CD-DE	VARCHAR	(	400, 0)
		1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(	2, 0)
263	O_E_DESIGNATOR_CD	0	OE_DESI_EX_5287	5287	OE-DESI-CD-EXPLN	VARCHAR	(	100, 0)
		1	CAGE_NSCM_DES_2620	2620	CAGE-NSCM-DESI-CD	CHAR	(	1, 0)
265	TYPE_O_E_AGENCY_RSP	0	TYP_OE_CD_EXP_3171	3171	TYP-OF-OE-CD-EXPLN	VARCHAR	(	80, 0)
		1	CAGE_TYP_CD_4238	4238	CAGE-NSCM-TYP-CD	CHAR	(	1, 0)
266	MC_OPERTNL_TEST_CD	0	OPRTL_T_MC_EX_3176	3176	OPRTNL-TST-CD-EXPLN	VARCHAR	(	700, 0)
		1	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	(	1, 0)
267	OTPT_MODE_MEDIA_CD	0	EAM_CRD_INTRP_3120	3120	EAM-CARD-INTERP-IND	CHAR	(	2, 0)
		0	F_V_LEN_IND_3119	3119	FIXED-VAR-LEN-MED-IND	CHAR	(	2, 0)
		0	LST_PRT_P_IND_3121	3121	LISTIN-PART-PAPER-IND	CHAR	(	2, 0)
		0	MT_BLACK_FAC_3126	3126	MAG-TAPE-BLCKNG-FAC-IND	CHAR	(	24, 0)
		0	MT_DNSTY_IND_3124	3124	MAG-TAPE-DENSITY-IND	CHAR	(	4, 0)
		0	MT_LAB_IND_3127	3127	MAG-TAPE-LAB-IND	CHAR	(	8, 0)
		0	MT_PRTY_IND_3125	3125	MAG-TAPE-PARITY-IND	CHAR	(	4, 0)
		0	MT_TRC_ENCD_I_3122	3122	MAG-TAPE-TRCKS-ENCD-IND	VARCHAR	(	90, 0)
		0	MT_USG_NOTE_3123	3123	MAG-TAPE-USAGE-NOTE	VARCHAR	(	300, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	OP_MOD_MED_EX_3118	3118	OP-MODE-MED-CD-DESC	VARCHAR ( 90, 0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
268	PHRASE_CD_DATA	0	PHRS_CD_EXPLN_5241	5241	PHRS-CD-EXPLN	VARCHAR ( 1000, 0)
		1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR ( 1, 0)
		2	PHRS_CD_PHRS_5240	5240	PHRS-CD-PHRS	CHAR ( 100, 0)
269	MC_PHYSICAL_CAT_CD	0	PHY_CTGY_MC_X_3177	3177	PHY-CTGY-CD-EXPLN	VARCHAR ( 60, 0)
		1	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR ( 1, 0)
270	CNTRL_INVTY_ITM_CD	0	CIH_CTGY_EX_5254	5254	CTLD-INV-ITM-CD-EXPLN	VARCHAR ( 1000, 0)
		1	CIIC_2863	2863	CIIC	CHAR ( 1, 0)
		2	CIIC_CLS_CD_5255	5255	CIIC-CLS-CD	CHAR ( 1, 0)
271	PICA_LEVEL_OF_AUTH	0	PICA_LOA_DEF_5303	5303	PICA-LVL-AUTH-CD-DEF	VARCHAR ( 1300, 0)
		1	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR ( 2, 0)
272	PREC_METL_IND_CODE	0	TYP_PREC_MTL_5263	5263	TYP-PREC-MTL	VARCHAR ( 100, 0)
		1	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR ( 1, 0)
273	PRICE_VALIDATON_CD	0	PVC_AF_DEF_3191	3191	PR-VLDTN-CD-AF-DEF	VARCHAR ( 1200, 0)
		1	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR ( 1, 0)
274	PSEUDO_SOS_SPLY_CD	0	PSDO_SOS_DESC_5113	5113	PSDO-SOS-CD-DESC	VARCHAR ( 1000, 0)
		1	PSDO_SOS_CD_0133	0133	PSDO-SOS-CD	CHAR ( 3, 0)
276	U_OF_MEASURE_DESIG	0	UNIT_MEAS_TRM_2347	2347	UNIT-MEAS-TRM	CHAR ( 20, 0)
		1	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR ( 2, 0)
277	QUANT_UNIT_PACK_CD	0	QUP_CD_QTY_5248	5248	QUP-CD-QTY	VARCHAR ( 200, 0)
		1	QUP_6106	6106	QUP-CD	CHAR ( 1, 0)
278	REF_NBR_COMBO	0	VLD_REF_MAY_3112	3112	VLD-REF-MAY-HV-NOTE-IND	CHAR ( 10, 0)
		0	VLD_REF_MST_3108	3108	VLD-REF-MST-HV-NOTE-IND	CHAR ( 1, 0)
		1	TYP_II_CD_TYP_5116	5116	TYP-OF-II-CD-TYP	CHAR ( 2, 0)
		2	RNCC_MS_H_RNG_3105	3105	RNCC-MUST-HAVE-RNG	CHAR ( 1, 0)
		3	RNVC_MS_H_RNG_3106	3106	RNVC-MUST-HAVE-RNG	CHAR ( 1, 0)
		4	DAC_MUST_RNG_3107	3107	DAC-MUST-HAVE-RNG	CHAR ( 1, 0)
		5	RNCC_MA_H_RNG_3109	3109	RNCC-MAY-HAVE-RNG	CHAR ( 1, 0)
		6	RNVC_MA_H_RNG_3110	3110	RNVC-MAY-HAVE-RNG	CHAR ( 1, 0)
		7	DAC_MAY_RNG_3111	3111	DAC-MAY-HAVE-RNG	CHAR ( 1, 0)
279	MDLS_DGTZD_MEDIA	0	DGTZD_MED_ABR_8019	8019	MDLS-DGTZD-MED-ABR-TX	CHAR ( 4, 0)
		0	JED_MED_DEF_8018	8018	MDLS-JEDMICS-MED-DEF-TX	CHAR ( 25, 0)
		1	JED_MED_CD_8017	8017	MDLS-JEDMICS-MED-CD	CHAR ( 5, 0)
280	REF_NBR_CTGY_CD	0	RNCC_EX_5125	5125	REF-NBR-CTGY-CD-EXPLN	VARCHAR ( 1600, 0)
		1	RNCC_2910	2910	RNCC	CHAR ( 1, 0)
282	REF_NBR_FORMAT_CD	0	RNFC_EX_5114	5114	REF-NBR-FMT-CD-EXPLN	VARCHAR ( 200, 0)
		1	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR ( 1, 0)
283	REF_NBR_JUSTIFN_CD	0	RNJC_EX_5121	5121	REF-NBR-JUST-CD-EXPLN	VARCHAR ( 1000, 0)
		1	RNJC_2750	2750	RNJC	CHAR ( 1, 0)
284	REF_NBR_STATUS_CD	0	R_N_STAT_EX_5131	5131	REF-NBR-STAT-CD-EXPLN	VARCHAR ( 1000, 0)
		1	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR ( 1, 0)
285	REF_NBR_VARITON_CD	0	RNVC_EX_5127	5127	REF-NBR-VARI-CD-EXPLN	VARCHAR ( 1000, 0)
		1	RNVC_4780	4780	RNVC	CHAR ( 1, 0)
286	REF_PAR_DES_RSN_CD	0	RPDMRC_EXP_5119	5119	RPDMRC-EXP	VARCHAR ( 1000, 0)
		1	RPDMRC_4765	4765	RPDMRC	CHAR ( 1, 0)
287	REF_NBR_DUPL_DECSN	0	RN_DEC_CAT_CD_2561	2561	REF-NBR-DEC-CTGY-CD	CHAR ( 1, 0)
		0	R_N_DUP_DEC_3133	3133	REF-NBR-DUP-DEC	CHAR ( 8, 0)
		0	R_N_DUP_DEC_I_3117	3117	REF-NBR-DUP-DEC-IND	CHAR ( 4, 0)
		1	RNCC_IN_3128	3128	RNCC-IN	CHAR ( 1, 0)
		2	RNVC_IN_3129	3129	RNVC-IN	CHAR ( 1, 0)
		3	RNCC_DB_3130	3130	RNCC-DB	CHAR ( 1, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
288	REIMBURSEMENT_CD	4	RNVC_DB_3131	3131	RNVC-DB	CHAR ( 1, 0)
		5	UNMTCH_RNCC_3132	3132	UNMATCHED-RNCC	CHAR ( 12, 0)
		0	REIMB_CD_EX_3185	3185	REIMB-CD-EXPLN	VARCHAR ( 125, 0)
		1	REIMB_CD_2930	2930	REIMB-CD	CHAR ( 1, 0)
289	RNCC_RNVC_COMB- _MAY	0	VLD_REF_MAY_3112	3112	VLD-REF-MAY-HV-NOTE-IND	CHAR ( 10, 0)
		1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR ( 1, 0)
		2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR ( 1, 0)
		3	RNCC_MA_H_RNG_3109	3109	RNCC-MAY-HAVE-RNG	CHAR ( 1, 0)
		4	RNVC_MA_H_RNG_3110	3110	RNVC-MAY-HAVE-RNG	CHAR ( 1, 0)
290	RNCC_RNVC_COMB_MST	1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR ( 1, 0)
		2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR ( 1, 0)
		3	RNCC_MS_H_RNG_3105	3105	RNCC-MUST-HAVE-RNG	CHAR ( 1, 0)
		4	RNVC_MS_H_RNG_3106	3106	RNVC-MUST-HAVE-RNG	CHAR ( 1, 0)
291	RETURN_ACTION_CD	0	RTN_CD_CMMT_4559	4559	RTN-CD-CMNT	CHAR ( 1, 0)
		0	RTN_DEF_INST_3140	3140	RTN-CD-DEF-INST	VARCHAR ( 1400, 0)
		1	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
292	RETURN_CD_RLTD_DRN	3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR ( 1, 0)
		1	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
		4	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
293	SEG_CD_SUPMTL	5	RTN_CD_DRN_CM_4557	4557	RTN-CD-DRN-CMNT	CHAR ( 11, 0)
		0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
		0	SEG_CD_SUP_EX_3174	3174	SEG-CD-SUPMTL-EXPLN	VARCHAR ( 80, 0)
		1	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR ( 2, 0)
294	SERV_AGCY_DESIG_CD	0	SA_DESI_CD_X_5319	5319	SVC-AGCY-DESI-CD-DEF	VARCHAR ( 20, 0)
		1	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR ( 2, 0)
295	SHELF_LIFE_CODE	0	STR_TM_PED_5237	5237	STR-TM-PED	VARCHAR ( 200, 0)
		1	SLC_2943	2943	SHLF-LIF-CD	CHAR ( 1, 0)
296	SICA_LEVEL_OF_AUTH	0	SICA_LOA_DEF_5302	5302	SICA-LVL-AUTH-CD-DEF	VARCHAR ( 1300, 0)
		1	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR ( 2, 0)
298	SOS_MODIFIER_CODES	0	SOSM_CD_EX_5252	5252	SOS-MOD-CD-EXPLN	VARCHAR ( 200, 0)
		1	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR ( 3, 0)
299	SOURCE_OF_SPLY_CD	0	NO_Q8_ED_3136	3136	NO-Q8-RTN-CD-ED	CHAR ( 1, 0)
		0	SA_ADD_SOS_CD_5108	5108	SVC-ACTY-AND-ADRS-SOS-CD	VARCHAR ( 500, 0)
		1	SOS_CD_3690	3690	SOS-CD	CHAR ( 3, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
300	SPECL_HANDLING_CD	0	SP_HDLG_CD_EX_3168	3168	SP-HDLG-CD-EXPLN	VARCHAR ( 80, 0)
		1	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR ( 1, 0)
301	SPCL_MTL_CONT_CD	0	SP_MAT_CON_EX_3172	3172	SP-MAT-CONT-CD-EXPLN	VARCHAR ( 120, 0)
		1	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR ( 1, 0)
302	SPECIAL_PACK_REQT	0	S_PKG_RQM_EX_5216	5216	SP-PKG-RQMT-CD-EXPLN	VARCHAR ( 100, 0)
		1	S_PKG_RQM_CD_0725	0725	SP-PKG-RQMT-CD	CHAR ( 1, 0)
303	STATISTICAL_IND_CD	0	STATL_I_CD_EX_5133	5133	STATL-IND-CD-EXPLN	VARCHAR ( 100, 0)
		1	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR ( 1, 0)
304	SINGLE_SUB_BY_PASS	1	FSC_3990	3990	ASGND-FSC	CHAR ( 4, 0)
		2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
305	SEG_FORMAT_NOTES	0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR ( 1200, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR ( 8, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
306	TRANSACTION_STATUS_CD	3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER ( 4, 0)
		0	TRAN_STAT_DEF_3186	3186	TRAN-STAT-CD-DEF	VARCHAR ( 150, 0)
		0	TRAN_STAT_INS_3187	3187	TRAN-STAT-CD-INST	VARCHAR ( 150, 0)
		0	TRAN_STAT_NOT_3189	3189	TRAN-STAT-CD-NOTE-IND	CHAR ( 1, 0)
		0	TRAN_STAT_OP_3188	3188	TRAN-STAT-CD-OP	VARCHAR ( 150, 0)
307	TYP_OF_ADDRESS_CD	1	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR ( 2, 0)
		0	FRN_DOM_EX_5289	5289	FOR-DOM-DESI-CD-EXPLN	VARCHAR ( 100, 0)
		1	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR ( 1, 0)
308	TYP_FIN_MGMT_CTRL	0	TYP_FIN_MGT_X_5218	5218	TYP-FINCL-MGT-CTL-CD-EXP	VARCHAR ( 100, 0)
309	TYP_OF_ITM_IDNT_CD	1	TYP_FIN_MGT_0729	0729	TYP-FINCL-MGMT-CTL-CD	CHAR ( 1, 0)
		0	TYP_II_CD_EXP_5117	5117	TYP-OF-II-CD-EXPLN	VARCHAR ( 100, 0)
		0	TYP_II_CD_TYP_5116	5116	TYP-OF-II-CD-TYP	CHAR ( 2, 0)
310	TYP_SP_PRCSG_IN_CD	1	TYP_II_4820	4820	TYP-OF-II-CD	CHAR ( 1, 0)
		0	TYP_SP_PRC_E_3178	3178	TYP-OF-SP-PRCSG-IND-CD-E	VARCHAR ( 360, 0)
		1	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR ( 1, 0)
311	TYPE_OF_CARGO_CD	0	TYP_CGO_EXP_5224	5224	TYP-CGO-CD-EXPLN	VARCHAR ( 1000, 0)
312	UNIT_OF_ISSUE_CD	1	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR ( 1, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR ( 1, 0)
		0	UI_DEF_5243	5243	UI-DEF	VARCHAR ( 800, 0)
		0	UI_TRM_5242	5242	UI-TRM	VARCHAR ( 20, 0)
		1	UI_3050	3050	UI	CHAR ( 2, 0)
313	USING_SERVICE_CD	0	USI_SVC_CD_X_3147	3147	USI-SVC-CD-EXPLN	VARCHAR ( 80, 0)
314	HIST_KRU_IMAGE	1	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR ( 1, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 4, 0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP ( 10, 0)
315	HSM_KRU_IMAGE	3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 4, 0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP ( 10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
316	FSG_NOTE_DAT_GROUP	0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER ( 4, 0)
317	GIRDER_DAT_GROUP_1	0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR ( 1978, 0)
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR ( 1978, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	GIRDER_CD_EX_5100	5100	GIRDER-CD-EXPLN	VARCHAR ( 1000, 0)
318	MOE_TO_IMC_ACTY	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR ( 58, 0)
		1	GIRDER_CD_0808	0808	GIRDER-CD	CHAR ( 2, 0)
		1	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
319	HSM_TRANS_HIST_SEG	2	IMC_ACTY_2748	2748	IMC-ACTY	CHAR ( 2, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR ( 1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
320	MDLS_DAT_ASSET_DRC	3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)
		0	DOC_DIST_STMT_8013	8013	MEDALS-DOC-DIST-STMT-CD	CHAR ( 1, 0)
		0	DOC_NUC_8012	8012	MEDALS-DOC-NUC-CD	CHAR ( 1, 0)
		0	DOC_SEC_8011	8011	MEDALS-DOC-SEC-CD	CHAR ( 1, 0)
		0	DRC_2634	2634	DRC	CHAR ( 1, 0)
		0	EDRS_8014	8014	MEDALS-EDRS-CTL-ACTY-CD	CHAR ( 2, 0)
		1	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR ( 32, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
321	MDLS_DAT_AST_TITLE	2	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	(	5, 0)
		3	DOC_TYP_2633	2633	DOC-TYP	CHAR	(	2, 0)
		4	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		5	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	5, 0)
		0	MDLS_TI_2344	2344	MDLS-TI	CHAR	(	19, 0)
		0	RPTY_ID_TI_2286	2286	RPTY-ID-TI	CHAR	(	5, 0)
		1	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	(	32, 0)
		2	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	(	5, 0)
		3	DOC_TYP_2633	2633	DOC-TYP	CHAR	(	2, 0)
		4	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
322	MDLS_MEDIA	1	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	5, 0)
		2	MDLS_MED_CD_2289	2289	MDLS-MED-CD	CHAR	(	2, 0)
323	HSM_TRANS_PROC_ERR	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTAMP	(	10, 0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	(	4, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(	8, 0)
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	(	40, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(	2, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		2	ERROR_SEQ_9151	9151	ERROR-SEQ	SMALLINT	(	2, 0)
		0	DOC_TYP_2633	2633	DOC-TYP	CHAR	(	2, 0)
324	MDLS_ORDERS	0	DRC_2634	2634	DRC	CHAR	(	1, 0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	(	5, 0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	(	15, 0)
		0	MDLS_MED_CD_2289	2289	MDLS-MED-CD	CHAR	(	2, 0)
		0	NBR_CPY_0890	0890	NBR-CPY	SMALLINT	(	2, 0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		0	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	5, 0)
		0	TM_TRNSMT_TS_2578	2578	TM-TRNSMT-TS	TIMESTAMP	(	10, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		2	TMSTMP7_9478	9478	TMSTMP7	TIMESTAMP	(	10, 0)
325	MDLS_REPOSITORY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	LOC_SHRT_TI_2639	2639	LOC-SHRT-TI	CHAR	(	20, 0)
		0	MDLS_PRF_MD_C_2288	2288	MDLS-PREF-MED-CD	CHAR	(	2, 0)
		0	RPTY_CITY_0884	0884	RPTY-CITY	CHAR	(	60, 0)
		0	RPTY_CLR_TXT1_0889	0889	RPTY-CLR-TXT1	VARCHAR	(	60, 0)
		0	RPTY_CLR_TXT2_2625	2625	RPTY-CLR-TXT2	VARCHAR	(	60, 0)
		0	RPTY_CLR_TXT3_2626	2626	RPTY-CLR-TXT3	VARCHAR	(	60, 0)
		0	RPTY_CLR_TXT4_2627	2627	RPTY-CLR-TXT4	VARCHAR	(	60, 0)
		0	RPTY_E_ML_ADR_2624	2624	RPTY-E-MAIL-ADRS	CHAR	(	30, 0)
		0	RPTY_NAME_0882	0882	RPTY-NAME	VARCHAR	(	60, 0)
326	MDLS_BATCH_DEPT_A	0	RPTY_OFC_SYM_2621	2621	RPTY-OFC-SYM	CHAR	(	60, 0)
		0	RPTY_ST_ADRS_0883	0883	RPTY-ST-ADRS	CHAR	(	60, 0)
		0	RPTY_ST_US_AB_2622	2622	RPTY-STA-US-POS-ABR	CHAR	(	2, 0)
		0	RPTY_ZIP_CD_2623	2623	RPTY-ZIP-CD	CHAR	(	9, 0)
		1	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	5, 0)
		0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER ( 4, 0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
327	KHN_ACTY_TBL	0	KHN_ACTY_IND_4356	4356	KHN-ACTY-IND	CHAR ( 1, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
328	FOREIGN_ADDRESS	0	CITY_1084	1084	CITY	CHAR ( 36, 0)
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR ( 3, 0)
		0	POBOX_1361	1361	POBOX	CHAR ( 36, 0)
		0	POS_ZONE_2549	2549	POS-ZONE	CHAR ( 10, 0)
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR ( 36, 0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR ( 36, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		2	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR ( 1, 0)
329	AMC_CHANGE_DATA	0	AMC_STAT_CNT_6363	6363	AMC-DP-CC-MVMT-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6381	6381	AMC-AT-CC-MVMT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR ( 2, 0)
		5	AMC_TO_3085	3085	ACQ-MTHD-CD-TO	CHAR ( 1, 0)
		6	AMC_FROM_3086	3086	ACQ-MTHD-CD-FROM	CHAR ( 1, 0)
330	AMC_CHANGE_DATA_A	0	AMC_STAT_CNT_6363	6363	AMC-DP-CC-MVMT-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6381	6381	AMC-AT-CC-MVMT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR ( 2, 0)
		5	AMC_TO_3085	3085	ACQ-MTHD-CD-TO	CHAR ( 1, 0)
		6	AMC_FROM_3086	3086	ACQ-MTHD-CD-FROM	CHAR ( 1, 0)
331	DAAS_SOS	0	AF_SOS_9403	9403	AF-SOS	CHAR ( 3, 0)
		0	AR_SOS_9402	9402	AR-SOS	CHAR ( 3, 0)
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR ( 3, 0)
		0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
333	ACCESS_DESCR_TBL	0	NVY_SOS_9404	9404	NVY-SOS	CHAR ( 3, 0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR ( 2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT ( 2, 0)
		0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR ( 1, 0)
		0	CMPNT_BLN_4162	4162	IDS-ACCS-CMPNT-BLN-IND	CHAR ( 1, 0)
		0	CMPNT_FAIL_4164	4164	IDS-ACCS-CMPNT-FAIL-IND	CHAR ( 1, 0)
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCS-CMPNT-FILE-NM	CHAR ( 8, 0)
		0	CMPNT_MANY_4165	4165	IDS-ACCS-CMPNT-MANY-IND	CHAR ( 1, 0)
		0	CMPNT_OMIT_4163	4163	IDS-ACCS-CMPNT-OMIT-IND	CHAR ( 1, 0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR ( 1, 0)
		0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR ( 20, 0)
		0	LINK_PARM_4208	4208	IDS-LINK-PARM-STNG-TXT	VARCHAR ( 160, 0)
		0	TBL_QRY_STNG_4207	4207	IDS-TBL-QRY-STNG-TXT	VARCHAR ( 2048, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
334	ACCESS_RCRD_DSCR_T	0	CMPNT_CATNT_4173	4173	IDS-ACCS-CMPNT-CATNT-IND	CHAR ( 1, 0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR ( 1, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	CMPNT_OFST_4187	4187	IDS-ACCS-CMPNT-OFST-NBR	SMALLINT ( 2, 0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT ( 2, 0)
		0	CMPNT_SRT_4177	4177	IDS-A-CMPNT-SRT-ORDR-IND	CHAR ( 1, 0)
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR ( 1, 0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	INTEGER ( 4, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR ( 1, 0)
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT ( 2, 0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT ( 2, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT ( 2, 0)
335	MARKUP_DESCR_TBL	0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR ( 2, 0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR ( 79, 0)
		0	MRKP_CPTLZTN_4182	4182	IDS-MRKP-CPTLZTN-IND	CHAR ( 1, 0)
		0	MRKP_HPHN_4181	4181	NSN-MRKP-HPHN-IND	CHAR ( 1, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT ( 2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR ( 79, 0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT ( 2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT ( 2, 0)
336	CALLABLE_DESCR_TBL	0	ACCS_PARM_4185	4185	IDS-CLBL-ACCS-PARM-TXT	VARCHAR ( 160, 0)
		0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR ( 8, 0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR ( 1, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH-DECIMAL
337	CALL_ACCESS_LIST	0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR ( 20, 0)
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT ( 2, 0)
		0	PASD_PARM_4184	4184	IDS-C-ACCS-PASD-PARM-TXT	VARCHAR ( 160, 0)
		0	ROW_IND_4205	4205	ROW-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		0	SGML_ELE_NAME_9481	9481	SGML-ELE-NAME	CHAR ( 8, 0)
		0	SRT_ALLOWED_9482	9482	SRT-ALLOWED-IND	CHAR ( 1, 0)
338	ADPEC_FSC	1	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR ( 8, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
339	DECDE_COMP_DESCR_T	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR ( 6, 0)
		0	CMPNT_CATNT_4173	4173	IDS-ACCS-CMPNT-CATNT-IND	CHAR ( 1, 0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR ( 1, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT ( 2, 0)
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR ( 1, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR ( 1, 0)
		0	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT ( 2, 0)
340	MGT_INFO_TABLE	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT ( 2, 0)
		0	ACT_USR_IND_4196	4196	IDS-ACT-USR-IND	CHAR ( 1, 0)
		0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR ( 1, 0)
		0	DEF_ESTB_DT_4192	4192	IDS-PRDCT-DEF-ESTB-DT	CHAR ( 9, 0)
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR ( 1, 0)
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR ( 1, 0)
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER ( 4, 0)
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR ( 1, 0)
		0	FILEAID_MBR_4328	4328	IDS-FILEAID-MBR-NM	CHAR ( 8, 0)
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR ( 8, 0)
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR ( 1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	ITM_PRC SG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT ( 2, 0)
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER ( 4, 0)
		0	LST_UPDT_DT_4189	4189	IDS-LST-PUB-UPDT-DT	CHAR ( 9, 0)
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER ( 4, 0)
		0	PRDCT_TI_0982	0982	PRDCT-TI	CHAR ( 20, 0)
		0	PRFL_PRFX_TX_4326	4326	IDS-PRFL-PRFX-TX	CHAR ( 8, 0)
		0	PRFX_JCL_MBR_4327	4327	IDS-PRFX-JCL-MBR-NM	CHAR ( 6, 0)
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR ( 1, 0)
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR ( 1, 0)
		0	PUB_CYCL_TM_4194	4194	IDS-PUB-CYCL-TM	CHAR ( 13, 0)
		0	RNDM_SMPL_IND_2671	2671	RNDM-SMPL-IND-CD	CHAR ( 1, 0)
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR ( 1, 0)
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT ( 2, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
341	LOLA_OVERNIGHT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	LSN_LTI_RMDR_4696	4696	LOLA-OVERNIGHT-LSN-LTI	CHAR ( 57, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR ( 3, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR ( 1, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR ( 7, 0)
342	ITM_EXC_CRI_REC_TP	0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR ( 1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
343	MM07_CAGE_ASSET	3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		0	DOC_TYP_2633	2633	DOC-TYP	CHAR ( 2, 0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR ( 5, 0)
		0	MDLS_CAGE_PN_2287	2287	MDLS-CAGE-CD-PN	CHAR ( 5, 0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR ( 32, 0)
		0	MDLS_PN_2259	2259	MDLS-PN	CHAR ( 32, 0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		0	RPTY_ID_CG_PN_2345	2345	RPTY-ID-CAGE-PN	CHAR ( 5, 0)
		0	DOC_TYP_2633	2633	DOC-TYP	CHAR ( 2, 0)
344	MM08_NIIN_ASSET	0	MDLS_ASG_NIIN_2274	2274	MDLS-ASGND-NIIN	CHAR ( 9, 0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR ( 5, 0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR ( 32, 0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		0	RPTY_ID_NIIN_2346	2346	RPTY-ID-NIIN	CHAR ( 5, 0)
		0	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR ( 1, 0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR ( 1, 0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER ( 4, 0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR ( 4, 0)
345	NIIN_MOE_RULE_DATA	0	IMC_2744	2744	IMC	CHAR ( 1, 0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR ( 2, 0)
		0	NIMSC_0076	0076	NIMSC	CHAR ( 1, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER ( 4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		4	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR ( 1, 0)
346	NIIN_PKG_DAT_GROUP	0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR ( 13, 0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR ( 2, 0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR ( 2, 0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR ( 3, 0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR ( 1, 0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR ( 1, 0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR ( 1, 0)
		0	LVL_C_PKG_CD_5172	5172	LVL-C-PKG-RQMT-CD	CHAR ( 1, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR	(	2, 0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR	(	1, 0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR	(	4, 0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR	(	5, 0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR	(	2, 0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR	(	5, 0)
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR	(	10, 0)
		0	SPI_REV_5176	5176	SPI-REV	CHAR	(	1, 0)
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR	(	2, 0)
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR	(	59, 0)
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR	(	1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(	10, 0)
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR	(	2, 0)
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR	(	1, 0)
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR	(	12, 0)
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR	(	5, 0)
		0	UP_CU_5155	5155	UP-CU	CHAR	(	7, 0)
		0	UP_QTY_5321	5321	UP-QTY	CHAR	(	3, 0)
		0	UP_SZ_5154	5154	UP-SZ	CHAR	(	12, 0)
		0	UP_WT_5153	5153	UP-WT	CHAR	(	5, 0)
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR	(	2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		3	LOP_CD_5151	5151	LVL-PROTN-CD	CHAR	(	1, 0)
		4	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR	(	1, 0)
347	MRD_REQ_STMT_DEF	0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR	(	500, 0)
		1	MRC_3445	3445	MRC	CHAR	(	4, 0)
348	MODE_TEXT_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(	1, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR	(	990, 0)
		1	PINC_3084	3084	PINC	CHAR	(	7, 0)
		2	MRC_3445	3445	MRC	CHAR	(	4, 0)
		3	SAC_8990	8990	SAC	CHAR	(	3, 0)
		4	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		5	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	(	2, 0)
349	MODE_TEXT_INDEX	1	PINC_3084	3084	PINC	CHAR	(	7, 0)
		2	MRC_3445	3445	MRC	CHAR	(	4, 0)
		3	SAC_8990	8990	SAC	CHAR	(	3, 0)
		4	CLRTXT_KEY_3088	3088	CLRTXT-KEY	CHAR	(	35, 0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
350	MODE_D_L_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(	1, 0)
		1	PINC_3084	3084	PINC	CHAR	(	7, 0)
		2	MRC_3445	3445	MRC	CHAR	(	4, 0)
		3	SAC_8990	8990	SAC	CHAR	(	3, 0)
		4	DL_REPLY_4418	4418	DL-REPLY	CHAR	(	6, 0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
351	MODE_A_B_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	(	1, 0)
		1	PINC_3084	3084	PINC	CHAR	(	7, 0)
		2	MRC_3445	3445	MRC	CHAR	(	4, 0)
		3	SAC_8990	8990	SAC	CHAR	(	3, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
352	MODE_J_REPLY	4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL ( 15, 7)
		5	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR ( 1, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		0	STORE_M_J_TBL_4424	4424	STORE-M-J-TBL	CHAR ( 12, 0)
		0	STORE_M_MAX_4426	4426	STORE-M-MAX	VARCHAR ( 23, 0)
		0	STORE_M_MIN_4425	4425	STORE-M-MIN	VARCHAR ( 23, 0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR ( 12, 0)
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL ( 15, 0)
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL ( 7, 0)
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR ( 1, 0)
353	MODE_F_REPLY	8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL ( 15, 0)
		9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL ( 7, 0)
		0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR ( 1, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL ( 15, 7)
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL ( 15, 7)
		6	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		7	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
354	MODE_H_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR ( 1, 0)
		0	H_J_TEXT_4437	4437	H-J-TEXT	VARCHAR ( 990, 0)
		0	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR ( 6, 0)
		1	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR ( 6, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR ( 6, 0)
		4	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT ( 2, 0)
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR ( 6, 0)
		6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR ( 6, 0)
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR ( 6, 0)
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR ( 6, 0)
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR ( 6, 0)
355	MDLS_USR_ADRS_DAT	0	CITY_1084	1084	CITY	CHAR ( 36, 0)
		0	CNTRY_1085	1085	CNTRY	CHAR ( 36, 0)
		0	DLVR_ADRS_LI_3354	3354	DLVR-ADRS-LI-TX	CHAR ( 50, 0)
		0	OFC_NM_LI_3351	3351	OFC-NM-LI-TX	CHAR ( 50, 0)
		0	OPTNL_NM_3352			CHAR ( 50, 0)
		0	ST_US_PDSN_AB_0186			CHAR ( 2, 0)
		0	TEL_NBR_1359	1359	TEL-NBR	CHAR ( 12, 0)
		0	ZIP_PLUS_FOUR_4399	4399	ZIP-PLUS-FOUR-CD	CHAR ( 10, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
356	INC_MRC_COUNT	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
357	INC_MRC_VAL_MOD_DL	1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
358	INC_MRC_VAL_MOD_AB	2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	DL_REPLY_4418	4418	DL-REPLY	CHAR ( 6, 0)
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)
359	ACCESS_DEFINITION	1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL ( 15, 7)
360	INC_MRC_VAL_MODE_J	0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT ( 2, 0)
		0	COND_TXT_4206	4206	IDS-COND-TXT	VARCHAR ( 1120, 0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR ( 1, 0)
		0	DB2_TBL_NAME_4465	4465	DB2-TBL-NAME	CHAR ( 18, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	MBR_STNG_TX_4203	4203	IDS-SQL-COND-MBR-STNG-TX	CHAR ( 17, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR ( 18, 0)
		0	ROW_IND_4205	4205	ROW-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
361	INC_MRC_VAL_MODE_F	4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR ( 12, 0)
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL ( 15, 0)
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL ( 7, 0)
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR ( 1, 0)
		8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL ( 15, 0)
		9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL ( 7, 0)
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
362	INC_MRC_VAL_MODE_H	3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL ( 15, 7)
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL ( 15, 7)
		0	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR ( 6, 0)
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER ( 4, 0)
		1	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR ( 6, 0)
		1	PINC_3084	3084	PINC	CHAR ( 7, 0)
		2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	SAC_8990	8990	SAC	CHAR ( 3, 0)
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR ( 6, 0)
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR ( 6, 0)
		6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR ( 6, 0)
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR ( 6, 0)
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR ( 6, 0)
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
363	UNAPPRV_ITEM_NM_DT	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR ( 19, 0)
		0	NAIN_RMDR_2177	2177	ITM-NM-NON-APRVD-RMDR	VARCHAR ( 971, 0)
		1	NAIN_CD_3237	3237	NAIN-CD	CHAR ( 7, 0)
364	KEYWORD_INDEX	1	ITEM_NM_KY_WD_4401	4401	ITEM-NAME-KEYWORD	CHAR ( 35, 0)
		2	PINC_3084	3084	PINC	CHAR ( 7, 0)
365	EFFECTIVE_DAT_DLSC	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP ( 10, 0)
366	USER_DATE_XREF	0	PC_DN_LD_LINE_3087	3087	PC-DN-LD-LINE	VARCHAR ( 400, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		3	SCRN_ID_0981	0981	SCREEN-ID-CODE	CHAR ( 6, 0)
367	COMMONALITY_FAA	0	ICFS_STAT_CNT_5895	5895	ICFS-FAA-ALL-MNGD-TOT	INTEGER ( 4, 0)
		0	ICFS_STAT_CNT_5896	5896	ICFS-FAA-ALL-MNGD-MM	INTEGER ( 4, 0)
		0	ICFS_STAT_CNT_5898	5898	ICFS-DLA-ALL-MM	INTEGER ( 4, 0)
		0	ICFS_STAT_CNT_5901	5901	ICFS-DOD-ALL-MM	INTEGER ( 4, 0)
		0	ICFS_STAT_CNT_7810	7810	ICFS-GSA-ALL-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
368	LOLA_UPD_STATS DATA	0	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR ( 7, 0)
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCSD-TIME	CHAR ( 6, 0)
		3	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP ( 10, 0)
		0	ICMD_STAT_CNT_5849	5849	ICMD-LA-ALL-LC-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5850	5850	ICMD-LA-ALL-LC-AN	INTEGER ( 4, 0)
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5851	5851	ICMD-LA-ALL-LC-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5852	5852	ICMD-LA-ALL-LC-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5853	5853	ICMD-LA-ALL-LC-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5854	5854	ICMD-LA-ALL-LC-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5855	5855	ICMD-LA-ALL-LC-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5856	5856	ICMD-LA-ALL-LC-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5857	5857	ICMD-LA-ALL-LC-NM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5858	5858	ICMD-LA-ALL-LC-N	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5861	5861	ICMD-LA-ALL-LC-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5862	5862	ICMD-LA-ALL-LC-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5863	5863	ICMD-LA-ALL-LC-M	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5880	5880	ICMD-LA-FSC-LC-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5881	5881	ICMD-LA-FSC-LC-ANF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5882	5882	ICMD-LA-FSC-LC-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5883	5883	ICMD-LA-FSC-LC-AN	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5884	5884	ICMD-LA-FSC-LC-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5885	5885	ICMD-LA-FSC-LC-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5886	5886	ICMD-LA-FSC-LC-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5887	5887	ICMD-LA-FSC-LC-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5888	5888	ICMD-LA-FSC-LC-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5889	5889	ICMD-LA-FSC-LC-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5890	5890	ICMD-LA-FSC-LC-NM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_5891	5891	ICMD-LA-FSC-LC-N	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5892	5892	ICMD-LA-FSC-LC-FM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5893	5893	ICMD-LA-FSC-LC-F	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5894	5894	ICMD-LA-FSC-LC-M	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7102	7102	ICMD-FSC-ALL-LC-ANFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7103	7103	ICMD-FSC-ALL-LC-ANF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7104	7104	ICMD-FSC-ALL-LC-ANM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7105	7105	ICMD-FSC-ALL-LC-AN	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7106	7106	ICMD-FSC-ALL-LC-AFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7107	7107	ICMD-FSC-ALL-LC-AF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7108	7108	ICMD-FSC-ALL-LC-AM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7109	7109	ICMD-FSC-ALL-LC-A	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7110	7110	ICMD-FSC-ALL-LC-NFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7111	7111	ICMD-FSC-ALL-LC-NF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7112	7112	ICMD-FSC-ALL-LC-NM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7113	7113	ICMD-FSC-ALL-LC-N	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7114	7114	ICMD-FSC-ALL-LC-FM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7115	7115	ICMD-FSC-ALL-LC-F	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7116	7116	ICMD-FSC-ALL-LC-M	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7132	7132	ICMD-IM-ALL-LC-ANFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7133	7133	ICMD-IM-ALL-LC-ANF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7134	7134	ICMD-IM-ALL-LC-ANM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7135	7135	ICMD-IM-ALL-LC-AN	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7136	7136	ICMD-IM-ALL-LC-AFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7137	7137	ICMD-IM-ALL-LC-AF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7138	7138	ICMD-IM-ALL-LC-AM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7139	7139	ICMD-IM-ALL-LC-A	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7140	7140	ICMD-IM-ALL-LC-NFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7141	7141	ICMD-IM-ALL-LC-NF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7142	7142	ICMD-IM-ALL-LC-NM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7143	7143	ICMD-IM-ALL-LC-N	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7144	7144	ICMD-IM-ALL-LC-FM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7145	7145	ICMD-IM-ALL-LC-F	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7146	7146	ICMD-IM-ALL-LC-M	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7162	7162	ICMD-LA-ALL-LC-ANFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7163	7163	ICMD-LA-ALL-LC-ANF	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR	(	12, 0)
370	COMMONALITY_MGD	0	ICWD_STAT_CNT_5800	5800	ICWD-LA-FSC-DOD-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5801	5801	ICWD-LA-FSC-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5802	5802	ICWD-LA-FSC-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5803	5803	ICWD-LA-FSC-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5804	5804	ICWD-LA-FSC-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5805	5805	ICWD-LA-FSC-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5806	5806	ICWD-LA-FSC-OGOV	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
371	MRSP_INDV_CLASSES	4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	M8B5_STAT_CNT_5563	5563	M8B5-FSC-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5564	5564	M8B5-FSC-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5567	5567	M8B5-FSC-DP-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5568	5568	M8B5-FSC-DP-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
372	PIC_DATA	0	PIC_STAT_CNT_5815	5815	PIC-ACTY-DIC-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9670	9670	PIC-ACTY-DIC-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9671	9671	PIC-ACTY-DIC-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9672	9672	PIC-ACTY-DIC-PRICD-THREE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9673	9673	PIC-ACTY-DIC-PRICD-FOUR	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
373	IANDS_ACTY_DATA	0	IANS_STAT_CNT_6088	6088	IANDS-ACTY-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_6089	6089	IANDS-DEPT-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_6099	6099	IANDS-GTOT-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8118	8118	IANDS-DEPT-NSN	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8121	8121	IANDS-GTOT-NSN	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9596	9596	IANDS-ACTY-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	IANS_SIZE_2234	2234	IANDS-FAMILY-SIZE	INTEGER ( 4, 0)
374	LOLA_UPD_STATSHIST	0	UPDT_DIC_CT_3324	3324	LOLA-UPDT-DIC-CT-NBR	INTEGER ( 4, 0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR ( 7, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		5	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		6	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
375	LOLA_UPD_TRANSDATA	0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	UPDT_COMM_3314	3314	LOLA-UPDT-COMM-TXT	VARCHAR ( 1400, 0)
		0	UPDT_TRAN_HDR_3313	3313	LOLA-UPDT-TRAN-HDR-TXT	CHAR ( 66, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTAMP ( 10, 0)
376	TRN_TIMING_DATA	0	TMG_STAT_CNT_6892	6892	TMG-PIC-DIC-TMFR	INTEGER ( 4, 0)
		0	TMG_STAT_CNT_6893	6893	TMG-PIC-DIC-TMFR-AVG-TM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
377	TYPII_XFR_OAC_FYD	2	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		3	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(	1, 0)
		4	STAT_BTCH_TIM_2604	2604	STAT-BTCH-TIM	CHAR	(	1, 0)
		0	TRFR_STAT_CNT_1574	1574	TRFR-OAC-FYD-T1-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1575	1575	TRFR-OAC-FYD-T1-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1576	1576	TRFR-OAC-FYD-T2-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1577	1577	TRFR-OAC-FYD-T2-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1578	1578	TRFR-OAC-FYD-T4-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1579	1579	TRFR-OAC-FYD-T4-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1581	1581	TRFR-ODP-FYD-T1-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1582	1582	TRFR-ODP-FYD-T1-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1583	1583	TRFR-ODP-FYD-T2-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1584	1584	TRFR-ODP-FYD-T2-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1585	1585	TRFR-ODP-FYD-T4-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1586	1586	TRFR-ODP-FYD-T4-2-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
378	AMLS_REQUEST_PARM	0	AMLS_LST_CNTL_3290	3290	AMLS-LST-CNTL-ID	INTEGER	(	4, 0)
		0	AMLS_PROC_DT_3286	3286	AMLS-PROCESS-DATE	DATE	(	, 0)
		0	AMLS_PROC_TM_3287	3287	AMLS-PROCESS-TIME	TIME	(	, 0)
		0	AMLS_SUB_DT_3284	3284	AMLS-SUBMIT-DATE	DATE	(	, 0)
		0	AMLS_SUB_TM_3285	3285	AMLS-SUBMIT-TIME	TIME	(	, 0)
		0	AMLS_TRGT_PGM_3204	3204	AMLS-TARGET-PGM	CHAR	(	8, 0)
		0	DELETER_USRID_3221	3221	DELETER-USERID	CHAR	(	8, 0)
		0	DLN_1283	1283	DLN	CHAR	(	10, 0)
		0	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR	(	2, 0)
		0	LBL_FORM_CD_3288	3288	LBL-FORM-CD	CHAR	(	1, 0)
		0	LBL_ID_2235	2235	LBL-ID	CHAR	(	2, 0)
		0	LBL_SET_QTY_3289	3289	LBL-SET-QTY	SMALLINT	(	2, 0)
		0	NBR_ADRS_PRCSD_3220	3220	NBR-ADRS-PRCSD	DECIMAL	(	11, 0)
		0	PARM_INFO_3201	3201	PARM-INFO	VARCHAR	(	560, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(	1, 0)
		0	SRC_OF_RQST_3200	3200	SOURCE-OF-RQST	CHAR	(	2, 0)
		0	SUBMTR_USERID_3205	3205	SUBMTR-USERID	CHAR	(	8, 0)
		1	AMLS_RUN_ID_3202	3202	AMLS-RUN-ID	CHAR	(	7, 0)
		2	AMLS_RI_SEQ_3203	3203	AMLS-RUN-ID-SEQ-NBR	CHAR	(	5, 0)
379	LABEL_FORMAT	0	ADRS_1_ROW_3206	3206	ADRS-1-ROW	SMALLINT	(	2, 0)
		0	ADRS_2_ROW_3208	3208	ADRS-2-ROW	SMALLINT	(	2, 0)
		0	ADRS_3_ROW_3209	3209	ADRS-3-ROW	SMALLINT	(	2, 0)
		0	ADRS_4_ROW_3210	3210	ADRS-4-ROW	SMALLINT	(	2, 0)
		0	ADRS_5_ROW_3211	3211	ADRS-5-ROW	SMALLINT	(	2, 0)
		0	ADRS_6_ROW_3212	3212	ADRS-6-ROW	SMALLINT	(	2, 0)
		0	ADRS_7_ROW_3213	3213	ADRS-7-ROW	SMALLINT	(	2, 0)
		0	ADRS_8_ROW_3214	3214	ADRS-8-ROW	SMALLINT	(	2, 0)
		0	ADRS_OFST_IN_3196	3196	ADRS-OFFSET-INCH	DECIMAL	(	5, 3)
		0	ADRS_WIDTH_IN_3197	3197	ADRS-WIDTH-INCH	DECIMAL	(	5, 3)
		0	CHAR_ADRS_LI_3225	3225	CHAR-IN-ADRS-LI	SMALLINT	(	2, 0)
		0	CHAR_PER_INCH_3235	3235	CHAR-PER-INCH	SMALLINT	(	2, 0)
		0	DLN_ROW_3233	3233	DLN-ROW	SMALLINT	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	DLN_SEQ_3198	3198	DLN-SEQ	CHAR ( 1, 0)
		0	LBL_ID_ROW_3207	3207	LBL-ID-ROW	SMALLINT ( 2, 0)
		0	LBL_ID_SEQ_3230	3230	LBL-ID-SEQ	CHAR ( 1, 0)
		0	LENGTH_INCH_3227	3227	LENGTH-INCH	DECIMAL ( 5, 3)
		0	LINES_INCH_3234	3234	LINES-PER-INCH	SMALLINT ( 2, 0)
		0	MA_AA_ROW_3194	3194	MA-AA-ROW	SMALLINT ( 2, 0)
		0	MA_AA_SEQ_3195	3195	MA-AA-SEQ	CHAR ( 1, 0)
		0	MLNG_PIC_ROW_3231	3231	MLNG-PIC-ROW	SMALLINT ( 2, 0)
		0	MLNG_PIC_SEQ_3232	3232	MLNG-PIC-SEQ	CHAR ( 1, 0)
		0	NBR_COPY_ROW_3223	3223	NBR-COPIES-ROW	SMALLINT ( 2, 0)
		0	NBR_COPY_SEQ_3218	3218	NBR-COPIES-SEQ	CHAR ( 1, 0)
		0	NBR_LBL_ACRS_3224	3224	NBR-LBL-ACROSS	CHAR ( 1, 0)
		0	OPER_MSG_3229	3229	OPR-MSG	CHAR ( 80, 0)
		0	PRDCT_TI_ROW_3199	3199	PRDCT-TI-ROW	SMALLINT ( 2, 0)
		0	PRDCT_TI_SEQ_3222	3222	PRDCT-TI-SEQ	CHAR ( 1, 0)
		0	WIDTH_INCH_3226	3226	WIDTH-INCH	DECIMAL ( 5, 3)
		0	ZIP_CD_ROW_3219	3219	ZIP-CD-ROW	SMALLINT ( 2, 0)
		0	ZIP_CD_SEQ_3216	3216	ZIP-CD-SEQ	CHAR ( 1, 0)
		1	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR ( 2, 0)
380	EFF_DATD_CHAR_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP3_4443	4443	TMSTMP3	TIMESTAMP ( 10, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
381	LOLA_MGMT_STATS_DT	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	INQ_OUT_VIEW_4477	4477	INQ-OUT-VIEW	CHAR ( 20, 0)
		0	QUERY_TYPE_4476	4476	QUERY-TYPE	CHAR ( 2, 0)
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
382	ACTIVITY_FORMAT_ID	0	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR ( 2, 0)
		0	ACTY_TYPE_9134	9134	ACTY-TYPE	CHAR ( 4, 0)
		0	DFLT_OP_FMT_2564	2564	DFLT-OP-FMT	CHAR ( 1, 0)
		0	INPUT_FORMAT_9169	9169	INPUT-FORMAT	CHAR ( 8, 0)
		0	OUTPUT_FORMAT_9195	9195	OUTPUT-FORMAT	CHAR ( 8, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
383	DIC_TABLE	0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR ( 4, 0)
		0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR ( 2, 0)
		0	DSPL_ORDR_8269	8269	TM-DSPL-ORDR-ID	CHAR ( 3, 0)
		0	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR ( 2, 0)
		0	I_O_TYPE_9167	9167	I-O-TYPE	CHAR ( 1, 0)
		0	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR ( 1, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR ( 8, 0)
		0	PGM_NAME_9198	9198	PGM-NAME	CHAR ( 18, 0)
		0	PGM_TRANSID_9199	9199	PGM-TRANSID	CHAR ( 4, 0)
		0	TRANS_TYP_FLG_9440	9440	TRANS-TYP-FLG	CHAR ( 4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
385	ORIGINAL_IMAGE_KEY	0	VALID_HX_DIC_9443	9443	VALID-HX-DIC	CHAR ( 1, 0)
		0	VALID_LFU_DIC_9444	9444	VALID-LFU-DIC	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT ( 2, 0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)
386	TRANSITION_TABLE	1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
387	DAAS_ACCESS	1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
388	COMPONENT_TABLE	0	CMPNT_ELE_NM_4161	4161	IDS-DB2-CMPNT-ELE-NM	CHAR ( 18, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR ( 2, 0)
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR ( 17, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR ( 1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR ( 79, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT ( 2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR ( 79, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR ( 18, 0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT ( 2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT ( 2, 0)
389	REROUTED_TRAN_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT ( 2, 0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR ( 23, 0)
390	MODE_CD_EDIT	0	NBR_OF_TBLS_4444	4444	NBR-OF-TBLS	INTEGER ( 4, 0)
		0	PRT_SKLTN_1_4445	4445	PRT-SKLTN-1	CHAR ( 1, 0)
		0	PRT_SKLTN_2_4446	4446	PRT-SKLTN-2	CHAR ( 1, 0)
		0	PRT_SKLTN_3_4447	4447	PRT-SKLTN-3	CHAR ( 1, 0)
		1	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		2	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR ( 20, 0)
		0	KEY_GRP_DESC_4448	4448	KEY-GRP-DESC	CHAR ( 20, 0)
391	MRD_KEY_GRP_CD	1	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR ( 2, 0)
392	TABLE_CONTENTS	0	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR ( 3, 0)
		0	DB2_TBL_NAME_4465	4465	DB2-TBL-NAME	CHAR ( 18, 0)
		0	DIDS_INTRO_4469			VARCHAR ( 1300, 0)
		0	HLP_PRC_PGMNM_4491	4491	HLP-PRC-PGMNM	CHAR ( 8, 0)
		0	TABLE_TYP_DV_1079			CHAR ( 1, 0)
		0	TABL_NAME_REM_4449	4449	TABL-NAME-REM	VARCHAR ( 200, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
393	PAGE_HEADERS	2	DIDS_TBL_NAME_4466			CHAR ( 40, 0)
		3	DIDS_SUB_PART_4467	4467	FLIS-SUB-PART	CHAR ( 3, 0)
		0	HEAD_NARRTV_4453	4453	HEAD-NARRTV	CHAR ( 79, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
		2	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR ( 3, 0)
394	NOTES_DATA	3	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR ( 3, 0)
		4	ROW_NBR_4518	4518	ROW-NBR	INTEGER ( 4, 0)
		0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR ( 1200, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
		2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR ( 3, 0)
395	PAGE_TRAILERS	3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER ( 4, 0)
		4	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT ( 2, 0)
		5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR ( 1, 0)
		0	TRAIL_NARRATV_4454	4454	TRAIL-NARRATV	VARCHAR ( 800, 0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
396	TYPII_FSC_SAC_FYD	2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR ( 3, 0)
		0	TRFR_STAT_CNT_9648	9648	TRFR-FSC-SAC-FYD-T2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9649	9649	TRFR-FSC-SAC-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9650	9650	TRFR-FSC-SAC-FYD-T4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9655	9655	TRFR-FSC-SDP-FYD-T2-NSN	INTEGER ( 4, 0)
397	MEDIA_MESSAGE_ID	0	TRFR_STAT_CNT_9656	9656	TRFR-FSC-SDP-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9657	9657	TRFR-FSC-SDP-FYD-T4-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
398	ACTY_DIC_EDIT	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR ( 1, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER ( 4, 0)
		0	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTMP ( 10, 0)
399	ORIGINAL_IMAGE	0	TRAILER_9432	9432	TRAILER	CHAR ( 80, 0)
		0	TRANS_COUNT_9433	9433	TRANS-COUNT	SMALLINT ( 2, 0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	CIT_ELGBL_IND_9506	9506	CIT-ELGBL-IND-CD	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
401	REROUTE_LOG	2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)
		0	CPU_ROUTED_TO_9143	9143	CPU-ROUTED-TO	CHAR ( 10, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
402	REROUTED_TRANS	0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR ( 2, 0)
		0	REROUTED_TIME_9210	9210	REROUTED-TIME	TIMESTMP ( 10, 0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR ( 23, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
403	LMX_LMD_COMB	1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR ( 23, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR ( 3, 0)
		3	SEGMENT_STATS_9420	9420	SEGMENT-STATS	CHAR ( 1, 0)
		0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT ( 2, 0)
404	USER_OUTPUT_FORMAT	0	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
405	TRANS_PROC_ERROR	0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	(	4, 0)
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	(	8, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
		4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	(	2, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTAMP	(	10, 0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	(	4, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(	8, 0)
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	(	40, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	(	2, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		2	ERROR_SEQ_9151	9151	ERROR-SEQ	SMALLINT	(	2, 0)
406	USER_INPUT_FORMAT	0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT	(	2, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	(	4, 0)
		0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	(	4, 0)
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	(	8, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
407	SELECT_FMT_MODULE	4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	(	2, 0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	(	8, 0)
		1	SELECT_KEY_9764	9764	SELECT-KEY	CHAR	(	5, 0)
408	APPL_OP_HOLD	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(	1500, 0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	(	2, 0)
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(	2, 0)
		5	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	(	1, 0)
409	COMMRI_ACTY_CD	6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(	4, 0)
		0	KWA_ACTY_NOTI_9563	9563	KWA-ACTY-NOTI-IND	CHAR	(	1, 0)
		0	KWA_NATO_ZZ_9564	9564	KWA-NATO-ACTY-ZZ-IND	CHAR	(	1, 0)
		0	KWA_NO_NOTI_9562	9562	KWA-NO-OP-ACTY-NOTI-IND	CHAR	(	1, 0)
		0	PRIM_COMM_RI_9214	9214	PRIM-COMM-RI-IND	CHAR	(	1, 0)
		1	COMM_RI_9142	9142	COMM-RI	CHAR	(	7, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		3	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR	(	3, 0)
410	MEDIA_TYPE_TABLE	0	ASCII_EBCDIC_9139	9139	ASCII-EBCDIC	CHAR	(	1, 0)
		0	BLOCK_SIZE_9141	9141	BLOCK-SIZE	CHAR	(	4, 0)
		0	EAM_CRD_INTRP_3120	3120	EAM-CARD-INTERP-IND	CHAR	(	2, 0)
		0	F_V_LEN_IND_3119	3119	FIXED-VAR-LEN-MED-IND	CHAR	(	2, 0)
		0	LST_PRT_P_IND_3121	3121	LISTIN-PART-PAPER-IND	CHAR	(	2, 0)
		0	MAX_REC_LGTH_9176	9176	MAX-REC-LGTH	CHAR	(	4, 0)
		0	MIN_REC_LGTH_9182	9182	MIN-REC-LGTH	CHAR	(	4, 0)
		0	MT_BLK_FAC_3126	3126	MAG-TAPE-BLCKNG-FAC-IND	CHAR	(	24, 0)
		0	MT_DNSTY_IND_3124	3124	MAG-TAPE-DENSITY-IND	CHAR	(	4, 0)
		0	MT_LAB_IND_3127	3127	MAG-TAPE-LAB-IND	CHAR	(	8, 0)
		0	MT_PRTY_IND_3125	3125	MAG-TAPE-PARITY-IND	CHAR	(	4, 0)
		0	OP_MOD_MED_EX_3118	3118	OP-MODE-MED-CD-DESC	VARCHAR	(	90, 0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(	2, 0)
411	VALID_SEGMENTS	0	SEGMENT_FLAG_9418	9418	SEGMENT-FLAG	CHAR	(	1, 0)
		0	SEGMENT_POS_9419	9419	SEGMENT-POS	SMALLINT	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
412	PRIORITY_IND_CODE	1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		0	NATO_PIC_VAL_9187	9187	NATO-PIC-VAL	CHAR ( 1, 0)
		0	PIC_DESC_9200	9200	PIC-DESC	CHAR ( 25, 0)
		0	RESPONSE_HRS_9412	9412	RESPONSE-HRS	SMALLINT ( 2, 0)
413	CAGE_DATA_NSNREF_A	1	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR ( 1, 0)
		0	CAGE_STAT_CNT_6654	6654	CAGE-NSN	INTEGER ( 4, 0)
		0	CAGE_STAT_CNT_6655	6655	CAGE-REF	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
414	FIIG_COUNT_DATA_A	0	POP_STAT_CNT_6611	6611	POP-FIIG-EFFDTD-INC-NSN	INTEGER ( 4, 0)
		0	POP_STAT_CNT_6612	6612	POP-FIIG-INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		3	INC_4080	4080	INC	CHAR ( 5, 0)
415	FIIG_POP_MGD_A	0	POP_STAT_CNT_6724	6724	POP-FIIG-AIN-FSC-MG-FU	INTEGER ( 4, 0)
		0	POP_STAT_CNT_6725	6725	POP-FIIG-AIN-FSC-MG-PA	INTEGER ( 4, 0)
		0	POP_STAT_CNT_7172	7172	POP-FIIG-AIN-FSC-MG-RE	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
416	FREIGHT_DATA_A	3	INC_4080	4080	INC	CHAR ( 5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FRGT_STAT_CNT_6599	6599	FREIGHT-INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
417	FSC_INC_DATA_A	2	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		5	INC_4080	4080	INC	CHAR ( 5, 0)
		0	INC_STAT_CNT_5750	5750	INC-NSN	INTEGER ( 4, 0)
418	FILE_ACCESS_RECORD	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
		0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT ( 2, 0)
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCS-CMPNT-FILE-NM	CHAR ( 8, 0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR ( 1, 0)
419	CAGE_ACT_AACNSN_A	0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR ( 18, 0)
		0	ROW_IND_4205	4205	ROW-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
420	CAGE_FSCNSN_A	3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		0	CAGE_STAT_CNT_6651	6651	CAGE-ACTY-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
421	CAGE_INCNSN_A	3	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	CAGE_STAT_CNT_6657	6657	CAGE-FSC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)

## CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
422	NATO_NCC_COMMENT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		0	NCC_CMNT_8976	8976	NATO-CDFN-CTL-CMNT-TX	VARCHAR ( 500, 0)
		1	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
423	FREIGHT_DATA_TTL_A	2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	FRGT_STAT_CNT_6600	6600	FREIGHT-INC-TOT-NSN	INTEGER ( 4, 0)
424	TYPII_OAC_FYD	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		0	TRFR_STAT_CNT_6749	6749	TRFR-OAC-FYD-T2-NSN	INTEGER ( 4, 0)
425	AMSC_DATA_TOT	0	TRFR_STAT_CNT_6750	6750	TRFR-OAC-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6751	6751	TRFR-OAC-FYD-T4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6759	6759	TRFR-ODP-FYD-T2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6760	6760	TRFR-ODP-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6761	6761	TRFR-ODP-FYD-T4-NSN	INTEGER ( 4, 0)
426	DEMIL_AGENCY	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	AMSC_STAT_TOT_6388	6388	AMSC-DP-AT-AMC-TOT	INTEGER ( 4, 0)
		0	AMSC_STAT_TOT_6401	6401	AMSC-DP-AMC-TOT-NSN	INTEGER ( 4, 0)
427	DEMIL_MGR_ITEMS	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
		0	DS2_STAT_CNT_8217	8217	DS2-DPT-DEML-NSC-0-NSN	INTEGER ( 4, 0)
428	DEMIL_MGR_CODES	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR ( 1, 0)
		3	DEMIL_CD_0167	0167	D-MIL-CD	CHAR ( 1, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	DS3_STAT_CNT_8219	8219	DS3-DOD-SS-NSC-0-MGD-NSN	INTEGER ( 4, 0)
429	FCS_GOALS_DEPT_TOT	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR ( 1, 0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR ( 3, 0)
		4	DEMIL_CD_0167	0167	D-MIL-CD	CHAR ( 1, 0)
		0	M3AC_STAT_CNT_1588	1588	M3AC-D-MG	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1589	1589	M3AC-D-DM	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1590	1590	M3AC-D-DM-G	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1593	1593	M3AC-D-AIN	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1594	1594	M3AC-D-AIN-G	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1597	1597	M3AC-D-RN	INTEGER ( 4, 0)
		0	M3AC_STAT_CNT_1598	1598	M3AC-D-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
430	FIIG_POP_MGD_DTL	0	POP_STAT_CNT_6726	6726	POP-FIIG-AIN-FSC-MG-AC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		3	INC_4080	4080	INC	CHAR	(	5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
431	FIIG_POP_NONMGD	6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	POP_STAT_CNT_7828	7828	POP-FIIG-AIN-FSC-NMG-FU	INTEGER	(	4, 0)
		0	POP_STAT_CNT_7829	7829	POP-FIIG-AIN-FSC-NMG-PA	INTEGER	(	4, 0)
		0	POP_STAT_CNT_7830	7830	POP-FIIG-AIN-FSC-NMG-RE	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
432	FSC_FSCINC_DATA	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
		0	FSC_INC_NSN_5751	5751	FSC-INC-NSN	INTEGER	(	4, 0)
		0	FSC_STAT_CNT_5752	5752	FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
433	MOE_FSGFSC_DATA	2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	INC_4080	4080	INC	CHAR	(	5, 0)
		0	MOE_STAT_CNT_5753	5753	MOE-FSG-NSN	INTEGER	(	4, 0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
434	FSC_POP_MGD_DTL	2	MOE_CD_2833	2833	MOE-CD	CHAR	(	2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	POP_STAT_CNT_5603	5603	POP-FSC-FIIG-AIN-MG-AC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
435	FSC_POP_NONMGD	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	POP_STAT_CNT_5613	5613	POP-FSC-FIIG-AIN-NMG-FU	INTEGER	(	4, 0)
		0	POP_STAT_CNT_5614	5614	POP-FSC-FIIG-AIN-NMG-PA	INTEGER	(	4, 0)
436	IMC_NEW_DATA	0	POP_STAT_CNT_5615	5615	POP-FSC-FIIG-AIN-NMG-RE	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
437	MOE_RULE_FSC	0	IMC_STAT_CNT_5639	5639	IMC-NW-DP-AT-IMC-CIC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1, 0)
438	MOE_RULE_FSC	6	IMC_2744	2744	IMC	CHAR	(	1, 0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
439	MOE_RULE_FSC	2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
438	ITEM_NAME_DATA	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		0	INAM_STAT_CNT_7824	7824	ITEM-NAME-NSN	INTEGER ( 4, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR ( 19, 0)
		0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
439	MOE_RULE_COLL_REC	0	MOE_STAT_CNT_7820	7820	MOE-RGSTRN-CLBR-AT	INTEGER ( 4, 0)
		0	MOE_STAT_CNT_7821	7821	MOE-RGSTRN-RCVR-AT	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
440	AF_SOS_LOAD	0	SOS_CD_3690	3690	SOS-CD	CHAR ( 3, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
441	PIC_DATA_TOT	0	PIC_STAT_CNT_5823	5823	PIC-DEPT-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9692	9692	PIC-DEPT-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9693	9693	PIC-DEPT-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9694	9694	PIC-DEPT-PRICD-THREE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9695	9695	PIC-DEPT-PRICD-FOUR	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
442	AAC_INDV_CL_A	0	AAC_STAT_CNT_5431	5431	AAC-FSC-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
443	PASS_TO_CICS	0	CICS_PASS_TX_9070	9070	CICS-PASS-TX	CHAR ( 50, 0)
		1	CICS_PASS_KEY_9069	9069	CICS-PASS-KEY-TX	CHAR ( 30, 0)
444	AMC_DATA_A	0	AMC_STAT_CNT_6355	6355	AMC-DP-CC-BBAL-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6357	6357	AMC-DP-CC-ADDS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6359	6359	AMC-DP-CC-DLTS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6371	6371	AMC-AT-CC-BBAL-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6373	6373	AMC-AT-CC-ADDS-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6377	6377	AMC-AT-CC-DLTS-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR ( 2, 0)
		5	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
445	AMSC_DATA_A	0	AMC_STAT_CNT_6387	6387	AMSC-DP-AT-AMC-NSN	INTEGER ( 4, 0)
		0	AMC_STAT_CNT_6400	6400	AMSC-DP-AMC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR ( 1, 0)
		5	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR ( 1, 0)
		0	ICDS_STAT_CNT_5835	5835	ICDS-FSC-ALL-LC-DOD-MM	INTEGER ( 4, 0)
446	COMALTY_SDOD_DTL_A	0	ICDS_STAT_CNT_5837	5837	ICDS-FSC-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5839	5839	ICDS-FSC-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICDS_STAT_CNT_5909	5909	ICDS-IM-ALL-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5911	5911	ICDS-IM-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5913	5913	ICDS-IM-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5915	5915	ICDS-IM-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5925	5925	ICDS-LA-ALL-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5927	5927	ICDS-LA-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5929	5929	ICDS-LA-ALL-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5931	5931	ICDS-LA-ALL-LC-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5941	5941	ICDS-LA-FSC-LC-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5943	5943	ICDS-LA-FSC-LC-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5945	5945	ICDS-LA-FSC-LC-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5947	5947	ICDS-LA-FSC-LC-OD-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR ( 12, 0)
447	FILE_COMPONENT	0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR ( 2, 0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	SMALLINT ( 2, 0)
		0	FILE_OFST_NBR_4152	4152	IDS-EXTN-FILE-OFST-NBR	SMALLINT ( 2, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR ( 1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR ( 79, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT ( 2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR ( 79, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR ( 18, 0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT ( 2, 0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT ( 2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT ( 2, 0)
448	CUTOFF_DATE_A	0	BEG_DATE_0912	0912	BEGINNING-DATE	INTEGER ( 4, 0)
		0	DATE_RPT_THRU_0914	0914	DATE-REPORTED-THRU	DATE ( , 0)
		0	ENDING_DATE_0913	0913	ENDING-DATE	INTEGER ( 4, 0)
		1	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR ( 12, 0)
		2	RPT_PERIOD_0911	0911	REPORTING-PERIOD	DATE ( , 0)
449	DAC_DATA_A	0	DAC_STAT_CNT_5629	5629	DAC-TYPE-II-1-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5630	5630	DAC-TYPE-II-1A-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5631	5631	DAC-TYPE-II-1B-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5632	5632	DAC-TYPE-II-4-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5633	5633	DAC-TYPE-II-4A-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5634	5634	DAC-TYPE-II-4B-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5635	5635	DAC-TYPE-II-2-TOT	INTEGER ( 4, 0)
		0	DAC_STAT_CNT_5637	5637	DAC-DEPT-REF-QTY	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_LMD_RT_G_8159	8159	STAT-LIMITED-RIGHTS-GRP	CHAR ( 2, 0)
		3	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR ( 7, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
450	DEMIL_NIIN_A	0	DS1_STAT_CNT_8215	8215	DS1-DEML-NSC-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	( 1,	0)
		3	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	( 1,	0)
451	DEPARTMENT_ACTY_A	0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE	( ,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
452	DEPT_GOALS_TAB_A	0	PIC_STAT_CNT_5824	5824	PIC-DEPT-STD-PCT-ZER	INTEGER	( 4,	0)
		0	PIC_STAT_CNT_9697	9697	PIC-DEPT-STD-PCT-ONE	INTEGER	( 4,	0)
		0	PIC_STAT_CNT_9698	9698	PIC-DEPT-STD-PCT-TWO	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
453	FCS_GOAL_D_F_A_D_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		0	M3D_STAT_CNT_6329	6329	M3D-D-FSC-AT-MG	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6330	6330	M3D-D-FSC-AT-DM	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6331	6331	M3D-D-FSC-AT-DM-G	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6334	6334	M3D-D-FSC-AT-AIN	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6335	6335	M3D-D-FSC-AT-AIN-G	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6338	6338	M3D-D-FSC-AT-RN	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6339	6339	M3D-D-FSC-AT-RN-G	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	FCS_STAT_CNT_6392	6392	FCS-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6393	6393	FCS-SAC-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6394	6394	FCS-SAC-TII-4-NSN	INTEGER	( 4,	0)
454	FCS_Q_S_TYPII_A	0	FCS_STAT_CNT_6402	6402	FCS-C-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6403	6403	FCS-C-SAC-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6404	6404	FCS-C-SAC-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6410	6410	FCS-SDP-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6411	6411	FCS-SDP-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6412	6412	FCS-SDP-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6419	6419	FCS-C-SDP-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6420	6420	FCS-C-SDP-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6423	6423	FCS-C-SDP-TII-4-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	M3D_STAT_CNT_6318	6318	M3D-D-FSC-DM-G	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6322	6322	M3D-D-FSC-AIN-G	INTEGER	( 4,	0)
		0	M3D_STAT_CNT_6326	6326	M3D-D-FSC-RN-G	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_6777	6777	TRFR-FSC-ODP-FYD-GOAL	INTEGER	( 4,	0)
455	FSC_GOALS_TAB_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		0	IANSTAT_CNT_9599	9599	IANSTAT-DEPT-FSC-REL-SICA	INTEGER	( 4,	0)
456	IANDS_DEPT_DATA_A	0	IANSTAT_CNT_9600	9600	IANDS-DEPT-FSC-MTR-SICA	INTEGER	( 4,	0)
		0	IANSTAT_CNT_9601	9601	IANDS-DEPT-FSC-REL-PICA	INTEGER	( 4,	0)
		0	IANSTAT_CNT_9602	9602	IANDS-DEPT-FSC-MTR-PICA	INTEGER	( 4,	0)
		0	IANSTAT_CNT_9603	9603	IANDS-DEPT-FSC-TOT-FAM	INTEGER	( 4,	0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
457	IMC_ALL_DATA_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	IMC_STAT_CNT_5653	5653	IMC-AL-DP-AT-IMC-CIC	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR ( 1, 0)
458	INFO_DISSEM_DATA_A	6	IMC_2744	2744	IMC	CHAR ( 1, 0)
		0	ID_STAT_CNT_2181	2181	ID-MLC-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2182	2182	ID-MLC-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2184	2184	ID-MLN-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2185	2185	ID-MLN-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2187	2187	ID-MCRL-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2188	2188	ID-MCRL-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2195	2195	ID-MLMC-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_2196	2196	ID-MLMC-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6137	6137	ID-MCRL-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6154	6154	ID-MLMC-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6159	6159	ID-MLC-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6161	6161	ID-MLN-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6162	6162	ID-PIIL-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6164	6164	ID-CG-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6166	6166	ID-FAA-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6169	6169	ID-AMMO-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6171	6171	ID-CAC-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6172	6172	ID-MED-NSN	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6267	6267	ID-CAC-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6268	6268	ID-CAC-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6270	6270	ID-MED-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6271	6271	ID-MED-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6273	6273	ID-AMMO-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6274	6274	ID-AMMO-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6279	6279	ID-FAA-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6280	6280	ID-FAA-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6282	6282	ID-CG-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6283	6283	ID-CG-CUR-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6285	6285	ID-PIIL-CUM-CHG	INTEGER ( 4, 0)
		0	ID_STAT_CNT_6286	6286	ID-PIIL-CUR-CHG	INTEGER ( 4, 0)
459	ISC_DATA_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		0	ISC_STAT_CNT_5746	5746	ISC-FSC-WMGR-NSN	INTEGER ( 4, 0)
		0	ISC_STAT_CNT_5747	5747	ISC-FSC-USGOVT-NSN	INTEGER ( 4, 0)
		0	ISC_STAT_CNT_5748	5748	ISC-FSC-DOD-NSN	INTEGER ( 4, 0)
		0	ISC_STAT_CNT_5749	5749	ISC-FSC-WOMGR-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	ISC_2650	2650	ITM-STDZN-CD	CHAR ( 1, 0)
		0	IN_STAT_CNT_6688	6688	IN-DP-AT-AIN-NSN	INTEGER ( 4, 0)
460	ITEM_NAME_DEPT_A_A	0	IN_STAT_CNT_6689	6689	IN-DP-AT-NAIN-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
461	DECODE_ACCESS	0	IN_STAT_CNT_6695	6695	IN-DP-AT-AIN-NR-NSN	INTEGER	(	4, 0)
		0	IN_STAT_CNT_6696	6696	IN-DP-AT-NAIN-NR-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	DCOD_SVC_IND_4157	4157	IDS-DCOD-SVC-IND	CHAR	(	1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(	6, 0)
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR	(	160, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(	18, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(	2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(	2, 0)
		0	LRN_STAT_CNT_1132	1132	LRN-RNL-ACTY-DLY	INTEGER	(	4, 0)
462	LOLA_INQ_STATS_A	0	LRN_STAT_CNT_1153	1153	LRN-P-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1173	1173	LRN-NM-NIIN-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1193	1193	LRN-CHS-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1233	1233	LRN-FSG-FSC-ITM-NM-ACT-D	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1667	1667	LRN-NIIN-INQ-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1729	1729	LRN-COMB-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_2410	2410	LRN-ACT-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_5975	5975	LRN-C-NIIN-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6178	6178	LRN-C-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6202	6202	LRN-C-P-RNL-ACTY-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_8232	8232	LRN-PROC-ACTY-DLY	INTEGER	(	4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1, 0)
463	MDLS_INQ_ORDR_DA_A	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
464	MDLS_UPDT_STAT_D_A	0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER	(	4, 0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER	(	4, 0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER	(	4, 0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	5, 0)
465	FSC_FSCINC_DATA_A	0	FSC_INC_NSN_5751	5751	FSC-INC-NSN	INTEGER	(	4, 0)
		0	FSC_STAT_CNT_5752	5752	FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	INC_4080	4080	INC	CHAR	(	5, 0)
466	FIIG_POP_NONMGD_A	0	POP_STAT_CNT_7828	7828	POP-FIIG-AIN-FSC-NMG-FU	INTEGER	(	4, 0)
		0	POP_STAT_CNT_7829	7829	POP-FIIG-AIN-FSC-NMG-PA	INTEGER	(	4, 0)
		0	POP_STAT_CNT_7830	7830	POP-FIIG-AIN-FSC-NMG-RE	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
467	FIIG_POP_MGD_DTL_A	0	POP_STAT_CNT_6726	6726	POP-FIIG-AIN-FSC-MG-AC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		3	INC_4080	4080	INC	CHAR	(	5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
468	TRN_TIMING_DATA_A	0	TMG_STAT_CNT_6892	6892	TMG-PIC-DIC-TMFR	INTEGER	(	4, 0)
		0	TMG_STAT_CNT_6893	6893	TMG-PIC-DIC-TMFR-AVG-TM	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
470	FSC_POP_MGD_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		3	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(	1, 0)
		4	STAT_BTCH_TIM_2604	2604	STAT-BTCH-TIM	CHAR	(	1, 0)
		0	POP_STAT_CNT_5601	5601	POP-FSC-FIIG-AIN-MG-FU	INTEGER	(	4, 0)
		0	POP_STAT_CNT_5602	5602	POP-FSC-FIIG-AIN-MG-RE	INTEGER	(	4, 0)
		0	POP_STAT_CNT_5617	5617	POP-FSC-FIIG-AIN-MG-PA	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
471	FSC_POP_MGD_DTL_A	4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
		0	POP_STAT_CNT_5603	5603	POP-FSC-FIIG-AIN-MG-AC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	AMRC_STAT_CNT_8224	8224	ABV-MRC-FIIG-INC-NSN	INTEGER	(	4, 0)
472	ABV_MRC_DATA_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		3	INC_4080	4080	INC	CHAR	(	5, 0)
		4	MRC_3445	3445	MRC	CHAR	(	4, 0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	(	6, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	(	2, 0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	(	2, 0)
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR	(	17, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	(	1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(	6, 0)
473	DECODE_COMPONENT	0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	(	79, 0)
		0	MRC_3445	3445	MRC	CHAR	(	4, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	(	2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	(	79, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	(	18, 0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	(	2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	(	1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(	2, 0)
474	ACTY_STORAGE_STATS	4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(	2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	(	2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	(	2, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	(	2, 0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	(	12, 0)
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		3	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(	4, 0)
		4	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(	4, 0)
		0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	(	1500, 0)
475	ACTY_OP_HOLD	0	RPTY_ID_2638	2638	RPTY-ID	CHAR	(	3, 0)
		1	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH--DECIMAL
476	APPL_OUTPUT_DIC	2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR ( 1, 0)
		4	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		5	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		6	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		7	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		3	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
477	CALLABLE_ACCESS	4	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR ( 8, 0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR ( 1, 0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT ( 2, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR ( 79, 0)
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR ( 160, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT ( 2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR ( 79, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR ( 18, 0)
478	PRODUCT_CONSOL	0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT ( 2, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT ( 2, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	RCD_TYP_ORDR_4169	4169	IDS-RCD-TYP-ORDR-NBR	SMALLINT ( 2, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT ( 2, 0)
479	VAR_SEG_PARAM	4	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT ( 2, 0)
		0	MAX_LGTH_4593	4593	MAX-LGTH	SMALLINT ( 2, 0)
		0	MAX_OCURS_4594			SMALLINT ( 2, 0)
		0	MIN_LGTH_4592	4592	MIN-LGTH	SMALLINT ( 2, 0)
		0	REPT_SEG_IND_4594	4594	REPT-SEG-IND	CHAR ( 1, 0)
		0	TOT_MAX_LGTH_4596	4596	TOT-MAX-LGTH	INTEGER ( 4, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
		2	L_OR_O_IND_4591	4591	IN-OR-OUT-IND	CHAR ( 3, 0)
		1	DROP_IDX_CD_2225	2225	DROP-INDX-CD	CHAR ( 2, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
480	DRP_DICS	3	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR ( 1, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT ( 2, 0)
		0	UNDEF_SEGMENT_9442	9442	UNDEFINED-SEG	CHAR ( 132, 0)
		1	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP ( 10, 0)
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR ( 2, 0)
		0	LBL_ID_DLN_3283	3283	LBL-ID-DLN-IND	CHAR ( 1, 0)
		0	LBL_ID_MA_IND_3282	3282	LBL-ID-MA-IND	CHAR ( 1, 0)
		0	LBL_ID_TEXT_3281	3281	LBL-ID-TEXT	CHAR ( 20, 0)
481	UNDEFINABLE_TRANS	1	LBL_ID_2235	2235	LBL-ID	CHAR ( 2, 0)
		1	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR ( 2, 0)
482	SERVICE_ENTITIES					
483	STATE_CODES					

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		2	STATE_NAME_4490	4490	STATE-NAME	CHAR ( 20, 0)
			STOP_WORD-			
485	STOP_WORD_CDM	1	_CDM_4463	4463	STOP-WORD-CDM	CHAR ( 35, 0)
486	SORTING_TABLE	0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR ( 2, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR ( 6, 0)
		0	SRT_SEQ_TXT_4167	4167	IDS-SRT-SEQ-TXT	VARCHAR ( 110, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR ( 1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT ( 2, 0)
487	AMMO_EDIT_CRITERIA	1	FSC_3990	3990	ASGND-FSC	CHAR ( 4, 0)
		2	AMMO_CD_PRFX_8809	8809	AMMO-CD-PRFX-ID	CHAR ( 8, 0)
488	MDLS_REPOS_PHN	0	RPTY_TEL_EXT_2574	2574	RPTY-TEL-EXT	CHAR ( 5, 0)
		0	RPTY_TEL_NBR_2572	2572	RPTY-TEL-NBR	CHAR ( 12, 0)
		1	RPTY_ID_2638	2638	RPTY-ID	CHAR ( 5, 0)
		2	RPTY_T_NBR_TP_2571	2571	RPTY-T-NBR-TP	CHAR ( 1, 0)
489	ITM_NM_FUT_HIST	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR ( 1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	RPLD_INC_2646	2646	RPLD-INC	CHAR ( 5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR ( 5, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		3	TMSTMP4_4472	4472	TMSTMP4	TIMESTAMP ( 10, 0)
490	RNAAC_BYPASS	0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
491	FSC_NOTE_DATE_GP2	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR ( 1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	RPLD_FSC_2647	2647	RPLD-FSC	CHAR ( 4, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		4	TMSTMP5_4473	4473	TMSTMP5	TIMESTAMP ( 10, 0)
492	FSG_NOTE_DATE_GP2	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR ( 1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	RPLD_FSC_2647	2647	RPLD-FSC	CHAR ( 4, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR ( 1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		3	TMSTMP6_4474	4474	TMSTMP6	TIMESTAMP ( 10, 0)
493	CAGE_ACT_AACNSN	0	CAGE_STAT_CNT_6651	6651	CAGE-ACTY-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
494	CAGE_FSCNSN	0	CAGE_STAT_CNT_6657	6657	CAGE-FSC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
495	CAGE_INCNSN	3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	CAGE_STAT_CNT_6656	6656	CAGE-INC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	INC_4080	4080	INC	CHAR ( 5, 0)
496	REPLACEMENT_AMMO	3	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR ( 4, 0)
		2	RPLD_AMMO_8815	8815	RPLD-AMMO-CD	CHAR ( 4, 0)
497	ID_CAT_ITEM_SELECT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
498	ID_DECODE_CAT_CHAR	0	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR ( 990, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR ( 110, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR ( 10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR ( 3, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		5	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT ( 2, 0)
		0	FIRST_ODRC_4691	4691	FRST-LOLA-OVERNIGHT-ODRC	CHAR ( 4, 0)
		0	SECOND_ODRC_4692	4692	SECN-LOLA-OVERNIGHT-ODRC	CHAR ( 4, 0)
501	GD_REF_BACK	0	THIRD_ODRC_4693	4693	THRD-LOLA-OVERNIGHT-ODRC	CHAR ( 4, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	SEG_VALUES_4694	4694	LOLA-OVERNIGHT-SEG-VAL	CHAR ( 15, 0)
		0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR ( 4, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
502	CAGE_DEL_HIST	2	MRC_3445	3445	MRC	CHAR ( 4, 0)
		3	MODE_CD_4735	4735	MODE-CD	CHAR ( 1, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR ( 1, 0)
503	FREIGHT_DATA_TOTAL	0	DT_OE_RCD_DEL_8657	8657	DT-OE-RCD-DELD	INTEGER ( 4, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		0	FRGT_STAT_CNT_6600	6600	FREIGHT-INC-TOT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
504	CAGE_KEYWORD_ADRS	3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR ( 5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		2	CAGE_KEYWORD_4471	4471	CAGE-KEYWORD	CHAR ( 25, 0)
505	CMD_BASIC_HIST	3	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR ( 1, 0)
		0	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR ( 1, 0)
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR ( 1, 0)
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR ( 2, 0)
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR ( 1, 0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR ( 1, 0)
		0	CIIC_2863	2863	CIIC	CHAR ( 1, 0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR ( 1, 0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR ( 2, 0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	(	1, 0)
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	(	2, 0)
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	(	1, 0)
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	(	2, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	(	1, 0)
		0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	(	1, 0)
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	(	1, 0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	(	1, 0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	(	2, 0)
		0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	(	1, 0)
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	(	1, 0)
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	(	1, 0)
		0	QUP_6106	6106	QUP-CD	CHAR	(	1, 0)
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	(	1, 0)
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	(	1, 0)
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	(	1, 0)
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	(	1, 0)
		0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER	(	4, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(	4, 0)
		0	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	(	1, 0)
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	(	1, 0)
		0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	(	2, 0)
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	(	3, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR	(	3, 0)
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	(	1, 0)
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	(	1, 0)
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	(	1, 0)
		0	UI_3050	3050	UI	CHAR	(	2, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR	(	5, 0)
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	(	11, 2)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		1	MOE_CD_2833	2833	MOE-CD	CHAR	(	2, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		2	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	(	1, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
506	CMD_PHRASE_IS_HIST	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		0	JTC_0792	0792	I-S-JTC	CHAR	(	3, 0)
		0	OOU_0793	0793	I-S-OOU-CD	CHAR	(	3, 0)
		0	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR	(	13, 0)
		0	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER	(	4, 0)
		0	REL_NSN_2895	2895	REL-NSN	CHAR	(	13, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(	4, 0)
		0	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR	(	20, 0)
		0	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR	(	2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
507	COLLABORATORS_HIST	1	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		2	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR ( 1, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		3	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR ( 1, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER ( 4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		2	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR ( 2, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
508	DEPOT_SRC_REP_HIST	0	FMR_DSOR_0904	0904	FMR-DSOR	CHAR ( 2, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER ( 4, 0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		7	DSOR_0903	0903	DSOR	CHAR ( 2, 0)
		8	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
509	EFF_DATED_ITM_HIST	0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR ( 1, 0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR ( 1, 0)
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR ( 1, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	INC_4080	4080	INC	CHAR ( 5, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER ( 4, 0)
		0	PINC_3084	3084	PINC	CHAR ( 7, 0)
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR ( 1, 0)
		0	RPDMRC_4765	4765	RPDMRC	CHAR ( 1, 0)
		0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR ( 13, 0)
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR ( 1, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER ( 4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
510	MOE_RULE_DELT_HIST	3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
511	NON_CMD_ACTY_HIST	7	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	(	1, 0)
		8	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR	(	1, 0)
		8	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
512	RECEIVERS_HIST	1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		2	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR	(	2, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	(	4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	NM_CD_2303	2303	NM-CD	CHAR	(	5, 0)
		0	REL_INC_2926	2926	REL-INC	CHAR	(	5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(	1, 0)
513	COLLOQ_XREF_HIST	0	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(	10, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		3	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
515	EFF_DTD_FSC_HIST	0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR	(	2, 0)
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR	(	2, 0)
		0	CMDTY_MMC- _DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	(	1, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	(	4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	(	1, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR	(	1, 0)
		0	IMCA_4075	4075	IMCA	CHAR	(	2, 0)
		0	IMM_9090	9090	IMM	CHAR	(	2, 0)
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR	(	2, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(	1, 0)
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR	(	2, 0)
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR	(	1, 0)
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR	(	1, 0)
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR	(	1, 0)
		0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR	(	1, 0)
		1	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		2	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		3	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(	10, 0)
518	NM_CD_FSC_XRF_HIST	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR	(	1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	(	4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		0	NM_CD_2303	2303	NM-CD	CHAR	(	5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	(	1, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		3	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		4	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	(	10, 0)
519	DAAS_SOS_HIST	0	AF_SOS_9403	9403	AF-SOS	CHAR	(	3, 0)
		0	AR_SOS_9402	9402	AR-SOS	CHAR	(	3, 0)
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR	(	3, 0)
		0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR	(	1, 0)
		0	NVY_SOS_9404	9404	NVY-SOS	CHAR	(	3, 0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	(	2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
521	NIIN_MOE_RULE_HIST	0	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(	1, 0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(	1, 0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1, 0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER	(	4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR	(	4, 0)
		0	IMC_2744	2744	IMC	CHAR	(	1, 0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR	(	2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
522	NIIN_REF_NBR_HIST	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		0	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		0	NIMSC_0076	0076	NIMSC	CHAR	( 1,	0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	( 4,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	( 2,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	( 4,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	( 4,	0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	( 7,	0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	( 3,	0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	( 2,	0)
		0	DAC_2640	2640	DAC	CHAR	( 1,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		0	RNAAC_2900	2900	RNAAC	CHAR	( 2,	0)
		0	RNCC_2910	2910	RNCC	CHAR	( 1,	0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	( 1,	0)
		0	RNJC_2750	2750	RNJC	CHAR	( 1,	0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	( 1,	0)
		0	RNVC_4780	4780	RNVC	CHAR	( 1,	0)
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	( 2,	0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	( 4,	0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	( 4,	0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	( 32,	0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	( 7,	0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	( 3,	0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	( 2,	0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	( 2,	0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
523	NONEF_DTD_ITM_HIST	8	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		9	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	( 32,	0)
		0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	( 2,	0)
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	( 1,	0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	( 1,	0)
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	( 1,	0)
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	( 4,	0)
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-PSCN-ASGMT	INTEGER	( 4,	0)
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	( 4,	0)
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	( 1,	0)
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	( 3,	0)
		0	HMC_2720	2720	HMC	CHAR	( 2,	0)
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	( 1,	0)
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	( 1,	0)
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	( 1,	0)
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	( 1,	0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	( 1,	0)
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	( 3,	0)
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	( 3,	0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	( 1,	0)
		0	NMFC_2850	2850	NMFC-CD	CHAR	( 6,	0)
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	( 2,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	(	1, 0)
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	(	13, 0)
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	(	1, 0)
		0	STYL_RP_IL_DW_0771	0771	STYL-RPLY-CD-IL-DWG	CHAR	(	6, 0)
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	(	1, 0)
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	(	1, 0)
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	(	9, 0)
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	(	2, 0)
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	(	1, 0)
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	(	5, 0)
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	(	3, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		8	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		9	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
524	RPLD_NSN_STDZ_HIST	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	(	4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
525	FSC_RI_TABLE	9	RP_NSN_STD_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	(	13, 0)
		0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	(	1, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
526	MDLS_BTCH_INQ_DA_A	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	(	4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
527	MGMT_CHG_DEPT_A_A	0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	( 4,	0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	MCHG_STAT_CNT_6840	6840	MGMTCHG-ACTY-NEW-NSN	INTEGER	( 4,	0)
		0	MCHG_STAT_CNT_6841	6841	MGMTCHG-ACTY-NEW-MGR-NSN	INTEGER	( 4,	0)
		0	MCHG_STAT_CNT_6842	6842	MGMTCHG-ACTY-REIN-NSN	INTEGER	( 4,	0)
		0	MCHG_STAT_CNT_6843	6843	MGMTCHG-ACTY-REACT-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
528	TIIM_INDV_CL_A	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	M6B5_STAT_CNT_7952	7952	M6B5-FSC-DP-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7953	7953	M6B5-FSC-DP-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7954	7954	M6B5-FSC-DP-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7955	7955	M6B5-FSC-DP-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7956	7956	M6B5-FSC-DP-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7957	7957	M6B5-FSC-DP-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B5_STAT_CNT_7958	7958	M6B5-FSC-DP-LOA-T2-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	( 2,	0)
529	MOE_RULE_DEPT_A	0	MOE_STAT_CNT_7812	7812	MOE-NSN	INTEGER	( 4,	0)
		0	MOE_STAT_CNT_7813	7813	MOE-EFFDTD-DEL-NSN	INTEGER	( 4,	0)
		0	MOE_STAT_CNT_7814	7814	MOE-EFFDTD-ADD-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
530	FSC_SEGM_FM_HIST	0	FILE_MNT_RCVR_8905	8905	FILE-MAINT-RCVR-CD	CHAR	( 2,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTAMP	( 10,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
531	NAIN_POP_DATA_A	3	MOE_CD_2833	2833	MOE-CD	CHAR	( 2,	0)
		4	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR	( 2,	0)
		0	POP_STAT_CNT_6729	6729	POP-NAIN-FSC-INAC	INTEGER	( 4,	0)
		0	POP_STAT_CNT_6730	6730	POP-NAIN-FSC-MG	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
532	REPBL_DEPT_TOT_A	2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR ( 19, 0)
		0	REP_STAT_CNT_1653	1653	REP-DEPT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
533	REPBL_ACTY_TOT_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	REP_STAT_CNT_1651	1651	REP-ACTY-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
534	REPBL_DEPT_LOA_A	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	REP_STAT_CNT_1652	1652	REP-DEPT-LOA-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
535	REPBL_ACTY_LOA_A	3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	REP_STAT_CNT_1650	1650	REP-ACTY-LOA-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
536	VAR_FMT_R_ED_CRI	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		5	REPBL_CD_2745	2745	REPBL-CD	CHAR ( 1, 0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR ( 1400, 0)
		1	BSC_CM_IM_IND_4582	4582	BSC-CMB-IMM-IND	CHAR ( 1, 0)
540	TRN_DIC_IO_STATS_A	2	ROW_NBR_4518	4518	ROW-NBR	INTEGER ( 4, 0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR ( 1, 0)
		4	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		5	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	IO_STST_CNT_6546			INTEGER ( 4, 0)
541	TRN_DIC_SAC_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		5	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	DIC_STAT_CNT_5325	5325	DIC-SAC-DEPT-TOT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6779	6779	DIC-SAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6780	6780	DIC-SAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6781	6781	DIC-SAC-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6782	6782	DIC-SAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6783	6783	DIC-SAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6786	6786	DIC-SAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6788	6788	DIC-SAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9587	9587	DIC-SAC-DEPT-TOT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
542	SCRN_OTHER_A	4	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER	(	4, 0)
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
545	COMMONALITY_FAA_A	0	ICFS_STAT_CNT_5895	5895	ICFS-FAA-ALL-MNGD-TOT	INTEGER	(	4, 0)
		0	ICFS_STAT_CNT_5896	5896	ICFS-FAA-ALL-MNGD-MM	INTEGER	(	4, 0)
		0	ICFS_STAT_CNT_5898	5898	ICFS-DLA-ALL-MM	INTEGER	(	4, 0)
		0	ICFS_STAT_CNT_5901	5901	ICFS-DOD-ALL-MM	INTEGER	(	4, 0)
		0	ICFS_STAT_CNT_7810	7810	ICFS-GSA-ALL-MM	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
546	COMALTY_MS_D_DTL_A	0	ICMD_STAT_CNT_5849	5849	ICMD-LA-ALL-LC-ANM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5850	5850	ICMD-LA-ALL-LC-AN	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5851	5851	ICMD-LA-ALL-LC-AFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5852	5852	ICMD-LA-ALL-LC-AF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5853	5853	ICMD-LA-ALL-LC-AM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5854	5854	ICMD-LA-ALL-LC-A	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5855	5855	ICMD-LA-ALL-LC-NFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5856	5856	ICMD-LA-ALL-LC-NF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5857	5857	ICMD-LA-ALL-LC-NM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5858	5858	ICMD-LA-ALL-LC-N	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5861	5861	ICMD-LA-ALL-LC-FM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5862	5862	ICMD-LA-ALL-LC-F	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5863	5863	ICMD-LA-ALL-LC-M	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5880	5880	ICMD-LA-FSC-LC-ANFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5881	5881	ICMD-LA-FSC-LC-ANF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5882	5882	ICMD-LA-FSC-LC-ANM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5883	5883	ICMD-LA-FSC-LC-AN	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5884	5884	ICMD-LA-FSC-LC-AFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5885	5885	ICMD-LA-FSC-LC-AF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5886	5886	ICMD-LA-FSC-LC-AM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5887	5887	ICMD-LA-FSC-LC-A	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5888	5888	ICMD-LA-FSC-LC-NFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5889	5889	ICMD-LA-FSC-LC-NF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5890	5890	ICMD-LA-FSC-LC-NM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5891	5891	ICMD-LA-FSC-LC-N	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5892	5892	ICMD-LA-FSC-LC-FM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5893	5893	ICMD-LA-FSC-LC-F	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_5894	5894	ICMD-LA-FSC-LC-M	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7102	7102	ICMD-FSC-ALL-LC-ANFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7103	7103	ICMD-FSC-ALL-LC-ANF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7104	7104	ICMD-FSC-ALL-LC-ANM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7105	7105	ICMD-FSC-ALL-LC-AN	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7106	7106	ICMD-FSC-ALL-LC-AFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7107	7107	ICMD-FSC-ALL-LC-AF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7108	7108	ICMD-FSC-ALL-LC-AM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7109	7109	ICMD-FSC-ALL-LC-A	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7110	7110	ICMD-FSC-ALL-LC-NFM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7111	7111	ICMD-FSC-ALL-LC-NF	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7112	7112	ICMD-FSC-ALL-LC-NM	INTEGER	(	4, 0)
		0	ICMD_STAT_CNT_7113	7113	ICMD-FSC-ALL-LC-N	INTEGER	(	4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICMD_STAT_CNT_7114	7114	ICMD-FSC-ALL-LC-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7115	7115	ICMD-FSC-ALL-LC-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7116	7116	ICMD-FSC-ALL-LC-M	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7132	7132	ICMD-IM-ALL-LC-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7133	7133	ICMD-IM-ALL-LC-ANF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7134	7134	ICMD-IM-ALL-LC-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7135	7135	ICMD-IM-ALL-LC-AN	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7136	7136	ICMD-IM-ALL-LC-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7137	7137	ICMD-IM-ALL-LC-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7138	7138	ICMD-IM-ALL-LC-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7139	7139	ICMD-IM-ALL-LC-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7140	7140	ICMD-IM-ALL-LC-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7141	7141	ICMD-IM-ALL-LC-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7142	7142	ICMD-IM-ALL-LC-NM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7143	7143	ICMD-IM-ALL-LC-N	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7144	7144	ICMD-IM-ALL-LC-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7145	7145	ICMD-IM-ALL-LC-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7146	7146	ICMD-IM-ALL-LC-M	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7162	7162	ICMD-LA-ALL-LC-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7163	7163	ICMD-LA-ALL-LC-ANF	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR ( 12, 0)
547	COMMONALITY_MGD_A	0	ICWD_STAT_CNT_5800	5800	ICWD-LA-FSC-DOD-CI-OGOV	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5801	5801	ICWD-LA-FSC-DOD-CI	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5802	5802	ICWD-LA-FSC-DOD-OGOV	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5803	5803	ICWD-LA-FSC-DOD	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5804	5804	ICWD-LA-FSC-CI-OGOV	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5805	5805	ICWD-LA-FSC-CI	INTEGER ( 4, 0)
		0	ICWD_STAT_CNT_5806	5806	ICWD-LA-FSC-OGOV	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
548	TYPII_FSC_OAC_FYD	0	TRFR_STAT_CNT_6764	6764	TRFR-FSC-OAC-FYD-T2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6765	6765	TRFR-FSC-OAC-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6766	6766	TRFR-FSC-OAC-FYD-T4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6771			INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6772	6772	TRFR-FSC-ODP-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_6773			INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
549	PIC_DATA_A	0	PIC_STAT_CNT_5815	5815	PIC-ACTY-DIC-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9670	9670	PIC-ACTY-DIC-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9671	9671	PIC-ACTY-DIC-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9672	9672	PIC-ACTY-DIC-PRICD-THREE	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
550	IANDS_ACTY_DATA_A	0	PIC_STAT_CNT_9673	9673	PIC-ACTY-DIC-PRICD-FOUR	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	IANS_STAT_CNT_6088	6088	IANDS-ACTY-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_6089	6089	IANDS-DEPT-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_6099	6099	IANDS-GTOT-NSN-FAMILIES	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8118	8118	IANDS-DEPT-NSN	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8121	8121	IANDS-GTOT-NSN	INTEGER ( 4, 0)
551	PIC_ACTY_TOT	0	IANS_STAT_CNT_9596	9596	IANDS-ACTY-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	IANS_SIZE_2234	2234	IANDS-FAMILY-SIZE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_5819	5819	PIC-ACTY-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9681	9681	PIC-ACTY-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9682	9682	PIC-ACTY-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9683	9683	PIC-ACTY-PRICD-THREE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9684	9684	PIC-ACTY-PRICD-FOUR	INTEGER ( 4, 0)
552	PIC_ACTY_TOT_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	PIC_STAT_CNT_5819	5819	PIC-ACTY-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9681	9681	PIC-ACTY-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9682	9682	PIC-ACTY-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9683	9683	PIC-ACTY-PRICD-THREE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9684	9684	PIC-ACTY-PRICD-FOUR	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
554	LOLA_MGMT_STATS_A	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	PIC_STAT_CNT_5819	5819	PIC-ACTY-PRICD-ZER	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9681	9681	PIC-ACTY-PRICD-ONE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9682	9682	PIC-ACTY-PRICD-TWO	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9683	9683	PIC-ACTY-PRICD-THREE	INTEGER ( 4, 0)
		0	PIC_STAT_CNT_9684	9684	PIC-ACTY-PRICD-FOUR	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	INQ_OUT_VIEW_4477	4477	INQ-OUT-VIEW	CHAR ( 20, 0)
555	TYPII_FSC_SAC_FY_A	0	QUERY_TYPE_4476	4476	QUERY-TYPE	CHAR ( 2, 0)
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	TRFR_STAT_CNT_9648	9648	TRFR-FSC-SAC-FYD-T2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9649	9649	TRFR-FSC-SAC-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9650	9650	TRFR-FSC-SAC-FYD-T4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9655	9655	TRFR-FSC-SDP-FYD-T2-NSN	INTEGER ( 4, 0)
556	AMSC_DATA_TOT_A	0	TRFR_STAT_CNT_9656	9656	TRFR-FSC-SDP-FYD-T1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9657	9657	TRFR-FSC-SDP-FYD-T4-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	AMSC_STAT_TOT_6388	6388	AMSC-DP-AT-AMC-TOT	INTEGER ( 4, 0)
		0	AMSC_STAT_TOT_6401	6401	AMSC-DP-AMC-TOT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
557	DEMIL_AGENCY_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(	1, 0)
		0	DS2_STAT_CNT_8217	8217	DS2-DPT-DEML-NSC-0-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
		3	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1, 0)
558	DEMIL_MGR_ITEMS_A	4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	DS3_STAT_CNT_8219	8219	DS3-DOD-SS-NSC-0-MGD-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
559	DEMIL_MGR_CODES_A	3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3, 0)
		0	DS4_STAT_CNT_8221	8221	DS4-ML-SS-NSC-0-DEML-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1, 0)
560	FCS_GOALS_DEPT_T_A	3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3, 0)
		4	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1, 0)
		0	M3AC_STAT_CNT_1588	1588	M3AC-D-MG	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1589	1589	M3AC-D-DM	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1590	1590	M3AC-D-DM-G	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1593	1593	M3AC-D-AIN	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1594	1594	M3AC-D-AIN-G	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1597	1597	M3AC-D-RN	INTEGER	(	4, 0)
		0	M3AC_STAT_CNT_1598	1598	M3AC-D-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
561	MOE_FSGFSC_DATA_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	MOE_STAT_CNT_5753	5753	MOE-FSG-NSN	INTEGER	(	4, 0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(	2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
562	FSC_POP_NONMGD_A	0	POP_STAT_CNT_5613	5613	POP-FSC-FIIG-AIN-NMG-FU	INTEGER	(	4, 0)
		0	POP_STAT_CNT_5614	5614	POP-FSC-FIIG-AIN-NMG-PA	INTEGER	(	4, 0)
		0	POP_STAT_CNT_5615	5615	POP-FSC-FIIG-AIN-NMG-RE	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		5	INC_4080	4080	INC	CHAR	(	5, 0)
		0	IMC_STAT_CNT_5639	5639	IMC-NW-DP-AT-IMC-CIC	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
563	IMC_NEW_DATA_A	2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1, 0)
		6	IMC_2744	2744	IMC	CHAR	(	1, 0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
564	MOE_RULE_FSC_A	2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--	LENGTH--	DECIMAL
565	ITEM_NAME_DATA_A	0	INAM_STAT_CNT_7824	7824	ITEM-NAME-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	SHRT_NM_2301	2301	SHRT-NM	CHAR	(	19, 0)
566	MOE_RULE_COLL_RE_A	0	MOE_STAT_CNT_7820	7820	MOE-RGSTRN-CLBR-AT	INTEGER	(	4, 0)
		0	MOE_STAT_CNT_7821	7821	MOE-RGSTRN-RCVR-AT	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
568	PIC_DATA_TOT_A	0	PIC_STAT_CNT_5823	5823	PIC-DEPT-PRICD-ZER	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9692	9692	PIC-DEPT-PRICD-ONE	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9693	9693	PIC-DEPT-PRICD-TWO	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9694	9694	PIC-DEPT-PRICD-THREE	INTEGER	(	4, 0)
		0	PIC_STAT_CNT_9695	9695	PIC-DEPT-PRICD-FOUR	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
569	MRSP_ASGN_INT_MGR	0	M8B1_STAT_CNT_5513	5513	M8B1-IM-DP-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5514	5514	M8B1-IM-DP-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5515	5515	M8B1-IM-DP-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5516	5516	M8B1-IM-DP-LOA-EB-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5541	5541	M8B3-CLM-DP-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5542	5542	M8B3-CLM-DP-LOA-EB-NSN	INTEGER	(	4, 0)
570	MRSP_ASGN_CL_MGR	0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M8A1_STAT_CNT_5487	5487	M8A1-DP-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8A1_STAT_CNT_5488	5488	M8A1-DP-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8A1_STAT_CNT_5489	5489	M8A1-DP-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8A1_STAT_CNT_5490	5490	M8A1-DP-LOA-EB-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
571	MRSP_ALL_CL_DEPT	0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M8A1_STAT_CNT_5487	5487	M8A1-DP-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8A1_STAT_CNT_5488	5488	M8A1-DP-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8A1_STAT_CNT_5489	5489	M8A1-DP-LOA-DLT-NSN	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
572	MRSP_ALL_CL_ACTV	0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	(	4, 0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
573	MRSP_INDV_CL_TL	0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	(	4, 0)
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	(	4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER	(	4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER	(	4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
574	MRSP_ASGN_INT_TL	0	M8B1_STAT_CNT_5519	5519	M8B1-IM-DP-BB-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5520	5520	M8B1-IM-DP-ADD-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5521	5521	M8B1-IM-DP-DLT-NSN	INTEGER	(	4, 0)
		0	M8B1_STAT_CNT_5522	5522	M8B1-IM-DP-EB-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	(	4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
575	MRSP_ASGN_CL_TL	0	M8B3_STAT_CNT_5545	5545	M8B3-CLM-DP-BB-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5546	5546	M8B3-CLM-DP-ADD-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5547	5547	M8B3-CLM-DP-DLT-NSN	INTEGER	(	4, 0)
		0	M8B3_STAT_CNT_5548	5548	M8B3-CLM-DP-EB-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	(	4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
576	MRSP_ALL_CL_D_TL	0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8A1_STAT_CNT_5493	5493	M8A1-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5494	5494	M8A1-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5495	5495	M8A1-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
577	MRSP_ALL_CL_A_TL	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER ( 4, 0)
578	MGT_RSP_CHG_DATA	0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	M8B5_STAT_CHG_5575	5575	M8B5-FSC-DP-NET-CHG	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_PCT_5576	5576	M8B5-FSC-DP-PCT	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
579	DXRF_OVERNIGHT	4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR ( 1, 0)
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR ( 7, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
580	MRSP_INDV_CL_A	0	M8B5_STAT_CNT_5563	5563	M8B5-FSC-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5564	5564	M8B5-FSC-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5567	5567	M8B5-FSC-DP-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5568	5568	M8B5-FSC-DP-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER ( 4, 0)
581	MRSP_INDV_CL_TL_A	0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8B1_STAT_CNT_5513	5513	M8B1-IM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5514	5514	M8B1-IM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5515	5515	M8B1-IM-DP-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5516	5516	M8B1-IM-DP-LOA-EB-NSN	INTEGER ( 4, 0)
582	MRSP_ASGN_INT_A	0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M8B1_STAT_CNT_5519	5519	M8B1-IM-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5520	5520	M8B1-IM-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5521	5521	M8B1-IM-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8B1_STAT_CNT_5522	5522	M8B1-IM-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER ( 4, 0)
583	MRSP_ASGN_INT_TL_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
584	MRSP_ASGN_CL_A	0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
585	MRSP_ASGN_CL_TL_A	0	M8B3_STAT_CNT_5541	5541	M8B3-CLM-DP-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5542	5542	M8B3-CLM-DP-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M8B3_STAT_CNT_5545	5545	M8B3-CLM-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5546	5546	M8B3-CLM-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5547	5547	M8B3-CLM-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8B3_STAT_CNT_5548	5548	M8B3-CLM-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
586	MRSP_ALL_CL_D_A	2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8A1_STAT_CNT_5487	5487	M8A1-DP-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5488	5488	M8A1-DP-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5489	5489	M8A1-DP-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5490	5490	M8A1-DP-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
587	MRSP_ALL_CL_D_TL_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M8A1_STAT_CNT_5493	5493	M8A1-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5494	5494	M8A1-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5495	5495	M8A1-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
588	MRSP_ALL_CL_A_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER ( 4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
589	MRSP_ALL_CL_A_TL_A	0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER ( 4, 0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
590	MGT_RSP_CHG_DATA_A	0	M8B5_STAT_CHG_5575	5575	M8B5-FSC-DP-NET-CHG	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_PCT_5576	5576	M8B5-FSC-DP-PCT	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER ( 4, 0)
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR ( 1978, 0)
591	FC_FSC_NOTE_DAT_GP	0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR ( 1978, 0)
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR ( 1978, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
592	FC_COLLOQ_XREF	0	FSC_TI_4970	4970	FSC-TI	VARCHAR	( 1978,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	( 4,	0)
		0	REL_INC_2926	2926	REL-INC	CHAR	( 5,	0)
		1	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		2	NM_CD_2303	2303	NM-CD	CHAR	( 5,	0)
		0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR	( 3,	0)
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR	( 1,	0)
593	FC_NAMES_BY_TYP	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	( 4,	0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	( 6,	0)
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR	( 1,	0)
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR	( 1762,	0)
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	( 1,	0)
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR	( 10,	0)
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR	( 1743,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	( 19,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	( 5,	0)
594	FC_NM_CD_FSC_XREF	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR	( 1762,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	( 4,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	( 4,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	( 5,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER	( 4,	0)
		0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR	( 1978,	0)
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR	( 1978,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
595	FC_FSG_NOTE_DAT_GP	1	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	( 8,	0)
		0	MDLS_BB_MSG_8353	8353	MDLS-BUL-BRD-MSG-TX	CHAR	( 79,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		1	BB_MSG_ID_8351	8351	MDLS-BUL-BRD-MSG-ID	CHAR	( 6,	0)
		2	BB_LI_SEQ_8352	8352	MDLS-BUL-BRD-LI-SEQ-ID	CHAR	( 2,	0)
		0	MDLS_BB_CMNT_8354	8354	MDLS-BUL-BRD-CMNT-TX	CHAR	( 237,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	( 8,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		3	BB_MSG_ID_8351	8351	MDLS-BUL-BRD-MSG-ID	CHAR	( 6,	0)
597	MDLS_INIT_ACCESS	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	( 2,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	( 2,	0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	( 1,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	( 1,	0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	( 1,	0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	( 37,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	( 10,	0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	( 10,	0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	( 2,	0)
598	MDLS_UPDT_BB	0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTAMP	( 10,	0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTAMP	( 10,	0)
599	MDLS_BB_COMMENT	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	( 2,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	( 2,	0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	( 1,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	( 1,	0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	( 1,	0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	( 37,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	( 10,	0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	( 10,	0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	( 2,	0)
600	TRANS_ACTIVE_MAST	0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTAMP	( 10,	0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTAMP	( 10,	0)
601	TRANS_ACTIVE_STATS	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	( 2,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	( 2,	0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	( 1,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	( 1,	0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	( 1,	0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	( 37,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	( 10,	0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	( 10,	0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	( 2,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
602	TRANS_ACTIVE_KEYS	0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP ( 10, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP ( 10, 0)
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTAMP ( 10, 0)
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR ( 18, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	FSC_3990	3990	ASGND-FSC	CHAR ( 4, 0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR ( 9, 0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP ( 10, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR ( 17, 0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR ( 4, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		0	MULT_MED_TRAN_9483	9483	TM-MULT-MED-TRAN-QTY	INTEGER ( 4, 0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 4, 0)
603	TM_TAPE_LOG	0	TAPE_IP_TM_9228	9228	TM-TAPE-IP-TM	TIMESTAMP ( 10, 0)
		0	TAPE_VOL_SER_9227	9227	TM-TAPE-VOL-SER-NBR-ID	CHAR ( 8, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	TAPE_LOG_IP_9226	9226	TM-TAPE-LOG-IP-TM	TIMESTAMP ( 10, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR ( 20, 0)
		0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER ( 4, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR ( 2, 0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR ( 15, 0)
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR ( 1, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR ( 15, 0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 4, 0)
604	TM_TRACKING_LOG	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		0	TRANS_TS_STAT_9446	9446	TM-TRANS-TS-STAT-CD	CHAR ( 2, 0)
		0	TRAN_PROC_FLG_9229	9229	TM-TRAN-PROC-FLG-ID	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR ( 17, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER ( 4, 0)
		0	LFU_PROC_STAT_9230	9230	LFU-PROC-STAT-CD	CHAR ( 2, 0)
		0	LFU_TRANS_KEY_9445	9445	LFU-TRANS-KEY	CHAR ( 21, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT ( 2, 0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR ( 12, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
605	LFU_ARCHIVE_BUILD	0	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR ( 4, 0)
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR ( 7, 0)
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCS-D-TIME	CHAR ( 12, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
606	COMM_DATA_BATCH	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
607	PASSTHRU_STATS	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
608	TRANS_ACTIVE_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH--DECIMAL
611	NAIN_POP_DATA_DTL	0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR ( 1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)
		0	POP_STAT_CNT_6731	6731	POP-NAIN-FSC-AC	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR ( 19, 0)
612	MADS_DIST_HOLD	0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR ( 22000, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		1	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT ( 2, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
613	TM_TRANS_COUNT	3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR ( 4, 0)
		0	HELD_CNT_9501	9501	TM-HELD-CNT-QY	INTEGER ( 4, 0)
		0	RELED_CNT_9502	9502	TM-RELED-CNT-QY	INTEGER ( 4, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 4, 0)
614	TM_TRANS_HOLD	4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR ( 15, 0)
		0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR ( 70, 0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 4, 0)
		4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR ( 15, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	POP_STAT_CNT_6731	6731	POP-NAIN-FSC-AC	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
615	NAIN_POP_DATA_DT_A	2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR ( 19, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR ( 15, 0)
		0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR ( 70, 0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR ( 1, 0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR ( 4, 0)
616	TM_RELEASED_KEYS	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		0	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP ( 10, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	TM_CKPNT_CT_1_9511	9511	TM-RESTRT-CKPNT-CTR-1-QY	INTEGER ( 4, 0)
		0	TM_CKPNT_CT_2_9512	9512	TM-RESTRT-CKPNT-CTR-2-QY	INTEGER ( 4, 0)
		0	TM_CKPNT_CT_3_9513	9513	TM-RESTRT-CKPNT-CTR-3-QY	INTEGER ( 4, 0)
		0	TM_CKPNT_CT_4_9514	9514	TM-RESTRT-CKPNT-CTR-4-QY	INTEGER ( 4, 0)
		0	TM_CKPNT_WS_9510	9510	TM-RESTRT-CKPNT-WS-FLD	VARCHAR ( 1024, 0)
		0	TM_COMMIT_RT_9509	9509	TM-COMMIT-CKPNT-RT	SMALLINT ( 2, 0)
617	TM_RECOVERY	0	TM_JOB_STAT_9508	9508	TM-JOB-STAT-CD	CHAR ( 1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
618	TM_CONVID_ACTY	1	JCL_JOB_NM_9507	9507	JCL-JOB-CRD-NM	CHAR	(	8, 0)
		2	PGM_ID_1108	1108	PGM-ID	CHAR	(	8, 0)
		0	ROW_HLD_FLG_9191	9191	ROW-HLD-FLG-ID	CHAR	(	1, 0)
619	TM_CONVID_MSG	1	SNA_CVS_N_ID_3052			CHAR	(	4, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR	(	22000, 0)
620	LOLA_INQ_DEPT	1	SNA_CVS_N_ID_3052			CHAR	(	4, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1137	1137	LRN-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1158	1158	LRN-P-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1178	1178	LRN-NM-NIIN-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1198	1198	LRN-CHS-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1672	1672	LRN-NIIN-INQ-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1734	1734	LRN-COMB-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_2429	2429	LRN-DEPT-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_5983	5983	LRN-C-NIIN-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6183	6183	LRN-C-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6207	6207	LRN-C-P-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6860	6860	LRN-FSG-FSC-ITM-NM-DPT-D	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_8237	8237	LRN-PROC-DEPT-DLY	INTEGER	(	4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
621	LOLA_INQ_ALL_DEPT	0	LRN_STAT_CNT_1121	1121	LRN-NIIN-INQ-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1142	1142	LRN-RNL-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1163	1163	LRN-P-RNL-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1183	1183	LRN-NM-NIIN-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1203	1203	LRN-CHS-TOT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1657	1657	LRN-C-P-RNL-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1739	1739	LRN-COMB-TOT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_2422	2422	LRN-GRD-TOT-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_5989	5989	LRN-C-NIIN-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6189	6189	LRN-C-RNL-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6865	6865	LRN-FSG-FSC-ITM-NM-TOT-D	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_8242	8242	LRN-PROC-TOT-DLY	INTEGER	(	4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1, 0)
		0	LRN_STAT_CNT_1137	1137	LRN-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1158	1158	LRN-P-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1178	1178	LRN-NM-NIIN-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1198	1198	LRN-CHS-DEPT-DLY	INTEGER	(	4, 0)
622	LOLA_INQ_DEPT_A	0	LRN_STAT_CNT_1672	1672	LRN-NIIN-INQ-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_1734	1734	LRN-COMB-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_2429	2429	LRN-DEPT-DLY-TOT	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_5983	5983	LRN-C-NIIN-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6183	6183	LRN-C-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6207	6207	LRN-C-P-RNL-DEPT-DLY	INTEGER	(	4, 0)
		0	LRN_STAT_CNT_6860	6860	LRN-FSG-FSC-ITM-NM-DPT-D	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
623	LOLA_INQ_ALL_DEP_A	0	LRN_STAT_CNT_8237	8237	LRN-PROC-DEPT-DLY	INTEGER ( 4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR ( 8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR ( 1, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	LRN_STAT_CNT_1121	1121	LRN-NIIN-INQ-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1142	1142	LRN-RNL-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1163	1163	LRN-P-RNL-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1183	1183	LRN-NM-NIIN-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1203	1203	LRN-CHS-TOT-DLY	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1657	1657	LRN-C-P-RNL-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_1739	1739	LRN-COMB-TOT-DLY	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_2422	2422	LRN-GRD-TOT-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_5989	5989	LRN-C-NIIN-DLY-TOT	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_6189	6189	LRN-C-RNL-DLY-TOT	INTEGER ( 4, 0)
624	DIC_OTHER_OUTPUT	0	LRN_STAT_CNT_6865	6865	LRN-FSG-FSC-ITM-NM-TOT-D	INTEGER ( 4, 0)
		0	LRN_STAT_CNT_8242	8242	LRN-PROC-TOT-DLY	INTEGER ( 4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR ( 8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR ( 1, 0)
		0	DOC_ID_CD_CT_1997	1997	DOC-ID-CD-CT	INTEGER ( 4, 0)
625	AAC_INDV_CL_TL	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5458	5458	AAC-FSC-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
626	STATS_REACTIVATION	2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR ( 1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER ( 4, 0)
627	AAC_INDV_CL_TL_A	0	AAC_STAT_CNT_5458	5458	AAC-FSC-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
628	AAC_ASGN_INT_MGR	5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8180	8180	AAC-IM-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
629	AAC_ASGN_INT_TL	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8183	8183	AAC-IM-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
630	AAC_ASGN_INT_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8180	8180	AAC-IM-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
631	AAC_ASGN_INT_TL_A	0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8183	8183	AAC-IM-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8211	8211	AAC-LA-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
634	AAC_ASGN_CL_MGR	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8214	8214	AAC-LA-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
635	AAC_ASGN_CL_TL	5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8211	8211	AAC-LA-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8211	8211	AAC-LA-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
636	AAC_ASGN_CL_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8214	8214	AAC-LA-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
637	AAC_ASGN_CL_TL_A	3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
638	AAC_ALL_CL_DEPT	0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
639	AAC_ALL_CL_D_TL	5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5621	5621	AAC-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
640	AAC_ALL_CL_D_A	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
641	AAC_ALL_CL_D_TL_A	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER ( 4, 0)
642	AAC_ALL_CL_ACTV	0	AAC_STAT_CNT_5621	5621	AAC-DEPT-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
643	AAC_ALL_CL_A_TL	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
644	AAC_ALL_CL_A_A	2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		7	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
645	AAC_ALL_CL_A_TL_A	7	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER ( 4, 0)
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR ( 1, 0)
		7	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	M6B5_STAT_CNT_7962	7962	M6B5-FSC-DP-T1-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7963	7963	M6B5-FSC-DP-T1A-NSN	INTEGER ( 4, 0)
646	TIIM_INDV_CL_TL	0	M6B5_STAT_CNT_7964	7964	M6B5-FSC-DP-T1B-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7965	7965	M6B5-FSC-DP-T4-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7966	7966	M6B5-FSC-DP-T4A-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7967	7967	M6B5-FSC-DP-T4B-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7968	7968	M6B5-FSC-DP-T2-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
647	TIIM_INDV_CL_TL_A	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	M6B5_STAT_CNT_7962	7962	M6B5-FSC-DP-T1-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7963	7963	M6B5-FSC-DP-T1A-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7964	7964	M6B5-FSC-DP-T1B-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7965	7965	M6B5-FSC-DP-T4-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7966	7966	M6B5-FSC-DP-T4A-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7967	7967	M6B5-FSC-DP-T4B-NSN	INTEGER ( 4, 0)
		0	M6B5_STAT_CNT_7968	7968	M6B5-FSC-DP-T2-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER ( 4, 0)
648	TIIM_ASGN_INT_MGR	0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	M6B1_STAT_CNT_7873	7873	M6B1-IM-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6B1_STAT_CNT_7874	7874	M6B1-IM-DP-LOA-T1A-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA		
						TYPE	LENGTH	DECIMAL
649	TIIM_ASGN_INT_A	0	M6B1_STAT_CNT_7875	7875	M6B1-IM-DP-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7876	7876	M6B1-IM-DP-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7877	7877	M6B1-IM-DP-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7878	7878	M6B1-IM-DP-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7879	7879	M6B1-IM-DP-LOA-T2-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	( 2,	0)
		0	M6B1_STAT_CNT_7873	7873	M6B1-IM-DP-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7874	7874	M6B1-IM-DP-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7875	7875	M6B1-IM-DP-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7876	7876	M6B1-IM-DP-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7877	7877	M6B1-IM-DP-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7878	7878	M6B1-IM-DP-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7879	7879	M6B1-IM-DP-LOA-T2-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	( 2,	0)
650	TIIM_ASGN_INT_TL	0	M6B1_STAT_CNT_7883	7883	M6B1-IM-DP-T1-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
651	TIIM_ASGN_INT_TL_A	0	M6B1_STAT_CNT_7883	7883	M6B1-IM-DP-T1-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7884	7884	M6B1-IM-DP-T1A-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7885	7885	M6B1-IM-DP-T1B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7886	7886	M6B1-IM-DP-T4-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7887	7887	M6B1-IM-DP-T4A-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7888	7888	M6B1-IM-DP-T4B-NSN	INTEGER	( 4,	0)
		0	M6B1_STAT_CNT_7889	7889	M6B1-IM-DP-T2-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
652	TIIM_ASGN_CL_MGR	0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M6B3_STAT_CNT_7893	7893	M6B3-CLM-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7894	7894	M6B3-CLM-DP-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7895	7895	M6B3-CLM-DP-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7896	7896	M6B3-CLM-DP-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7897	7897	M6B3-CLM-DP-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7898	7898	M6B3-CLM-DP-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7899	7899	M6B3-CLM-DP-LOA-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
653	TIIM_ASGN_CL_A	0	M6B3_STAT_CNT_7893	7893	M6B3-CLM-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7894	7894	M6B3-CLM-DP-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7895	7895	M6B3-CLM-DP-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7896	7896	M6B3-CLM-DP-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7897	7897	M6B3-CLM-DP-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7898	7898	M6B3-CLM-DP-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7899	7899	M6B3-CLM-DP-LOA-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
654	TIIM_ASGN_CL_TL	0	M6B3_STAT_CNT_7902	7902	M6B3-CLM-DP-T1-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7903	7903	M6B3-CLM-DP-T1A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7904	7904	M6B3-CLM-DP-T1B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7905	7905	M6B3-CLM-DP-T4-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7906	7906	M6B3-CLM-DP-T4A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7907	7907	M6B3-CLM-DP-T4B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7908	7908	M6B3-CLM-DP-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
655	TIIM_ASGN_CL_TL_A	0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	M6B3_STAT_CNT_7902	7902	M6B3-CLM-DP-T1-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7903	7903	M6B3-CLM-DP-T1A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7904	7904	M6B3-CLM-DP-T1B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7905	7905	M6B3-CLM-DP-T4-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7906	7906	M6B3-CLM-DP-T4A-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7907	7907	M6B3-CLM-DP-T4B-NSN	INTEGER ( 4, 0)
		0	M6B3_STAT_CNT_7908	7908	M6B3-CLM-DP-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
656	TIIM_ALL_CL_DEPT	0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER ( 4, 0)
657	TIIM_ALL_CL_D_A	0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
658	TIIM_ALL_CL_D_TL	0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	( 2,	0)
		0	M6A1_STAT_CNT_7842	7842	M6A1-DP-T1-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7843	7843	M6A1-DP-T1A-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7844	7844	M6A1-DP-T1B-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7845	7845	M6A1-DP-T4-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7846	7846	M6A1-DP-T4A-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7847	7847	M6A1-DP-T4B-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7848	7848	M6A1-DP-T2-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	( 4,	0)
659	TIIM_ALL_CL_D_TL_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	M6A1_STAT_CNT_7842	7842	M6A1-DP-T1-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7843	7843	M6A1-DP-T1A-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7844	7844	M6A1-DP-T1B-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7845	7845	M6A1-DP-T4-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7846	7846	M6A1-DP-T4A-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7847	7847	M6A1-DP-T4B-NSN	INTEGER	( 4,	0)
		0	M6A1_STAT_CNT_7848	7848	M6A1-DP-T2-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	( 4,	0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
660	TIIM_ALL_CL_ACTV	0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	( 4,	0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	( 4,	0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
661	TIIM_ALL_CL_A_A	0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
662	TIIM_ALL_CL_A_TL	0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
663	TIIM_ALL_CL_A_TL_A	0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER ( 4, 0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER ( 4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
664	TYPII_XFR_OAC_QTR	0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER	(	4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER	(	4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	(	4, 0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
666	MADS_DIST_CNTL	0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	(	4, 0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER	(	4, 0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	(	4, 0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER	(	4, 0)
		0	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT	(	2, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP	(	10, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(	4, 0)
668	TYPII_SAC_QTR	0	TRFR_STAT_CNT_2451	2451	TRFR-SAC-CUR-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2452	2452	TRFR-SAC-CUR-T1-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2453	2453	TRFR-SAC-CUR-T4-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2459	2459	TRFR-SDP-CUR-T2-NSN	INTEGER	(	4, 0)
		0	TRFR_STAT_CNT_2460	2460	TRFR-SDP-CUR-T1-NSN	INTEGER	(	4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
670	TYPII_XFR_SAC_FYD	0	TRFR_STAT_CNT_9640	9640	TRFR-SDP-CUR-T4-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	TRFR_STAT_CNT_2466	2466	TRFR-SAC-FYD-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2467	2467	TRFR-SAC-FYD-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2468	2468	TRFR-SAC-FYD-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2469	2469	TRFR-SAC-FYD-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2470	2470	TRFR-SAC-FYD-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2474	2474	TRFR-SDP-FYD-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2475	2475	TRFR-SDP-FYD-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2476	2476	TRFR-SDP-FYD-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2477	2477	TRFR-SDP-FYD-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2478	2478	TRFR-SDP-FYD-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2741	2741	TRFR-SAC-FYD-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2743	2743	TRFR-SDP-FYD-T1-2-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
672	TYPII_XFR_SAC_QTR	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
673	TYPII_XFR_SAC_QT_A	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
676	TYPII_OAC_DTL	0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER ( 4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
677	TYPII_OAC_DTL_A	0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER	( 4,	0)
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
678	FCS_Q_S_REF	0	FCS_STAT_CNT_6886	6886	FCS-REF-SDP-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6887	6887	FCS-REF-SDP-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6888	6888	FCS-REF-SDP-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8162	8162	FCS-REF-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8163	8163	FCS-REF-SAC-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8164	8164	FCS-REF-SAC-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8170	8170	FCS-C-REF-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8171	8171	FCS-C-REF-SAC-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8172	8172	FCS-C-REF-SAC-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8173	8173	FCS-C-REF-SDP-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8174	8174	FCS-C-REF-SDP-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8175	8175	FCS-C-REF-SDP-TII-4-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
679	FCS_Q_S_REF_A	0	FCS_STAT_CNT_6886	6886	FCS-REF-SDP-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6887	6887	FCS-REF-SDP-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_6888	6888	FCS-REF-SDP-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8162	8162	FCS-REF-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8163	8163	FCS-REF-SAC-TII-2-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8164	8164	FCS-REF-SAC-TII-4-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8170	8170	FCS-C-REF-SAC-TII-1-NSN	INTEGER	( 4,	0)
		0	FCS_STAT_CNT_8171	8171	FCS-C-REF-SAC-TII-2-NSN	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
680	TYPII_SAC_DTL	0	FCS_STAT_CNT_8172	8172	FCS-C-REF-SAC-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_8173	8173	FCS-C-REF-SDP-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_8174	8174	FCS-C-REF-SDP-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_8175	8175	FCS-C-REF-SDP-TII-4-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER ( 4, 0)
681	TYPII_SAC_DTL_A	0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER ( 4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
682	FCS_Q_S_AIN	0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
683	FCS_Q_S_AIN_A	3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6431	6431	FCS-AIN-SAC-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6432	6432	FCS-AIN-SAC-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6438	6438	FCS-C-AIN-SAC-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6439	6439	FCS-C-AIN-SAC-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6440	6440	FCS-C-AIN-SAC-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6445	6445	FCS-AIN-SDP-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6446	6446	FCS-AIN-SDP-TII-2-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6447	6447	FCS-AIN-SDP-TII-4-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6453	6453	FCS-C-AIN-SDP-TII-1-NSN	INTEGER ( 4, 0)
		0	FCS_STAT_CNT_6454	6454	FCS-C-AIN-SDP-TII-2-NSN	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
684	NATO_IDENT	0	FCS_STAT_CNT_6455	6455	FCS-C-AIN-SDP-TII-4-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	( 2,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		0	INC_4080	4080	INC	CHAR	( 5,	0)
		0	NATO_RPLM_NSN_8971	8971	NATO-RPLM-NSN-CANCL-ID	CHAR	( 16,	0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	( 1,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	( 19,	0)
685	NATO_CAGE	1	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		0	NATO_MFR_FAX_8975	8975	NATO-MFR-FAX-NBR-ID	CHAR	( 38,	0)
		0	NATO_MFR_NM_8972	8972	NATO-MFR-NM	CHAR	( 195,	0)
		0	NATO_MFR_TEL_8974	8974	NATO-MFR-TEL-NBR-ID	CHAR	( 38,	0)
686	NATO_NIIN_REF	1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	( 5,	0)
		0	RNAAC_2900	2900	RNAAC	CHAR	( 2,	0)
		0	RNCC_2910	2910	RNCC	CHAR	( 1,	0)
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	( 1,	0)
		0	RNJC_2750	2750	RNJC	CHAR	( 1,	0)
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	( 1,	0)
		0	RNVC_4780	4780	RNVC	CHAR	( 1,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		3	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	( 32,	0)
687	NATO_MOE_RULE	4	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
688	NATO_CHAR	3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	( 7,	0)
		0	MRC_3445	3445	MRC	CHAR	( 4,	0)
		0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR	( 999,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	( 2,	0)
690	ITEM_NAME_DEPT_TOT	0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	( 110,	0)
		0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	( 4,	0)
691	ITEMNM_DEPT_TOT_A	0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	( 4,	0)
		0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		0	ICDS_STAT_CNT_5827	5827	ICDS-FSC-ALL-DOD-MM	INTEGER	( 4,	0)
692	COMALTY_SDOD_TOT	0	ICDS_STAT_CNT_5829	5829	ICDS-FSC-ALL-MS-MM	INTEGER	( 4,	0)
		0	ICDS_STAT_CNT_5831	5831	ICDS-FSC-ALL-IM-MM	INTEGER	( 4,	0)
		0	ICDS_STAT_CNT_5833	5833	ICDS-FSC-ALL-OD-MM	INTEGER	( 4,	0)
		0	ICDS_STAT_CNT_5843	5843	ICDS-IM-ALL-DOD-MM	INTEGER	( 4,	0)
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER	( 4,	0)
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
693	COMALTY_SDOD_TOT_A	0	ICDS_STAT_CNT_5905	5905	ICDS-IM-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5907	5907	ICDS-IM-ALL-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5917	5917	ICDS-LA-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5919	5919	ICDS-LA-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5921	5921	ICDS-LA-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5923	5923	ICDS-LA-ALL-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5933	5933	ICDS-LA-FSC-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5935	5935	ICDS-LA-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5937	5937	ICDS-LA-FSC-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5939	5939	ICDS-LA-FSC-ALL-OD-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	ICDS_STAT_CNT_5827	5827	ICDS-FSC-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5829	5829	ICDS-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5831	5831	ICDS-FSC-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5833	5833	ICDS-FSC-ALL-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5843	5843	ICDS-IM-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5905	5905	ICDS-IM-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5907	5907	ICDS-IM-ALL-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5917	5917	ICDS-LA-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5919	5919	ICDS-LA-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5921	5921	ICDS-LA-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5923	5923	ICDS-LA-ALL-OD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5933	5933	ICDS-LA-FSC-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5935	5935	ICDS-LA-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5937	5937	ICDS-LA-FSC-ALL-IM-MM	INTEGER ( 4, 0)
		0	ICDS_STAT_CNT_5939	5939	ICDS-LA-FSC-ALL-OD-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
694	COMALTY_M_S_TOT	0	ICWS_STAT_CNT_5755	5755	ICWS-ALL-MNGD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5757	5757	ICWS-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5759	5759	ICWS-ALL-CI-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5761	5761	ICWS-ALL-OGOV-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5763	5763	ICWS-IM-ALL-MNGD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5765	5765	ICWS-IM-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5767	5767	ICWS-IM-ALL-CI-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5769	5769	ICWS-IM-ALL-OGOV-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5771	5771	ICWS-LA-ALL-MNGD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5773	5773	ICWS-LA-ALL-DOD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5775	5775	ICWS-LA-ALL-CI-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5777	5777	ICWS-LA-ALL-OGOV-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5807	5807	ICWS-LA-FSC-MNGD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5809	5809	ICWS-LA-FSC-DOD-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5811	5811	ICWS-LA-FSC-CI-MM	INTEGER ( 4, 0)
		0	ICWS_STAT_CNT_5813	5813	ICWS-LA-FSC-OGOV-MM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL		
695	COMALTY_M_S_TOT_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	ICWS_STAT_CNT_5759	5759	ICWS-ALL-CI-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5763	5763	ICWS-IM-ALL-MNGD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5765	5765	ICWS-IM-ALL-DOD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5767	5767	ICWS-IM-ALL-CI-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5769	5769	ICWS-IM-ALL-OGOV-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5771	5771	ICWS-LA-ALL-MNGD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5773	5773	ICWS-LA-ALL-DOD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5777	5777	ICWS-LA-ALL-OGOV-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5807	5807	ICWS-LA-FSC-MNGD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5809	5809	ICWS-LA-FSC-DOD-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5811	5811	ICWS-LA-FSC-CI-MM	INTEGER	(	4, 0)
		0	ICWS_STAT_CNT_5813	5813	ICWS-LA-FSC-OGOV-MM	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
696	NAIN_POP_TOT	4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	POP_STAT_CNT_6732	6732	POP-NAIN-FSC-ALL-INAC	INTEGER	(	4, 0)
		0	POP_STAT_CNT_6733	6733	POP-NAIN-FSC-ALL-MG	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
697	NAIN_POP_TOT_A	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	POP_STAT_CNT_6732	6732	POP-NAIN-FSC-ALL-INAC	INTEGER	(	4, 0)
		0	POP_STAT_CNT_6733	6733	POP-NAIN-FSC-ALL-MG	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
698	STAT_DEPT_NME_CD	2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		0	STAT_DEPT_NM_9704	9704	STAT-DEPT-NAME	CHAR	(	7, 0)
		1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
699	IDS_AUTO_QA	0	CNFDNC_LVL_RT_2673	2673	CNFDNC-LVL-RT	CHAR	(	2, 0)
		0	ERR_RT_2674	2674	ERR-RT	CHAR	(	2, 0)
		0	OP_PROD_EXTR_2672	2672	OP-PROD-EXTR-QY	INTEGER	(	4, 0)
		0	SMPL_SZ_QY_2675	2675	SMPL-SZ-QY	SMALLINT	(	2, 0)
700	CAGE_AFFL_CODES	0	CAGE_AFFL_DEF_3366	3366	TYPE-CAGE-NSCM-AFFL-CD-DEF	CHAR	(	50, 0)
		0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NSCM-AFFL-CD	CHAR	(	1, 0)
701	COUNTRY_CODES	0	CNTRY_1085	1085	CNTRY	CHAR	(	36, 0)
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	(	3, 0)
702	TEL_TYP_CODES	0	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	(	1, 0)
		0	TEL_TYP_DEF_3413	3413	TEL-NBR-TYP-CD-DEF	CHAR	(	20, 0)
703	TYP_OF_BUS_CODES	0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR	(	1, 0)
		0	TYP_BUS_DEF_3369	3369	TYP-OF-BUS-DEF	CHAR	(	50, 0)
704	PRIM_BUS_CODES	0	BUS_CAT_DEF_3368	3368	PRIM-BUS-CAT-DEF	CHAR	(	50, 0)
		0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR	(	1, 0)
705	SIZE_OF_BUS_CODES	0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR	(	1, 0)
		0	SZ_OF_BUS_DEF_3367	3367	SZ-OF-BUS-CD-DEF	CHAR	(	50, 0)
706	TYP_OF_CORP_CODES	0	BUS_FM_CD_3406	3406	BUS-FM-CD	CHAR	(	1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
707	TIN_EXMP_CODES	0	BUS_FM_CD_DEF_3372	3372	BUS-FM-CD-DEF	CHAR	( 100,	0)
		0	TAX_PYR_EXMPN_3402	3402	TAXPYR-ID-EXMPN-CD	CHAR	( 1,	0)
		0	TPYR_EXMP_DEF_3371	3371	TAXPYR-ID-EXMPN-DEF	CHAR	( 50,	0)
708	CAGE_RSN_CODES	0	CAGE_RQST_RSN_3407	3407	CAGE-RQST-RSN-CD	CHAR	( 1,	0)
		0	CAGE_RSN_DEF_3370	3370	CAGE-RQST-RSN-DEF	CHAR	( 100,	0)
709	COMM_DATA	0	CMMD_CPBLTY_3418	3418	MDLS-FTP-CMMD-CPBLTY-CD	CHAR	( 1,	0)
		0	COMM_ADRS_ID_6572			CHAR	( 20,	0)
		0	COMM_FILE_NM_6575			CHAR	( 45,	0)
		0	EXTRNL_PASWD_6574			CHAR	( 15,	0)
		0	EXTRNL_USRID_6573			CHAR	( 8,	0)
		0	FTP_STAT_IND_2576	2576	FTP-STAT-IND-CD	CHAR	( 1,	0)
		0	NULL_MSG_IND_2577	2577	NULL-MSG-IND-CD	CHAR	( 1,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	( 12,	0)
710	ADP_CAO_TO_BATCH	0	DE_IMG_AFT.CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR	( 36,	0)
		0	DE_IMG_BEFG.CG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR	( 36,	0)
		0	RESTRT_COMMIT_9515	9515	RESTART-COMMIT-ID	CHAR	( 8,	0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	( 1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	( 8,	0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP	( 10,	0)
711	HCC_TABLE	0	HCC_ABRV_DEF_9077	9077	HCC-ABRV-DEF-TX	CHAR	( 40,	0)
		0	HCC_GP_9079	9079	HCC-GP-TX	CHAR	( 60,	0)
		1	HCC_2579	2579	HZRD-CHAR-CD	CHAR	( 2,	0)
715	SP_PROJ_MM_OUT	0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	( 1500,	0)
		1	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	( 4,	0)
		2	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	( 12,	0)
		3	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	( 2,	0)
		4	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	( 1,	0)
		5	USER_DEF_FLG_9803	9803	TM-USER-DEF-FLG	CHAR	( 1,	0)
		6	OP_SEQ_FLD_9801	9801	TM-OP-SEQ-FLD	CHAR	( 25,	0)
		7	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	( 4,	0)
716	IMCA_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
717	SSP_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
718	STDZN_SUB_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
719	AR_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
720	AF_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
721	DIST_SEG_M_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
723	AMMO_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	( 4,	0)
724	NAME_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	( 1,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	( 5,	0)
		2	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	( 1,	0)
725	CAGE_CD_VALUES	0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	( 1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	( 8,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
728	AIR_S_HDLG_PART1	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	( 500,	0)
		1	AIR_S_HDLG_P1_4521	4521	AIR-SP-HDLG-PT-1	CHAR	( 1,	0)
		2	AIR_S_HDLG_S1_4522	4522	AIR-SP-HDLG-SUB-1	CHAR	( 1,	0)
		3	AIR_S_HDLG_S2_4523	4523	AIR-SP-HDLG-SUB-2	CHAR	( 1,	0)
729	AIR_S_HDLG_PART2	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	( 500,	0)
		1	AIR_S_HDLG_P2_4524	4524	AIR-SP-HDLG-PT-2	CHAR	( 1,	0)
730	MOE_RULE_RPLM_DATA	1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	( 4,	0)
		2	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
732	EXTD_FRT_DEST_DATA	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER ( 4, 0)
		0	EXTD_FRT_DESC_0041	0041	EXTD-FRT-DESC	VARCHAR ( 250, 0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR ( 1, 0)
		1	NMFC_2850	2850	NMFC-CD	CHAR ( 6, 0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR ( 1, 0)
733	M_RL_FSC_G_MGT_EX	0	INCL_EXCL_CD_4497	4497	INCL-EXCL-CD	CHAR ( 1, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR ( 4, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
734	FST_POS_MOE_EDIT	1	FST_POS_MR_4495	4495	FST-POS-MR	CHAR ( 1, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
735	IMM_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
736	TEXT_TABLES	0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR ( 78, 0)
		0	TX_TB_HDR_IND_3453	3453	TX-TAB-HDR-IND	CHAR ( 1, 0)
		1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT ( 2, 0)
		2	TBL_NBR_1298	1298	TBL-NBR	INTEGER ( 4, 0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER ( 4, 0)
739	TRN_DIC_OAC_DTL	0	DIC_STAT_CNT_5355	5355	DIC-OAC-DEPT-TOT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5357	5357	DIC-OAC-DEPT-TOT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5359	5359	DIC-OAC-DEPT-TOT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5360	5360	DIC-OAC-DEPT-TOT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5361	5361	DIC-OAC-DEPT-TOT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5362	5362	DIC-OAC-DEPT-TOT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5363	5363	DIC-OAC-DEPT-TOT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6799	6799	DIC-OAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6800	6800	DIC-OAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6803	6803	DIC-OAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6805	6805	DIC-OAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6836	6836	DIC-OAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6837	6837	DIC-OAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6838	6838	DIC-OAC-CLRCL	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
740	TRN_DIC_OAC_A	0	DIC_STAT_CNT_5355	5355	DIC-OAC-DEPT-TOT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5357	5357	DIC-OAC-DEPT-TOT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5359	5359	DIC-OAC-DEPT-TOT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5360	5360	DIC-OAC-DEPT-TOT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5361	5361	DIC-OAC-DEPT-TOT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5362	5362	DIC-OAC-DEPT-TOT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5363	5363	DIC-OAC-DEPT-TOT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6799	6799	DIC-OAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6800	6800	DIC-OAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6803	6803	DIC-OAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6805	6805	DIC-OAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6836	6836	DIC-OAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6837	6837	DIC-OAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6838	6838	DIC-OAC-CLRCL	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
741	ISC_DATA_TOT	4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	ISC_STAT_CNT_5740	5740	ISC-FSG-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER ( 4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	ISC_STAT_CNT_5740	5740	ISC-FSG-NSN	INTEGER ( 4, 0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER ( 4, 0)
742	ISC_DATA_TOT_A	0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER ( 4, 0)
744	FCS_GOALS_DEPT_DTL	0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER ( 4, 0)
745	FCS_GOALS_DEPT_D_A	0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER ( 4, 0)
746	CIIM_RTRN_ACTN_DRN	0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER ( 4, 0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
		1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR ( 2, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR ( 1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
747	TRANS_HIST_EXTENTS	2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT ( 2, 0)
		0	MCHG_STAT_CNT_6848	6848	MGMTCHG-DP-NEW-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6849	6849	MGMTCHG-DP-NEW-MGR-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6851	6851	MGMTCHG-DP-REACT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	MCHG_STAT_CNT_6848	6848	MGMTCHG-DP-NEW-NSN	INTEGER ( 4, 0)
749	MGMT_CHG_DEPT	0	MCHG_STAT_CNT_6849	6849	MGMTCHG-DP-NEW-MGR-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6851	6851	MGMTCHG-DP-REACT-NSN	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		0	MCHG_STAT_CNT_6848	6848	MGMTCHG-DP-NEW-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6849	6849	MGMTCHG-DP-NEW-MGR-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6851	6851	MGMTCHG-DP-REACT-NSN	INTEGER ( 4, 0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER ( 4, 0)

2 - 108

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
761	SCRN_PRONIIN	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	PRON_STAT_CNT_6209	6209	SCN-PRO-NSN-DP-CUR-MTH	INTEGER	(	4, 0)
		0	PRON_STAT_CNT_6210	6210	SCN-PRO-NSN-DP-CUR-NMTH	INTEGER	(	4, 0)
		0	PRON_STAT_CNT_6211	6211	SCN-PRO-NSN-DP-CUR-REJ	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
762	SCRN_PRONIIN_A	0	PRON_STAT_CNT_6209	6209	SCN-PRO-NSN-DP-CUR-MTH	INTEGER	(	4, 0)
		0	PRON_STAT_CNT_6210	6210	SCN-PRO-NSN-DP-CUR-NMTH	INTEGER	(	4, 0)
		0	PRON_STAT_CNT_6211	6211	SCN-PRO-NSN-DP-CUR-REJ	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	ICWD_STAT_CNT_5779	5779	ICWD-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)
763	COMALTY_MGD_TOT	0	ICWD_STAT_CNT_5780	5780	ICWD-ALL-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5781	5781	ICWD-ALL-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5782	5782	ICWD-ALL-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5783	5783	ICWD-ALL-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5784	5784	ICWD-ALL-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5785	5785	ICWD-ALL-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5786	5786	ICWD-IM-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5787	5787	ICWD-IM-ALL-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5788	5788	ICWD-IM-ALL-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5789	5789	ICWD-IM-ALL-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5790	5790	ICWD-IM-ALL-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5791	5791	ICWD-IM-ALL-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5792	5792	ICWD-IM-ALL-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5793	5793	ICWD-LA-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5794	5794	ICWD-LA-ALL-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5795	5795	ICWD-LA-ALL-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5796	5796	ICWD-LA-ALL-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5797	5797	ICWD-LA-ALL-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5798	5798	ICWD-LA-ALL-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5799	5799	ICWD-LA-ALL-OGOV	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
764	COMALTY_MGD_TOT_A	0	ICWD_STAT_CNT_5779	5779	ICWD-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5780	5780	ICWD-ALL-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5781	5781	ICWD-ALL-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5782	5782	ICWD-ALL-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5783	5783	ICWD-ALL-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5784	5784	ICWD-ALL-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5785	5785	ICWD-ALL-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5786	5786	ICWD-IM-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5787	5787	ICWD-IM-ALL-DOD-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5788	5788	ICWD-IM-ALL-DOD-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5789	5789	ICWD-IM-ALL-DOD	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5790	5790	ICWD-IM-ALL-CI-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5791	5791	ICWD-IM-ALL-CI	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5792	5792	ICWD-IM-ALL-OGOV	INTEGER	(	4, 0)
		0	ICWD_STAT_CNT_5793	5793	ICWD-LA-ALL-DOD-CI-OGOV	INTEGER	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	ICWD_STAT_CNT_5794	5794	ICWD-LA-ALL-DOD-CI	INTEGER	( 4,	0)
		0	ICWD_STAT_CNT_5795	5795	ICWD-LA-ALL-DOD-OGOV	INTEGER	( 4,	0)
		0	ICWD_STAT_CNT_5796	5796	ICWD-LA-ALL-DOD	INTEGER	( 4,	0)
		0	ICWD_STAT_CNT_5797	5797	ICWD-LA-ALL-CI-OGOV	INTEGER	( 4,	0)
		0	ICWD_STAT_CNT_5798	5798	ICWD-LA-ALL-CI	INTEGER	( 4,	0)
		0	ICWD_STAT_CNT_5799	5799	ICWD-LA-ALL-OGOV	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	( 7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
770	DIC_RTN_CD_ED_CRIT	5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	( 1,	0)
771	SEG_RTN_CD_ED_CRIT	0	FILE_VAL_IND_4584	4584	FILE-VAL-IND	CHAR	( 1,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	( 2,	0)
		1	IN_EX_IND_4581	4581	INTRNL-EXTRNL-IND	CHAR	( 1,	0)
		4	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	( 2,	0)
		5	ROW_NBR_4518	4518	ROW-NBR	INTEGER	( 4,	0)
		6	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	( 1,	0)
772	GIRDER	0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR	( 1,	0)
		0	DAC_2640	2640	DAC	CHAR	( 1,	0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	( 2,	0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	( 2,	0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	( 5,	0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	( 32,	0)
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	( 58,	0)
		0	NSN_3960	3960	ASGND-NSN	CHAR	( 13,	0)
		0	PICA_2866	2866	PICA	CHAR	( 2,	0)
		0	RNAAC_2900	2900	RNAAC	CHAR	( 2,	0)
		0	RNCC_2910	2910	RNCC	CHAR	( 1,	0)
		0	RNVC_4780	4780	RNVC	CHAR	( 1,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	( 19,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	( 32,	0)
		3	GRDR_SEQ_NBR_4543	4543	GIRDER-SEQ-NBR	INTEGER	( 4,	0)
773	GIRDER_LTI	0	PICA_2866	2866	PICA	CHAR	( 2,	0)
		0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR	( 80,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	( 10,	0)
774	TRANS_HIST_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	( 3,	0)
		0	FSC_3990	3990	ASGND-FSC	CHAR	( 4,	0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	( 9,	0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	( 10,	0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	( 17,	0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	( 4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
775	TRANS_HIST_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	( 1,	0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	( 1127,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	( 3,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	( 2,	0)
776	TRANS_SUSP_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	( 6,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
777	TRANS_SUSP_MAST	0	DIC_3920	3920	DOC-ID-CD	CHAR	( 3,	0)
		0	FSC_3990	3990	ASGND-FSC	CHAR	( 4,	0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	( 9,	0)
		0	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTAMP	( 10,	0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	( 17,	0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	( 4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	( 2,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	( 10,	0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	( 2,	0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	( 1,	0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	( 10,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	( 1,	0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	( 1,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
778	TRANS_SUSP_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	( 1,	0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	( 1127,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	( 21,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	( 3,	0)
779	GIRDER_STATS	3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	( 2,	0)
		0	GC_PICA_LAR_1501	1501	GC-PICA-LAR-CNT	INTEGER	( 4,	0)
		0	GC_PICA_LCR_1502	1502	GC-PICA-LCR-CNT	INTEGER	( 4,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	GIRDER_CD_0808	0808	GIRDER-CD	CHAR	( 2,	0)
780	GIRDER_ERROR	3	PICA_2866	2866	PICA	CHAR	( 2,	0)
		0	GRDR_DUP_PROT_4547	4547	GIRDER-DUP-PROTECTED	CHAR	( 83,	0)
		0	GRDR_MFR_DATA_4546	4546	GIRDER-MFR-DATA	VARCHAR	( 100,	0)
		0	GRDR_MFR_PROT_4548	4548	GIRDER-MFR-PROTECTED	CHAR	( 83,	0)
		0	MSG_0983	0983	MSG	CHAR	( 66,	0)
781	GIRDER_EXCEPTION	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	( 2,	0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	( 2,	0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	( 5,	0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	( 32,	0)
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	( 58,	0)
		0	PICA_2866	2866	PICA	CHAR	( 2,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	( 10,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	( 5,	0)
782	LIMITED_DIST	2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	( 32,	0)
		3	NSN_3960	3960	ASGND-NSN	CHAR	( 13,	0)
		0	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR	( 2,	0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	( 1,	0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	( 1,	0)
		0	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR	( 5,	0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	( 6,	0)
		0	INC_4080	4080	INC	CHAR	( 5,	0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	( 1,	0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	( 1,	0)
		0	NSN_3960	3960	ASGND-NSN	CHAR	( 13,	0)
		0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	( 4,	0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	( 19,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE--LENGTH--DECIMAL
783	ACTIVITY_MEDIA_ID	0	TYP_IL_4820	4820	TYP-OF-II-CD	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR ( 2, 0)
		0	MINIMIZE_FLAG_9181	9181	MINIMIZE-FLAG	CHAR ( 1, 0)
		0	MIN_ALT_MED_9180	9180	MIN-ALT-MED	CHAR ( 2, 0)
		0	OP_DIST_FREQ_9804	9804	TM-OP-DIST-FREQ-CD	CHAR ( 1, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	RPTY_ID_2638	2638	RPTY-ID	CHAR ( 5, 0)
784	COMALTY_MS_S_TOT	3	EFF_DT_2128	2128	EFF-DT	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6495	6495	ICMS-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6497	6497	ICMS-FSC-ALL-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6499	6499	ICMS-FSC-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6501	6501	ICMS-FSC-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6503	6503	ICMS-FSC-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6515	6515	ICMS-IM-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6517	6517	ICMS-IM-ALL-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6519	6519	ICMS-IM-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6521	6521	ICMS-IM-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6523	6523	ICMS-IM-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6535	6535	ICMS-LA-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6538	6538	ICMS-LA-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6930	6930	ICMS-LA-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6932	6932	ICMS-LA-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6966	6966	ICMS-LA-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6968	6968	ICMS-LA-FSC-ALL-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6970	6970	ICMS-LA-FSC-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6972	6972	ICMS-LA-FSC-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6974	6974	ICMS-LA-FSC-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_8071	8071	ICMS-LA-ALL-AR-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
785	COMALTY_MS_S_TOT_A	0	ICMS_STAT_CNT_6495	6495	ICMS-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6497	6497	ICMS-FSC-ALL-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6499	6499	ICMS-FSC-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6501	6501	ICMS-FSC-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6503	6503	ICMS-FSC-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6515	6515	ICMS-IM-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6517	6517	ICMS-IM-ALL-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6519	6519	ICMS-IM-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6521	6521	ICMS-IM-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6523	6523	ICMS-IM-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6535	6535	ICMS-LA-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6538	6538	ICMS-LA-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6930	6930	ICMS-LA-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6932	6932	ICMS-LA-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6966	6966	ICMS-LA-FSC-ALL-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6968	6968	ICMS-LA-FSC-ALL-AR-MM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH--DECIMAL
786	COMALTY_MS_S_DTL	0	ICMS_STAT_CNT_6970	6970	ICMS-LA-FSC-ALL-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6972	6972	ICMS-LA-FSC-ALL-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6974	6974	ICMS-LA-FSC-ALL-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_8071	8071	ICMS-LA-ALL-AR-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	ICMS_STAT_CNT_6505	6505	ICMS-FSC-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6507	6507	ICMS-FSC-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6509	6509	ICMS-FSC-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6511	6511	ICMS-FSC-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6513	6513	ICMS-FSC-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6525	6525	ICMS-IM-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6527	6527	ICMS-IM-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6529	6529	ICMS-IM-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6531	6531	ICMS-IM-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6533	6533	ICMS-IM-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6928	6928	ICMS-LA-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6958	6958	ICMS-LA-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6960	6960	ICMS-LA-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6962	6962	ICMS-LA-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6964	6964	ICMS-LA-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6976	6976	ICMS-LA-FSC-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6978	6978	ICMS-LA-FSC-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_7081	7081	ICMS-LA-FSC-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_7083	7083	ICMS-LA-FSC-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_7085	7085	ICMS-LA-FSC-LC-MC-MM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR ( 12, 0)
787	COMALTY_MS_S_DTL_A	0	ICMS_STAT_CNT_6505	6505	ICMS-FSC-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6507	6507	ICMS-FSC-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6509	6509	ICMS-FSC-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6511	6511	ICMS-FSC-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6513	6513	ICMS-FSC-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6525	6525	ICMS-IM-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6527	6527	ICMS-IM-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6529	6529	ICMS-IM-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6531	6531	ICMS-IM-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6533	6533	ICMS-IM-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6928	6928	ICMS-LA-ALL-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6958	6958	ICMS-LA-ALL-LC-AR-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6960	6960	ICMS-LA-ALL-LC-NA-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6962	6962	ICMS-LA-ALL-LC-AF-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6964	6964	ICMS-LA-ALL-LC-MC-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6976	6976	ICMS-LA-FSC-LC-MS-MM	INTEGER ( 4, 0)
		0	ICMS_STAT_CNT_6978	6978	ICMS-LA-FSC-LC-AR-MM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
788	COMALTY_MS_D_TOT	0	ICMS_STAT_CNT_7081	7081	ICMS-LA-FSC-LC-NA-MM	INTEGER	( 4,	0)
		0	ICMS_STAT_CNT_7083	7083	ICMS-LA-FSC-LC-AF-MM	INTEGER	( 4,	0)
		0	ICMS_STAT_CNT_7085	7085	ICMS-LA-FSC-LC-MC-MM	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	( 7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR	( 12,	0)
		0	ICMD_STAT_CNT_5864	5864	ICMD-LA-FSC-ALL-ANFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5865	5865	ICMD-LA-FSC-ALL-ANF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5866	5866	ICMD-LA-FSC-ALL-ANM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5867	5867	ICMD-LA-FSC-ALL-AN	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5869	5869	ICMD-LA-FSC-ALL-AFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5870	5870	ICMD-LA-FSC-ALL-AF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5871	5871	ICMD-LA-FSC-ALL-AM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5872	5872	ICMD-LA-FSC-ALL-A	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5873	5873	ICMD-LA-FSC-ALL-NFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5874	5874	ICMD-LA-FSC-ALL-NF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5875	5875	ICMD-LA-FSC-ALL-NM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5876	5876	ICMD-LA-FSC-ALL-N	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5877	5877	ICMD-LA-FSC-ALL-FM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5878	5878	ICMD-LA-FSC-ALL-F	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_5879	5879	ICMD-LA-FSC-ALL-M	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7087	7087	ICMD-FSC-ALL-ANFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7088	7088	ICMD-FSC-ALL-ANF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7089	7089	ICMD-FSC-ALL-ANM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7090	7090	ICMD-FSC-ALL-AN	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7091	7091	ICMD-FSC-ALL-AFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7092	7092	ICMD-FSC-ALL-AF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7093	7093	ICMD-FSC-ALL-AM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7094	7094	ICMD-FSC-ALL-A	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7095	7095	ICMD-FSC-ALL-NFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7096	7096	ICMD-FSC-ALL-NF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7097	7097	ICMD-FSC-ALL-NM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7098	7098	ICMD-FSC-ALL-N	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7099	7099	ICMD-FSC-ALL-FM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7100	7100	ICMD-FSC-ALL-F	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7101	7101	ICMD-FSC-ALL-M	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7117	7117	ICMD-IM-ALL-ANFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7118	7118	ICMD-IM-ALL-ANF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7119	7119	ICMD-IM-ALL-ANM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7120	7120	ICMD-IM-ALL-AN	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7121	7121	ICMD-IM-ALL-AFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7122	7122	ICMD-IM-ALL-AF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7123	7123	ICMD-IM-ALL-AM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7124	7124	ICMD-IM-ALL-A	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7125	7125	ICMD-IM-ALL-NFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7126	7126	ICMD-IM-ALL-NF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7127	7127	ICMD-IM-ALL-NM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7128	7128	ICMD-IM-ALL-N	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7129	7129	ICMD-IM-ALL-FM	INTEGER	( 4,	0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICMD_STAT_CNT_7130	7130	ICMD-IM-ALL-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7131	7131	ICMD-IM-ALL-M	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7147	7147	ICMD-LA-ALL-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7148	7148	ICMD-LA-ALL-ANF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7149	7149	ICMD-LA-ALL-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7150	7150	ICMD-LA-ALL-AN	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7151	7151	ICMD-LA-ALL-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7152	7152	ICMD-LA-ALL-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7153	7153	ICMD-LA-ALL-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7154	7154	ICMD-LA-ALL-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7155	7155	ICMD-LA-ALL-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7156	7156	ICMD-LA-ALL-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7157	7157	ICMD-LA-ALL-NM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7158	7158	ICMD-LA-ALL-N	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7159	7159	ICMD-LA-ALL-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7160	7160	ICMD-LA-ALL-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7161	7161	ICMD-LA-ALL-M	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
789	COMALTY_MS_D_TOT_A	0	ICMD_STAT_CNT_5864	5864	ICMD-LA-FSC-ALL-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5865	5865	ICMD-LA-FSC-ALL-ANF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5866	5866	ICMD-LA-FSC-ALL-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5867	5867	ICMD-LA-FSC-ALL-AN	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5869	5869	ICMD-LA-FSC-ALL-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5870	5870	ICMD-LA-FSC-ALL-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5871	5871	ICMD-LA-FSC-ALL-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5872	5872	ICMD-LA-FSC-ALL-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5873	5873	ICMD-LA-FSC-ALL-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5874	5874	ICMD-LA-FSC-ALL-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5875	5875	ICMD-LA-FSC-ALL-NM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5876	5876	ICMD-LA-FSC-ALL-N	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5877	5877	ICMD-LA-FSC-ALL-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5878	5878	ICMD-LA-FSC-ALL-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_5879	5879	ICMD-LA-FSC-ALL-M	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7087	7087	ICMD-FSC-ALL-ANFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7088	7088	ICMD-FSC-ALL-ANF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7089	7089	ICMD-FSC-ALL-ANM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7090	7090	ICMD-FSC-ALL-AN	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7091	7091	ICMD-FSC-ALL-AFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7092	7092	ICMD-FSC-ALL-AF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7093	7093	ICMD-FSC-ALL-AM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7094	7094	ICMD-FSC-ALL-A	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7095	7095	ICMD-FSC-ALL-NFM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7096	7096	ICMD-FSC-ALL-NF	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7097	7097	ICMD-FSC-ALL-NM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7098	7098	ICMD-FSC-ALL-N	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7099	7099	ICMD-FSC-ALL-FM	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7100	7100	ICMD-FSC-ALL-F	INTEGER ( 4, 0)
		0	ICMD_STAT_CNT_7101	7101	ICMD-FSC-ALL-M	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_7117	7117	ICMD-IM-ALL-ANFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7118	7118	ICMD-IM-ALL-ANF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7119	7119	ICMD-IM-ALL-ANM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7120	7120	ICMD-IM-ALL-AN	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7121	7121	ICMD-IM-ALL-AFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7122	7122	ICMD-IM-ALL-AF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7123	7123	ICMD-IM-ALL-AM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7124	7124	ICMD-IM-ALL-A	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7125	7125	ICMD-IM-ALL-NFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7126	7126	ICMD-IM-ALL-NF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7127	7127	ICMD-IM-ALL-NM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7128	7128	ICMD-IM-ALL-N	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7129	7129	ICMD-IM-ALL-FM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7130	7130	ICMD-IM-ALL-F	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7131	7131	ICMD-IM-ALL-M	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7147	7147	ICMD-LA-ALL-ANFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7148	7148	ICMD-LA-ALL-ANF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7149	7149	ICMD-LA-ALL-ANM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7150	7150	ICMD-LA-ALL-AN	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7151	7151	ICMD-LA-ALL-AFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7152	7152	ICMD-LA-ALL-AF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7153	7153	ICMD-LA-ALL-AM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7154	7154	ICMD-LA-ALL-A	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7155	7155	ICMD-LA-ALL-NFM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7156	7156	ICMD-LA-ALL-NF	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7157	7157	ICMD-LA-ALL-NM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7158	7158	ICMD-LA-ALL-N	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7159	7159	ICMD-LA-ALL-FM	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7160	7160	ICMD-LA-ALL-F	INTEGER	( 4,	0)
		0	ICMD_STAT_CNT_7161	7161	ICMD-LA-ALL-M	INTEGER	( 4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	( 6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	( 2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	( 7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	( 2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	( 2,	0)
790	COMALTY_DDOD_TOT	0	ICDD_STAT_CNT_5949	5949	ICDD-FSC-ALL-MS-IM-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5950	5950	ICDD-FSC-ALL-MS-IM	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5951	5951	ICDD-FSC-ALL-MS-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5952	5952	ICDD-FSC-ALL-MS	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5953	5953	ICDD-FSC-ALL-IM-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5954	5954	ICDD-FSC-ALL-IM	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5955	5955	ICDD-FSC-ALL-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5963	5963	ICDD-IM-ALL-MS-IM-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5964	5964	ICDD-IM-ALL-MS-IM	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5965	5965	ICDD-IM-ALL-MS-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5966	5966	ICDD-IM-ALL-MS	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5967	5967	ICDD-IM-ALL-IM-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5968	5968	ICDD-IM-ALL-IM	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_5969	5969	ICDD-IM-ALL-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_6467	6467	ICDD-LA-ALL-MS-IM-OD	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_6468	6468	ICDD-LA-ALL-MS-IM	INTEGER	( 4,	0)
		0	ICDD_STAT_CNT_6469	6469	ICDD-LA-ALL-MS-OD	INTEGER	( 4,	0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE-LENGTH-DECIMAL
791	COMALTY_DDOD_TOT_A	0	ICDD_STAT_CNT_6470	6470	ICDD-LA-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6471	6471	ICDD-LA-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6472	6472	ICDD-LA-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6473	6473	ICDD-LA-ALL-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6481	6481	ICDD-LA-FSC-ALL-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6482	6482	ICDD-LA-FSC-ALL-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6483	6483	ICDD-LA-FSC-ALL-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6484	6484	ICDD-LA-FSC-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6485	6485	ICDD-LA-FSC-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6486	6486	ICDD-LA-FSC-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6487	6487	ICDD-LA-FSC-ALL-OD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	ICDD_STAT_CNT_5949	5949	ICDD-FSC-ALL-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5950	5950	ICDD-FSC-ALL-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5951	5951	ICDD-FSC-ALL-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5952	5952	ICDD-FSC-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5953	5953	ICDD-FSC-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5954	5954	ICDD-FSC-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5955	5955	ICDD-FSC-ALL-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5963	5963	ICDD-IM-ALL-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5964	5964	ICDD-IM-ALL-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5965	5965	ICDD-IM-ALL-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5966	5966	ICDD-IM-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5967	5967	ICDD-IM-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5968	5968	ICDD-IM-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5969	5969	ICDD-IM-ALL-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6467	6467	ICDD-LA-ALL-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6468	6468	ICDD-LA-ALL-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6469	6469	ICDD-LA-ALL-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6470	6470	ICDD-LA-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6471	6471	ICDD-LA-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6472	6472	ICDD-LA-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6473	6473	ICDD-LA-ALL-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6481	6481	ICDD-LA-FSC-ALL-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6482	6482	ICDD-LA-FSC-ALL-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6483	6483	ICDD-LA-FSC-ALL-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6484	6484	ICDD-LA-FSC-ALL-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6485	6485	ICDD-LA-FSC-ALL-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6486	6486	ICDD-LA-FSC-ALL-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6487	6487	ICDD-LA-FSC-ALL-OD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
792	COMALTY_DDOD_DTL	0	ICDD_STAT_CNT_5956	5956	ICDD-FSC-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5957	5957	ICDD-FSC-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5958	5958	ICDD-FSC-ALL-LC-MS-OD	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICDD_STAT_CNT_5959	5959	ICDD-FSC-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5960	5960	ICDD-FSC-ALL-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5961	5961	ICDD-FSC-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5962	5962	ICDD-FSC-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6460	6460	ICDD-IM-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6461	6461	ICDD-IM-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6462	6462	ICDD-IM-ALL-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6463	6463	ICDD-IM-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6464	6464	ICDD-IM-ALL-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6465	6465	ICDD-IM-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6466	6466	ICDD-IM-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6474	6474	ICDD-LA-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6475	6475	ICDD-LA-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6476	6476	ICDD-LA-ALL-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6477	6477	ICDD-LA-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6478	6478	ICDD-LA-ALL-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6479	6479	ICDD-LA-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6480	6480	ICDD-LA-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6488	6488	ICDD-LA-FSC-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6489	6489	ICDD-LA-FSC-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6490	6490	ICDD-LA-FSC-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6491	6491	ICDD-LA-FSC-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6492	6492	ICDD-LA-FSC-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6493	6493	ICDD-LA-FSC-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6494	6494	ICDD-LA-FSC-LC-OD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR ( 7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR ( 12, 0)
793	COMALTY_DDOD_DTL_A	0	ICDD_STAT_CNT_5956	5956	ICDD-FSC-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5957	5957	ICDD-FSC-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5958	5958	ICDD-FSC-ALL-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5959	5959	ICDD-FSC-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5961	5961	ICDD-FSC-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_5962	5962	ICDD-FSC-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6460	6460	ICDD-IM-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6461	6461	ICDD-IM-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6462	6462	ICDD-IM-ALL-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6463	6463	ICDD-IM-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6464	6464	ICDD-IM-ALL-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6465	6465	ICDD-IM-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6466	6466	ICDD-IM-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6474	6474	ICDD-LA-ALL-LC-MS-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6475	6475	ICDD-LA-ALL-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6476	6476	ICDD-LA-ALL-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6477	6477	ICDD-LA-ALL-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6478	6478	ICDD-LA-ALL-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6479	6479	ICDD-LA-ALL-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6480	6480	ICDD-LA-ALL-LC-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6488	6488	ICDD-LA-FSC-LC-MS-IM-OD	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	ICDD_STAT_CNT_6489	6489	ICDD-LA-FSC-LC-MS-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6490	6490	ICDD-LA-FSC-LC-MS-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6491	6491	ICDD-LA-FSC-LC-MS	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6492	6492	ICDD-LA-FSC-LC-IM-OD	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6493	6493	ICDD-LA-FSC-LC-IM	INTEGER ( 4, 0)
		0	ICDD_STAT_CNT_6494	6494	ICDD-LA-FSC-LC-OD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
794	FCS_GOAL_ACTY_DTL	0	M3C1_STAT_CNT_1634	1634	M3C1-D-AT-MG	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1635	1635	M3C1-D-AT-DM	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1636	1636	M3C1-D-AT-DM-G	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1638	1638	M3C1-D-AT-AIN	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1639	1639	M3C1-D-AT-AIN-G	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1641	1641	M3C1-D-AT-RN	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1642	1642	M3C1-D-AT-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
795	FCS_GOAL_ACTY_D_A	0	M3C1_STAT_CNT_1634	1634	M3C1-D-AT-MG	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1635	1635	M3C1-D-AT-DM	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1636	1636	M3C1-D-AT-DM-G	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1638	1638	M3C1-D-AT-AIN	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1639	1639	M3C1-D-AT-AIN-G	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1641	1641	M3C1-D-AT-RN	INTEGER ( 4, 0)
		0	M3C1_STAT_CNT_1642	1642	M3C1-D-AT-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
796	FCS_GOAL_FSC_D_DTL	0	M3B_STAT_CNT_1624	1624	M3B-FSC-D-LOA-MG	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1625	1625	M3B-FSC-D-LOA-DM	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1626	1626	M3B-FSC-D-LOA-DM-G	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1628	1628	M3B-FSC-D-LOA-AIN	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1629	1629	M3B-FSC-D-LOA-AIN-G	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1631	1631	M3B-FSC-D-LOA-RN	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1632	1632	M3B-FSC-D-LOA-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR ( 2, 0)
797	FCS_GOAL_FSC_D_D_A	0	M3B_STAT_CNT_1624	1624	M3B-FSC-D-LOA-MG	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1625	1625	M3B-FSC-D-LOA-DM	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1626	1626	M3B-FSC-D-LOA-DM-G	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1628	1628	M3B-FSC-D-LOA-AIN	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1629	1629	M3B-FSC-D-LOA-AIN-G	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1631	1631	M3B-FSC-D-LOA-RN	INTEGER ( 4, 0)
		0	M3B_STAT_CNT_1632	1632	M3B-FSC-D-LOA-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
798	FCS_GOAL_FSC_D_TOT	5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M3BC_STAT_CNT_1614	1614	M3BC-FSC-D-MG	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1615	1615	M3BC-FSC-D-DM	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1616	1616	M3BC-FSC-D-DM-G	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1618	1618	M3BC-FSC-D-AIN	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1619	1619	M3BC-FSC-D-AIN-G	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1621	1621	M3BC-FSC-D-RN	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1622	1622	M3BC-FSC-D-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	M3BC_STAT_CNT_1614	1614	M3BC-FSC-D-MG	INTEGER	(	4, 0)
799	FCS_GOAL_FSC_D_T_A	0	M3BC_STAT_CNT_1615	1615	M3BC-FSC-D-DM	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1616	1616	M3BC-FSC-D-DM-G	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1618	1618	M3BC-FSC-D-AIN	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1619	1619	M3BC-FSC-D-AIN-G	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1621	1621	M3BC-FSC-D-RN	INTEGER	(	4, 0)
		0	M3BC_STAT_CNT_1622	1622	M3BC-FSC-D-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		0	M3C2_STAT_CNT_6295	6295	M3C2-FSC-D-AT-LOA-MG	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6296	6296	M3C2-FSC-D-AT-LOA-DM-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6298	6298	M3C2-FSC-D-AT-LOA-AIN	INTEGER	(	4, 0)
800	FCS_GOAL_FSC_A_DTL	0	M3C2_STAT_CNT_6299	6299	M3C2-FSC-D-AT-LOA-AIN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6301	6301	M3C2-FSC-D-AT-LOA-RN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6302	6302	M3C2-FSC-D-AT-LOA-RN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6650	6650	M3C2-FSC-D-AT-LOA-DM	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M3C2_STAT_CNT_6295	6295	M3C2-FSC-D-AT-LOA-MG	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6296	6296	M3C2-FSC-D-AT-LOA-DM-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6298	6298	M3C2-FSC-D-AT-LOA-AIN	INTEGER	(	4, 0)
801	FCS_GOAL_FSC_A_D_A	0	M3C2_STAT_CNT_6299	6299	M3C2-FSC-D-AT-LOA-AIN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6301	6301	M3C2-FSC-D-AT-LOA-RN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6302	6302	M3C2-FSC-D-AT-LOA-RN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6650	6650	M3C2-FSC-D-AT-LOA-DM	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	(	2, 0)
		0	M3C2_STAT_CNT_1644	1644	M3C2-FSC-D-AT-MG	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1645	1645	M3C2-FSC-D-AT-DM	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1646	1646	M3C2-FSC-D-AT-DM-G	INTEGER	(	4, 0)

CHAPTER 2  
DATA DICTIONARY  
GROUP TABLE NO. TO  
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
803	FCS_GOAL_FSC_A_T_A	0	M3C2_STAT_CNT_1648	1648	M3C2-FSC-D-AT-AIN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1649	1649	M3C2-FSC-D-AT-AIN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6292	6292	M3C2-FSC-D-AT-RN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6293	6293	M3C2-FSC-D-AT-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	M3C2_STAT_CNT_1644	1644	M3C2-FSC-D-AT-MG	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1645	1645	M3C2-FSC-D-AT-DM	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1646	1646	M3C2-FSC-D-AT-DM-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1648	1648	M3C2-FSC-D-AT-AIN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_1649	1649	M3C2-FSC-D-AT-AIN-G	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6292	6292	M3C2-FSC-D-AT-RN	INTEGER	(	4, 0)
		0	M3C2_STAT_CNT_6293	6293	M3C2-FSC-D-AT-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
804	FCS_GOAL_D_F_A_TOT	5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		0	M3D_STAT_CNT_6304	6304	M3D-D-MG	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6305	6305	M3D-D-DM	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6306	6306	M3D-D-DM-G	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6308	6308	M3D-D-AIN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6309	6309	M3D-D-AIN-G	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6312	6312	M3D-D-RN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6313	6313	M3D-D-RN-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6342	6342	M3E-FSC-D-MG	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6343	6343	M3E-FSC-D-DM	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6344	6344	M3E-FSC-D-DM-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6346	6346	M3E-FSC-D-AIN	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6347	6347	M3E-FSC-D-AIN-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6349	6349	M3E-FSC-D-RN	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6350	6350	M3E-FSC-D-RN-G	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
805	FCS_GOAL_D_F_A_T_A	0	M3D_STAT_CNT_6304	6304	M3D-D-MG	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6305	6305	M3D-D-DM	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6306	6306	M3D-D-DM-G	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6308	6308	M3D-D-AIN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6309	6309	M3D-D-AIN-G	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6312	6312	M3D-D-RN	INTEGER	(	4, 0)
		0	M3D_STAT_CNT_6313	6313	M3D-D-RN-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6342	6342	M3E-FSC-D-MG	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6343	6343	M3E-FSC-D-DM	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6344	6344	M3E-FSC-D-DM-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6346	6346	M3E-FSC-D-AIN	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6347	6347	M3E-FSC-D-AIN-G	INTEGER	(	4, 0)
		0	M3E_STAT_CNT_6349	6349	M3E-FSC-D-RN	INTEGER	(	4, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO

### DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
808	TRN_QDIC_OAC_ST	0	M3E_STAT_CNT_6350	6350	M3E-FSC-D-RN-G	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	QDIC_STAT_CNT_6816	6816	QDIC-OAC-DIC-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6817	6817	QDIC-OAC-DIC-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6818	6818	QDIC-OAC-DIC-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6819	6819	QDIC-OAC-DIC-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6820	6820	QDIC-OAC-DIC-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6823	6823	QDIC-OAC-DIC-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6825	6825	QDIC-OAC-DIC-RECVD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
809	TRN_QDIC_OAC_ST_A	0	QDIC_STAT_CNT_6816	6816	QDIC-OAC-DIC-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6817	6817	QDIC-OAC-DIC-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6818	6818	QDIC-OAC-DIC-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6819	6819	QDIC-OAC-DIC-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6820	6820	QDIC-OAC-DIC-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6823	6823	QDIC-OAC-DIC-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6825	6825	QDIC-OAC-DIC-RECVD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	QDIC_STAT_CNT_5422	5422	QDIC-ALL-OAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5424	5424	QDIC-ALL-OAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5426	5426	QDIC-ALL-OAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5427	5427	QDIC-ALL-OAC-DEPT-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5428	5428	QDIC-ALL-OAC-DEPT-CLRCL	INTEGER ( 4, 0)
810	TRN_QDIC_OAC_DPT	0	QDIC_STAT_CNT_5429	5429	QDIC-ALL-OAC-DEPT-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5430	5430	QDIC-ALL-OAC-DEPT-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5442	5442	QDIC-OAC-TOT-RECVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5444	5444	QDIC-OAC-TOT-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5446	5446	QDIC-OAC-TOT-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5447	5447	QDIC-OAC-TOT-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5448	5448	QDIC-OAC-TOT-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5449	5449	QDIC-OAC-TOT-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5450	5450	QDIC-OAC-TOT-NIINST	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	QDIC_STAT_CNT_5422	5422	QDIC-ALL-OAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5424	5424	QDIC-ALL-OAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5426	5426	QDIC-ALL-OAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5427	5427	QDIC-ALL-OAC-DEPT-PDUPS	INTEGER ( 4, 0)
811	TRN_QDIC_OAC_DPT_A	0	QDIC_STAT_CNT_5428	5428	QDIC-ALL-OAC-DEPT-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5429	5429	QDIC-ALL-OAC-DEPT-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5430	5430	QDIC-ALL-OAC-DEPT-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5442	5442	QDIC-OAC-TOT-RECVD	INTEGER ( 4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
813	U_I_CONVERTER_FACTOR	0	QDIC_STAT_CNT_5447	5447	QDIC-OAC-TOT-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5448	5448	QDIC-OAC-TOT-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5449	5449	QDIC-OAC-TOT-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_5450	5450	QDIC-OAC-TOT-NIINST	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		0	NEW_QUANT_EXP_3045	3045	NEW-QUANT-EXP	CHAR ( 13, 0)
		0	NEW_UI_TEXT_3047	3047	NEW-UI-TEXT	VARCHAR ( 50, 0)
		0	OLD_QUANT_EXP_3044	3044	OLD-QUANT-EXP	CHAR ( 13, 0)
		0	OUT_UI_TEXT_3046			VARCHAR ( 50, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR ( 5, 0)
		1	OLD_UI_CD_3041	3041	OLD-UI-CD	CHAR ( 2, 0)
		2	NEW_UI_CD_3042	3042	NEW-UI-CD	CHAR ( 2, 0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR ( 1, 0)
815	FIIG_VAL_TABLE	0	DWG_FIIG_INIT_4064	4064	DWG-FIIG-INTR-ID	CHAR ( 4, 0)
		0	DWG_FIIG_TI_9779	9779	DWG-FIIG-TI	VARCHAR ( 120, 0)
816	MASTER_DRAW_FILE	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR ( 5, 0)
		0	PHYS_TYP_IND_5074	5074	PHYS-TYP-IND	CHAR ( 1, 0)
818	TRN_DIC_OAC_TOT		DGTZD-			
		1	_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR ( 15, 0)
		2	PHYS_DWG_ID_5037	5037	PHYS-DWG-ID	CHAR ( 8, 0)
		0	DIC_STAT_CNT_5335	5335	DIC-ALL-OAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5337	5337	DIC-ALL-OAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5339	5339	DIC-ALL-OAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5340	5340	DIC-ALL-OAC-DEPT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5341	5341	DIC-ALL-OAC-DEPT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5342	5342	DIC-ALL-OAC-DEPT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5343	5343	DIC-ALL-OAC-DEPT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6806	6806	DIC-ALL-OAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6807	6807	DIC-ALL-OAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6808	6808	DIC-ALL-OAC-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6809	6809	DIC-ALL-OAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6810	6810	DIC-ALL-OAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6813	6813	DIC-ALL-OAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6815	6815	DIC-ALL-OAC-RECVD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
819	TRN_DIC_OAC_TOT_A	0	DIC_STAT_CNT_5335	5335	DIC-ALL-OAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5337	5337	DIC-ALL-OAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5339	5339	DIC-ALL-OAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5340	5340	DIC-ALL-OAC-DEPT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5341	5341	DIC-ALL-OAC-DEPT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5342	5342	DIC-ALL-OAC-DEPT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_5343	5343	DIC-ALL-OAC-DEPT-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6806	6806	DIC-ALL-OAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6807	6807	DIC-ALL-OAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6808	6808	DIC-ALL-OAC-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6809	6809	DIC-ALL-OAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6810	6810	DIC-ALL-OAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6813	6813	DIC-ALL-OAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6815	6815	DIC-ALL-OAC-RECVD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
820	TRN_DIC_SAC_TOT	2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	DIC_STAT_CNT_6789	6789	DIC-ALL-SAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6790	6790	DIC-ALL-SAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6791	6791	DIC-ALL-SAC-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6792	6792	DIC-ALL-SAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6793	6793	DIC-ALL-SAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6796	6796	DIC-ALL-SAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6798	6798	DIC-ALL-SAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7647	7647	DIC-ALL-SAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7649	7649	DIC-ALL-SAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7651	7651	DIC-ALL-SAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7652	7652	DIC-ALL-SAC-DEPT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7653	7653	DIC-ALL-SAC-DEPT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7654	7654	DIC-ALL-SAC-DEPT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9577	9577	DIC-ALL-SAC-DEPT-NIINST	INTEGER ( 4, 0)
821	TRN_DIC_SAC_TOT_A	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	DIC_STAT_CNT_6789	6789	DIC-ALL-SAC-NIINST	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6790	6790	DIC-ALL-SAC-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6791	6791	DIC-ALL-SAC-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6792	6792	DIC-ALL-SAC-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6793	6793	DIC-ALL-SAC-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6796	6796	DIC-ALL-SAC-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_6798	6798	DIC-ALL-SAC-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7647	7647	DIC-ALL-SAC-DEPT-RECVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7649	7649	DIC-ALL-SAC-DEPT-APRVD	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7651	7651	DIC-ALL-SAC-DEPT-ADUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7652	7652	DIC-ALL-SAC-DEPT-PDUPS	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7653	7653	DIC-ALL-SAC-DEPT-CLRCL	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_7654	7654	DIC-ALL-SAC-DEPT-RULES	INTEGER ( 4, 0)
		0	DIC_STAT_CNT_9577	9577	DIC-ALL-SAC-DEPT-NIINST	INTEGER ( 4, 0)
822	TRN_QDIC_SAC_ST	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		0	QDIC_STAT_CNT_6826	6826	QDIC-SAC-DIC-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6827	6827	QDIC-SAC-DIC-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6828	6828	QDIC-SAC-DIC-CLRCL	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6829	6829	QDIC-SAC-DIC-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6830	6830	QDIC-SAC-DIC-ADUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6833	6833	QDIC-SAC-DIC-APRVD	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6835	6835	QDIC-SAC-DIC-RECVD	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR ( 2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	QDIC_STAT_CNT_6826	6826	QDIC-SAC-DIC-NIINST	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6827	6827	QDIC-SAC-DIC-RULES	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6828	6828	QDIC-SAC-DIC-CLRCL	INTEGER ( 4, 0)
823	TRN_QDIC_SAC_ST_A	0	QDIC_STAT_CNT_6829	6829	QDIC-SAC-DIC-PDUPS	INTEGER ( 4, 0)
		0	QDIC_STAT_CNT_6830	6830	QDIC-SAC-DIC-ADUPS	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
824	TRN_QDIC_SAC_DPT	0	QDIC_STAT_CNT_6833	6833	QDIC-SAC-DIC-APRVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_6835	6835	QDIC-SAC-DIC-RECVD	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	(	3, 0)
		0	QDIC_STAT_CNT_5384	5384	QDIC-ALL-SAC-DEPT-RECVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5386	5386	QDIC-ALL-SAC-DEPT-APRVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5388	5388	QDIC-ALL-SAC-DEPT-ADUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5389	5389	QDIC-ALL-SAC-DEPT-PDUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5390	5390	QDIC-ALL-SAC-DEPT-CLRCL	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5391	5391	QDIC-ALL-SAC-DEPT-RULES	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5392	5392	QDIC-ALL-SAC-DEPT-NIINST	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5402	5402	QDIC-SAC-TOT-RECVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5406	5406	QDIC-SAC-TOT-APRVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5408	5408	QDIC-SAC-TOT-ADUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5409	5409	QDIC-SAC-TOT-PDUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5410	5410	QDIC-SAC-TOT-CLRCL	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5411	5411	QDIC-SAC-TOT-RULES	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5412	5412	QDIC-SAC-TOT-NIINST	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
825	TRN_QDIC_SAC_DPT_A	0	QDIC_STAT_CNT_5384	5384	QDIC-ALL-SAC-DEPT-RECVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5386	5386	QDIC-ALL-SAC-DEPT-APRVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5388	5388	QDIC-ALL-SAC-DEPT-ADUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5389	5389	QDIC-ALL-SAC-DEPT-PDUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5390	5390	QDIC-ALL-SAC-DEPT-CLRCL	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5391	5391	QDIC-ALL-SAC-DEPT-RULES	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5392	5392	QDIC-ALL-SAC-DEPT-NIINST	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5402	5402	QDIC-SAC-TOT-RECVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5406	5406	QDIC-SAC-TOT-APRVD	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5408	5408	QDIC-SAC-TOT-ADUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5409	5409	QDIC-SAC-TOT-PDUPS	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5410	5410	QDIC-SAC-TOT-CLRCL	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5411	5411	QDIC-SAC-TOT-RULES	INTEGER	(	4, 0)
		0	QDIC_STAT_CNT_5412	5412	QDIC-SAC-TOT-NIINST	INTEGER	(	4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2, 0)
826	DRAW_NOTE_DATA	0	FIIG_DWG_NOTE_5064	5064	FIIG-DWG-NOTE	VARCHAR	(	320, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	(	5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	(	1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(	2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	(	2, 0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(	5, 0)
827	ID_MRC_XREF	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	(	5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	(	1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	(	2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	(	2, 0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	(	5, 0)
		6	MRC_3445	3445	MRC	CHAR	(	4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
828	ID_INC_XREF	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR ( 5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR ( 1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR ( 2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR ( 2, 0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR ( 5, 0)
		6	INC_4080	4080	INC	CHAR ( 5, 0)
829	DSOR_CD_NIMSC_CMPT	0	DSOR_STMT_3484	3484	DSOR-STMT	CHAR ( 10, 0)
		1	NIMSC_0076	0076	NIMSC	CHAR ( 1, 0)
		2	SVC_NM_3479	3479	SVC-NM	CHAR ( 13, 0)
830	INC_FIIG_CORL	0	TYPE_II_2_3486	3486	TYP-II-2	CHAR ( 20, 0)
		0	TYPE_II_4_3487			CHAR ( 20, 0)
		0	TYP_II_1_3490	3490	TYP-II-1	CHAR ( 20, 0)
		0	TYP_II_K_3491	3491	TYP-II-K	CHAR ( 20, 0)
		0	TYP_II_L_3492	3492	TYP-II-L	CHAR ( 20, 0)
		0	TYP_II_M_3488	3488	TYP-II-M	CHAR ( 20, 0)
		0	TYP_II_N_3489	3489	TYP-II-N	CHAR ( 20, 0)
		1	INC_FIIG_CORL_3485	3485	INC-FIIG-CORL	CHAR ( 50, 0)
		0	CON_CD_FD1_3184	3184	COND-CD-FED1-DF	VARCHAR ( 600, 0)
		0	CON_CD_FD1_TI_3183	3183	COND-CD-FED1-TI	CHAR ( 50, 0)
831	FED_COND_CD_SPLY	1	CON_CD_FED1_3475	3475	COND-CD-FED1	CHAR ( 1, 0)
		0	CON_CD_FD2_TI_3477	3477	COND-CD-FED2-TI	CHAR ( 30, 0)
		0	CON_CD_FD2_XD_3478	3478	COND-CD-FED2-EXP-DF	VARCHAR ( 500, 0)
832	FED_COND_CD_DSPL	1	CON_CD_FED2_3476	3476	COND-CD-FED2	CHAR ( 1, 0)
		0	DSOR_ACTY_NM_3483	3483	DSOR-ACTY-NM	CHAR ( 150, 0)
		1	SVC_NM_3479	3479	SVC-NM	CHAR ( 13, 0)
833	DSOR_ACTY_CD_XREF	2	DSOR_0903	0903	DSOR	CHAR ( 2, 0)
		0	ATTN_LINE_3482	3482	ATTN-LINE	CHAR ( 36, 0)
		0	CITY_1083			CHAR ( 36, 0)
834	DSOR_MISMO_ADRS	0	NM_LINE1_3480	3480	NM-LINE-1	CHAR ( 60, 0)
		0	NM_LINE2_3481	3481	NM-LINE-2	CHAR ( 60, 0)
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR ( 36, 0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR ( 36, 0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR ( 2, 0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR ( 10, 0)
		1	SVC_NM_3479	3479	SVC-NM	CHAR ( 13, 0)
		0	SVC_CD_P_S_EX_3449	3449	SVC-CD-P-S-EX	CHAR ( 75, 0)
		1	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR ( 2, 0)
		0	PHRS_CD_PHRS_5240	5240	PHRS-CD-PHRS	CHAR ( 100, 0)
835	SERVICE_CD_PSMAT	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR ( 1, 0)
		2	PHRS_CD_SVC_X_3450	3450	PHRS-CD-SVC-X	CHAR ( 50, 0)
		0	CIIC_NOTE_3494	3494	CIIC-NOTE	CHAR ( 25, 0)
836	PHRASE_CD_SVC	0	PRICE_NOTE_3447	3447	PRICE-NOTE	CHAR ( 25, 0)
		0	QE_NOTE_3448	3448	QE-NOTE	CHAR ( 25, 0)
		0	QUP_NOTE_3499	3499	QUP-NOTE	CHAR ( 25, 0)
		0	SLC_NOTE_3495	3495	SLC-NOTE	CHAR ( 25, 0)
		0	SOSM_NOTE_3496	3496	SOSM-NOTE	CHAR ( 25, 0)
		0	SOS_NOTE_3498	3498	SOS-NOTE	CHAR ( 25, 0)
		0	UI_NOTE_3497	3497	UI-NOTE	CHAR ( 25, 0)
		1	SVC_SICA_3493	3493	SVC-SICA	CHAR ( 20, 0)
		0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR ( 1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
837	PICA_SICA_CMD_CMPT	2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		0				

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
839	PHRASE_CD_PKG_COMB	3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT ( 2, 0)
		0	PH_CD_NT_IND_3051	3051	PHRS-CD-COMB-NT-IND	CHAR ( 1, 0)
		1	FRST_PHRS_CD_3048	3048	FRST-PHRS-CD	CHAR ( 1, 0)
840	ARCHIVE_LOG	2	SCND_PHRS_CD_3049	3049	SCND-PHRS-CD	CHAR ( 1, 0)
		0	ARCHIVE_TS_9137	9137	ARCHIVE-TS	TIMESTAMP ( 10, 0)
		0	ARCHVNG_USER_9138	9138	ARCVD-BY-USER	CHAR ( 8, 0)
		0	ARCH_DATA_TYP_9225	9225	TM-ARCH-DATA-TYP-ID	CHAR ( 3, 0)
841	AUTODIN_KWA_LOG	0	DATASET_NAME_9144	9144	DATASET-NAME	CHAR ( 38, 0)
		0	FOOTPRNT_DATE_9161	9161	FOOTPRNT-DATE	DATE ( , 0)
		0	RESTORE_FLAG_9066	9066	RESTORE-FLAG	CHAR ( 1, 0)
		1	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER ( 4, 0)
842	NIIN_ID_NBR_DATA	0	AUTODIN_CIC_9306	9306	AUTODIN-CONT-IND-CD	CHAR ( 4, 0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR ( 7, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		0	RE_OP_AUTO_TS_9484	9484	RE-OP-AUTODIN-MSG- TMSTMP-ID	TIMESTAMP ( 10, 0)
843	TM_MESSAGE_OUT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTAMP ( 10, 0)
		3	SSN_9765	9765	SSN	CHAR ( 4, 0)
		4	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR ( 1, 0)
844	AIA_MSG_HEADER_LOG	0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR ( 120, 0)
		0	PRT_DWG_SUPR_8261	8261	PRT-DWG-SUPRSN-IND-CD	CHAR ( 1, 0)
		0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR ( 5, 0)
		0	TBL_V_IN_CT_C_0941	0941	TBL-VRBL-INDCTR-CD	CHAR ( 1, 0)
845	HOLD_TRANS	0	DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR ( 15, 0)
		0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR ( 22000, 0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR ( 7, 0)
846	WEAPON_NAME	0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP ( 10, 0)
		0	SSN_9765	9765	SSN	CHAR ( 4, 0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
847	WEAPON_TO_NIIN	2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	SMALLINT ( 2, 0)
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
848	ORIG_IMAGE_EXTENTS	0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	WPN_SYS_NM_3887	3887	WPN-SYS-NM	CHAR ( 75, 0)
		1	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR ( 2, 0)
		2	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR ( 1, 0)
849	WEAPON_TO_NIIN	0	DLA_CTR_CD_3886	3886	DLA-CTR-CD	CHAR ( 1, 0)
		0	WPN_SYS_ESNTL_3885	3885	WPN-SYS-ESNTL-CD	CHAR ( 1, 0)
		0	WPN_SYS_IND_3883	3883	WPN-SYS-IND-CD	CHAR ( 1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
850	ORIG_IMAGE_EXTENTS	2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR ( 2, 0)
		4	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR ( 1, 0)
		0	INPUT_RECORDS_9171	9171	INPUT-RECORDS	VARCHAR ( 1128, 0)
851	ORIG_IMAGE_EXTENTS	1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
849	RELEASE_NOW	2	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	(	2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
850	REORDER_CRITERIA	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	RELEASED_CNT_9207	9207	RELEASED-CNT	CHAR	(	6, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		1	REORDER_TS_9209	9209	REORDER-TS	TIMESTAMP	(	10, 0)
851	TRANS_ACTIVE_BATCH	0	TM_BATCH_TRNS_9426	9426	TM-BATCH-TRNS	CHAR	(	80, 0)
		0	TRANS_ERR_FLG_9434	9434	TRANS-ERR-FLG	CHAR	(	1, 0)
		1	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT	(	2, 0)
		2	TM_BATCH_SEQ_9425	9425	TM-BATCH-SEQ-NBR	INTEGER	(	4, 0)
852	TRANS_HIST_MAST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	(	2, 0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP	(	10, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	(	2, 0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	(	1, 0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTAMP	(	10, 0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	(	2, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(	1, 0)
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTAMP	(	10, 0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTAMP	(	10, 0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	(	1, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTAMP	(	10, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTAMP	(	10, 0)
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTAMP	(	10, 0)
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR	(	18, 0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	(	37, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		1	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
		2	CONTI_IND_CD_8555	8555	CONTI-IND-CD	CHAR	(	1, 0)
		3	VALID_POSIT_9771	9771	VALID-POSIT	CHAR	(	1, 0)
		0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	(	1127, 0)
853	VALID_CONTINUATION	1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	(	21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	(	3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	(	2, 0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	(	2, 0)
		0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	(	4, 0)
854	TRANS_SUSP_EXTENTS	1	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		2	NATO_FLAG_9185	9185	NATO-FLAG	CHAR	(	1, 0)
		3	ODRC_SEQ_9189	9189	ODRC-SEQ	CHAR	(	1, 0)
		0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE	(	, 0)
855	VALID_DIC_ODRC	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
		4	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7, 0)
		0	CMD_AUTH_CD_X_3458	3458	CMD-AUTH-CD-X	CHAR	(	14, 0)
856	STAT_MGR	1	CMD_AU-THZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR	(	1, 0)
		0	DR_SEG_A_4982	4982	DR-SEG-A-CD	CHAR	(	1, 0)
		0	DR_SEG_B_4983	4983	DR-SEG-B-CD	CHAR	(	1, 0)
		0	DR_SEG_C_4984	4984	DR-SEG-C-CD	CHAR	(	1, 0)
857	CMD_AUTHZN_CD	0	DR_SEG_E_4985	4985	DR-SEG-E-CD	CHAR	(	1, 0)
		0						
858	ODRC_DIC_VAL_TBL	0						
		0						
		0						
		0						

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	DR_SEG_F_4986	4986	DR-SEG-F-CD	CHAR ( 1, 0)
		0	DR_SEG_G_4987	4987	DR-SEG-G-CD	CHAR ( 1, 0)
		0	DR_SEG_H_4988	4988	DR-SEG-H-CD	CHAR ( 1, 0)
		0	DR_SEG_M_4989	4989	DR-SEG-M-CD	CHAR ( 1, 0)
		0	DR_SEG_N_4990	4990	DR-SEG-N-CD	CHAR ( 1, 0)
		0	DR_SEG_V_4991	4991	DR-SEG-V-CD	CHAR ( 1, 0)
		0	DR_SEG_W_4996	4996	DR-SEG-W-CD	CHAR ( 1, 0)
		0	DR_SEG_Z_4992	4992	DR-SEG-Z-CD	CHAR ( 1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		2	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR ( 4, 0)
		3	DR_ODRC_REC_4981	4981	DR-ODRC-REC-CD	CHAR ( 1, 0)
860	CONT_LABL_CD	0	CNTR_LBL_CD_X_3457	3457	CONTR-LBL-CD-EX-PSMAT	CHAR ( 42, 0)
		0	DR_CONTR_LBL1_4993	4993	DR-CONTR-LBL-CD-1	CHAR ( 1, 0)
		0	DR_CONTR_LBL2_4994	4994	DR-CONTR-LBL-CD-2	CHAR ( 1, 0)
		0	DR_CONTR_LBL3_4995	4995	DR-CONTR-LBL-CD-3	CHAR ( 1, 0)
		1	CONTR_LBL_CD_0893	0893	CONTR-LABEL-CD-PSMAT	CHAR ( 1, 0)
862	ADRS_SEQ_CDS	1	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR ( 1, 0)
863	CONTR_ID_CDS	0	SVC_CNTR_CD_X_5236	5236	SVC-CONTR-IDEN-CD-EXPLN	CHAR ( 42, 0)
		1	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR ( 1, 0)
864	DIC_RTN_CD_ED_NOTE	0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR ( 1200, 0)
		1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT ( 2, 0)
		2	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER ( 4, 0)
866	HSM_APPL_OP_HOLD	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR ( 1500, 0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR ( 2, 0)
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		5	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR ( 1, 0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
867	HSM_ORIGINAL_IMAGE	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR ( 1, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)
868	HSM_ORIG_IMAGE_EXT	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR ( 1128, 0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)
		2	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT ( 2, 0)
869	HSM_ORIG_IMAGE_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR ( 80, 0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT ( 2, 0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR ( 23, 0)
871	HSM_TRANS_HIST_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	FSC_3990	3990	ASGND-FSC	CHAR ( 4, 0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR ( 9, 0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTAMP ( 10, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR ( 17, 0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR ( 4, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
872	HSM_TRANS_HIST_MST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT ( 2, 0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTAMP ( 10, 0)

# CHAPTER 2

## DATA DICTIONARY

### GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR ( 2, 0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR ( 1, 0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP ( 10, 0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR ( 2, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR ( 1, 0)
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTMP ( 10, 0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTMP ( 10, 0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR ( 1, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP ( 10, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP ( 10, 0)
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTMP ( 10, 0)
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR ( 18, 0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR ( 37, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
873	SGL_MULT_OUTPUT_CD	0	SIN_MLT_OP_EX_3455	3455	SIN-MULT-OP-EX	VARCHAR ( 500, 0)
		1	SIN_MLT_OP_CD_4535	4535	SIN-MULT-OP-CD	CHAR ( 1, 0)
875	CTOC_SUSPNS_FL	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER ( 4, 0)
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR ( 3, 0)
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER ( 4, 0)
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR ( 3, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
876	GATEKEEPER	0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTMP ( 10, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR ( 17, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
877	RPDMRC_FOLLOW_UP	1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		3	RPDMRC_FU_DT_4532	4532	RPDMRC-KFP-FU-DT	INTEGER ( 4, 0)
		4	RPDMRC_FU_IND_4531	4531	RPDMRC-KFP-FU-IND	CHAR ( 1, 0)
878	MC_MAINT_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR ( 1, 0)
		0	INC_4080	4080	INC	CHAR ( 5, 0)
		0	MC_CRITE_STMT_0324	0324	MASS-CHNG-CRITE-STMT	VARCHAR ( 3967, 0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR ( 6, 0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR ( 5, 0)
		1	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTMP ( 10, 0)
879	MS_JOB_CNTL_HIST	0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT ( 2, 0)
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER ( 4, 0)
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR ( 1, 0)
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT ( 2, 0)
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT ( 2, 0)
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR ( 1, 0)
		0	STORED_JUL_DT_9462	9462	STORED-JUL-DT	INTEGER ( 4, 0)
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER ( 4, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
880	MC_CDG_DATA	0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT ( 2, 0)
		1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER ( 4, 0)
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR ( 12, 0)
		0	MC_CDG_4575	4575	MASS-CHNG-CDG	VARCHAR ( 1005, 0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR ( 6, 0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR ( 5, 0)
		0	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTAMP ( 10, 0)
881	MC_CHARACTERISTICS	0	MRC_3445	3445	MRC	CHAR ( 4, 0)
		1	MC_CDG_TM-STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTAMP ( 10, 0)
		0	MC_DEL_CDG_3631	3631	MASS-CHG-DEL-CDG-CD	CHAR ( 1, 0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR ( 6, 0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR ( 5, 0)
		1	MC_CDG_TM-STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTAMP ( 10, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
882	PHRS_CD_DRN_0217	3	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR ( 1, 0)
883	SVC_PEC_DE	1	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		2	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR ( 1, 0)
884	INACTIVE_PHRS_CD	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR ( 1, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
886	SOS_SUB_ACT_MOE_CD	2	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
887	SUR_SUB_ACT_MOE_CD	2	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
888	NATO_ACTY_SUR_OP	2	MOE_CD_2833	2833	MOE-CD	CHAR ( 2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
889	LAD_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT ( 2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
890	LCD_SEG_DRN	2	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT ( 2, 0)
891	LDD_SEG_DRN	1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
892	LCG_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT ( 2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR ( 1, 0)
893	DESC_TY_SUB_ACT	2	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
894	DCSC_AY_SUB_ACT	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
895	DESC_TY_FSG_FSC	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
896	DCSC_AY_FSG_FSC	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
897	AEB_MC_MGT_CD1_FSG	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
898	AEB_MC_MGT_CD1_FSC	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
899	AEB_MC_MGT_CD2_FSG	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
900	AEB_MC_MGT_CD2_FSC	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
901	AEB_MC_MGT_CD3_FSG	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
902	AEB_MC_MGT_CD3_FSC	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
903	AEB_MC_MGT_CD4_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
904	AEB_MC_MGT_CD4_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
905	AEB_MC_MGT_CD5_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
906	AEB_MC_MGT_CD6_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
907	AEB_MC_MGT_CD6_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
908	AEB_ACCT_REQ_CD_D	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
909	AEB_ACCT_REQ_CD_N	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
912	NAIN_CHAL_BY_ACTY	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6, 0)
913	STAT_ARCHIVE_TBLS	0	ARCH_BEG_DT_9311	9311	ARCHIVE-BEGIN-DATE	CHAR	(	6, 0)
		0	ARCH_END_DT_9312	9312	ARCHIVE-END-DATE	CHAR	(	6, 0)
		0	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	(	4, 0)
		0	DB2_GRP_NUM_4457			CHAR	(	4, 0)
		0	DB2_TBL_NAME_4466			CHAR	(	18, 0)
		0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR	(	1, 0)
		0	TBL_ALL0C_2471			INTEGER	(	4, 0)
		0	TBL_VOLUME_2473	2473	TBL-VOLUME	CHAR	(	6, 0)
		0	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(	12, 0)
914	NEXT_NIIN_PSCN	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		1	NIIN_PSCN_IND_5038	5038	NIIN-PSCN-IND	CHAR	(	1, 0)
915	VALID_ISC_COMBO	1	ISC_2650	2650	ITM-STDZN-CD	CHAR	(	1, 0)
		2	REP_ISC_8525	8525	REP-ITM-STDZN-CD	CHAR	(	1, 0)
916	VALID_FSC_W_B_ISC	1	FSG_3994	3994	ASGND-FSG	CHAR	(	2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2, 0)
917	ISC_AUTH_SPEC_STD	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	(	5, 0)
		2	MIL_VOL_IND_3454	3454	MIL-VOL-IND	CHAR	(	1, 0)
918	FUTURE_R_OUTPUT	0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		0	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR	(	16, 0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	(	2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4, 0)
		4	DRN_0950	0950	DATA-REC-NBR	CHAR	(	4, 0)
919	ASSIGN_MRC	0	MRC_ASGN_STAT_3462	3462	MRC-ASGND-STAT-IND	CHAR	(	1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
		1	MRC_3445	3445	MRC	CHAR	(	4, 0)
920	ASSIGN_REPLY	0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR	(	8, 0)
921	MRD_REQ_AUD_TABLE	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6, 0)
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	(	2, 0)
		0	KEYWRD-					
		0	_MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR	(	108, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR	(	1, 0)
		0	MRC_3445	3445	MRC	CHAR	(	4, 0)
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR	(	1, 0)
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR	(	1, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR ( 1, 0)
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR ( 20, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR ( 110, 0)
		0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR ( 500, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR ( 1, 0)
922	MRD_REQ_AUD_T_SEQ	0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT ( 2, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR ( 4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR ( 1, 0)
923	MRD_REPL_AUD_TABLE	3	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT ( 2, 0)
		0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR ( 6, 0)
		0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR ( 379, 0)
		0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR ( 1, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR ( 4, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		2	AUD_RPLY_STAT_3461	3461	MRD-AUD-RPLY-STAT-IND	CHAR ( 1, 0)
924	REJ_REPLY_RECORD	0	BTCH_STAT_CTR_1107	1107	BATCH-STAT-CNTR	INTEGER ( 4, 0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR ( 1, 0)
		0	STAT_JUL_DATE_7646			CHAR ( 5, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
925	REC_PROF3	1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
926	PASS_LINE_ACCESS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		0	LN_2780_DESC_9213			CHAR ( 20, 0)
		0	MULTI_INP_FLG_9479	9479	MULTI-INP-FLG	CHAR ( 1, 0)
		0	PORT_NBR_9212			CHAR ( 2, 0)
		1	LN_2780_IDEN_9211	9211	LN-2780-IDEN	CHAR ( 4, 0)
928	NIIN_PKG_DAT_HIST	0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR ( 1, 0)
		0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR ( 13, 0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR ( 2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR ( 2, 0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR ( 3, 0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR ( 1, 0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR ( 1, 0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR ( 1, 0)
		0	LVL_C_PKG_CD_5172	5172	LVL-C-PKG-RQMT-CD	CHAR ( 1, 0)
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR ( 2, 0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR ( 1, 0)
		0	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR ( 1, 0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR ( 4, 0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR ( 5, 0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR ( 2, 0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR ( 5, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR ( 10, 0)
		0	SPI_REV_5176	5176	SPI-REV	CHAR ( 1, 0)
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR ( 2, 0)
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR ( 59, 0)
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR ( 1, 0)
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR ( 2, 0)
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR ( 1, 0)
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR ( 12, 0)
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR ( 5, 0)
		0	UP_CU_5155	5155	UP-CU	CHAR ( 7, 0)
		0	UP_QTY_5321	5321	UP-QTY	CHAR ( 3, 0)
		0	UP_SZ_5154	5154	UP-SZ	CHAR ( 12, 0)
		0	UP_WT_5153	5153	UP-WT	CHAR ( 5, 0)
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR ( 2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER ( 4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		4	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		5	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		9	LOP_CD_5151	5151	LVL-PROTN-CD	CHAR ( 1, 0)
929	GIRDER_CAGE_CNTL	0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR ( 1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
931	HSM_TRANS_SEG_EXT	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR ( 1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT ( 2, 0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT ( 2, 0)
932	GIRDER_MFR_UPD	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR ( 58, 0)
		0	PICA_2866	2866	PICA	CHAR ( 2, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR ( 2, 0)
		0	RNCC_2910	2910	RNCC	CHAR ( 1, 0)
		0	RNVC_4780	4780	RNVC	CHAR ( 1, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR ( 19, 0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR ( 32, 0)
		3	NSN_3960	3960	ASGND-NSN	CHAR ( 13, 0)
933	IANDS_DEPT_ALL_TOT	0	IANS_STAT_CNT_8123	8123	IANDS-GTOT-REL-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8124	8124	IANDS-GTOT-MTR-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8125	8125	IANDS-GTOT-REL-PICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8126	8126	IANDS-GTOT-MTR-PICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_8127	8127	IANDS-GTOT-MTR-P-S-FAM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
934	IANDS_DEPT_TOTAL	0	IANS_STAT_CNT_6871	6871	IANDS-DEPT-MTR-P-S-FAM	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9607	9607	IANDS-DEPT-REL-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9608	9608	IANDS-DEPT-MTR-SICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9609	9609	IANDS-DEPT-REL-PICA	INTEGER ( 4, 0)
		0	IANS_STAT_CNT_9610	9610	IANDS-DEPT-MTR-PICA	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
935	IANDS_FSG_TOTAL	0	IANS_STAT_CNT_6882	6882	IANDS-DEPT-FSG-TOT-FAM	INTEGER ( 4, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	IANSTAT_CNT_6885	6885	IANSD-DEPT-FSG-MTR-PICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9604	9604	IANSD-DEPT-FSG-REL-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9605	9605	IANSD-DEPT-FSG-MTR-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9606	9606	IANSD-DEPT-FSG-REL-PICA	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
936	LMT_DIS_ACT_CD_VAL	1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR ( 1, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
937	GIRDER_TRN_HLD	0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR ( 80, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
938	IANSD-DEPT-ALL-T-A	0	IANSTAT_CNT_8123	8123	IANSD-GTOT-REL-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_8124	8124	IANSD-GTOT-MTR-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_8125	8125	IANSD-GTOT-REL-PICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_8126	8126	IANSD-GTOT-MTR-PICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_8127	8127	IANSD-GTOT-MTR-P-S-FAM	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
939	IANSD-DEPT-TOTAL-A	0	IANSTAT_CNT_6871	6871	IANSD-DEPT-MTR-P-S-FAM	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9607	9607	IANSD-DEPT-REL-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9608	9608	IANSD-DEPT-MTR-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9609	9609	IANSD-DEPT-REL-PICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9610	9610	IANSD-DEPT-MTR-PICA	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
940	IANSD-FSG-TOTAL-A	0	IANSTAT_CNT_6882	6882	IANSD-DEPT-FSG-TOT-FAM	INTEGER ( 4, 0)
		0	IANSTAT_CNT_6885	6885	IANSD-DEPT-FSG-MTR-PICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9604	9604	IANSD-DEPT-FSG-REL-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9605	9605	IANSD-DEPT-FSG-MTR-SICA	INTEGER ( 4, 0)
		0	IANSTAT_CNT_9606	9606	IANSD-DEPT-FSG-REL-PICA	INTEGER ( 4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR ( 6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
941	VAL_DMIL_CIIC_COMB	1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR ( 1, 0)
		2	CIIC_2863	2863	CIIC	CHAR ( 1, 0)
942	SKO_COMPONENTS	0	CMP_FSC_8595	8595	CMP-FSC	CHAR ( 4, 0)
		0	CMP_ITEM_NAME_8597	8597	CMP-ITEM-NAME	CHAR ( 19, 0)
		0	SKO_FSC_8594	8594	SKO-FSC	CHAR ( 4, 0)
		0	SKO_ITEM_NAME_8596	8596	SKO-ITEM-NAME	CHAR ( 19, 0)
		0	SKO_QTY_8593	8593	SKO-QTY	SMALLINT ( 2, 0)
		1	SKO_NCB_CD_8582	8582	SKO-NCB-CD	CHAR ( 2, 0)
		2	SKO_I_I_NBR_8581	8581	SKO-I-I-NBR	CHAR ( 7, 0)
		3	CMP_NCB_CD_8584	8584	CMP-NCB-CD	CHAR ( 2, 0)
		4	CMP_I_I_NBR_8583	8583	CMP-I-I-NBR	CHAR ( 7, 0)
943	SVCBL_STD_DATA	0	ADDNL_RQM_CD_7973	7973	ADDNL-RQM-CD	CHAR ( 2, 0)
		0	ASGND_FSC_3990			CHAR ( 4, 0)
		0	HZR_STR_CMPAT_7974			CHAR ( 2, 0)
		0	IDENT_MKG_CD2_8598			CHAR ( 8, 0)
		0	IDENT_MKG_CD_7975			CHAR ( 8, 0)
		0	INSP_CD_STNG_8599	8599	INSP-CD-STNG	CHAR ( 20, 0)
		0	INSP_LVL_7977			CHAR ( 2, 0)
		0	LST_INSP_PED_7972			CHAR ( 2, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
		0	PKG_CODE_7978			CHAR ( 2, 0)
		0	PK_CD_7979			CHAR ( 2, 0)
		0	REINSP_LMT_7980			CHAR ( 1, 0)
		0	REINSP_PED_7981			CHAR ( 2, 0)
		0	SHLF_LIF_MO_7982			CHAR ( 1, 0)
		0	SP_RQMT_CD_7983			CHAR ( 2, 0)
		0	STOR_CODE_7984			CHAR ( 2, 0)
		0	SVC_QLTY_LVL_7985			CHAR ( 3, 0)
		0	TEST_RQMT_DE_7986			CHAR ( 2, 0)
		1	ASGND_NIIN_4000			CHAR ( 9, 0)
944	COMM_CATG	0	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR ( 2, 0)
		1	FSG_3996			CHAR ( 2, 0)
		2	FSC_WI_FSG_3994			CHAR ( 2, 0)
945	MULTI_MEDIA_OUT	0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR ( 1500, 0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR ( 12, 0)
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR ( 2, 0)
		3	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR ( 1, 0)
		4	USER_DEF_FLG_9803	9803	TM-USER-DEF-FLG	CHAR ( 1, 0)
		5	OP_SEQ_FLD_9801	9801	TM-OP-SEQ-FLD	CHAR ( 25, 0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
946	PKG_UP_QTY	0	UP_QTY_EXPL_3464	3464	UP-QTY-EXPL	VARCHAR ( 120, 0)
		1	UP_QTY_5321	5321	UP-QTY	CHAR ( 3, 0)
948	KVI_SUSPNS_FL	0	DLAC_3891	3891	DLAC	CHAR ( 2, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		0	INCR_NBR_2219	2219	INCR-NBR	CHAR ( 2, 0)
		0	KVI_SPNS_E_DT_4214	4214	KVI-SUSPNS-ESTB-DT	INTEGER ( 4, 0)
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER ( 4, 0)
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR ( 3, 0)
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER ( 4, 0)
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR ( 3, 0)
		0	OTHER_DIC_4215	4215	OTH-DIC	CHAR ( 3, 0)
		0	OTHR_DIC_DATE_4216	4216	OTH-DIC-DATE	INTEGER ( 4, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
949	KVI_STRAGLER_FL	0	KVI_DECR_CTR_4211	4211	KVI-DECR-CTR	INTEGER ( 4, 0)
		0	KVI_ORIG_CTR_4212	4212	KVI-ORIG-CTR	INTEGER ( 4, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
950	ISAC_RPLY_AUD	0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR ( 379, 0)
		0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR ( 4, 0)
		0	SAC_8990	8990	SAC	CHAR ( 3, 0)
		0	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR ( 1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		2	AUD_ISAC_RPY_3562	3562	AUD-ISAC-RPLY-STAT-IND	CHAR ( 1, 0)
951	STYL_RPLY_AUD	0	DCOD_STYL_RPY_2309	2309	DCODD-STYL-RPLY-STMT	VARCHAR ( 379, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR ( 6, 0)
		0	MRC_3445	3445	MRC	CHAR ( 4, 0)
		0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR ( 5, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
952	ASSIGN_ISAC_RPLY	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 0, 0)
		2	AUD_STYL_RPY_3563	3563	AUD-STYL-RPLY-STAT-IND	CHAR ( 1, 0)
		0	ASGN_ISAC_RPY_3561	3561	ASGN-ISAC-RPLY-STAT-IND	CHAR ( 1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR ( 4, 0)
		0	CAGE_CD_9250	9250	CAGE-CD	CHAR ( 5, 0)
		0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR ( 32, 0)
953	REF_NBR_GATEKEEPER	0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTAMP ( 10, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR ( 17, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
954	USER_ACCESS_AUTH	0	USR_ACCS_LVL_1381	1381	USR-ACCS-LVL	CHAR ( 1, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR ( 8, 0)
		2	USR_ACCS_SUB_3381	3381	USR-ACCS-LVL-SUBSYS-CD	CHAR ( 1, 0)
955	CMD_RCVRS_ACTY_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR ( 6, 0)
		2	DEPT_CD_8329	8329	DEPT-CD	CHAR ( 2, 0)
956	FIRST_OF_MONTH	0	FRST_MNTH_JUL_2538	2538	FRST-MNTH-JUL	CHAR ( 3, 0)
957	LOLA_RESPONSE		NUMERIC- _MONTH_2539	2539	NUMERIC-MONTH	CHAR ( 2, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR ( 21, 0)
		2	RTN_CD_9480	9480	RTN-CD	CHAR ( 2, 0)
		3	DIC_OP_1052	1052	DIC-OP	CHAR ( 3, 0)
		4	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR ( 3, 0)
		5	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		6	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR ( 3, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
958	LTI_LFN_FOLLOWUP	8	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR ( 3, 0)
		0	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR ( 2, 0)
959	MS_DEPT_MATRIX	1	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR ( 4, 0)
		0	ROLL_UP_CD_9460	9460	ROLL-UP-CD	CHAR ( 2, 0)
		1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR ( 2, 0)
960	EMERGENCY_NIIN	2	ROLL_UP_DEPT_9459	9459	ROLL-UP-DEPT-CD	CHAR ( 2, 0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR ( 1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR ( 2, 0)
961	SPCL_APPL_OP_HOLD	2	I_I_NBR_4131	4131	I-I-NBR	CHAR ( 7, 0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR ( 1500, 0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR ( 2, 0)
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR ( 3, 0)
		3	RECDV_STAMP_9204	9204	RECDV-STAMP	TIMESTAMP ( 10, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
962	HMIC_FSC_TBL	5	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT ( 2, 0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER ( 4, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
963	FIIG_SB_SCTN_TITLE	2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		3	HMIC_FSC_TB_N_8589	8589	HMIC-FSC-TBL-NBR	CHAR ( 1, 0)
		0	FIIG_SB_SC_TI_5068	5068	FIIG-SB-SC-TI	VARCHAR ( 120, 0)
964	FIIG_SCTN_TITLE	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR ( 5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR ( 1, 0)
		3	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR ( 2, 0)
		0	FIIG_SEC_TI_5070	5070	FIIG-SEC-TI	VARCHAR ( 120, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
965	RDG_TITLE	1	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR ( 1, 0)
		0	RDG_TI_0964	0964	RDG-TI	CHAR ( 160, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR ( 5, 0)
		2	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR ( 2, 0)
966	PROD_NM_XREF	1	DLN_1283	1283	DLN	CHAR ( 10, 0)
		2	DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR ( 15, 0)
967	REC_PROF1	0	ACCESS_FLAG			CHAR ( 1, 0)
		0	ACTIVITY_CD			CHAR ( 6, 0)
		0	AMLS_LBL_ID_9999			CHAR ( 2, 0)
		0	AMLS_LID_ACES_9999			CHAR ( 1, 0)
		0	FIRST_INIT			CHAR ( 2, 0)
		0	GROUPID			CHAR ( 5, 0)
		0	LAST_NAME			CHAR ( 17, 0)
		0	PC_CODE			CHAR ( 1, 0)
		0	PRNT1			CHAR ( 8, 0)
		0	PRNT2_9999			CHAR ( 4, 0)
		0	PROPRITORY			CHAR ( 1, 0)
		0	SVC_ENT_9999			CHAR ( 2, 0)
		1	USERID			CHAR ( 8, 0)
		0	CLECT_I_1			CHAR ( 6, 0)
		0	CLECT_I_2			CHAR ( 6, 0)
968	REC_MENU3	0	CLECT_I_3			CHAR ( 6, 0)
		0	CLECT_I_4			CHAR ( 6, 0)
		0	CLECT_I_5			CHAR ( 6, 0)
		0	CLECT_I_6			CHAR ( 6, 0)
		0	CLECT_I_7			CHAR ( 6, 0)
		0	CLECT_T_1			CHAR ( 8, 0)
		0	CLECT_T_2			CHAR ( 8, 0)
		0	CLECT_T_3			CHAR ( 8, 0)
		0	CLECT_T_4			CHAR ( 8, 0)
		0	CLECT_T_5			CHAR ( 8, 0)
		0	CLECT_T_6			CHAR ( 8, 0)
		0	CLECT_T_7			CHAR ( 8, 0)
		0	CLECT_X_1			CHAR ( 60, 0)
		0	CLECT_X_2			CHAR ( 60, 0)
		0	CLECT_X_3			CHAR ( 60, 0)
		0	CLECT_X_4			CHAR ( 60, 0)
		0	CLECT_X_5			CHAR ( 60, 0)
		0	CLECT_X_6			CHAR ( 60, 0)
		0	CLECT_X_7			CHAR ( 60, 0)
		0	MENU_SCR_TITLE			CHAR ( 45, 0)
		0	MENU_TITLE			CHAR ( 45, 0)
		1	GROUP_ID			CHAR ( 5, 0)
		2	MENU_ID			CHAR ( 6, 0)
969	REC_PROF2	0	AAT_LID_ACES_9999			CHAR ( 1, 0)
		1	AAT_USERID_9999			CHAR ( 8, 0)
		2	AAT_LBL_ID_9999			CHAR ( 2, 0)
970	REC_TERM	0	PRINTER_ID			CHAR ( 4, 0)
		1	TERMINAL_ID			CHAR ( 8, 0)
971	TABLE_ALIAS	0	TABLE_KEYLEN			DECIMAL ( 3, 0)
		0	TABLE_NAME			CHAR ( 27, 0)



# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
972	CMD_BASIC_DOC_DIC	1	TABLE_GROUP			CHAR ( 6, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
973	CMD_PHRASE_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
974	COLLABOR_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
975	DSOR_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
976	EFF_DT_ITM_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
977	MOE_RL_DLT_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
978	NON_CMD_AC_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
979	RECEIVERS_DOC_DIC	1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA----- TYPE--LENGTH--DECIMAL
980	NIIN_MOE_R_DOC_DIC	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR ( 3, 0)
981	NIIN_PKG_DOC_DIC	0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
982	NIIN_REF_DOC_DIC	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
983	NONEFF_ITM_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
984	RPLD_NSN_DOC_DIC	0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR ( 7, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR ( 3, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER ( 4, 0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR ( 2, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR ( 2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTAMP ( 10, 0)
		1	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR ( 19, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
985	NAIN_FSG_FSC_EDIT	3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR ( 2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR ( 2, 0)
986	FSG_FSC_NAIN_EDIT	3	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR ( 19, 0)
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR ( 1, 0)
		1	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR ( 1, 0)
987	PMIC_RPLY	2	PMIC_CDD_REPLY_3572	3572	PMIC-CDD-REPLY	CHAR ( 6, 0)
		0	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR ( 1, 0)
		1	PMIC_MRC_3573	3573	PMIC-MRC	CHAR ( 4, 0)
988	PMIC_MRC_TYPE	1	DRN_0950	0950	DATA-REC-NBR	CHAR ( 4, 0)
		2	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT ( 2, 0)
989	LVI_R_TABLE_EDIT	1	NM_CD_2303	2303	NM-CD	CHAR ( 5, 0)
		2	RPLD_INC_2646	2646	RPLD-INC	CHAR ( 5, 0)
990	REPLACEMENT_INCS	0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR ( 78, 0)
992	DIC_SPEC_NOTES	0				

# CHAPTER 2 DATA DICTIONARY GROUP TABLE NO. TO DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	-----DATA-----		
						TYPE--LENGTH--DECIMAL		
993	MS_JOB_CNTL	1	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		2	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	(	8, 0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	(	4, 0)
		0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT	(	2, 0)
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER	(	4, 0)
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR	(	1, 0)
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT	(	2, 0)
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT	(	2, 0)
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR	(	1, 0)
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER	(	4, 0)
		0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT	(	2, 0)
		1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER	(	4, 0)
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	(	12, 0)
994	ORIG_KRU_IMAGE	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(	1128, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	4, 0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTAMP	(	10, 0)
995	MULTIMEDIA_RR_FIXD	3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(	4, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(	1, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(	1128, 0)
996	MULTIMEDIA_RR_VARI	1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(	23, 0)
		0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	(	1, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	(	1128, 0)
997	NATO_SUSPENSE_DATA	1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	(	23, 0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(	1500, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
998	NATO_L07_DCSN_DATA	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		0	L07_TRAN_RCVD_2542	2542	L07-TRANS-RCVD-QTY	INTEGER	(	4, 0)
		0	L07_TRAN_SENT_2541	2541	L07-TRANS-SENT-QTY	INTEGER	(	4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		4	LWST_DCSN_SEQ_2198	2198	LWST-DOC-CTL-NBR-SEQ-NBR	CHAR	(	4, 0)
999	NATO_ACTIVITY_SEG	5	HI_DCSN_SEQ_2199	2199	HGST-DOC-CTL-NBR-SEQ-NBR	CHAR	(	4, 0)
		0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	(	1500, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7, 0)
		5	DIC_3920	3920	DOC-ID-CD	CHAR	(	3, 0)
		6	TMSTMP_3059	3059	TMSTMP	TIMESTAMP	(	10, 0)

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	AAT_LBL_ID_9999	969		DIDS_INTRO_4469	177
	AAT_LID_ACES_9999	969			392
	AAT_USERID_9999	969		DIDS_TBL_NAME_4466	392
	ACCESS_FLAG	967		DISAGREE_NC_CD	129
	ACTIVITY_CD	967		EXTRNL_PASWD_6574	709
	AMLS_LBL_ID_9999	967		EXTRNL_USRID_6573	709
	AMLS_LID_ACES_9999	967		FIRST_INIT	967
	ASGND_FSC_3990	943		FSC_WI_FSG_3994	944
	ASGND_NIIN_4000	943		FSG_3996	944
	CITY_1083	834		FUTURE_REVIEW	129
	CLECT_I_1	968		GROUPID	967
	CLECT_I_2	968		GROUP_ID	968
	CLECT_I_3	968		HZR_STR_CMPAT_7974	943
	CLECT_I_4	968		IBMSNAP_LOGMARKER	010
	CLECT_I_5	968			1QF
	CLECT_I_6	968		IDENT_MKG_CD2_8598	943
	CLECT_I_7	968		IDENT_MKG_CD_7975	943
	CLECT_T_1	968		INPUT_RECORDS_9171	848
	CLECT_T_2	968		INSP_LVL_7977	943
	CLECT_T_3	968		IO_STST_CNT_6546	064
	CLECT_T_4	968			540
	CLECT_T_5	968		ITEM_NAME	129
	CLECT_T_6	968		LAST_NAME	967
	CLECT_T_7	968		LN_2780_DESC_9213	926
	CLECT_X_1	968		LST_INSP_PED_7972	943
	CLECT_X_2	968		MAX_OCURS_4594	479
	CLECT_X_3	968		MENU_ID	968
	CLECT_X_4	968		MENU_SCR_TITLE	968
	CLECT_X_5	968		MENU_TITLE	968
	CLECT_X_6	968		MESSAGE_LENGTH	041
	CLECT_X_7	968		MESSAGE_SEG	041
	CNTL_SERVER	010		MR_STAT_DT_3474	088
		1QF		MSG_SEGMENT_NO	041
	COMM_ADRS_ID_6572	709		NEW_CIIC	129
	COMM_FILE_NM_6575	709		NEW_DEMIL	129
	COPY_OWNER	010		OPTNL_NM_3352	355
		1QF		OUT_UI_TEXT_3046	813
	COPY_SERVER	010		PC_CODE	967
		1QF		PKG_CODE_7978	943
	COPY_STRUCTURE	010		PK_CD_7979	943
		1QF		PORT_NBR_9212	926
	COPY_TABLE	010		PRINTER_ID	970
		1QF		PRNT1	967
	DB2_GRP_NUM_4457	913		PRNT2_9999	967
	DB2_TBL_NAME_4466	913		PROPRITORY	967
	DEMIL_MATCH	129		PRUNE_LIMIT_SEQ	010
	DIC_DRN_N_NBR_2112	208			1QF

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	REF_NBR_9999	108	AAC-FSC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5349	019
	REINSP_LMT_7980	943			442
	REINSP_PED_7981	943			642
	SHLF_LIF_MO_7982	943			644
	SNA_CVSN_ID_3052	618	AAC-FSC-DEPT-AAC-NSN	AAC_STAT_CNT_5458	625
		619			627
	SP_RQMT_CD_7983	943	AAC-FSC-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_5431	019
	STAT_JUL_DATE_7646	924			442
	STD_IND_CL_CD_1368	079	AAC-IM-ACTY-AAC-NSN	AAC_STAT_CNT_5703	629
	STOR_CODE_7984	943			631
	ST_US_PDSN_AB_0186	355			643
	SUBMB_ACTY_CD_3720	258			645
		259	AAC-IM-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5674	628
	SVC_ENT_9999	967			630
	SVC_QLT_Y_LVL_7985	943			642
	TABLE_GROUP	971			644
	TABLE_KEYLEN	971	AAC-IM-DEPT-AAC-NSN	AAC_STAT_CNT_8183	629
	TABLE_NAME	971			631
	TABLE_TYP_DV_1079	392	AAC-IM-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_8180	628
	TBL_ALL0C_2471	913			630
	TERMINAL_ID	970	AAC-LA-ACTY-AAC-NSN	AAC_STAT_CNT_8189	635
	TEST_RQMT_DE_7986	943			637
	TMSTP	041			643
	TOTAL_MSG_SEGS	041			645
	TRFR_STAT_CNT_6771	548	AAC-LA-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_8186	634
	TRFR_STAT_CNT_6773	548			636
	TYPE_II_4_3487	830			642
	USERID	967			644
AA	AA_0979	145	AAC-LA-DEPT-AAC-NSN	AAC_STAT_CNT_8214	635
		146			637
AAC-ACTY-AAC-NSN	AAC_STAT_CNT_5540	639	AAC-LA-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_8211	634
		641			636
		643	AB-VALUE	AB_VALUE_4419	351
		645			358
AAC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5511	638	ABV-MRC-FIIG-INC-NSN	AMRC_STAT_CNT_8224	020
		640			472
		642	ACCTG-RQMTS-CD-AR	ACTG_RQMT_AR_2665	006
		644			168
AAC-DEPT-AAC-NSN	AAC_STAT_CNT_5621	639			505
		641	ACCTG-RQMTS-CD-EXPLN-AR	ACT_RQM_BR_EX_3157	168
AAC-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_5593	638	ACCUM-RTN-CD	ACCUM_RTN_CD_9452	879
		640			993
AAC-EXPLN	AAC_EXPLN_5250	156	ACQ-AD-CD	AAC_2507	006
AAC-FSC-ACTY-AAC-NSN	AAC_STAT_CNT_5378	625			015
		627			019
		643			156
		645			419

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		442			475
		493	ACTY-CD	ACTY_CD_2046	012
		505			054
		511			074
		625			082
		627			086
		628			157
		629			158
		630			238
		631			299
		634			314
		635			315
		636			323
		637			325
		638			327
		639			368
		640			374
		641			381
		642			382
		643			385
		644			387
		645			389
ACQ-MTHD-CD	AMC_2871	021			398
		022			401
		153			405
		154			409
		345			475
		425			554
		444			602
		445			603
		521			604
		556			608
ACQ-MTHD-CD-EXP	AMC_EX_5204	154			613
ACQ-MTHD-CD-FROM	AMC_FROM_3086	329			614
		330			616
ACQ-MTHD-CD-TO	AMC_TO_3085	329			618
		330			626
ACQ-MTHD-SUF-CD	AMSC_2876	022			716
		153			717
		155			718
		345			719
		445			720
		521			721
ACQ-MTHD-SUF-CD-EXPLN	AMSC_EX_5205	155			735
ACTIVITY-FLAG	ACTIVITY_FLAG_9131	772			774
		929			776
ACTY-CATEGORY	ACTY_CATEGORY_9751	382			783

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		841	ADRS-2-ROW	ADRS_2_ROW_3208	379
		843	ADRS-3-ROW	ADRS_3_ROW_3209	379
		845	ADRS-4-ROW	ADRS_4_ROW_3210	379
		849	ADRS-5-ROW	ADRS_5_ROW_3211	379
		850	ADRS-6-ROW	ADRS_6_ROW_3212	379
		869	ADRS-7-ROW	ADRS_7_ROW_3213	379
		871	ADRS-8-ROW	ADRS_8_ROW_3214	379
		886	ADRS-NM-CLR-TXT	ADRS_NM_C_TXT_1086	003
		887	ADRS-NM-LN-NO	ADRS_NM_LN_NO_1087	003
		888	ADRS-OFFSET-INCH	ADRS_OFST_IN_3196	379
		912	ADRS-SEQ-CD	ADRS_SEQ_CD_0233	144
		925			408
		926			475
		936			862
		955			866
		994	ADRS-TYP-CD	ADRS_TYP_CD_2137	002
ACTY-CD-SCRNG	ACTY_CD_SCRNG_0177	144			003
		782			328
ACTY-CITY	ACTY_CITY_3246	157			504
ACTY-DESI-CD-DLA-GSA	DLA_GSA_EXCPT_0511	016	ADRS-WIDTH-INCH	ADRS_WIDTH_IN_3197	379
		523	AF-BDGT-APPRP	AF_BDGT_APPRP_3160	164
ACTY-GRP	ACTY_GRP_9133	143	AF-BDGT-CD-MDL	BDGT_CD_AF_3765	006
		474			164
		606			505
		709	AF-BDGT-CD-MDL-DEF	BDGT_CD_AF_EX_3161	164
		715	AF-BDGT-PGM	AF_BDGT_PGM_3159	164
		945	AF-BDGT-STK-FD-DIV	AF_BGT_STK_FD_3162	164
ACTY-NM-LINE1	ACTY_NM_LINE1_3238	157	AF-FSC-MGR	AF_FSC_MGR_8860	094
ACTY-NM-LINE2	ACTY_NM_LINE2_3239	157			515
ACTY-NM-LINE3	ACTY_NM_LINE3_3240	157	AF-SOS	AF_SOS_9403	331
ACTY-NM-LINE4	ACTY_NM_LINE4_3241	157			519
ACTY-NM-LINE5	ACTY_NM_LINE5_3242	157	AIR-CMDTY-CD	AIR_CMDTY_CD_2497	162
ACTY-OFC-SYM	ACTY_OFC_SYM_3243	157	AIR-CMDTY-CD-EXPLN	AIR_CMTY_EX_5232	162
ACTY-ST-ADRS1	ACTY_ST_ADRS1_3244	157	AIR-CMDTY-SP-HDLG-CD	AIR_CMTY_HDLG_9215	016
ACTY-ST-ADRS2	ACTY_ST_ADRS2_3245	157			523
ACTY-STA-US-POS-ABR	ACTY_ST_US_AB_3247	157	AIR-DIM-CD	AIR_DIM_CD_9220	016
ACTY-TYPE	ACTY_TYPE_9134	382			163
ACTY-ZIP-CD	ACTY_ZIP_CD_3248	157			523
ADDNL-RQM-CD	ADDNL_RQM_CD_7973	943	AIR-DIM-CD-EXPLN	AIR_DIM_CD_EX_5231	163
ADDNTL-R-P-Q-SEG	ADD_R_P_Q_SEG_3146	233	AIR-SP-HDLG-CD	AIR_S_HDLG_3169	167
ADP-PNT-CD	ADP_PNT_CD_8835	004	AIR-SP-HDLG-CD-EXPLN	AIR_S_HDLG_EX_3170	167
		077			728
ADPE-IDEN-CD	ADPEC_0801	010			729
		161	AIR-SP-HDLG-PT-1	AIR_S_HDLG_P1_4521	728
		509	AIR-SP-HDLG-PT-2	AIR_S_HDLG_P2_4524	729
ADPE-IDEN-CD-DEF	ADPEC_DEF_5262	161	AIR-SP-HDLG-SUB-1	AIR_S_HDLG_S1_4522	728
ADRS-1-ROW	ADRS_1_ROW_3206	379	AIR-SP-HDLG-SUB-2	AIR_S_HDLG_S2_4523	728

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ALL-SEGS-DRPD-IND	ALL_SEGS_DRPD_9735	074			350
ALLOWED-DIC	ALLOWED_DIC_9135	403			351
		961			352
ALT-OP-MED-CD	ALT_OP_MED_CD_0420	144			353
		157			354
		783	APPL-OP-REC	APPL_OP_REC_9136	044
AMC-AT-CC-ADDS-NSN	AMC_STAT_CNT_6373	021			151
		444			408
AMC-AT-CC-BBAL-NSN	AMC_STAT_CNT_6371	021			866
		444			961
AMC-AT-CC-DLTS-NSN	AMC_STAT_CNT_6377	021			997
		444			999
AMC-AT-CC-MVMT-NSN	AMC_STAT_CNT_6381	329	APPLB-KEY-CD-FIIG	APPLB_KEY_CD_0103	098
		330			593
AMC-DP-CC-ADDS-NSN	AMC_STAT_CNT_6357	021	AR-FSC-MGR	AR_FSC_MGR_8831	094
		444			515
AMC-DP-CC-BBAL-NSN	AMC_STAT_CNT_6355	021	AR-MCC-APPROP-SUBGRP	AR_MCC_AP_SUB_2163	006
		444			169
AMC-DP-CC-DLTS-NSN	AMC_STAT_CNT_6359	021			505
		444	AR-MCC-APPROP-SUBGRP-TXT	AR_MCC_AP_TXT_2164	169
AMC-DP-CC-MVMT-NSN	AMC_STAT_CNT_6363	329	AR-MCC-DESCP-USE-CD	AR_MCC_USE_CD_2161	006
		330			170
AMLS-LST-CNTL-ID	AMLS_LST_CNTL_3290	378			505
AMLS-PROCESS-DATE	AMLS_PROC_DT_3286	378	AR-MCC-DESCP-USE-TXT	AR_MCC_USE_TX_2162	170
AMLS-PROCESS-TIME	AMLS_PROC_TM_3287	378	AR-MCC-SUB-GRP-CD	AR_MCC_SG_CD_2165	171
AMLS-RUN-ID	AMLS_RUN_ID_3202	378	AR-MCC-SUB-GRP-CD1	AR_MCC_SG_CD1_2167	006
AMLS-RUN-ID-SEQ-NBR	AMLS_RI_SEQ_3203	378			172
AMLS-SUBMIT-DATE	AMLS_SUB_DT_3284	378			505
AMLS-SUBMIT-TIME	AMLS_SUB_TM_3285	378	AR-MCC-SUB-GRP-TXT	AR_MCC_SG_TX_2166	171
AMLS-TARGET-PGM	AMLS_TRGT_PGM_3204	378	AR-MCC-SUB-GRP-TXT1	AR_MCC_SG_TX1_2168	172
AMMO-CD	AMMO_CD_8805	001	AR-SOS	AR_SOS_9402	331
		073			519
		496	ARCHIVE-BEGIN-DATE	ARCH_BEG_DT_9311	140
		723			913
AMMO-CD-PRFX-ID	AMMO_CD_PRFX_8809	487	ARCHIVE-END-DATE	ARCH_END_DT_9312	140
AMSC-AMC-VLD-COMBS-CD	AMSC_AMC_VC_8009	153			913
AMSC-DP-AMC-NSN	AMC_STAT_CNT_6400	022	ARCHIVE-TS	ARCHIVE_TS_9137	840
		445	ARCVD-BY-USER	ARCHVNG_USER_9138	840
AMSC-DP-AMC-TOT-NSN	AMSC_STAT_TOT_6401	425	ASCII-EBCDIC	ASCII_EBCDIC_9139	410
		556	ASGN-ISAC-RPLY-STAT-IND	ASGN_ISAC_RPY_3561	952
AMSC-DP-AT-AMC-NSN	AMC_STAT_CNT_6387	022	ASGND-FSC	FSC_3990	304
		445			487
AMSC-DP-AT-AMC-TOT	AMSC_STAT_TOT_6388	425			602
		556			774
AND-OR	AND_OR_4410	115			776
		116			871
AND-OR-IND	AND_OR_IND_3060	348	ASGND-FSC-WI-FSG	FSC_WI_FSG_3996	001



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		010			491
		019			494
		024			509
		031			515
		034			518
		036			525
		038			528
		039			530
		042			531
		050			546
		053			547
		073			548
		076			555
		094			561
		099			562
		103			564
		106			572
		129			573
		148			577
		216			578
		221			580
		338			581
		369			588
		370			589
		371			590
		377			591
		396			594
		415			611
		420			615
		430			625
		431			627
		432			642
		433			643
		434			644
		435			645
		437			646
		442			647
		446			660
		453			661
		455			662
		456			663
		459			670
		465			684
		466			692
		467			693
		470			694
		471			695

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		696			031
		697			034
		733			036
		741			038
		742			039
		763			042
		764			050
		784			053
		785			073
		786			076
		787			094
		788			099
		789			103
		790			106
		791			129
		792			148
		793			216
		796			221
		797			316
		798			338
		799			369
		800			370
		801			371
		802			377
		803			396
		804			415
		805			420
		857			430
		875			431
		895			432
		896			433
		898			434
		900			435
		902			437
		904			442
		907			446
		908			453
		909			455
		916			456
		948			459
		962			465
		985			466
		986			467
ASGND-FSG	FSG_3994	001			470
		010			471
		019			491
		024			492

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		494			696
		509			697
		515			733
		518			741
		525			742
		528			763
		530			764
		531			784
		546			785
		547			786
		548			787
		555			788
		561			789
		562			790
		564			791
		572			792
		573			793
		577			796
		578			797
		580			798
		581			799
		588			800
		589			801
		590			802
		591			803
		594			804
		595			805
		611			857
		615			875
		625			895
		627			896
		642			897
		643			898
		644			899
		645			900
		646			901
		647			902
		660			903
		661			904
		662			905
		663			906
		670			907
		684			908
		692			909
		693			916
		694			935
		695			940

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		948			014
		962			023
		985			059
		986			069
ASGND-NIIN	NIIN_4000	602			070
		774			079
		776			081
		871			082
ASGND-NSN	NSN_3960	772			083
		781			092
		782			101
		932			103
ASSOC-CD-CAGE-NSCM-CD	ASSOC_CD_CAGE_8855	082			151
ATTN-LINE	ATTN_LINE_3482	834			176
AUD-ISAC-RPLY-STAT-IND	AUD_ISAC_RPY_3562	950			189
AUD-STYL-RPLY-STAT-IND	AUD_STYL_RPY_3563	951			222
AUTH-FL-UPDT-RCVRS	AUTH_UPD_RCVR_4507	236			225
AUTH-INTEROG-SUB	AUTH_INT_SUB_4506	236			245
AUTHZD-II-DATA-COLLBR-CD	AUTH_II_COLBR_2531	095			328
AUTHZD-II-DATA-RCVR-CD	AUTH_II_RCVR_2532	096			413
AUTHZD-II-DATA-SUBMR-CD	AUTH_II_SUBMR_2535	093			420
		129			421
AUTODIN-CONT-IND-CD	AUTODIN_CIC_9306	841			494
AUTODIN-IO	AUTODIN_IO_9140	397			495
		841			502
AUTODIN-MSG	AUTODIN_MSG_9310	612			504
		843			522
AUTODIN-MSG-DT-TM	AUTODIN_DT_TM_9486	012			686
BATCH-STAT-CNTR	BTCH_STAT_CTR_1107	924			725
BEGINNING-DATE	BEG_DATE_0912	026			772
		448			773
BLOCK-SIZE	BLOCK_SIZE_9141	410			779
BRNCH-CD	BRNCH_CD_0997	060			780
		109			781
		525			917
BSC-CMB-IMM-IND	BSC_CM_IM_IND_4582	536			929
BTCH-CTL-NBR	BTCH_CTL_NBR_0998	060			937
BTCH-FMT-PARM	BTCH_FMT_PARM_2602	102			953
BUS-FM-CD	BUS_FM_CD_3406	082	CAGE-FSC-NSN	CAGE_STAT_CNT_6657	420
		706			494
BUS-FM-CD-DEF	BUS_FM_CD_DEF_3372	706	CAGE-INC-NSN	CAGE_STAT_CNT_6656	421
CAGE-ACTY-AAC-NSN	CAGE_STAT_CNT_6651	419			495
		493	CAGE-KEYWORD	CAGE_KEYWORD_4471	504
CAGE-CD	CAGE_CD_9250	002	CAGE-NSCM-DESI-CD	CAGE_NSCM_DES_2620	082
		003			263
		004	CAGE-NSCM-STAT-CD	CAGE_STAT_CD_2694	070
		005			082

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		185	CIIC	CIIC_2863	006
		502			129
		725			270
CAGE-NSCM-TYP-CD	CAGE_TYP_CD_4238	082			505
		265			941
CAGE-NSN	CAGE_STAT_CNT_6654	023	CIIC-CLS-CD	CIIC_CLS_CD_5255	182
		413			270
CAGE-PNT-OF-CNTCT-NM	CNTCT_NM_3374	222	CIIC-CLS-CD-TI	CIIC_CLS_TI_2495	182
CAGE-REF	CAGE_STAT_CNT_6655	023	CIIC-CLS-CD-TI-EX	CIIC_CLS_EX_2496	182
		413	CIIC-NOTE	CIIC_NOTE_3494	837
CAGE-RQST-RSN-CD	CAGE_RQST_RSN_3407	082	CIIM-ACTN-RTN-TO	CIIM_RTN_TO_3139	183
		708	CIIM-INPUT-FILE-IND	CIIM_IN_IND_3138	183
CAGE-RQST-RSN-DEF	CAGE_RSN_DEF_3370	708	CIIM-RTN-ACTN-CD	CIIM_RTN_CD_3134	183
CAGE-STAT-CD-USER-INTPTN	CAGE_USR_INTP_5293	185			746
CAO-ADP-EXCP-PRCSG-CD-EX	CAO_EX_PR_EX_5270	178	CIIM-RTN-ACTN-CD-DEF-INS	CIIM_RTN_DEF_3137	183
CAO-ADP-EXCP-PROC-CD	CAO_EX_PR_CD_8868	178	CIT-ELGBL-IND-CD	CIT_ELGBL_IND_9506	398
CAO-CD	CAO_CD_8870	004	CITY	CITY_1084	139
		077			328
CARRY-OVR-CNT	CARRY_OVR_CNT_9455	879			355
		993	CLAS-ASST-MOD-H2	CL_ASST_MODH2_9554	099
CARRY-OVR-FLG	CARRY_OVR_FLG_9453	879			518
		993			594
CARRY-OVR-RTN-CD	CARRY_OVR_RTN_9454	879	CLAS-ASST-MOD-H3	CL_ASST_MODH3_9553	001
		993			073
CASE-NBR	CASE_NBR_2544	044	CLNG-DRYNG-PRO-CD	CLNG_DRY_PRC_5161	346
CAT-MGMT-IP-OP-NOTE-IND	CM_NOTE_IND_2101	197			928
CCR-DUNS-PLUS4-ID	DUNS_PLUS4_4361	222	CLRTXT-KEY	CLRTXT_KEY_3088	349
CD-FOR-LGTH-RPLY	CD_F_LGT_RPLY_0365	126	CMBT-ESNTL-CD-EXPLN-MC	CMBT_MC_EXP_3165	239
		922	CMBT-ESNTL-CD-MC	CMBT_ESTL_MC_3311	006
CDD-CLR-RPLY	CDD_CLR_RPLY_4128	115			239
		116			505
		348	CMD-AUTH-CD-X	CMD_AUTH_CD_X_3458	858
CDD-RPLY	CDD_RPLY_3465	128	CMD-AUTHZN-CD	CMD_AUTHZN_CD_0759	144
		339			858
		473	CMDTY-CTGY-EXPLN	CMDTY_CT_EXP_5301	221
		923	CMDTY-MAT-MGMT-CD-DOD	CMDTY_MMC_DOD_2611	093
CHAR-IN-ADRS-LI	CHAR_ADRS_LI_3225	379			094
CHAR-PER-INCH	CHAR_PER_INCH_3235	379			202
CHAR-SCRN-IND	CHAR_SCRN_IND_3102	191			515
		230	CMDTY-MAT-MGMT-CD-DOD-ID	CMDTY_MMC_ID_5308	202
CHNG-RPLY-FRM	CHNG_RPLY_FRM_4413	118	CMP-FSC	CMP_FSC_8595	942
		119	CMP-I-I-NBR	CMP_I_I_NBR_8583	942
CHNG-RPLY-TO	CHNG_RPLY_TO_4414	118	CMP-ITEM-NAME	CMP_ITEM_NAME_8597	942
		119	CMP-NCB-CD	CMP_NCB_CD_8584	942
CICS-ERR-CD	CICS_ERR_9392	086	CNFDNC-LVL-RT	CNFDNC_LVL_RT_2673	699
CICS-PASS-KEY-TX	CICS_PASS_KEY_9069	443	CNGRSL-DSTRCT-CD	CNGRSL_DSTRCT_3410	139
CICS-PASS-TX	CICS_PASS_TX_9070	443	CNTRY	CNTRY_1085	355

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		701			108
CNTRY-CD	CNTRY_CD_3408	328			522
		701			953
CNTRY-NM	CNTRY_NM_1966	157	CPU-ROUTED-TO	CPU_ROUTED_TO_9143	401
CNTY-NM	CNTY_NM_3409	139	CRD-IDEN-CD-EXPLN	CRD_ID_CD_EX_5212	179
CNV-FRM-LEFT	CNV_FRM_LEFT_4416	117	CRD-IDEN-CD-IMC	CRD_ID_CD_IMC_0099	040
		119			179
CNV-FRM-RIGHT	CNV_FRM_RIGHT_4417	117			345
		119			436
COCO-CONV-TYPE	COCO_CONV_TYP_4415	117			457
		119			521
COCO-NBR	COCO_NBR_2254	117			563
		118	CRD-IDEN-CD-TI	CRD_ID_CD_TI_5211	179
COG-CD-CMNT-NVY	COG_CD_NV_CM_4558	260	CRD-SEQ-CD	CRD_SEQ_CD_8264	121
COG-CD-INV-MGR-RETL-OFC	COG_RETL_OFC_5257	252	CRITL-CD-FIIG	CRITL_CD_FIIG_3843	010
COG-CD-NVY	COG_CD_NVY_2608	006			111
		093			509
		252			782
		260	CRITL-CD-FIIG-EXPLN	CRT_CD_FIG_EX_3467	111
		505	CRTFN-NBR	CRTFN_NBR_5295	082
COG-CD-NVY-DEF	COG_CD_NVY_EX_5256	252	CRYPTO-IND-CD	CRYPTO_IND_CD_0857	093
COMM-RI	COMM_RI_9142	054	CT-OP-MED-CD	SSR_OP_MED_CD_2094	157
		084	CTGY-CD	CTGY_CD_0905	158
		409			159
		841			175
		843	CTGY-CD-ACT-EXPLN	CTGY_CD_ACT_X_2227	159
COMN-NBRG-SYS-IND-EXPLN	CNBR_SYS_I_EX_5271	186	CTGY-DIC-CMNT	CTGY_DIC_CMNT_4626	175
COMN-NBRING-SYS-IND	CNBR_SYS_I_0845	082	CTLD-INV-ITM-CD-EXPLN	CII_CTGY_EX_5254	270
		186	CTNR-NSN	CTNR_NSN_5178	346
CONCEPT-NBR	CONCEPT_NBR_4488	098			928
		593	CURR-TIR-SEG	CURR_TIR_SEG_3145	233
COND-CD-FED1	CON_CD_FED1_3475	831	CUSH-DUN-MAT-CD	CUSH_DUN_MAT_5164	346
COND-CD-FED1-DF	CON_CD_FD1_3184	831			928
COND-CD-FED1-TI	CON_CD_FD1_TI_3183	831	D-MIL-CD	DEMIL_CD_0167	016
COND-CD-FED2	CON_CD_FED2_3476	832			028
COND-CD-FED2-EXP-DF	CON_CD_FD2_XD_3478	832			129
COND-CD-FED2-TI	CON_CD_FD2_TI_3477	832			194
CONF-NOTI-CD	CONF_NOTI_CD_0095	187			426
CONF-NOTI-CD-EXPLN	CONF_NOTI_EX_5110	187			428
CONF-NOTI-CD-RMK	CONF_NOT_CDRK_5111	187			450
CONTI-IND-CD	CONTI_IND_CD_8555	853			523
CONTR-ESTBMT-CD	CONTR_ESTBMT_3404	082			557
CONTR-ID-CHNG-CD	CONTR_ID_CHNG_3412	082			559
CONTR-LABEL-CD-PSMAT	CONTR_LBL_CD_0893	860			782
CONTR-LBL-CD-EX-PSMAT	CONTR_LBL_CD_X_3457	860			941
CONTR-PLND-PRDCR-CD	PLND_PRDCR_CD_3411	082	DAC	DAC_2640	014
CONV-REF-NBR	CONV_REF_NBR_3571	014			201

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		522			892
		772			918
DAC-DEPT-REF-QTY	DAC_STAT_CNT_5637	027			957
		449			989
DAC-MAY-HAVE-RNG	DAC_MAY_RNG_3111	278	DATA-TRNSM-CTL-CD	D_TRN_CTL_CD_0756	190
DAC-MUST-HAVE-RNG	DAC_MUST_RNG_3107	278	DATA-TRNSMSN-CTL-CD-EXPL	D_TRN_CTL_EX_5135	190
DAC-TYPE-II-1-TOT	DAC_STAT_CNT_5629	027	DATASET-NAME	DATASET_NAME_9144	840
		449	DATE-LST-CHG	DATE_LST_CHG_0043	090
DAC-TYPE-II-1A-TOT	DAC_STAT_CNT_5630	027			093
		449			732
DAC-TYPE-II-1B-TOT	DAC_STAT_CNT_5631	027	DATE-REPORTED-THRU	DATE_RPT_THRU_0914	448
		449	DB2-ARCH-GRP-NBR	DB2_ARC_GP_NO_2746	141
DAC-TYPE-II-2-TOT	DAC_STAT_CNT_5635	027			142
		449			913
DAC-TYPE-II-4-TOT	DAC_STAT_CNT_5632	027	DB2-GRP-NUM	DB2_GRP_NUM_4492	392
		449			393
DAC-TYPE-II-4A-TOT	DAC_STAT_CNT_5633	027	DB2-SQL-ERR-CD	DB2_SQL_ERR_9390	086
		449	DB2-SQL-STA-ERR-CD	DB2_SQL_STA_9391	086
DAC-TYPE-II-4B-TOT	DAC_STAT_CNT_5634	027	DB2-TBL-NAME	DB2_TBL_NAME_4465	359
		449			392
DATA-ELE-IMG-AFT-CHNG	DE_IMG_AFT_CG_1377	081	DBRD-BDR-STAT-CD	DBRD_STAT_CD_0866	092
		710	DBRD-CONTR-END-DT	DBRD_END_DT_0867	092
DATA-ELE-IMG-BEF-CHNG	DE_IMG_BEF_CG_1376	081	DBRMT-PPSL-INTR-SYM-MNG	DBRMT_SYM_MNG_1380	092
		710	DCODD-ISAC-RPLY-STMT	DCOD_ISAC_RPY_2308	125
DATA-ELE-LGTH	DE_LENGTH_1882	404			950
		406	DCODD-RPLY-STMT	DCOD_RPLY_ST_3864	128
DATA-ELE-START-POS	DE_START_POS_1097	404			923
		406	DCODD-STYL-RPLY-STMT	DCOD_STYL_RPY_2309	131
DATA-REC-NBR	DRN_0950	081			951
		105	DEG-MTCH-CD	DEG_MTCH_CD_0595	191
		177	DELETER-USERID	DELETER_USRID_3221	378
		207	DELT-RSN-CD	DELT_RSN_CD_4540	010
		228			192
		249			509
		292			510
		375			626
		404			751
		406			752
		489			753
		491			754
		492	DELT-RSN-CD-EXPLN	DELT_RSN_EX_5132	192
		536	DEMIL-CD-EXPLN	DEMIL_CD_EX_5136	194
		746	DEPT-CD	DEPT_CD_8329	955
		883	DEST-ACTY-CD-OP	DEST_ACTY_OP_3880	188
		889	DEST-CD-SCRNG	DEST_CD_SCRNG_3890	144
		890			782
		891	DFLT-OP-FMT	DFLT_OP_FMT_2564	382

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DFLT-RELE-TDQ-ID	DFLT_RELE_TDQ_9500	383	DIC-ALL-SAC-DEPT-NIINST	DIC_STAT_CNT_9577	820
		613			821
DGTZD-DWG-NBR	DGTZD_DWG_NBR_0772	075	DIC-ALL-SAC-DEPT-PDUPS	DIC_STAT_CNT_7652	820
		136			821
		816	DIC-ALL-SAC-DEPT-RECVD	DIC_STAT_CNT_7647	820
		842			821
		966	DIC-ALL-SAC-DEPT-RULES	DIC_STAT_CNT_7654	820
DIC-ALL-OAC-ADUPS	DIC_STAT_CNT_6810	818			821
		819	DIC-ALL-SAC-NIINST	DIC_STAT_CNT_6789	820
DIC-ALL-OAC-APRVD	DIC_STAT_CNT_6813	818			821
		819	DIC-ALL-SAC-PDUPS	DIC_STAT_CNT_6792	820
DIC-ALL-OAC-CLRCL	DIC_STAT_CNT_6808	818			821
		819	DIC-ALL-SAC-RECVD	DIC_STAT_CNT_6798	820
DIC-ALL-OAC-DEPT-ADUPS	DIC_STAT_CNT_5339	818			821
		819	DIC-ALL-SAC-RULES	DIC_STAT_CNT_6790	820
DIC-ALL-OAC-DEPT-APRVD	DIC_STAT_CNT_5337	818			821
		819	DIC-CATEGORY	DIC_CATEGORY_9756	181
DIC-ALL-OAC-DEPT-CLRCL	DIC_STAT_CNT_5341	818			383
		819			408
DIC-ALL-OAC-DEPT-NIINST	DIC_STAT_CNT_5343	818			866
		819			961
DIC-ALL-OAC-DEPT-PDUPS	DIC_STAT_CNT_5340	818	DIC-CSTDN	DIC_CSTDN_2214	196
		819	DIC-CSTDN-ALT	DIC_CSTDN_ALT_2213	196
DIC-ALL-OAC-DEPT-RECVD	DIC_STAT_CNT_5335	818	DIC-DRN-NOTE	DIC_DRN_NOTE_2111	207
		819	DIC-DRN-NOTE-DEF	DIC_DRN_N_DEF_2113	208
DIC-ALL-OAC-DEPT-RULES	DIC_STAT_CNT_5342	818	DIC-I-O-TYPE	DIC_I_O_TYPE_2052	196
		819	DIC-IP	DIC_IP_3921	064
DIC-ALL-OAC-NIINST	DIC_STAT_CNT_6806	818			065
		819			104
DIC-ALL-OAC-PDUPS	DIC_STAT_CNT_6809	818			206
		819			368
DIC-ALL-OAC-RECVD	DIC_STAT_CNT_6815	818			372
		819			374
DIC-ALL-OAC-RULES	DIC_STAT_CNT_6807	818			376
		819			468
DIC-ALL-SAC-ADUPS	DIC_STAT_CNT_6793	820			540
		821			541
DIC-ALL-SAC-APRVD	DIC_STAT_CNT_6796	820			549
		821			608
DIC-ALL-SAC-CLRCL	DIC_STAT_CNT_6791	820			739
		821			740
DIC-ALL-SAC-DEPT-ADUPS	DIC_STAT_CNT_7651	820			808
		821			809
DIC-ALL-SAC-DEPT-APRVD	DIC_STAT_CNT_7649	820			822
		821			823
DIC-ALL-SAC-DEPT-CLRCL	DIC_STAT_CNT_7653	820			924
		821			958



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIC-OAC-ADUPS	DIC_STAT_CNT_6800	739	DIC-SAC-APRVD	DIC_STAT_CNT_6786	065
		740			541
DIC-OAC-APRVD	DIC_STAT_CNT_6803	739	DIC-SAC-CLRCL	DIC_STAT_CNT_6781	065
		740			541
DIC-OAC-CLRCL	DIC_STAT_CNT_6838	739	DIC-SAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_9591	065
		740			541
DIC-OAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_5359	739	DIC-SAC-DEPT-TOT-APRVD	DIC_STAT_CNT_9589	065
		740			541
DIC-OAC-DEPT-TOT-APRVD	DIC_STAT_CNT_5357	739	DIC-SAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_9593	065
		740			541
DIC-OAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_5361	739	DIC-SAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5325	065
		740			541
DIC-OAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5363	739	DIC-SAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_9592	065
		740			541
DIC-OAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_5360	739	DIC-SAC-DEPT-TOT-RECVD	DIC_STAT_CNT_9587	065
		740			541
DIC-OAC-DEPT-TOT-RECVD	DIC_STAT_CNT_5355	739	DIC-SAC-DEPT-TOT-RULES	DIC_STAT_CNT_9594	065
		740			541
DIC-OAC-DEPT-TOT-RULES	DIC_STAT_CNT_5362	739	DIC-SAC-NIINST	DIC_STAT_CNT_6779	065
		740			541
DIC-OAC-NIINST	DIC_STAT_CNT_6836	739	DIC-SAC-PDUPS	DIC_STAT_CNT_6782	065
		740			541
DIC-OAC-PDUPS	DIC_STAT_CNT_6799	739	DIC-SAC-RECVD	DIC_STAT_CNT_6788	065
		740			541
DIC-OAC-RECVD	DIC_STAT_CNT_6805	739	DIC-SAC-RULES	DIC_STAT_CNT_6780	065
		740			541
DIC-OAC-RULES	DIC_STAT_CNT_6837	739	DIC-SEQ	DIC_SEQ_9146	151
		740			385
DIC-OP	DIC_OP_1052	052			389
		060			408
		061			474
		064			475
		104			476
		183			866
		197			869
		368			961
		374	DIDS-NOTE-NAR	DIDS_NOTE_NAR_1300	305
		375			394
		540			864
		604	DIDS-NOTE-NBR	DIDS_NOTE_NBR_1288	305
		624			394
		924			864
		957	DIDS-SEG-CD-EXPLN	DIDS_SEG_EX_3175	199
DIC-REF	DIC_REF_2211	196	DIDS-SUB-SEC	DIDS_SUB_SEC_4450	393
DIC-RLTD-FNCTNL-DSCPTN	DIC_TO_FD_2212	198			394
DIC-SAC-ADUPS	DIC_STAT_CNT_6783	065			395
		541	DIML-MRC-IND	DIML_MRC_IND_0326	120

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIST-ACTY-CD-SEG-M	DIST_AC_SEG_M_0478	148			875
		530			928
DL-REPLY	DL_REPLY_4418	350			972
		357			973
DLA-CTR-CD	DLA_CTR_CD_3886	847			974
DLAC	DLAC_3891	948			975
DLIS-PROC-CHP-NBR	DLIS_CHP_NBR_3452	394			976
		736			977
		864			978
DLIS-SEG-NOTE1	SEG_NOTE_NBR1_4528	249			979
DLIS-SEG-NOTE2	SEG_NOTE_NBR2_4529	249			980
DLN	DLN_1283	146			981
		147			982
		378			983
		966			984
DLN-ROW	DLN_ROW_3233	379			997
DLN-SEQ	DLN_SEQ_3198	379			998
DLR-VAL-UNIT-PR	UNIT_PR_7075	006			999
		505	DOC-ID-CD	DIC_3920	012
DLSC-ONLY-IND	DLSC_ONLY_IND_4621	196			013
DLVR-ADRS-LI-TX	DLVR_ADRS_LI_3354	355			025
DMD-IND-CD	DMD_IND_CD_0728	193			060
DMD-IND-CD-EXPLN	DMD_IND_EX_5217	193			074
DOC-AVLB-CD-EXPLN	DAC_EX_5123	201			121
DOC-CTL-NBR	DOC_CTL_NBR_1015	012			175
		918			181
DOC-CTL-SER-NBR	DCSN_1000	025			188
		044			196
		059			197
		060			198
		105			207
		106			209
		341			214
		380			292
		422			323
		505			341
		506			380
		507			383
		508			385
		509			386
		510			387
		511			389
		512			398
		521			401
		522			403
		523			404
		524			405

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		406			978
		408			979
		411			980
		474			981
		475			982
		476			983
		480			984
		499			992
		505			997
		506			999
		507	DOC-ID-CD-CT	DOC_ID_CD_CT_1997	624
		508	DOC-TYP	DOC_TYP_2633	320
		509			321
		510			324
		511			343
		512			344
		521	DOD-CAT-ACT-SGL-SUB	CAT_SGL_SUB_4503	236
		522	DOD-DBRMT-PPSL-INITR	DBR_PRO_INIT_3193	203
		523	DOD-DBRMT-PPSL-INITR-SYM	DBR_PRO_I_SYM_0868	092
		524			203
		602	DR-CONTR-LBL-CD-1	DR_CONTR_LBL1_4993	860
		604	DR-CONTR-LBL-CD-2	DR_CONTR_LBL2_4994	860
		613	DR-CONTR-LBL-CD-3	DR_CONTR_LBL3_4995	860
		614	DR-ODRC-REC-CD	DR_ODRC_REC_4981	859
		616	DR-SEG-A-CD	DR_SEG_A_4982	859
		774	DR-SEG-B-CD	DR_SEG_B_4983	859
		776	DR-SEG-C-CD	DR_SEG_C_4984	859
		782	DR-SEG-E-CD	DR_SEG_E_4985	859
		845	DR-SEG-F-CD	DR_SEG_F_4986	859
		849	DR-SEG-G-CD	DR_SEG_G_4987	859
		850	DR-SEG-H-CD	DR_SEG_H_4988	859
		855	DR-SEG-M-CD	DR_SEG_M_4989	859
		859	DR-SEG-N-CD	DR_SEG_N_4990	859
		866	DR-SEG-V-CD	DR_SEG_V_4991	859
		869	DR-SEG-W-CD	DR_SEG_W_4996	859
		871	DR-SEG-Z-CD	DR_SEG_Z_4992	859
		876	DRC	DRC_2634	320
		918			324
		928	DRN-FULL-VALUE	DRN_FULL_VAL_4469	489
		953			491
		961			492
		972	DRN-SEQ-NBR	DRN_SEQ_NBR_5039	889
		973			890
		974			891
		975			892
		976			918
		977			989

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DRN-VAL	DRN_VAL_9975	105	DT-BILD	DT_BILD_1041	060
DROP-INDX-CD	DROP_INDX_CD_2225	209	DT-DBRD-BDR-RCD-CHNGD	DT_DBR_REC_CH_1375	092
		210	DT-DBRD-BDR-RCD-ESTB	DT_DBR_REC_ES_1374	092
		480	DT-ESB-PSMAT-RD	DT_ESB_PSMR_0874	144
DROP-INDX-CD-MAINT	DROP_IN_MAINT_2223	157	DT-ESTB-CANC-RCD-DIDS	DT_ESTB_CANC_0308	001
DROP-INDX-CD-NOTIF	DROP_IN_NOTIF_2224	157			073
DRP-NOTIF-OR-MAINT-IND	DRP_N_OR_M_4505	209			091
		480			098
DRPD-SEG-1-IND	DRPD_SEG_1_9711	074			099
DRPD-SEG-6-IND	DRPD_SEG_6_9712	074			363
DRPD-SEG-7-IND	DRPD_SEG_7_9713	074			513
DRPD-SEG-9-IND	DRPD_SEG_9_9714	074			518
DRPD-SEG-A-IND	DRPD_SEG_A_9715	074			592
DRPD-SEG-B-IND	DRPD_SEG_B_9716	074			593
DRPD-SEG-C-IND	DRPD_SEG_C_9717	074			594
DRPD-SEG-D-IND	DRPD_SEG_D_9718	074	DT-FLGD-FOR-BLNG	DT_FOR_BLNG_1036	060
DRPD-SEG-E-IND	DRPD_SEG_E_9719	074	DT-FLGD-FOR-PURGE	DT_FOR_PRG_1042	060
DRPD-SEG-F-IND	DRPD_SEG_F_9720	074	DT-FLGD-FOR-RTC	DT_FOR_RTC_1044	060
DRPD-SEG-G-IND	DRPD_SEG_G_9721	074	DT-LST-ACCSD-PSMAT-RD	DT_LST_ACC_PS_0875	144
DRPD-SEG-H-IND	DRPD_SEG_H_9722	074	DT-LST-MOE-RULE-NBR-WTHD	DT_LST_MRN_2260	016
DRPD-SEG-J-IND	DRPD_SEG_J_9723	074			523
DRPD-SEG-K-IND	DRPD_SEG_K_9724	074	DT-MOE-RULE-ASGND-NIIN	DT_MR_ASGND_9128	345
DRPD-SEG-L-IND	DRPD_SEG_L_9725	074			521
DRPD-SEG-M-IND	DRPD_SEG_M_9726	074	DT-NIIN-PSCN-ASGMT	DT_NIIN_ASGMT_2180	016
DRPD-SEG-N-IND	DRPD_SEG_N_9727	074			523
DRPD-SEG-P-IND	DRPD_SEG_P_9728	074	DT-OE-LI-SEG-CHNGD	DT_OE_LI_CHG_8656	083
DRPD-SEG-Q-IND	DRPD_SEG_Q_9729	074	DT-OE-RCD-DELD	DT_OE_RCD_DEL_8657	502
DRPD-SEG-R-IND	DRPD_SEG_R_9730	074	DT-OE-RCD-ESTB	DT_OE_RCD_EST_2262	082
DRPD-SEG-V-IND	DRPD_SEG_V_9731	074	DT-PR-EFF	DT_PR_EFF_1967	104
DRPD-SEG-W-IND	DRPD_SEG_W_9732	074	DT-PRCSD	DT_PRCSD_1031	060
DRPD-SEG-Y-IND	DRPD_SEG_Y_9733	074	DT-PRIM-OP	DT_PRIM_OP_1008	060
DRPD-SEG-Z-IND	DRPD_SEG_Z_9734	074	DT-PURGED	DT_PURGED_1051	060
DS1-DEML-NSC-NSN	DS1_STAT_CNT_8215	028	DT-RTC	DT_RTC_1016	060
		450	DT-SECD-IP	DT_SECD_IP_1009	106
DS2-DPT-DEML-NSC-0-NSN	DS2_STAT_CNT_8217	426	DT-SECD-OP	DT_SECD_OP_1011	106
		557	DT-STDZN-DEC	DT_STDZN_DEC_2300	016
DS3-DOD-SS-NSC-0-MGD-NSN	DS3_STAT_CNT_8219	427			523
		558	DT-TRAN	DT_TRAN_2310	025
DS4-ML-SS-NSC-0-DEML-NSN	DS4_STAT_CNT_8221	428			044
		559			059
DSK-CD-CATLG	DSK_CD_CATLG_3870	060			060
		109			105
DSOR	DSOR_0903	009			106
		508			365
		833			380
DSOR-ACTY-NM	DSOR_ACTY_NM_3483	833			381
DSOR-STMT	DSOR_STMT_3484	829			422

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		489	DWG-FIIG-INTR-ID	DWG_FIIG_INIT_4064	815
		491	DWG-FIIG-TI	DWG_FIIG_TI_9779	815
		492	DWG-STAT-DT	DWG_STAT_DT_5073	072
		505	DWG-STAT-IND	DWG_STAT_IND_5072	072
		506	EAM-CARD-INTERP-IND	EAM_CRD_INTRP_3120	267
		507			410
		508	ECH-ACQ-STK-MC	EC_ACQ_STK_MC_3151	240
		509	ECH-CD-MC	ECH_CD_MC_3150	006
		510			240
		511			505
		512	ECH-REM-MC	ECH_REM_MC_3152	240
		513	ED-DIC	ED_DIC_2099	197
		515	ED-DIC-DESTN	ED_DIC_DESTN_2102	197
		518	EDIT-CMPLTD-TS	EDIT_CMPLT_TS_9383	084
		521	EDIT-CRITE-STMT	ED_CRITE_STMT_4129	121
		522	EDIT-RESULTS-TX	EDIT_RESULTS_9384	084
		523	EDIT-STAT-CD	EDIT_STAT_9382	084
		524	EDT-VAL-CRIT-EXPL	ED_VAL_CRI_EX_4583	228
		554			536
		928	EFF-DT	EFF_DT_2128	006
		972			007
		973			008
		974			009
		975			010
		976			015
		977			017
		978			073
		979			091
		980			093
		981			094
		982			095
		983			096
		984			099
		997			115
		998			331
		999			345
		060			380
DT-TRAN-DSK-CD-CHNG	DT_DSK_CD_CHG_1013	070			382
DUNS	DUNS_3405	082			489
		222			491
		072			492
DWG-FIIG	DWG_FIIG_4069	815			505
		826			506
		827			507
		828			508
		963			509
		965			510

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		511			868
		512			931
		513	EXTD-FRT-DESC	EXTD_FRT_DESC_0041	732
		515	EXTEND-FLAG	EXTEND_FLAG_9156	071
		518			319
		519			402
		521			609
		592			775
		594			778
		783			867
		918			995
EMAIL-ADRS-TX	EMAIL_ADRS_3375	222			996
ENDING-DATE	ENDING_DATE_0913	026	EXTR-RTN-CD	EXTR_RTN_CD_9451	879
		448			993
ERR-MSG-TX	ERR_MSG_9393	086	F-MAX-VALUE	F_MAX_VALUE_4428	353
ERR-RT	ERR_RT_2674	699			361
ERRC-CD-AF	ERRC_CD_AF_2655	006	F-MIN-VALUE	F_MIN_VALUE_3078	353
		165			361
		505	F-OR-V-KEY	F_OR_V_KEY_1092	177
ERRC-CD-EXPLN-AF	ERRC_EX_AF_3164	165			207
ERRC-CNDM-LV-AF	ERRC_CNDM_LV_2841	165			208
ERRC-DSG-AF	ERRC_DSG_AF_2842	165			214
ERRC-EXP-Y-N-AF	ERRC_EXP_Y_N_2843	165			249
ERRC-REP-Y-N-AF	ERRC_REP_Y_N_2844	165			305
ERROR-SEQ	ERROR_SEQ_9151	323			992
		405	FCS-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6428	682
ERROR-TS	ERROR_TS_9152	086			683
		323	FCS-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6431	683
		405	FCS-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6432	683
ESD-EMI-CD	ESD_EMI_CD_2043	016	FCS-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6445	683
		211	FCS-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6446	683
		523	FCS-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6447	683
ESD-EMI-CD-EX	ESD_EMI_CD_EX_2508	211	FCS-C-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6438	683
EST-ACT-PR-CD-EXPLN	EST_ACT_PR_EX_5219	212	FCS-C-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6439	683
ESTD-OR-ACTL-PR-CD	EST_ACT_PR_CD_0731	212	FCS-C-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6440	683
EXEC-COUNT	EXEC_COUNT_9153	600	FCS-C-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6453	683
		777	FCS-C-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6454	683
		852	FCS-C-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6455	683
		872	FCS-C-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8170	678
EXT-SEG-DATA	EXT_SEG_DATA_9154	747			679
		838	FCS-C-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8171	678
		854			679
		931	FCS-C-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8172	678
EXT-SEG-SEQ	EXT_SEG_SEQ_9155	747			679
		838	FCS-C-REF-SDP-TII-1-NSN	FCS_STAT_CNT_8173	678
		848			679
		854	FCS-C-REF-SDP-TII-2-NSN	FCS_STAT_CNT_8174	678

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		679	FIIG-LOCKT-IND	FIIG_LCKT_IND_0581	123
FCS-C-REF-SDP-TII-4-NSN	FCS_STAT_CNT_8175	678	FIIG-SB-SC-ID	FIIG_SB_SC_ID_5071	072
		679			826
FCS-C-SAC-TII-1-NSN	FCS_STAT_CNT_6402	032			827
		454			828
FCS-C-SAC-TII-2-NSN	FCS_STAT_CNT_6403	032			963
		454	FIIG-SB-SC-TI	FIIG_SB_SC_TI_5068	963
FCS-C-SAC-TII-4-NSN	FCS_STAT_CNT_6404	032	FIIG-SCTN-ID	FIIG_SCTN_ID_5069	072
		454			826
FCS-C-SDP-TII-1-NSN	FCS_STAT_CNT_6419	032			827
		454			828
FCS-C-SDP-TII-2-NSN	FCS_STAT_CNT_6420	032			963
		454			964
FCS-C-SDP-TII-4-NSN	FCS_STAT_CNT_6423	032	FIIG-SEC-TI	FIIG_SEC_TI_5070	964
		454	FILE-CHAR-CNT	FILE_CHAR_CNT_9157	474
FCS-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8162	678			666
		679	FILE-CHAR-MIN-QY	FILE_CHAR_MIN_9243	666
FCS-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8163	678	FILE-MAINT-ACTN-CD	FILE_MAINT_CD_8850	213
		679			878
FCS-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8164	678	FILE-MAINT-ACTN-CD-EXPLN	FILE_MAINT_EX_3173	213
		679	FILE-MAINT-RCVR-CD	FILE_MNT_RCVR_8905	148
FCS-REF-SDP-TII-1-NSN	FCS_STAT_CNT_6886	678			530
		679	FILE-MAINT-SEQ-NBR	FMSN_1515	016
FCS-REF-SDP-TII-2-NSN	FCS_STAT_CNT_6887	678			523
		679	FILE-REC-CNT	FILE_REC_CNT_9158	474
FCS-REF-SDP-TII-4-NSN	FCS_STAT_CNT_6888	678			666
		679	FILE-REC-MIN-QY	FILE_REC_MIN_9242	666
FCS-SAC-TII-1-NSN	FCS_STAT_CNT_6392	032	FILE-VAL-IND	FILE_VAL_IND_4584	771
		454	FIPS-CNTY-CD	FIPS_CNTY_CD_1371	139
FCS-SAC-TII-2-NSN	FCS_STAT_CNT_6393	032	FIPS-CTY-CD	FIPS_CTY_CD_1369	139
		454	FIPS-STA-CD	FIPS_STA_CD_1370	139
FCS-SAC-TII-4-NSN	FCS_STAT_CNT_6394	032	FIXED-VAR-LEN-MED-IND	F_V_LEN_IND_3119	267
		454			410
FCS-SDP-TII-1-NSN	FCS_STAT_CNT_6410	032	FLIS-SEG-CD	DIDS_SEG_CD_8999	177
		454			199
FCS-SDP-TII-2-NSN	FCS_STAT_CNT_6411	032			207
		454			209
FCS-SDP-TII-4-NSN	FCS_STAT_CNT_6412	032			210
		454			249
FD-CD-AF	FUND_CD_AF_2695	006			291
		166			292
		505			293
FD-CD-DEF-AF	FD_CD_DEF_AF_3163	166			305
FIIG-DWG-NOTE	FIIG_DWG_NOTE_5064	826			479
FIIG-DWG-SEQ	FIIG_DWG_SEQ_5061	072			746
FIIG-DWG-TI	FIIG_DWG_TI_5062	072			889
		842			890

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		891	FRT-MSTR-DEL-ER-CT	FR_MST_DEL_ER_1533	097
		892	FRT-MSTR-DELETE-CT	FR_MST_DEL_CT_1954	097
FLIS-SUB-PART	DIDS_SUB_PART_4467	392	FRT-MSTR-INQ-DATE	FR_MST_INQ_DT_1952	097
FLW-UP-COND-CD-DEF	FU_COND_DEF_5104	217	FRT-MSTR-TIME-FRAME	FR_MST_TI_FRM_1528	097
FLW-UP-COND-CD-INST	FU_COND_INST_5105	217	FSC-COND-CD	FSC_COND_CD_2607	098
FMR-DSOR	FMR_DSOR_0904	009			593
		508	FSC-DT-ESB-CANC-RCD-DIDS	FSC_DT_E_C_RC_5182	076
FMR-MOE-RULE-NBR	FMR_MOE_RULE_8280	345			094
		521			515
FMR-NMFC-CD	FMR_NMFC_0096	149			591
FMR-NMFC-SUB-ITEM-NBR	FMR_NMFC_SUB_0862	149	FSC-EXCL-NAR	FSC_EXCL_NAR_0376	076
FMR-UFC-CD	FMR_UFC_0097	149			591
FMT-EXAMPLE	FMT_EXAMPLE_3114	176	FSC-INC-NSN	FSC_INC_NSN_5751	432
FMT-REF-NBR-GOVT-CAGE	FMT_R_NBR_CAG_3113	176			465
FMT-REMARKS	FMT_REMARKS_4511	176	FSC-INCL-NAR	FSC_INCL_NAR_0375	076
FOOTPRNT-DATE	FOOTPRNT_DATE_9161	840			591
FOR-DOM-DESI-CD	FRN_DOM_CD_4235	082	FSC-MOE-IND-CD-EXPLN	FSC_M_RL_C_EX_5305	215
		307	FSC-MOE-RL-CHG-IND-CD-TI	FSC_M_RL_C_TI_4504	215
FOR-DOM-DESI-CD-EXPLN	FRN_DOM_EX_5289	307	FSC-MOE-RULE-CHNG-IND	FSC_M_RL_C_IN_0122	093
FORCED-FLAG	FORCED_FLAG_9458	879			094
		993			215
FORMAT-NAME	FORMAT_NAME_9162	404			515
		406	FSC-NOTE	FSC_NOTE_4962	076
FORMATTED-TS	FORMATTED_TS_9164	601			591
		777	FSC-NSN	FSC_STAT_CNT_5752	432
		852			465
		872	FSC-TI	FSC_TI_4970	076
FREIGHT-INC-NSN	FRGT_STAT_CNT_6599	035			591
		416	FSG-DT-ESB-CANC-RCD-DIDS	FSG_DT_E_C_RC_5183	316
FREIGHT-INC-TOT-NSN	FRGT_STAT_CNT_6600	423			595
		503	FSG-NOTE	FSG_NOTE_4965	316
FRM-ZIP-CD	FRM_ZIP_CD_3414	077			595
FRST-LOLA-OVERNIGHT-ODRC	FIRST_ODRC_4691	499	FSG-TI	FSG_TI_4972	316
FRST-MNTH-JUL	FRST_MNTH_JUL_2538	956			595
FRST-PHRS-CD	FRST_PHRS_CD_3048	839	FST-POS-MR	FST_POS_MR_4495	734
FRT-CD-STAT-CD	FRT_CD_STAT_2090	090	FTP-STAT-IND-CD	FTP_STAT_IND_2576	709
FRT-DESC	FRT_DESC_4020	090	FU-COND-CD	FU_COND_CD_0155	217
FRT-EXTND-DESC-ADD-CT	FR_EXD_ADD_CT_1960	097	FU-STAT-CD	FU_STAT_CD_0166	233
FRT-EXTND-DESC-ADD-ER-CT	FR_EXD_ADD_ER_1955	097			383
FRT-EXTND-DESC-CHG-CT	FR_EXD_CHG_CT_1961	097	FU-STAT-CD-DEF	FU_STAT_DEF_3141	233
FRT-EXTND-DESC-CHG-ER-CT	FR_EXD_CHG_ER_1532	097	FU-STAT-CD-INST	FU_STAT_INST_3142	233
FRT-EXTND-DESC-DEL-CT	FR_EXD_DEL_CT_1962	097	FUT-CT-MOE-RL-ST-CD-DEF	FUT_M_RL_ST_D_5306	218
FRT-EXTND-DESC-DEL-ER-CT	FR_EXD_DEL_ER_1957	097	FUT-CT-MOE-RULE-STAT-CD	FUT_M_RL_ST_C_0297	093
FRT-MSTR-ADD-CT	FR_MST_ADD_CT_1524	097			218
FRT-MSTR-ADD-ER-CT	FR_MST_ADD_ER_1517	097	GC-PICA-LAR-CNT	GC_PICA_LAR_1501	779
FRT-MSTR-CHG-CT	FR_MST_CHG_CT_1959	097	GC-PICA-LCR-CNT	GC_PICA_LCR_1502	779
FRT-MSTR-CHG-ER-CT	FR_MST_CHG_ER_2029	097	GDE-NBR-FIIG	FIIG_4065	010



# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		020			781
		033	GIRDER-SEQ-NBR	GRDR_SEQ_NBR_4543	772
		034	GLOS-ACRNM	GLOS_ACRNM_2135	219
		038	GLOS-ACRNM-TI	GLOS_ACRNM_TI_2136	219
		075	GLOS-TERM	GLOS_TERM_2132	220
		098	GLOS-TERM-DEF	GLOS_TERM_DEF_2133	220
		119	GLOS-TERM-VOL-REF	GLS_TRM_VL_RF_2134	219
		120			220
		121	H-J-TEXT	H_J_TEXT_4437	354
		122	H-TAB1-VALUE	H_TAB1_VAL_4429	354
		123			362
		124	H-TAB2-VALUE	H_TAB2_VAL_4430	354
		127			362
		131	H-TAB3-VALUE	H_TAB3_VAL_4431	354
		414			362
		415	H-TAB4-VALUE	H_TAB4_VAL_4432	354
		430			362
		431	H-TAB5-VALUE	H_TAB5_VAL_4433	354
		434			362
		435	H-TAB6-VALUE	H_TAB6_VAL_4434	354
		466			362
		467	H-TAB7-VALUE	H_TAB7_VAL_4435	354
		470			362
		471	H-TAB8-VALUE	H_TAB8_VAL_4436	354
		472			362
		501	HCC-ABRV-DEF-TX	HCC_ABRV_DEF_9077	711
		509	HCC-GP-TX	HCC_GP_9079	711
		562	HEAD-NARRTV	HEAD_NARRTV_4453	177
		593			393
		782	HGST-DOC-CTL-NBR-SEQ-NBR	HI_DCSN_SEQ_2199	998
		878	HI-DLR-BRKOT-CMDTY-CTG	H_D_BRK_CMDTY_3428	094
		921			221
		951			515
GDE-NBR-FIIG-SEQ-NO	FIIG_SEQ_NO_4404	120	HISTORY-DATE	HISTORY_DT_4470	115
GIRDER-CD	GIRDER_CD_0808	317			505
		779			506
GIRDER-CD-EXPLN	GIRDER_CD_EX_5100	317			507
GIRDER-CD-NEW-1	GRDR_CD_NW_1_4541	772			508
		781			509
GIRDER-CD-NEW-2	GRDR_CD_NW_2_4542	772			510
		781			511
GIRDER-DUP-PROTECTED	GRDR_DUP_PROT_4547	780			512
GIRDER-MFR-DATA	GRDR_MFR_DATA_4546	780			513
GIRDER-MFR-PROTECTED	GRDR_MFR_PROT_4548	780			518
GIRDER-NEW-CAGE-CD	GRDR_NW_CG_CD_4544	772			519
		781			521
GIRDER-NEW-REF-NBR-LOG	GRDR_NW_RN_LG_4545	772			522

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		523			506
		524			507
		928			508
HLP-PRC-PGMNM	HLP_PRC_PGMNM_4491	392			509
HMC	HMC_2720	016			510
		224			511
		523			512
HMC-EXPLN	HMC_EXPLN_5222	224			519
HMIC-EXPLN	HMIC_EXPLN_3466	110			521
HMIC-FSC-TBL-NBR	HMIC_FSC_TB_N_8589	962			522
HZRD-CHAR-CD	HCC_2579	711			523
HZRD-MAT-IND-CD	HMIC_0865	016			524
		110			626
		523			684
I-I-DATA-IND	I_I_DATA_IND_4622	196			686
I-I-NBR	I_I_NBR_4131	006			687
		007			688
		008			847
		009			875
		010			876
		011			877
		014			881
		015			914
		016			918
		017			928
		018			948
		075			957
		089			960
		103	I-O-TYPE	I_O_TYPE_9167	383
		106	I-S-JTC	JTC_0792	007
		115			506
		116	I-S-OOU-CD	OOU_0793	007
		129			506
		331	IANDS-ACTY-NSN	IANS_STAT_CNT_9596	373
		345			550
		346	IANDS-ACTY-NSN-FAMILIES	IANS_STAT_CNT_6088	373
		348			550
		349	IANDS-DEPT-FSC-MTR-PICA	IANS_STAT_CNT_9602	039
		350			456
		351	IANDS-DEPT-FSC-MTR-SICA	IANS_STAT_CNT_9600	039
		352			456
		353	IANDS-DEPT-FSC-REL-PICA	IANS_STAT_CNT_9601	039
		354			456
		380	IANDS-DEPT-FSC-REL-SICA	IANS_STAT_CNT_9599	039
		497			456
		498	IANDS-DEPT-FSC-TOT-FAM	IANS_STAT_CNT_9603	039
		505			456

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IANDS-DEPT-FSG-MTR-PICA	IANSTAT_CNT_6885	935	ICDD-FSC-ALL-LC-MS	ICDD_STAT_CNT_5959	792
		940			793
IANDS-DEPT-FSG-MTR-SICA	IANSTAT_CNT_9605	935	ICDD-FSC-ALL-LC-MS-IM	ICDD_STAT_CNT_5957	792
		940			793
IANDS-DEPT-FSG-REL-PICA	IANSTAT_CNT_9606	935	ICDD-FSC-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_5956	792
		940			793
IANDS-DEPT-FSG-REL-SICA	IANSTAT_CNT_9604	935	ICDD-FSC-ALL-LC-MS-OD	ICDD_STAT_CNT_5958	792
		940			793
IANDS-DEPT-FSG-TOT-FAM	IANSTAT_CNT_6882	935	ICDD-FSC-ALL-LC-OD	ICDD_STAT_CNT_5962	792
		940			793
IANDS-DEPT-MTR-P-S-FAM	IANSTAT_CNT_6871	934	ICDD-FSC-ALL-MS	ICDD_STAT_CNT_5952	790
		939			791
IANDS-DEPT-MTR-PICA	IANSTAT_CNT_9610	934	ICDD-FSC-ALL-MS-IM	ICDD_STAT_CNT_5950	790
		939			791
IANDS-DEPT-MTR-SICA	IANSTAT_CNT_9608	934	ICDD-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_5949	790
		939			791
IANDS-DEPT-NSN	IANSTAT_CNT_8118	373	ICDD-FSC-ALL-MS-OD	ICDD_STAT_CNT_5951	790
		550			791
IANDS-DEPT-NSN-FAMILIES	IANSTAT_CNT_6089	373	ICDD-FSC-ALL-OD	ICDD_STAT_CNT_5955	790
		550			791
IANDS-DEPT-REL-PICA	IANSTAT_CNT_9609	934	ICDD-IM-ALL-IM	ICDD_STAT_CNT_5968	790
		939			791
IANDS-DEPT-REL-SICA	IANSTAT_CNT_9607	934	ICDD-IM-ALL-IM-OD	ICDD_STAT_CNT_5967	790
		939			791
IANDS-FAMILY-SIZE	IANSTAT_SIZE_2234	373	ICDD-IM-ALL-LC-IM	ICDD_STAT_CNT_6465	792
		550			793
IANDS-GTOT-MTR-P-S-FAM	IANSTAT_CNT_8127	933	ICDD-IM-ALL-LC-IM-OD	ICDD_STAT_CNT_6464	792
		938			793
IANDS-GTOT-MTR-PICA	IANSTAT_CNT_8126	933	ICDD-IM-ALL-LC-MS	ICDD_STAT_CNT_6463	792
		938			793
IANDS-GTOT-MTR-SICA	IANSTAT_CNT_8124	933	ICDD-IM-ALL-LC-MS-IM	ICDD_STAT_CNT_6461	792
		938			793
IANDS-GTOT-NSN	IANSTAT_CNT_8121	373	ICDD-IM-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6460	792
		550			793
IANDS-GTOT-NSN-FAMILIES	IANSTAT_CNT_6099	373	ICDD-IM-ALL-LC-MS-OD	ICDD_STAT_CNT_6462	792
		550			793
IANDS-GTOT-REL-PICA	IANSTAT_CNT_8125	933	ICDD-IM-ALL-LC-OD	ICDD_STAT_CNT_6466	792
		938			793
IANDS-GTOT-REL-SICA	IANSTAT_CNT_8123	933	ICDD-IM-ALL-MS	ICDD_STAT_CNT_5966	790
		938			791
ICDD-FSC-ALL-IM	ICDD_STAT_CNT_5954	790	ICDD-IM-ALL-MS-IM	ICDD_STAT_CNT_5964	790
		791			791
ICDD-FSC-ALL-IM-OD	ICDD_STAT_CNT_5953	790	ICDD-IM-ALL-MS-IM-OD	ICDD_STAT_CNT_5963	790
		791			791
ICDD-FSC-ALL-LC-IM	ICDD_STAT_CNT_5961	792	ICDD-IM-ALL-MS-OD	ICDD_STAT_CNT_5965	790
		793			791
ICDD-FSC-ALL-LC-IM-OD	ICDD_STAT_CNT_5960	792	ICDD-IM-ALL-OD	ICDD_STAT_CNT_5969	790

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICDD-LA-ALL-IM	ICDD_STAT_CNT_6472	791	ICDD-LA-FSC-LC-MS	ICDD_STAT_CNT_6491	792
		790			793
ICDD-LA-ALL-IM-OD	ICDD_STAT_CNT_6471	791	ICDD-LA-FSC-LC-MS-IM	ICDD_STAT_CNT_6489	792
		790			793
ICDD-LA-ALL-LC-IM	ICDD_STAT_CNT_6479	791	ICDD-LA-FSC-LC-MS-IM-OD	ICDD_STAT_CNT_6488	792
		792			793
ICDD-LA-ALL-LC-IM-OD	ICDD_STAT_CNT_6478	793	ICDD-LA-FSC-LC-MS-OD	ICDD_STAT_CNT_6490	792
		792			793
ICDD-LA-ALL-LC-MS	ICDD_STAT_CNT_6477	793	ICDD-LA-FSC-LC-OD	ICDD_STAT_CNT_6494	792
		792			793
ICDD-LA-ALL-LC-MS-IM	ICDD_STAT_CNT_6475	793	ICDS-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5827	692
		792			693
ICDD-LA-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6474	793	ICDS-FSC-ALL-IM-MM	ICDS_STAT_CNT_5831	692
		792			693
ICDD-LA-ALL-LC-MS-OD	ICDD_STAT_CNT_6476	793	ICDS-FSC-ALL-LC-DOD-MM	ICDS_STAT_CNT_5835	024
		792			446
ICDD-LA-ALL-LC-OD	ICDD_STAT_CNT_6480	793	ICDS-FSC-ALL-LC-IM-MM	ICDS_STAT_CNT_5839	024
		792			446
ICDD-LA-ALL-MS	ICDD_STAT_CNT_6470	793	ICDS-FSC-ALL-LC-MS-MM	ICDS_STAT_CNT_5837	024
		790			446
ICDD-LA-ALL-MS-IM	ICDD_STAT_CNT_6468	791	ICDS-FSC-ALL-LC-OD-MM	ICDS_STAT_CNT_5841	024
		790			446
ICDD-LA-ALL-MS-IM-OD	ICDD_STAT_CNT_6467	791	ICDS-FSC-ALL-MS-MM	ICDS_STAT_CNT_5829	692
		790			693
ICDD-LA-ALL-MS-OD	ICDD_STAT_CNT_6469	791	ICDS-FSC-ALL-OD-MM	ICDS_STAT_CNT_5833	692
		790			693
ICDD-LA-ALL-OD	ICDD_STAT_CNT_6473	791	ICDS-IM-ALL-DOD-MM	ICDS_STAT_CNT_5843	692
		790			693
ICDD-LA-FSC-ALL-IM	ICDD_STAT_CNT_6486	791	ICDS-IM-ALL-IM-MM	ICDS_STAT_CNT_5905	692
		790			693
ICDD-LA-FSC-ALL-IM-OD	ICDD_STAT_CNT_6485	791	ICDS-IM-ALL-LC-DOD-MM	ICDS_STAT_CNT_5909	024
		790			446
ICDD-LA-FSC-ALL-MS	ICDD_STAT_CNT_6484	791	ICDS-IM-ALL-LC-IM-MM	ICDS_STAT_CNT_5913	024
		790			446
ICDD-LA-FSC-ALL-MS-IM	ICDD_STAT_CNT_6482	791	ICDS-IM-ALL-LC-MS-MM	ICDS_STAT_CNT_5911	024
		790			446
ICDD-LA-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_6481	791	ICDS-IM-ALL-LC-OD-MM	ICDS_STAT_CNT_5915	024
		790			446
ICDD-LA-FSC-ALL-MS-OD	ICDD_STAT_CNT_6483	791	ICDS-IM-ALL-MS-MM	ICDS_STAT_CNT_5860	692
		790			693
ICDD-LA-FSC-ALL-OD	ICDD_STAT_CNT_6487	791	ICDS-IM-ALL-OD-MM	ICDS_STAT_CNT_5907	692
		790			693
ICDD-LA-FSC-LC-IM	ICDD_STAT_CNT_6493	791	ICDS-LA-ALL-DOD-MM	ICDS_STAT_CNT_5917	692
		792			693
ICDD-LA-FSC-LC-IM-OD	ICDD_STAT_CNT_6492	793	ICDS-LA-ALL-IM-MM	ICDS_STAT_CNT_5921	692
		792			693
		793	ICDS-LA-ALL-LC-DOD-MM	ICDS_STAT_CNT_5925	024

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		446	ICMD-FSC-ALL-ANF	ICMD_STAT_CNT_7088	788
ICDS-LA-ALL-LC-IM-MM	ICDS_STAT_CNT_5929	024			789
		446	ICMD-FSC-ALL-ANFM	ICMD_STAT_CNT_7087	788
ICDS-LA-ALL-LC-MS-MM	ICDS_STAT_CNT_5927	024			789
		446	ICMD-FSC-ALL-ANM	ICMD_STAT_CNT_7089	788
ICDS-LA-ALL-LC-OD-MM	ICDS_STAT_CNT_5931	024			789
		446	ICMD-FSC-ALL-F	ICMD_STAT_CNT_7100	788
ICDS-LA-ALL-MS-MM	ICDS_STAT_CNT_5919	692			789
		693	ICMD-FSC-ALL-FM	ICMD_STAT_CNT_7099	788
ICDS-LA-ALL-OD-MM	ICDS_STAT_CNT_5923	692			789
		693	ICMD-FSC-ALL-LC-A	ICMD_STAT_CNT_7109	369
ICDS-LA-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5933	692			546
		693	ICMD-FSC-ALL-LC-AF	ICMD_STAT_CNT_7107	369
ICDS-LA-FSC-ALL-IM-MM	ICDS_STAT_CNT_5937	692			546
		693	ICMD-FSC-ALL-LC-AFM	ICMD_STAT_CNT_7106	369
ICDS-LA-FSC-ALL-MS-MM	ICDS_STAT_CNT_5935	692			546
		693	ICMD-FSC-ALL-LC-AM	ICMD_STAT_CNT_7108	369
ICDS-LA-FSC-ALL-OD-MM	ICDS_STAT_CNT_5939	692			546
		693	ICMD-FSC-ALL-LC-AN	ICMD_STAT_CNT_7105	369
ICDS-LA-FSC-LC-DOD-MM	ICDS_STAT_CNT_5941	024			546
		446	ICMD-FSC-ALL-LC-ANF	ICMD_STAT_CNT_7103	369
ICDS-LA-FSC-LC-IM-MM	ICDS_STAT_CNT_5945	024			546
		446	ICMD-FSC-ALL-LC-ANFM	ICMD_STAT_CNT_7102	369
ICDS-LA-FSC-LC-MS-MM	ICDS_STAT_CNT_5943	024			546
		446	ICMD-FSC-ALL-LC-ANM	ICMD_STAT_CNT_7104	369
ICDS-LA-FSC-LC-OD-MM	ICDS_STAT_CNT_5947	024			546
		446	ICMD-FSC-ALL-LC-F	ICMD_STAT_CNT_7115	369
ICFS-DLA-ALL-MM	ICFS_STAT_CNT_5898	367			546
		545	ICMD-FSC-ALL-LC-FM	ICMD_STAT_CNT_7114	369
ICFS-DOD-ALL-MM	ICFS_STAT_CNT_5901	367			546
		545	ICMD-FSC-ALL-LC-M	ICMD_STAT_CNT_7116	369
ICFS-FAA-ALL-MNGD-MM	ICFS_STAT_CNT_5896	367			546
		545	ICMD-FSC-ALL-LC-N	ICMD_STAT_CNT_7113	369
ICFS-FAA-ALL-MNGD-TOT	ICFS_STAT_CNT_5895	367			546
		545	ICMD-FSC-ALL-LC-NF	ICMD_STAT_CNT_7111	369
ICFS-GSA-ALL-MM	ICFS_STAT_CNT_7810	367			546
		545	ICMD-FSC-ALL-LC-NFM	ICMD_STAT_CNT_7110	369
ICMD-FSC-ALL-A	ICMD_STAT_CNT_7094	788			546
		789	ICMD-FSC-ALL-LC-NM	ICMD_STAT_CNT_7112	369
ICMD-FSC-ALL-AF	ICMD_STAT_CNT_7092	788			546
		789	ICMD-FSC-ALL-M	ICMD_STAT_CNT_7101	788
ICMD-FSC-ALL-AFM	ICMD_STAT_CNT_7091	788			789
		789	ICMD-FSC-ALL-N	ICMD_STAT_CNT_7098	788
ICMD-FSC-ALL-AM	ICMD_STAT_CNT_7093	788			789
		789	ICMD-FSC-ALL-NF	ICMD_STAT_CNT_7096	788
ICMD-FSC-ALL-AN	ICMD_STAT_CNT_7090	788			789
		789	ICMD-FSC-ALL-NFM	ICMD_STAT_CNT_7095	788

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICMD-FSC-ALL-NM	ICMD_STAT_CNT_7097	789	ICMD-IM-ALL-LC-NF	ICMD_STAT_CNT_7141	369
		788			546
ICMD-IM-ALL-A	ICMD_STAT_CNT_7124	789	ICMD-IM-ALL-LC-NFM	ICMD_STAT_CNT_7140	369
		788			546
ICMD-IM-ALL-AF	ICMD_STAT_CNT_7122	789	ICMD-IM-ALL-LC-NM	ICMD_STAT_CNT_7142	369
		788			546
ICMD-IM-ALL-AFM	ICMD_STAT_CNT_7121	789	ICMD-IM-ALL-M	ICMD_STAT_CNT_7131	788
		788			789
ICMD-IM-ALL-AM	ICMD_STAT_CNT_7123	789	ICMD-IM-ALL-N	ICMD_STAT_CNT_7128	788
		788			789
ICMD-IM-ALL-AN	ICMD_STAT_CNT_7120	789	ICMD-IM-ALL-NF	ICMD_STAT_CNT_7126	788
		788			789
ICMD-IM-ALL-ANF	ICMD_STAT_CNT_7118	789	ICMD-IM-ALL-NFM	ICMD_STAT_CNT_7125	788
		788			789
ICMD-IM-ALL-ANFM	ICMD_STAT_CNT_7117	789	ICMD-IM-ALL-NM	ICMD_STAT_CNT_7127	788
		788			789
ICMD-IM-ALL-ANM	ICMD_STAT_CNT_7119	789	ICMD-LA-ALL-A	ICMD_STAT_CNT_7154	788
		788			789
ICMD-IM-ALL-F	ICMD_STAT_CNT_7130	789	ICMD-LA-ALL-AF	ICMD_STAT_CNT_7152	788
		788			789
ICMD-IM-ALL-FM	ICMD_STAT_CNT_7129	789	ICMD-LA-ALL-AFM	ICMD_STAT_CNT_7151	788
		788			789
ICMD-IM-ALL-LC-A	ICMD_STAT_CNT_7139	789	ICMD-LA-ALL-AM	ICMD_STAT_CNT_7153	788
		369			789
ICMD-IM-ALL-LC-AF	ICMD_STAT_CNT_7137	546	ICMD-LA-ALL-AN	ICMD_STAT_CNT_7150	788
		369			789
ICMD-IM-ALL-LC-AFM	ICMD_STAT_CNT_7136	546	ICMD-LA-ALL-ANF	ICMD_STAT_CNT_7148	788
		369			789
ICMD-IM-ALL-LC-AM	ICMD_STAT_CNT_7138	546	ICMD-LA-ALL-ANFM	ICMD_STAT_CNT_7147	788
		369			789
ICMD-IM-ALL-LC-AN	ICMD_STAT_CNT_7135	546	ICMD-LA-ALL-ANM	ICMD_STAT_CNT_7149	788
		369			789
ICMD-IM-ALL-LC-ANF	ICMD_STAT_CNT_7133	546	ICMD-LA-ALL-F	ICMD_STAT_CNT_7160	788
		369			789
ICMD-IM-ALL-LC-ANFM	ICMD_STAT_CNT_7132	546	ICMD-LA-ALL-FM	ICMD_STAT_CNT_7159	788
		369			789
ICMD-IM-ALL-LC-ANM	ICMD_STAT_CNT_7134	546	ICMD-LA-ALL-LC-A	ICMD_STAT_CNT_5854	369
		369			546
ICMD-IM-ALL-LC-F	ICMD_STAT_CNT_7145	546	ICMD-LA-ALL-LC-AF	ICMD_STAT_CNT_5852	369
		369			546
ICMD-IM-ALL-LC-FM	ICMD_STAT_CNT_7144	546	ICMD-LA-ALL-LC-AFM	ICMD_STAT_CNT_5851	369
		369			546
ICMD-IM-ALL-LC-M	ICMD_STAT_CNT_7146	546	ICMD-LA-ALL-LC-AM	ICMD_STAT_CNT_5853	369
		369			546
ICMD-IM-ALL-LC-N	ICMD_STAT_CNT_7143	546	ICMD-LA-ALL-LC-AN	ICMD_STAT_CNT_5850	369
		369			546
		546	ICMD-LA-ALL-LC-ANF	ICMD_STAT_CNT_7163	369

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		546	ICMD-LA-FSC-ALL-FM	ICMD_STAT_CNT_5877	788
		369			789
ICMD-LA-ALL-LC-ANFM	ICMD_STAT_CNT_7162	546	ICMD-LA-FSC-ALL-M	ICMD_STAT_CNT_5879	788
		369			789
ICMD-LA-ALL-LC-ANM	ICMD_STAT_CNT_5849	546	ICMD-LA-FSC-ALL-N	ICMD_STAT_CNT_5876	788
		369			789
ICMD-LA-ALL-LC-F	ICMD_STAT_CNT_5862	546	ICMD-LA-FSC-ALL-NF	ICMD_STAT_CNT_5874	788
		369			789
ICMD-LA-ALL-LC-FM	ICMD_STAT_CNT_5861	546	ICMD-LA-FSC-ALL-NFM	ICMD_STAT_CNT_5873	788
		369			789
ICMD-LA-ALL-LC-M	ICMD_STAT_CNT_5863	546	ICMD-LA-FSC-ALL-NM	ICMD_STAT_CNT_5875	788
		369			789
ICMD-LA-ALL-LC-N	ICMD_STAT_CNT_5858	546	ICMD-LA-FSC-LC-A	ICMD_STAT_CNT_5887	369
		369			546
ICMD-LA-ALL-LC-NF	ICMD_STAT_CNT_5856	546	ICMD-LA-FSC-LC-AF	ICMD_STAT_CNT_5885	369
		369			546
ICMD-LA-ALL-LC-NFM	ICMD_STAT_CNT_5855	546	ICMD-LA-FSC-LC-AFM	ICMD_STAT_CNT_5884	369
		369			546
ICMD-LA-ALL-LC-NM	ICMD_STAT_CNT_5857	546	ICMD-LA-FSC-LC-AM	ICMD_STAT_CNT_5886	369
		788			546
ICMD-LA-ALL-M	ICMD_STAT_CNT_7161	789	ICMD-LA-FSC-LC-AN	ICMD_STAT_CNT_5883	369
		788			546
ICMD-LA-ALL-N	ICMD_STAT_CNT_7158	789	ICMD-LA-FSC-LC-ANF	ICMD_STAT_CNT_5881	369
		788			546
ICMD-LA-ALL-NF	ICMD_STAT_CNT_7156	789	ICMD-LA-FSC-LC-ANFM	ICMD_STAT_CNT_5880	369
		788			546
ICMD-LA-ALL-NFM	ICMD_STAT_CNT_7155	789	ICMD-LA-FSC-LC-ANM	ICMD_STAT_CNT_5882	369
		788			546
ICMD-LA-ALL-NM	ICMD_STAT_CNT_7157	789	ICMD-LA-FSC-LC-F	ICMD_STAT_CNT_5893	369
		788			546
ICMD-LA-FSC-ALL-A	ICMD_STAT_CNT_5872	789	ICMD-LA-FSC-LC-FM	ICMD_STAT_CNT_5892	369
		788			546
ICMD-LA-FSC-ALL-AF	ICMD_STAT_CNT_5870	789	ICMD-LA-FSC-LC-M	ICMD_STAT_CNT_5894	369
		788			546
ICMD-LA-FSC-ALL-AFM	ICMD_STAT_CNT_5869	789	ICMD-LA-FSC-LC-N	ICMD_STAT_CNT_5891	369
		788			546
ICMD-LA-FSC-ALL-AM	ICMD_STAT_CNT_5871	789	ICMD-LA-FSC-LC-NF	ICMD_STAT_CNT_5889	369
		788			546
ICMD-LA-FSC-ALL-AN	ICMD_STAT_CNT_5867	789	ICMD-LA-FSC-LC-NFM	ICMD_STAT_CNT_5888	369
		788			546
ICMD-LA-FSC-ALL-ANF	ICMD_STAT_CNT_5865	789	ICMD-LA-FSC-LC-NM	ICMD_STAT_CNT_5890	369
		788			546
ICMD-LA-FSC-ALL-ANFM	ICMD_STAT_CNT_5864	789	ICMS-FSC-ALL-AF-MM	ICMS_STAT_CNT_6501	784
		788			785
ICMD-LA-FSC-ALL-ANM	ICMD_STAT_CNT_5866	789	ICMS-FSC-ALL-AR-MM	ICMS_STAT_CNT_6497	784
		788			785
ICMD-LA-FSC-ALL-F	ICMD_STAT_CNT_5878	789	ICMS-FSC-ALL-LC-AF-MM	ICMS_STAT_CNT_6511	786

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICMS-FSC-ALL-LC-AR-MM	ICMS_STAT_CNT_6507	787	ICMS-LA-ALL-LC-NA-MM	ICMS_STAT_CNT_6960	786
		786			787
ICMS-FSC-ALL-LC-MC-MM	ICMS_STAT_CNT_6513	787	ICMS-LA-ALL-MC-MM	ICMS_STAT_CNT_6930	784
		786			785
ICMS-FSC-ALL-LC-MS-MM	ICMS_STAT_CNT_6505	787	ICMS-LA-ALL-MS-MM	ICMS_STAT_CNT_6535	784
		786			785
ICMS-FSC-ALL-LC-NA-MM	ICMS_STAT_CNT_6509	787	ICMS-LA-ALL-NA-MM	ICMS_STAT_CNT_6538	784
		786			785
ICMS-FSC-ALL-MC-MM	ICMS_STAT_CNT_6503	787	ICMS-LA-FSC-ALL-AF-MM	ICMS_STAT_CNT_6972	784
		784			785
ICMS-FSC-ALL-MS-MM	ICMS_STAT_CNT_6495	785	ICMS-LA-FSC-ALL-AR-MM	ICMS_STAT_CNT_6968	784
		784			785
ICMS-FSC-ALL-NA-MM	ICMS_STAT_CNT_6499	785	ICMS-LA-FSC-ALL-MC-MM	ICMS_STAT_CNT_6974	784
		784			785
ICMS-IM-ALL-AF-MM	ICMS_STAT_CNT_6521	785	ICMS-LA-FSC-ALL-MS-MM	ICMS_STAT_CNT_6966	784
		784			785
ICMS-IM-ALL-AR-MM	ICMS_STAT_CNT_6517	785	ICMS-LA-FSC-ALL-NA-MM	ICMS_STAT_CNT_6970	784
		784			785
ICMS-IM-ALL-LC-AF-MM	ICMS_STAT_CNT_6531	785	ICMS-LA-FSC-LC-AF-MM	ICMS_STAT_CNT_7083	786
		786			787
ICMS-IM-ALL-LC-AR-MM	ICMS_STAT_CNT_6527	787	ICMS-LA-FSC-LC-AR-MM	ICMS_STAT_CNT_6978	786
		786			787
ICMS-IM-ALL-LC-MC-MM	ICMS_STAT_CNT_6533	787	ICMS-LA-FSC-LC-MC-MM	ICMS_STAT_CNT_7085	786
		786			787
ICMS-IM-ALL-LC-MS-MM	ICMS_STAT_CNT_6525	787	ICMS-LA-FSC-LC-MS-MM	ICMS_STAT_CNT_6976	786
		786			787
ICMS-IM-ALL-LC-NA-MM	ICMS_STAT_CNT_6529	787	ICMS-LA-FSC-LC-NA-MM	ICMS_STAT_CNT_7081	786
		786			787
ICMS-IM-ALL-MC-MM	ICMS_STAT_CNT_6523	787	ICWD-ALL-CI	ICWD_STAT_CNT_5784	763
		784			764
ICMS-IM-ALL-MS-MM	ICMS_STAT_CNT_6515	785	ICWD-ALL-CI-OGOV	ICWD_STAT_CNT_5783	763
		784			764
ICMS-IM-ALL-NA-MM	ICMS_STAT_CNT_6519	785	ICWD-ALL-DOD	ICWD_STAT_CNT_5782	763
		784			764
ICMS-LA-ALL-AF-MM	ICMS_STAT_CNT_6932	785	ICWD-ALL-DOD-CI	ICWD_STAT_CNT_5780	763
		784			764
ICMS-LA-ALL-AR-MM	ICMS_STAT_CNT_8071	785	ICWD-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5779	763
		784			764
ICMS-LA-ALL-LC-AF-MM	ICMS_STAT_CNT_6962	785	ICWD-ALL-DOD-OGOV	ICWD_STAT_CNT_5781	763
		786			764
ICMS-LA-ALL-LC-AR-MM	ICMS_STAT_CNT_6958	787	ICWD-ALL-OGOV	ICWD_STAT_CNT_5785	763
		786			764
ICMS-LA-ALL-LC-MC-MM	ICMS_STAT_CNT_6964	787	ICWD-IM-ALL-CI	ICWD_STAT_CNT_5791	763
		786			764
ICMS-LA-ALL-LC-MS-MM	ICMS_STAT_CNT_6928	787	ICWD-IM-ALL-CI-OGOV	ICWD_STAT_CNT_5790	763
		786			764
		787	ICWD-IM-ALL-DOD	ICWD_STAT_CNT_5789	763



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		764			695
ICWD-IM-ALL-DOD-CI	ICWD_STAT_CNT_5787	763	ICWS-IM-ALL-OGOV-MM	ICWS_STAT_CNT_5769	694
		764			695
ICWD-IM-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5786	763	ICWS-LA-ALL-CI-MM	ICWS_STAT_CNT_5775	694
		764	ICWS-LA-ALL-DOD-MM	ICWS_STAT_CNT_5773	694
ICWD-IM-ALL-DOD-OGOV	ICWD_STAT_CNT_5788	763			695
		764	ICWS-LA-ALL-MNGD-MM	ICWS_STAT_CNT_5771	694
ICWD-IM-ALL-OGOV	ICWD_STAT_CNT_5792	763			695
		764	ICWS-LA-ALL-OGOV-MM	ICWS_STAT_CNT_5777	694
ICWD-LA-ALL-CI	ICWD_STAT_CNT_5798	763			695
		764	ICWS-LA-FSC-CI-MM	ICWS_STAT_CNT_5811	694
ICWD-LA-ALL-CI-OGOV	ICWD_STAT_CNT_5797	763			695
		764	ICWS-LA-FSC-DOD-MM	ICWS_STAT_CNT_5809	694
ICWD-LA-ALL-DOD	ICWD_STAT_CNT_5796	763			695
		764	ICWS-LA-FSC-MNGD-MM	ICWS_STAT_CNT_5807	694
ICWD-LA-ALL-DOD-CI	ICWD_STAT_CNT_5794	763			695
		764	ICWS-LA-FSC-OGOV-MM	ICWS_STAT_CNT_5813	694
ICWD-LA-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5793	763			695
		764	ID-AMMO-CUM-CHG	ID_STAT_CNT_6273	458
ICWD-LA-ALL-DOD-OGOV	ICWD_STAT_CNT_5795	763	ID-AMMO-CUR-CHG	ID_STAT_CNT_6274	458
		764	ID-AMMO-NSN	ID_STAT_CNT_6169	458
ICWD-LA-ALL-OGOV	ICWD_STAT_CNT_5799	763	ID-CAC-CUM-CHG	ID_STAT_CNT_6267	458
		764	ID-CAC-CUR-CHG	ID_STAT_CNT_6268	458
ICWD-LA-FSC-CI	ICWD_STAT_CNT_5805	370	ID-CAC-NSN	ID_STAT_CNT_6171	458
		547	ID-CG-CUM-CHG	ID_STAT_CNT_6282	458
ICWD-LA-FSC-CI-OGOV	ICWD_STAT_CNT_5804	370	ID-CG-CUR-CHG	ID_STAT_CNT_6283	458
		547	ID-CG-NSN	ID_STAT_CNT_6164	458
ICWD-LA-FSC-DOD	ICWD_STAT_CNT_5803	370	ID-FAA-CUM-CHG	ID_STAT_CNT_6279	458
		547	ID-FAA-CUR-CHG	ID_STAT_CNT_6280	458
ICWD-LA-FSC-DOD-CI	ICWD_STAT_CNT_5801	370	ID-FAA-NSN	ID_STAT_CNT_6166	458
		547	ID-MCRL-CUM-CHG	ID_STAT_CNT_2187	458
ICWD-LA-FSC-DOD-CI-OGOV	ICWD_STAT_CNT_5800	370	ID-MCRL-CUR-CHG	ID_STAT_CNT_2188	458
		547	ID-MCRL-NSN	ID_STAT_CNT_6137	458
ICWD-LA-FSC-DOD-OGOV	ICWD_STAT_CNT_5802	370	ID-MED-CUM-CHG	ID_STAT_CNT_6270	458
		547	ID-MED-CUR-CHG	ID_STAT_CNT_6271	458
ICWD-LA-FSC-OGOV	ICWD_STAT_CNT_5806	370	ID-MED-NSN	ID_STAT_CNT_6172	458
		547	ID-MLC-CUM-CHG	ID_STAT_CNT_2181	458
ICWS-ALL-CI-MM	ICWS_STAT_CNT_5759	694	ID-MLC-CUR-CHG	ID_STAT_CNT_2182	458
		695	ID-MLC-NSN	ID_STAT_CNT_6159	458
ICWS-ALL-DOD-MM	ICWS_STAT_CNT_5757	694	ID-MLMC-CUM-CHG	ID_STAT_CNT_2195	458
ICWS-ALL-MNGD-MM	ICWS_STAT_CNT_5755	694	ID-MLMC-CUR-CHG	ID_STAT_CNT_2196	458
ICWS-ALL-OGOV-MM	ICWS_STAT_CNT_5761	694	ID-MLMC-NSN	ID_STAT_CNT_6154	458
ICWS-IM-ALL-CI-MM	ICWS_STAT_CNT_5767	694	ID-MLN-CUM-CHG	ID_STAT_CNT_2184	458
		695	ID-MLN-CUR-CHG	ID_STAT_CNT_2185	458
ICWS-IM-ALL-DOD-MM	ICWS_STAT_CNT_5765	694	ID-MLN-NSN	ID_STAT_CNT_6161	458
		695	ID-PIIL-CUM-CHG	ID_STAT_CNT_6285	458
ICWS-IM-ALL-MNGD-MM	ICWS_STAT_CNT_5763	694	ID-PIIL-CUR-CHG	ID_STAT_CNT_6286	458

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ID-PIIL-NSN	ID_STAT_CNT_6162	458			340
IDS-A-CMPNT-SRT-ORDR-IND	CMPNT_SRT_4177	334	IDS-CLBL-ACCS-PARM-TXT	ACCS_PARM_4185	336
IDS-ACCS-CMPNT-BLN-IND	CMPNT_BLN_4162	333	IDS-CLBL-ACCS-SUBRTN-NM	ACCS_SUBRTN_4183	336
IDS-ACCS-CMPNT-CATNT-IND	CMPNT_CATNT_4173	334			337
		339			477
IDS-ACCS-CMPNT-DSCRD-IND	CMPNT_DSCRD_4171	334	IDS-CMPNT-NBR	IDS_CMPNT_NBR_4160	334
		336			339
		339			388
		477			447
IDS-ACCS-CMPNT-FAIL-IND	CMPNT_FAIL_4164	333			473
IDS-ACCS-CMPNT-FILE-NM	CMPNT_FILE_NM_4168	333	IDS-COND-TXT	COND_TXT_4206	359
		418	IDS-CTR-ATTR-ID	CTR_ATTR_8616	130
IDS-ACCS-CMPNT-LGTH-NBR	CMPNT_LGTH_4174	334			138
		336	IDS-CTR-FUNC-CD	CTR_FUNC_8623	138
		339	IDS-DAT-LGTH-ATTR-ID	DAT_LGTH_ATTR_8621	335
		388			388
		447			447
		473			473
		477			486
IDS-ACCS-CMPNT-MANY-IND	CMPNT_MANY_4165	333	IDS-DATA-RPL-IND	DATA_RPL_4255	333
IDS-ACCS-CMPNT-OFST-NBR	CMPNT_OFST_4187	334			359
IDS-ACCS-CMPNT-OMIT-IND	CMPNT_OMIT_4163	333			418
IDS-ACCS-CMPNT-SEQ-NBR	CMPNT_SEQ_4172	334	IDS-DATA-STRM-BRK-IND	DATA_STRM_BRK_4176	334
		336			339
		339	IDS-DB2-CMPNT-ELE-NM	CMPNT_ELE_NM_4161	388
IDS-ACCS-REC-SEQ-NBR	ACCS_SEQ_NBR_4199	333	IDS-DCOD-SVC-IND	DCOD_SVC_IND_4157	461
		334	IDS-DEF-STAT-CD	DEF_STAT_CD_4193	133
		336			340
		339	IDS-DYN-ALLOC-IND	DYN_ALLOC_8627	133
		342			340
		359	IDS-EDIT-MBR-TXT	EDIT_MBR_TXT_4155	388
		388			473
		418	IDS-END-ACCS-NBR	END_ACCS_NBR_8606	130
		447	IDS-END-CMP-NBR	END_CMP_8607	130
		461	IDS-END-CMP-SEQ-NBR	END_CMP_SEQ_8620	138
		473	IDS-END-RCD-TYP-CD	END_RCD_TYP_8605	130
		477	IDS-EXTN-FILE-LGTH-NBR	EX_FILE_LGTH_4158	334
IDS-ACCS-RPET-CT-QTY	ACCS_RPET_CT_4256	333			447
		359	IDS-EXTN-FILE-OFST-NBR	FILE_OFST_NBR_4152	447
		418	IDS-EXTR-DATA-ITM-QY	EXTR_ITM_QY_4209	133
IDS-ACCS-TYP-CD	ACCS_TYP_CD_4198	333	IDS-EXTR-OP-FL-QTY	EXTR_OP_FL_4202	133
		342			340
		579	IDS-EXTR-RCD-TYP-SEQ-NBR	EXTR_TYP_SEQ_4166	333
IDS-ACT-USR-IND	ACT_USR_IND_4196	340			336
IDS-ASCII-IND-CD	ASCII_IND_4325	135	IDS-EXTR-UPDT-CD	EXTR_UPDT_8624	133
IDS-C-ACCS-PASD-PARM-TXT	PASD_PARM_4184	336			340
IDS-CANC-ITM-IND-CD	CANC_ITM_IND_4329	133	IDS-FILE-NM-HLQ-ID	FILE_NM_HLQ_8628	133

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		340			339
IDS-FILE-RET-TIME-QY	FILE_RET_TIME_4322	135	IDS-NXT-PUB-DT	NXT_PUB_DT_4188	133
IDS-FILE-TYP-CD	FILE_TYP_4316	135			340
IDS-FILEAID-MBR-NM	FILEAID_MBR_4328	340	IDS-PARM-STNG-TXT	PARM_STNG_TXT_4153	461
IDS-FLD-JUST	FLD_JUST_4257	334			477
		339	IDS-POST-BRK-ACCS-NBR	POST_BRK_ACCS_8612	130
		388	IDS-POST-BRK-CMP-NBR	POST_BRK_CMP_8613	130
		447	IDS-POST-BRK-POS-CD	POST_BRK_POS_8614	130
		473			138
IDS-FMT-OP-CD	FMT_OP_8625	133	IDS-POST-BRK-RCD-TYP-CD	POST_BRK_RCD_8611	130
		340	IDS-POST-DELIM	POST_DELIM_4260	335
IDS-FORCED-WRITE-IND	FORCED_WRITE_8615	130			388
		138			447
IDS-FUNC-MNEM-NM	FUNC_MNEM_NM_4195	340			473
		342			477
		359	IDS-POST-MRKP-TXT	POST_MRKP_4258	335
		388			388
		418			447
		447			473
		461			477
		473	IDS-PRCSG-ACTN-TXT	PRCSG_ACTN_4204	359
		477			388
		478			418
		486			447
IDS-FXD-OP-BLCKSZ-QY	FXD_BLCKSZ_4324	135			461
IDS-FXD-OP-LRECL-QY	FXD_LRECL_4323	135			473
IDS-GRP-NBR	GRP_NBR_8601	130			477
		138	IDS-PRDCT-DEF-ESTB-DT	DEF_ESTB_DT_4192	340
IDS-GRP-TYP-ID	GRP_TYP_8618	138	IDS-PRDCT-PT-NBR	PRDCT_PT_NBR_4154	478
IDS-ITM-PRCSG-QTY	ITM_PRCSG_QTY_4201	133			486
		340	IDS-PRE-BRK-ACCS-NBR	PRE_BRK_ACCS_8609	130
IDS-JCL-TX	JCL_TX_4315	134	IDS-PRE-BRK-CMP-NBR	PRE_BRK_CMP_8610	130
IDS-JCL-TYP-CD	JCL_TYP_4313	134	IDS-PRE-BRK-RCD-TYP-CD	PRE_BRK_RCD_8608	130
IDS-JOB-JCL-ID	JOB_JCL_4311	134	IDS-PRE-DELIM	PRE_DELIM_4259	335
IDS-LINK-PARM-STNG-TXT	LINK_PARM_4208	333			388
IDS-LST-PUB-DT	LST_PUB_DT_4191	133			447
		340			473
		340			477
IDS-LST-PUB-UPDT-DT	LST_UPDT_DT_4189	340			340
IDS-MARKUP-TXT	MARKUP_TXT_4156	335	IDS-PRFL-PRFX-TX	PRFL_PRFX_TX_4326	340
		388	IDS-PRFX-JCL-MBR-NM	PRFX_JCL_MBR_4327	340
		447	IDS-PRIM-SPC-ALOC-QY	PRIM_SPC_ALOC_4317	135
		473	IDS-PRIM-WS-ALOC-QY	PRIM_WS_ALOC_4319	135
		477	IDS-PRPY-DCOD-IND	PRPY_DCOD_4253	133
IDS-MRKP-CPTLZTN-IND	MRKP_CPTLZTN_4182	335			340
IDS-MRKP-DSRPTR-FLD-NBR	MRKP_DSRPTR_4179	334	IDS-PRPY-NOTC-IND	PRPY_NOTC_4254	133
		335			340
		336	IDS-PUB-CYCL-TM	PUB_CYCL_TM_4194	340

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IDS-RCD-LGTH-ATTR-ID	RCD_LGTH_ATTR_8622	133			345
IDS-RCD-TYP-ORDR-NBR	RCD_TYP_ORDR_4169	478			436
IDS-REC-TYP-CD	REC_TYP_CD_4197	333			457
		334			521
		336			563
		339	IMC-ACTY	IMC_ACTY_2748	318
		342			345
		359			521
		388	IMC-AL-DP-AT-IMC-CIC	IMC_STAT_CNT_5653	040
		418			457
		447	IMC-DEF	IMC_DEF_5209	231
		461	IMC-NW-DP-AT-IMC-CIC	IMC_STAT_CNT_5639	436
		473			563
		477	IMC-TI	IMC_TI_5208	231
		478	IMCA	IMCA_4075	080
IDS-SECD-SPC-ALOC-QY	SECD_SPC_ALOC_4318	135			094
IDS-SECD-WS-ALOC-QY	SECD_WS_ALOC_4320	135			515
IDS-SQL-COND-MBR-STNG-TX	MBR_STNG_TX_4203	359	IMM	IMM_9090	094
IDS-SRT-RPL-IND	SRT_RPL_4252	133			515
		340	IMM-SOS	IMM_SOS_9401	331
IDS-SRT-SEQ-TXT	SRT_SEQ_TXT_4167	486			519
IDS-START-ACCS-NBR	START_ACCS_8603	130	IN-DP-AIN-NR-NSN	IN_STAT_CNT_6699	690
IDS-START-CMP-NBR	START_CMP_8604	130			691
IDS-START-CMP-SEQ-NBR	START_CMP_SEQ_8619	138	IN-DP-AIN-NSN	IN_STAT_CNT_6691	690
IDS-START-RCD-TYP-CD	START_RCD_TYP_8602	130			691
IDS-STEP-JCL-ID	STEP_JCL_4312	134	IN-DP-AT-AIN-NR-NSN	IN_STAT_CNT_6695	043
IDS-STEP-SEQ-ID	STEP_SEQ_4314	134			460
IDS-STOR-UNIT-TYP-TX	STOR_UNIT_TYP_4321	135	IN-DP-AT-AIN-NSN	IN_STAT_CNT_6688	460
IDS-TBL-QRY-STNG-TXT	TBL_QRY_STNG_4207	333	IN-DP-AT-NAIN-NR-NSN	IN_STAT_CNT_6696	460
IDS-UPDT-KEY-LGTH-QY	UPDT_KEY_LGTH_8626	133	IN-DP-AT-NAIN-NSN	IN_STAT_CNT_6689	460
IDS-USER-PAD-CHAR	USER_PAD_CHAR_4251	133	IN-DP-NAIN-NR-NSN	IN_STAT_CNT_6700	690
		340			691
IDS-XFILE-RPETD-DATA-NBR	XFILE_RPETD_4159	334	IN-DP-NAIN-NSN	IN_STAT_CNT_6692	690
		447			691
IDS-ZER-SUPRSN-IND	ZER_SUPRSN_8617	130	IN-OR-OUT-IND	I_OR_O_IND_4591	479
		138	IN-THE-CLR-MLNG-ADRS	CLR_MLNG_ADRS_1282	145
		335	INACT-SOS-IND-CD	INACT_SOS_IND_0134	331
		388			519
		447	INC	INC_4080	001
		473			010
		486			020
ILL-ACPT-IND	ILL_ACPT_IND_4063	136			033
ILL-ID	ILL_ID_4066	136			034
ILL-RTN-DT	ILL_RTN_DT_4061	136			035
ILL-START-DT	ILL_START_DT_4062	136			037
IMC	IMC_2744	040			038
		231			073

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		106			388
		120			418
		122			447
		124			461
		225			473
		414			477
		415			478
		416			486
		417			497
		421			498
		430	INPUT-FORMAT	INPUT_FORMAT_9169	382
		431	INPUT-MEDIA	INPUT_MEDIA_9170	052
		432			084
		434			401
		435			600
		465			604
		466			777
		467			852
		470			872
		471	INPUT-RECORD	INPUT_RECORD_9171	070
		472			314
		495			315
		509			399
		562			402
		684			867
		782			868
		828			994
		878			995
		122			996
INC-APPLIC-IND	INC_APPL_IND_4405	122			381
INC-FIIG-CORL	INC_FIIG_CORL_3485	830	INQ-OUT-VIEW	INQ_OUT_VIEW_4477	554
INC-LOCKT-IND	INC_LOCKT_IND_0583	122			943
INC-NSN	INC_STAT_CNT_5750	037	INSP-CD-STNG	INSP_CD_STNG_8599	016
		417	INTGTY-CD	INTGTY_CD_0864	227
		733			523
INCL-EXCL-CD	INCL_EXCL_CD_4497	948			227
INCR-NBR	INCR_NBR_2219	130	INTGTY-CD-DEF	INTGTY_CD_DEF_5220	346
INFO-DISEM-IDEN-NBR	INFO_DISEM_ID_1720	133	INTMED-CTNR-CD	INTMD_CTNR_CD_5167	928
		135			346
		138	INTMED-CTNR-QTY	INTMD_CTN_QTY_5152	928
		333			771
		334	INTRNL-EXTRNL-IND	IN_EX_IND_4581	006
		335	INV-ACCT-CD-CG	INV_ACT_CG_0708	229
		336			505
		339			229
		340	INV-ACCT-CD-CG-EXPLN	INV_ACT_CG_EX_3179	231
		342	INVLD-IMC-IND	INVLD_IMC_IND_2747	121
		359	ISAC-LMTN-CD	ISAC_LMTN_CD_0825	

# CHAPTER 3

## DATA DICTIONARY

### -----USAGE-----

#### HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ISAC-PRES-CD	ISAC_PRES_CD_2348	121	JRNL-TMSTMP	JRNL_TMSTMP_9487	012
ISC-FSC-DOD-NSN	ISC_STAT_CNT_5748	042	KEY-GRP-DESC	KEY_GRP_DESC_4448	391
		459	KEYWRD-GRP-CD	KEYWRD_GRP_CD_2034	127
ISC-FSC-USGOVT-NSN	ISC_STAT_CNT_5747	042			391
		459			921
ISC-FSC-WMGR-NSN	ISC_STAT_CNT_5746	042	KEYWRD-MODIFIER-STMT	KEYWRD_MOD_ST_2033	127
		459			921
ISC-FSC-WOMGR-NSN	ISC_STAT_CNT_5749	042	KHN-ACTY-IND	KHN_ACTY_IND_4356	327
		459	KRT-IND-CD	KRT_IND_2051	258
ISC-FSG-NSN	ISC_STAT_CNT_5740	741			259
		742	KVI-DECR-CTR	KVI_DECR_CTR_4211	949
ISS-REP-RQNG-RSTRN-CD	IRRC_NVY_0132	006	KVI-ORIG-CTR	KVI_ORIG_CTR_4212	949
		261	KVI-SUSPNS-ESTB-DT	KVI_SPNS_E_DT_4214	948
		262	KWA-ACTY-NOTI-IND	KWA_ACTY_NOTI_9563	409
		505	KWA-NATO-ACTY-ZZ-IND	KWA_NATO_ZZ_9564	409
ISS-REP-RQNG-RSTRN-CD-DE	IRRC_NVY_DEF_5260	262	KWA-NO-OP-ACTY-NOTI-IND	KWA_NO_NOTI_9562	409
ITEM-NAME-KEYWORD	ITEM_NM_KY_WD_4401	364	L07-TRANS-RCVD-QTY	L07_TRAN_RCVD_2542	998
ITEM-NAME-NSN	INAM_STAT_CNT_7824	438	L07-TRANS-SENT-QTY	L07_TRAN_SENT_2541	998
		565	LBL-FORM-CD	LBL_FORM_CD_3288	378
ITM-NM-DEF-DLIM	ITM_NM_DEF_5015	098	LBL-FORMAT	LBL_FORMAT_3228	378
		593			379
ITM-NM-NON-APRVD-RMDR	NAIN_RMDR_2177	363			482
ITM-NM-TYP-CD	ITM_NM_TYP_CD_3308	098	LBL-ID	LBL_ID_2235	145
		593			146
		724			378
ITM-STDZN-CD	ISC_2650	016			482
		042	LBL-ID-DLN-IND	LBL_ID_DLN_3283	482
		232	LBL-ID-MA-IND	LBL_ID_MA_IND_3282	482
		459	LBL-ID-ROW	LBL_ID_ROW_3207	379
		523	LBL-ID-SEQ	LBL_ID_SEQ_3230	379
		915	LBL-ID-TEXT	LBL_ID_TEXT_3281	482
ITM-STDZN-CD-EXPLN	ITM_STDZN_EX_5134	232	LBL-SET-QTY	LBL_SET_QTY_3289	378
ITM-TYP-STOR-CD	ITM_TYP_STOR_5156	346	LENGTH-INCH	LENGTH_INCH_3227	379
		928	LFU-PROC-STAT-CD	LFU_PROC_STAT_9230	605
J-MAX-L-VALUE	J_MAX_L_VAL_4422	352	LFU-TRANS-KEY	LFU_TRANS_KEY_9445	605
		360	LINES-PER-INCH	LINES_INCH_3234	379
J-MAX-R-VALUE	J_MAX_R_VAL_4427	352	LISTIN-PART-PAPER-IND	LST_PRT_P_IND_3121	267
		360			410
J-MIN-L-VALUE	J_MIN_L_VAL_4420	352	LKD-LKU-RPLM-IND	LKD_LKU_RPLM_2499	010
		360			509
J-MIN-R-VALUE	J_MIN_R_VAL_4423	352	LMD-DATE	LMD_DATE_4218	875
		360			948
J-TBL-REPLY	J_TBL_REPLY_3073	352	LMD-ODIC	LMD_ODIC_3892	875
		360			948
JCL-JOB-CRD-NM	JCL_JOB_NM_9507	617	LMT-DIST-CD	LMT_DIST_CD_4645	016
JOB-CTL-JUL-DT	JOB_CTL_JUL_9461	879			236
		993			523

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		782	LRN-C-NIIN-DEPT-DLY	LRN_STAT_CNT_5983	620
		936			622
LMT-DIST-CD-EXPLN	LMT_DIST_EX_5106	236	LRN-C-NIIN-DLY-TOT	LRN_STAT_CNT_5989	621
LN-2780-IDEN	LN_2780_IDEN_9211	926			623
LOC-SHRT-TI	LOC_SHRT_TI_2639	325	LRN-C-P-RNL-ACTY-DLY	LRN_STAT_CNT_6202	045
LOG-MSG-TMSTMP	LOG_MSG_TS_9381	084			462
		085	LRN-C-P-RNL-DEPT-DLY	LRN_STAT_CNT_6207	620
		086			622
LOGGED-TS	LOGGED_TS_9173	314	LRN-C-P-RNL-DLY-TOT	LRN_STAT_CNT_1657	621
		315			623
		481	LRN-C-RNL-ACTY-DLY	LRN_STAT_CNT_6178	045
		617			462
		994	LRN-C-RNL-DEPT-DLY	LRN_STAT_CNT_6183	620
LOLA-OVERNIGHT-LSN-LTI	LSN_LTI_RMDR_4696	341			622
LOLA-OVERNIGHT-SEG-VAL	SEG_VALUES_4694	499	LRN-C-RNL-DLY-TOT	LRN_STAT_CNT_6189	621
LOLA-OVERNIGHT-TRAN-DT	TRANS_DT_4695	341			623
		368	LRN-CHS-ACTY-DLY	LRN_STAT_CNT_1193	045
		374			462
		579	LRN-CHS-DEPT-DLY	LRN_STAT_CNT_1198	620
		608			622
LOLA-REQUEST-DATE	LOLA_REQ_DATE_3306	045	LRN-CHS-TOT-DLY	LRN_STAT_CNT_1203	621
		462			623
		620	LRN-COMB-ACTY-DLY	LRN_STAT_CNT_1729	045
		621			462
		622	LRN-COMB-DEPT-DLY	LRN_STAT_CNT_1734	620
		623			622
LOLA-STATS-SCOPE	LOLA_STAT_SC_3307	045	LRN-COMB-TOT-DLY	LRN_STAT_CNT_1739	621
		462			623
		620	LRN-DEPT-DLY-TOT	LRN_STAT_CNT_2429	620
		621			622
		622	LRN-FSG-FSC-ITM-NM-ACT-D	LRN_STAT_CNT_1233	045
		623			462
LOLA-UPDT-COMM-TXT	UPDT_COMM_3314	375	LRN-FSG-FSC-ITM-NM-DPT-D	LRN_STAT_CNT_6860	620
LOLA-UPDT-DIC-CT-NBR	UPDT_DIC_CT_3324	374			622
LOLA-UPDT-PRCSD-TIME	UPDT_PRC_TIME_3323	368	LRN-FSG-FSC-ITM-NM-TOT-D	LRN_STAT_CNT_6865	621
		608			623
LOLA-UPDT-TRAN-HDR-TXT	UPDT_TRAN_HDR_3313	375	LRN-GRD-TOT-DLY-TOT	LRN_STAT_CNT_2422	621
LRN-ACT-DLY-TOT	LRN_STAT_CNT_2410	045			623
		462	LRN-NIIN-INQ-ACTY-DLY	LRN_STAT_CNT_1667	045
LRN-APPL-HELP-DEPT-DLY	LRN_STAT_CNT_3742	045			462
		462	LRN-NIIN-INQ-DEPT-DLY	LRN_STAT_CNT_1672	620
		620			622
		621	LRN-NIIN-INQ-DLY-TOT	LRN_STAT_CNT_1121	621
		622			623
		623	LRN-NM-NIIN-ACTY-DLY	LRN_STAT_CNT_1173	045
LRN-C-NIIN-ACTY-DLY	LRN_STAT_CNT_5975	045			462
		462	LRN-NM-NIIN-DEPT-DLY	LRN_STAT_CNT_1178	620

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		622	M3A-D-LOA-DM	M3A_STAT_CNT_1602	744
LRN-NM-NIIN-DLY-TOT	LRN_STAT_CNT_1183	621			745
		623	M3A-D-LOA-DM-G	M3A_STAT_CNT_1603	744
LRN-P-RNL-ACTY-DLY	LRN_STAT_CNT_1153	045			745
		462	M3A-D-LOA-MG	M3A_STAT_CNT_1601	744
LRN-P-RNL-DEPT-DLY	LRN_STAT_CNT_1158	620			745
		622	M3A-D-LOA-RN	M3A_STAT_CNT_1610	744
LRN-P-RNL-DLY-TOT	LRN_STAT_CNT_1163	621			745
		623	M3A-D-LOA-RN-G	M3A_STAT_CNT_1611	744
LRN-PROC-ACTY-DLY	LRN_STAT_CNT_8232	045			745
		462	M3AC-D-AIN	M3AC_STAT_CNT_1593	429
LRN-PROC-DEPT-DLY	LRN_STAT_CNT_8237	620			560
		622	M3AC-D-AIN-G	M3AC_STAT_CNT_1594	429
LRN-PROC-TOT-DLY	LRN_STAT_CNT_8242	621			560
		623	M3AC-D-DM	M3AC_STAT_CNT_1589	429
LRN-RNL-ACTY-DLY	LRN_STAT_CNT_1132	045			560
		462	M3AC-D-DM-G	M3AC_STAT_CNT_1590	429
LRN-RNL-DEPT-DLY	LRN_STAT_CNT_1137	620			560
		622	M3AC-D-MG	M3AC_STAT_CNT_1588	429
LRN-RNL-DLY-TOT	LRN_STAT_CNT_1142	621			560
		623	M3AC-D-RN	M3AC_STAT_CNT_1597	429
LS-THN-CRLD-RTNG-CD	LCL_CD_2760	016			560
		234	M3AC-D-RN-G	M3AC_STAT_CNT_1598	429
		523			560
LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	234	M3B-FSC-D-LOA-AIN	M3B_STAT_CNT_1628	796
LS-THN-TL-RTNG-CD	LST_TL_CD_2770	090			797
		235	M3B-FSC-D-LOA-AIN-G	M3B_STAT_CNT_1629	796
LS-THN-TL-RTNG-CD-EXPLN	LST_TL_EX_5234	235			797
LST-KWN-SOS	LST_KWN_SOS_1071	016	M3B-FSC-D-LOA-DM	M3B_STAT_CNT_1625	796
		523			797
LVA-DATE	LVA_DATE_4217	875	M3B-FSC-D-LOA-DM-G	M3B_STAT_CNT_1626	796
		948			797
LVA-ODIC	LVA_ODIC_3893	875	M3B-FSC-D-LOA-MG	M3B_STAT_CNT_1624	796
		948			797
LVL-A-PKG-RQMT-CD	LVL_A_PKG_CD_5170	346	M3B-FSC-D-LOA-RN	M3B_STAT_CNT_1631	796
		928			797
LVL-B-PKG-RQMT-CD	LVL_B_PKG_CD_5171	346	M3B-FSC-D-LOA-RN-G	M3B_STAT_CNT_1632	796
		928			797
LVL-C-PKG-RQMT-CD	LVL_C_PKG_CD_5172	346	M3BC-FSC-D-AIN	M3BC_STAT_CNT_1618	798
		928			799
LVL-PROTN-CD	LOP_CD_5151	346	M3BC-FSC-D-AIN-G	M3BC_STAT_CNT_1619	798
		928			799
LWST-DOC-CTL-NBR-SEQ-NBR	LWST_DCSN_SEQ_2198	998	M3BC-FSC-D-DM	M3BC_STAT_CNT_1615	798
M3A-D-LOA-AIN	M3A_STAT_CNT_1606	744			799
		745	M3BC-FSC-D-DM-G	M3BC_STAT_CNT_1616	798
M3A-D-LOA-AIN-G	M3A_STAT_CNT_1607	744			799
		745	M3BC-FSC-D-MG	M3BC_STAT_CNT_1614	798



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		799	M3D-D-AIN	M3D_STAT_CNT_6308	804
M3BC-FSC-D-RN	M3BC_STAT_CNT_1621	798			805
		799	M3D-D-AIN-G	M3D_STAT_CNT_6309	804
M3BC-FSC-D-RN-G	M3BC_STAT_CNT_1622	798			805
		799	M3D-D-DM	M3D_STAT_CNT_6305	804
M3C1-D-AT-AIN	M3C1_STAT_CNT_1638	794			805
		795	M3D-D-DM-G	M3D_STAT_CNT_6306	804
M3C1-D-AT-AIN-G	M3C1_STAT_CNT_1639	794			805
		795	M3D-D-FSC-AIN-G	M3D_STAT_CNT_6322	036
M3C1-D-AT-DM	M3C1_STAT_CNT_1635	794			455
		795	M3D-D-FSC-AT-AIN	M3D_STAT_CNT_6334	031
M3C1-D-AT-DM-G	M3C1_STAT_CNT_1636	794			453
		795	M3D-D-FSC-AT-AIN-G	M3D_STAT_CNT_6335	031
M3C1-D-AT-MG	M3C1_STAT_CNT_1634	794			453
		795	M3D-D-FSC-AT-DM	M3D_STAT_CNT_6330	031
M3C1-D-AT-RN	M3C1_STAT_CNT_1641	794			453
		795	M3D-D-FSC-AT-DM-G	M3D_STAT_CNT_6331	031
M3C1-D-AT-RN-G	M3C1_STAT_CNT_1642	794			453
		795	M3D-D-FSC-AT-MG	M3D_STAT_CNT_6329	031
M3C2-FSC-D-AT-AIN	M3C2_STAT_CNT_1648	802			453
		803	M3D-D-FSC-AT-RN	M3D_STAT_CNT_6338	031
M3C2-FSC-D-AT-AIN-G	M3C2_STAT_CNT_1649	802			453
		803	M3D-D-FSC-AT-RN-G	M3D_STAT_CNT_6339	031
M3C2-FSC-D-AT-DM	M3C2_STAT_CNT_1645	802			453
		803	M3D-D-FSC-DM-G	M3D_STAT_CNT_6318	036
M3C2-FSC-D-AT-DM-G	M3C2_STAT_CNT_1646	802			455
		803	M3D-D-FSC-RN-G	M3D_STAT_CNT_6326	036
M3C2-FSC-D-AT-LOA-AIN	M3C2_STAT_CNT_6298	800			455
		801	M3D-D-MG	M3D_STAT_CNT_6304	804
M3C2-FSC-D-AT-LOA-AIN-G	M3C2_STAT_CNT_6299	800			805
		801	M3D-D-RN	M3D_STAT_CNT_6312	804
M3C2-FSC-D-AT-LOA-DM	M3C2_STAT_CNT_6650	800			805
		801	M3D-D-RN-G	M3D_STAT_CNT_6313	804
M3C2-FSC-D-AT-LOA-DM-G	M3C2_STAT_CNT_6296	800			805
		801	M3E-FSC-D-AIN	M3E_STAT_CNT_6346	804
M3C2-FSC-D-AT-LOA-MG	M3C2_STAT_CNT_6295	800			805
		801	M3E-FSC-D-AIN-G	M3E_STAT_CNT_6347	804
M3C2-FSC-D-AT-LOA-RN	M3C2_STAT_CNT_6301	800			805
		801	M3E-FSC-D-DM	M3E_STAT_CNT_6343	804
M3C2-FSC-D-AT-LOA-RN-G	M3C2_STAT_CNT_6302	800			805
		801	M3E-FSC-D-DM-G	M3E_STAT_CNT_6344	804
M3C2-FSC-D-AT-MG	M3C2_STAT_CNT_1644	802			805
		803	M3E-FSC-D-MG	M3E_STAT_CNT_6342	804
M3C2-FSC-D-AT-RN	M3C2_STAT_CNT_6292	802			805
		803	M3E-FSC-D-RN	M3E_STAT_CNT_6349	804
M3C2-FSC-D-AT-RN-G	M3C2_STAT_CNT_6293	802			805
		803	M3E-FSC-D-RN-G	M3E_STAT_CNT_6350	804

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		805	M6B1-IM-DP-T2-NSN	M6B1_STAT_CNT_7889	651
M6A1-DP-LOA-T1-NSN	M6A1_STAT_CNT_7832	656	M6B1-IM-DP-T4-NSN	M6B1_STAT_CNT_7886	651
		657	M6B1-IM-DP-T4A-NSN	M6B1_STAT_CNT_7887	651
M6A1-DP-LOA-T1A-NSN	M6A1_STAT_CNT_7833	656	M6B1-IM-DP-T4B-NSN	M6B1_STAT_CNT_7888	651
		657	M6B2-IM-AT-LOA-T1-NSN	M6B2_STAT_CNT_7912	648
M6A1-DP-LOA-T1B-NSN	M6A1_STAT_CNT_7834	656			649
		657			660
M6A1-DP-LOA-T2-NSN	M6A1_STAT_CNT_7838	656			661
		657	M6B2-IM-AT-LOA-T1A-NSN	M6B2_STAT_CNT_7913	648
M6A1-DP-LOA-T4-NSN	M6A1_STAT_CNT_7835	656			649
		657			660
M6A1-DP-LOA-T4A-NSN	M6A1_STAT_CNT_7836	656			661
		657	M6B2-IM-AT-LOA-T1B-NSN	M6B2_STAT_CNT_7914	648
M6A1-DP-LOA-T4B-NSN	M6A1_STAT_CNT_7837	656			649
		657			660
M6A1-DP-T1-NSN	M6A1_STAT_CNT_7842	658			661
		659	M6B2-IM-AT-LOA-T2-NSN	M6B2_STAT_CNT_7918	648
M6A1-DP-T1A-NSN	M6A1_STAT_CNT_7843	658			649
		659			660
M6A1-DP-T1B-NSN	M6A1_STAT_CNT_7844	658			661
		659	M6B2-IM-AT-LOA-T4-NSN	M6B2_STAT_CNT_7915	648
M6A1-DP-T2-NSN	M6A1_STAT_CNT_7848	658			649
		659			660
M6A1-DP-T4-NSN	M6A1_STAT_CNT_7845	658			661
		659	M6B2-IM-AT-LOA-T4A-NSN	M6B2_STAT_CNT_7916	648
M6A1-DP-T4A-NSN	M6A1_STAT_CNT_7846	658			649
		659			660
M6A1-DP-T4B-NSN	M6A1_STAT_CNT_7847	658			661
		659	M6B2-IM-AT-LOA-T4B-NSN	M6B2_STAT_CNT_7917	648
M6B1-IM-DP-LOA-T1-NSN	M6B1_STAT_CNT_7873	648			649
		649			660
M6B1-IM-DP-LOA-T1A-NSN	M6B1_STAT_CNT_7874	648			661
		649	M6B2-IM-AT-T1-NSN	M6B2_STAT_CNT_7922	650
M6B1-IM-DP-LOA-T1B-NSN	M6B1_STAT_CNT_7875	648			651
		649			662
M6B1-IM-DP-LOA-T2-NSN	M6B1_STAT_CNT_7879	648			663
		649	M6B2-IM-AT-T1A-NSN	M6B2_STAT_CNT_7923	651
M6B1-IM-DP-LOA-T4-NSN	M6B1_STAT_CNT_7876	648			662
		649			663
M6B1-IM-DP-LOA-T4A-NSN	M6B1_STAT_CNT_7877	648	M6B2-IM-AT-T1B-NSN	M6B2_STAT_CNT_7924	651
		649			662
M6B1-IM-DP-LOA-T4B-NSN	M6B1_STAT_CNT_7878	648			663
		649	M6B2-IM-AT-T2-NSN	M6B2_STAT_CNT_7928	651
M6B1-IM-DP-T1-NSN	M6B1_STAT_CNT_7883	650			662
		651			663
M6B1-IM-DP-T1A-NSN	M6B1_STAT_CNT_7884	651	M6B2-IM-AT-T4-NSN	M6B2_STAT_CNT_7925	651
M6B1-IM-DP-T1B-NSN	M6B1_STAT_CNT_7885	651			662

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M6B2-IM-AT-T4A-NSN	M6B2_STAT_CNT_7926	663	M6B4-CLM-AT-LOA-T2-NSN	M6B4_STAT_CNT_7938	652
		651			653
		662			660
M6B2-IM-AT-T4B-NSN	M6B2_STAT_CNT_7927	663	M6B4-CLM-AT-LOA-T4-NSN	M6B4_STAT_CNT_7935	661
		651			652
		662			653
M6B3-CLM-DP-LOA-T1-NSN	M6B3_STAT_CNT_7893	663	M6B4-CLM-AT-LOA-T4A-NSN	M6B4_STAT_CNT_7936	660
		652			661
		653			652
M6B3-CLM-DP-LOA-T1A-NSN	M6B3_STAT_CNT_7894	652	M6B4-CLM-AT-LOA-T4B-NSN	M6B4_STAT_CNT_7937	653
		653			660
		652			661
M6B3-CLM-DP-LOA-T1B-NSN	M6B3_STAT_CNT_7895	653	M6B4-CLM-AT-T1-NSN	M6B4_STAT_CNT_7942	652
		652			653
		653			660
M6B3-CLM-DP-LOA-T2-NSN	M6B3_STAT_CNT_7899	652	M6B4-CLM-AT-T1A-NSN	M6B4_STAT_CNT_7943	661
		653			654
		652			655
M6B3-CLM-DP-LOA-T4-NSN	M6B3_STAT_CNT_7896	653	M6B4-CLM-AT-T1B-NSN	M6B4_STAT_CNT_7944	662
		652			663
		653			654
M6B3-CLM-DP-LOA-T4A-NSN	M6B3_STAT_CNT_7897	654	M6B4-CLM-AT-T2-NSN	M6B4_STAT_CNT_7948	655
		652			662
		653			663
M6B3-CLM-DP-LOA-T4B-NSN	M6B3_STAT_CNT_7898	654	M6B4-CLM-AT-T4-NSN	M6B4_STAT_CNT_7945	654
		653			655
		654			662
M6B3-CLM-DP-T1-NSN	M6B3_STAT_CNT_7902	655	M6B4-CLM-AT-T4A-NSN	M6B4_STAT_CNT_7946	663
		654			654
		655			655
M6B3-CLM-DP-T1A-NSN	M6B3_STAT_CNT_7903	654	M6B4-CLM-AT-T4B-NSN	M6B4_STAT_CNT_7947	662
		655			663
		654			654
M6B3-CLM-DP-T1B-NSN	M6B3_STAT_CNT_7904	655	M6B5-FSC-DP-LOA-T1-NSN	M6B5_STAT_CNT_7952	528
		654			050
		655			050
M6B3-CLM-DP-T2-NSN	M6B3_STAT_CNT_7908	652	M6B5-FSC-DP-LOA-T1A-NSN	M6B5_STAT_CNT_7953	050
		653			050
		654			050
M6B3-CLM-DP-T4-NSN	M6B3_STAT_CNT_7905	655			
		654			
		655			
M6B3-CLM-DP-T4A-NSN	M6B3_STAT_CNT_7906	654			
		655			
		654			
M6B3-CLM-DP-T4B-NSN	M6B3_STAT_CNT_7907	655			
		654			
		655			
M6B4-CLM-AT-LOA-T1-NSN	M6B4_STAT_CNT_7932	652			
		653			
		660			
M6B4-CLM-AT-LOA-T1A-NSN	M6B4_STAT_CNT_7933	661			
		652			
		653			
M6B4-CLM-AT-LOA-T1B-NSN	M6B4_STAT_CNT_7934	660			
		661			
		652			

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M6B5-FSC-DP-LOA-T1B-NSN	M6B5_STAT_CNT_7954	528			660
		050			661
M6B5-FSC-DP-LOA-T2-NSN	M6B5_STAT_CNT_7958	528	M6B6-FSC-AT-LOA-T4B-NSN	M6B6_STAT_CNT_7992	050
		050			528
M6B5-FSC-DP-LOA-T4-NSN	M6B5_STAT_CNT_7955	528			660
		050			661
M6B5-FSC-DP-LOA-T4A-NSN	M6B5_STAT_CNT_7956	528	M6B6-FSC-AT-T1-NSN	M6B6_STAT_CNT_7998	646
		050			647
M6B5-FSC-DP-LOA-T4B-NSN	M6B5_STAT_CNT_7957	528			662
		050			663
M6B5-FSC-DP-T1-NSN	M6B5_STAT_CNT_7962	528	M6B6-FSC-AT-T1A-NSN	M6B6_STAT_CNT_7999	646
		646			647
M6B5-FSC-DP-T1A-NSN	M6B5_STAT_CNT_7963	647			662
		646			663
M6B5-FSC-DP-T1B-NSN	M6B5_STAT_CNT_7964	647	M6B6-FSC-AT-T1B-NSN	M6B6_STAT_CNT_8000	646
		646			647
M6B5-FSC-DP-T2-NSN	M6B5_STAT_CNT_7968	647			662
		646			663
M6B5-FSC-DP-T4-NSN	M6B5_STAT_CNT_7965	647	M6B6-FSC-AT-T2-NSN	M6B6_STAT_CNT_8205	646
		646			647
M6B5-FSC-DP-T4A-NSN	M6B5_STAT_CNT_7966	647			662
		646			663
M6B5-FSC-DP-T4B-NSN	M6B5_STAT_CNT_7967	647	M6B6-FSC-AT-T4-NSN	M6B6_STAT_CNT_8001	646
		646			647
M6B6-FSC-AT-LOA-T1-NSN	M6B6_STAT_CNT_7987	647			662
		050			663
		528	M6B6-FSC-AT-T4A-NSN	M6B6_STAT_CNT_8002	646
		660			647
		661			662
M6B6-FSC-AT-LOA-T1A-NSN	M6B6_STAT_CNT_7988	050			663
		528	M6B6-FSC-AT-T4B-NSN	M6B6_STAT_CNT_8204	646
		660			647
		661			662
M6B6-FSC-AT-LOA-T1B-NSN	M6B6_STAT_CNT_7989	050			663
		528	M6C1-AT-LOA-T1-NSN	M6C1_STAT_CNT_7852	656
		660			657
		661			660
M6B6-FSC-AT-LOA-T2-NSN	M6B6_STAT_CNT_7993	050			661
		528	M6C1-AT-LOA-T1A-NSN	M6C1_STAT_CNT_7853	656
		660			657
		661			660
M6B6-FSC-AT-LOA-T4-NSN	M6B6_STAT_CNT_7990	050			661
		528	M6C1-AT-LOA-T1B-NSN	M6C1_STAT_CNT_7854	656
		660			657
		661			660
M6B6-FSC-AT-LOA-T4A-NSN	M6B6_STAT_CNT_7991	050			661
		528	M6C1-AT-LOA-T2-NSN	M6C1_STAT_CNT_7858	656

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M6C1-AT-LOA-T4-NSN	M6C1_STAT_CNT_7855	657	M8A1-DP-DLT-NSN	M8A1_STAT_CNT_5495	576
		660			587
		661	M8A1-DP-EB-NSN	M8A1_STAT_CNT_5496	576
		656			587
		657			741
M6C1-AT-LOA-T4A-NSN	M6C1_STAT_CNT_7856	660			742
		661	M8A1-DP-LOA-ADD-NSN	M8A1_STAT_CNT_5488	571
		656			586
		657	M8A1-DP-LOA-BB-NSN	M8A1_STAT_CNT_5487	571
		660			586
M6C1-AT-LOA-T4B-NSN	M6C1_STAT_CNT_7857	661	M8A1-DP-LOA-DLT-NSN	M8A1_STAT_CNT_5489	571
		656			586
		657	M8A1-DP-LOA-EB-NSN	M8A1_STAT_CNT_5490	571
		660			586
		661	M8B1-IM-DP-ADD-NSN	M8B1_STAT_CNT_5520	574
M6C1-AT-T1-NSN	M6C1_STAT_CNT_7862	658			583
		659	M8B1-IM-DP-BB-NSN	M8B1_STAT_CNT_5519	574
		662			583
		663	M8B1-IM-DP-DLT-NSN	M8B1_STAT_CNT_5521	574
		658			583
M6C1-AT-T1A-NSN	M6C1_STAT_CNT_7863	659	M8B1-IM-DP-EB-NSN	M8B1_STAT_CNT_5522	574
		662			583
		663	M8B1-IM-DP-LOA-ADD-NSN	M8B1_STAT_CNT_5514	569
		658			582
		659	M8B1-IM-DP-LOA-BB-NSN	M8B1_STAT_CNT_5513	569
M6C1-AT-T1B-NSN	M6C1_STAT_CNT_7864	662			582
		663	M8B1-IM-DP-LOA-DLT-NSN	M8B1_STAT_CNT_5515	569
		658			582
		659	M8B1-IM-DP-LOA-EB-NSN	M8B1_STAT_CNT_5516	569
		662			582
M6C1-AT-T2-NSN	M6C1_STAT_CNT_7868	663	M8B2-IM-AT-ADD-NSN	M8B2_STAT_CNT_5532	574
		658			577
		659			583
		662			589
		663	M8B2-IM-AT-BB-NSN	M8B2_STAT_CNT_5531	574
M6C1-AT-T4-NSN	M6C1_STAT_CNT_7865	658			577
		659			583
		662			589
		663	M8B2-IM-AT-EB-NSN	M8B2_STAT_CNT_5534	574
		658			577
M6C1-AT-T4A-NSN	M6C1_STAT_CNT_7866	659			583
		662			589
		663	M8B2-IM-AT-DLT-NSN	M8B2_STAT_CNT_5533	574
		658			577
		659			583
M6C1-AT-T4B-NSN	M6C1_STAT_CNT_7867	662			589
		663	M8B2-IM-AT-EB-NSN	M8B2_STAT_CNT_5534	574
		658			577
		659			583
		662			589
M8A1-DP-ADD-NSN	M8A1_STAT_CNT_5494	576			577
		587			583
M8A1-DP-BB-NSN	M8A1_STAT_CNT_5493	576			589
		587	M8B2-IM-AT-LOA-ADD-NSN	M8B2_STAT_CNT_5526	569

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		572	M8B4-CLM-AT-LOA-ADD-NSN	M8B4_STAT_CNT_5552	570
		582			572
		588			584
M8B2-IM-AT-LOA-BB-NSN	M8B2_STAT_CNT_5525	569			588
		572	M8B4-CLM-AT-LOA-BB-NSN	M8B4_STAT_CNT_5551	570
		582			572
		588			584
M8B2-IM-AT-LOA-DLT-NSN	M8B2_STAT_CNT_5527	569			588
		572	M8B4-CLM-AT-LOA-DLT-NSN	M8B4_STAT_CNT_5553	570
		582			572
		588			584
M8B2-IM-AT-LOA-EB-NSN	M8B2_STAT_CNT_5528	569			588
		572	M8B4-CLM-AT-LOA-EB-NSN	M8B4_STAT_CNT_5554	570
		582			572
		588			584
M8B3-CLM-DP-ADD-NSN	M8B3_STAT_CNT_5546	575			588
		585	M8B5-FSC-DP-ADD-NSN	M8B5_STAT_CNT_5572	573
M8B3-CLM-DP-BB-NSN	M8B3_STAT_CNT_5545	575			578
		585			581
M8B3-CLM-DP-DLT-NSN	M8B3_STAT_CNT_5547	575			590
		585	M8B5-FSC-DP-BB-NSN	M8B5_STAT_CNT_5571	573
M8B3-CLM-DP-EB-NSN	M8B3_STAT_CNT_5548	575			578
		585			581
M8B3-CLM-DP-LOA-ADD-NSN	M8B3_STAT_CNT_5538	570			590
		584	M8B5-FSC-DP-DLT-NSN	M8B5_STAT_CNT_5573	573
M8B3-CLM-DP-LOA-BB-NSN	M8B3_STAT_CNT_5537	570			578
		584			581
M8B3-CLM-DP-LOA-DLT-NSN	M8B3_STAT_CNT_5541	570			590
		584	M8B5-FSC-DP-EB-NSN	M8B5_STAT_CNT_5574	573
M8B3-CLM-DP-LOA-EB-NSN	M8B3_STAT_CNT_5542	570			578
		584			581
M8B4-CLM-AT-ADD-NSN	M8B4_STAT_CNT_5558	575			590
		577			741
		585			742
		589	M8B5-FSC-DP-LOA-ADD-NSN	M8B5_STAT_CNT_5564	371
M8B4-CLM-AT-BB-NSN	M8B4_STAT_CNT_5557	575			580
		577	M8B5-FSC-DP-LOA-BB-NSN	M8B5_STAT_CNT_5563	371
		585			580
		589	M8B5-FSC-DP-LOA-DLT-NSN	M8B5_STAT_CNT_5567	371
M8B4-CLM-AT-DLT-NSN	M8B4_STAT_CNT_5559	575			580
		577	M8B5-FSC-DP-LOA-EB-NSN	M8B5_STAT_CNT_5568	371
		585			580
		589	M8B5-FSC-DP-NET-CHG	M8B5_STAT_CHG_5575	578
M8B4-CLM-AT-EB-NSN	M8B4_STAT_CNT_5560	575			590
		577	M8B5-FSC-DP-PCT	M8B5_STAT_PCT_5576	578
		585			590
		589	M8B6-FSC-AT-ADD-NSN	M8B6_STAT_CNT_5584	573

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		577	M8C1-DP-AT-LOA-ADD-NSN	M8C1_STAT_CNT_5500	571
		581			572
		589			586
M8B6-FSC-AT-BB-NSN	M8B6_STAT_CNT_5583	573			588
		577	M8C1-DP-AT-LOA-BB-NSN	M8C1_STAT_CNT_5499	571
		581			572
		589			586
M8B6-FSC-AT-DLT-NSN	M8B6_STAT_CNT_5585	573			588
		577	M8C1-DP-AT-LOA-DLT-NSN	M8C1_STAT_CNT_5501	571
		581			572
		589			586
M8B6-FSC-AT-EB-NSN	M8B6_STAT_CNT_5586	573			588
		577	M8C1-DP-AT-LOA-EB-NSN	M8C1_STAT_CNT_5502	571
		581			572
		589			586
M8B6-FSC-AT-LOA-ADD-NSN	M8B6_STAT_CNT_5578	371			588
		572	MA-AA-ROW	MA_AA_ROW_3194	379
		580	MA-AA-SEQ	MA_AA_SEQ_3195	379
		588	MADS-DB2-PARTITION-QY	MADS_DB2_PART_9241	612
M8B6-FSC-AT-LOA-BB-NSN	M8B6_STAT_CNT_5577	371			666
		572	MAG-TAPE-BLCKNG-FAC-IND	MT_BLK_FAC_3126	267
		580			410
		588	MAG-TAPE-DENSITY-IND	MT_DNSTY_IND_3124	267
M8B6-FSC-AT-LOA-DLT-NSN	M8B6_STAT_CNT_5579	371			410
		572	MAG-TAPE-LAB-IND	MT_LAB_IND_3127	267
		580			410
		588	MAG-TAPE-PARITY-IND	MT_PRTY_IND_3125	267
M8B6-FSC-AT-LOA-EB-NSN	M8B6_STAT_CNT_9576	371			410
		572	MAG-TAPE-TRCKS-ENCOD-IND	MT_TRC_ENCD_I_3122	267
		580	MAG-TAPE-USAGE-NOTE	MT_USG_NOTE_3123	267
		588	MAJ-MCC-AR	MAJ_MCC_AR_9256	006
M8C1-DP-AT-ADD-NSN	M8C1_STAT_CNT_5506	576			093
		577			237
		587			505
		589	MAJ-MCC-AR-EXPLN	MAJ_MCC_AR_EX_2283	237
M8C1-DP-AT-BB-NSN	M8C1_STAT_CNT_5505	576	MAND-SEG-STNG	MAND_SEG_STNG_4624	196
		577	MASS-CHG-DEL-CDG-CD	MC_DEL_CDG_3631	881
		587	MASS-CHNG-CDG	MC_CDG_4575	880
		589	MASS-CHNG-CHAR-TMSTMP	MC_CDG_TMSTMP_4572	880
M8C1-DP-AT-DLT-NSN	M8C1_STAT_CNT_5507	576			881
		577	MASS-CHNG-CRITE-STMT	MC_CRITE_STMT_0324	878
		587	MASS-CHNG-GDE-NBR-FIIG	MC_FIIG_4574	878
		589			880
M8C1-DP-AT-EB-NSN	M8C1_STAT_CNT_5508	576			881
		577	MASS-CHNG-INC	MC_INC_4571	878
		587			880
		589			881

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MASS-CHNG-LGG-TMSTMP	MC_LGG_TMSTMP_4573	878			599
		880	MDLS-BUL-BRD-MSG-TX	MDLS_BB_MSG_8353	598
MAT-CAT-MC	MAT_CAT_MC_3148	242	MDLS-CAGE-CD	MDLS_CAGE_CD_2272	320
MAT-CTL-CD-DEF-NVY	MCC_NVY_EX_3156	253			321
MAT-CTL-CD-NAVY	MAT_CTL_NVY_2832	006			324
		253			343
		505			344
MAT-IDEN-CD	MAT_IDEN_MC_4126	006	MDLS-CAGE-CD-PN	MDLS_CAGE_PN_2287	343
		241	MDLS-CHANGE-DAI-CT	MDLS_STAT_CNT_7433	047
		505			114
MAT-IDEN-CD-EXPLN	MAT_ID_MC_EX_3166	241			195
MAT-IDEN-CD-NOTE-IND	MAT_ID_MC_NOT_3167	241			464
MAT-MGMT-AG-CD-AF	MMAC_AF_2836	006	MDLS-COPIES-ORDERED	MDLS_STAT_CNT_7637	046
		093			112
		238			113
		505			463
MAT-MGMT-AG-CD-DEF-AF	MMAC_DEF_AF_3158	238	MDLS-DAI-ERR-CT	MDLS_STAT_CNT_7435	047
MAT-MGMT-CD-MC	MAT_MGMT_MC_9257	006			114
		093			195
		242			464
		505	MDLS-DEL-DAI-CT	MDLS_STAT_CNT_7437	047
MAX-LGTH	MAX_LGTH_4593	479			114
MAX-REC-LGTH	MAX_REC_LGTH_9176	410			195
MDLS-ADD-DAI-CT	MDLS_STAT_CNT_7436	047			464
		114	MDLS-DEL-NIIN-CT	MDLS_STAT_CNT_7445	047
		195			114
		464			195
MDLS-ADD-NIIN-CT	MDLS_STAT_CNT_7444	047			464
		114	MDLS-DEL-REF-NBR-CT	MDLS_STAT_CNT_7441	047
		195			114
		464			195
MDLS-ADD-REF-NBR-CT	MDLS_STAT_CNT_7440	047			464
		114	MDLS-DEL-TI-CT	MDLS_STAT_CNT_7449	047
		195			114
		464			195
MDLS-ADD-TI-CT	MDLS_STAT_CNT_7448	047			464
		114	MDLS-DGTZD-MED-ABR-TX	DGTZD_MED_ABR_8019	279
		195	MDLS-EDIT-ERR-D1	MDLS_STAT_CNT_7625	046
		464			048
MDLS-ASGND-NIIN	MDLS_ASG_NIIN_2274	344			112
MDLS-ASSETS-ORDERED	MDLS_STAT_CNT_7636	046			113
		112			223
		113			326
		463			463
MDLS-BUL-BRD-CMNT-TX	MDLS_BB_CMNT_8354	599			526
MDLS-BUL-BRD-LI-SEQ-ID	BB_LI_SEQ_8352	598	MDLS-EDIT-ERR-D2	MDLS_STAT_CNT_7626	046
MDLS-BUL-BRD-MSG-ID	BB_MSG_ID_8351	598			048



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		112	MDLS-INPUT-MATCH-D2	MDLS_STAT_CNT_7198	046
		113			048
		223			112
		326			113
		463			223
		526			326
MDLS-EDIT-ERR-D3	MDLS_STAT_CNT_7627	046			463
		048			526
		112	MDLS-INPUT-MATCH-D3	MDLS_STAT_CNT_7221	046
		113			048
		223			112
		326			113
		463			223
		526			326
MDLS-EDIT-ERR-NN	MDLS_STAT_CNT_7630	046			463
		048			526
		112	MDLS-INPUT-MATCH-NN	MDLS_STAT_CNT_7215	046
		113			048
		223			112
		326			113
		463			223
		526			326
MDLS-EDIT-ERR-P1	MDLS_STAT_CNT_7628	046			463
		048			526
		112	MDLS-INPUT-MATCH-P1	MDLS_STAT_CNT_7203	046
		113			048
		223			112
		326			113
		463			223
		526			326
MDLS-EDIT-ERR-P2	MDLS_STAT_CNT_7629	046			463
		048			526
		112	MDLS-INPUT-MATCH-P2	MDLS_STAT_CNT_7209	046
		113			048
		223			112
		326			113
		463			223
		526			326
MDLS-FTP-CMMD-CPBLTY-CD	CMMD_CPBLTY_3418	709			463
MDLS-INPUT-MATCH-D1	MDLS_STAT_CNT_7192	046			526
		048	MDLS-INVALID-TYPE-ERR-CT	MDLS_STAT_CNT_7450	047
		112			114
		113			195
		223			464
		326	MDLS-JEDMICS-MED-CD	JED_MED_CD_8017	279
		463	MDLS-JEDMICS-MED-DEF-TX	JED_MED_DEF_8018	279
		526	MDLS-MED-CD	MDLS_MED_CD_2289	322

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MDLS-NIIN-ERR-CT	MDLS_STAT_CNT_7443	324			113
		047			223
		114			326
		195			463
MDLS-ORDER-ERRS	MDLS_STAT_CNT_7635	464	MDLS-TOT-INQ-D3	MDLS_STAT_CNT_7220	526
		046			046
		112			048
		113			112
MDLS-PN	MDLS_PN_2259	463			113
		343			223
		MDLS_PRF_MD_C_2288			326
		325			326
MDLS-REF-NBR-ERR-CT	MDLS_STAT_CNT_7439	047	MDLS-TOT-INQ-NN	MDLS_STAT_CNT_7214	463
		114			526
		195			046
		464			048
MDLS-REP-DA-COUNT	MDLS_R_DA_CT_1258	047			112
		114			113
		195			223
		464			326
MDLS-REP-NIIN-COUNT	MDLS_R_NIINCT_1260	047	MDLS-TOT-INQ-P1	MDLS_STAT_CNT_7202	463
		114			526
		195			046
		464			048
MDLS-REP-PN-COUNT	MDLS_R_PN_CT_1259	047			112
		114			113
		195			223
		464			326
MDLS-REP-TITLE-COUNT	MDLS_R_TITLCT_1261	047	MDLS-TOT-INQ-P2	MDLS_STAT_CNT_7208	463
		114			526
		195			046
		464			048
MDLS-TI	MDLS_TI_2344	321			112
		047			113
		114			223
		195			326
MDLS-TI-ERR-CT	MDLS_STAT_CNT_7447	464	MDLS-TOT-INQ-D1	MDLS_STAT_CNT_7191	463
		046			526
		048			048
		112			223
MDLS-TOT-INQ-D1	MDLS_STAT_CNT_7191	113	MDLS-TOT-INQ-UNDEF	MDLS_STAT_CNT_7632	326
		223			526
		326			046
		463			048
MDLS-TOT-INQ-D2	MDLS_STAT_CNT_7197	526	MDLS-TOT-OFFERED-D1	MDLS_STAT_CNT_7193	112
		046			113
		048			223
		112			326

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		463			324
		526			343
MDLS-TOT-OFFERED-D2	MDLS_STAT_CNT_7199	046			344
		048	MEDALS-DOC-NUC-CD	DOC_NUC_8012	320
		112	MEDALS-DOC-SEC-CD	DOC_SEC_8011	205
		113			320
		223	MEDALS-DOC-SEC-DESC-TX	DOC_SEC_DESC_8015	205
		326	MEDALS-EDRS-CTL-ACTY-CD	EDRS_8014	320
		463	MEDIA-HEADER	MEDIA_HEADER_9178	054
		526			084
MDLS-TOT-OFFERED-D3	MDLS_STAT_CNT_7222	046			085
		048			385
		112			389
		113			397
		223			481
		326			612
		463			843
		526			844
MDLS-TOT-OFFERED-NN	MDLS_STAT_CNT_7216	046			869
		048	MESSAGE-LGTH	MESSAGE_LGTH_9179	054
		112			084
		113			397
		223	MFR-NOTES	MFR_NOTES_0809	317
		326			772
		463			781
		526			932
MDLS-TOT-OFFERED-P1	MDLS_STAT_CNT_7204	046	MGMT-AGENCY-GRP-OR-CLS-MC	MGT_AG_G_C_MC_3149	242
		048	MGMT-EXCP-NOTES	MGMT_EXCP_NTS_9542	093
		112	MGMTCHG-ACTY-DLT-RSN-NSN	MCHG_STAT_CNT_6845	751
		113			752
		223	MGMTCHG-ACTY-NEW-MGR-NSN	MCHG_STAT_CNT_6841	049
		326			527
		463	MGMTCHG-ACTY-NEW-NSN	MCHG_STAT_CNT_6840	049
		526			527
MDLS-TOT-OFFERED-P2	MDLS_STAT_CNT_7210	046	MGMTCHG-ACTY-REACT-NSN	MCHG_STAT_CNT_6843	049
		048			527
		112	MGMTCHG-ACTY-REIN-NSN	MCHG_STAT_CNT_6842	049
		113			527
		223	MGMTCHG-DP-DLT-RSN-NSN	MCHG_STAT_CNT_6853	753
		326			754
		463	MGMTCHG-DP-NEW-MGR-NSN	MCHG_STAT_CNT_6849	749
		526			750
MEDALS-DOC-DIST-DESC-TX	DOC_DIST_DESC_8016	204	MGMTCHG-DP-NEW-NSN	MCHG_STAT_CNT_6848	749
MEDALS-DOC-DIST-STMT-CD	DOC_DIST_STMT_8013	204			750
		320	MGMTCHG-DP-REACT-NSN	MCHG_STAT_CNT_6851	749
		320			750
MEDALS-DOC-NBR	MDLS_DOC_NBR_2632	321	MGMTCHG-DP-REIN-NSN	MCHG_STAT_CNT_6850	749

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MGR-ACCESS-COUNT	MGR_STAT_CNT_6605	750	MOE-EFFDTD-DEL-NSN	MOE_STAT_CNT_7813	051
MIL-VOL-IND	MIL_VOL_IND_3454	062			529
MIN-ALT-MED	MIN_ALT_MED_9180	917	MOE-FSC-NSN	MOE_STAT_CNT_5754	433
MIN-LGTH	MIN_LGTH_4592	783			437
MIN-REC-LGTH	MIN_REC_LGTH_9182	479			561
MINIMIZE-FLAG	MINIMIZE_FLAG_9181	410			564
MINM-ADRS-CD	MINM_ADRS_CD_2645	783	MOE-FSG-NSN	MOE_STAT_CNT_5753	433
		082			561
		226	MOE-MOE-MSTR-INQ-CT	MOE_MST_INQ_C_1499	088
MINM-ADRS-CD-EXPLN	MINM_ADRS_EX_5288	226	MOE-NSN	MOE_STAT_CNT_7812	051
MIOS-TRAN-KEY	MIOS_TRAN_KEY_9410	876			529
		953	MOE-RGSTRN-CLBR-AT	MOE_STAT_CNT_7820	439
MLNG-PIC	MLNG_PIC_0985	145			566
MLNG-PIC-ROW	MLNG_PIC_ROW_3231	379	MOE-RGSTRN-RCVR-AT	MOE_STAT_CNT_7821	439
MLNG-PIC-SEQ	MLNG_PIC_SEQ_3232	379			566
MODE-CD	MODE_CD_4735	115	MOE-RULE-NBR	MOE_RULE_NBR_8290	008
		116			009
		121			011
		127			015
		390			017
		501			051
		921			093
MOE-CD	MOE_CD_2833	006			095
		007			096
		137			137
		148			345
		152			437
		157			440
		247			507
		318			508
		433			510
		505			511
		506			512
		530			521
		561			529
		734			564
		886			687
		887			730
MOE-CD-IDEN	MOE_CD_IDEN_5299	247			733
MOE-CUR-ADD-CT	MOE_CR_ADD_CT_1109	088	MOE-RULE-STAT-CD	M_RL_STAT_CD_8458	093
MOE-CUR-CHG-CT	MOE_CR_CHG_CT_1117	088	MRC	MRC_3445	020
MOE-CUR-DEL-CT	MOE_CR_DEL_CT_1119	088			115
MOE-EFF-DT-ADD-CT	MOE_ED_ADD_CT_1493	088			116
MOE-EFF-DT-CHG-CT	MOE_ED_CHG_CT_1495	088			119
MOE-EFF-DT-DEL-CT	MOE_ED_DEL_CT_1497	088			120
MOE-EFFDTD-ADD-NSN	MOE_STAT_CNT_7814	051			121
		529			124

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		126			780
		127	MSG-CD	MSG_CD_1105	025
		131			132
		339			323
		347			405
		348	MTHD-PRES-CD	MTHD_PRSRV_CD_5160	346
		349			928
		350	MULTI-INP-FLG	MULTI_INP_FLG_9479	926
		351	NAIN-CD	NAIN_CD_3237	363
		352	NAIN-STRNG	NAIN_STRING_6589	985
		353			986
		354	NATL-CDFN-BUR-CD-CTRY	NCB_CD_CTRY_5101	251
		356	NATL-CDFN-BUR-CD-NOTE	NCB_CD_NOTE_5102	251
		357	NATO-CDFN-CTL-CMNT-TX	NCC_CMNT_8976	422
		358	NATO-FG-OLD-TRAN-PR	NATO_O_TR_PR_1972	104
		360	NATO-FGN-GOVT-TRANS-PR	NATO_FG_TR_P_1024	104
		361	NATO-FILE-MAINT-SEQ-NBR	NATO_FMSN_1516	016
		362			523
		472	NATO-FLAG	NATO_FLAG_9185	855
		473	NATO-MFR-FAX-NBR-ID	NATO_MFR_FAX_8975	685
		498	NATO-MFR-NM	NATO_MFR_NM_8972	685
		501	NATO-MFR-TEL-NBR-ID	NATO_MFR_TEL_8974	685
		688	NATO-NSCM-CD	NSCM_4140	685
		827	NATO-ONLY-IND	NATO_ONLY_IND_3451	198
		880			207
		919			214
		921	NATO-PIC	NATO_PIC_9186	600
		951			777
MRC-ASGND-STAT-IND	MRC_ASGN_STAT_3462	919			852
MRC-CLRTXT-RPLY-FLD	MRC_CLR_TXT_R_0113	498			872
		688	NATO-PIC-VAL	NATO_PIC_VAL_9187	412
MRC-SEQ-NBR	MRC_SEQ_NBR_4407	115	NATO-RPLM-NSN-CANCL-ID	NATO_RPLM_NSN_8971	684
		116	NATO-TRAN-PR-CD	NATO_TRAN_PR_1973	060
MRC-USG-DESI	MRC_USG_DESI_0847	127			104
		921	NBR-ADRS-PRCSD	NBR_ADRS_PRCSD_3220	378
MRC-VALUE-COUNT	MRC_COUNT_4439	356	NBR-COPIES-ROW	NBR_COPY_ROW_3223	379
		357	NBR-COPIES-SEQ	NBR_COPY_SEQ_3218	379
		358	NBR-CPY	NBR_CPY_0890	324
		360	NBR-LBL-ACROSS	NBR_LBL_ACRS_3224	379
		361	NBR-OF-TBLS	NBR_OF_TBLS_4444	390
		362	NCB-CD	NCB_CD_4130	006
MRD-AUD-RPLY-STAT-IND	AUD_RPLY_STAT_3461	923			007
MRD-AUD-RQMT-STAT-IND	AUD_RQMT_STAT_3460	921			008
		922			009
MRD-STAT-IND-CD	MRD_STATUS_CD_0816	127			010
		921			011
MSG	MSG_0983	132			014

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		015			881
		016			914
		017			918
		018			928
		075			948
		089			957
		103			960
		106	NEW-QUANT-EXP	NEW_QUANT_EXP_3045	813
		115	NEW-UI-CD	NEW_UI_CD_3042	813
		116	NEW-UI-TEXT	NEW_UI_TEXT_3047	813
		129	NIIN-PSCN-IND	NIIN_PSCN_IND_5038	914
		251	NIIN-PSCN-ST-CD-CON-NOTE	N_PSCN_ST_NOT_5203	255
		331	NIIN-PSCN-ST-CD-DEF-INST	N_PSCN_ST_DEF_5201	255
		345	NIIN-PSCN-STAT-CD	NIIN_STAT_CD_2670	016
		346			028
		348			255
		349			426
		350			427
		351			428
		352			450
		353			523
		354			557
		380			558
		497			559
		498			684
		505			782
		506			960
		507	NIMSC	NIMSC_0076	256
		508			345
		509			521
		510			829
		511	NIMSC-EXPLN	NIMSC_EXPLN_5210	256
		512	NM-CD	NM_CD_2303	091
		519			098
		521			099
		522			489
		523			513
		524			518
		626			592
		684			593
		686			594
		687			724
		688			990
		847	NM-LINE-1	NM_LINE1_3480	834
		875	NM-LINE-2	NM_LINE2_3481	834
		876	NM-PREFIX	NM_PREFIX_2516	098
		877			593

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
NM-ROOT-RMDR	NM_ROOT_RMDR_2517	098	OE-DESI-CD-EXPLN	OE_DESI_EX_5287	263
		593	OE-LI-SEG-NBR	OE_LI_SEG_NBR_1001	083
NMFC-CD	NMFC_2850	016			160
		035	OE-LI-SEG-NBR-EXPLN	OE_LI_SEG_EXP_0011	160
		090	OFC-NM-LI-TX	OFC_NM_LI_3351	355
		149	OLD-QUANT-EXP	OLD_QUANT_EXP_3044	813
		416	OLD-UI-CD	OLD_UI_CD_3041	813
		423	ON-HOLD-TS	ON_HOLD_TS_9190	601
		503			777
		523			852
		732			872
NMFC-SUB-ITM-NBR	SUB_ITM_NBR_0861	016	OP-DATA-RQST-CD	ODRC_4690	782
		035			855
		090			859
		149			958
		416	OP-DESTN	OP_DESTN_2096	197
		423	OP-MODE-MED-CD	OP_MOD_MED_CD_3740	012
		503			054
		523			144
		732			267
NO-Q8-RTN-CD-ED	NO_Q8_ED_3136	299			410
NO-Q8-RTN-CD-ED-NVY	NO_Q8_ED_NVY_3181	252			474
NON-APRVD-ITM-NM	NAIN_5020	053			604
		106			715
		363			783
		531			841
		611			843
		615			945
NOR-SRC-PRCMT-CD-EXPLN	NRM_SRC_PR_EX_5214	257	OP-MODE-MED-CD-DESC	OP_MOD_MED_EX_3118	267
NORM-SRC-PRCMT-CD	NRM_SRC_PR_CD_0721	257			410
NORM-SRC-PRCMT-CD-TI	NRM_SRC_PR_TI_5213	257	OP-PARTITION	OP_PARTITION_9192	601
NSCM-CDFN-BUR	NSCM_CDFN_BUR_4180	258			852
NSCM-PRFX-CDFN-BUR-CD-EX	NSCM_CD_BUR_X_5272	258			872
NSCM-PRFX-CDFN-BUR-CD-NT	NSCM_CD_BUR_N_5268	258	OP-PROD-EXTR-QY	OP_PROD_EXTR_2672	699
NSCM-SUF-CDFN-BUR-CD	NSCM_S_CD_BR_5267	259	OPR-MSG	OPER_MSG_3229	379
NSCM-SUF-CDFN-BUR-CD-EXP	NSCM_S_CD_B_X_5266	259	OPRTNL-TST-CD	OPRTL_TST_MC_0572	006
NSCM-SUF-CDFN-BUR-CD-NOT	NSCM_S_CD_B_N_5265	259			266
NSN-MRKP-HPHN-IND	MRKP_HPHN_4181	335			505
NULL-MSG-IND-CD	NULL_MSG_IND_2577	709	OPRTNL-TST-CD-EXPLN	OPRTL_T_MC_EX_3176	266
NUMERIC-MONTH	NUMERIC_MONTH_2539	956	OPTNL-MAND-ISAC-IND-CD	ISAC_IND_CD_0826	120
NVY-SOS	NVY_SOS_9404	331	OPTNL-MAND-MRC-IND-CD	MRC_IND_CD_8450	120
		519	OPTNL-PRO-IND-CD	OPTNL_PRO_IND_5173	346
NVY-SP-SOS-CD	NVY_SP_SOS_CD_0135	260			928
		261	OPTNL-SEG-STNG	OPTL_SEG_STNG_4625	196
		331	ORG-ACT-IND	ORG_ACT_IND_2222	157
		519	ORGN-IDEN-CLRTXT-LI-SEG	ORG_ID_TXT_SG_0010	069
ODRC-SEQ	ODRC_SEQ_9189	855	ORIG-ACTY-CD	ORIG_ACTY_CD_4210	016

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		025	OTH-DIC	OTHER_DIC_4215	948
		044	OTH-DIC-DATE	OTHR_DIC_DATE_4216	948
		059	OUTPUT-FORMAT	OUTPUT_FORMAT_9195	382
		060	OUTPUT-RECORD	OUTPUT_RECORD_9196	475
		105			715
		106			945
		341	PARM-INFO	PARM_INFO_3201	378
		380	PARNT-TAXPYR-ID	PARNT_TAXPYR_3403	082
		422	PASSTHRU-ACTY-ID	PSTHRU_ACT_ID_2139	206
		505	PASSTHRU-ACTY-NM	PSTHRU_ACT_NM_2140	206
		506	PC-DN-LD-LINE	PC_DN_LD_LINE_3087	366
		507	PGM-ID	PGM_ID_1108	025
		508			086
		509			323
		510			383
		511			405
		512			407
		521			617
		522	PGM-NAME	PGM_NAME_9198	383
		523	PGM-TRANSID	PGM_TRANSID_9199	383
		524	PHRS-CD-COMB-NT-IND	PH_CD_NT_IND_3051	839
		924	PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	268
		928	PHRS-CD-MDL	PHRS_CD_2862	007
		972			268
		973			506
		974			836
		975			882
		976			884
		977	PHRS-CD-PHRS	PHRS_CD_PHRS_5240	268
		978			836
		979	PHRS-CD-SVC-X	PHRS_CD_SVC_X_3450	836
		980	PHY-CTGY-CD	PHY_CTGY_MC_0573	006
		981			269
		982			505
		983	PHY-CTGY-CD-EXPLN	PHY_CTGY_MC_X_3177	269
		984	PHYS-DWG-ID	PHYS_DWG_ID_5037	816
		997	PHYS-TYP-IND	PHYS_TYP_IND_5074	816
		998	PIC-ACTY-DIC-PRICD-FOUR	PIC_STAT_CNT_9673	372
		999			549
ORIG-IMAG-KEY	ORIG_IMAG_KEY_9759	385	PIC-ACTY-DIC-PRICD-ONE	PIC_STAT_CNT_9670	372
		399			549
		848	PIC-ACTY-DIC-PRICD-THREE	PIC_STAT_CNT_9672	372
		867			549
		868	PIC-ACTY-DIC-PRICD-TWO	PIC_STAT_CNT_9671	372
		869			549
ORIG-STDZN-DEC	ORG_STDZN_DEC_9325	016	PIC-ACTY-DIC-PRICD-ZER	PIC_STAT_CNT_5815	372
		523			549



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
PIC-ACTY-PRICD-FOUR	PIC_STAT_CNT_9684	551			353
		552			354
PIC-ACTY-PRICD-ONE	PIC_STAT_CNT_9681	551			356
		552			357
PIC-ACTY-PRICD-THREE	PIC_STAT_CNT_9683	551			358
		552			360
PIC-ACTY-PRICD-TWO	PIC_STAT_CNT_9682	551			361
		552			362
PIC-ACTY-PRICD-ZER	PIC_STAT_CNT_5819	551			364
		552			509
PIC-DEPT-PRICD-FOUR	PIC_STAT_CNT_9695	441	PKG-CTGY-CD	PKG_CTGY_CD_5159	346
		568			928
PIC-DEPT-PRICD-ONE	PIC_STAT_CNT_9692	441	PKG-DSGN-ACTY-CD	PKG_DSGN_ACTY_5179	346
		568			928
PIC-DEPT-PRICD-THREE	PIC_STAT_CNT_9694	441	PKG-SEQ-NBR	PKG_SEQ_NBR_1070	341
		568			957
PIC-DEPT-PRICD-TWO	PIC_STAT_CNT_9693	441	PMIC-CDD-REPLY	PMIC_CDD_RPLY_3572	987
		568	PMIC-MRC	PMIC_MRC_3573	988
PIC-DEPT-PRICD-ZER	PIC_STAT_CNT_5823	441	PMIC-TBL-TYPE	PMIC_TBL_TYPE_3574	987
		568			988
PIC-DEPT-STD-PCT-ONE	PIC_STAT_CNT_9697	030	POBOX	POBOX_1361	002
		452			328
PIC-DEPT-STD-PCT-TWO	PIC_STAT_CNT_9698	030	POP-FIIG-AIN-FSC-MG-AC	POP_STAT_CNT_6726	430
		452			467
PIC-DEPT-STD-PCT-ZER	PIC_STAT_CNT_5824	030	POP-FIIG-AIN-FSC-MG-FU	POP_STAT_CNT_6724	034
		452			415
PIC-DESC	PIC_DESC_9200	412	POP-FIIG-AIN-FSC-MG-PA	POP_STAT_CNT_6725	034
PICA	PICA_2866	093			415
		129	POP-FIIG-AIN-FSC-MG-RE	POP_STAT_CNT_7172	034
		152			415
		772	POP-FIIG-AIN-FSC-NMG-FU	POP_STAT_CNT_7828	431
		773			466
		779	POP-FIIG-AIN-FSC-NMG-PA	POP_STAT_CNT_7829	431
		781			466
		932	POP-FIIG-AIN-FSC-NMG-RE	POP_STAT_CNT_7830	431
PICA-LVL-AUTH-CD	PICA_LOA_3505	093			466
		152	POP-FIIG-EFFDTD-INC-NSN	POP_STAT_CNT_6611	033
		271			414
PICA-LVL-AUTH-CD-DEF	PICA_LOA_DEF_5303	271	POP-FIIG-INC-NSN	POP_STAT_CNT_6612	033
PICA-SICA-IND-CD	PICA_SICA_IND_5099	346			414
		928	POP-FSC-FIIG-AIN-MG-AC	POP_STAT_CNT_5603	434
		010			471
PINC	PINC_3084	348	POP-FSC-FIIG-AIN-MG-FU	POP_STAT_CNT_5601	038
		349			470
		350	POP-FSC-FIIG-AIN-MG-PA	POP_STAT_CNT_5617	038
		351			470
		352	POP-FSC-FIIG-AIN-MG-RE	POP_STAT_CNT_5602	038

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		470			973
POP-FSC-FIIG-AIN-NMG-FU	POP_STAT_CNT_5613	435			974
		562			975
POP-FSC-FIIG-AIN-NMG-PA	POP_STAT_CNT_5614	435			976
		562			977
POP-FSC-FIIG-AIN-NMG-RE	POP_STAT_CNT_5615	435			978
		562			979
POP-NAIN-FSC-AC	POP_STAT_CNT_6731	611			980
		615	PROCESSED-TS	PROCESSED_TS_9201	601
POP-NAIN-FSC-ALL-INAC	POP_STAT_CNT_6732	696			852
		697			872
POP-NAIN-FSC-ALL-MG	POP_STAT_CNT_6733	696	PROP-CHAR-CD	PROP_CHAR_CD_2514	121
		697	PRPRTY-IND	PRPRTY_IND_5066	075
POP-NAIN-FSC-INAC	POP_STAT_CNT_6729	053	PRPTN-EDIT-SYMBL-IND-CD	PRPTN_EDIT_CD_0762	120
		531	PRPY-IND	PRPY_IND_4409	115
POP-NAIN-FSC-MG	POP_STAT_CNT_6730	053			116
		531	PRT-DWG-SUPRSN-IND-CD	PRT_DWG_SUPR_8261	842
POS-ZONE	POS_ZONE_2549	328	PRT-SKLTN-1	PRT_SKLTN_1_4445	390
PR-VLDTN-CD-AF	PVC_AF_0858	006	PRT-SKLTN-2	PRT_SKLTN_2_4446	390
		273	PRT-SKLTN-3	PRT_SKLTN_3_4447	390
		505	PRT-SKLTN-CD	PRT_SKLTN_CD_0368	127
PR-VLDTN-CD-AF-DEF	PVC_AF_DEF_3191	273			921
PRDCT-TI	PRDCT_TI_0982	147	PRVSNG-SCRNG-RCVR-ADRS	P_SCR_RCV_ADD_0232	144
		340	PSDO-SOS-CD	PSDO_SOS_CD_0133	274
PRDCT-TI-ROW	PRDCT_TI_ROW_3199	379	PSDO-SOS-CD-DESC	PSDO_SOS_DESC_5113	274
PRDCT-TI-SEQ	PRDCT_TI_SEQ_3222	379	PSO-ACT-CD	PSO_ACT_CD_0892	144
PREC-MTLS-IND-CD	PMIC_0802	010			409
		272	PUB-TERM	PUB_TERM_3192	174
		509	PUB-TERM-ABBREV	PUB_TRM_ABR_3190	174
		987	QDIC-ALL-OAC-DEPT-ADUPS	QDIC_STAT_CNT_5426	810
PRES-CD	PRSRV_MAT_CD_5162	346			811
		928	QDIC-ALL-OAC-DEPT-APRVD	QDIC_STAT_CNT_5424	810
PRI-IND-CD	PRI_IND_CD_2867	341			811
		376	QDIC-ALL-OAC-DEPT-CLRCL	QDIC_STAT_CNT_5428	810
		378			811
		412	QDIC-ALL-OAC-DEPT-NIINST	QDIC_STAT_CNT_5430	810
		468			811
		600	QDIC-ALL-OAC-DEPT-PDUPS	QDIC_STAT_CNT_5427	810
		777			811
		852	QDIC-ALL-OAC-DEPT-RECVD	QDIC_STAT_CNT_5422	810
		872			811
PRICE-NOTE	PRICE_NOTE_3447	837	QDIC-ALL-OAC-DEPT-RULES	QDIC_STAT_CNT_5429	810
PRIM-BUS-CAT-DEF	BUS_CAT_DEF_3368	704			811
PRIM-BUS-CTGY-CD	PR_BUS_CAT_CD_1365	082	QDIC-ALL-SAC-DEPT-ADUPS	QDIC_STAT_CNT_5388	824
		704			825
PRIM-COMM-RI-IND	PRIM_COMM_RI_9214	409	QDIC-ALL-SAC-DEPT-APRVD	QDIC_STAT_CNT_5386	824
PRIM-DIC	PRIM_DIC_4549	972			825

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
QDIC-ALL-SAC-DEPT-CLRCL	QDIC_STAT_CNT_5390	824			823
		825	QDIC-SAC-DIC-RULES	QDIC_STAT_CNT_6827	822
QDIC-ALL-SAC-DEPT-NIINST	QDIC_STAT_CNT_5392	824			823
		825	QDIC-SAC-TOT-ADUPS	QDIC_STAT_CNT_5408	824
QDIC-ALL-SAC-DEPT-PDUPS	QDIC_STAT_CNT_5389	824			825
		825	QDIC-SAC-TOT-APRVD	QDIC_STAT_CNT_5406	824
QDIC-ALL-SAC-DEPT-RECVD	QDIC_STAT_CNT_5384	824			825
		825	QDIC-SAC-TOT-CLRCL	QDIC_STAT_CNT_5410	824
QDIC-ALL-SAC-DEPT-RULES	QDIC_STAT_CNT_5391	824			825
		825	QDIC-SAC-TOT-NIINST	QDIC_STAT_CNT_5412	824
QDIC-OAC-DIC-ADUPS	QDIC_STAT_CNT_6820	808			825
		809	QDIC-SAC-TOT-PDUPS	QDIC_STAT_CNT_5409	824
QDIC-OAC-DIC-APRVD	QDIC_STAT_CNT_6823	808			825
		809	QDIC-SAC-TOT-RECVD	QDIC_STAT_CNT_5402	824
QDIC-OAC-DIC-CLRCL	QDIC_STAT_CNT_6818	808			825
		809	QDIC-SAC-TOT-RULES	QDIC_STAT_CNT_5411	824
QDIC-OAC-DIC-NIINST	QDIC_STAT_CNT_6816	808			825
		809	QE-NOTE	QE_NOTE_3448	837
QDIC-OAC-DIC-PDUPS	QDIC_STAT_CNT_6819	808	QNTV-EXPRSN	QNTV_EXPRSN_8575	007
		809			506
QDIC-OAC-DIC-RECVD	QDIC_STAT_CNT_6825	808	QTY-PER-ASBLY	QTY_PER_ASBL_0106	007
		809			506
QDIC-OAC-DIC-RULES	QDIC_STAT_CNT_6817	808	QUERY-TYPE	QUERY_TYPE_4476	381
		809			554
QDIC-OAC-TOT-ADUPS	QDIC_STAT_CNT_5446	810	QUP-CD	QUP_6106	006
QDIC-OAC-TOT-APRVD	QDIC_STAT_CNT_5444	810			277
QDIC-OAC-TOT-CLRCL	QDIC_STAT_CNT_5448	810			505
		811	QUP-CD-QTY	QUP_CD_QTY_5248	277
QDIC-OAC-TOT-NIINST	QDIC_STAT_CNT_5450	810	QUP-NOTE	QUP_NOTE_3499	837
		811	RAIL-VARI-CD	RAIL_VARI_CD_4760	016
QDIC-OAC-TOT-PDUPS	QDIC_STAT_CNT_5447	810			523
		811	RCVD-SND-STMP	RCVD_SND_STMP_9202	397
QDIC-OAC-TOT-RECVD	QDIC_STAT_CNT_5442	810			841
		811	RDG-TI	RDG_TI_0964	965
QDIC-OAC-TOT-RULES	QDIC_STAT_CNT_5449	810	RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	841
		811	RE-PROCESS-TS	RE_PROCESS_TS_9203	054
QDIC-SAC-DIC-ADUPS	QDIC_STAT_CNT_6830	822			601
		823			843
QDIC-SAC-DIC-APRVD	QDIC_STAT_CNT_6833	822			852
		823			872
QDIC-SAC-DIC-CLRCL	QDIC_STAT_CNT_6828	822	REC-COL	REC_COL_2109	207
		823			249
QDIC-SAC-DIC-NIINST	QDIC_STAT_CNT_6826	822	RECOV-CD-AR	RECOV_CD_AR_2892	006
		823			173
QDIC-SAC-DIC-PDUPS	QDIC_STAT_CNT_6829	822			505
		823	RECOV-CD-EXPLN-AR	RECOV_EX_AR_5259	173
QDIC-SAC-DIC-RECVD	QDIC_STAT_CNT_6835	822	RECOV-CD-EXPLN-MC	RECOV_EX_MC_3154	243

# CHAPTER 3

## DATA DICTIONARY

### -----USAGE-----

#### HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
RECOV-CD-MC	RECOV_CD_MC_2891	006	REIMB-CD	REIMB_CD_2930	288
		243	REIMB-CD-EXPLN	REIMB_CD_EX_3185	288
		505	REJECT-FLAG	REJECT_FLAG_9205	600
RECVD-STAMP	RECVD_STAMP_9204	151			777
		181			852
		368			872
		375	REJECTED-TS	REJECTED_TS_9206	601
		602			852
		710			872
		774	REL-INC	REL_INC_2926	091
		776			513
		871			592
REF-BACK-MRC	REF_MRC_4475	961	REL-NSN	REL_NSN_2895	007
		121			506
REF-DWG-GP-DES	REF_DWG_GP_DS_3565	501	RELEASED-CNT	RELEASED_CNT_9207	850
		072	RELEASED-TS	RELEASED_TS_9208	143
		826			601
		827			666
		828			852
		965			872
REF-NBR-CTGY-CD-EXPLN	RNCC_EX_5125	280	REORDER-TS	REORDER_TS_9209	850
REF-NBR-DEC-CTGY-CD	RN_DEC_CAT_CD_2561	287	REORG-STATUS-FLAG-ID	REORG_FLAG_9504	614
REF-NBR-DUP-DEC	R_N_DUP_DEC_3133	287			616
REF-NBR-DUP-DEC-IND	R_N_DUP_DEC_I_3117	287	REP-ACTY-LOA-NSN	REP_STAT_CNT_1650	058
REF-NBR-FMT-CD	RNFC_2920	014			535
		282	REP-ACTY-NSN	REP_STAT_CNT_1651	056
		522			533
		686	REP-DEPT-LOA-NSN	REP_STAT_CNT_1652	057
REF-NBR-FMT-CD-EXPLN	RNFC_EX_5114	282			534
REF-NBR-JUST-CD-EXPLN	RNJC_EX_5121	283	REP-DEPT-NSN	REP_STAT_CNT_1653	055
REF-NBR-LOG	REF_NBR_3570	014			532
		059	REP-ITM-STDZN-CD	REP_ISC_8525	915
		103	REP-NET-PR	REP_NET_PR_5235	006
		108			505
		522	REPBL-CD	REPBL_CD_2745	055
		686			056
		772			057
		781			058
		932			532
REF-NBR-STAT-CD	RNSC_2923	014			533
		284			534
		522			535
		686	REPBL-CD-CG	REP_CD_CG_0709	006
REF-NBR-STAT-CD-EXPLN	R_N_STAT_EX_5131	284			184
REF-NBR-VARI-CD-EXPLN	RNVC_EX_5127	285			505
REF-SCRN-IND	REF_SCRN_IND_3101	191	REPBL-CD-CG-EXPLN	REP_CD_CG_EX_3180	184
		230	REPBL-CHAR-IND-CD-DLA	REP_CD_DLA_2934	006

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		200	RNCC	RNCC_2910	014
		505			245
		200			280
REPBL-CHAR-IND-CD-DLA-DE	REP_CD_DLA_EX_5261	448			522
REPORTING-PERIOD	RPT_PERIOD_0911	479			686
REPT-SEG-IND	REPT_SEG_IND_4594	401			772
REROUTED-TIME	REROUTED_TIME_9210	323			932
RESOLUTION	RESOLUTION_9411	405	RNCC-DB	RNCC_DB_3130	287
		412	RNCC-IN	RNCC_IN_3128	287
RESPONSE-HRS	RESPONSE_HRS_9412	710	RNCC-MAY-HAVE-RNG	RNCC_MA_H_RNG_3109	278
RESTART-COMMIT-ID	RESTRT_COMMIT_9515	840			289
RESTORE-FLAG	RESTORE_FLAG_9066	141	RNCC-MUST-HAVE-RNG	RNCC_MS_H_RNG_3105	278
RESTORE-STATUS-FLAG	RSTR_STAT_FLG_9314	913			290
		230	RNDM-SMPL-IND-CD	RNDM_SMPL_IND_2671	133
RESULT-ACTN	RESULT_ACTN_3104	130			340
REV-LVL	REV_LVL_2644	133	RNJC	RNJC_2750	014
		135			283
		138			522
		320			686
		321	RNVC	RNVC_4780	014
		324			285
		333			522
		334			686
		335			772
		336			932
		339	RNVC-DB	RNVC_DB_3131	287
		340	RNVC-IN	RNVC_IN_3129	287
		342	RNVC-MAY-HAVE-RNG	RNVC_MA_H_RNG_3110	278
		343			289
		344	RNVC-MUST-HAVE-RNG	RNVC_MS_H_RNG_3106	278
		359			290
		388	ROLL-UP-CD	ROLL_UP_CD_9460	959
		418	ROLL-UP-DEPT-CD	ROLL_UP_DEPT_9459	959
		447	ROLL-UP-DIC	ROLL_UP_DIC_2097	197
		461	ROLL-UP-DIC-DESTN	RL_UP_DIC_DES_2098	197
		473	ROW-HLD-FLG-ID	ROW_HLD_FLG_9191	618
		477	ROW-IND	ROW_IND_4205	336
		478			359
		486			418
		497	ROW-NBR	ROW_NBR_4518	207
		498			228
RNAAC	RNAAC_2900	014			249
		522			393
		686			536
		772			736
		932			771
RNAAC-IND	RNAAC_IND_2221	157			992

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ROW-OBS-DT	ROW_OBS_DT_4489	006	RPTY-CLR-TXT2	RPTY_CLR_TXT2_2625	325
		007	RPTY-CLR-TXT3	RPTY_CLR_TXT3_2626	325
		345	RPTY-CLR-TXT4	RPTY_CLR_TXT4_2627	325
		505	RPTY-E-MAIL-ADRS	RPTY_E_ML_ADR_2624	325
		506	RPTY-ID	RPTY_ID_2638	047
		521			320
RPDMRC	RPDMRC_4765	010			322
		286			324
		509			325
RPDMRC-EXP	RPDMRC_EXP_5119	286			464
RPDMRC-KFP-FU-DT	RPDMRC_FU_DT_4532	877			475
RPDMRC-KFP-FU-IND	RPDMRC_FU_IND_4531	877			488
RPLD-AMMO-CD	RPLD_AMMO_8815	496			783
RPLD-FSC	RPLD_FSC_2647	491	RPTY-ID-CAGE-PN	RPTY_ID_CG_PN_2345	343
		492	RPTY-ID-NIIN	RPTY_ID_NIIN_2346	344
RPLD-INC	RPLD_INC_2646	489	RPTY-ID-TI	RPTY_ID_TI_2286	321
		990	RPTY-NAME	RPTY_NAME_0882	325
RPLD-NSN-STDZN-RL	RP_NSN_STD_RL_8977	018	RPTY-OFC-SYM	RPTY_OFC_SYM_2621	325
		524	RPTY-ST-ADRS	RPTY_ST_ADRS_0883	325
RPLM-CAGE-CD	RPLM_CAGE_CD_3595	101	RPTY-STA-US-POS-ABR	RPTY_ST_US_AB_2622	325
		103	RPTY-T-NBR-TP	RPTY_T_NBR_TP_2571	488
RPLM-MOE-RULE-NBR1	RPLM_M_RL_NBR_0226	093	RPTY-TEL-EXT	RPTY_TEL_EXT_2574	488
		730	RPTY-TEL-NBR	RPTY_TEL_NBR_2572	488
RPLM-NSN-CANC	RPLM_NSN_CANC_8875	010	RPTY-ZIP-CD	RPTY_ZIP_CD_2623	325
		509	RQMT-RPLY-INST	RQMT_RPY_INST_2648	127
RPLM-NSN-STDZN-RL	RPLM_NSN_STDZ_9525	016			390
		523			921
RPLY-SEQ-NBR	RPLY_SEQ_NBR_4408	115	RQMT-STMT	RQMT_STMT_3614	127
		116			498
		348			688
		354			921
		498	RQMT-STMT-DEF	RQMT_STMT_DEF_5027	347
RPLY-STAT-IND	RPLY_STAT_IND_2498	128			921
		923	RR-TRANS-KEY	RR_TRANS_KEY_9763	389
RPLY-TBL-CD-FIIG-DCOD-GD	RPLY_TBL_DCOD_3845	120			401
		124			402
		125			995
		950			996
		952	RTC-CD	RTC_CD_1002	060
RPLY-TBL-CD-MRD	RPLY_TBL_MRD_8254	126	RTN-CD	RTN_CD_9480	061
		128			064
		922			105
		923			291
RPLY-TBL-DCOD-SEQ-NBR	RPLY_DCOD_SEQ_0510	126			292
		922			323
RPTY-CITY	RPTY_CITY_0884	325			368
RPTY-CLR-TXT1	RPTY_CLR_TXT1_0889	325			374

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		375	SCN-PRE-REF-DP-CUR-REJ	PRER_STAT_CNT_5453	755
		405			756
		476	SCN-PRO-NSN-DP-CUR-MTH	PRON_STAT_CNT_6209	761
		536			762
		540	SCN-PRO-NSN-DP-CUR-NMTH	PRON_STAT_CNT_6210	761
		608			762
		771	SCN-PRO-NSN-DP-CUR-REJ	PRON_STAT_CNT_6211	761
		875			762
		924	SCN-PRO-REF-DP-CUR-MTH	PROR_STAT_CNT_6225	759
		948			760
		957	SCN-PRO-REF-DP-CUR-NMTH	PROR_STAT_CNT_6226	759
		291			760
RTN-CD-CMNT	RTN_CD_CMMT_4559	291	SCN-PRO-REF-DP-CUR-REJ	PROR_STAT_CNT_6227	759
RTN-CD-DEF-INST	RTN_DEF_INST_3140	291			760
RTN-CD-DRN-CMNT	RTN_CD_DRN_CM_4557	292			760
SAC	SAC_8990	115	SCND-PHRS-CD	SCND_PHRS_CD_3049	839
		116	SCREEN-ID-CODE	SCRN_ID_0981	366
		125	SCRN-RNCC	SCRN_RNCC_3115	289
		348			290
		349	SCRN-RNVC	SCRN_RNVC_3116	289
		350			290
		351	SCRNG-KEY-CODE	SCR_KEY_CD_1047	120
		352	SECD-ADRS-IND-CD	SEC_AD_IND_CD_9485	115
		353			116
		354			125
		357			950
		358	SECN-LOLA-OVERNIGHT-ODRC	SECOND_ODRC_4692	499
		360	SEG-CD-SUPMTL	SEG_CD_SUPMTL_0225	207
		361			293
		362			771
		950	SEG-CD-SUPMTL-EXPLN	SEG_CD_SUP_EX_3174	293
SAC-CDNG-IND	SAC_CDNG_IND_0115	120	SEG-IP-TRAN	SEG_IP_TRAN_4508	773
SCN-LSN-NSN-DP-CUR-MTH	LSND_STAT_CNT_5469	066			937
		542	SEG-LGTH	SEG_LGTH_0189	404
SCN-LSN-NSN-DP-CUR-NMTH	LSND_STAT_CNT_5470	066			406
		542	SEG-R-W-O-OP-DIC	SGR_WO_OP_DIC_3144	233
SCN-LSN-NSN-DP-CUR-REJ	LSND_STAT_CNT_5471	066	SEG-R-WITH-OP-DIC	SGR_W_OP_DIC_3143	233
		542	SEG-SEQ	SEG_SEQ_9414	044
SCN-PRE-NSN-DP-CUR-MTH	PREN_STAT_CNT_6241	757			071
		758			105
SCN-PRE-NSN-DP-CUR-NMTH	PREN_STAT_CNT_6242	757			319
		758			609
SCN-PRE-NSN-DP-CUR-REJ	PREN_STAT_CNT_6243	757			747
		758			775
SCN-PRE-REF-DP-CUR-MTH	PRER_STAT_CNT_5451	755			778
		756			838
SCN-PRE-REF-DP-CUR-NMTH	PRER_STAT_CNT_5452	755			854
		756			931

# CHAPTER 3

## DATA DICTIONARY

### -----USAGE-----

#### HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SEGMENT-CD	SEGMENT_CD_9415	071			782
		319			932
		385	SIC-CD-SQ-IND	SIC_CD_SQ_IND_9368	079
		389	SICA-CD	SICA_2938	093
		404			152
		406	SICA-LVL-AUTH	SICA_LOA_9547	093
		411			152
		609			296
		747	SICA-LVL-AUTH-CD-DEF	SICA_LOA_DEF_5302	296
		775	SIN-MULT-OP-CD	SIN_MLT_OP_CD_4535	873
		778	SIN-MULT-OP-EX	SIN_MLT_OP_EX_3455	873
		838	SIN-SUBMG-ACTY-CD	SIN_SUBM_ACTY_9255	094
		853			515
		854	SKELETON-CODE	SKEL_CODE_2319	118
		869			119
		931	SKIP-COUNT	SKIP_CNT_4412	118
		957			119
SEGMENT-DATA	SEGMENT_DATA_9416	071	SKO-FSC	SKO_FSC_8594	942
		319	SKO-I-I-NBR	SKO_I_I_NBR_8581	942
		609	SKO-ITEM-NAME	SKO_ITEM_NAME_8596	942
		775	SKO-NCB-CD	SKO_NCB_CD_8582	942
		778	SKO-QTY	SKO_QTY_8593	942
SEGMENT-FLAG	SEGMENT_FLAG_9418	411	SLC-NOTE	SLC_NOTE_3495	837
SEGMENT-POS	SEGMENT_POS_9419	411	SMPL-SZ-QY	SMPL_SZ_QY_2675	699
SEGMENT-STATS	SEGMENT_STATS_9420	403	SNF-END-DT	SNF_END_DT_9308	089
SELECT-KEY	SELECT_KEY_9764	407	SNF-TYP-UPDT	SNF_TYP_UPDT_9309	089
SEQ-KEY	SEQ_KEY_3043	228	SOS-CD	SOS_CD_3690	006
		291			260
		394			261
		536			299
		770			427
		771			428
		813			440
SER-NBR-CTL-CD-CG	SER_NO_CTL_CG_0763	006			505
		180			558
		505			559
SER-NBR-CTL-CD-CG-EXPLN	SRN_CTL_CG_EX_3182	180	SOS-MOD-CD	SOSM_CD_2948	006
SGML-ELE-NAME	SGML_ELE_NAME_9481	337			298
SHLF-LIF-CD	SLC_2943	006			505
		295	SOS-MOD-CD-EXPLN	SOSM_CD_EX_5252	298
		505	SOS-NOTE	SOS_NOTE_3498	837
SHRT-NM	SHRT_NM_2301	098	SOSM-NOTE	SOSM_NOTE_3496	837
		438	SOURCE-OF-RQST	SRC_OF_RQST_3200	378
		565	SP-HDLG-CD	SP_HDLG_CD_9240	016
		593			300
		684			523
		772	SP-HDLG-CD-EXPLN	SP_HDLG_CD_EX_3168	300



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SP-MAT-APL-ITEM-OR-KIT	SP_MAT_APL_IK_3155	254			058
SP-MAT-CONT-CD	SP_MAT_CONT_0121	006			063
		301			064
		505			065
		301			067
SP-MAT-CONT-CD-EXPLN	SP_MAT_CON_EX_3172	006			068
SP-MAT-IDEN-CD	SMIC_NVY_2834	254			329
		505			330
		346			371
SP-MKG-CD	SP_MKG_CD_5169	928			372
		302			373
SP-PKG-RQMT-CD	S_PKG_RQM_CD_0725	302			377
SP-PKG-RQMT-CD-EXPLN	S_PKG_RQM_EX_5216	346			396
SPI-DT	SPI_DT_5177	928			419
		346			424
SPI-NBR	SPI_NBR_5175	928			425
		346			430
SPI-REV	SPI_REV_5176	928			434
		337			436
SRT-ALLOWED-IND	SRT_ALLOWED_9482	012			439
SSN	SSN_9765	054			442
		084			444
		841			445
		843			451
		002			453
ST-ADRS-1	ST_ADRS_1_1082	328			454
		834			457
		002			460
ST-ADRS-2	ST_ADRS_2_1083	328			462
		834			463
		077			467
STA-US-POSN-ABR	ST_US_POSN_AB_0186	139			471
		483			493
		834			526
		019			527
STAT-ACTIVITY	STAT_ACTIVITY_0898	021			528
		022			533
		029			535
		031			540
		032			541
		040			548
		045			549
		046			550
		048			551
		049			552
		050			555
		056			556

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		563			652
		566			653
		569			654
		570			655
		571			656
		572			657
		573			658
		574			659
		575			660
		576			661
		577			662
		580			663
		581			664
		582			668
		583			670
		584			672
		585			673
		586			676
		587			677
		588			678
		589			679
		611			680
		615			681
		625			682
		627			683
		628			739
		629			740
		630			751
		631			752
		634			794
		635			795
		636			800
		637			801
		638			802
		639			803
		640			808
		641			809
		642			810
		643			818
		644			819
		645			820
		646			821
		647			822
		648			823
		649			824
		650			825
		651	STAT-BTCH-TIM	STAT_BTCH_TIM_2604	376

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		468			374
STAT-CMDTY-CTGY	STAT_CCTGY_3995	021			377
		329			381
		330			396
		444			424
		944			425
STAT-DAC-SA	STAT_DAC_SA_6592	027			426
		063			429
		449			436
STAT-DEPARTMENT	STAT_DEPT_0897	019			439
		021			441
		022			442
		024			444
		029			445
		030			446
		031			451
		032			452
		039			453
		040			454
		045			456
		046			457
		047			460
		048			462
		049			463
		050			464
		055			526
		056			527
		057			528
		058			532
		062			533
		065			534
		066			535
		067			541
		068			542
		112			546
		113			548
		114			549
		195			550
		223			551
		326			552
		329			554
		330			555
		368			556
		369			557
		371			560
		372			563
		373			566

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		568			654
		569			655
		570			656
		571			657
		573			658
		574			659
		575			662
		576			663
		577			664
		578			668
		580			670
		581			672
		582			673
		583			676
		584			677
		585			678
		586			679
		587			680
		589			681
		590			682
		608			683
		620			690
		622			691
		625			692
		627			693
		628			694
		629			695
		630			698
		631			739
		634			740
		635			741
		636			742
		637			744
		638			745
		639			749
		640			750
		641			751
		643			752
		645			753
		646			754
		647			755
		648			756
		649			757
		650			758
		651			759
		652			760
		653			761

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		762	STAT-LVL-AUTH-CD	STAT_LOA_3066	019
		763			050
		764			057
		784			058
		785			371
		786			442
		787			528
		788			534
		789			535
		790			569
		791			570
		792			571
		794			572
		795			580
		796			582
		797			584
		798			586
		799			588
		800			628
		801			630
		802			634
		803			636
		804			638
		805			640
		808			642
		809			644
		810			648
		818			649
		819			652
		820			653
		821			656
		822			657
		823			660
		824			661
		825			744
		934			745
		935			796
		939			797
		940			800
		959			801
STAT-DEPT-ACTY-CHANGED	STAT_ACTY_CH_0908	029	STAT-LVL-AUTH-COMB	STAT_LOA_COMB_3090	024
		451			369
		857			446
STAT-DEPT-NAME	STAT_DEPT_NM_9704	698			546
STAT-LIMITED-RIGHTS-GRP	STAT_LMD_RT_G_8159	027			786
		449			787
STAT-LOG-DT	LOG_DT_3339	141			792

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
STAT-MANAGER	STAT_MANAGER_2506	024			791
		040			792
		369			857
		370	STAT-RETURN-CATEGORY	STAT_RETN_CAT_5666	061
		436	STAT-USER-RQST-DT	USER_RQST_DT_3309	140
		446	STATE-NAME	STATE_NAME_4490	483
		457	STATL-IND-CD	STATL_IND_CD_3708	303
		546			924
		547	STATL-IND-CD-EXPLN	STATL_I_CD_EX_5133	303
		563	STATS-ACCESS-DATE	STATS_ACCS_DT_9705	062
		570	STATS-REQUEST-DATE	STAT_REQ_DATE_0899	019
		572			020
		575			021
		577			022
		584			023
		585			024
		588			026
		589			027
		634			028
		635			029
		636			030
		637			031
		642			032
		643			033
		644			034
		645			035
		652			036
		653			037
		654			038
		655			039
		660			040
		661			042
		662			043
		663			046
		692			047
		693			048
		694			049
		695			050
		763			051
		764			053
		784			055
		785			056
		786			057
		787			058
		788			061
		789			063
		790			064

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		065			439
		066			441
		067			442
		068			444
		112			445
		113			446
		114			449
		141			450
		142			451
		195			452
		223			453
		326			454
		329			455
		330			456
		367			457
		369			458
		370			459
		371			460
		372			463
		373			464
		376			465
		377			466
		396			467
		413			468
		414			470
		415			471
		416			472
		417			493
		419			494
		420			495
		421			503
		423			526
		424			527
		425			528
		426			529
		427			531
		428			532
		429			533
		430			534
		431			535
		432			540
		433			541
		434			542
		435			545
		436			546
		437			547
		438			548

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		549			634
		550			635
		551			636
		552			637
		555			638
		556			639
		557			640
		558			641
		559			642
		560			643
		561			644
		562			645
		563			646
		564			647
		565			648
		566			649
		568			650
		569			651
		570			652
		571			653
		572			654
		573			655
		574			656
		575			657
		576			658
		577			659
		578			660
		580			661
		581			662
		582			663
		583			664
		584			668
		585			670
		586			672
		587			673
		588			676
		589			677
		590			678
		611			679
		615			680
		624			681
		625			682
		627			683
		628			690
		629			691
		630			692
		631			693



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		694			805
		695			808
		696			809
		697			810
		739			811
		740			818
		741			819
		742			820
		744			821
		745			822
		749			823
		750			824
		751			825
		752			857
		753			933
		754			934
		755			935
		756			938
		757			939
		758			940
		759	STATS-SVC-AGCY-PREF-CD	STATS_SA_PREF_3844	063
		760	STATUS-CD-NM-FSC	STA_CD_NM_FSC_0320	001
		761			073
		762			076
		763			094
		764			098
		784			316
		785			489
		786			491
		787			492
		788			513
		789			515
		790			518
		791			530
		792			591
		793			593
		794			595
		795			723
		796			724
		797	STDZN-SUBMG-ACTY-CD	STDZN_SUBMR_0749	094
		798			515
		799	STOP-WORD-CDM	STOP_WORD_CDM_4463	485
		800	STORE-M-J-TBL	STORE_M_J_TBL_4424	352
		801	STORE-M-MAX	STORE_M_MAX_4426	352
		802	STORE-M-MIN	STORE_M_MIN_4425	352
		803	STORE-TYPE	STORE_TYPE_4421	352
		804			360

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
STORED-JUL-DT	STORED_JUL_DT_9462	879			893
STR-TM-PED	STR_TM_PED_5237	295			894
STRS-ACCT-EXPLN-MC	STRS_ACT_MC_X_3153	244			924
STRS-ACCT-MC	STRS_ACT_MC_2959	006			928
		244			948
		505			949
STYL-NBR-FIIG	STYL_NBR_FIIG_0768	072			972
		131			973
		826			974
		827			975
		828			976
		842			977
		951			978
STYL-RPLY-CD-IL-DWG	STYL_RP_IL_DW_0771	016			979
		523			980
SUBJ-INTEG-MAT-MGMT-CD	SUBJ_IMM_M_CD_9545	094			981
		515			982
SUBJ-ITM-MGMT-CDNG	SUBJ_IM_CDNG_9546	094			983
		515			984
SUBJ-SIN-SUBMR-PRO	SUBJ_SI_SUB_P_9544	094			997
		515			998
SUBJ-TO-WIMM	SUBJ_TO_WIMM_0090	094			999
		515	SUBMR-ACT-IND	SUBMR_ACT_IND_2143	157
SUBMG-ACTY-CD	SUBMG_ACTY_CD_3720	025	SUBMR-CTL-NBR	SUBMR_CTL_NBR_1120	602
		044			604
		059			774
		060			776
		105			871
		106			876
		304			953
		341	SUBMTR-USERID	SUBMTR_USERID_3205	378
		380	SUPLMENTRY-DIC-IP	SUPL_DIC_IP_1028	106
		422	SUPLMENTRY-DIC-OP	SUPL_DIC_OP_1029	106
		490	SUPMTL-INST	SUPMTL_INST_5174	346
		505			928
		506	SUPPLM-COLLBR	SUPPLM_COLLBR_2533	008
		507			507
		508	SUPPLM-RCVR	SUPPLM_RCVR_2534	017
		509			512
		510	SUPT-DATA-IND	SUPT_DATA_IND_4623	196
		511	SURCHG-PRCSG-IND-CD	SUR_PRC_ID_CD_0872	016
		512			523
		521	SURCHG-PRCSG-UNIT-PR	SUR_PRC_UN_PR_2599	016
		522			523
		523	SURCHG-PRCSG-YR	SUR_PRC_YR_2597	016
		524			523
		875	SVC-ACTY-AND-ADRS-SOS-CD	SA_ADD_SOS_CD_5108	299

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SVC-AGCY-DESI-CD	SADC_4672	014	THK-CUSH-DUN-CD	THK_CUSH_DUN_5165	346
		294			928
		522	THRD-LOLA-OVERNIGHT-ODRC	THIRD_ODRC_4693	499
SVC-AGCY-DESI-CD-DEF	SA_DESI_CD_X_5319	294	TIR-OP-MED-CD	TIR_OP_MED_CD_2093	157
SVC-CD-P-S-EX	SVC_CD_P_S_EX_3449	835	TM-ACTY-OP	ACTY_OP_9217	052
SVC-CD-PRVSNG-SCRNG-DEST	SVC_CD_P_SCRN_0264	144			604
		835	TM-APP-ARCH-KEY-ID	APP_ARCH_KEY_9224	604
SVC-CONTR-IDEN-CD	SVC_CON_ID_CD_0744	144			605
		863			840
SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	863	TM-ARCH-DATA-TYP-ID	ARCH_DATA_TYP_9225	840
SVC-NM	SVC_NM_3479	829	TM-BATCH-NBR	TM_BATCH_NBR_9424	606
		833			851
		834	TM-BATCH-SEQ-NBR	TM_BATCH_SEQ_9425	851
SVC-SICA	SVC_SICA_3493	837	TM-BATCH-TRNS	TM_BATCH_TRNS_9426	851
SYM-IND	SYM_IND_3456	156	TM-CD	TM_CD_1987	060
		194			109
		312	TM-COMMIT-CKPNT-RT	TM_COMMIT_RT_9509	617
SZ-OF-BUS-CD	SZ_OF_BUS_CD_1364	082	TM-COMPLT-TS	TM_COMPLT_TS_9427	601
		705			852
		705			872
SZ-OF-BUS-CD-DEF	SZ_OF_BUS_DEF_3367	392	TM-DSPL-ORDR-ID	DSPL_ORDR_8269	383
TABL-NAME-REM	TABL_NAME_REM_4449	122	TM-FILE-NAME	TM_FILE_NAME_9429	601
TAIL-ACT-CD	TAIL_ACT_CD_2513	120			852
TAIL-SEQ-NO	TAIL_SEQ_NO_4403	082			872
TAXPYR-ID	TAX_PYR_ID_3401	082	TM-HELD-CNT-QY	HELD_CNT_9501	613
TAXPYR-ID-EXMPN-CD	TAX_PYR_EXMPN_3402	707	TM-IP-TRK-ID	IP_TRK_9221	052
		707			604
TAXPYR-ID-EXMPN-DEF	TPYR_EXMP_DEF_3371	150			613
TBL-CSTDN	TBL_CSTDN_2232	150			614
TBL-CSTDN-ALT	TBL_CSTDN_ALT_2231	150			616
TBL-NBR	TBL_NBR_1298	392	TM-JOB-STAT-CD	TM_JOB_STAT_9508	617
		393	TM-MED-TRAIL-TX	MED_TRAIL_9387	084
		394	TM-MEDALS-FLG	MEDALS_FLG_9216	052
		395			604
		736	TM-MSG-TX	MSG_TX_9389	085
TBL-RSPNSBL-DRCTRT	TBL_RSP_DIR_2233	150			619
TBL-VOLUME	TBL_VOLUME_2473	913	TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	603
TBL-VRBL-INDCTR-CD	TBL_V_IN_CT_C_0941	842	TM-OP-DATA-GP	OP_DATA_GP_9802	383
TECH-DOC-NBR	TECH_DOC_NBR_2893	007			715
		506			945
TEL-NBR	TEL_NBR_1359	005	TM-OP-DIST-FREQ-CD	OP_DIST_FREQ_9804	783
		355	TM-OP-SEQ-FLD	OP_SEQ_FLD_9801	715
TEL-NBR-TYP-CD	TEL_NBR_TYP_1088	005			945
		702	TM-OP-TRK-ID	OP_TRK_9222	052
TEL-NBR-TYP-CD-DEF	TEL_TYP_DEF_3413	702			604
TEXT-LINE	TEXT_LINE_4519	736	TM-RE-PRCSD-MSG-TS	RE_PRCSD_TS_9394	084
		992	TM-REC-NBR	TM_REC_NBR_9430	084

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		085	TMG-PIC-DIC-TMFR-AVG-TM	TMG_STAT_CNT_6893	376
		151			468
		314	TMSTMP	TMSTMP_3059	006
		315			007
		408			008
		475			009
		476			010
		481			011
		604			014
		612			015
		619			016
		666			017
		715			018
		843			025
		866			044
		945			054
		961			059
		994			105
TM-RECDV-MSG-TS	RECDV_MSG_TS_9386	084			106
TM-RECDV-TD-QUE-TX	RECDV_TD_QUE_9388	084			149
TM-RELE-DATA	RELE_DATA_9503	614			345
		616			346
TM-RELED-CNT-QY	RELED_CNT_9502	613			366
TM-RELED-MSG-TS	RELED_MSG_TS_9385	084			381
TM-RESTR-CKPNT-CTR-1-QY	TM_CKPNT_CT_1_9511	617			422
TM-RESTR-CKPNT-CTR-2-QY	TM_CKPNT_CT_2_9512	617			505
TM-RESTR-CKPNT-CTR-3-QY	TM_CKPNT_CT_3_9513	617			506
TM-RESTR-CKPNT-CTR-4-QY	TM_CKPNT_CT_4_9514	617			507
TM-RESTR-CKPNT-WS-FLD	TM_CKPNT_WS_9510	617			508
TM-SP-PROJ-ID	SP_PROJ_9223	052			509
		603			510
		604			511
		613			512
		614			519
		616			521
		715			522
TM-TAPE-IP-TM	TAPE_IP_TM_9228	603			523
TM-TAPE-LOG-IP-TM	TAPE_LOG_IP_9226	603			524
TM-TAPE-VOL-SER-NBR-ID	TAPE_VOL_SER_9227	603			554
TM-TRAN-PROC-FLG-ID	TRAN_PROC_FLG_9229	604			598
TM-TRANS-TS-STAT-CD	TRANS_TS_STAT_9446	604			599
TM-TRNSMT-TS	TM_TRNSMT_TS_2578	143			604
		324			606
TM-USER-DEF-FLG	USER_DEF_FLG_9803	715			612
		945			614
TMG-PIC-DIC-TMFR	TMG_STAT_CNT_6892	376			616
		468			617

CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		619	TMSTMP5	TMSTMP5_4473	491
		666	TMSTMP6	TMSTMP6_4474	492
		773	TMSTMP7	TMSTMP7_9478	324
		780	TO-ZIP-CD	TO_ZIP_CD_3415	077
		781	TOT-MAX-LGTH	TOT_MAX_LGTH_4596	479
		782	TRAIL-NARRATV	TRAIL_NARRATV_4454	395
		843	TRAILER	TRAILER_9432	397
		844	TRAN-STAT-CD	TRN_STATUS_CD_0854	306
		919			958
		920	TRAN-STAT-CD-DEF	TRAN_STAT_DEF_3186	306
		921	TRAN-STAT-CD-INST	TRAN_STAT_INS_3187	306
		922	TRAN-STAT-CD-NOTE-IND	TRAN_STAT_NOT_3189	306
		923	TRAN-STAT-CD-OP	TRAN_STAT_OP_3188	306
		924	TRANS-COUNT	TRANS_COUNT_9433	397
		928	TRANS-DEF	TRANS_DEF_2127	214
		937	TRANS-ERR-FLG	TRANS_ERR_FLG_9434	851
		950	TRANS-INST	TRANS_INST_2131	214
		951	TRANS-KEY	TRANS_KEY_9435	052
		952			071
		972			319
		973			323
		974			375
		975			405
		976			408
		977			474
		978			475
		979			476
		980			600
		981			601
		982			602
		983			604
		984			605
		997			609
		998			616
		999			747
TMSTMP1	TMSTMP1_4564	073			774
		081			775
		102			776
TMSTMP2	TMSTMP2_4402	094			777
		365			778
		513			838
		515			852
		518			854
		530			866
TMSTMP3	TMSTMP3_4443	115			871
		380			872
TMSTMP4	TMSTMP4_4472	489			876

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		931			677
		953	TRFR-OAC-T2-1-NSN	TRFR_STAT_CNT_1569	664
		957			676
TRANS-NBR	TRANS_NBR_9437	385			677
		389	TRFR-OAC-T2-4-NSN	TRFR_STAT_CNT_1570	664
		481			676
		869			677
TRANS-REF-KEY	TRANS_REF_KEY_9438	600	TRFR-OAC-T4-1-NSN	TRFR_STAT_CNT_1571	664
		852			676
		872			677
TRANS-TI	TRANS_TI_2057	196	TRFR-OAC-T4-2-NSN	TRFR_STAT_CNT_1572	664
TRANS-TYP-FLG	TRANS_TYP_FLG_9440	383			676
TRFR-FSC-OAC-FYD-T1-NSN	TRFR_STAT_CNT_6765	548			677
TRFR-FSC-OAC-FYD-T2-NSN	TRFR_STAT_CNT_6764	548	TRFR-ODP-CUR-T1-NSN	TRFR_STAT_CNT_6755	067
TRFR-FSC-OAC-FYD-T4-NSN	TRFR_STAT_CNT_6766	548	TRFR-ODP-CUR-T2-NSN	TRFR_STAT_CNT_6754	067
TRFR-FSC-ODP-FYD-GOAL	TRFR_STAT_CNT_6777	036	TRFR-ODP-CUR-T4-NSN	TRFR_STAT_CNT_6756	067
		455	TRFR-ODP-FYD-T1-2-NSN	TRFR_STAT_CNT_1581	377
TRFR-FSC-ODP-FYD-T1-NSN	TRFR_STAT_CNT_6772	548	TRFR-ODP-FYD-T1-4-NSN	TRFR_STAT_CNT_1582	377
TRFR-FSC-SAC-FYD-T1-NSN	TRFR_STAT_CNT_9649	396	TRFR-ODP-FYD-T1-NSN	TRFR_STAT_CNT_6760	424
		555	TRFR-ODP-FYD-T2-1-NSN	TRFR_STAT_CNT_1583	377
TRFR-FSC-SAC-FYD-T2-NSN	TRFR_STAT_CNT_9648	396	TRFR-ODP-FYD-T2-4-NSN	TRFR_STAT_CNT_1584	377
		555	TRFR-ODP-FYD-T2-NSN	TRFR_STAT_CNT_6759	424
TRFR-FSC-SAC-FYD-T4-NSN	TRFR_STAT_CNT_9650	396	TRFR-ODP-FYD-T4-1-NSN	TRFR_STAT_CNT_1585	377
		555	TRFR-ODP-FYD-T4-2-NSN	TRFR_STAT_CNT_1586	377
TRFR-FSC-SDP-FYD-T1-NSN	TRFR_STAT_CNT_9656	396	TRFR-ODP-FYD-T4-NSN	TRFR_STAT_CNT_6761	424
		555	TRFR-ODP-T1-2-NSN	TRFR_STAT_CNT_6778	664
TRFR-FSC-SDP-FYD-T2-NSN	TRFR_STAT_CNT_9655	396			676
		555			677
TRFR-FSC-SDP-FYD-T4-NSN	TRFR_STAT_CNT_9657	396	TRFR-ODP-T1-4-NSN	TRFR_STAT_CNT_1561	664
		555			676
TRFR-OAC-CUR-T1-NSN	TRFR_STAT_CNT_6745	067			677
TRFR-OAC-CUR-T2-NSN	TRFR_STAT_CNT_6744	067	TRFR-ODP-T2-1-NSN	TRFR_STAT_CNT_1562	664
TRFR-OAC-CUR-T4-NSN	TRFR_STAT_CNT_6746	067			676
TRFR-OAC-FYD-T1-2-NSN	TRFR_STAT_CNT_1574	377			677
TRFR-OAC-FYD-T1-4-NSN	TRFR_STAT_CNT_1575	377	TRFR-ODP-T2-4-NSN	TRFR_STAT_CNT_1563	664
TRFR-OAC-FYD-T1-NSN	TRFR_STAT_CNT_6750	424			676
TRFR-OAC-FYD-T2-1-NSN	TRFR_STAT_CNT_1576	377			677
TRFR-OAC-FYD-T2-4-NSN	TRFR_STAT_CNT_1577	377	TRFR-ODP-T4-1-NSN	TRFR_STAT_CNT_1564	664
TRFR-OAC-FYD-T2-NSN	TRFR_STAT_CNT_6749	424			676
TRFR-OAC-FYD-T4-1-NSN	TRFR_STAT_CNT_1578	377			677
TRFR-OAC-FYD-T4-2-NSN	TRFR_STAT_CNT_1579	377	TRFR-ODP-T4-2-NSN	TRFR_STAT_CNT_1565	664
TRFR-OAC-FYD-T4-NSN	TRFR_STAT_CNT_6751	424			676
TRFR-OAC-T1-2-NSN	TRFR_STAT_CNT_1567	664			677
		676	TRFR-SAC-CUR-T1-NSN	TRFR_STAT_CNT_2452	668
		677	TRFR-SAC-CUR-T2-NSN	TRFR_STAT_CNT_2451	668
TRFR-OAC-T1-4-NSN	TRFR_STAT_CNT_1568	664	TRFR-SAC-CUR-T4-NSN	TRFR_STAT_CNT_2453	668
		676	TRFR-SAC-FYD-T1-2-NSN	TRFR_STAT_CNT_2466	670

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
TRFR-SAC-FYD-T1-4-NSN	TRFR_STAT_CNT_2467	670			681
TRFR-SAC-FYD-T1-NSN	TRFR_STAT_CNT_2456	068	TRFR-SDP-T1-4-NSN	TRFR_STAT_CNT_2462	672
TRFR-SAC-FYD-T2-1-NSN	TRFR_STAT_CNT_2468	670			673
TRFR-SAC-FYD-T2-4-NSN	TRFR_STAT_CNT_2469	670			680
TRFR-SAC-FYD-T2-NSN	TRFR_STAT_CNT_2455	068			681
TRFR-SAC-FYD-T4-1-NSN	TRFR_STAT_CNT_2470	670	TRFR-SDP-T2-1-NSN	TRFR_STAT_CNT_2463	672
TRFR-SAC-FYD-T4-2-NSN	TRFR_STAT_CNT_2741	670			673
TRFR-SAC-FYD-T4-NSN	TRFR_STAT_CNT_2457	068			680
TRFR-SAC-T1-2-NSN	TRFR_STAT_CNT_9662	672			681
		673	TRFR-SDP-T2-4-NSN	TRFR_STAT_CNT_9667	672
		680			673
		681			680
TRFR-SAC-T1-4-NSN	TRFR_STAT_CNT_9663	672			681
		673	TRFR-SDP-T4-1-NSN	TRFR_STAT_CNT_9668	672
		680			673
		681			680
TRFR-SAC-T2-1-NSN	TRFR_STAT_CNT_2147	672			681
		673	TRFR-SDP-T4-2-NSN	TRFR_STAT_CNT_2464	672
		680			673
		681			680
TRFR-SAC-T2-4-NSN	TRFR_STAT_CNT_2146	672			681
		673	TTL-DLN-PRDCT-PER-ADRS	TOT_PRD_ADRS_0978	146
		680	TXT-TAB-HDR-IND	TX_TB_HDR_IND_3453	736
		681	TYP-CGO-CD	TYPE_CGO_CD_9260	016
TRFR-SAC-T4-1-NSN	TRFR_STAT_CNT_9664	672			311
		673			523
		680	TYP-CGO-CD-EXPLN	TYP_CGO_EXP_5224	311
		681	TYP-FINCL-MGMT-CTL-CD	TYP_FIN_MGT_0729	308
TRFR-SAC-T4-2-NSN	TRFR_STAT_CNT_9665	672	TYP-FINCL-MGT-CTL-CD-EXP	TYP_FIN_MGT_X_5218	308
		673	TYP-II-1	TYP_II_1_3490	830
		680	TYP-II-2	TYPE_II_2_3486	830
		681	TYP-II-K	TYP_II_K_3491	830
TRFR-SDP-CUR-T1-NSN	TRFR_STAT_CNT_2460	668	TYP-II-L	TYP_II_L_3492	830
TRFR-SDP-CUR-T2-NSN	TRFR_STAT_CNT_2459	668	TYP-II-M	TYP_II_M_3488	830
TRFR-SDP-CUR-T4-NSN	TRFR_STAT_CNT_9640	668	TYP-II-N	TYP_II_N_3489	830
TRFR-SDP-FYD-T1-2-NSN	TRFR_STAT_CNT_2743	670	TYP-LST-ACT	TYP_LST_ACT_0044	090
TRFR-SDP-FYD-T1-4-NSN	TRFR_STAT_CNT_2474	670			710
TRFR-SDP-FYD-T1-NSN	TRFR_STAT_CNT_9644	068			732
TRFR-SDP-FYD-T2-1-NSN	TRFR_STAT_CNT_2475	670	TYP-MATCH	TYP_MATCH_3103	230
TRFR-SDP-FYD-T2-4-NSN	TRFR_STAT_CNT_2476	670	TYP-MBLZTN-RSV-RQT-CD-EX	TYP_MBL_RSV_X_5215	246
TRFR-SDP-FYD-T2-NSN	TRFR_STAT_CNT_9643	068	TYP-MOBLZTN-RSRV-RQMT-CD	TYP_MBL_RSV_0723	246
TRFR-SDP-FYD-T4-1-NSN	TRFR_STAT_CNT_2477	670	TYP-OF-BUS-CD	TYP_BUS_CD_1366	082
TRFR-SDP-FYD-T4-2-NSN	TRFR_STAT_CNT_2478	670			703
TRFR-SDP-FYD-T4-NSN	TRFR_STAT_CNT_9645	068	TYP-OF-BUS-DEF	TYP_BUS_DEF_3369	703
TRFR-SDP-T1-2-NSN	TRFR_STAT_CNT_2461	672	TYP-OF-II-CD	TYP_II_4820	010
		673			309
		680			509

# CHAPTER 3 DATA DICTIONARY -----USAGE----- HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		782			928
TYP-OF-II-CD-EXPLN	TYP_II_CD_EXP_5117	309	UNIT-MEAS-CD	UNIT_MEAS_CD_0107	007
TYP-OF-II-CD-TYP	TYP_II_CD_TYP_5116	278			276
		309			506
TYP-OF-OE-CD-EXPLN	TYP_OE_CD_EXP_3171	265	UNIT-MEAS-DES	UNIT_MEAS_DES_4411	117
TYP-OF-SP-PRCSG-IND-CD	TYP_SP_PRC_0568	006	UNIT-MEAS-TRM	UNIT_MEAS_TRM_2347	276
		310	UNMATCHED-RNCC	UNMTCH_RNCC_3132	287
		505	UNPKG-ITM-DIM	UNPKG_ITM_DIM_5158	346
TYP-OF-SP-PRCSG-IND-CD-E	TYP_SP_PRC_E_3178	310			928
TYP-PREC-MTL	TYP_PREC_MTL_5263	272	UNPKG-ITM-WT	UNPKG_ITM_WT_5157	346
TYPE-CAGE-NSCM-AFFL-CD	TYP_CAGE_AFFL_0250	082			928
		700	UP-CU	UP_CU_5155	346
TYPE-CAGE-NSCM-AFFL-CD-DEF	CAGE_AFFL_DEF_3366	700			928
TYPE-OF-STAT	TYPE_OF_STAT_0907	026	UP-QTY	UP_QTY_5321	346
		062			928
		140			946
		141	UP-QTY-EXPL	UP_QTY_EXPL_3464	946
		448	UP-SZ	UP_SZ_5154	346
		879			928
		913	UP-WT	UP_WT_5153	346
		993			928
TYPE-OF-TRNS	TYPE_OF_TRNS_9441	602	UPDT-CNT	UPDT_CNT_9457	879
		608			993
		774	UPDT-RTN-CD	UPDT_RTN_CD_9456	879
		776			993
		871	USI-SVC-CD	USI_SVC_CD_0745	006
UFC-CD-MODF	UFC_CD_MODF_3040	016			007
		035			313
		090			505
		149			506
		416			883
		423	USI-SVC-CD-EXPLN	USI_SVC_CD_X_3147	313
		503	USR-ACCS-LVL	USR_ACCS_LVL_1381	954
		523	USR-ACCS-LVL-SUBSYS-CD	USR_ACCS_SUB_3381	954
UI	UI_3050	006	USR-CD	USR_CD_1101	001
		312			073
		505			081
UI-CONV-FAC	UI_CONV_FAC_3053	006			082
		505			092
		813			102
UI-DEF	UI_DEF_5243	312			140
UI-NOTE	UI_NOTE_3497	837			141
UI-TRM	UI_TRM_5242	312			324
UNDEFINED-SEG	UNDEF_SEGMENT_9442	481			340
UNIT-CTNR-CD	UNIT_CTNR_CD_5166	346			355
		928			365
UNIT-CTNR-LVL-CD	UNIT_CTNR_LVL_5168	346			366



CHAPTER 3  
DATA DICTIONARY  
-----USAGE-----  
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		368	VALID-POSIT	VALID_POSIT_9771	853
		375	VLD-REF-MAY-HV-NOTE-IND	VLD_REF_MAY_3112	278
		381			289
		489	VLD-REF-MST-HV-NOTE-IND	VLD_REF_MST_3108	278
		491	VND-RGSTR-RNWL-DT	RGSTR_RNWL_DT_3373	222
		492	WIDTH-INCH	WIDTH_INCH_3226	379
		513	WMN-OWND-BUS-CD	WMN_OWND_BUS_1367	082
		515	WPN-SYS-ESNTL-CD	WPN_SYS_ESNTL_3885	847
		518	WPN-SYS-ID	WPN_SYS_ID_3881	846
		554			847
		579	WPN-SYS-IND-CD	WPN_SYS_IND_3883	847
		597	WPN-SYS-NM	WPN_SYS_NM_3887	846
		599	WPN-SYS-SVC-CD	WPN_SYS_SVC_3882	846
		603			847
		710	WRAP-MAT-CD	WRAP_MAT_CD_5163	346
		725			928
		850	WRKLD-CNT	WRKLD_CNT_1026	109
		919	WRKLD-LOCK-OT-CD	WRKLD_LOCK_OT_2024	109
		920	WTR-CMDTY-CD	WTR_CMDTY_CD_9275	016
		921			523
		923	ZIP-ADD-ON-CD	ZIP_ADD_ON_4398	002
		925	ZIP-CD	ZIP_CD_4400	002
		950			139
		951			145
		952			834
		954	ZIP-CD-ROW	ZIP_CD_ROW_3219	379
VALID-HX-DIC	VALID_HX_DIC_9443	383	ZIP-CD-SEQ	ZIP_CD_SEQ_3216	379
VALID-LFU-DIC	VALID_LFU_DIC_9444	383	ZIP-PLUS-FOUR-CD	ZIP_PLUS_FOUR_4399	355

A CODE DESIGNATING THE DEGREE OF SUPPORT RECEIVED BY AN INDIVIDUAL SECONDARY INVENTORY CONTROL ACTIVITY OR TO IDENTIFY THE SERVICE(S) PERFORMING DEPOT MAINTENANCE FOR A LEAD SERVICE (PRIMARY INVENTORY CONTROL ACTIVITY). SEE VOLUME 10, TABLE 107, AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0078 DT-MOE-RULE-NBR-WTHDW DLSC-SB F INTEGER 5  
DATE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN  
THE YEAR AND JULIAN DAY THAT A MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM, E.G. 72100.

0090 SUBJ-TO-WIMM SUBJ\_TO\_WIMM\_0090 DLSC-SB F CHAR 1  
SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT  
AN ALPHA W OR "BLANK" THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT (WIMM).

0091 DT-EFF-MOE-RULE-TBL-ACTN DLSC-SB F 5  
DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO  
THE YEAR AND JULIAN DATE A MAJOR ORGANIZATIONAL ENTITY RULE TABLE FILE MAINTENANCE ACTION BECOMES EFFECTIVE.  
SEE VOLUME 13 AND QUICK INFO ON-LINE.

0092 DT-EFF-STD-FSC-TBL-ENTRY DLSC-SB F 5  
DATE, EFFECTIVE, STANDARD, FEDERAL SUPPLY CLASS TABLE ENT  
THE YEAR AND JULIAN DAY DENOTING THE EFFECTIVE DATE FOR A DATA ENTRY RECORDED IN THE STANDARD FEDERAL SUPPLY CLASS TABLE.

0093 PUB-INTRO-ID-CD DLSC-SB F 9  
PUBLICATION INTRODUCTION IDENTIFIER CODE  
A CODE THAT IDENTIFIES THE INTRODUCTIONS TO BE USED IN VARIOUS DLSC- PRODUCED PUBLICATIONS, E.G., 40801101 IDENTIFIES THE INTRODUCTION TO BE PRINTED IN THE FIRST FRAME OF THE FIRST SECTION OF THE FIRST MICROFICHE CARD FOR CATALOGING HANDBOOK H4-1 BASIC EDITION.

0094 INDX-ENTRY DLSC-SBB V 1762  
INDEX ENTRY  
NAMES OF ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DIRECTORY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHTFORWARD SEQUENCE.

0095 CONF-NOTI-CD CONF\_NOTI\_CD\_0095 DLSC-SBA F CHAR 2  
CONFLICT NOTIFICATION CODE  
A CODE WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.

0096 FMR-NMFC-CD FMR\_NMFC\_0096 DLSC-SB F CHAR 6  
FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE  
THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE PREVIOUSLY RECORDED WHICH HAS BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0097 FMR-UFC-CD FMR\_UFC\_0097 DLSC-SBA F CHAR 5  
FORMER UNIFORM FREIGHT CLASSIFICATION CODE  
THE FORMER UNIFORM CLASSIFICATION CODE PREVIOUSLY RECORDED BUT WHICH HAS EITHER BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0099 CRD-IDEN-CD-IMC CRD\_ID\_CD\_IMC\_0099 DLSC-SBA F CHAR 1  
CARD IDENTIFICATION CODE (CIC), ITEM MANAGEMENT CODING

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. THE REFERENCE TO CARD IN THE TITLE REFERS TO THE IMC DATA RECORD ITSELF AND NOT TO THE INPUT FORMAT (CARD/WIRE). SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.

0103 APPLB-KEY-CD-FIIG APPLB\_KEY\_CD\_0103 DLSC-SC F CHAR 3  
APPLICABILITY KEY CODE, FEDERAL ITEM IDENTIFICATION GUIDE  
A CODE THAT INDICATES WHETHER A REQUIREMENT IN A FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ NEED BE SATISFIED FOR THE ITEM BEING IDENTIFIED.

0106 QTY-PER-ASBLY QTY\_PER\_ASBL\_0106 DLSC-SB F INTEGER 3  
QUANTITY PER ASSEMBLY  
A THREE POSITION NUMERIC CODE INDICATING THE NUMBER OF ITEMS IDENTIFIED BY A RELATED NATIONAL STOCK NUMBER, REQUIRED IN AN ASSEMBLY.

0107 UNIT-MEAS-CD UNIT\_MEAS\_CD\_0107 DLSC-SBA F CHAR 2  
UNIT MEASURE CODE  
A TWO POSITION ALPHA CODE INDICATING A RECOGNIZABLE PHYSICAL MEASUREMENT/LENGTH, VOLUME, WEIGHT/ A COUNT OF ITEM SUCH AS, FOOT, GALLON, POUND, EACH, DOZEN, GROSS, FOR THE RELATED NATIONAL STOCK NUMBER. SEE VOLUME 10, TABLE 81 AND QUICK INFO ON-LINE.

0111 SR-1-SPEC-STD-CTL-DATA DLSC-SCA V 110  
STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT  
THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 1 DATA ON THE DD FORM 146 OUTPUT. THE SR-1 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODES 1, 2, 4 AND 7. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED ON THE BASIS OF THE RNCC FOR THE EXTRACTED REFERENCE NUMBER.

0112 SR-5-MFRS-DATA DLSC-SBA V 110  
STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA  
THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 5 DATA ON THE DD FORM 146 OUTPUT. THE SR-5 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODE 3 FOR ITEM IDENTIFICATION TYPES 1A, 1B, 4A AND 4B. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED WITH THE EXTRACTED REFERENCE NUMBER.

0113 MRC-CLRTXT-RPLY-FLD MRC\_CLR\_TXT\_R\_0113 DLSC-SBA V VARCHAR 999  
MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD  
THIS DATA ELEMENT CONSISTS OF THE ENTIRE MASTER REQUIREMENT CODE REPLY FIELD IN CLEAR TEXT. IF REPLY CODE(S)/ ARE INCLUDED IN THE CHARACTERISTICS DATA GROUP, THE DECODED REPLY STATEMENT /DRN 3864/ IS INCLUDED IN THIS REPLY FIELD. THE CONTENT OF THE DATA IS IN THE FORMAT FOR PRINTING IN THE DD FORM 146 DESCRIPTION AS DESIGNATED IN THE REPLY FIELD DISPLAY CRITERIA DD FORM 146 /DRN 8327/.

0114 MILSTICCS-RPLY-FLD DLSC-SCA V 9999  
MILSTICCS REPLY FIELD  
A VARIABLE DATA FIELD WHICH IS A MILSTICCS CODED REPLY OR PART OF THE REPLY TO A PRIMARY ADDRESS CODE REQUIREMENT STATEMENT. IT MAY INCLUDE REPLY CODE(S) OR CLEAR TEXT OR A COMBINATION OF BOTH. WHEN OUTPUT IN A DETAIL LISTING INVOLVING SECONDARY ADDRESS CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE SAC, MODE CODE AND REPLY FIELD. WHEN OUTPUT IN A DETAIL LISTING INVOLVING AND/OR CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE THE MODE CODE, REPLY FIELD, AND/OR SYMBOL(S) AND A REPORT OF THE MODE CODE AND REPLY FIELD.

0115 SAC-CDNG-IND SAC\_CDNG\_IND\_0115 DLSC-SC F CHAR 1  
SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE REFLECTED IN THE FORMAT EDIT GUIDE CRITERIA INDICATING THE USE OF SECONDARY ADDRESS CODING, "AND" CODING, AND "OR" CODING THAT APPLIES TO AN MRC. VALID VALUES ARE R = OR, A = AND, \$ = AND/OR, C = SECONDARY ADDRESS CODING, N = NONE, T = SECONDARY ADDRESS CODING AND "AND/OR" CODING, W = SECONDARY ADDRESS CODING AND "AND" CODING, Z = SECONDARY ADDRESS CODING AND "OR" CODING.

0116 QTY-OCCRS DLSC-SCA F 7  
QUANTITY OF OCCURRENCES  
A QUANTITATIVE COUNT OF THE TOTAL TIMES A SPECIFIC DATA ELEMENT OCCURS, SUCH AS A PRIMARY ADDRESS CODE, OR MASTER REQUIREMENT CODE WITH A SPECIFIC MODE CODE AND CODED REPLY FIELD.

0121 SP-MAT-CONT-CD SP\_MAT\_CONT\_0121 DLSC-SBA F CHAR 1  
SPECIAL MATERIAL CONTENT CODE  
A CODE THAT INDICATES AN ITEM REPRESENTS OR CONTAINS PECULIAR MATERIAL REQUIRING SPECIAL TREATMENT, PRECAUTIONS OR MANAGEMENT CONTROL OF THE ITEM. SEE VOLUME 10, TABLE 102 AND QUICK INFO ON-LINE.

0122 FSC-MOE-RULE-CHNG-IND FSC\_M\_RL\_C\_IN\_0122 DLSC-SBA F CHAR 1  
FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE  
A CODE WHICH IS COMPUTER GENERATED AS THE RESULT OF AN INPUT TRANSACTION CHANGING ANY PORTION OF A FEDERAL SUPPLY CLASS/MAJOR ORGANIZATIONAL ENTITY/MOE/RULE RECORD. VALID VALUES ARE: A-NEW, C-CANCELLED, D-DELETION, R-REVISED, OR BLANK-AUTHORIZED FOR CURRENT LEVEL OF APPLICATION USE.

0126 FMR-REL-NSN DLSC-SB F CHAR 13  
FORMER RELATED NATIONAL STOCK NUMBER  
THE RELATED NATIONAL STOCK NUMBER THAT IS RECORDED IN A CATALOG MANAGEMENT DATA RECORD TO BE REPLACED BY ANOTHER NATIONAL STOCK NUMBER THROUGH A CHANGE NOTICE.

0130 FRT-CLAS-CD DLSC-SBA F 12  
FREIGHT CLASSIFICATION CODE  
A CODE ASSIGNED TO EACH DESCRIPTIVE ITEM IDENTIFICATION, TO BE EXTENDED TO ALL ITEMS, BY THE MILITARY TRAFFIC MANAGEMENT COMMAND, CONSISTING OF THE SIX DIGIT NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE, DRN 2850, THE ONE DIGIT NMFC SUB-ITEM NUMBER, DRN 0861, AND THE FIVE DIGIT UNIFORM FREIGHT CLASSIFICATION (UFC) CODE, DRN 3040.

0131 DOC-CTL-NBR-FU DLSC-SBA F CHAR 18  
DOCUMENT CONTROL NUMBER, FOLLOW-UP  
USED IN FOLLOW-UP TRANSACTIONS AND THEIR RESULTANT OUTPUTS TO IDENTIFY THE DOCUMENT CONTROL NUMBER OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAS NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY AS REQUIRED.

0132 ISS-REP-RQNG-RSTRN-CD IRRN\_NVY\_0132 DLSC-SBA F CHAR 2  
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR)  
A CODE THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISITIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE VOLUME 10, TABLE 95 AND QUICK INFO ON-LINE.

0133 PSDO-SOS-CD PSDO\_SOS\_CD\_0133 DLSC-SBA F CHAR 3  
PSEUDO SOURCE OF SUPPLY CODE  
A CODE USED TO REFLECT WHETHER THE SOURCE OF SUPPLY IS EITHER CENTRALIZED OR DECENTRALIZED. THIS CODE IS ALSO USED TO INDICATE TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEMS /DAAS/ THE TYPE OF UPDATE ACTION TO BE TAKEN ON THE SOURCE OF SUPPLY FILE MAINTAINED BY DAAS. SEE VOLUME 10, TABLE 110 AND QUICK INFO ON-LINE.

0134 INACT-SOS-IND-CD INACT\_SOS\_IND\_0134 DLSC-SBA F CHAR 1

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INACTIVE SOURCE OF SUPPLY INDICATOR CODE

A ONE POSITION CODE USED TO DENOTE AN INACTIVE SOURCE OF SUPPLY.

0135 Nvy-SP-SOS-CD Nvy\_SP\_SOS\_CD\_0135 DLSC-SBA F CHAR 2  
NAVY SPECIAL SOURCE OF SUPPLY CODE

A TWO POSITION CODE USED FOR ROUTING MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES REQUISITIONS. THIS CODE IS USED ONLY BY THE NAVY AND IS APPLIED AGAINST A GEOGRAPHICAL GRID /MATRIX/ BY DEFENSE AUTOMATIC ADDRESSING SYSTEM. SEE VOLUME 10, TABLE 111 AND QUICK INFO ON-LINE.

0137 MAINT-ACTN-CD DLSC-SBA F 2  
MAINTENANCE ACTION CODE

A CODE USED BY A MILITARY SERVICE OR A WEAPONS INTEGRATED MATERIAL MANAGER TO IDENTIFY THE SPECIFIC CATALOG MANAGEMENT DATA RECORD BEING ESTABLISHED OR UPDATED. CODE MM INDICATES ACTION TO A WEAPONS INTEGRATED MATERIAL MANAGER RECORD ONLY, MS INDICATES ACTION TO THE WEAPONS INTEGRATED MATERIAL MANAGER AND HIS SERVICE RECORD, AND CODE SS INDICATES ACTION TO SERVICE RECORD ONLY.

0139 DAAS-CRIT-SOS-UPDT DLSC-SBA V 11  
DAAS CRITICAL SOURCE OF SUPPLY UPDATE

A GROUP OF DATA ELEMENTS PERTINENT TO AFFECT AN IMMEDIATE SOURCE OF SUPPLY UPDATE TO BE UTILIZED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0153 DAAS-SOS-UPDT DLSC-SBA F 80  
DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA

A GROUP OF DATA ELEMENTS MAKING-UP THE OUTPUT FROM THE FEDERAL LOGISTICS INFORMATION SYSTEM TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEM AS A NOTIFICATION OF A SOURCE OF SUPPLY UPDATE TO BE UTILIZED IN THE ROUTING OF MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) REQUISITIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0154 IMC-AD-NOTI-SEG DLSC-SBA V 21  
ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ITEM MANAGEMENT CODING (IMC), I.E., IMC CATEGORY CODE IDENTIFICATION, REFERENCE NUMBER CATEGORY CODE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER. THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0155 FU-COND-CD FU\_COND\_CD\_0155 DLSC-SBA F CHAR 2  
FOLLOW-UP CONDITION CODE

A TWO POSITION CODE GENERATED BY DEFENSE LOGISTICS SERVICES CENTER (DLSC) WHICH IDENTIFIES THE CONDITION THAT DLSC WILL FOLLOW-UP TO SERVICE/AGENCY ACTIVITIES. THIS CODE WILL INDICATE WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.

0158 INT-CD-PAC-SUMRY-MODE-CD DLSC-SC F 4  
INTERROGATION CODE, PAC SUMMARY BY MODE CODE WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA WILL CONSIST OF DATA RECORD NUMBERS, 4065, 4735, 0116, 3445, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0159 INT-CD-PAC-DTL-MODE-CD-F DLSC-SC F 4  
INTERROGATION CODE, PAC DETAIL BY MODE CODE PAC FIIG

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 4375, 0116, 4080, 3445, 4735, 0114, 4080. SEE VOLUME 10, TABLE 28, AND QUICK INFO ON-LINE.

0161 INT-CD-PAC-WI-INC-WI-FII DLSC-SC F 4  
INTERROGATION CODE, PAC W/IN ITEM NAME CODE W/IN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445,4735, 0114, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0162 INT-CD-PAC-DTL-PAC-WI-FI DLSC-SC F 4  
INTERROGATION CODE PAC DETAIL PAC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0163 INT-CD-PAC-SUMRY-RPLY-CD DLSC-SC F 4  
INTERROGATION CODE, PAC SUM BY REPLY CODE W/IN PAC W/IN F

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 3445, 4735, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0164 INT-CD-PAC-DTL-RPLY-CD DLSC-SC F 4  
INTERROGATION CODE, PAC DETAIL BY REPLY CODE PAC FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0166 FU-STAT-CD FU\_STAT\_CD\_0166 DLSC-SBA F CHAR 2  
FOLLOW-UP STATUS CODE

USED IN THE RESULTANT OUTPUTS OF FOLLOW-UP INTERROGATIONS TO IDENTIFY THE CURRENT STATUS OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAD NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY.

0167 D-MIL-CD DEMIL\_CD\_0167 DLSC-SBA F CHAR 1  
DEMILITARIZATION (DEMIL) CODE

A CODE TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.

0169 INT-CD-PAC-SUMRY-FIIG DLSC-SC F 4  
INTERROGATION CODE, PRIMARY ADDRESS CODE SUMMARY BY FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 0116, 3445,4735, 0115, 0114, AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0170 INT-CD-PAC-SUM-MOE-CD-FI DLSC-SC F 4  
INTERROGATION CODE, PAC SUM BY MODE CODE W/IN PAC W/IN FI

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 3735, 0116, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0177	ACTY-CD-SCRNG ACTIVITY CODE, SCREENING A TWO POSITION CODE OF THE GOVERNMENT ACTIVITY AUTHORIZING THE SUBMITTAL OF PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS.	ACTY_CD_SCRNG_0177	DLSC-SBA	F CHAR	2
0186	STA-US-POSN-ABR STATE/U.S. POSSESSION ABBREVIATION A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION.	ST_US_POSN_AB_0186	DLSC-SBB	F CHAR	2
0189	SEG-LGTH SEGMENT LENGTH THIS FIELD CONTAINS THE NUMBER OF CHARACTERS IN THE SEGMENT.	SEG_LGTH_0189	DLSC-E	F CHAR	4
0209	REF-NBR-CHAR-CTR REFERENCE NUMBER CHARACTER COUNTER A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE REFERENCE NUMBER. THE VALUE MAY RANGE FROM 01 TO 32.		DLSC-SBA	F	2
0210	ITM-NM-CHAR-CTR ITEM NAME CHARACTER COUNTER A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE ITEM NAME CODE OR THE ITEM NAME FIELD. THE VALUE MAY RANGE FROM 00 TO 19.		DLSC-SBA	F	2
0211	OCRS-CTR-1 OCCURS COUNTER/1/ A ONE POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM 1 TO 9.		DLSC-SBA	F	1
0212	OCRS-CTR-2 OCCURS COUNTER/2/ A TWO POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM ZEROS TO 99.		DLSC-SBA	F	2
0213	RQMT-STMT-CHAR-CTR REQUIREMENT STATEMENT CHARACTER CTR A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN A REQUIREMENT STATEMENT (DRN 3614). THE VALUE MAY RANGE FROM ZEROS TO 200.		DLSC-E	F	3
0214	MRC-CLRTXT-RPLY-CHAR-CTR MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNT A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE MASTER REQUIREMENT CODE/CLEAR TEXT REPLY DATA. THE VALUE OF THE COUNTER MAY RANGE FROM 000 TO 999.		DLSC-E	F	3
0216	FMR-PHRS-RL-GP		DLSC-SBA	F	34



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FORMER PHRASE RELATIONSHIP GROUP

A GROUP OF DATA REQUIRED TO CHANGE A RELATED NATIONAL STOCK NUMBER IN THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862, 2895 AND 0126.

0217 PHRS-RL-GP DLSC-SBA F 21

## PHRASE RELATIONSHIP GROUP

A GROUP OF DATA REQUIRED TO AFFECT AN ADD OR DELETE ACTION OF A DATA ELEMENT AND RELATED DATA TO THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862 AND 2895.

0218 UI-CHNG-DATA DLSC-SBA F 26

## UNIT OF ISSUE CHANGE DATA

A GROUP OF DATA REQUIRED TO AFFECT AN UNIT OF ISSUE CHANGE IN THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 3050, 7075, 6106, 3053 AND 8472.

0225 SEG-CD-SUPMTL SEG\_CD\_SUPMTL\_0225 DLSC-SBA F CHAR 2

## SEGMENT CODE, SUPPLEMENTAL

A CODE WHICH FURTHER QUALIFIES AND EXPANDS A FEDERAL LOGISTICS INFORMATION SYSTEM CODE/DRN 8999/FOR PURPOSES OF IDENTIFYING A SPECIFIC PORTION OF A SYSTEM SUPPORT RECORD FILES SEGMENT. SEE VOLUME 10, TABLE 120 AND QUICK INFO ON-LINE.

0226 RPLM-MOE-RULE-NBR1 RPLM\_M\_RL\_NBR\_0226 DLSC-SCA F CHAR 4

## REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FIRST OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FIRST OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR2, RPLM-MOE-RULE-NBR3, ETC. SEE VOLUME 13 AND QUICK INFO ON-LINE.

0227 CRD-IDEN-NBR DLSC-SBA F 2

## CARD IDENTIFICATION NUMBER

A CODE USED TO IDENTIFY A SPECIFIC CARD RECORD CONTAINED WITHIN A FILE SEGMENT FOR WHICH AN INPUT MAINTENANCE ACTION APPLIES.

0228 CT-MOE-RULE-MGMT-EXCP DLSC-SBA F CHAR 800

## CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE NOTES APPLICABLE TO A GIVEN CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTIONS SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE AND A CARD IDENTIFICATION NUMBER. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES.

0232 PRVSNG-SCRNG-RCVR-ADRS P\_SCR\_RCV\_ADD\_0232 DLSC-SBA V VARCHAR 48

## PROVISIONING SCREENING RECEIVER'S ADDRESS

THE RECEIVER'S ADDRESS ENTERED IN THE PSMAT. FOR IN-THE-CLEAR MAILING ADDRESSES, EACH LINE OF THE ADDRESS IS LIMITED TO A MAX OF 48 POSITIONS AND TO 9 LINES PER ADDRESS. FOR WIRE OUTPUT, ADDRESSES WILL BE REFLECTED BY A 2 POSITION ACTIVITY CODE WHICH WILL BE CONVERTED TO THE JANUP 128 RIC BY OUTPUT CONTROL AND BY ALTERNATE RECEIVER'S ADDRESS WHICH WILL BE INDENTED TO THE FOURTH POSITION OF THE RECEIVER'S ADDRESS FIELD. THERE IS A MAX LIMIT OF 24 ADDRESSES PER DISTRIBUTION REQUIREMENT. SEE VOL 10 TABLE 23 AND QUICK INFO ON-LINE.

0233 ADRS-SEQ-CD ADRS\_SEQ\_CD\_0233 DLSC-SBA F CHAR 1

## ADDRESS SEQUENCE CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH THE RECEIVERS MAILING ADDRESS DATA WILL BE RECORDED. THIS CODE WILL ALSO BE USED WHEN MAKING FILE CHANGES TO ENSURE THAT THE APPLICABLE ADDRESS RECORD IS ADDRESSED. SEE VOLUME 10, TABLE 23 AND QUICK INFO ON-LINE.

0234 PRT-CTL-CD DLSC-SCA F 1  
PRINT CONTROL CODE

A NUMERIC CODE PROVIDED IN SEGMENT M FOR USE BY RECIPIENTS IN FORMATTING CLEAR TEXT CHARACTERISTICS DATA OUTPUT. THE CODE "1" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REQUIREMENT STATEMENT. THE CODE "2" WILL INDICATE THAT DATA IS TO COMMENCE PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REPLY DATA. THE CODE "3" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE NEXT POSITION FOLLOWING THE LAST PRINTED CHARACTER ON THE PRECEDING CARD.

0238 TYP-VAL-CD DLSC-SBA F 1  
TYPE OF VALUE CODE

A CODE TO IDENTIFY THE SEGMENT TO WHICH THIS CODE APPLIES. THE VALUE WILL BE "S" FOR SUBMITTED VALUE AND "R" FOR REPLACED VALUE.

0241 CT-ST-FSC-MGMT-MANT-SG DLSC-SBA F CHAR 160  
CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT

A GROUP OF CONTROL DATA ELEMENTS AND HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ADDING, DELETING, AND CHANGING OF CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT STANDARD FEDERAL SUPPLY CLASSIFICATION MANAGEMENT MAINTENANCE (ACTIONS) DATA. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0242 SSR-OP-SEG DLSC-SBA F 80  
SYSTEM SUPPORT RECORD OUTPUT SEGMENT

A DUAL-PURPOSE GROUP OF DATA ELEMENTS CONSISTING OF THE DATA REQUIRED TO RETURN SUPPLEMENTAL SEGMENTS & DATA ELEMENTS WITHOUT VALUE AND/OR, IN AN ABBREVIATED FORM, WILL BE USED AS AN OUTPUT HEADER FOR OTHER TYPES OF SYSTEM SUPPORT RECORD (SSR) OUTPUT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0244 OE-FILE-MAINT-TRAN-CD DLSC-SBB F 3  
ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE

A CODE WHICH IS COMPUTER APPLIED TO EACH INDIVIDUAL ORGANIZATIONAL ENTITY (O.E.) RECORD FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE CODE DESIGNATES THE ACTION TO BE AFFECTED ON THE RECIPIENT FILE. I.E., 001-TOTAL DELETE, 002-DELETE ERRONEOUS CODE, 003-TOTAL ADD AND/OR CHANGE.

0246 OE-ML-ROUT-DATA-SEG DLSC-SBB F 80  
ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT

A GROUP OF DATA ELEMENTS CONSISTING OF THE ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER 10, ZIP CODE, CONTRACT ADMINISTRATION OFFICE (CAO), AUTOMATIC DATA PROCESSING (ADP) POINT CODE, ADP EXCEPTION CODE AND CERTAIN DATA ELEMENTS REQUIRED FOR INTERNAL PROCESSING. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURE MANUAL AND IN THE INTERNAL STANDARD OPERATING PROCEDURE (FOR THOSE DATA ELEMENTS NOT APPLICABLE TO EXTERNAL INPUT).

0247 OE-FILE-MAINT-SEQ-CD DLSC-SBB F 2  
ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE

A CODE USED TO SEQUENCE ORGANIZATIONAL ENTITY (OE) OUTPUT FILE MAINTENANCE RECORDS FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. CODE EA WILL BE REFLECTED IN A ONE 80-COLUMN RECORD. CODE CA, CB, ETC., WILL BE REFLECTED IN MULTIPLE 80-COLUMN RECORDS. THE SEQUENCE CODE FOR THE LAST LINE RECORD OF AN O.E. RECORD WILL ALWAYS BEGIN WITH AN E.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0248	OE-CLRTXT-DATA-CTR		DLSC-SBB	F	2
ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER A TWO POSITION COUNTER TO IDENTIFY THE NUMBER OF CHARACTERS COMPRISING EACH LINE OF ORGANIZATIONAL ENTITY CLEAR TEXT IDENTIFICATION DATA. THE COUNTER IS USED IN CONNECTION WITH O.E. OUTPUT FILE MAINTENANCE DATA FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE VALUE OF THE COUNTER MAY RANGE FROM 01 TO 72.					
0249	OE-NM-ADRS-DATA-SEG		DLSC-SBB	V	1908
ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT A DATA SEGMENT CONSISTING OF THE ORGANIZATIONAL ENTITY (OE) LINE SEGMENT NUMBERS WITH THE CLEAR TEXT DATA TO IDENTIFY AN O.E. THE DATA IS COMPOSED OF THE O.E. NAME, STREET ADDRESS, POST OFFICE BOX NUMBER, CITY, STATE OR COUNTRY, AND OTHER SPECIAL NOTATIONS AS APPLIES TO SPECIFIC O.E.'S. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.					
0250	TYPE-CAGE-NSCM-AFFL-CD	TYP_CAGE_AFFL_0250	DLSC-SBB	F CHAR	1
TYPE OF CAGE/NSCM AFFILIATION CODE CODE THAT DENOTES THE CORPORATE RELATIONSHIP WITHIN A CORPORATE COMPLEX STRUCTURE. SEE VOLUME 10, TABLE 197 AND QUICK INFO ON-LINE.					
0251	OE-FILE-MAINT-DATA-SEG		DLSC-SBB	V	9999
ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT A GROUP OF DATA ELEMENTS REQUIRED FOR OUTPUT TO UPDATE FILES OF SELECTED CUSTOMERS WHO HAVE PREVIOUSLY BEEN FURNISHED A BASIC FILE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.					
0252	SEG-CD-SUPMTL-IP		DLSC-SBB	F	2
SEGMENT CODE, SUPPLEMENTAL, INPUT THE SUBMITTED FILE CONTROL SUPPLEMENTAL SEGMENT CODE PERPETUATED FROM INPUT TRANSACTIONS TO RESULTANT OUTPUTS TO IDENTIFY THE TYPE OF SYSTEM SUPPORT RECORD AFFECTED/UPDATED.					
0255	FMR-FRT-CL-CD		DLSC-SBA	F	12
FORMER FREIGHT CLASSIFICATION CODE A DATA CHAIN CONSISTING OF THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE (NMFC), DRN 0096, THE FORMER NMFC SUB-ITEM NUMBER DRN 0862, AND THE FORMER UNIFORM FREIGHT CLASSIFICATION CODE, DRN 0097. IT IS USED IN CHANGES AND DELETIONS TO THE SYSTEM SUPPORT RECORD MASTER FREIGHT TABLE.					
0258	CT-INT-OP-SEG		DLSC-SBB	V VARCHAR	80
CATALOG TOOLS INTERROGATION OUTPUT SEGMENT A GROUP OF DATA ELEMENTS USED FOR OUTPUT IN THE CATALOG TOOLS INTERROGATION PROCESS. A DEFINITION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUALs.					
0260	PHRS-CD-REL-NSN		DLSC-SBA	F	14
PHRASE CODE AND RELATED NATIONAL STOCK NUMBER A DATA CHAIN OF CODES USED IN TRANSMITTING THE PHRASE CODES AND RELATED NATIONAL STOCK NUMBERS INVOLVED IN A UNIT OF ISSUE CHANGE. DATA RECORD NUMBERS 2862 AND 2895 WILL APPEAR IN THIS SEQUENCE IN THE DATA CHAIN.					
0261	QTY-CP-REQ		DLSC-SBA	F	1
QUANTITY OF COPIES REQUIRED A QUANTITATIVE NUMERIC TOTAL OF COPY(IES) OF MACHINE GENERATED REPORTS (PRINTOUTS) REQUIRED FOR DISTRIBUTION, E.G., FOUR PART PAPER OR AN ALPHA M FOR MICROFICHE.					
0262	PAC-SUMRY-DTL-IP-SEG		DLSC-SCA	V	9999

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT

A GROUP OF DATA ELEMENTS PERTINENT TO PRIMARY ADDRESS CODE SUMMARY/DETAIL TRANSACTIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0264 SVC-CD-PRVSNG-SCRNG-DEST SVC\_CD\_P\_SCRN\_0264 DLSC-SBA F CHAR 2  
SERVICE CODE, PROVISIONING SCREENING DESTINATION TABLE

A TWO POSITION NUMERIC CODE REPRESENTING (BY SERVICE/AGENCY DESIGNATION) THE DEPARTMENT OF DEFENSE COMPONENT OR FEDERAL CIVIL AGENCY WHICH AUTHORIZED THE ESTABLISHMENT OF A PROVISIONING SCREENING DESTINATION TABLE RECORD IN THE PROVISIONING SCREENING RESULTS DESTINATION TABLE. SEE VOLUME 10, TABLE 42 AND QUICK INFO ON-LINE.

0265 MAINT-NBR DLSC-SBA F 4  
MAINTENANCE NUMBER

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH INPUT ACTIONS WILL OCCUR WITHIN A GIVEN DOCUMENT IDENTIFIER CODE PACKAGE OR SEGMENT THEREOF. THIS CODE WILL ALSO GENERATE A COMPUTER COUNT ASSIGNED TO EACH OCCURENCE OF FILE MAINTENANCE ACTION.

0272 PAC-DTL-MODE-CD-W-I-FIIG DLSC-SC F 4  
PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE W/I FIH

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE WITHIN A FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 4735, 3990, 8863, 4820, 3843, 0114 AND 0273. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0273 OVAL-QTY-OCCR DLSC-SCA F 9  
OVERALL QUANTITY OF OCCURRENCE  
A QUANTITATIVE NUMERICAL DESIGNATION WHICH INDICATES THE OVERALL QUANTITY OF OCCURRENCE OF ALL SPECIFIC DATA ELEMENTS.

0296 SP-SOS-IP DLSC-SBA F 19  
SPECIAL SOURCE OF SUPPLY INPUT  
A GROUP OF INPUT DATA USED BY THE DEFENSE NUCLEAR AGENCY (DNA) FOR MAINTENANCE OF THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS) SOURCE OF SUPPLY FILE. IT CONSISTS OF DATA RECORD NUMBERS (DRNS) 2128,3960,0133 UP TO FOUR OCCURRENCES, AND 0135 ONLY IF A NAVY SOS IS SUBMITTED. THE FORMAT OF THIS DRN IS AS FOLLOWS: POS 1-5, EFFECTIVE DATE. POS 6-8, IMM SOS/PSOS. POS 9-11, AIR FORCE SOS/PSOS. POS 12-13, ARMY SOS/PSOS. POS 15-17, NAVY SOS/PSOS. POS 18-19, NAVY SPECIAL SOS, DRN 0135.

0297 FUT-CT-MOE-RULE-STAT-CD FUT\_M\_RL\_ST\_C\_0297 DLSC-SBA F CHAR 1  
FUTURE CATALOG TOOLS MOE RULE STATUS CODE  
A CODE ENTERED AGAINST A CATALOG TOOLS MAJOR ORGANIZATIONAL ENTITY (MOE) RULE RECORD WHICH REFLECTS THE FORTHCOMING STATUS CODE TO BE ASSIGNED BASED ON A PENDING FUTURE EFFECTIVE DATED CATALOG TOOLS MOE RULE ACTION. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

0300 ZIP-CD-RNG ZIP\_CD\_RNG\_0300 DLSC-SBB F CHAR 10  
ZIP CODE RANGE  
A RANGE OF ZIP CODES APPLICABLE TO A GIVEN STATE OR U.S. POSSESSION, OR A PORTION THEREOF.

0303 DCOD-TBL-RPLY-LGTH DLSC-VO F 1  
DECODE TABLE REPLY LENGTH  
A COUNT OF THE NUMBER OF CHARACTERS IN THE DECODE TABLE REPLY DATA.

0304 PRPTN-EDIT-CRITE-STMT PPN\_EDIT\_STMT\_0304 DLSC-SCA V VARCHAR 9999

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## PROPORTION EDIT CRITERIA STATEMENT

THE PROPORTION EDIT CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN MASTER REQUIREMENTS CODE TO EDIT THE STRUCTURE OF THE MASTER REQUIREMENTS CODED REPLIES.

0305 PRPTN-EDIT-DATA-GP DLSC-SCA V 9999  
PROPORTION EDIT DATA GROUP  
AN INPUT DATA GROUP USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) PROPORTION EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0308 DT-ESTB-CANC-RCD-DIDS DT\_ESTB\_CANC\_0308 DLSC-SCA F INTEGER 7  
DATE ESTABLISHED, CANCELLED RECORD DIDS  
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

0309 FSC-EXCL-DIRCT-DATA DLSC-SB V 2004  
FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA  
A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0310 APPLB-KEY-CD-DATA DLSC-SB V 2004  
APPLICABILITY KEY CODE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT APPLICABILITY KEY INDEXED TO AN APPROVED ITEM NAME INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0311 INC-AMMO-CD-GNC-DESC-DAT DLSC-SB V 2004  
INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT GENERIC DESCRIPTION AND RESPECTIVE AMMO CODE IN THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0312 FSG-TI-DATA DLSC-SB V 2004  
FEDERAL SUPPLY GROUP TITLE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP TITLES INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0313 FSG-NOTE-DATA DLSC-SB V 2004  
FEDERAL SUPPLY GROUP NOTE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP NOTE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0314 FSC-TI-EFF-DT-DATA DLSC-SB V 2004  
FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS TITLE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0315 FSC-NOTE-DATA DLSC-SB V 2004  
FEDERAL SUPPLY CLASS NOTE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS NOTE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE OPERATING PROCEDURE.

0317 ABRs-TRMS-DATA DLSC-SB V 2004  
ABBREVIATIONS/TERMS DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT ABBREVIATIONS/TERMS INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0319 OLD-FIIG-NBR DLSC-SC F 6  
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER

A NUMBER WHICH WAS ORIGINALLY ASSIGNED TO AN ITEM NAME IN THE SYSTEM SUPPORT RECORD WHEN APPLICABLE AND WAS LATER CHANGED TO A DIFFERENT GUIDE NUMBER.

0320 STATUS-CD-NM-FSC STA\_CD\_NM\_FSC\_0320 DLSC-SC F CHAR 1  
STATUS CODE NAME/FEDERAL SUPPLY CLASS

AN INTERNALLY GENERATED CODE WHICH DENOTES THE CURRENT STATUS OF A DATA ELEMENT CONTAINED IN EITHER THE NAME OR FEDERAL SUPPLY CLASS MASTER OR VALIDATION FILES. THE FOLLOWING CODES ARE ASSIGNED AS APPLICABLE: CODE A - ACTIVE RECORD, CODE C - CANCELLED RECORD, CODE E - EFFECTIVE DATED RECORD, CODE P - CONTROLS PUBLISHING OF DATA ON CANCELLED RECORD LHB, OR CODE R - REINSTATEMENT OF AMMO CODE RECORD.

0322 RULE-IND-CD RULE\_IND\_CD\_0322 DLSC-SC F CHAR 2  
RULE INDICATOR CODE, SECTION II, FIIG  
A CODE THAT DESIGNATES THE RULE THAT MUST BE APPLIED TO THE MASTER REQUIREMENT CODE AS INDICATED IN THE SECTION II CRITERIA.

0323 SCRNG-IND-CD SCR\_IND\_CD\_0323 DLSC-SC F CHAR 1  
SEARCH SCREENING INDICATOR CODE  
A CODE USED TO INDICATE THE TYPE OF SEARCH/SCREENING FOR EACH ITEM NAME CODE IN THE FORMAT EDIT GUIDES.

0324 MASS-CHNG-CRITE-STMT MC\_CRITE\_STMT\_0324 DLSC-SC V VARCHAR 3967  
MASS CHANGE CRITERIA STATEMENT  
THE MASS CHANGE CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN ITEM NAME AND MASTER REQUIREMENT CODE TO RESTRUCTURE THE ITEM OR ITEMS AS REQUIRED BY THE FEDERAL ITEM IDENTIFICATION GUIDE REVISION.

0325 EXTR-CHAR-IMG-TEST DLSC-SB F 80  
EXTRACT CHARACTER IMAGE FOR TESTING  
AN INPUT DATA GROUP USED TO EXTRACT AN IMAGE FROM THE TOTAL ITEM RECORD OF EACH ITEM APPLICABLE TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE OR ITEM NAME CODE, FOR TESTING SECTION II CRITERIA. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0326 DIML-MRC-IND DIML\_MRC\_IND\_0326 DLSC-SC F CHAR 1  
DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR  
A CODE REFLECTED IN THE FORMAT EDIT GUIDE WHICH INDICATES THAT AN MRC HAS DIMENSIONS TO BE DESCRIBED. FOR EXAMPLE THE INSIDE/OUTSIDE DIAMETER OF A SPECIFIC REQUIREMENT. IF AN MRC IS DIMENSIONAL, THE PROPER USE OF MIN/MAX AND "AND" CODING IS ENFORCED. THE VALID VALUES ARE "Y", "J", OR "G". FOR A NON-DIMENSIONAL MRC, THE VALID VALUE IS "N".

0330 CT-MOE-RULE-DE-SEG DLSC-SB F CHAR 80  
CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0331 CT-MOE-RULE-MAINT-SEG DLSC-SB F CHAR 80  
CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT  
A GROUP OF INPUT/OUTPUT DATA REQUIRED TO CONTROL THE PROCESSING OF MAINTENANCE ACTIONS FOR CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE DATA BASED ON INPUT DOCUMENT IDENTIFIER CODE (DIC). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0339 SEG-V-TRMNR-CD DLSC-SC F 2  
SEGMENT V TERMINATOR CODE  
A SET OF SPECIAL CHARACTERS (##) USED TO TERMINATE THE LAST CHARACTERISTIC DATA GROUP OF A SEGMENT V TRANSACTION. IN THE EVENT OF A MULTIPLE SEGMENT V TRANSACTIONS, THIS SET OF CHARACTERS WILL BE USED ONLY ON THE LAST ONE. DATA RECORD NUMBER 8268 (DATA ELEMENT TERMINATOR CODE) MUST NOT PRECEDE THESE TWO CHARACTERS.

0340 SCTN-II-EDIT-DATA-GP DLSC-SC V 9999  
SECTION II EDIT DATA GROUP  
AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) SECTION II EDIT CRITERIA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0342 DT-INT DLSC-SC F 5  
DATE, INTERROGATION  
A YEAR AND JULIAN DAY USED IN INTERROGATIONS FOR EXTRACTING ALL DATA TO WHICH ANY ADD, CHANGE, OR DELETE TRANSACTION HAS OCCURRED SINCE THAT DATE.

0344 IL-PUB-TYP-SCH-CHNG-CD DLSC-V F 1  
IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE  
A CODE USED TO DESIGNATE THE TYPE OF UPDATE ACTION TO IDENTIFICATION LIST SCHEDULE.

0345 PUB-CY-IL-BSC DLSC-V F 3  
PUBLICATION CYCLE IDENTIFICATION LIST BASIC  
THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST BASIC EDITION DESIGNATED IN DAILY INCREMENT (JULIAN DAYS).

0346 PUB-CY-IL-CHNG-BUL DLSC-V F 3  
PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN  
THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST CHANGE BULLETIN DESIGNATED IN DAILY INCREMENTS.

0347 DT-NXT-IL-BSC DLSC-V F 5  
DATE NEXT IDENTIFICATION LIST BASIC  
THE YEAR AND JULIAN DAY ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST BASIC EDITION, E.G. 74061.

0348 DT-NXT-IL-CHNG-BUL DLSC-V F 5  
DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN  
THE YEAR AND JULIAN DATE ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST CHANGE BULLETIN.

0349 IL-UPDT-CD DLSC-V F 1  
IDENTIFICATION LIST UPDATE CODE  
A CODE USED TO DESIGNATE THE TYPE OF UPDATE TO THE IDENTIFICATION LIST PUBLICATION SCHEDULE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0350 FSC-CT-PUB DLSC-V F 2  
FEDERAL SUPPLY CLASS COUNT  
A COUNT OF THE QUANTITY OF FEDERAL SUPPLY CLASSES ASSOCIATED WITH A PUBLICATION UNIT.

0356 OFF-LI-CHAR-CHNG-DATA-GP DLSC-SB V 9999  
OFF LINE CHARACTER MASS CHANGE DATA GROUP  
A GROUP OF INPUT DATA USED TO ENTER MASS CHANGE CRITERIA TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)/ITEM NAME CODE (INC) IN THE OFF LINE FILE FOR A FIIG BEING REVISED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0364 J-MODE-CD-IND DLSC-SC F 1  
J MODE CODE INDICATOR  
A DATA FIELD WHICH DESIGNATES THE MODE/FORMAT OR STRUCTURE OF THE VARIABLE CLEAR TEXT PORTION OF A J MODE CODE REPLY. CODE A INDICATES THE CLEAR TEXT PORTION IS AN A MODE CODE. CODE B INDICATES THE CLEAR TEXT PORTION IS A B MODE CODE. CODE F INDICATES THE CLEAR TEXT PORTION IS A F MODE CODE.

0365 CD-FOR-LGTH-RPLY CD\_F\_LGT\_RPLY\_0365 DLSC-SC F SMALLINT 1  
CODE FOR LENGTH OF REPLY  
A CODE IDENTIFYING THE SIZE OF THE CODED REPLY (DRN 3465).

0366 RPLY-DCOD-GDE DLSC-SC F 560  
REPLY DECODE GUIDE  
A GROUP OF INPUT DATA USED TO ENTER THE REPLY DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0367 SECD-SEQ-DCOD-GDE DLSC-SC F 80  
SECONDARY SEQUENCING DECODE GUIDE  
A GROUP OF DATA ELEMENTS USED TO ENTER THE SECONDARY SEQUENCING DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0368 PRT-SKLTN-CD PRT\_SKLTN\_CD\_0368 DLSC-SC F CHAR 1  
PRINT SKELETON CODE  
A CODE WHICH IDENTIFIES THE VARIOUS TYPES OF F AND J MODE CODES ASSIGNED TO MASTER REQUIREMENT CODES (MRCS). CODE A IS FOR 1A VARIABLE REPLY. B IS FOR A 1F VARIABLE WITH A BY CONDITION AND T IS FOR A 1F VARIABLE WITH A TO CONDITION. CODE X IDENTIFIES MRCS WITH DUMMY TABLES. DUMMY TABLES ARE TABLES THAT ARE ASSIGNED TO MRCS BUT DUE TO THEIR IMMENSE SIZE ARE NOT MAINTAINED IN THE MASTER REQUIREMENTS DIRECTORY (MRD).

0375 FSC-INCL-NAR FSC\_INCL\_NAR\_0375 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY CLASS INCLUSION NARRATIVE  
AN INCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING EXCLUDED, ARE INCLUDED UNDER THE CONCEPT.

0376 FSC-EXCL-NAR FSC\_EXCL\_NAR\_0376 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE  
AN EXCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS ARE EXCLUDED FROM THE CONCEPT WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING INCLUDED IN THE CONCEPT.

0395 DODAAC-DPDO DLSC-SB F 6



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## DODAAC DEFENSE PROPERTY DISPOSAL OFFICE

A DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE ASSIGNED TO IDENTIFY A SPECIFIC DEFENSE PROPERTY DISPOSAL OFFICE (DPDO) WHICH REPORTED AN ASSET AS SURPLUS. THE FIRST POSITION DESIGNATES THE MILITARY SERVICE OR OTHER GOVERNMENT ELEMENTS OF OWNERSHIP OR SPONSORSHIP. THE REMAINING FIVE POSITIONS ARE ASSIGNED IN ACCORDANCE WITH ESTABLISHED PROCEDURES BY THE SERVICE POINT OF THE PARTICIPATING MILITARY SERVICE OR AGENCY, E.G., SX1000.

0399 PUB-INTRO-DATA

DLSC-V V 149

PUBLICATION INTRODUCTORY DATA

A SERIES OF SENTENCES AND PARAGRAPHS THAT DEFINE THE CONTENT AND EXPLAIN THE USE OF PUBLICATION AND/OR SECTION OR SUBSECTION THEREOF. INPUT WILL INCLUDE SPECIAL CHARACTERS FOR ESTABLISHING TYPE STYLE WHICH WILL NOT APPEAR IN OUTPUT. THE LENGTH OF THE DATA (149 CHARACTERS) REFLECTS ONE LINE OF THE PUBLICATION INTRODUCTORY DATA (THE NUMBER OF LINES IS VARIABLE).

0405 TRM-ABR-H6-DATA-GP

DLSC-SB V 1762

TERM/ABBREVIATION H6 DATA GROUP

A CLEAR TEXT STATEMENT OF TERMS (DATA RECORD NUMBER 5035-TERMS, H6), INTERSPERSED WITH COMPUTER OUTPUT MICROFILM (COM) PRINT SYMBOLS, AND THE ABBREVIATIONS (DRN 3250-ABBREVIATIONS, H6). THE TERMS ARE SEPARATED FROM THE ABBREVIATIONS BY AN EQUAL SYMBOL (=).

0411 TYP-DATA-CD

DLSC-V F 2

TYPE DATA CODE

A CODE SUBMITTED WITH A MASS DATA RETRIEVAL TRANSACTION TO ENABLE IDENTIFICATION OF SPECIFIC FILES.

0418 MGMT-CTL-DATA-UNUSE-POS

DLSC-SB F 1

MANAGEMENT CONTROL DATA UNUSED POSITIONS

A DATA ELEMENT CONTAINING ONE BLANK REQUIRED TO FILL THE UNUSED POSITION OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 8925 (MANAGEMENT CONTROL DATA, AIR FORCE).

0420 ALT-OP-MED-CD

ALT\_OP\_MED\_CD\_0420

DLSC-SBA F CHAR 2

ALTERNATE OUTPUT MEDIA CODE

A CODE IDENTIFYING THE ALTERNATE OUTPUT MEDIA WHEN THE OUTPUT EXCEEDS THE AUTOMATIC DIGITAL NETWORK (AUTODIN) LIMITATIONS OR FOR ANY OTHER REASON WHY DATA CANNOT BE TRANSMITTED BY AUTODIN. THIS ALTERNATE MEDIA WOULD ALSO BE APPLICABLE DURING A PERIOD WHEN AUTODIN IS EITHER NOT OPERATING OR UNDER LIMITED OPERATION, SUCH AS DURING MINIMIZE. SEE VOLUME 10, TABLE 10 AND QUICK INFO ON-LINE.

0437 TBL-ENTRY-NBR

DLSC-V F 6

TABLE ENTRY NUMBER

A CODE USED TO IDENTIFY THE SEQUENTIAL ORDER OF DATA WITHIN A GIVEN TABLE, E.G., CROSS-REFERENCE OR ABRIDGED TABLES.

0438 REL-DE-CDS

DLSC-V F 54

RELATED DATA ELEMENT CODES

A DATA FIELD CONTAINING WORDS/NUMERICS/SYMBOLS WHICH REPRESENTS THE NARRATIVE DATA OF A TABLE INCLUDED IN THE FEDERAL LOGISTICS INFORMATION SYSTEM ROUTINES/PROCESSES/REQUIREMENTS.

0441 ESTB-CANC-INC-OP-SEG

DLSC-SC V 160

ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT

A SYSTEM SUPPORT RECORD OUTPUT SEGMENT USED TO NOTIFY THE MILITARY TRAFFIC MANAGEMENT AND TERMINAL SERVICE (MTMTS) OF THE ESTABLISHMENT OR CANCELLATION OF AN ITEM NAME CODE (INC) IN THE ITEM NAME SECTOR. THE SEGMENT CONSISTS OF TRANSACTION CONTROL DATA ELEMENTS, OLD/NEW INC, AS WELL AS ITEM NAME AND FREIGHT CLASSIFICATION DATA, IF APPLICABLE, TO NEW/CURRENT INC.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0442 RPLY-RCD-CT  
REPLY RECORD COUNT  
THIS COUNT INDICATES THE NUMBER OF RECORDS IN A TRANSACTION NEEDED TO ACCOMODATE THE ENTIRE DECODED REPLY STATEMENT.

DLSC-SC F 1

0443 EXPSN-FLD-1  
EXPANSION FIELD 1  
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

DLSC-V F 1

0444 EXPSN-FLD-2  
EXPANSION FIELD 2  
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

DLSC-V F 2

0445 EXPSN-FLD-3  
EXPANSION FIELD 3  
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

DLSC-V F 3

0478 DIST-ACTY-CD-SEG-M  
DISTRIBUTION ACTIVITY CODE SEGMENT M  
A CODE IN THE STANDARD FSC TABLE USED TO IDENTIFY THE ACTIVITIES DESIRING DECODED CHARACTERISTICS DATA (SEGMENT M)

DIST\_AC\_SEG\_M\_0478 DLSC-SB F CHAR 2

0481 NEW-DOD-AMMO-CD  
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE  
A DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH REPLACES ANOTHER DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH IS CURRENTLY ASSIGNED TO AN ITEM NAME CODE IN THE SYSTEM SUPPORT RECORD. IT IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FEDERAL SUPPLY CLASS ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A DASH. THE LAST FOUR POSITIONS MAY BE A ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS AND REPRESENT THE AMMUNITION CODE ASSIGNED BY GENERIC DESCRIPTIONS.

DLSC-SC F 9

0482 DOD-AMMO-CD-SPTR  
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR  
A CODE USED IN THE DoD AMMUNITION CODE (DRN 3767) TO SEPARATE THE FSC (DRN 3970) AND THE AMMUNITION CODE (DRN 8805).

DLSC-SC F 1

0487 SEQ-CD  
SEQUENCING CODE  
A NUMERIC CODE USED TO DETERMINE THE SEQUENCE OF ACTION OCCURRING WITHIN A SPECIFIC DOCUMENT IDENTIFIER CODE TRANSACTION OR SEGMENT OF THE TRANSACTION.

DLSC-SB F 3

0488 COMMA  
COMMA  
A SPECIAL CHARACTER CODE (,) USED TO SEPARATE A SERIES OF LIKE DATA ELEMENTS. USED IN SCREENING KEY COMPUTATION TO SEPARATE A SERIES OF ITEM NAME CODES.

DLSC-SB F 1

0489 CMPT-CHARA-SCRNG-KEYS  
COMPUTE CHARACTERISTIC SCREENING KEYS

DLSC-SB V 80

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A GROUP OF DATA ALLOWING FOR THE RECOMPUTATION OF SCREENING KEYS WITHOUT SCREENING THE FILE ITEMS THAT ARE REPRESENTED BY THE RECOMPUTED KEYS. THE INTERNAL DESIGN INTERFACE GUIDANCE HANDBOOK CONTAINS A DESCRIPTION OF THE DATA ELEMENTS.

0510	RPLY-TBL-DCOD-SEQ-NBR REPLY TABLE DECODE SEQUENCE NUMBER A CODE THAT DESIGNATES THE REPLY TABLE SEQUENCE IN WHICH THE ABRIGED CLEAR TEXT STATEMENT, REQUIRED FOR PRINTOUTS IN PUBLICATIONS, IS DECODED.	RPLY_DCOD_SEQ_0510	DLSC-V	F SMALLINT	1
0511	ACTY-DESI-CD-DLA-GSA ACTIVITY DESIGNATOR CODE-DLA/GSA A CODE WHICH WILL IDENTIFY DLA OR GSA MANAGEMENT BY EXCEPTION FOR A NATIONAL STOCK NUMBER E.G. D-DLA, G-GSA.	DLA_GSA_EXCPT_0511	DLSC-SBA	F CHAR	1
0513	SECD-SEQ-CD SECONDARY SEQUENCE CODE A CODE USED TO EXTEND OR MODIFY THE MASTER REQUIREMENT CODE. IT CONSISTS OF THE ONE DIGIT SECONDARY ADDRESS INDICATOR CODE AND THE SECONDARY ADDRESS CODE.		DLSC-SC	F	10
0542	ITM-NM-INC-VLDTN ITEM NAME, ITEM NAME CODE VALIDATION THE FIRST TWO HUNDRED AND FIFTY POSITIONS OF THE TOTAL ITEM NAME EXTRACTED FROM THE MASTER ITEM NAME FILE AND UTILIZED IN THE ITEM NAME CODE VALIDATION FILE.		DLSC-SC	F	250
0543	TBLR-PRT-POS TABULAR PRINT POSITION DESIGNATES THE STARTING PRINT POSITION OF TABULAR DATA ON A PRINT LINE.		DLSC-V	F	2
0566	NSN-INDX-NBR NSN INDEX NUMBER A NUMERICAL DESIGNATION ASSIGNED TO EACH NATIONAL STOCK NUMBER (NSN) IN A PUBLICATION FOR THE PURPOSE OF INDEXING AND LOCATING AN ITEM WITHIN A PUBLICATION. THE FIRST ITEM IN THE PUBLICATION WILL BE ASSIGNED 000001 AND EACH SUCCEEDING ITEM WILL BE ASSIGNED A SEQUENTIAL NUMBER INCREMENTED BY 1, TO THE LAST ITEM IN THE PUBLICATION.		DLSC-V	F	6
0568	TYP-OF-SP-PRCSG-IND-CD TYPE OF SPECIAL PROCESSING INDICATOR CODE A CODE THAT INDICATES SPECIAL INPUT PROCESSING OR TAILORED OUTPUT. SEE VOLUME 10, TABLE 125 AND QUICK INFO ON-LINE.	TYP_SP_PRC_0568	DLSC-SBA	F CHAR	1
0572	OPRTNL-TST-CD OPERATIONAL TEST CODE A CODE THAT INDICATES THE TYPE OF ITEM WHICH REQUIRES INSPECTION AND OPERATIONAL TESTING AND DEPTH OF PERFORMING INSPECTION AND TESTING. SEE VOLUME 10 TABLE 123 AND QUICK INFO ON-LINE.	OPRTL_TST_MC_0572	DLSC-SB	F CHAR	1
0573	PHY-CTGY-CD PHYSICAL CATEGORY CODE A CODE THAT INDICATES PHYSICAL CATEGORY FOR PICKING, PACKING AND MARKING ITEMS FOR SHIPMENT. SEE VOLUME 10, TABLE 124 AND QUICK INFO ON-LINE.	PHY_CTGY_MC_0573	DLSC-SBA	F CHAR	1
0581	FIIG-LOCKT-IND FIIG LOCKT INDICATOR	FIIG_LCKT_IND_0581	DLSC-SC	F CHAR	1

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FIIG LOCKOUT INDICATOR

A SYMBOL # USED IN CARD COLUMN 4 OF THE FIRST CARD OF THE FEDERAL ITEM IDENTIFICATION GUIDE \*FIIG\* TECHNICAL EDIT TO INDICATE THAT NO PROCESSING IS ALLOWED AGAINST THE FIIG CITED IN CARD COLUMNS 5-10.

0583 INC-LOCKT-IND INC\_LOCKT\_IND\_0583 DLSC-SC F CHAR 1  
ITEM NAME CODE LOCKOUT INDICATOR

A SYMBOL (#) USED IN A SPECIFIED LOCATION IN THE FORMAT EDIT TO INDICATE THAT THE ITEM NAME CODE (INC) IS IN PROCESSING LOCKOUT STATUS.

0584 THIRD-MODE-CD-IND DLSC-SC F 1  
THIRD MODE CODE INDICATOR

A SYMBOL (\*) USED IN A SPECIFIED LOCATION IN THE TECHNICAL EDIT TO INDICATE THAT THREE MODE CODES ARE APPLICABLE TO A GIVEN PRIMARY ADDRESS CODE (PAC).

0595 DEG-MTCH-CD DEG\_MTCH\_CD\_0595 DLSC-SBA F CHAR 1  
DEGREE OF MATCH CODE

A CODE USED TO NOTIFY SUBMITTER/ORIGINATOR OF THE DEGREE OF MATCH BETWEEN THE SUBMITTAL AND THE FILE CANDIDATE CONTAINED IN DATABASE. SEE VOLUME 10, TABLE 27 AND QUICK INFO ON-LINE.

0597 DATE-PROC-LOG-ACT DLSC-SB F 5  
DATE, PROCESSING LOGISTICS ACTION

THE YEAR AND JULIAN DAY DENOTING THE DATE THAT PROCESSING IS PERFORMED AS IT APPLIES TO A PREDETERMINED LOGISTICS ACTION WHICH ESTABLISHES OR CHANGES A SOURCE OF SUPPLY.

0635 SUPLR-RCVR-AREA-CD DLSC-SB F 1  
SUPPLIER/RECEIVER AREA CODE

A CODE USED TO SPECIFY THE GEOGRAPHICAL AREA FOR CATEGORY OF SUPPORT SERVICE INTERROGATIONS.

0638 NBR-CPY-DRIS-RPT DLSC-SB F 2  
NUMBER OF COPIES, DRIS REPORT

THIS CODE INDICATES THE NUMBER OF COPIES OF THE DRIS REPORT TO BE MAILED TO THE DESIGNATED ADDRESS.

0654 SVC-IND-CD-DRIS DLSC-SB F 1  
SERVICE INDICATOR CODE, DRIS

A CODE USED IN DRIS ADDRESS DATA TO IDENTIFY THE SERVICE/AGENCY TO WHICH THE ADDRESSEE (DODAAC) BELONGS.

0707 MGMT-CTL-DATA-CG DLSC-SB F 7  
MANAGEMENT CONTROL DATA, COAST GUARD

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES COAST GUARD TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF COAST GUARD-PECULIAR SYSTEMS.

0708 INV-ACCT-CD-CG INV\_ACT\_CG\_0708 DLSC-SBA F CHAR 1  
INVENTORY ACCOUNT CODE, COAST GUARD

A CODE USED TO DESIGNATE THE INVENTORY ACCOUNT IN WHICH AN ITEM IS HELD IN THE COAST GUARD SUPPLY SYSTEM. SEE VOLUME 10, TABLE 127 AND QUICK INFO ON-LINE.

0709 REPBL-CD-CG REP\_CD\_CG\_0709 DLSC-SBA F CHAR 1  
REPARABILITY CODE, COAST GUARD

A CODE USED WITHIN THE COAST GUARD TO DENOTE IF AN ITEM IS REPARABLE AND THE LOWEST MAINTENANCE LEVEL AT WHICH REPAIR OR CONDEMNATION IS NORMALLY ACCOMPLISHED. SEE VOLUME 10, TABLE 128 AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0710	MGMT-CTL-DATA-CG-UNUSE		DLSC-SB	F	4
MANAGEMENT CONTROL DATA, COAST GUARD UNUSED POSITIONS A DATA ELEMENT REQUIRED TO FILL THE UNUSED POSITIONS OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 0707, (MANAGEMENT CONTROL DATA, COAST GUARD).					
0721	NORM-SRC-PRCMT-CD	NRM_SRC_PR_CD_0721	DLSC-SBA	F CHAR	1
NORMAL SOURCE OF PROCUREMENT CODE A CODE INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.					
0722	NBR-UNIT-OH-DUE-IN		DLSC-SB	F	7
NUMBER OF UNITS, ON HAND/DUE IN A CODE INDICATING THE TOTAL NUMBER OF UNITS OF AN ITEM CURRENTLY ON HAND IN WHOLESALE STOCK OR DUE IN. DOES NOT INCLUDE ASSETS WHICH WOULD NOT NORMALLY BE TRANSFERRED TO THE INTEGRATED MANAGER.					
0723	TYP-MOBLZTN-RSRV-RQMT-CD	TYP_MBL_RSV_0723	DLSC-SBA	F CHAR	1
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE A CODE INDICATING THE TYPE OF MOBILIZATION REQUIREMENT. SEE VOLUME 10, TABLE 139 AND QUICK INFO ON-LINE.					
0724	PERM-CDNG-CD		DLSC-SB	F	1
PERMISSIVE CODING CODE A CODE DENOTING THE ITEM MANAGEMENT CODE THAT WOULD HAVE BEEN USED BY A SERVICE TO RETAIN MANAGEMENT OF AN ITEM, IF THE ITEM HAD NOT BEEN PERMISSIVE CODED TO THE COMMODITY INTEGRATED MATERIEL MANAGER.					
0725	SP-PKG-RQMT-CD	S_PKG_RQM_CD_0725	DLSC-SBA	F CHAR	1
SPECIAL PACKAGING REQUIREMENT CODE A CODE INDICATING WHETHER SPECIAL PACKAGING IS REQUIRED WHICH IS BEYOND NORMAL PRACTICE AND WHICH CANNOT BE OBTAINED THROUGH LOCAL PURCHASE. SEE VOLUME 10, TABLE 140 AND QUICK INFO ON-LINE.					
0726	DT-OPRNTL-ND		DLSC-SB	F	5
DATE, OPERATIONAL NEED THE YEAR AND JULIAN DAY IN WHICH AN ITEM, NEW TO THE APPROPRIATE MILITARY SUPPLY SYSTEM, WILL BE INITIALLY REQUIRED TO SUPPORT A SERVICE OPERATIONAL PROGRAM OR DEMAND WILL GENERATE FOR AN ESTABLISHED ITEM AS A RESULT OF A NEW SERVICE OPERATIONAL PROGRAM OR SERVICE-SUPPORTED TEST PROGRAM.					
0727	NBR-UNIT-ESTD-DMD		DLSC-SB	F	7
NUMBER OF UNITS, ESTIMATED DEMAND A CODE INDICATING THE TOTAL NUMBER OF UNITS WHICH ARE FORECAST TO BE ISSUED IN THE NEXT 12-MONTH PERIOD.					
0728	DMD-IND-CD	DMD_IND_CD_0728	DLSC-SBA	F CHAR	1
DEMAND INDICATOR CODE A CODE INDICATING THE BASIS FOR THE FORECAST OF ESTIMATED DEMAND. SEE VOLUME 10, TABLE 141 AND QUICK INFO ON-LINE.					
0729	TYP-FINCL-MGMT-CTL-CD	TYP_FIN_MGT_0729	DLSC-SBA	F CHAR	1
TYPE OF FINANCIAL MANAGEMENT CONTROL CODE A CODE INDICATING THE TYPE OF FINANCIAL MANAGEMENT CONTROL OVER AN ITEM. SEE VOLUME 10, TABLE 142 AND QUICK INFO ON-LINE.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0730 NBR-MO-PROD-LEAD-TIME DLSC-SB F 2  
NUMBER OF MONTHS, PRODUCTION LEAD TIME  
A CODE INDICATING THE ACTUAL OR ESTIMATED NUMBER OF MONTHS TIME INTERVAL BETWEEN THE PLACEMENT OF A CONTRACT AND RECEIPT INTO THE SUPPLY SYSTEM OF THE FIRST ACCEPTABLE MATERIAL PURCHASED.

0731 ESTD-OR-ACTL-PR-CD EST\_ACT\_PR\_CD\_0731 DLSC-SBA F CHAR 1  
ESTIMATED OR ACTUAL PRICE CODE  
A CODE INDICATING THE BASIS FOR THE STANDARD UNIT PRICE OF AN ITEM. CODES AND DEFINITIONS ARE "A" ACTUAL PRICE, "B" ESTIMATED PRICE. SEE VOLUME 10, TABLE 144 AND QUICK INFO ON-LINE.

0732 IMC-DATA-SEG DLSC-SB V 55  
ITEM MANAGEMENT CODING DATA SEGMENT  
A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTAINING TO ITEM MANAGEMENT CODING. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

0733 DEST-ACTY-CD-FLD-OP DLSC-SBA V 2  
DESTINATION ACTIVITY CODE FIELD, OUTPUT  
A DATA FIELD INDICATING THE CODE(S) IDENTIFYING ACTIVITY(IES) AND MAILING ADDRESS(ES) FOR THE PURPOSE OF FORWARDING OUTGOING DATA. THIS FIELD WILL CONTAIN ONE OR MORE DESTINATION ACTIVITY CODES, OUTPUT (DRN 3880). SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

0735 FILE-CMPAT-ACTY-CD DLSC-SBA F 2  
FILE COMPATIBILITY ACTIVITY CODE  
A CODE IDENTIFYING THE ACTIVITY DESIGNATED TO PARTICIPATE IN THE FILE COMPARISON CHECKS CONDUCTED BETWEEN THE FEDERAL LOGISTICS INFORMATION SYSTEM/FLIS DATABASE AND THE FILES OF THE DESIGNATED ACTIVITY. SEE VOLUME 10, TABLE 149 AND QUICK INFO ON-LINE.

0744 SVC-CONTR-IDEN-CD SVC\_CON\_ID\_CD\_0744 DLSC-SB F CHAR 1  
SERVICE/CONTRACTOR IDENTIFICATION CODE  
A CODE TO BE ASSIGNED IN THE PROVISIONING SCREENING MASTER ADDRESS FILE TO INDICATE WHETHER THE ADDRESSEE IS 1-A CONTRACTOR, 2-A SERVICE AGENCY REGISTERED WITH A CONTRACTOR OR 3-A SERVICE AGENCY ALONE.

0745 USI-SVC-CD USI\_SVC\_CD\_0745 DLSC-SBA F CHAR 1  
USING SERVICE CODE  
A CODE USED TO DIFFERENTIATE BETWEEN SERVICES INTEGRATED MATERIEL MANAGER, LEAD SERVICE AND CIVIL AGENCY CATALOG MANAGEMENT DATA. SEE VOLUME 10, TABLE 39 AND QUICK INFO ON-LINE

0749 STDZN-SUBMG-ACTY-CD STDZN\_SUBMR\_0749 DLSC-SB F CHAR 2  
STANDARDIZATION SUBMITTING ACTIVITY CODE  
A CODE THAT IDENTIFIES AN ACTIVITY HAVING SOLE RESPONSIBILITY FOR SUBMITTAL OF STANDARDIZATION DATA IN A GIVEN FSC CLASS TO THE DEFENSE LOGISTICS SERVICE CENTER. THE RESPONSIBLE ACTIVITIES ASSIGNED TO SPECIFIC FSC CLASSES ARE DESIGNATED IN THE STANDARDIZATION DIRECTORY (SD-1), PART 1, UNDER THE ITEM REDUCTION COLUMN.

0752 FLIS-DATA-MSG-CTL-SEG DLSC-SB F 32  
FLIS DATA MESSAGE CONTROL SEGMENT  
FLIS DATA SEGMENT CONTAINING THE DATA ELEMENTS NECESSARY TO GENERATE AN OUTPUT MESSAGE USED TO FURNISH AUTODIN RECEIVERS THE AUTODIN STATION SERIAL NUMBERS AND TOTAL NUMBER OF AUTODIN MESSAGES GENERATED BY FLIS FOR A SPECIFIED DATE.

0753 DT-AUTODIN-STA-SER-NBR DLSC-SB F 5  
DATE OF AUTODIN STATION SERIAL NUMBER

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE JULIAN DATE OF THE DIDS DATA GENERATION.

0754 AUTODIN-STA-SER-NBR DLSC-SB F 4  
AUTODIN STATION SERIAL NUMBER  
APPEARS AS THE IDENTIFYING SERIAL NUMBER IN THE HEADER OF THE AUTODIN MESSAGE.

0755 AUTODIN-MSG-CT DLSC-SB F 4  
AUTODIN MESSAGE COUNT  
A COUNT OF THE TOTAL NUMBER OF STATION SERIAL NUMBERS GENERATED BY DIDS FOR CONTENT INDICATOR CODES (CICS) IHFN/DHFN, IHFL/DHFL, IHFH/DHFH AND DHHF (DAAS) FOR AN ACTIVITY, FOR THE JULIAN DATE REFLECTED IN DRN 0753.

0756 DATA-TRNSM-CTL-CD D\_TRN\_CTL\_CD\_0756 DLSC-SBA F CHAR 1  
DATA TRANSMISSION CONTROL CODE  
A CODE USED TO PROVIDE SERVICES/AGENCIES OPTIONS TO INFORM DLSC OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL DLIS DATA TRANSMITTED VIA AUTODIN. (SEE DRN 0752). SEE VOLUME 10, TABLE 101 AND QUICK INFO ON-LINE.

0757 PROD-CD-NON-PARME-SCRNG PRO\_CD\_NPASCR\_0757 DLSC-SC F CHAR 1  
PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING  
A CODE WHICH INDICATES THOSE INCS IN PRODUCTION FOR NON-PARAMETRIC SEARCH/SCREENING (4) OR NON-PARAMETRIC SEARCH/NON-SCREENING (5) OR NON-PARAMETRIC SCREENING/NON SEARCH (2).

0758 DATA-TRMNR-ASSOD-WTH-INC DLSC-SC F 4  
DATA TERMINATOR ASSOCIATED WITH INC  
A TERMINATOR INDICATING THE END OF DATA ASSOCIATED WITH RESPECTIVE ITEM NAME CODE

0759 CMD-AUTHZN-CD CMD\_AUTHZN\_CD\_0759 DLSC-SB F CHAR 1  
CATALOG MANAGEMENT DATA AUTHORIZATION CODE  
A CODE WHICH DESIGNATES IF AN ACTIVITY ON THE PROVISIONING SCREENING RESULTS DESTINATION TABLE IS AUTHORIZED TO RECEIVE CATALOG MANAGEMENT DATA.

0760 FII-EDIT-GDE-DELT-DESI DLSC-SB F 12  
FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR  
A DESIGNATOR WHICH IS USED FOR DELETING AN ENTIRE FII EDIT GUIDE FROM THE EDIT GUIDE MASTER FILE.

0761 DELT-RCDS-DESI-CD DLSC-SB F 1  
DELETION OF RECORDS DESIGNATOR CODE  
A DESIGNATOR CODE USED FOR THE DELETION OF SINGLE OR MULTIPLE RECORDS FROM THE TECHNICAL, RELATIONSHIP, PROPORTION AND FORMAT EDIT GUIDES.

0762 PRPTN-EDIT-SYMBL-IND-CD PRPTN\_EDIT\_CD\_0762 DLSC-SC F CHAR 1  
PROPORTION EDIT SYMBOLOGY INDICATOR CODE  
A CODE USED TO INDICATE THE TYPE OF PROPORTION VALIDATION WHICH IS BEING APPLIED TO A MASTER REQUIREMENT CODE IN THE PROPORTION EDIT GUIDE. VALID VALUES ARE T = ISAC TABLE, R = ISAC RANGE, P = PROPORTIONAL, SPACE = NONE OF THE ABOVE.

0763 SER-NBR-CTL-CD-CG SER\_NO\_CTL\_CG\_0763 DLSC-SBA F CHAR 1  
SERIAL NUMBER CONTROL CODE, COAST GUARD  
A SINGLE NUMERIC CODE USED TO IDENTIFY WHETHER OR NOT AN ITEM IS SUBJECT TO SERIAL NUMBER CONTROL. SEE VOLUME 10, TABLE 150 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0764 RECIPL-PSCN DLSC-SB F 9

RECIPROCAL PERMANENT SYSTEM CONTROL NUMBER

A NUMBER THAT IS EQUIVALENT TO THE PERMANENT SYSTEM CONTROL NUMBER (PSCN) THAT IS RECORDED IN THE INTERNAL I&S RECORD AND HAS AN INTERCHANGEABILITY AND SUBSTATUTABILITY (I&S) RELATIONSHIP WITH THE APPLICABLE PSCN RECORDED IN THE ITEM CACELLATION DATA PORTION OF THE DIDS DATA BASE.

0766 IDENT-SAC DLSC-SC F 10

IDENTIFIED SECONDARY ADDRESS CODE (ISAC)

A CODE FORMED FROM DRNS 8990 AND 9485. IT IS USED AS A FIXED REPLY CODE TO IDENTIFY FIXED REPLIES FOR SPECIFIC LOCATIONS, SEQUENCES, ETC. AND RELATE THEM TO THE APPLICABLE CHARACTERISTIC FOR A DESIGNATED MASTER REQUIREMENT CODE (MRC). THE IDENTIFIED SECONDARY ADDRESS CODE (ISAC) MAY BE UP TO TEN POSITIONS IN LENGTH.

0767 STYL-NBR-ID-CD-FIIG DLSC-SC F 11

STYLE NUMBER IDENTIFIER CODE, FIIG

A CODE FORMED FROM DRNS 4065 AND 0768. IT IS ASSOCIATED WITH L MODE CODES AND USED AS A FIXED REPLY CODE TO IDENTIFY FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) STYLES, FOUND IN FIIG REFERENCE DRAWING GROUPS, FOR THE PURPOSE OF DECODING THE STYLES. THE FIIG STYLE NUMBER IDENTIFIER CODE MAY BE UP TO ELEVEN POSITIONS IN LENGTH.

0768 STYL-NBR-FIIG STYL\_NBR\_FIIG\_0768 DLSC-SC F CHAR 5

STYLE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE

AN ALPHANUMERIC CHARACTER USED IN FEDERAL ITEM IDENTIFICATION GUIDE REFERENCE DRAWING GROUPS TO DIFFERENTIATE AND IDENTIFY UNIQUE STYLES. THE FIIG STYLE NUMBER MAY BE UP TO FIVE POSITIONS IN LENGTH.

0769 IL-SIN-DWG-CR-DATA-SEG DLSC-V F 80

IL SINGLE DRAWING CROSS REFERENCE DATA SEGMENT

A GROUP OF DATA ELEMENTS USED TO ADD, DELETE, REPLACE OR ESTABLISH INFORMATION RELATIVE TO DIGITIZED GRAPHICS RECORDED IN THE IDENTIFICATION LIST (IL) DIGITIZED GRAPHICS FILE. THIS INFORMATION IS UTILIZED IN PRODUCING IDENTIFICATION LISTS.

0771 STYL-RPLY-CD-IL-DWG STYL\_RP\_IL\_DW\_0771 DLSC-V F CHAR 6

STYLE/REPLY CODE, IDENTIFICATION LIST DRAWING

A CODE WHICH INDICATES THE RECORDED STYLE AND REPLY APPLICABLE TO A SPECIFIC DRAWING WITHIN A FEDERAL ITEM IDENTIFICATION GUIDE REFERENCE DRAWING GROUP. USED TO DISPLAY GRAPHICS IN THE IDENTIFICATION LISTS.

0772 DGTZD-DWG-NBR DGTZD\_DWG\_NBR\_0772 DLSC-VPE F CHAR 15

DIGITIZED DRAWING IDENTIFICATION NUMBER

A NUMBER ASSIGNED TO A DIGITIZED DRAWING. IF THE DRAWING IS NIIN TYPE, THE STRUCTURES FIRST 13 POSITIONS ARE THE NSN FOLLOWED BY 2 ZEROS. IF THE DRAWING IS FIIG TYPE, THE STRUCTURE CONSISTS OF 5 KEYS. A) DRN 4069 = DWG-FIIG, B) DRN 5069 = FIIG-SCTN-ID, C) DRN 3565 = REF-DWG-GP-DS, D) DRN 5071 = FIIG-SB-SC-ID, E) DRN 0768 = STYL-NBR-FIIG.

0773 ADDNL-GRPHS-INFO ADD\_GRPHS\_0773 DLSC-V V VARCHAR 30

ADDITIONAL GRAPHICS INFORMATION

ADDITIONAL INFORMATION TO BE DISPLAYED WITH A SPECIFIC DIGITIZED DRAWING IN THE PRODUCTION OF IDENTIFICATION LISTS.

0774 IL-DGTZD-GRPHS-DATA-SEG DLSC-V F 80

IDENTIFICATION LIST DIGITIZED GRAPHICS DATA SEGMENT

A GROUP OF DATA ELEMENTS USED TO DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0775 DGTZD-GRPHS-IDEN-NBR-RPL DLSC-V F 14  
DIGITIZED GRAPHICS IDENTIFICATION NUMBER, REPLACEMENT  
A DIGITIZED GRAPHICS IDENTIFICATION NUMBER REPLACING A PREVIOUSLY ASSIGNED IDENTIFICATION NUMBER RECORDED ON A DIGITIZED DRAWING IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.

0776 MAINT-NBR-IL-DWG DLSC-V F 14  
MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING  
A CODE USED TO IDENTIFY THE SEQUENCE OF ACTIONS WITHIN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE MAINTENANCE PACKAGE.

0777 EFF-DT-LJE-PRCSG-DATA-SG DLSC-SB V 44  
EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT  
A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO EFFECTIVE DATED TRANSACTIONS THAT ARE BEING HELD IN SUSPENSE UNTIL AN EFFECTIVE DATE IS REACHED. THESE TRIGGERS ARE ALWAYS MACHINE GENERATED. NOTE: THE ASSIGNED SUPPLEMENTAL SEGMENT CODE IS 815, HOWEVER A SLASH (/) IS USED TO IDENTIFY THIS SEGMENT IN THE DESIGN FILE.

0780 SUBMG-ACTY-CD-REL-TRAN DLSC-SBA F 2  
SUBMITTING ACTIVITY CODE, RELATED TRANSACTION  
DATA ELEMENT REPRESENTING ANY PARTICIPATING FOREIGN GOVERNMENT OR AGENCY WHICH SUBMITS PROPOSED DATA TO DEFENSE LOGISTICS SERVICES CENTER THROUGH INTERNATIONAL CODIFICATION DIVISION, DLSC-SD, FOR APPROVAL. IT IS USED EXCLUSIVELY BY DLSC-SD AS TEMPORARILY RELOCATED SUBMITTING ACTIVITY CODE IN AN INTERNAL DESIGN TECHNIQUE DEVELOPED TO PROVIDE DLSC-SD WITH THE RETURN IN THE EVENT THE INPUT TRANSACTION REJECTS. UPON APPROVAL OF THE INPUT TRANSACTION, THE DATA IN THIS FIELD MOVES TO SUBMITTING ACTIVITY CODE FIELD. SEE VOLUME 10, TABLE 104, AND QUICK INFO ON-LINE.

0781 EXPSN-FLD-5 DLSC-V F 5  
EXPANSION FIELD 5  
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0782 NONSCRNG-MRC-DETERM NSCR\_MRC\_DET\_0782 DLSC-SC F CHAR 1  
NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR  
A CODE USED IN THE FORMAT EDIT GUIDES TO DETERMINE THE THRESHOLD LEVEL OF NONSCREENING MASTER REQUIREMENT CODES (MRCS) REQUIRED TO BE PRESENT FOR AN ITEM NAME CODE (INC) IN ORDER THAT THE SUBMITTED TRANSACTION BE SUBJECTED TO TWO STEP SCREENING.

0791 FOI-GIRDER-SCHG-CD DLSC-V F 1  
FREEDOM OF INFORMATION GIRDER SCHEDULING CODE  
A CODE TO IDENTIFY A PROCESSING ROUTINE TO BE FOLLOWED FOR FREEDOM OF INFORMATION AND GIRDER REQUESTS TO OBTAIN SELECTED OUTPUT.

0792 I-S-JTC JTC\_0792 DLSC-SB F CHAR 3  
I&S JUMP TO CODE  
A CODE DENOTING AN EXCEPTION TO THE NORMAL SEQUENCE TO BE FOLLOWED IN THE ATTRITION OF ITEMS WITHIN AN I & S FAMILY.

0793 I-S-OOU-CD OOU\_0793 DLSC-SB F CHAR 3  
I&S ORDER OF USE CODE  
A CODE DENOTING A NATIONAL STOCK NUMBER'S I&S RELATIONSHIP WITHIN A SERVICE/AGENCY'S I&S FAMILY. THE FIRST TWO POSITIONS INDICATE THE I&S ORDER OF USE SUBGROUP CODE, AND THE LAST POSITION INDICATES THE ORDER OF USE SEQUENCE CODE WITHIN SUBGROUPS.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0794 I-S-FMLY-RL-GP DLSC-SBA F 23  
I&S FAMILY RELATIONSHIP GROUP  
A GROUP OF DATA ELEMENTS REQUIRED TO AFFECT AN ADD OR DELETE OF I&S JUMP TO CODE FOR A RELATED NSN. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137, 2895, AND 0792.

0795 GIIC DLSC-SBA F 1  
GENERIC ITEM INDICATOR CODE  
A CODE (ALWAYS '7') USED TO DENOTE A GENERIC MASTER NSN IN AN I&S FAMILY

0796 GNC-MSTR-NSN GNC\_MSTR\_NSN\_0796 DLSC-SB F CHAR 13  
GENERIC MASTER NATIONAL STOCK NUMBER  
AN ITEM THAT HAS AN ACQUISITION ADVICE CODE OF W, IS RECORDED AS A MASTER NSN IN AN I&S FAMILY, AND IS IDENTIFIED TO A MILITARY, FEDERAL, OR ADOPTED INDUSTRY SPECIFICATION/STANDARD BUT STOCKLISTED WITH A DIFFERENT NSN FOR SUPPLY MANAGEMENT PURPOSES.

0797 MSTR-NSN MSTR\_NSN\_0797 DLSC-SB F CHAR 13  
MASTER NATIONAL STOCK NUMBER  
THE SOLE NATIONAL STOCK NUMBER DETERMINED BY RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS I&S FAMILY.

0801 ADPE-IDEN-CD ADPEC\_0801 DLSC-SBA F CHAR 1  
AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)  
A ONE POSITION IDENTIFIER CODE TO INDICATE AN ITEM OF ADPE OR CONTAINING ADPE REGARDLESS OF ASSIGNED FSC TO PROVIDE VISIBILITY FOR COMPLIANCE WITH UNIQUE MANAGER REQUIREMENTS ESTABLISHED FOR ADPE BY PUBLIC LAW 89-306. SEE VOLUME 10, TABLES 159 AND 161 AND QUICK INFO ON-LINE.

0802 PREC-MTLS-IND-CD PMIC\_0802 DLSC-SBA F CHAR 1  
PRECIOUS METALS INDICATOR CODE (PMIC)  
THIS CODE IS TO IDENTIFY ITEMS THAT HAVE PRECIOUS METALS AS PART OF THEIR CONTENT. PRECIOUS METALS ARE THOSE METALS GENERALLY CONSIDERED TO BE UNCOMMON AND HIGHLY VALUABLE WHICH ARE RELATIVELY SUPERIOR IN CERTAIN PROPERTIES SUCH AS RESISTANCE TO CORROSION AND ELECTRICAL CONDUCTIVITY. THE PRECIOUS METALS RECOVERY PROGRAM FOR THE FEDERAL GOVERNMENT ENCOMPASSES GOLD, SILVER, PLATINUM, AND THE PLATINUM FAMILY WHICH CONSISTS OF PALLADIUM, IRIIDIUM, RHODIUM, OSMIUM, AND RUTHENIUM. SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

0803 ISC-IDEN DLSC-SB F 1  
ITEM STANDARDIZATION CODE IDENTIFICATION  
A CODE THAT IDENTIFIES WHICH ITEM STANDARDIZATION CODE IS REQUIRED IN AN AUTOMATED TABULAR STUDY LIST. THE CODE MUST BE ONE OF THE FOLLOWING: 1=ALL STANDARDIZATION CODES, 2=STANDARDIZATION CODE OF 5 ONLY OR 3= ALL STANDARDIZATION CODES EXCEPT 3 AND E.

0804 DESC-AVLB DLSC-V F 1  
DESCRIPTION AVAILABILITY  
A CODE THAT INDICATES WHETHER A DESCRIPTION IS AVAILABLE IN THE TOTAL ITEM RECORD/TIR. THIS CODE IS TO BE GENERATED FROM THE TYPE OF ITEM IDENTIFICATION CODE/DRN 4820. TYPE OF II "2" SHALL BE DISPLAYED AS "N" DESIGNATING NO DESCRIPTION AVAILABLE. ALL OTHER TYPES OF II'S ARE TO REFLECT A BLANK.

0805 MCRL-SVC-AGCY-DESI DLSC-SBA F 1  
MCRL SERVICE AGENCY DESIGNATOR

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN ALPHA CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DRN 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

0806 MCRL-REF-NBR-TOT-CR-CT DLSC-V F 2  
MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT  
A COMPUTER GENERATED HEXADECIMAL COUNT OF THE QUANTITY OF NSNs WHICH ARE CROSSED REFERENCED IN THE MCRL TO A REFERENCE NUMBER (IF NONE, COUNT IS 00).

0807 MCRL-REF-NBR-RCDS-CTR DLSC-V F 2  
MCRL REFERENCE NUMBER RECORDS COUNTER  
A HEXADECIMAL COUNTER USED TO SEQUENCE MULTIPLE RECORDS FOR REFERENCE NUMBERS. (IF NONE, COUNTER IS 01).

0808 GIRDER-CD GIRDER\_CD\_0808 DLSC-SD F CHAR 2  
GIRDER CODE  
ACTION CODE FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH FLIS PROCEDURES.

0809 MFR-NOTES MFR\_NOTES\_0809 DLSC-SD F VARCHAR 58  
MANUFACTURER'S NOTES  
ANNOTATED DATA PROVIDED BY THE MANUFACTURER IN ACCORDANCE WITH CHAPTER 19, VOLUME 4, DOD 4100.39-M.

0810 MCRL-CR-NSN DLSC-V F 13  
MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)  
THIS NATIONAL STOCK NUMBER (NSN) HAS A DIRECT CROSS-REFERENCE RELATIONSHIP TO THE ACTIVE/CURRENT NSN ON THE ITEM OF SUPPLY. CANCELLED NSNs AND NSNs THAT CONTAIN THE FEDERAL SUPPLY CLASS (FSC) FORMERLY ASSIGNED TO THE ITEM OF SUPPLY WILL APPEAR IN THIS FIELD.

0811 NIIN-TO-DWG-MAINT-SEG DLSC-V F 80  
NIIN TO DRAWING MAINTENANCE SEGMENT  
A GROUP OF DATA ELEMENTS USED TO MASS DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER OR ADD GRAPHICS INFORMATION IN THE IDENTIFICATION LIST NATIONAL ITEM IDENTIFICATION NUMBER TO DRAWING CROSS-REFERENCE.

0814 DE-SPTR-CD DLSC-SB F 1  
DATA ELEMENT SEPARATOR CODE  
A SPECIAL CHARACTER (AN ASTERISK) USED TO INDICATE THE SEPARATION OF A FIXED/VARIABLE DATA ELEMENT FROM ANOTHER FIXED/VARIABLE DATA ELEMENT.

0815 STRT-RCD-IND-CD DLSC-SB F 2  
START RECORD INDICATOR CODE  
A CODE (DOUBLE ASTERISK) USED IN THE MASTER REQUIREMENT DIRECTORY (MRD) PROGRAMS TO INDICATE THE START OF A DATA INPUT RECORD.

0816 MRD-STAT-IND-CD MRD\_STATUS\_CD\_0816 DLSC-SC F CHAR 1  
MASTER REQUIREMENT DIRECTORY (MRD) STATUS INDICATOR CODE  
A CODE USED IN THE MRD TO INDICATE THE STATUS OF THE REQUIREMENT STATEMENT. CODE /D/ FOLLOWING THE KEYWORD MODIFIER STATEMENT AND THE REQUIREMENT STATEMENT INDICATES A REQUIREMENT IS NOT AUTHORIZED FOR USE IN FUTURE FIIG DEVELOPMENT.

0817 II-GDE DLSC-SB F 6

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

#### ITEM IDENTIFICATION GUIDE

A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY RECORDED AGAINST A MASTER REQUIREMENT CODE WHICH IDENTIFIES THE ITEM IDENTIFICATION GUIDE (IIG) IN WHICH THE MASTER REQUIREMENT CODE WILL BE USED. ALSO APPEARS IN THE SYSTEM SUPPORT RECORD ITEM NAME SECTOR DENOTING THE GUIDE WHICH IS APPLICABLE TO AN ITEM NAME.

0818 MRD-DATA-GP-FMT-1 DLSC-SB V 80  
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 1  
AN INPUT GROUP OF DATA USED TO UPDATE THE MASTER REQUIREMENT DIRECTORY FILE FORMAT 1.

0819 MRD-DATA-EXTR-GP DLSC-SB V 80  
MASTER REQUIREMENT DIRECTORY DATA EXTRACT GROUP  
AN INPUT GROUP OF DATA USED TO EXTRACT DATA FROM THE MASTER REQUIREMENT DIRECTORY FILE.

0820 MRD-DATA-GP-FMT-3 DLSC-SB V 80  
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 3  
AN INPUT GROUP OF DATA USED TO UPDATE THE MASTER REQUIREMENT DIRECTORY FILE FORMAT 3.

0822 SRT-SUPRS DLSC-SC F 1  
SORT SUPPRESS  
AN INDICATOR WHICH, WHEN PRESENT, WILL CAUSE THE RECORDS PULLED INTO THE OFF-LINE FILE NOT TO BE SORTED.

0825 ISAC-LMTN-CD ISAC\_LMTN\_CD\_0825 DLSC-SC F CHAR 2  
ISAC LIMITATION CODE  
A CODE THAT DESIGNATES VALID RANGE AND TABLE VALUES THAT APPLY TO A SPECIFIC MASTER REQUIREMENT CODE (MRC) FOR ISAC. VALID VALUES: R1, R2, R3, RA, RB, RC, T1, T2, T3.

0826 OPTNL-MAND-ISAC-IND-CD ISAC\_IND\_CD\_0826 DLSC-SC F CHAR 1  
OPTIONAL/MANDATORY ISAC INDICATOR CODE  
A CODE THAT DESIGNATES IF IDENTIFIED SECONDARY ADDRESS CODING (ISAC) IS OPTIONAL, MANDATORY, OR NOT APPLICABLE FOR A SPECIFIC MASTER REQUIREMENT CODE (MRC) BY ITEM NAME CODE (INC). CODE P SIGNIFIES THAT ISAC IS OPTIONAL, CODE M SIGNIFIES THAT ISAC IS MANDATORY. CODE R SIGNIFIES RELATIONSHIP ONLY AND CODE W INDICATES WITHOUT. A BLANK SIGNIFIES NO CODE AND THAT ISAC IS NOT APPLICABLE.

0827 MGMT-CTL-DATA-AR-UNUSE DLSC-SB F 1  
MANAGEMENT CONTROL DATA, ARMY (UNUSED POSITIONS)  
A DATA ELEMENT CONTAINING ONE BLANK REQUIRED TO FILL THE UNUSED POSITION OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 8930 (MANAGEMENT CONTROL DATA, ARMY)

0831 INT-CD-PHY-SEC-PIL-DATA DLSC-VO F 4  
INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA  
A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE FOLLOWING DATA: MAJOR ORGANIZATIONAL ENTITY CODE (DRN 2833), DATE, EFFECTIVE, LOGISTICS ACTION (DRN 2128), AND SHELF LIFE CODE (DRN 2943).SEE VOLUME 10, TABLE 171 AND QUICK INFO ON-LINE.

0838 TRMNL-IDEN-CD DLSC-V F 3  
TERMINAL IDENTIFIER CODE  
A THREE POSITION CODE USED IN THE FLIS LOGISTICS REMOTE USERS NETWORK TO IDENTIFY THE PARTICULAR SERVICE/AGENCY TERMINAL AND USER SUBMITTING A CATEGORY 1 TRANSACTION FOR INTERROGATION OR SEARCH OF THE FLIS DATA BASE. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0839	LOLA-SUBMR-ID		DLSC-V	V	VARCHAR	40
LOLA SUBMITTER IDENTIFICATION FIELD						
A VARIABLE LENGTH FIELD WITH A MAXIMUM OF 40 CHARACTERS. ENTRIES MAY BE ALPHA, NUMERIC, AND OR CHARACTERS. THIS FIELD IS DISPLAYED ON THE LOGISTICS REMOTE USERS NETWORK (LOGRUN) LOLA OUTPUT (LOLOUT) AND LOLA MULTIPLE NIIN INPUT (LOLMUL) SCREENS. THE PURPOSE OF THIS FIELD IS TO IDENTIFY OUTPUT PRODUCTS BY THE SUBMITTER. IF THIS FIELD IS NOT ENTERED BY THE SUBMITTER, THE FIELD VALUE WILL DEFAULT TO THE LOGRUN LOGON ID OF THE SUBMITTER.						
0840	TRMNL-SER-NBR		DLSC-V	F		7
TERMINAL SERIAL NUMBER						
A SEVEN POSITION CODE ASSIGNED BY THE SERVICE/AGENCY USER TO IDENTIFY, AT DESK LEVEL, A CATEGORY I TRANSACTION INPUT TO THE DIDS REMOTE TERMINAL SYSTEM. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.						
0841	REMOT-OP-FMT-CD		DLSC-V	F		1
REMOTE OUTPUT FORMAT CODE						
A ONE POSITION CODE USED TO IDENTIFY FORMAT OF DATA OUTPUT FOR CATEGORY I TRANSACTIONS UNDER THE FLIS LOGISTICS REMOTE USERS NETWORK. DATA MAY BE OUTPUT AS RAW (WITHOUT HEADERS) OR AS FORMATTED DATA WITH HEADERS. A CODE OF R OR M INDICATES RAW DATA OUTPUT. F OR N INDICATES THAT A FORMATTED DATA OUTPUT IS DESIRED.						
0845	COMN-NBRING-SYS-IND	CNBR_SYS_I_0845	DLSC-SC	F	CHAR	1
COMMON NUMBERING SYSTEM INDICATOR						
A CODE WHICH DESIGNATES WHETHER OR NOT A COMMON PART NUMBERING SYSTEM EXISTS BETWEEN TWO OR MORE COMPANIES WITHIN A DESIGNATED CORPORATE STRUCTURE. VALID VALUES: Y = YES - THERE IS COMMONALITY, N = NO - THERE IS NOT COMMONALITY, U = UNKNOWN, BLANK = NOT REQUIRED.						
0847	MRC-USG-DESI	MRC_USG_DESI_0847	DLSC-SC	F	CHAR	1
MASTER REQUIREMENT CODE USAGE DESIGNATOR						
AN INDICATOR (*) THAT IDENTIFIES IF THE MASTER REQUIREMENT CODE (MRC) IS IN A U.S. FEDERAL ITEM IDENTIFICATION GUIDE (FIG). A BLANK SPACE WILL INDICATE THAT THE MRC IS INACTIVE OR RECORDED FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE.						
0848	MRC-TBL-CT		DLSC-SC	F		1
MASTER REQUIREMENT CODE TABLE COUNT						
A NUMBER (0 THRU 8) THAT INDICATES THE QUANTITY OF TABLES RELATING TO THE MASTER REQUIREMENT CODE (MRC).						
0849	REMOT-OP-DEVIC-CD		DLSC-V	F		1
REMOTE OUTPUT DEVICE CODE						
A CODE USED IN THE REMOTE TERMINAL SYSTEM TO DESIGNATE THE MEDIA BY WHICH THE OUTPUT DATA IS TO BE RETURNED. A "P" INDICATES THE OUTPUT DATA IS TO BE RETURNED VIA PRINTER AND A "C" INDICATES THE OUTPUT DATA IS TO BE RETURNED VIA CATHODE RAY TUBE (CRT).						
0853	RPLM-NSN-ACPT-CD		DLSC-SBA	F		1
REPLACEMENT NATIONAL STOCK NUMBER ACCEPTANCE CODE						
CODE U INDICATES THAT A REPLACEMENT NATIONAL STOCK NUMBER (NSN) IS NOT AN ACCEPTABLE RESPONSE TO A DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS) PART NUMBER SCREENING (LSD) TRANSACTION. THE ABSENCE OF THE CODE WILL INDICATE THAT A REPLACEMENT NSN IS ACCEPTABLE.						
0854	TRAN-STAT-CD	TRN_STATUS_CD_0854	DLSC-SBA	F	CHAR	2
TRANSACTION STATUS CODE						

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. USED IN THE RESULTANT OUTPUTS OF NATO FOLLOW-UP INTERROGATIONS TO IDENTIFY THE CURRENT STATUS OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH OUTPUT HAD NOT BEEN RECEIVED BY THE SUBMITTER. SEE VOLUME 10, TABLE 175 AND QUICK INFO ON-LINE.

0857 CRYPTO-IND-CD CRYPTO\_IND\_CD\_0857 DLSC-SBA F CHAR 1  
CRYPTOLOGICAL INDICATOR CODE

A CODE ASSIGNED TO SPECIFIC MAJOR ORGANIZATIONAL ENTITY (MOE) RULES WHICH HAVE THE AUTHORITY TO CATALOG CRYPTOLOGIC ITEMS MANAGED BY DEPARTMENT OF DEFENSE (DOD) ACTIVITIES WITH PRIMARY INVENTORY CONTROL ACTIVITY (PICA) RESPONSIBILITY FOR ITEMS OF SUPPLY UNDER FEDERAL SUPPLY CODE FOR MANUFACTURERS FSCM 98230 WITH REFERENCE NUMBER CATEGORY CODE (RNCC) 1 OR 3 (DESIGN CODE). SEE VOLUME 10, TABLES 156 AND 174 AND QUICK INFO ON-LINE. VALID VALUES ARE: BLANK - NOT CRYPTOGRAPHIC, X - IT IS CRYPTOGRAPHIC.

0858 PR-VLDTN-CD-AF PVC\_AF\_0858 DLSC-SBA F CHAR 1  
PRICE VALIDATION CODE, AIR FORCE

A CODE USED BY THE AIR FORCE TO INDICATE THE VALIDITY OF THE RECORDED UNIT PRICE. SEE VOLUME 10, TABLE 177 AND QUICK INFO ON-LINE.

0861 NMFC-SUB-ITM-NBR SUB\_ITM\_NBR\_0861 DLSC-SBA F CHAR 1  
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) SUB-ITEM NUMBER

A CODE TO INDICATE THE SUB OF A NMFC ITEM NUMBER. CODES A-W WILL CORRESPOND WITH THE SUB-NUMBER SHOWN IN THE NMFC. EXAMPLE: SUB-ITEMS 1, 2 AND 3 WILL BE SHOWN AS A, B AND C. A CODE X WILL INDICATE THAT THERE IS NO SUB-NUMBER AND A CODE Z WILL INDICATE THAT A NMFC ITEM CONTAINS SUBS, BUT THE PROPER SUB CANNOT BE DETERMINED. THE LETTERS I, O AND Y WILL BE INVALID CODES.

0862 FMR-NMFC-SUB-ITEM-NBR FMR\_NMFC\_SUB\_0862 DLSC-SBA F CHAR 1  
FORMER NMFC SUB-ITEM NUMBER

THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION SUB-ITEM NUMBER PREVIOUSLY RECORDED BUT WHICH HAS EITHER BEEN DELETED OR HAS BEEN REPLACED WITH A NEW SUB-ITEM NUMBER.

0863 FRT-CLAS-DATA FRT-CLAS-DATA DLSC-SBA F 48  
FREIGHT CLASSIFICATION DATA (FCD)

FREIGHT CLASSIFICATION DATA (FCD) IS THAT PORTION OF VALID TRANSPORTATION DATA (VTD) CONSISTING OF THE NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE, THE NMFC SUB-ITEM NUMBER, THE UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED), THE LESS THAN TRUCKLOAD RATING CODE, AND THE FREIGHT DESCRIPTION.

0864 INTGTY-CD INTGTY\_CD\_0864 DLSC-SBA F CHAR 1  
INTEGRITY CODE

A CODE WHICH INDICATES THAT A NSN HAS BEEN SELECTED AND REVIEWED BY MILITARY TRAFFIC MANAGEMENT COMMAND (MTMC) TO ENSURE THAT THE FREIGHT CLASSIFICATION DATA IS CORRECT. THE INTEGRITY CODE CAN ONLY BE SUBMITTED BY MTMC. SEE VOLUME 10, TABLE 176 AND QUICK INFO ON-LINE.

0865 HZRD-MAT-IND-CD HMIC\_0865 DLSC-SBA F CHAR 1  
HAZARDOUS CHARACTERISTICS GROUP ABBREVIATED DEFINITION  
THE TEXT OF GROUP ABBREVIATED DEFINITION OF HZRD-CHAR-CD (DRN 2579).

0866 DBRD-BDR-STAT-CD DBRD\_STAT\_CD\_0866 DLSC-SC F CHAR 1  
DEBARRED BIDDER STATUS CODE

A CODE THAT WILL INDICATE A CONTACTOR HAS BEEN DEBARRED (CODE D), PROPOSED FOR DEBARMENT (CODE P) OR SUSPENDED (S) FROM RECEIVING FEDERAL CONTRACTS.

0867 DBRD-CONTR-END-DT DBRD\_END\_DT\_0867 DLSC-SC F INTEGER 6

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DEBARRED CONTRACTOR'S END DATE

THE TERMINATION DATE OF THE DEBARMENT OR SUSPENSION ACTION IMPOSED BY A DOC COMPONENT AGAINST A CONTRACTOR.

0868 DOD-DBRMT-PPSL-INITR-SYM DBR\_PRO\_I\_SYM\_0868 DLSC-SBB F CHAR 5  
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL  
A SYMBOL DESIGNATING THE MILITARY SERVICE, AGENCY OR OTHER DOD AUTHORITY THAT INITIATED THE PROPOSAL FOR THE DEBARMENT OR SUSPENSION OF THE CONTRACTORS FROM RECEIVING FEDERAL CONTRACTS. SEE VOLUME 10, TABLE 183 AND QUICK INFO ON-LINE.

0870 RCDED-SUSP-FILE-ENTR-DT SUSP\_ENTR\_DT\_0870 DLSC-SD F INTEGER 5  
RECORDED SUSPENSE FILE ENTRY DATE  
A CODE THAT IDENTIFIES THE DATE A TRANSACTION THAT IS IN PROCESS WAS ADDED TO THE NATO/FG MASTER SUSPENSE FILE. THIS CODE WILL APPLY ONLY WHEN AN INPUT TRANSACTION IS MATCHED BY DIC LFN INPUT AND IS STILL IN PROCESS (I.E., TSC NB). DB2 FORM IS CCYYDDD. OUTPUT FORM IS YYDDD.

0872 SURCHG-PRCSG-IND-CD SUR\_PRC\_ID\_CD\_0872 DLSC-S F CHAR 1  
SURCHARGE PROCESSING INDICATOR CODE  
A CODE WHICH INDICATES THE ITEM HAS A SURCHARGE UNIT PRICE IN THE FUTURE. SPECIAL PROCESSING IS APPLIED TO OVERLAY ANY PRICE SUBMITTED WITH THE SURCHARGE PRICE WHILE THIS CODE IS PRESENT. THE VALID VALUES ARE: U - SURCHARGE, N - NAVY BY-PASS, BLANK - NO SURCHARGE.

0874 DT-ESB-PSMAT-RD DT\_ESB\_PSMT\_R\_0874 DLSC-SB F INTEGER 5  
DATE ESTABLISHED, PSMAT RECORD  
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED IN THE PRVSNG SCRNG MASTER ADDR FILE.

0875 DT-LST-ACCSD-PSMAT-RD DT\_LST\_ACC\_PS\_0875 DLSC-SB F INTEGER 5  
DATE LAST ACCESSED, PSMAT RECORD  
A YEAR AND JULIAN DAY USED TO IDENTIFY THE LAST DATE A RECORD IN THE PRVSNG SCRNG MASTER ADDR FILE WAS UPDATED OR USED IN THE PRVSNG SCRNG PROCESS.

0876 TOT-NBR-ADRS-PSMAT DLSC-SB F 5  
TOTAL NUMBER OF ADDRESSES, PSMAT  
TOTAL NUMBER OF PRVSNG SCRNG RCVR ADRS (DRN 0232) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0877 SVC-CONTR-IDEN-CD-1-TOT DLSC-SB F 5  
SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL  
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 1 (CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0878 SVC-CONTR-IDEN-CD-2-TOT DLSC-SB F 5  
SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL  
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 2 (GOVT W/CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0879 SVC-CONTR-IDEN-CD-3-TOT DLSC-SB F 5  
SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL  
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 3 (GOVT) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0880 FTS-NBR DLSC-VO F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

## FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER

A TELEPHONE NUMBER WITHIN THE FEDERAL COMMUNICATIONS NETWORK FOR A WIDE RANGE OF SERVICES AT COSTS BELOW COMMERCIAL RATES.

0881 TIC  
TYPE INQUIRY CODE  
A CODE INDICATING THE KIND OF INQUIRY TO BE PROCESSED.

DLSC-VO F 2

0882 RPTY-NAME  
REPOSITORY NAME  
THE NAME OF AN ORGANIZATION IN POSSESSION OF TECHNICAL DATA ASSETS.

RPTY\_NAME\_0882 DLSC-VO V VARCHAR 60

0883 RPTY-ST-ADRS  
REPOSITORY STREET ADDRESS  
THE STREET NAME AND ASSOCIATED NUMBER PORTION A REPOSITORYs ADDRESS.

RPTY\_ST\_ADRS\_0883 DLSC-V F CHAR 60

0884 RPTY-CITY  
REPOSITORY CITY  
THAT PART OF AN ADDRESS REFLECTING THE CITY OF A REPOSITORY.

RPTY\_CITY\_0884 DLSC-V F CHAR 60

0886 OFC-EXT  
OFFICE EXTENSION  
AN EXTENSION OF A TELEPHONE NUMBER GIVEN TO A SPECIFIC OFFICE.

DLSC-VO V 5

0887 AUTOVON-NBR  
AUTOMATIC VOICE NETWORK NUMBER  
TELEPHONE NUMBER WITHIN THE DEFENSE COMMUNICATIONS SYSTEM THAT PROVIDES DIRECT DIALING SERVICE WORLDWIDE BETWEEN GOVERNMENT OWNED AND LEASED AUTOMATIC SWITCHING FACILITIES.

DLSC-VO F 8

0888 OFC-SYM  
OFFICE SYMBOL  
OFFICE SYMBOL OR OTHER ATENTION INFORMATION SUCH AS THE BUILDING NUMBER.

OFC\_SYM\_0888 DLSC-VO F VARCHAR 60

0889 RPTY-CLR-TXT1  
REPOSITORY CLEAR TEXT - 1  
THE FIRST OF UP TO FOUR LINES OF CLEAR TEXT DATA.

RPTY\_CLR\_TXT1\_0889 DLSC-VO V VARCHAR 60

0890 NBR-CPY  
NUMBER OF COPIES  
A TWO DIGIT NUMERIC (01-99) INDICATING HOW MANY COPIES ARE REQUESTED.

NBR\_CPY\_0890 DLSC-VO F INTEGER 2

0892 PSO-ACT-CD  
PSEUDO ACTIVITY CODE  
AN INTERNAL TWO OR THREE POSITION ALPHANUMERIC CODE USED TO CROSS-REFERENCE THE ACTIVITY CODE TO A COMMUNICATIONS ROUTING INDICATOR (COMRI).

PSO\_ACT\_CD\_0892 DLSC-S V VARCHAR 3

0893 CONTR-LABEL-CD-PSMAT  
CONTRACTOR LABEL CODE, PSMAT

CONTR\_LBL\_CD\_0893 DLSC-SB F CHAR 1



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A ONE POSITION NUMERIC CODE THAT INDICATES WHICH PROVISIONING SCREENING RECEIVER ADDRESS (DRN 0232) IN THE PROVISIONING SCREENING MASTER ADDRESS TABLE (PSMAT) WILL BE USED FOR PRINTING MAILING LABELS.

0894 RPLY-CTS DLSC-SCA F 6  
REPLY COUNTS  
A NUMERIC COUNT REPRESENTING THE NUMBER OF REPLIES RECORDED AGAINST A PARTICULAR MRC.

0895 MRC-CTS DLSC-SCA F 6  
MRC COUNTS  
A NUMERIC COUNT REPRESENTING THE NUMBER OF TIMES AN MRC IS RECORDED AGAINST A GROUP OF NIINS.

0896 MTCHD-NIIN-CT DLSC-SCA F 6  
MATCHED NIIN COUNT  
A NUMERIC COUNT REPRESENTING THE NUMBER OF NIINS THAT WERE MATCHED BY CHARACTERISTICS.

0897 STAT-DEPARTMENT STAT\_DEPT\_0897 DLSC-SBA F CHAR 2  
STATISTICS DEPARTMENT  
THE CODES FOR MANAGEMENT STATISTICS USED TO REPRESENT MILITARY SERVICE/AGENCIES.

0898 STAT-ACTIVITY STAT\_ACTIVITY\_0898 DLSC-SBA F CHAR 2  
STATISTICS ACTIVITY  
THE SPECIFIC ACTIVITIES THAT MANAGEMENT STATISTICS COLLECTS DATA ON.

0899 STATS-REQUEST-DATE STAT\_REQ\_DATE\_0899 DLSC-SBA F CHAR 6  
STATISTICS REQUEST DATE  
THE REQUEST DATE FOR MANAGEMENT STATISTICS, CONSISTING OF ANY MONTH AND YEAR, ANY QUARTER AND YEAR OR ANY YEAR. VALID VALUES FOR MONTH: 01-12, QUARTER: Q1-Q4, YEAR: CCYY

0900 QUEUE-ID QUEUE\_ID\_0900 DLSC-SBA F CHAR 8  
QUEUE IDENTIFICATION  
THE STORAGE DEVICE THAT TRANSACTION MANAGEMENT USES TO PROCESS TRANSACTION FOR STATISTICAL COUNTING AND DATA BASE MAINTENANCE.

0901 MGR-AAC-OUTPUT-ACCESS DLSC-SBA F 8  
MANAGER ACQUISITION ADVICE CODE OUTPUT ACCESS  
THE NUMBER OF USERS ACCESS FOR ACQUISITION ADVICE CODE STATS.

0902 MGR-AMC-OUTPUT-ACCESS DLSC-SBA F 8  
MANAGER ACQUISITION METHOD CODE OUTPUT ACCESS  
THE NUMBER OF USER ACCESS FOR ACQUISITION METHOD CODE STATS.

0903 DSOR DSOR\_0903 DLSC-SBA F CHAR 2  
DEPOT SOURCE OF REPAIR CODE  
AN ORGANIC OR CONTRACT ACTIVITY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. ONLY EACH SERVICE'S MAINTENANCE INTERSERVICE SUPPORT MANAGEMENT OFFICE (MISMO) ASSIGNS DSOR CODES THROUGH PICA SERVICE CATALOGING FUNCTION. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0904 FMR-DSOR FMR\_DSOR\_0904 DLSC-SBA F CHAR 2  
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE IDENTIFYING THE DEPOT SOURCE OF REPAIR FORMERLY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0905	CTGY-CD	CTGY_CD_0905	DLSC-SBA	F CHAR	1
	CATEGORY CODE THE CATEGORY THAT IS ASSIGNED TO THAT ACTIVITY.				
0906	STAT-DP-ACT-ESTABLISHED		DLSC-V	F	8
	STAT DEPARTMENT ACTIVITY DATE ESTABLISHED THE DATE THE ACTIVITY AND DEPARTMENT CODE WAS ESTABLISHED FOR THE MANAGEMENT STATISTICS FUNCTIONS. MM/DD/YY				
0907	TYPE-OF-STAT	TYPE_OF_STAT_0907	DLSC-SBA	F CHAR	12
	TYPE OF STATISTICS TYPE OF STAT IS PART OF THE CUT OFF DATE TABLE USED BY THE PROGRAM MANAGER. ITS VALUES CAN BE ISC, AAC, AMSC, REP ETC.				
0908	STAT-DEPT-ACTY-CHANGED	STAT_ACTY_CH_0908	DLSC-SBA	F DATE	7
	STAT DEPARTMENT ACTIVITY DATE CHANGED THE LAST DATE THE ACTIVITY AND/OR DEPARTMENT CODE WAS UPDATED.				
0909	MGR-AMSC-OUTPUT-ACCESS		DLSC-SBA	F	8
	MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS THE NUMBER OF USER ACCESSES FOR ACQUISITION METHOD SUFFIX CODE STATISTICS.				
0910	STATS-REASON-CD-CATEGORY		DLSC-SBA	F	8
	STATISTICS REASON CODE THE CLEAR STATISTICAL CATEGORY FOR REASON CODES IN THE SYSTEM.				
0911	REPORTING-PERIOD	RPT_PERIOD_0911	DLSC-SBA	F DATE	6
	REPORTING PERIOD THIS IS THE ACTUAL MONTH AND YEAR THAT THE MANAGEMENT STATISTICS IS BEING COUNTED. FORMAT IS MMYYYY.				
0912	BEGINNING-DATE	BEG_DATE_0912	DLSC-SBA	F DATE	5
	BEGINNING DATE THE JULIAN DATE THAT SHOWS THE ACTUAL STARTING DATE FOR ACCUMULATING THAT STATISTIC.				
0913	ENDING-DATE	ENDING_DATE_0913	DLSC-SBA	F INTEGER	7
	ENDING DATE THIS IS THE JULIAN DATE THAT IS THE LAST DATE FOR ACCUMULATING STATISTICS FOR THAT REPORTING PERIOD.				
0914	DATE-REPORTED-THRU	DATE_RPT_THRU_0914	DLSC-SBA	F DATE	5
	DATE REPORTED THRU THE JULIAN DATE THAT THE STATISTICS HAS BEEN COLLECTED THRU.				
0915	Q-C-VALIDATE	Q_C_VALIDATE_0915	DLSC-SBA	F CHAR	3
	QUALITY CONTROL VALIDATE THE VALUE IS YES OR NO OF WHETHER OR NOT THE PROGRAM MANAGER VALIDATED THE STATISTIC.				
0916	RLSE	RLSE_0916	DLSC-SBA	F CHAR	3

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## RELEASE

THIS DATA ELEMENT CAN HAVE THE VALUE YES OR NO IN IT TO REFLECT THE PROGRAM MANAGER APPROVAL OF THE MOST RECENT UPDATE TO THE STATISTICS DATA STORE.

0918 DLSC-DWG-LST DLSC\_DWG\_LST\_0918 DLSC-SB F CHAR 14  
DLSC DRAWING LIST

THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT DLSC WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NBR MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0919 DWG-AT-MFR-CTR DLSC-SB F 10  
DRAWING AT THE MANUFACTURER COUNTER

A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT HAVE BEEN SENT TO A MANUFACTURER FOR THE PRODUCTION OF LINE DRAWINGS.

0920 DWG-AT-DLSC DLSC-SB F 14  
DRAWING AT DLSC  
DRAWINGS THAT DLSC WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.

0921 DWG-AT-DLSC-CTR DLSC-SB F 10  
DRAWING AT DLSC COUNTER  
THIS COUNTS HOW MANY LINE DRAWINGS DLSC HAS BEEN ASSIGNED TO PRODUCE.

0922 FIGREP-TO-DWG-IDEN-LST DLSC-SB F 159  
FIGREP TO DRAWING IDENTIFICATION LIST  
ALPHANUMERIC LIST OF FIGREP STYLE/REPLY IDENTIFICATION NUMBERS THAT CROSS REFERENCE TO FIGREP-IDEN-NBR-DWG-CR, DGTZD-DWG-ITM-NM-DSCRPTN, AND CR-INC.

0923 DWG-TO-B-DGTZD-CTR DLSC-SB F 10  
DRAWINGS TO BE DIGITIZED COUNTER  
THE ACCUMULATED AMOUNT OF DRAWINGS THAT ARE WAITING TO BE DIGITIZED.

0924 DWG-TYP-2-CTR DLSC-SB F 10  
DRAWING TYPE 2 COUNTER  
A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT ARE ASSIGNED TO NIIN-IDEN-NBR-DWG-CR TYPE 2 NIINs.

0925 MFR-DWG-LST MFR\_DWG\_LST\_0925 DLSC-V F CHAR 14  
MANUFACTURES DRAWING LIST  
THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT THE MANUFACTURE WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0926 DWG-TO-B-SNT-TO-MFR-CTR DLSC-SB F 10  
DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER  
ACCUMULATIVE COUNT OF DWG-TO-B-SNT-MFR.

0927 FIGREP-DWG-CTR DLSC-SB F 10  
FIGREP DRAWINGS COUNTER  
A COUNT OF FIGREP-IDEN-NBR-DWG-CR DRAWINGS USED IN FIGREP DRAWING APPLICATION.

0928 NIIN-TO-DWG-IDEN-LST DLSC-SB F 159

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## NIIN TO DRAWING IDENTIFICATION LIST

LIST OF ALL ASGND NIINs ASSOCIATED WITH NIIN-IDEN-NBR-DWG-CR.

0929	LMTD-RGHTS-DWG LIMITED RIGHTS DRAWING DRAWINGS THAT REFERENCE NIINs THAT HAVE LIMITED RIGHTS ASSIGNED TO THEM IN SEGMENT C OR AN MRC.	LMT_RTD_DWG_0929	DLSC-V	F CHAR	1
0930	NIIN-BY-FSC NIIN BY FEDERAL SUPPLY CLASS USED TO IDENTIFY THE NIINs ASSIGNED TO A PARTICULAR FSC THAT HAVE A DIGITIZED DRAWING ON FILE FOR EITHER FIGREP OR NIIN DRAWINGS.		DLSC-S	F	14
0931	NIIN-BY-FSC-CTR NIIN BY FEDERAL SUPPLY CLASS COUNTER TOTAL COUNT OF NIINs ASSIGNED TO A PARTICULAR FSC WITH A DIGITIZED DRAWING.		DLSC-V	F	10
0933	DWG-TO-B-SNT-TO-MFR DRAWINGS TO BE SENT TO MANUFACTURER THIS DISPLAYS THE ACCUMULATIVE AMOUNT OF DWG-IDEN-NBRs THAT WILL BE SENT TO THE MANUFACTURER FOR LINE DRAWING PRODUCTION.		DLSC-SB	F	10
0934	TOT-NBR-DWG-IN-FL-CTR TOTAL NUMBER OF DRAWING IN FILE COUNTER THE TOTAL COUNT OF FIGREP OR NIIN DRAWINGS ASSIGNED.		DLSC-SB	F	10
0935	TOT-NBR-NSNS-ASGND TOTAL NUMBER OF NIINs ASSIGNED TOTAL NUMBER OF NATIONAL STOCK NUMBERS ASSIGNED TO DRAWINGS IN THE DIGITIZED DRAWING RECORD.		DLSC-V	F	10
0936	NBR-OF-DWG-VWS-CTR NUMBER OF DRAWING VIEWS COUNTER THE COUNT OF DRAWING VIEWS ASSIGNED TO A NIIN.		DLSC-SB	F	1
0938	DWG-IN-FILE DRAWING IN FILE THE STATUS AS TO WHETHER THE DRAWING HAS BEEN DIGITIZED OR NOT.	DWG_IN_FILE_0938	DLSC-SB	F CHAR	1
0939	DGTZD-DWG-NBR-LST DIGITIZED DRAWING NUMBER LIST ALPHANUMERIC LISTING OF ALL DRAWING IDENTIFICATION NUMBERS FOR NIIN-IDEN-NBR OR FIGREP-IDEN-NBR. THE 14 CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES.		DLSC-SB	F	14
0940	DWG-TO-B-DGTZD DRAWING TO BE DIGITIZED ACTUAL COUNT OF DRAWINGS WAITING TO BE DIGITIZED AFTER LINE DRAWINGS HAVE BEEN PRODUCED.		DLSC-SB	F	10
0941	TBL-VRBL-INDCTR-CD TABLE/VARIABLE INDICATOR CODE	TBL_V_IN_CT_C_0941	DLSC-VPE	F CHAR	1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DESCRIBES WHERE THE FIGREP DRAWING OR DRAWING INFORMATION IS LOCATED IN THE FIG. 1 = INFORMATION TAKEN FROM A TABLE IN APPENDIX A. X = A VARIABLE STYLE TAKEN FROM A RDG.

0943	DWG-AT-MFR DRAWING AT MANUFACTURER DRAWINGS THAT A MANUFACTURER WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.	DLSC-SB	F		14
0944	DWG-FNSH-DT DRAWING FINISH DATE THE JULIAN DATE USED BY THE TECHNICIAN TO SHOW WHERE THE LIST OF DRAWING IDENTIFICATION NUMBERS STOP BEING EXTRACTED FOR THE PRODUCTION OF A DRAWING MANUFACTURERS LIST OR DRAWING DLSC LIST.	DWG_FNSH_DT_0944	DLSC-SB	F DATE	4
0945	DWG-STRT-DT DRAWING START DATE THE JULIAN DATE USED BY THE TECHNICIAN TO START THE PRODUCTION OF A LIST OF DWG-IDEN-NBRS TO BE SENT TO THE MANUFACTURER OR DLSC FOR LINE DRAWINGS.	DWG_STRT_DT_0945	DLSC-SB	F DATE	4
0946	DWG-TXT-DTL DRAWING TEXT DETAIL THE DRAWING TEXT INFORMATION THAT GOES ALONG WITH THE FIGREP DRAWINGS.	DWG_TXT_DTL_0946	DLSC-SB	V CHAR	140
0947	TOT-NBR-DWG-IN-FILE TOTAL NUMBER DRAWINGS IN FILE TOTAL NUMBER OF DRAWING IDENTIFICATION NUMBERS.		DLSC-SB	F	10
0949	SBTTL-RCVG-SPCFC-DLN-QTY SUBTOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY TOTAL AAs RECEIVING A DLN WITHIN A SPECIFIC MLNG-PIC.		DLSC-SB	F	6
0950	DATA-REC-NBR DATA RECORD NUMBER FOUR NUMERIC CHARACTERS ASSIGNED TO IDENTIFY AND CONTROL A FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THESE DATA ELEMENTS ARE INPUT TO AND/OR FROM SERVICES/AGENCIES AND DEFENSE LOGISTICS SERVICES CENTER (DLSC)/DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL. SEE VOLUME 10, TABLES 28, 34 AND 35 AND QUICK INFO ON-LINE.	DRN_0950	DLSC-VO	F CHAR	4
0951	SBTTL-DLN-PRDCTS-ISSD SUBTOTAL DLN PRODUCTS ISSUED THE TOTAL NUMBER OF COPIES OF AN INDIVIDUAL PRODUCT (DLN) SENT TO ALL AAs WITHIN A SPECIFIC MLNG-PIC.		DLSC-SB	F	7
0952	LMTD-RGHTS-DWG-CTR LIMITED RIGHTS DRAWING COUNTER A COUNT OF LIMITED RIGHTS DRAWINGS USED IN THE NIIN AND FIGREP DRAWING XREF APPLICATIONS.		DLSC-V	F	10
0953	DLN-QTY DLN QUANTITY IDENTIFIES DLN PRODUCT QUANTITY BY MLNG-PIC.		DLSC-V	F	7
0954	DWG-BY-FIIG		DLSC-S	F	6

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE  
ALL DRAWINGS THAT ARE FOUND IN A PARTICULAR FIG.

0955	NBR-OF-DWG-VWS NUMBER OF DRAWINGS VIEWS THE NUMBER OF DRAWING VIEWS USED TO DESCRIBE THE ITEM IDENTIFIED BY THE NIIN DRAWING CROSS REFERENCE IDENTIFICATION NUMBER.	NBR_DWG_VWS_0955	DLSC-SB	F	SMALLINT	1
0956	DWG-BY-INC DRAWING BY ITEM NAME CODE A PARTICULAR DRAWING USED IN THE FIGs THAT REPRESENT A PARTICULAR INC.		DLSC-S	F		5
0957	TOT-NBR-OF-DWGS TOTAL NUMBER OF DRAWINGS TOTAL NUMBER OF FIG/LNDG DRAWINGS IN THE DIGITIZED DRAWING FILE.		DLSC-S	F		10
0958	USER-OPTN USER OPTION THIS ALLOWS THE USER DIFFERENT OPTION COMBINATIONS FOR DISPLAY ON THE SCREEN.		DLSC-S	F		1
0961	APPNDX APPENDIX USED TO ACCESS APPENDIX B AND APPENDIX C.		DLSC-S	F		1
0964	RDG-TI REFERENCE DRAWING GROUP TITLE THE TITLE USED TO IDENTIFY THE RDG IN THE FIGs.	RDG_TI_0964	DLSC-S	V	VARCHAR	160
0965	STYL-TI STYLE TITLE THE BASIC STYLE INFORMATION USED TO DESCRIBE A FIG/LNDG DRAWING STYLE.		DLSC-S	F		80
0966	F-DWG-DTL FIG DRAWING DETAL DIGITIZED DRAWINGS USED IN THE FIG/LNDG APPLICATION.		DLSC-S	V		7966
0970	TOT-NBR-NSNS-ASGND-CTR TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER AN ACCUMULATIVE COUNT OF NSNs ASSIGNED THAT ARE USED IN XREF.		DLSC-SB	F		10
0971	LRN-C-NIIN-CAN-WKLY LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.		DLSC-SB	F		2
0972	GRND-TTL-ADRS-DLN-DSTRBN GRAND TOTAL ADDRESS DLN DISTRIBUTION GRAND TOTAL OF ASSOCIATED ADDRESSES (AA) RECEIVING A DLN.		DLSC-SB	F		11

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0973	RQST-CD REQUEST CODE IT TELLS THE SYSTEM IF THE USER REQUIRES A TAILORED LIST, LABELS ONLY OR BOTH, FOR OUTPUT PRODUCT.	DLSC-SB	F		1
0974	GRND-TTL-PRDCTS-ISSD GRAND TOTAL PRODUCTS ISSUED GRAND TOTAL OF A DLN PRODUCT ISSUED.	DLSC-SB	F		11
0975	TTL-ADRS-PER-DLN TOTAL ADDRESSES FOR DISTRIBUTION LIST NUMBER TOTAL NUMBER OF ADDRESSES FOR A GIVEN DLN PRODUCT.	DLSC-SB	F		6
0976	TTL-RCVG-SPCFC-DLN-QTY TOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY THE NUMBER OF AAs RECEIVING A PRODUCT QUANTITY WITHIN A SPECIFIC MLNG-PIC.	DLSC-SB	F		6
0977	TTL-DLN-PRDCT-ISSD TOTAL DLN PRODUCT ISSUED TOTAL NUMBER OF DLN COPIES OF ALL AAs WITH A SPECIFIC DLN QUANTITY AND SPECIFIC MLNG-PIC.	DLSC-SB	F		6
0978	TTL-DLN-PRDCT-PER-ADRS TOTAL DISTRIBUTION LIST NUMBER PRODUCT PER ADDRESS A SIX POSITION NUMBER THAT INDICATES THE TOTAL NUMBER OF COPIES OF A DLN SENT TO A CERTAIN ADDRESS WITHIN THE AMLS.	TOT_PRD_ADRS_0978 DLSC-SB	F	INTEGER	6
0979	AA ASSOCIATED ADDRESS CODE A SEVEN POSITION ALPHA NUMERIC CODE THAT IDENTIFIES A SPECIFIC PRODUCT ADDRESS WITHIN A SPECIFIC ORGANIZATION. THERE ARE NO SPECIAL CHARACTERS OR BLANKS ALLOWED. THE LAST CHARACTER IN THE CODE CAN BE AN *. IF THERE IS A MASTER ADDRESS MA CODE ASSOCIATED WITH THIS ADDRESS THE FIRST SIX CHARACTERS WILL BE THE MA CODE.	AA_0979 DLSC-SB	F	CHAR	7
0980	MA MASTER ADDRESS CODE A SIX POSITION ALPHA NUMERIC CODE THAT IDENTIFIES A PARTICULAR ORGANIZATION, BUT NOT THE UNITS WITHIN THE ORGANIZATION. THERE ARE NO SPECIAL CHARACTERS OR BLANKS ALLOWED.	DLSC-SB	F		6
0981	SCREEN-ID-CODE SCREEN IDENTIFICATION CODE A 6 CHARACTER ELEMENT WHICH CORRESPONDS TO THE SCREEN IDENTIFICATION MNEMONIC ELEMENT NAME.	SCRN_ID_0981 DLSC-SB	F	CHAR	6
0982	PRDCT-TI PRODUCT TITLE A TWENTY POSITION ALPHA NUMERIC CODE THAT DESIGNATES THE CLEAR TEXT TITLE OF A PRODUCT. THE PRODUCT TITLE IS PRINTED ON STANDARD LABELS AND ON VARIOUS REPORTS.	PRDCT_TI_0982 DLSC-SB	F	CHAR	20
0983	MSG MESSAGE A RESPONSE TO ANY SYSTEM REQUEST THAT REQUIRES AN ANSWER, SUCH AS IMPROPER FORMAT, FORMAT NOT FOUND, DO YOU REALLY WANT TO DELETE Y/N (?), SYSTEM UPDATED, ETC.	MSG_0983 DLSC-SB	F	CHAR	66

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

0984	DWG-TYP-2 DRAWING TYPE 2 TYPE 2 NIINS THAT HAVE A DIGITIZED DRAWING ASSIGNED IN THE NIIN-IDEN-NBR-DWG-CR FILE.	DLSC-SB	F		1
0985	MLNG-PIC MAILING PRIORITY INDICATOR CODE A THREE-POSITION CODE THAT ESTABLISHES THE SEQUENCE OF THE ADDRESSES FOR A GIVEN LABEL ID. EACH SERVICE ENTITY IS RESPONSIBLE FOR ASSIGNING THE VALUES. VALID VALUES ARE ANY COMBINATION OF A-Z AND 0-9.	MLNG_PIC_0985 DLSC-SB	F	CHAR	3
0986	LRN-CHS-HLP-DP-SN-TIC-QT LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTIC SEARCH HELP BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.	DLSC-SCA	F		8
0987	LRN-PROC-PRD-SVC-CAN-D LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.	DLSC-SB	F		6
0988	LRN-PROC-PRD-SVC-CAN-W LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.	DLSC-SB	F		6
0989	LRN-PROC-PRD-SVC-CAN-M LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCT AND SERVICES BY CUSTOMER ACCOUNT NUMBER.	DLSC-SB	F		6
0990	LRN-PROC-PRD-SVC-CAN-Q LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTL THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.	DLSC-SB	F		6
0991	LRN-PROC-PRD-SVC-CAN-Y LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.	DLSC-SB	F		6
0992	LRN-PROC-PRD-SVC-ACTY-D LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC RPRODUCTS AND SERVICES BY ACTIVITY.	LRN_STAT_CNT_0992 DLSC-V	F	INTEGER	6
0993	LRN-PROC-CHG-UPDT-CAN-W LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR TO THE PROCEDURES BULLETIN BOARD BY CUSTPMER ACCOUNT NUMBER ON A WEEKLY BASIS.	DLSC-SB	F		6
0994	LRN-PROC-ADD-UPDT-CAN-W	DLSC-SB	F		6



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0995 LRN-PROC-DEL-UPDT-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0996 LRN-PROC-PRD-SVC-ACTY-W DLSC-SB F 6  
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

0997 BRNCH-CD BRNCH\_CD\_0997 DLSC-SD F CHAR 1  
BRANCH CODE  
A CODE DESIGNATING WHICH BRANCH INCOMING TRANSACTIONS SHOULD BE ASSIGNED TO, BASED ON THE SUBMITTED CAGE CODE.

0998 BTCH-CTL-NBR BTCH\_CTL\_NBR\_0998 DLSC-SD F CHAR 10  
BATCH NUMBER TO BATCH CONTROL NUMBER  
A NUMBER ASSIGNED TO A GROUPING OF INPUT CATALOGING TRANSACTIONS THAT ARE RECEIVED FROM FOREIGN GOVERNMENTS. THIS NUMBER IS MANUALLY OR MECHANICALLY GENERATED. THE FIRST TWO POSITIONS REPRESENT THE SUBMITTING COUNTRY. THE NEXT FIVE POSITIONS ARE THE JULIAN DATE OF INPUT. THE LAST THREE POSITIONS CONSIST OF A DASH AND THE OCCURRENCE OF INPUT FOR THAT COUNTRY FOR THAT DAY.

0999 CONTL-TXT CONTL\_TXT\_0999 DLSC-V V VARCHAR 1280  
CONTINUAL TEXT  
THIS DRN CONTAINS TEXTUAL DATA FROM DIDS PROCEDURES SYSTEM. THIS INFORMATION WILL BE PROVIDED ON ONE SCREEN.

1000 DOC-CTL-SER-NBR DCSN\_1000 DLSC-SB F CHAR 7  
DOCUMENT CONTROL SERIAL NUMBER  
AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES. USED INTERNALLY BY THE DEFENSE LOGISTICS SERVICES CENTER AND EXTERNALLY BY FIELD ACTIVITIES.

1001 OE-LI-SEG-NBR OE\_LI\_SEG\_NBR\_1001 DLSC-SBB F CHAR 2  
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER  
A CODE THAT IDENTIFIES THE TYPE OF LINE SEGMENT, IN THE CLEAR TEXT, COMPRISING AN ORGANIZATIONAL ENTITY RECORD. USED FOR SEQUENCING TEXT IN PROPER CHRONOLOGICAL ORDER. NUMERIC RANGE 01-59. SEE VOLUME 10, TABLE 89 AND QUICK INFO ON-LINE.

1002 RTC-CD RTC\_CD\_1002 DLSC-SD F CHAR 3  
RETURN TO COUNTRY CODE  
A THREE POSITION CODE THAT DESIGNATES THE REASON THAT A DIC LSA TRANSACTION (REQUEST FOR NSN ASSIGNMENT) IS BEING RETURNED TO THE ORIGINATING COUNTRY. THIS CODE IS INPUT BY DLSC-FD.

1006 DT-OUT-TO-MFR DT\_OUT\_TO\_MFR\_1006 DLSC-SD F INTEGER 9  
DATE OUT TO MANUFACTURER  
JULIAN YEAR AND DAY THAT A REQUEST IS BEING SENT TO A MANUFACTURER FOR DATA.

1007 DT-TECH-DATA-RCVD DT\_TEC\_DAT\_RC\_1007 DLSC-SD F INTEGER 9

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## DATE TECHNICAL DATA RECEIVED

JULIAN YEAR AND DAY ENTERED WHEN A REPLY HAS BEEN RECEIVED BY DLSC-FD FROM THE MANUFACTURER OR OBTAINED FROM AN ALTERNATE SOURCE.

1008 DT-PRIM-OP DT\_PRIM\_OP\_1008 DLSC-SD F INTEGER 9

DATE PRIMARY OUTPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE PRIMARY OUTPUT (RESULTING FROM LSA INPUT) IS PROCESSED THROUGH THE NATO TRACKING FILE.

1009 DT-SECD-IP DT\_SECD\_IP\_1009 DLSC-SD F INTEGER 9

DATE SECONDARY INPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY INPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1011 DT-SECD-OP DT\_SECD\_OP\_1011 DLSC-SD F INTEGER 9

DATE SECONDARY OUTPUT

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY OUTPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1012 AC-NO-7 DLSC-SD V 9000

NATO AC 135 NO7 DATA

A GROUP OF DATA SUBMITTED IN SUPPORT OF A CODIFICATION REQUEST FROM A NATO/FG TO THE U.S. IT CONSISTS OF INFORMATION THAT WILL AID IN CATALOGING, SUCH AS, THE CONTRACT NUMBER OR END ITEM APPLICATION.

1013 DT-TRAN-DSK-CD-CHNG DT\_DSK\_CD\_CHG\_1013 DLSC-SD F INTEGER 9

DATE TRANSACTION DESK CODE CHANGE

JULIAN YEAR AND DAY WHEN THE DESK CODE IS CHANGED IN THE NATO MASTER TRACKING FILE.

1015 DOC-CTL-NBR DOC\_CTL\_NBR\_1015 DLSC-SB F CHAR 16

DOCUMENT CONTROL NUMBER

A DATA CHAIN GENERATED FOR INPUT AND PERPETUATED IN OUTPUT PACKAGES. THE COMPONENTS OF THIS CHAIN ARE DRNs 4210, 3720, 2310 AND 1000. THIS COMBINATION WILL CREATE A UNIQUE IDENTIFYING NUMBER FOR IMMEDIATE IDENTIFICATION OF EACH TRANSACTION PACKAGE. THE DOCUMENT CONTROL NBR REMAINS THE SAME FOR A SINGLE PACKAGE AND SHALL NOT BE CHANGED BY THE SUBMITTING ACTIVITY WHEN THE SUBMITTER IS OTHER THAN THE ORIGINATOR. THE DOCUMENT CONTROL NBR ALWAYS REMAINS THE SAME AND STAYS WITH THE ITEM UNTIL COMPLETED.

1016 DT-RTC DT\_RTC\_1016 DLSC-SD F INTEGER 9

DATE RETURN TO COUNTRY

JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE RETURN TO COUNTRY CODE IS INPUT TO THE NATO MASTER TRACKING FILE.

1017 OUT-TO-MFR-CD OUT\_TO\_MFR\_CD\_1017 DLSC-V F CHAR 1

OUT TO MANUFACTURER CODE

A CODE TO INDICATE THE STATUS OF THE ITEM. AN X INDICATES THAT ITEM WAS SENT TO MANUFACTURER. A BLANK INDICATES ITEM WAS NOT SENT TO MANUFACTURER.

1019 DT-TRAN-RD DLSC-SD F 5

DATE TRANSACTION READ

JULIAN DATE MECHANICALLY GENERATED WHEN A LSA TRANSACTION IS READ INTO THE NATO MASTER TRACKING FILE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1024	NATO-FGN-GOVT-TRANS-PR NATO FOREIGN GOVERNMENT TRANSACTION PRICE THE DOLLAR AMOUNT CHARGED BASED ON THE TYPE OF CATALOGING TRANSACTION PROCESSED.	NATO_FG_TR_P_1024	DLSC-SD	F DECIMAL	7
1026	WRKLD-CNT WORKLOAD COUNT A COUNT OF THE QUANTITY OF TRANSACTIONS TO WORK CURRENTLY ASSIGNED TO A BRANCH, TEAM, OR TECHNICIAN.	WRKLD_CNT_1026	DLSC-SD	V INTEGER	5
1027	CNTRL-NBR-FMS CONTROL NUMBER FOREIGN MILITARY SALES A UNIQUE IDENTIFYING NUMBER USED FOR CONTROL PURPOSES.		DLSC-SD	F	8
1028	SUPLMNTY-DIC-IP SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT THE DOCUMENT IDENTIFIER CODE SUBMITTED TO THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A PREVIOUSLY SUBMITTED CATALOGING TRANSACTION.	SUPL_DIC_IP_1028	DLSC-SD	F CHAR	3
1029	SUPLMNTY-DIC-OP SUPPLEMENTARY DOCUMENT IDENTIFIER CODE OUTPUT THE DOCUMENT IDENTIFIER CODE OUTPUT BY THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A PREVIOUSLY SUBMITTED SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT.	SUPL_DIC_OP_1029	DLSC-SD	F CHAR	3
1031	DT-PRCSD DATE PROCESSED THE YEAR AND JULIAN DAY DENOTING THE DATE THAT PROCESSING WAS PERFORMED FOR A SPECIFIC CATALOGING TRANSACTION.	DT_PRCSD_1031	DLSC-SD	F INTEGER	9
1035	MODE-TYP MODE TYPE A CODE IN ADP GUIDE WHICH REFLECT THE IDENTIFICATION LIST (IL) PRINT POSITION OF THE REQUIREMENTS PERMISSIBLE MODE CODE VARIABLE REPLY PORTION, WHEN THE REPLY CONSTITUTES MULTIPLE DATA ELEMENTS COMPRISING A DATA CHAIN FOR MODE CODE "J" ONLY. THE ABSENCE OF THIS CODE INDICATES THAT THE VARIABLE REPLY PORTION WILL NOT BE PRINTED IN THE IL.		DLSC-SB	F	1
1036	DT-FLGD-FOR-BLNG DATE FLAGGED FOR BILLING THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED AND SCHEDULED TO BE INCLUDED ON THE NEXT BILLING LISTING.	DT_FOR_BLNG_1036	DLSC-SD	F INTEGER	9
1041	DT-BILD DATE BILLED THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WAS INCLUDED IN A BILLING LISTING.	DT_BILD_1041	DLSC-SD	F INTEGER	9
1042	DT-FLGD-FOR-PURGE DATE FLAGGED FOR PURGE JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED, BILLED AND SCHEDULED TO BE DELETED FROM THE CONTROL FILE.	DT_FOR_PRG_1042	DLSC-SD	F INTEGER	9
1043	DT-DELNQNT DATE DELINQUENT	DT_DELNQNT_1043	DLSC-SD	F INTEGER	9

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE LAST NUMERIC OF THE YEAR AND THE JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WILL BECOME DELINQUENT.

1044 DT-FLGD-FOR-RTC DT\_FOR\_RTC\_1044 DLSC-SD F INTEGER 9  
DATE FLAGGED FOR RETURN TO COUNTRY  
JULIAN YEAR AND DAY A CATALOGING TRANSACTION WAS RETURNED TO THE SUBMITTING COUNTRY AND SCHEDULED FOR INCLUSION ON THE NEXT BILLING LISTING.

1045 ITM-NBR DLSC-V F 2  
ITEM NUMBER  
A NUMERICAL DESIGNATION ASSIGNED TO EACH ITEM ON A PUBLICATION PAGE.

1047 SCRNG-KEY-CODE SCR\_KEY\_CD\_1047 DLSC-SC F CHAR 1  
SCREENING SEARCH KEY CODE  
A LETTER OR NUMBER THAT IDENTIFIES CHARACTERISTICS WHICH WILL BE USED IN GENERATING A SCREENING KEY.

1051 DT-PURGED DT\_PURGED\_1051 DLSC-SD F INTEGER 9  
DATE PURGED  
JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION WAS DELETED FROM THE CONTROL FILE.

1052 DIC-OP DIC\_OP\_1052 DLSC-SD F CHAR 3  
DOCUMENT IDENTIFIER CODE OUTPUT  
THE DOCUMENT IDENTIFIER CODE OUTPUT BY THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A CATALOGING TRANSACTION.

1058 DT-INTO-SYS DT\_INTO\_SYS\_1058 DLSC-S F DATE 5  
DATE INTO SYSTEM  
THE YEAR AND JULIAN DATE THAT THIS ACTION ENTERED THE SYSTEM.

1061 VAR-DATA-CHAR-CTR DLSC-V F 4  
VARIABLE DATA CHARACTER COUNTER  
A FOUR POSITION COUNTER USED TO HOLD COUNT OF NUMBER OF CHARACTERS IN A VARIABLE FIELD OF DATA IN A GIVEN DATA RECORD.

1062 H2-H3-PUBS-ID DLSC-V F 3  
H2-H3 PUBLICATIONS IDENTIFIER  
THIS FIELD IS USED BY THE H2-H3 MICROFICHE FORMAT PROGRAM TO DETERMINE WHICH PUBLICATION FORMAT IS TO BE USED.

1063 AMMO-GNC-DESC-CTR DLSC-V F 4  
AMMUNITION GENERIC DESCRIPTION COUNTER  
A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE AMMUNITION GENERIC CHARACTER COUNTER. IT IS USED AS A CONTROL IN FORMATTING THE H3 ALPHABETIC AND H3 NUMERIC SECTION DATA FOR MICROFICHE.

1064 H3-SRTD-NMC-DATA DLSC-V F 2005  
H3 SORTED NUMERIC DATA  
THIS IS A RECORD CONTAINING FORMATTED H3 NUMERIC DATA SORTED IN FSC-AMMO CODE SEQUENCE.

1065 H3-ALPHA-EXTR DLSC-V V 2004  
ALPHABETIC EXTRACT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE ALPHABETIC SECTION OF THE H3 PUBLICATION.

1066 H3-NMC-EXTR DLSC-V V 2004  
H3 NUMERIC EXTRACT

THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE NUMERIC SECTION OF THE H3 PUBLICATION.

1067 SRT-CTL-DATA DLSC-V V 200  
SORT CONTROL DATA

A DATA FIELD APPENDED TO A TRANSITORY RECORD OR MASTER FILE RECORD FOR PURPOSE OF SORT CONTROL. THIS 200 POSITION DATA ELEMENT IS FURTHER QUALIFIED BY USE OF SORT CONTROL CHARACTER OCCURRING 200 TIMES. REFERENCE PDRN 031A.

1068 TYPCL-NM-CHAR-CTR DLSC-V F 4  
TYPICAL NAME CHARACTER COUNTER

A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE TYPICAL NAME AND IS USED AS A CONTROL IN FORMATTING THE H2-2 AND H2-3 DATA FOR MICROFICHE.

1070 PKG-SEQ-NBR PKG\_SEQ\_NBR\_1070 DLSC-SC F CHAR 3  
PACKAGE SEQUENCE NUMBER (PSN)

A CONTROL NUMBER USED TO SEQUENCE AND INDICATE THE NUMBER OF RECORDS IN A DIDS INPUT OR OUTPUT PACKAGE.

1071 LST-KWN-SOS LST\_KWN\_SOS\_1071 DLSC-SBA F CHAR 3  
LAST KNOWN SOURCE OF SUPPLY

A CODE WHICH IDENTIFIES THE LAST KNOWN SOURCE OF SUPPLY FOR A CANCELLED INACTIVE, OR NO USER ITEM. IT WILL CONSIST OF EITHER A SOURCE OF SUPPLY CODE OR A PSEUDO SOURCE OF SUPPLY CODE.

1076 PAS-IDEN-CD DLSC-V F 4  
PASSTHROUGH IDENTIFICATION CODE

A FOUR (4) POSITION CODE THAT IDENTIFIES A TRANSACTION AS A PASSTHROUGH INFORMATION REQUEST. THE CODE WILL ALWAYS BE PAS\_ WITH A BLANK IN THE LAS POSITION.

1077 PG-NBR DLSC-S F 5  
PAGE NUMBER

A NUMERICAL DESIGNATION USED TO NUMBER PUBLICATION PAGES.

1078 TBL-COL-NBR TBL\_COL\_NBR\_1078 DLSC-S V CHAR 8  
TABLE COLUMN NUMBER

NUMBER FOR EACH COLUMN IN A TABLE.

1079 TBL-ELE-IDEN TBL\_ELE\_IDEN\_1079 DLSC-S V CHAR 24  
TABLE ELEMENT IDENTIFICATION

IDENTIFIES EACH ELEMENT CONTAINED IN A COLUMN OR TABLE. LINKS TABLE DEFINITION TO LOGICAL ENTITIES WHERE DATA RESIDES AND LINKS THE ELEMENTS TO THE DATA DICTIONARY.

1081 ADRS-CD ADRS\_CD\_1081 DLSC-VO F CHAR 9  
ADDRESS CODE

KEY FOR ADDRESS ENTITY: FIRST 4 POSITIONS: DERIVED FROM OFFICE SYMBOL NEXT 2 POSITIONS: DERIVED FROM STREET ADDRESS NEXT 2 POSITIONS: DERIVED FROM ZIP CODE LAST POSITION: USED TO ASSURE UNIQUENESS

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1082	ST-ADRS-1 STREET ADDRESS LINE 1 FIRST LINE OF CLEAR TEXT STREET ADDRESS OR POST OFFICE BOX.	ST_ADRS_1_1082	DLSC-V	F CHAR	36
1083	ST-ADRS-2 STREET ADDRESS LINE 2 SECOND LINE OF CLEAR TEXT STREET ADDRESS.	ST_ADRS_2_1083	DLSC-V	F CHAR	36
1084	CITY CITY CITY PORTION OF AN ADDRESS.	CITY_1084	DLSC-V	F CHAR	36
1085	CNTRY COUNTRY COUNTRY PORTION OF AN ADDRESS. ONLY NECESSARY FOR FOREIGN ADDRESSES.	CNTRY_1085	DLSC-V	F CHAR	36
1086	ADRS-NM-CLR-TXT CLEAR TEXT NAME LINE USED FOR INPUT OF CLEAR TEXT ADDRESS RECIPIENT NAME INFORMATION. USED IN COMBINATION WITH ADRS-NM-LN-N0.	ADRS_NM_C_TXT_1086	DLSC-V	F CHAR	36
1087	ADRS-NM-LN-NO LINE NUMBER FOR CLEAR TEXT NAME INFORMATION USED FOR NUMBERING THE LINES USED AS CLEAR TEXT NAME INFORMATION FOR ADDRESSES. USED IN COMBINATION WITH ADRS-NM-CLR-TXT.	ADRS_NM_LN_NO_1087	DLSC-V	F CHAR	2
1088	TEL-NBR-TYP-CD TYPE OF PHONE NUMBER CODE THIS CODE WILL BE USED TO IDENTIFY THE TYPE OF TELEPHONE NUMBER IDENTIFIED IN THE TEL-NBR ELEMENT (DRN 1359). SEE VOLUME 10, TABLE 205 AND QUICK INFO ON-LINE.	TEL_NBR_TYP_1088	DLSC-V	F CHAR	1
1089	EDT-IND-KEY EDIT INDICATOR KEY A DETERMINER THAT INDICATES IF AN INPUT DATA RECORD NUMBER IS TO BE EDITED.	EDT_IND_KEY_1089	DLSC-SB	V CHAR	9
1092	F-OR-V-KEY FIXED OR VARIABLE KEY A DETERMINER THAT INDICATES IF AN INPUT TRANSACTION IS IN A FIXED OR VARIABLE MODE.	F_OR_V_KEY_1092	DLSC-SB	V CHAR	8
1093	TM-TRAN-STD-PROC TIME TRANSACTION STARTED PROCESSING THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH AN INPUT TRANSACTION IS RECOGNIZABLE AS EXISTING BY TRANSACTION MANAGEMENT.	TM_STD_PROC_1093	DLSC-SB	F DATE	17
1094	TM-TRAN-RLS-APPL TIME TRANSACTION RELEASED TO APPLICATION THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH AN INPUT TRANSACTION IS RELEASED TO THE TRANSACTION DATA STORE.	TM_RLS_APPL_1094	DLSC-SB	F DATE	17
1095	TM-APPL-COMP-TRAN	TM_APPL_COMP_1095	DLSC-SB	F DATE	17

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME APPLICATION COMPLETED TRANSACTION

THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH A TRANSACTION HAS COMPLETED APPLICATION PROCESSING AND IS AVAILABLE FOR TRANSACTION MANAGEMENT OUTPUT PROCESSING.

1096 TM-TRAN-COMP-PROC TM\_COMP\_PROC\_1096 DLSC-SB F DATE 17

TIME TRANSACTION COMPLETED PROCESSING

THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH A TRANSACTION HAS COMPLETED PROCESSING IN TRANSACTION MANAGEMENT AND IS OUTPUT FROM PROCESSING.

1097 DATA-ELE-START-POS DE\_START\_POS\_1097 DLSC-SB F CHAR 4

DATA ELEMENT START POSITION

START POSITION OF A DATA ELEMENT WITHIN A SEGMENT OF A TRANSACTION.

1101 USR-CD USR\_CD\_1101 DLSC-V F CHAR 8

USER CODE

A CODE USED FOR THE PURPOSE OF IDENTIFYING AN INDIVIDUAL AND DETERMINING WHAT THAT INDIVIDUAL CAN ACCESS IN THE ONLINE ENVIRONMENT.

1102 REMOT-OTPT-DATA-REQ-CD DLSC-V F 12

REMOTE OUTPUT DATA REQUEST CODE

THIS FIELD IS USED ON INPUT TO DETERMINE WHAT INFORMATION A PARTICULAR ONLINE APPLICATION IS ASKING FOR. AN X WILL INDICATE A REQUEST FOR A PARTICULAR "SEGMENT(S)". ANY OTHER TYPE OF CHARACTER WILL INDICATE A REQUEST FOR DATA OTHER THAN THE "SEGMENTS".

1103 RESP-CD DLSC-V F 2

PASSTHROUGH RESPONSE CODE

A CODE USED IN PASSTHROUGH THAT INDICATES TO THE FIELD COMPUTER WHAT TYPE OF DATA IS COMING BACK FROM DLSC.

1104 TYP-OF-INQ-CD DLSC-V F 1

TYPE OF INQUIRY CODE

A CODE USED IN PASSTHROUGH THAT THE FIELD DATA BASE SUBMITS THAT INDICATES WHAT TYPE OF INQUIRY THAT THEY WANT TO PERFORM. N = NIIN INQUIRY, C - CAGE CODE/PART NUMBER INQUIRY, D = CAGE CODE/PARTIAL PART NUMBER INQUIRY, P = PART NUMBER INQUIRY, AND S = PARTIAL PART NUMBER INQUIRY.

1105 MSG-CD MSG\_CD\_1105 DLSC-S F CHAR 4

MESSAGE CODE

A CODE WHICH REFERS TO A CLEARTXT MESSAGE SENT TO THE USER OF A SYSTEM. THE CLEARTXT IS MESSAGE (MSG) DRN 0983.

1107 BATCH-STAT-CNTR BTCH\_STAT\_CTR\_1107 DLSC-SB F 9

BATCH-STATISTICS-COUNTER

THIS COUNTER IS USED FOR COUNTING REJECTS, NIINS MATCHED, OR OUTPUT DICS FOR LTI, LSN, LSR, LSF AND DAAS TRANSACTIONS.

1108 PGM-ID PGM\_ID\_1108 DLSC-S F CHAR 8

PROGRAM IDENTIFIER

A CODE USED TO IDENTIFY AND NAME LIBRARY AND SOFTWARE SYSTEMS. IT SPECIFIES THE PROGRAM AREA, SYSTEM, SUBSYSTEM, APPLICATION, PROGRAM AND MODULE.

1109 MOE-CUR-ADD-CT MOE\_CR\_ADD\_CT\_1109 DLSC-SBA F INTEGER 5

MORE CURREND ADD COUNT

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF NEW MOE RULE RECORDS ADDED TO THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATED ADD ACTION, FOR A PARTICULAR TIME FRAME.

1116 MOE-CUR-ADD-ERR-CT MOE\_CR\_ADD\_ER\_1116 DLSC-SBA F INTEGER 5  
MOE CURRENT ADD ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING MOE RULE RECORDS TO THE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION FOR A PARTICULAR TIME FRAME.

1117 MOE-CUR-CHG-CT MOE\_CR\_CHG\_CT\_1117 DLSC-SBA F INTEGER 5  
MOE CURRENT CHANGE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS CHANGED ON THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE CHANGE PROCESSING ACTION FOR A PARTICULAR TIME FRAME.

1118 MOE-CUR-CHG-ERR-CT MOE\_CR\_CHG\_ER\_1118 DLSC-SBA F INTEGER 5  
MOE CURRENT CHANGE ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF CHANGING MOE RULE RECORDS ON THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1119 MOE-CUR-DEL-CT MOE\_CR\_DEL\_CT\_1119 DLSC-SBA F INTEGER 5  
MOE CURRENT DELETE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS DELETED FROM THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

1120 SUBMR-CTL-NBR SUBMR\_CTL\_NBR\_1120 DLSC-SB F CHAR 17  
SUBMITTER CONTROL NUMBER

A NUMBER PECULIAR TO PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS WHICH IS USED TO CONTROL AND SEQUENCE TRANSACTIONS IN A SCREENING INPUT/OUTPUT SUBMITTAL PACKAGE. THE LETTERS Y OR Z MAY NOT BE USED IN THE FIRST POSITION OF THE SUBMITTERS CONTROL NUMBER.

1121 LRN-NIIN-INQ-DLY-TOT LRN\_STAT\_CNT\_1121 DLSC-V F INTEGER 8  
LOGRUN NIIN INQUIRY DAILY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1122 LRN-NIIN-INQ-WKLY-TOT DLSC-V F 8  
LOGRUN NIIN INQUIRY WEEKLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1123 LRN-NIIN-INQ-MTHLY-TOT DLSC-V F 8  
LOGRUN NIIN INQUIRY MONTHLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1124 LRN-NIIN-INQ-QTRLY-TOT DLSC-V F 8  
LOGRUN NIIN INQUIRY QUARTERLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER.

1125 LRN-NIIN-INQ-YRLY-TOT DLSC-V F 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## LOGRUN NIIN INQUIRY YEARLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1126 LRN-PROC-CAN-DLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

1127 LRN-RNL-CAN-DLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1128 LRN-FSG-FSC-ITM-NM-CAN-D DLSC-V F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC-ITEM NAME IS ACCESSED DAILY BY CUSTOMER ACCOUNT NUMBER.

1129 LRN-RNL-CAN-MTHLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1130 LRN-RNL-CAN-QTRLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1131 LRN-RNL-CAN-YRLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1132 LRN-RNL-ACTY-DLY LRN\_STAT\_CNT\_1132 DLSC-V F INTEGER 8  
LOGRUN REF NBR LOG INQ ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1133 LRN-RNL-ACTY-WKLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1134 LRN-RNL-ACTY-MTHLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1135 LRN-RNL-ACTY-QTRLY DLSC-V F 8  
LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1136 LRN-RNL-ACTY-YRLY  
LOGRUN REF NBR LOG INQ ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRY BY ACTIVITY.

DLSC-V F 8

1137 LRN-RNL-DEPT-DLY  
LOGRUN REF NBR LOG INQ DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

LRN\_STAT\_CNT\_1137 DLSC-V F INTEGER 8

1138 LRN-RNL-DEPT-WKLY  
LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

DLSC-V F 8

1139 LRN-RNL-DEPT-MTHLY  
LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

DLSC-V F 8

1140 LRN-RNL-DEPT-QTRLY  
LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

DLSC-V F 8

1141 LRN-RNL-DEPT-YRLY  
LOGRUN REF NBR LOG INQ DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

DLSC-V F 8

1142 LRN-RNL-DLY-TOT  
LOGRUN REF NBR LOG INQ DAILY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

LRN\_STAT\_CNT\_1142 DLSC-V F INTEGER 8

1143 LRN-RNL-WKLY-TOT  
LOGRUN REF NBR LOG INQ WEEKLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

DLSC-V F 8

1144 LRN-RNL-MTHLY-TOT  
LOGRUN REF NBR LOG INQ MONTHLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

DLSC-V F 8

1145 LRN-RNL-QTRLY-TOT  
LOGRUN REF NBR LOG INQ QUARTERLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

DLSC-V F 8

1146 LRN-RNL-YRLY-TOT  
LOGRUN REF NBR LOG INQ YEARLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

DLSC-V F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1147 LRN-PROC-CAN-WKLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

1148 LRN-P-RNL-CAN-DLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1149 LRN-P-RNL-CAN-WKLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1150 LRN-P-RNL-CAN-MTHLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1151 LRN-P-RNL-CAN-QTRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1152 LRN-P-RNL-CAN-YRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1153 LRN-P-RNL-ACTY-DLY LRN\_STAT\_CNT\_1153 DLSC-V F INTEGER 8  
LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1154 LRN-P-RNL-ACTY-WKLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS BY ACTIVITY.

1155 LRN-P-RNL-ACTY-MTHLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1156 LRN-P-RNL-ACTY-QTRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ ACTIVITY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1157 LRN-P-RNL-ACTY-YRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1158 LRN-P-RNL-DEPT-DLY LRN\_STAT\_CNT\_1158 DLSC-V F INTEGER 8  
LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1159 LRN-P-RNL-DEPT-WKLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1160 LRN-P-RNL-DEPT-MTHLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1161 LRN-P-RNL-DEPT-QTRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1162 LRN-P-RNL-DEPT-YRLY DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1163 LRN-P-RNL-DLY-TOT LRN\_STAT\_CNT\_1163 DLSC-V F INTEGER 8  
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1164 LRN-P-RNL-WKLY-TOT DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1165 LRN-P-RNL-MTHLY-TOT DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1166 LRN-P-RNL-QTRLY-TOT DLSC-V F 8  
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1167 LRN-P-RNL-YRLY-TOT DLSC-V F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1168 LRN-NM-NIIN-CAN-DLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1169 LRN-NM-NIIN-CAN-WKLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1170 LRN-NM-NIIN-CAN-MTHLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1171 LRN-NM-NIIN-CAN-QTRLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1172 LRN-NM-NIIN-CAN-YRLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1173 LRN-NM-NIIN-ACTY-DLY LRN\_STAT\_CNT\_1173 DLSC-V F INTEGER 8  
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1174 LRN-NM-NIIN-ACTY-WKLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1175 LRN-NM-NIIN-ACTY-MTHLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1176 LRN-NM-NIIN-ACTY-QTRLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1177 LRN-NM-NIIN-ACTY-YRLY DLSC-V F 8  
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1178 LRN-NM-NIIN-DEPT-DLY LRN\_STAT\_CNT\_1178 DLSC-V F INTEGER 8  
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1179	LRN-NM-NIIN-DEPT-WKLY		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.					
1180	LRN-NM-NIIN-DEPT-MTHLY		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.					
1181	LRN-NM-NIIN-DEPT-QTRLY		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.					
1182	LRN-NM-NIIN-DEPT-YRLY		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.					
1183	LRN-NM-NIIN-DLY-TOT	LRN_STAT_CNT_1183	DLSC-V	F INTEGER	8
LOGRUN NAME TO NIIN INQ DAILY TOTAL					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.					
1184	LRN-NM-NIIN-WKLY-TOT		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.					
1185	LRN-NM-NIIN-MTHLY-TOT		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.					
1186	LRN-NM-NIIN-QTRLY-TOT		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.					
1187	LRN-NM-NIIN-YRLY-TOT		DLSC-V	F	8
LOGRUN NAME TO NIIN INQ YEARLY TOTAL					
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.					
1188	LRN-CHS-CAN-DLY		DLSC-SC	F	8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY					
THE NUMBER OF TIMES LOGRUN IS ACCESSES DAILY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.					
1189	LRN-CHS-CAN-WKLY		DLSC-SC	F	8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY					
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1190	LRN-CHS-CAN-MTHLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.					
1191	LRN-CHS-CAN-QTRLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY					
	THE NUMBER OT TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.					
1192	LRN-CHS-CAN-YRLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERICS DATA BY CUSTOMER ACCOUNT NUMBER.					
1193	LRN-CHS-ACTY-DLY	LRN_STAT_CNT_1193	DLSC-SC	F	INTEGER	8
	LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY					
	THE NUMERB OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY ACTIVITY.					
1194	LRN-CHS-ACTY-WKLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY ACTIVITY.					
1195	LRN-CHS-ACTY-MTHLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY ACTIVITY.					
1196	LRN-CHS-ACTY-QTRLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY ACTIVITY.					
1197	LRN-CHS-ACTY-YRLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY ACTIVITY.					
1198	LRN-CHS-DEPT-DLY	LRN_STAT_CNT_1198	DLSC-SC	F	INTEGER	8
	LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT.					
1199	LRN-CHS-DEPT-WKLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT.					
1200	LRN-CHS-DEPT-MTHLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY DEPARMENT MONTHLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISITCS DATA BY DEPARTMENT.					
1201	LRN-CHS-DEPT-QTRLY		DLSC-SC	F		8
	LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY					
	THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1202 LRN-CHS-DEPT-YRLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1203 LRN-CHS-TOT-DLY LRN\_STAT\_CNT\_1203 DLSC-SC F INTEGER 8  
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1204 LRN-CHS-TOT-WKLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1205 LRN-CHS-TOT-MTHLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1206 LRN-CHS-TOT-QTRLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1207 LRN-CHS-TOT-YRLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1208 LRN-CHS-H-CAN-DLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1209 LRN-CHS-H-CAN-WKLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1210 LRN-CHS-H-CAN-MTHLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1211 LRN-CHS-H-CAN-QTRLY DLSC-SB F 8  
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACERTISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1212 LRN-CHS-H-CAN-YRLY DLSC-SC F 8  
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY



THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1224	LRN-CHS-H-TOT-WKLY	DLSC-SC	F	8
------	--------------------	---------	---	---

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

## LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1225 LRN-CHS-H-TOT-MTHLY DLSC-SC F 8

## LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1226 LRN-CHS-H-TOT-QTRLY DLSC-SC F 8

## LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1227 LRN-CHS-H-TOT-YRLY DLSC-SC F 8

## LOGRUN CHARACTERISTIC HELP TOTAL YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISITICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1228 TYPE-II-1A-B33 DLSC-SBA F 8

## TYPE ITEM IDENTIFICATION 1A-B33

TYPE II 1A FOR DRN 1226, QUANTITY NSNS FSC DEPARTMENT ACTIVITY TYPE II-B33.

1229 LRN-FSG-FSC-ITM-NM-CAN-W DLSC-SC F 8

## LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY CUSTOMER ACCOUNT NUMBER.

1230 LRN-FSG-FSC-ITM-NM-CAN-M DLSC-SC F 8

## LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY CUSTOMER ACCOUNT NUMBER.

1231 LRN-FSG-FSC-ITM-NM-CAN-Q DLSC-SC F 8

## LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY CUSTOMER ACCOUNT NUMBER.

1232 LRN-FSG-FSC-ITM-NM-CAN-Y DLSC-SC F 8

## LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY CUSTOMER ACCOUNT NUMBER.

1233 LRN-FSG-FSC-ITM-NM-ACT-D LRN\_STAT\_CNT\_1233 DLSC-SC F INTEGER 8

## LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY ACTIVITY.

1236 MSTR-IDEN-NBR-DWG-CR DLSC-V F 14

## MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE

THE NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING. THE NATIONAL STOCK NUMBER IS A PART OF THIS NUMBER.

1237 MSTR-FSC-DWG-CR DLSC-V F 5

## MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FEDERAL SUPPLY CLASS IS THE CODE USED FOR CLASSIFYING AND GROUPING RELATED ITEMS OF SUPPLY WHICH IS PART OF THE DRAWING IDENTIFICATION NUMBER.

1238 MSTR-IDEN-CT-DWG-CR DLSC-V F 1  
MASTER IDENTIFICATION COUNT, DRAWING CROSS-REFERENCE  
THE VARIABLE QUANTITY OF DRAWING ILLUSTRATING THE ITEM IDENTIFIED BY THE MASTER IDENTIFICATION NUMBER.

1239 MSTR-NIIN-DWG-CR DLSC-V F 9  
MASTER NIIN DRAWING CROSS REFERENCE  
THE NATIONAL ITEM IDENTIFICATION NUMBER IS THE UNIQUE NUMBER THAT IS USED WITH A DRAWING IDENTIFICATION NUMBER TO ESTABLISH IT TO THE FILE.

1240 SEQ-NBR-DWG-CR DLSC-V F 2  
SEQUENCE NUMBER, DRAWING CROSS REFERENCE  
A TWO DIGIT NUMBER INDICATING THE NUMBER OF DRAWINGS THAT ARE APPLICABLE TO A NIIN.

1241 RPLM-IDEN-NBR-DWG-CR DLSC-V F 14  
REPLACEMENT IDENTIFICATION NUMBER, DRAWING CROSS-REFERENCE  
THIS IS THE IDENTIFICATION NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING.

1242 DWG-DTL DLSC-SB V 7966  
DRAWING DETAIL  
THE REPRESENTATION OF A LINE DRAWING IN DIGITIZED FORM.

1243 IDEN-NBR-PRFX-DWG-CR DLSC-V F 1  
IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE  
DDR-NIIN-XREF-MASTER-FILE CONTAINS NIIN DRAWINGS AND FIIG DRAWINGS. THIS FIELD INDICATES THE TYPE OF DRAWING.

1244 MAINT-CD-DWG-CR DLSC-V F 1  
MAINTENANCE CODE, DRAWING CROSS-REFERENCE  
THIS CODE IDENTIFIES THE TYPE OF MAINTENANCE ACTION BEING DONE. E=ESTABLISHMENT OF DRAWING ON CROSS-REFERENCE FILE. D=DELETION OF DRAWING ON CROSS-REFERENCE FILE. C=CHANGE ON DRAWING FILE. R=REPLACEMENT OF DRAWING ID NUMBER. L=DELETION ON DRAWING FILE.

1245 REPT-TITLE-TRANS-QTY DLSC-SBA F 8  
REPOSITORY TITLE TRANSACTION QUANTITY  
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY REPOSITORY.

1246 REPT-TITLE-ERR-TRANS-QTY DLSC-SBA F 8  
REPOSITORY TITLE ERROR TRANSACTION QUANTITY  
THE NUMBER OF REPOSITORY TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY REPOSITORY.

1247 REPT-TITLE-ADD-TRANS-QTY DLSC-SBA F 8  
REPOSITORY TITLE ADD TRANSACTIONS QUANTITY  
THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY REPOSITORY.

1248 REPT-TITLE-DEL-TRANS-QTY DLSC-SBA F 8  
REPOSITORY TITLE DELETE TRANSACTION QUANTITY  
THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY REPOSITORY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1249 REPT-TITLE-PREV-QTY DLSC-SBA F 8  
REPOSITORY TITLE PREVIOUS QUANTITY  
THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY REPOSITORY.

1250 REPT-TITLE-CUR-QTY DLSC-SBA F 8  
REPOSITORY TITLE CURRENT QUANTITY  
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY REPOSITORY.

1251 REPT-TITLE-PCT-OF-CHG DLSC-SBA F 8  
REPOSITORY TITLE PERCENT OF CHANGE  
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.  
THESE COUNTS ARE BROKEN OUT BY REPOSITORY.

1252 REPT-UNDEFN-MAINT-QTY DLSC-SBA F 8  
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY  
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS,  
PART NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY REPOSITORY.

1258 MDLS-REP-DA-COUNT MDLS\_R\_DA\_CT\_1258 DLSC-VP F INTEGER 9  
MEDALS REPOSITORY DATA ASSET COUNT  
THE TOTAL NUMBER OF DATA ASSETS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1259 MDLS-REP-PN-COUNT MDLS\_R\_PN\_CT\_1259 DLSC-VP F INTEGER 9  
MEDALS REPOSITORY PART NUMBER COUNT  
THE TOTAL NUMBER OF PART NUMBERS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1260 MDLS-REP-NIIN-COUNT MDLS\_R\_NIINCT\_1260 DLSC-VP F INTEGER 9  
MEDALS REPOSITORY NIIN COUNT  
THE TOTAL NUMBER OF NIINS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1261 MDLS-REP-TITLE-COUNT MDLS\_R\_TITLCT\_1261 DLSC-VP F INTEGER 9  
MEDALS REPOSITORY TITLE COUNT  
THE TOTAL NUMBER OF TITLES RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1262 MEDALS-AVG-IQY-RETM DLSC-SBA F 8  
MEDALS AVERAGE INQUIRY RESPONSE TIME  
THE AVERAGE RESPONSE TIME FOR AN INQUIRY TO MEDALS.

1265 TIME-RANGE-1-10-2 DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS 2  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1264, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1266 TIME-RANGE-11-30-2 DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS 2  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1267 TIME-RANGE-OVER-30-2 DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS 2

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1268 SA-AVG-IQY-RETM DLSC-SBA F 8  
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME  
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BY SERVICE/AGENCY.

1271 TIME-RANGE-1-10-3 DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS 3  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1270, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1272 TIME-RANGE-11-30-3 DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS 3  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1273 TIME-RANGE-OVER-30-3 DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS 3  
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1274 REPT-AVG-IQY-RETM DLSC-SBA F 8  
REPOSITORY AVERAGE INQUIRY RESPONSE TIME  
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY REPOSITORY.

1276 T-TERMINAL-IQY-RETM DLSC-SBA F 8  
TOTAL TERMINAL INQUIRY RESPONSE TIME  
THE TOTAL NUMBER OF INQUIRIES THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1 TO 10 SECONDS, 11 TO 30 SECONDS AND OVER 30 SECONDS.

1277 TIME-RANGE-1-10-4 DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS 4  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1278 TIME-RANGE-11-30-4 DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS 4  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1279 TIME-RANGE-OVER-30-4 DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS 4  
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1280 TRML-AVG-IQY-RETM DLSC-SBA F 8  
TERMINAL AVERAGE INQUIRY RESPONSE TIME  
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY TERMINAL.

1281 T-TRML-INQUIRIES DLSC-SBA F 8  
TOTAL TERMINAL INQUIRIES  
THE TOTAL NUMBER OF INQUIRIES BROKEN OUT BY TERMINAL.

1282 IN-THE-CLR-MLNG-ADRS CLR\_MLNG\_ADRS\_1282 DLSC-V F VARCHAR 48

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## IN THE CLEAR MAILING ADDRESS

A CLEAR TEXT ADDRESS OF AN AMLS USER THAT RECEIVES DLSC PRODUCTS. AT LEAST TWO LINES OF ADDRESS MUST BE ENTERED INTO THE AMLS. A MAXIMUM OF 40 CHARACTERS PER LINE AND EIGHT LINES OF ADDRESS MAY BE ENTERED IN THIS AREA.

1283 DLN DLN\_1283 DLSC-V F CHAR 10  
DISTRIBUTION LIST NUMBER

A TEN POSITION ALPHA NUMERIC IDENTIFIER THAT REPRESENTS THE NUMBER ASSIGNED TO A PRODUCT.

1286 ORG-TI DLSC-SB F 48  
ORGANIZATIONAL TITLE

FIRST LINE OF IN-THE-CLEAR-MAILING-ADDRESS. NAME OF ORGANIZATION RECEIVING PRODUCTS.

1288 DIDS-NOTE-NBR DIDS\_NOTE\_NBR\_1288 DLSC-V F INTEGER 8  
DIDS NOTE NUMBER

A DESIGNATION ASSIGNED TO THE TABLE NUMBER AND TABLE NAME IN THE RESTRICTED TABLE ACCESS DATA FILE. THIS RESTRICTS ON-LINE USER INQUIRY ACCESS ONLY TO SPECIFIC TABLES, OR CATEGORIES OF TABLES, IN THE MASTER TABLE REPOSITORY.

1290 TBL-ACCS-CT-BY-USR-ID TBL\_STAT\_CNT\_1290 DLSC-V F INTEGER 8  
TABLE ACCESS COUNT BY USER IDENTIFICATION

THE NUMBER OF TIMES EACH TABLE IN THE MASTER TABLE REPOSITORY IS ACCESSED BY EACH ON-LINE MTR INQUIRY SUBMITTER OR USER (ALSO SEE TABLE ACCESS DATE).

1291 TBL-ACCS-DT TBL\_ACCS\_DT\_1291 DLSC-V F DATE 5  
TABLE ACCESS DATE

THE YEAR AND JULIAN DAY (E.G., 88018) OF TABLE ACCESS COUNT BY PROGRAM ID OR BY USER ID MADE TO EACH TABLE IN THE MASTER TABLE REPOSITORY.

1292 TBL-COL-HDRS TBL\_COL\_HDRS\_1292 DLSC-V V VARCHAR 660  
TABLE COLUMN HEADERS

THE TITLES OR NAMES THAT IDENTIFY THE DATA IN THE COLUMNS OF A TABLE. TABLE COLUMN HEADERS MAY BE STACKED, I.E., MORE THAN ONE LINE OF HEADING ABOVE THE DATA IN A COLUMN.

1293 TBL-ENTR DLSC-V F 5000  
TABLE ENTRY

A TABLE ENTRY CONTAINS A TABLE ARGUMENT AND ONE OR MORE TABLE FUNCTIONS. ALSO MAY BE A LINE OR PORTION OF A TABLE.

1294 TBL-ENTR-DT TBL\_EN\_DT\_1294 DLSC-V F DATE 5  
TABLE ENTRY DATE

THE YEAR AND JULIAN DAY (E.G., 88018) A TABLE-ENTRY WAS ORIGINALLY ENTERED, ADDED, CHANGED AND DELETED IN A GIVEN TABLE. THIS PROVIDES AN AUDIT TRAIL OF ALL CHANGES TO EACH TABLE ENTRY.

1295 TBL-ENTR-EFF-DT TBL\_EN\_EFF\_DT\_1295 DLSC-V F DATE 5  
TABLE ENTRY EFFECTIVE DATE

THE YEAR AND JULIAN DAY (E.G., 88078) ON OR AFTER WHICH A TABLE ENTRY IS AUTHORIZED FOR USE (ALSO SEE TABLE ENTRY DATE). THE EFFECTIVE DATE BEGINS AT 2400:00 HOURS (MIDNIGHT) AND CONTINUES TO 2359:59 HOURS ON THE SPECIFIED JULIAN DAY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1296 TBL-FMT-PARM TBL\_FMT\_PARM\_1296 DLSC-V V VARCHAR 500  
TABLE FORMAT PARAMETERS  
LAYOUT PICTURE FOR TABLES. USED TO EDIT ELEMENTS OR PARTS OF TABLES BEFORE INPUT TO MASTER TABLE REPOSITORY.

1298 TBL-NBR TBL\_NBR\_1298 DLSC-V F INTEGER 5  
TABLE NUMBER  
THE DESIGNATOR ASSIGNED TO A TABLE NAME.

1300 DIDS-NOTE-NAR DIDS\_NOTE\_NAR\_1300 DLSC-V V VARCHAR 1200  
DIDS NOTE NARRATIVE  
ONE OR MORE STATEMENTS PLACED AFTER THE LAST TABLE ENTRY OR TEXT OF A TABLE. MAY INCLUDE EXPLANATIONS, FOOTNOTES, ASTERISK NOTES, ETC. (ALSO SEE TABLE INTRODUCTION.)

1301 TBL-COL-WDTH TBL\_COL\_WDTH\_1301 DLSC-V V CHAR 3  
TABLE COLUMN WIDTH  
MAXIMUM WIDTH OF EACH COLUMN IN A TABLE.

1302 TBL-ROW-CT DLSC-V V 8  
TABLE ROW COUNT  
QUANTITY OF ROWS IN A TABLE OR ARRAY.

1303 TBL-VLDTY-CRITE-DATA TBL\_VLD\_CRITE\_1303 DLSC-V V VARCHAR 100  
TABLE VALIDITY CRITERIA DATA  
USED IN CONJUNCTION WITH LENGTH OF COLUMN ENTRY AND VALIDITY DESCRIPTION TYPE CODE TO DETERMINE THE VALIDITY OF AN ENTRY WHEN UPDATING. LENGTH WILL BE DETERMINED BY THE AFOREMENTIONED FIELDS.

1304 TBL-VLDTY-DESC-TYP-CD DLSC-V F 2  
TABLE VALIDITY DESCRIPTION TYPE CODE  
A CODE UTILIZED TO IDENTIFY THE TYPE OF VALIDITY CHECKS REQUIRED.

1348 DM-MAINT-SUP-CST-ORGC-FD DLSC-SB F 8  
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED  
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC FUNDED. FIELD N0 43, PART OF LABOR HOUR AND COST DATA.

1349 DM-MANT-SP-CST-ORGC-UNFD DLSC-SB F 8  
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED  
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED. FIELD N0. 44, PART OF LABOR HOUR AND COST DATA.

1355 CTY-STA-LOC DLSC-SC F 36  
CITY AND STATE LOCATION  
THE CITY AND STATE LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.

1356 MASS-CHNG-IND DLSC-SC F 1  
MASS CHANGE INDICATOR  
AN INDICATOR USED TO DENOTE CAGE RECORDS THAT HAVE BEEN CANCELLED OR REPLACED, HAVING REFERENCE NUMBERS/NIINS UNDERGOING MASS CHANGE PROCESS.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1357	AUTHZD-USR-NM AUTHORIZED USER NAME THE NAME OF AN AUTHORIZED USER OF THE DEFENSE INTEGRATED DATA SYSTEM OR ONE OF ITS SUBSYSTEMS.	AUTHZD_USR_NM_1357	DLSC-SC	F CHAR	30
1358	CO-NM COMPANY NAME THE NAME OF A COMMERICAL AND GOVERNMENT ENTITY THAT PROVIDES A SERVICE OR PRODUCT TO THE U.S. GOVERNMENT, NATO MEMBER NATIONS AND/OR FOREIGN GOVERNMENTS.	CO_NM_1358	DLSC-SC	F CHAR	36
1359	TEL-NBR TELEPHONE NUMBER THE TELEPHONE NUMBER OF COMMERICAL AND GOVERNMENT ENTITY. THIS ALSO INCLUDES THE AREA CODE.	TEL_NBR_1359	DLSC-SC	F CHAR	20
1361	POBOX POST OFFICE BOX THE POST OFFICE BOX OF A COMMERCIAL AND GOVERNMENT ENTITY.	POBOX_1361	DLSC-SC	F CHAR	36
1362	FRST-FMR-NM-LOC FIRST FORMER NAME OR LOCATION THE FIRST FORMER NAME OR LOCATION OF A COMMERCIAL OR GOVERNMENT ENTITY.		DLSC-SC	F	36
1363	SECN-FMR-NM-LOC SECOND FORMER NAME OR LOCATION THE SECOND FORMER NAME OR LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.		DLSC-SC	F	36
1364	SZ-OF-BUS-CD SIZE OF BUSINESS CODE THE CODE RECORDED IN THE CAGE MASTER FILE WHICH INDICATES THE NUMBER OF EMPLOYEES OF A PARTICULAR BUSINESS OR CORPORATE COMPLEX. SEE VOLUME 10, TABLE 199 AND QUICK INFO ON-LINE.	SZ_OF_BUS_CD_1364	DLSC-SC	F CHAR	1
1365	PRIM-BUS-CTGY-CD PRIMARY BUSINESS CATEGORY CODE A CODE RECORDED IN THE CAGE MASTER FILES DENOTING THE PRIME BUSINESS CATEGORY OF A PARTICULAR BUSINESS OR CORPORATION. SEE VOLUME 10, TABLE 200 AND QUICK INFO ON-LINE.	PR_BUS_CAT_CD_1365	DLSC-SC	F CHAR	1
1366	TYP-OF-BUS-CD TYPE OF BUSINESS CODE A CODE IN THE CAGE MASTER FILE THAT DEFINES THE DISADVANTAGED STATUS OF A BUSINESS. SEE VOLUME 10, TABLE 201 AND QUICK INFO ON-LINE.	TYP_BUS_CD_1366	DLSC-SC	F CHAR	1
1367	WMN-OWND-BUS-CD WOMAN OWNED BUSINESS CODE A CODE THAT DENOTES WHETHER A BUSINESS IS WOMAN OWNED OR NOT. VALID VALUES ARE: Y - WOMAN-OWNED BUSINESS, N - NOT WOMAN-OWNED BUSINESS	WMN_OWND_BUS_1367	DLSC-SC	F CHAR	1
1369	FIPS-CTY-CD FEDERAL INFORMATION PROCESSING STANDARD (FIPS) CITY CODE A CODE THAT NUMERICALLY REPRESENTS A CITY.	FIPS_CTY_CD_1369	DLSC-SC	F CHAR	5



# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1370	FIPS-STA-CD	FIPS_STA_CD_1370	DLSC-SC	F CHAR	2
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) STATE CODE					
A CODE THAT NUMERICALLY REPRESENTS A STATE.					
1371	FIPS-CNTY-CD	FIPS_CNTY_CD_1371	DLSC-SC	F CHAR	3
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) COUNTY CODE					
A CODE THAT NUMERICALLY REPRESENTS A COUNTY.					
1372	CANC-CAGE-CD-SUSP-DT	CAGE_SUSP_DT_1372	DLSC-SC	F INTEGER	5
CANCELLED CAGE CODE SUSPENSE DATE					
THE JULIAN DATE A CANCELLED/REPLACED CAGE CODE IS SUBMITTED OR RESUBMITTED FOR MASS CHANGE PROCESSING.					
1373	CANC-CAGE-CD-CLRD-DT		DLSC-SC	F	5
CANCELLED CAGE CODE CLEARED DATE					
THE JULIAN DATE A CANCELLED CAGE CODE NO LONGER HAS REFERENCE NUMBERS/NIINS CATALOGED AGAINST IT.					
1374	DT-DBRD-BDR-RCD-ESTB	DT_DBR_REC_ES_1374	DLSC-SC	F INTEGER	5
DATE DEBARRED BIDDER RECORD ESTABLISHED					
THE JULIAN DATE A DEBARRED BIDDER RECORD IS ESTABLISHED FOR A COMMERCIAL AND GOVERNMENT ENTITY RECORDED IN THE CAGE MASTER FILE.					
1375	DT-DBRD-BDR-RCD-CHNGD	DT_DBR_REC_CH_1375	DLSC-SC	F INTEGER	5
DATE DEBARRED BIDDER RECORD CHANGED					
THE JULIAN DATE A DEBARRED BIDDER RECORD WAS LAST CHANGED.					
1376	DATA-ELE-IMG-BEF-CHNG	DE_IMG_BEF_CG_1376	DLSC-SC	V CHAR	36
DATE ELEMENT IMAGE BEFORE CHANGE					
THE IMAGE OF A DATA ELEMENT BEFORE IT WAS CHANGED BY AN UPDATE TRANSACTION.					
1377	DATA-ELE-IMG-AFT-CHNG	DE_IMG_AFT_CG_1377	DLSC-SC	V CHAR	36
DATE ELEMENT IMAGE AFTER CHANGE					
THE IMAGE OF A DATA ELEMENT AFTER IT WAS CHANGED BY AN UPDATE TRANSACTION.					
1378	TRAN-AUD-DT	TRAN_AUD_DT_1378	DLSC-SC	F DATE	5
TRANSACTION AUDIT DATE					
THE JULIAN DATE AN AUDIT RECORD WAS CREATED FOR A TRANSACTION.					
1379	TRAN-AUD-TME	TRAN_AUD_TME_1379	DLSC-SC	F INTEGER	4
TRANSACTION AUDIT TIME					
THE TIME AN AUDIT RECORD WAS CREATED FOR A TRANSACTION					
1380	DBRMT-PPSL-INTR-SYM-MNG	DBRMT_SYM_MNG_1380	DLSC-SC	F CHAR	30
DEBARRMENT PROPOSAL INITIATORS SYMBOL MEANING					
THE CLEAR TEXT MEANING OF A DOD-DBRMT-PPSL-INTR-SYM. EX. THE MEANING FOR (DLA) WOULD BE DEFENSE LOGISTICS AGENCY. SEE DRN 0868, ALSO.					
1381	USR-ACCS-LVL	USR_ACCS_LVL_1381	DLSC-SC	F CHAR	1
USER ACCESS LEVEL					

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DETERMINES WHAT FUNCTIONS A USER CAN PERFORM ONCE HE/SHE HAS GAINED ACCESS TO THE COMMERCIAL AND GOVERNMENT ENTITY SYSTEM.

1382	CAGE-EXTR-QTY	DLSC-SC	F	5
	CAGE EXTRACT QUANTITY			
	THE NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY PACKAGES TO BE EXTRACTED FROM THE CAGE MASTER FILE FOR THE CONTRACTOR VERIFICATION PROCESS.			
1383	TOT-CAGE-TYP-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS BY TYPE CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR TYPE CODE.			
1384	TOT-CAGE-FOR-DOM-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS BY FOREIGN DOMESTIC CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR FOREIGN DOMESTIC CODE.			
1385	TOT-CAGE-MINM-ADRS-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE PRESENT.			
1386	TOT-CAGE-DATA-PROT-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE PRESENT.			
1387	TOT-CAGE-DESI-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS BY DESIGNATOR CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR DESIGNATOR CODE.			
1388	TOT-CAGE-ASSOC-CD	DLSC-SC	F	9
	TOTAL NUMBER CAGE RECORDS WITH ASSOCIATION CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH AN ASSOCIATION CODE.			
1389	TOT-CAGE-MASS-CHNG	DLSC-SC	F	9
	TOTAL NUMBER CAGE RECORDS IN PROCESS OF MASS CHANGE			
	THE TOTAL NUMBER OF CAGE RECORDS THAT HAVE BEEN CANCELLED/REPLACED HAVING REFERENCE NUMBERS/NIINS UNDERGOING MASS CHANGE PROCESS.			
1390	TOT-CAGE-STAT-CD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE			
	THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR STATUS CODE.			
1391	TOT-CAGE-RCDS-ADD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS ADDED			
	THE TOTAL NUMBER OF CAGE RECORDS ADDED DURING A PARTICULAR PERIOD OF TIME.			
1392	TOT-CAGE-RCDS-CHNGD	DLSC-SC	F	9
	TOTAL NUMBER OF CAGE RECORDS CHANGED			
	THE TOTAL NUMBER OF CAGE RECORDS CHANGED DURING A PARTICULAR PERIOD OF TIME.			

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1393	CONTR-CRTFN-ADD-COUNT	CON_CRT_ADD_1393	DLSC-SC	F INTEGER	5
CONTRACTOR CERTIFICATION ADD COUNT USED TO ACCUMULATE DAILY COUNT OF ADD TRANSACTIONS.					
1394	CONTR-CRTFN-CHG-COUNT	CON_CRT_CHG_1394	DLSC-SC	F INTEGER	5
CONTRACTOR CERTIFICATION CHANGE COUNT USED TO ACCUMULATE DAILY COUNT OF CHANE TRANSACTIONS.					
1395	CONTR-CRTFN-DEL-COUNT	CON_CRT_DEL_1395	DLSC-SC	F INTEGER	5
CONTRACTOR CERTIFICATION DELETE COUNT USED TO ACCUMULATE DAILY COUNT OF DELETE TRANSACTIONS.					
1396	REJT-MSG		DLSC-V	V	43
REJECT MESSAGE A ONE LINE NARRATIVE STATING THE REASON FOR REJECTING THE TRANSACTION.					
1397	TST-PROD-MODE-IND-CD		DLSC-V	F	1
TEST/PRODUCTION MODE IDENTIFICATION CODE AN INPUT CODE WHICH INDICATES IF THE INFORMATION DISSEMINATION PROCESSING SYSTEM IS TO BE IN THE TEST OR PRODUCTION MODE.					
1398	REEL-SEQ		DLSC-V	F	3
REEL SEQUENCE THE SEQUENCE OF REELS SUCH AS 1 = FIRST REEL, 2 = SECOND REEL, ETC.					
1399	REEL-SER-NBR		DLSC-V	F	6
REEL SERIAL NUMBER THE SERIAL NUMBER ASSIGNED TO EACH REEL OF MAGNETIC TAPE OUTPUT FOR EACH INFORMATION DISSEMINATION.					
1400	REEL-LST-NIIN		DLSC-V	F	9
REEL LAST NIIN THE LAST NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) OF EACH REEL OF MAGNETIC TAPE OUTPUT FOR PREPARATION OF MICROFICHE MASTERS FOR EACH INFORMATION DISSEMINATION.					
1401	REEL-NSN-CT		DLSC-V	F	6
REEL NATIONAL STOCK NUMBER (NSN) COUNT A TOTAL COUNT OF NATIONAL STOCK NUMBERS RELATED TO THE RECORD NATIONAL STOCK NUMBER (NSN) BY MEANS OF A MANAGEMENT DATA PHRASE CODE. IF THE MANAGEMENT DATA LIST PHRASE CODE IS E, F, U, OR 3, THE MASTER NSN MUST HAVE I & S ORDER OF USE RECORDED FOR THIS NSN.					
1402	REEL-FRST-NIIN		DLSC-V	F	9
REEL FIRST NIIN THE FIRST NATIONAL ITEM IDENTIFICATION NUMBER ON EACH REEL OF MAGNETIC TAPE OUTPUT FOR PREPARATION OF MICROFICHE MASTERS FOR EACH INFORMATION DISSEMINATION.					
1403	REEL-LST-CRTFN-NBR		DLSC-V	F	7
REEL LAST CERTIFICATION NUMBER THE LAST CERTIFIED CONTRACTOR NUMBER (CODE) ON EACH REEL OF MAGNETIC TAPE USED TO PRODUCE MICROFICHE MASTERS OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1404	REEL-CT	DLSC-V	F	4
REEL COUNT				
THE QUANTITY OF MAGNETIC TAPE REELS USED TO PRODUCE THE APPLICABLE INFORMATION DISSEMINATION.				
1405	REEL-FRST-CRTFN-NBR	DLSC-V	F	7
REEL FIRST CERTIFICATION NUMBER				
THE FIRST CERTIFIED CONTRACTOR NUMBER (CODE) ON EACH REEL OF MAGNETIC TAPE USED TO PREPARE MICROFICHE MASTERS FOR THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).				
1406	RCD-DELD-CT-PER-ACTY-FSC	DLSC-V	F	4
RECORDS DELETED COUNT PER ACTIVITY/FSC				
THE TOTAL NUMBER OF DELETED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).				
1407	RCD-IMG	DLSC-V	F	80
RECORD IMAGE				
AN INTERNAL DLSC DOCUMENT IDENTIFIER CODE IMAGE CONSISTING OF 15 DIFFERENT ELEMENTS. IT IS A PICTURE OF A TRANSACTION WHICH HAS PROVED TO BE INVALID, WHICH HAS NOT PASSED ONE OR MORE EDITS.				
1408	RCD-CT-PER-ACTY	DLSC-V	F	6
RECORD COUNT PER ACTIVITY				
THE NUMBER OF RECORDS BY ACTIVITY.				
1409	RCD-CT-PER-DOC-NBR	DLSC-V	F	6
RECORD COUNT PER DOCUMENT NUMBER				
THE NUMBER OF RECORDS BY DOCUMENT NUMBER.				
1410	RCD-ADD-CT-PER-ACTY-FSC	DLSC-V	F	4
RECORDS ADDED COUNT PER ACTIVITY/FSC				
THE TOTAL NUMBER OF NEW RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).				
1411	RCD-CHNG-CT-PER-ACTY-FSC	DLSC-V	F	4
RECORDS CHANGED COUNT PER ACTIVITY/FSC				
THE TOTAL NUMBER OF CHANGED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).				
1412	PRPTY-NIIN-EXCL-CT	DLSC-V	F	8
PROPRIETARY NIINs EXCLUDED COUNT				
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH PROPRIETARY (LIMITED RIGHTS) DESIGNATION THAT WERE EXCLUDED FROM EACH INFORMATION DISSEMINATION, AS APPLICABLE.				
1413	PUB-UNIT-CT	DLSC-V	F	3
PUBLICATION UNITS COUNT				
THE QUANTITY OF UNIT NUMBERS UNIQUELY ASSIGNED TO EACH PUBLICATION.				
1414	PHRS	DLSC-V	V	20
PHRASE				
AN EXPRESSION USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/ORR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT NUMBER, QUANTITATIVE EXPRESSION, ETC.)				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
1415	PRCSG-TIM-PER-MACH PROCESSING TIME PER MACHINE THE QUANTITY OF TIME (HOURS:MINUTES:SECONDS) USED BY EACH MACHINE INVOLVED IN THE PREPARATION OF MAGNETIC TAPES FOR EACH INFORMATION DISSEMINATION.		DLSC-V	F 6
1416	PCT-DATA-CHNG PERCENT DATA CHANGE THE PERCENT OF CHANGE FOR DATA COMPRISING A SPECIFIC INFORMATION DISSEMINATION OUTPUT PRODUCT ON OR AFTER THE DATA CHANGE DATE.		DLSC-V	F 5
1417	PCT-NIIN-CHNG PERCENT NIIN CHANGE THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED, CHANGED, AND DELETED COMPARED TO THE TOTAL QUANTITY OF NIINs IN EACH INFORMATION DISSEMINATION.		DLSC-V	F 6
1418	OP-RCD-CT OUTPUT RECORD COUNT THE QUANTITY OF RECORDS OUTPUT IN AN INFORMATION DISSEMINATION.		DLSC-V	F 9
1419	PCT-CRTFN-NBR-CHNG PERCENT CERTIFICATION NUMBER CHANGE THE PERCENT OF CHANGE IN THE TOTAL CERTIFIED CONTRACTOR NUMBERS (CODES) COUNT IN THE LATEST ISSUE COMPARED TO THE PREVIOUS ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).		DLSC-V	F 5
1420	NONMFR-CD-CT NONMANUFACTURES CODE COUNT THE TOTAL NUMBER OF NONMANUFACTURES CODE APPEARING IN THIS RUN.		DLSC-V	F 6
1421	NSN-CT NATIONAL STOCK NUMBER (NSN) COUNT THE TOTAL NUMBER OF EXTRACTED NATIONAL STOCK NUMBERS (NSNs).		DLSC-V	F 9
1422	NON-PRCR-ITM-CANC-CT-FSC NON-PROCURED ITEMS CANCELLED COUNT PER FSC THE NUMBER OF NON-PROCURED CANCELLED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).		DLSC-V	F 4
1423	NON-PRCRD-ITM-CT-PER-FSC NON PROCURED ITEM COUNT PER FSC THE NUMBER OF NON-PROCURED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).		DLSC-V	F 4
1424	NIIN-DELD-CT NIINS DELETED COUNT THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) DELETED SINCE THE LAST INFORMATION DISSEMINATION WAS PRODUCED.		DLSC-V	F 6
1425	NIIN-DWG-CT NIIN DRAWING COUNT THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.		DLSC-V	F 6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1426	NIIN-CT	DLSC-V	F	8
NIIN COUNT				
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.				
1427	NIIN-CT-PER-TRAN	DLSC-V	F	6
NIIN COUNT PER TRANSACTION				
THE NUMBER OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) PER TRANSACTION.				
1428	NIIN-ADD-CT	DLSC-V	F	6
NIINS ADDED COUNT				
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.				
1429	NIIN-CHNGD-CT	DLSC-V	F	6
NIINS CHANGED COUNT				
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH CHANGES SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.				
1430	MO-DWG-CT	DLSC-SB	F	6
MONTHLY DRAWING COUNT				
A MONTHLY ACCOUNT OF HOW MANY TIMES A DRAWING OCCURRED.				
1431	MSTR-NSN-CT	DLSC-V	F	7
MASTER NATIONAL STOCK NUMBER (NSN) COUNT				
A TOTAL COUNT OF THE NATIONAL STOCK NUMBERS (NSNs) DETERMINED BY THE RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS INTERCHANGEABILITY AND SUBSTITUTABILITY (I&S) FAMILY.				
1432	MCFCH-FRME-CT-PER-FSC	DLSC-V	F	7
MICROFICHE FRAME COUNT PER FSC				
THE NUMBER OF MICROFICHE FRAMES PER FEDERAL SUPPLY CLASS (FSC).				
1433	MFR-CD-CT	DLSC-V	F	7
MANUFACTURERS CODE COUNT				
THE NUMBER OF MANUFACTURERS CODES IN THE FILE.				
1434	LMT-RGHT-DWG-CT	DLSC-V	F	6
LIMITED RIGHTS DRAWING COUNT				
THE QUANTITY OF LIMITED RIGHTS DRAWINGS IN THE MASTER DRAWING FILE.				
1435	MCFCH-CT-PER-FSC	DLSC-V	F	6
MICROFICHE COUNT PER FSC				
THE NUMBER OF MICROFICHE PER FEDERAL SUPPLY CLASS (FSC).				
1436	ITM-CT-PER-FSC	DLSC-V	F	6
ITEM COUNT PER FSC				
THE TOTAL NUMBER OF ITEMS PER FEDERAL SUPPLY CLASS (FSC). THE ADDING OF WHITE, GREEN, AND YELLOW ITEMS.				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1437	LBL-NM LABEL NAME A FILE LABEL MADE UP OF THREE ELEMENTS (FILE NAME, LTM, AND ACTIVITY OR MODE/MEDIA CODE).	DLSC-V	F	13
1438	ITM-CHNGD-CT ITEMS CHANGED COUNT THE NUMBER OF CHANGED ITEMS.	DLSC-V	F	6
1439	ITM-CT ITEM COUNT THE NUMBER OF ITEMS ON A MICROFICHE.	DLSC-V	F	6
1440	ITM-AVG-PER-MCFCH-FRME ITEM AVERAGE PER MICROFICHE FRAME THE AVERAGE NUMBER OF ITEMS IN 2 DECIMAL PLACES PER MICROFICHE FRAME IN EACH FEDERAL SUPPLY CLASS.	DLSC-V	F	6
1441	ITM-CANC-DELD-CT ITEMS CANCELLED/DELETED COUNT THE NUMBER OF CANCELLED AND/OR DELETED ITEMS.	DLSC-V	F	6
1442	INVLD-TYP-DATA-CD-CT INVALID TYPE DATS CODE COUNT THE QUANTITY OF ERREOS IN THE DATA TYPE.	DLSC-V	F	6
1443	ITM-ADD-CT ITEMS ADDED COUNT THE NUMBER OF NEW ITEMS.	DLSC-V	F	6
1444	INC-ERR-CT ITEM NAME CODE ERROR COUNT THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN THE ITEM NAME CODE (INC) AND THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) ARE DETECTED, AND THE INC IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE FIIG-ERR-CT.	DLSC-V	F	6
1445	INVLD-PHRS-CD INVALID PHRASE CODE A CODE THAT DOES NOT MATCH THE CODE ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT, NUMBER, QUANTITATIVE EXPRESSION, ETC.).	DLSC-V	F	1
1446	FMT-ERR-CT FORMAT ERROR COUNT THE QUANTITY OF TIMES THE LENGTH OF A REPLY EXCEEDS THE ESTABLISHED OR ALLOWED SPACES FOR EACH INFORMATION DISSEMINATION. THE ALLOWED REPLY LENGTH MAY VARY DEPENDING ON THE MASTER REQUIREMENT CODE (MRC).	DLSC-V	F	6
1447	FSN FEDERAL SUPPLY NUMBER THE NUMBER USED TO IDENTIFY THE FIRST AND LAST RECORD ON A MICROFICHE.	DLSC-V	F	13
1448	FIIG-DWG-CT	DLSC-V	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FIIG DRAWING COUNT

THE QUANTITY OF FIIG TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT. IF APPLICABLE, A FIIG TYPE DRAWING INCLUDES A STYLE NUMBER. ALSO SEE NIIN-DWG-CT.

1449 FIIG-ERR-CT DLSC-V F 6  
FIIG ERROR COUNT

THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE ITEM NAME CODE (INC) ARE DETECTED, AND THE FIIG IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE INC-ERR-CT.

1450 DRIVE-NM DLSC-V F 4  
DRIVE NAME

THE NAME OF THE TAPE DRIVE ON WHICH THE REEL WAS PROCESSED.

1451 DWG-CT DLSC-V F 7  
DRAWING COUNT

QUANTITY OF ALL DRAWING OR ILLUSTRATIONS (FIIG, NIIN, TYPE 2, ETC.) THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT.

1452 CRTFN-NBR-DELD-CT DLSC-V F 5  
CERTIFICATION NUMBERS DELETED COUNT

THE QUANTITY OF DISQUALIFIED/REVOKED AND INACTIVE/EXPIRED CERTIFIED CONTRACTOR NUMBERS (CODES) DELETED FROM THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR LIST (CCAL).

1453 DCOD-ERR-CT DLSC-V F 6  
DECODE ERROR COUNT

THE QUANTITY OF TIMES AN INVALID, INCOMPLETE TABLE, TABLE REPLY APPEARS IN AN INFORMATION DISSEMINATION.

1454 CRTFN-NBR-ADD-CT DLSC-V F 5  
CERTIFICATION NUMBERS ADDED COUNT

THE QUALITY OF NEW CERTIFIED CONTRACTOR NUMBERS (CODES) ADDED IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1455 CRTFN-NBR-CT DLSC-V F 5  
CERTIFICATION NUMBER COUNT

THE QUANTITY OF CERTIFIED CONTRACTOR NUMBERS (CODES) IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1456 ASGND-NATO-CD-CT DLSC-V F 7  
ASSIGNED NATO CODE COUNT

THE NUMBER OF CODES ASSIGNED TO THE NORTH ATLANTIC TREATY ORGANIZATION (NATO).

1457 CAGE-PARNT-CO-CT DLSC-V F 6  
CAGE PARENT COMPANY COUNT

THE TOTAL NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY (CAGE) PARENT COMPANY NAMES IN THE FILE.

1458 APRVD-ITM-NM-CT-PER-FSG DLSC-V F 4  
APPROVED ITEM NAME (AIN) COUNT PER FSG

THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY GROUP (FSG).



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1459	ASGND-CAGE-CD-CT ASSIGNED CAGE CODE COUNT THE NUMBER OF NEW ASSIGNED COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES IN THE JOB RUN.	DLSC-V	F	4
1460	AFF-CAGE-CD-CT AFFILIATE CAGE CODE COUNT THE NUMBER OF AFFILIATE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES APPEARING IN THE FILE.	DLSC-V	F	4
1461	APRVD-ITM-NM-CT-PER-FSC APPROVED ITEM NAME (AIN) COUNT PER FSC THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY CLASS (FSC).	DLSC-V	F	4
1462	TYPE-2-DWG-CT TYPE 2 DRAWING COUNT THE QUANTITY OF DRAWINGS FOR TYPE 2 NSNs THAT APPEAR IN EACH INFORMATION DISSEMINATION IF APPLICABLE.	DLSC-V	F	6
1463	MOVMT-PRI-DESI MOVEMENT PRIORITY DESIGNATOR A TWO (2) POSITION CODE THAT INDICATES THE PRIORITY TO BE USED FOR RETURNING UNSERVICEABLE REPAIRABLE MATERIAL.	DLSC-V	F	2
1464	NIIN-NICN-ACFT-ENG-NBR NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER A THIRTEEN DIGIT NUMBER ASSIGNED TO AN ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT NIIN. NAVY ITEM CONTROL NUMBER (NICN) IS A THIRTEEN DIGIT NUMBER, WHICH CONTAINS ALPHA CHARACTERS WITHIN THE FINAL NINE DIGITS. IT'S USED TO IDENTIFY AN ITEM OF SUPPLY THAT HAS NOT YET BEEN ASSIGNED A NSN/NIIN. MODEL CONSISTS OF ALPHANUMERIC CHARACTERS ASSIGNED TO AIRCRAFT ENGINES.	DLSC-V	F	13
1465	REP-MAINT-CD REPAIR MAINTENANCE CODE THIS CODE INDICATES THE LOWEST MAINTENANCE ECHELON POTENTIALLY CAPABLE OF REPAIRING AN ITEM AND IS PROVIDED TO ASSIST MAINTENANCE AND SUPPLY PERSONNEL IN MAKING DECISIONS ABOUT WHETHER TO ATTEMPT REPAIR AT THE LEVEL PRIOR TO RETURNING THE ITEM TO THE OVERHAUL POINT.	DLSC-V	F	1
1466	SCHS-RMVL-CMPNT-CRD-CD SCHEDULES REMOVAL COMPONENT CARD CODE COUNT BLANK IN THIS POSITION INDICATES NO SRC CARD REQUIRED. A "Y" IN THIS POSITION INDICATES AN SRC CARD IS REQUIRED FOR AVIATION REPAIRABLE, SELECTED COMPONENT RECORD (SRC) CARD REQUIRED FOR SHIP REPAIRABLE.	DLSC-V	F	1
1467	LNG-SUP-CRED-IND LONG SUPPLY/CREDIT INDICATOR PRESENCE OF AN ASTERISK (*) IN THIS POSITION INDICATES THAT RFI LONG SUPPLY ASSETS EXIST FOR THAT NIIN AND AN RFI REPLACEMENT SHOULD BE REQUISITIONED VICE LOCAL REPAIR. THE PRESENCE OF THIS INDICATOR DOES NOT PRECLUDE LOCAL REPAIR IF A RFI REPLACEMENT IS NEEDED FOR INSTALLATION AND IS NOT AVAILABLE LOCALLY. NORMAL RETROGRADE SHIPMENT FOR NON-RFI COMPONENTS TO THE ACTIVITY INDICATED IS REQUIRED FOR LONG SUPPLY REPAIRABLES. DISPOSAL IS NOT AUTHORIZED UNLESS OTHERWISE INDICATED.	DLSC-V	F	1
1468	ADDNL-IDEN ADDITIONAL IDENTIFICATION A FOUR (4) POSITION FIELD IS COMPOSED OF TWO SEPARATE CODES, THE DEPARTMENT OF DEFENSE IDENTIFICATION CODE (DODIC) AND THE SUBSISTENCE USAGE MANAGEMENT CODE (SUMC).	DLSC-V	F	4

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1469 AUTO-RTN-ITM-CD DLSC-V F 1  
AUTOMATIC RETURN ITEM CODE  
A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES ITEMS IN A CRITICAL STOCK POSITION THAT MAY BE RETURNED TO CONUS DEPOTS WITHOUT DISPOSITION INSTRUCTIONS. THE ARI CODE IS AUTHORIZED BY AR 710-1, CHAPTER 3.

1470 AIR-ELGBL-CTGY-CD DLSC-V F 1  
AIR ELIGIBLE CATEGORY CODE  
A ONE (1) POSITION NUMERIC CODE THAT IDENTIFIES ITEMS ELIGIBLE FOR SHIPMENT BY AIR AND THOSE THAT MUST BE SHIPPED BY AIR. THE AEC CODE MUST BE APPLIED TO SHIPMENTS OF CLASS 9 MATERIEL TO EUROPE AND KOREA. USE OF THE AEC FOR OTHER DESTINATIONS OR CLASSES IS OPTIONAL. THE AEC IS AUTHORIZED BY AR 708-1, TABLE 7-3, AIR ELIGIBLE CATEGORY CODE.

1471 LI-ITM-NBR DLSC-V F 6  
LINE ITEM NUMBER  
A LINE ITEM NUMBER CONSISTS OF ONE ALPHA CHARACTER FOLLOWED BY FIVE NUMERIC CHARACTERS (E.G. E94536). LINS ARE ASSIGNED TO A SPECIFIC NAME (GENERIC NOMENCLATURE) OF AN ITEM WHICH IS NOT CONSUMED OR DESTROYED WHEN USED. THEY ARE USED FOR ACCOUNTING PURPOSES AND ALL ACTIVE LINS ARE LISTED IN THE SEMI-ANNUAL SB 700-20 PUBLICATION.

1472 SUB-USG-MGMT-CD DLSC-V F 1  
SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)  
A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES TO WHOM AND UNDER WHAT CONDITIONS A SUBSISTENCE ITEM WILL BE ISSUED. THE SUMC APPLIES ONLY TO ITEMS IN FSG 89. THERE CAN BE AS MANY AS FOUR SUMC CODES ASSIGNED TO A SINGLE CODE, ALL OF WHICH WILL BE DISPLAYED IN THE DODIC/SUMC FIELD. THE SUMC IS AUTHORIZED BY AR 708-1, TABLE 7-8.

1473 E-ITM-CD DLSC-V F 3  
END ITEM CODE  
A THREE (3) POSITION ALPHANUMERIC CODE THAT USES THE FULL ENGLISH ALPHABET AND NUMBERS 2-9 TO IDENTIFY A REQUEST FOR REPAIR PARTS TO A SPECIFIC END ITEM. THE EIC REPLACES THE W/ESDC AND IS TO BE PLACED IN CC 54-56 OR BLOCK 18 OF ALL REQUESTS FOR ISSUE INITIATED AT THE UNIT LEVEL.

1474 ESNTL-CD DLSC-V F 1  
ESSENTIALITY CODE  
A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES IF AN ITEM IS ESSENTIAL. THE ESS CODE IS AUTHORIZED BY AR 708-1, TABLE 7-9, ESSENTIALITY CODE.

1475 INV-CTGY-CD DLSC-V F 1  
INVENTORY CATEGORY CODE  
A ONE (1) POSITION NUMERIC CODE USED TO GROUP ITEMS OF SUPPLY FOR INVENTORY AND RESEARCH PURPOSES. ACCOUNTABLE AND STORAGE ACTIVITIES SHOULD STORE THESE CODES FOR PLANNING AND SCHEDULING OF INVENTORY ACTIONS. THE ICC IS AUTHORIZED BY AR 740-26, APPENDIX A, INVENTORY CATEGORY CODES.

1476 LOG-CTR-CD DLSC-V F 1  
LOGISTICS CONTROL CODE  
A ONE (1) POSITION CODE ASSIGNED TO ARMY ADOPTED ITEMS AND OTHER ITEMS AUTHORIZED BY LIN TO PROVIDE A BASIS FOR LOGISTIC SUPPORT DECISIONS. THESE DECISIONS INVOLVE PROCUREMENT, OVERHAUL, REPAIR PARTS PROVISIONING, REQUISITIONING, DISTRIBUTION, ETC.

1477 MEAS-QTY DLSC-V F 7  
MEASUREMENT QUANTITY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IS THE QUANTITY (WHOLE NUMBER OR DECIMAL FRACTION) OF THE UNIT OF MEASURE (UM) THAT WILL BE SUPPLIED FOR THE UNIT OF ISSUE (UI). USE THE DEC LOC TO DETERMINE THE LOCATION OF THE DECIMAL POINT. THE MEASUREMENT QUANTITY IS AUTHORIZED BY 708-1, PARA 7-15.C, UNIT MEASUREMENT QUANTITY.

1478 MAINT-REP-CD DLSC-V F 1  
MAINTENANCE REPAIR CODE  
A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES WHETHER THE ITEM IS TO BE REPAIRED AND IDENTIFIES THE LOWEST MAINTENANCE LEVEL WITH THE CAPABILITY TO PERFORM COMPLETE REPAIR (I.E., ALL AUTHORIZED MAINTENANCE FUNCTIONS). THE DECISION TO CODE THE SUPPORT ITEM FOR REPAIR AT THE INDICATED MAINTENANCE LEVELS REQUIRE THAT ALL MAINTENANCE CAPABILITY (REMOVE, REPLACE, REPAIR, ASSEMBLE, AND TEST) FOR THE SUPPORT ITEMS TO BE PROVIDED TO THAT LEVEL. THIS DOES NOT PRECLUDE SOME REPAIR WHICH MAY BE ACCOMPLISHED AT A LOWER LEVEL OF MAINTENANCE.

1479 RPTL-ITM-CTL-CD DLSC-V F 1  
REPORTABLE ITEM CONTROL CODE  
A ONE (1) POSITION NUMERIC CODE ASSIGNED TO THOSE ITEMS OF EQUIPMENT SELECTED AS REPORTABLE AND IDENTIFIED BY AR 708-1 (CHAP 9), SB 700-20, OR AR 710-1 (CHAP 3), RICC O, REPORTABLE ITEM CONTROL CODE FOR "NOT REPORTABLE."

1480 SP-CTL-ITM-CD DLSC-V F 1  
SPECIAL CONTROL ITEM CODE  
A ONE (1) POSITION ALPHANUMERIC CODE THAT IDENTIFIES ITEMS REQUIRING SPECIAL CONTROLS. THE SCI CODE IS AUTHORIZED BY AR 708-1, TABLE 7-24, SPECIAL CONTROL ITEM CODE.

1481 SUP-CTGY-MAT-CD DLSC-V F 2  
SUPPLY CATEGORIES OF MATERIEL CODE  
A TWO (2) POSITION ALPHANUMERIC CODE. THE FIRST POSITION DIVIDES SUPPLIES AND EQUIPMENT INTO 10 CLASSES OF SUPPLY, AS AUTHORIZED BY AR 700-9, APPENDIX B, CLASSES OF SUPPLY. THE SECOND POSITION PROVIDES THE MEANS OF IDENTIFYING ITEMS BY COMMODITY OR WEAPONS SYSTEMS, AS AUTHORIZED BY FM 704-28, FIGURE 2-2, SUBCLASSIFICATIONS OF SUPPLY LEGEND.

1482 RM-IN-PL-IND DLSC-V F 1  
REMAIN IN PLACE INDICATOR  
A ONE (1) POSITION CODE THAT IDENTIFIES AN ITEM FOR WHICH AN UNSERVICEABLE UNIT WILL BE TURNED-IN ON AN EXCHANGE BASIS AFTER RECEIPT OF A SERVICEABLE UNIT.

1483 SUPMTL-SRC-CD DLSC-V F 1  
SUPPLEMENTAL SOURCE CODE  
A ONE (1) POSITION ALPHANUMERIC CODE THAT EQUATES TO THE NAVY DATA ELEMENT NUMBER (DEN) 012A. THIS CODE IS USED TO CLARIFY AND/OR MODIFY THE MAINTENANCE AND RECOVERABILITY CODES. THESE CODES ARE ASSIGNED BY HSC/PMs AND COORDINATED FOR PUBLICATION BY NAVSUP TO PREVENT CONFLICTS OR REDUNDANCIES AMONG THE HSCs. NOTE: SEE NAVSUPINST 4423.14B.

1484 NOTES DLSC-V F 1  
NOTES  
THIS COLUMN CONTAINS VARIOUS MISCELLANEOUS INFORMATION, SUCH AS THE NIIN OF APPLICABLE SHIPPING CONTAINER, TO FACILITATE PREPARATION AND SHIPMENT OF TURN-INS.

1485 SHLF-LIF-ACTN-CDS DLSC-V F 2  
SHELF LIFE ACTION CODES  
A TWO (2) POSITION CODE DENOTING THE ACTION TO BE TAKEN FOR AN ITEM AT THE EXPIRATION OF THE SHELF LIFE PERIOD INDICATED BY THE SHELF LIFE CODE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1486 RL-CD DLSC-V F 1  
RELATIONSHIP CODE

A SINGLE POSITION ALPHANUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE RELATIONSHIP CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEM) ITEMS.

1487 INCOMPAT-CDS DLSC-V F 1  
INCOMPATIBILITY CODES

A SINGLE POSITION NUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE INCOMPATIBLE CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEMS) ITEMS.

1488 NMC-PTS-PREF-CDS DLSC-V F 1  
NUMERIC PARTS PREFERENCE CODES

EACH ITEM WITHIN A SUBGROUP IS ASSIGNED A PARTS PREFERENCE CODE. SUITABLE ITEMS ARE ASSIGNED A SINGLE POSITION ALPHABETICAL CODE TO INDICATE THE ORDER OF PREFERENCE WITHIN THE SUBGROUP. UNSUITABLE ITEMS ARE ASSIGNED A NUMERICAL PARTS PREFERENCE CODE BASED UPON THE CONDITION THAT CAUSED THE ITEM TO BE MADE UNSUITABLE.

1489 PRM-NSN-MCN DLSC-V F 13  
PRIME NSN MCN

THE NSN/MCN OF AN ITEM IN A I&S FAMILY WHICH IS COMMONLY REGARDED BY THE MANAGING AND USING SERVICE/AGENCY AS A SUITABLE SUBSTITUTE FOR ALL OTHER ITEMS IN THE FAMILY AND AS THE PREFERRED (PRIME) ITEM FOR ACQUISITION PURPOSES. WITHIN A FAMILY HEADED BY A GENERIC SUBGROUP, THE GENERIC NSN/MCN IS ALWAYS DESIGNATED AS THE MASTER (PRIME) NSN/MCN.

1490 FD-CD-ARMY DLSC-V F 1  
FUND CODE ARMY

A ONE (1) POSITION NUMERIC CODE THAT PROVIDES DATA FOR SUPPLY AND FINANCIAL MANAGEMENT. THE FUND CODE IS AUTHORIZED BY AR 708-1, TABLE 7-11, FUND CODE. NOTE: FUND CODE VALUES ARE VALID ONLY FOR ITEMS MANAGED BY THE USA TROSCOM, USA SUPPORT ACTIVITY (ASA), PHILADELPHIA. THESE ITEMS ARE IDENTIFIED BY A FIRST POSITION MATERIEL CATEGORY STRUCTURE CODE OF F AND S. DELETION OF THE FUND CODE FOR ALL OTHER ITEMS WILL BE COMPLETED BY MARCH 1988. IF THE CODE IS OUTPUT ON ANY ITEM OTHER THAN ASAP ITEMS, IT SHOULD BE IGNORED.

1492 MOE-CUR-DEL-ERR-CT MOE\_CR\_DEL\_ER\_1492 DLSC-SBA F INTEGER 5  
MOE CURRENT DELETE ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF DELETING MOE RULE RECORDS FROM THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1493 MOE-EFF-DT-ADD-CT MOE\_ED\_ADD\_CT\_1493 DLSC-SBA F INTEGER 5  
MOE EFFECTIVE DATE ADD COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED ADD MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1494 MOE-EFF-DT-ADD-ERR-CT MOE\_ED\_ADD\_ER\_1494 DLSC-SBA F DATE 5  
MOE EFFECTIVE DATE ADD ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED ADD MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME

1495 MOE-EFF-DT-CHG-CT MOE\_ED\_CHG\_CT\_1495 DLSC-SBA F INTEGER 5  
MOE EFFECTIVE DATE CHANGE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1496 MOE-EFF-DT-CHG-ERR-CT MOE\_ED\_CHG\_ER\_1496 DLSC-SBA F DATE 5  
MOE EFFECTIVE DATE CHANGE ERROR COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1497 MOE-EFF-DT-DEL-CT MOE\_ED\_DEL\_CT\_1497 DLSC-SBA F INTEGER 5  
MOE EFFECTIVE DATE DELETE COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

1498 MOE-EFF-DT-DEL-ERR-CT MOE\_ED\_DEL\_ER\_1498 DLSC-SBA F DATE 5  
MOE EFFECTIVE DATE DELETE ERROR COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1499 MOE-MOE-MSTR-INQ-CT MOE\_MST\_INQ\_C\_1499 DLSC-SBA F INTEGER 5  
MOE MOE MASTER INQUIRY COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE MASTER RECORD INQUIRIES DURING A SPECIFIED TIME FRAME.

1501 GC-PICA-LAR-CNT GC\_PICA\_LAR\_1501 DLSC-SD F INTEGER 6  
GIRDER PICA LAR COUNT  
COUNT OF LAR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.

1502 GC-PICA-LCR-CNT GC\_PICA\_LCR\_1502 DLSC-SD F INTEGER 6  
PICA LCR COUNT  
COUNT OF LCR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.

1503 GC-LAR-TRANS-SUBTOTAL DLSC-SD F 7  
GIRDER LAR SUBTOTAL  
COUNT OF ALL LAR TRANSACTIONS WITHIN A GIRDER CODE.

1504 GC-LCR-TRANS-SUBTOTAL DLSC-SD F 7  
GIRDER LCR SUBTOTAL  
COUNT OF ALL LCR TRANSACTIONS WITHIN A GIRDER CODE.

1505 GC-PICA-TRANS-TOTAL DLSC-V F 7  
GIRDER PICA TRANS TOTAL  
TOTAL OF LAR AND LCR TRANSACTIONS BY A MANAGING ACTIVITY WITHIN A GIRDER CODE.

1506 GIRDER-TRANS-SUBTOTAL DLSC-SD F 8  
GIRDER-TRANS-SUBTOTAL  
TOTAL OF ALL LCR AND LAR TRANSACTIONS WITHIN A GIRDER CODE.

1507 GIRDER-LAR-TRANS-TOTAL DLSC-SD F 9  
GIRDER LAR TRANS TOTAL  
TOTAL OF ALL THE LAR TRANSACTIONS FOR ALL GIRDER CODES.

1508 GIRDER-LCR-TRANS-TOTAL DLSC-SD F 9

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

GIRDER LCR TRANS TOTAL

TOTAL OF ALL THE LCR TRANSACTIONS FOR ALL GIRDER CODES.

1509 GIRDER-TRANS-GRAND-TOTAL DLSC-SD F 10

GIRDER TRANS GRAND TOTAL

TOTAL OF ALL LCR AND LAR TRANSACTIONS FOR ALL THE GIRDER CODES.

1511 TOT-NBR-ADRS-PSMAT-CNT DLSC-SD F 6

TOTAL ADDRESSES ON PSMAT COUNTER

COUNT OF ADDRESSES ON THE PSMAT FILE.

1512 SVC-CONTR-IDEN-CD-1-CNT DLSC-SD F 5

COUNT OF CONTRACTOR CODE 1

COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 1.

1513 SVC-CONTR-IDEN-CD-2-CNT DLSC-SD F 5

COUNT OF CONTRACTOR CODE 2

COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 2.

1514 SVC-CONTR-IDEN-CD-3-CNT DLSC-SD F 5

COUNT OF CONTRACTOR CODE 3

COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 3.

1515 FILE-MAINT-SEQ-NBR FMSN\_1515 DLSC-SB F CHAR 3

FILE MAINTENANCE SEQUENCE NUMBER

A COMPUTER GENERATED COUNT ASSIGNED TO EACH OCCURRENCE OF A FILE MAINTENANCE ACTION IN ITEM IDENTIFICATION OR SUPPLY MANAGEMENT AGAINST INDIVIDUAL NATIONAL ITEM IDENTIFICATION NUMBER/NIIN/RECORD THAT RESULTS IN THE DISTRIBUTION OF OUTPUT TO MAINTAIN FIELD FILES. THIS DATA ELEMENT WILL SIGNIFY THE SEQUENCE IN WHICH MAINTENANCE ACTIONS OCCURRED IN THE TOTAL ITEM RECORD AND IN WHICH SEQUENCE THE FIELD FILES MUST BE MAINTAINED.

1516 NATO-FILE-MAINT-SEQ-NBR NATO\_FMSN\_1516 DLSC-SB F CHAR 3

NATO FILE MAINT SEQUENCE NUMBER

A COMPUTER GENERATED COUNT ASSIGNED TO EACH OCCURRENCE OF A FILE MAINTENANCE ACTION TRANSMITTED TO A NORTH ATLANTIC TREATY ORGANIZATION (NATO) RECIPIENT OR RECEIVED FROM A NATO COUNTRY AS A PART OF FILE MAINTENANCE PACKAGES ON NATO STOCK NUMBER ASSIGNED BY A NATO COUNTRY.

1517 FRT-MSTR-ADD-ER-CT FR\_MST\_ADD\_ER\_1517 DLSC-SBA F INTEGER 5

FREIGHT MASTER ADD ERROR COUNT

THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE ADD ROUTINE.

1523 FRT-MSTR-INQ-CT DLSC-SBA F 5

FREIGHT MASTER INQUIRY COUNT

THIS COUNT REPRESENTS THE TIMES THAT INQUIRIES ARE MADE TO THE FRIEGHT MASTER FILE.

1524 FRT-MSTR-ADD-CT FR\_MST\_ADD\_CT\_1524 DLSC-SBA F INTEGER 5

FREIGHT MASTER ADD COUNT

THIS COUNT REPRESENTS THE NUMBER OF TIMES A FREIGHT IS ADDED TO THE MASTER FREIGHT FILE.

1528 FRT-MSTR-TIME-FRAME FR\_MST\_TI\_FRM\_1528 DLSC-SBA F INTEGER 5

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FREIGHT MASTER TIME FRAME

THIS IS THE TIME FRAME DURING WHICH THE MASTER FREIGHT FILE CAN BE UPDATED.

1532 FRT-EXTND-DESC-CHG-ER-CT FR\_EXD\_CHG\_ER\_1532 DLSC-SBA F INTEGER 5  
FREIGHT EXTENDED DESCRIPTION CHANGE ERROR COUNT  
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION CHANGE ROUTINE.

1533 FRT-MSTR-DEL-ER-CT FR\_MST\_DEL\_ER\_1533 DLSC-SBA F INTEGER 5  
FREIGHT MASTER DELETE ERROR COUNT  
THIS COUNT REPRESENTS THE NUMBER OF TIMES AN ERROR IS ENCOUNTERED DURING AN ADD ACTION TO THE MASTER FREIGHT FILE.

1534 MOE-MOE-MSTR-INQ-ERR-CT MOE\_MST\_INQ\_E\_1534 DLSC-SBA F INTEGER 5  
MOE MOE MASTER INQUIRY ERROR COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF TIMES AN INCORRECT MOE RULE NUMBER WAS ENTERED FOR A MOE RULE MASTER RECORD INQUIRY, DURING A SPECIFIED TIME FRAME.

1535 MOE-MSTR-INQ-DATE MOE\_MST\_INQ\_D\_1535 DLSC-SBA F DATE 5  
MOE MASTER INQUIRY DATE  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE DATE USED TO ACCESS THE PROGRAM END COUNTS FOR THE MOE RULE APPLICATION. COUNTS CAN BE ACCESSED BY THE CURRENT MONTH/YEAR OR BY ANY OF THE PREVIOUS 11 MONTHS.

1536 STAT-MOE-MSTR-INQ-CT STAT\_MM\_IN\_CT\_1536 DLSC-SBA F INTEGER 5  
STATISTICAL MOE MASTER INQUIRY COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF STATISTICAL INQUIRIES DURING A SPECIFIED TIME FRAME.

1537 STAT-MOE-MSTR-INQ-ERR-CT STAT\_MM\_ER\_CT\_1537 DLSC-SBA F INTEGER 5  
STATISTICAL MOE MASTER INQUIRY ERROR COUNT  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF TIMES AN INCORRECT TRANSACTION DATE WAS ENTERED FOR A STATISTICAL INQUIRY, DURING A SPECIFIED TIME FRAME.

1538 APRVD-ITM-NM-DICT-WRD DLSC-SCB V 50  
APPROVED ITEM-NAME DICTIONARY WORD  
A WORD THAT IS APPROVED FOR THE NAME MASTER DICTIONARY.

1539 ENGLISH-LANG-DICT-WRD DLSC-SCB V 50  
ENGLISH LANGUAGE DICTIONARY WORD  
A WORD THAT IS FOUND IN THE ENGLISH LANGUAGE DICTIONARY.

1541 NM-MSTR-DICT-SRCH DLSC-SCB V 250  
NAME MASTER DICTIONARY SEARCH  
THIS WILL BE USED TO SEARCH THE NAME MASTER DICTIONARY BY SPECIFIC NAME, LIST ALL NAMES OR KEY WORD.

1543 FSC-DELD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS DELETED COUNTS  
THE QUANTITY OF FSCs DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1544 FSC-ADD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS ADD COUNTS

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1545 FSC-CHNGD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS CHANGED COUNTS  
THE QUANTITY OF FSCs CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1546 FSG-DELD-CT DLSC-SCB F 6  
FEDERAL SUPPLY GROUP DELETED COUNTS  
THE QUANTITY OF FEDERAL SUPPLY GROUPS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1547 FSC-TOT-RCD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS TOTAL RECORDS COUNT  
THE TOTAL COUNT OF FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1548 FSG-ADD-CT DLSC-SCB F 6  
FEDERAL SUPPLY GROUP ADD COUNT  
THE QUANTITY OF FEDERAL SUPPLY GROUPS ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1549 FSG-CHNGD-CT DLSC-SCB F 6  
FEDERAL SUPPLY GROUP CHANGED COUNTS  
THE QUANTITY OF FEDERAL SUPPLY GROUPS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1551 FSC-ACT-RCD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT  
THE QUANTITY OF ACTIVE FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1552 FSC-DELD-RCD-CT DLSC-SCB F 6  
FEDERAL SUPPLY CLASS DELETED RECORDS COUNT  
THE QUANTITY OF FSC RECORDS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1553 CIMM-ACTY-FSC-CT DLSC-SBA F 4  
COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT  
THE QUANTITY OF CIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1554 WIMM-FSC-CT DLSC-SBA F 4  
WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT  
THE QUANTITY OF WIMM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1555 WIMM-ACTY-FSC-CT DLSC-SBA F 4  
WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT  
THE QUANTITY OF WIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1556 SIN-SUBM-FSC-CT DLSC-SBA F 4  
SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT  
THE QUANTITY OF SIN-SUBM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1557 SIN-SUBM-ACTY-FSC-CT DLSC-SBA F 4  
SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF SIN-SUBM-ACTY-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1558 STDZN-FSC-CT DLSC-SBA F 4  
STANDARDIZATION FEDERAL SUPPLY CLASS COUNT  
THE QUANTITY OF STDZN-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1559 MGMT-FSC-ADD-CT DLSC-SBA F 4  
MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT  
THE QUANTITY OF MGMT-FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1561 TRFR-ODP-T1-4-NSN TRFR\_STAT\_CNT\_1561 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1562 TRFR-ODP-T2-1-NSN TRFR\_STAT\_CNT\_1562 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1563 TRFR-ODP-T2-4-NSN TRFR\_STAT\_CNT\_1563 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1564 TRFR-ODP-T4-1-NSN TRFR\_STAT\_CNT\_1564 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 4 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1565 TRFR-ODP-T4-2-NSN TRFR\_STAT\_CNT\_1565 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 4 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.

1566 TRFR-ODP-TRFR-TOT-NSN TRFR\_STAT\_CNT\_1566 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

1567 TRFR-OAC-T1-2-NSN TRFR\_STAT\_CNT\_1567 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1568 TRFR-OAC-T1-4-NSN TRFR\_STAT\_CNT\_1568 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1569 TRFR-OAC-T2-1-NSN TRFR\_STAT\_CNT\_1569 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM  
REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1570 TRFR-OAC-T2-4-NSN TRFR\_STAT\_CNT\_1570 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM  
REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1571 TRFR-OAC-T4-1-NSN TRFR\_STAT\_CNT\_1571 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM  
PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1572 TRFR-OAC-T4-2-NSN TRFR\_STAT\_CNT\_1572 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM  
PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1573 TRFR-OAC-TRFR-TOT-NSN TRFR\_STAT\_CNT\_1573 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION  
TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

1574 TRFR-OAC-FYD-T1-2-NSN TRFR\_STAT\_CNT\_1574 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE  
TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1575 TRFR-OAC-FYD-T1-4-NSN TRFR\_STAT\_CNT\_1575 DLSC-SBA F INTEGER 8  
TRANSFER OTIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 4 NSN  
THE FISCAL YEARTO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO  
PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1576 TRFR-OAC-FYD-T2-1-NSN TRFR\_STAT\_CNT\_1576 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD  
TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1577 TRFR-OAC-FYD-T2-4-NSN TRFR\_STAT\_CNT\_1577 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 4 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD  
TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1578 TRFR-OAC-FYD-T4-1-NSN TRFR\_STAT\_CNT\_1578 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE  
TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1579	TRFR-OAC-FYD-T4-2-NSN	TRFR_STAT_CNT_1579	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 2 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.						
1580	TRFR-OAC-FYD-TRFR-T-NSN	TRFR_STAT_CNT_1580	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.						
1581	TRFR-ODP-FYD-T1-2-NSN	TRFR_STAT_CNT_1581	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 TO 2 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.						
1582	TRFR-ODP-FYD-T1-4-NSN	TRFR_STAT_CNT_1582	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPARTMENT FYD TYPE 1 TO 4 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.						
1583	TRFR-ODP-FYD-T2-1-NSN	TRFR_STAT_CNT_1583	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 1 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.						
1584	TRFR-ODP-FYD-T2-4-NSN	TRFR_STAT_CNT_1584	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 4 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.						
1585	TRFR-ODP-FYD-T4-1-NSN	TRFR_STAT_CNT_1585	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 1 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.						
1586	TRFR-ODP-FYD-T4-2-NSN	TRFR_STAT_CNT_1586	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 2 NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.						
1587	TRFR-ODP-FYD-TRFR-T-NSN	TRFR_STAT_CNT_1587	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.						
1588	M3AC-D-MG	M3AC_STAT_CNT_1588	DLSC-SBA	F	INTEGER	8
M3AC DEPARTMENT MANAGED THE DEPARTMENT TOTAL NSN COUNT. ONLY POCA LOAS ARE INCLUDES IN THIS COUNT. FIIG A239 ITEMS INC 7777 ARE EXCLUDED.						
1589	M3AC-D-DM	M3AC_STAT_CNT_1589	DLSC-SBA	F	INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## M3AC DEPARTMENT DESCRIPTIVE METHOD

THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1590 M3AC-D-DM-G M3AC\_STAT\_CNT\_1590 DLSC-SBA F 8

## M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1591 M3AC-D-DM-P DLSC-SBA F 8

## M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT

THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1592 M3AC-D-DM-DIF DLSC-SBA F 8

## M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE

THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1593 M3AC-D-AIN M3AC\_STAT\_CNT\_1593 DLSC-SBA F INTEGER 8

## M3AC DEPARTMENT APPROVED ITEM NAME

THE DEPARTMENT TOTAL ACCOUNT OF NSNS WITH APPROVED ITEM NAMES. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1594 M3AC-D-AIN-G M3AC\_STAT\_CNT\_1594 DLSC-SBA F 8

## M3AC DEPARTMENT APPROVED ITEM NAME GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1595 M3AC-D-AIN-P DLSC-SBA F 8

## M3AC DEPARTMENT APPROVED ITEM NAME PERCENT

THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1596 M3AC-D-AIN-DIF DLSC-SBA F 8

## M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE

THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR THE DEPARTMENTS.

1597 M3AC-D-RN M3AC\_STAT\_CNT\_1597 DLSC-SBA F INTEGER 8

## M3AC DEPARTMENT REFERENCE NUMBER

THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1598 M3AC-D-RN-G M3AC\_STAT\_CNT\_1598 DLSC-SBA F 8

## M3AC DEPARTMENT REFERENCE NUMBER GOAL

THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.

1599 M3AC-D-RN-R DLSC-SBA F 8

## M3AC DEPARTMENT REFERENCE NUMBER RATIO

THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1600 M3A-D-RN-DIF DLSC-SBA F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE  
THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1601 M3A-D-LOA-MG M3A\_STAT\_CNT\_1601 DLSC-SBA F INTEGER 8  
M3A DEPARTMENT LOA MANAGED  
THE DEPARTMENT TOTAL NSN COUNT BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1602 M3A-D-LOA-DM M3A\_STAT\_CNT\_1602 DLSC-SBA F INTEGER 8  
M3A DEPARTMENT LOA DESCRIPTIVE METHOD  
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1603 M3A-D-LOA-DM-G M3A\_STAT\_CNT\_1603 DLSC-SBA F 8  
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL  
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1604 M3A-D-LOA-DM-P DLSC-SBA F 8  
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT  
THE PERCENT OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1605 M3A-D-LOA-DM-DIF DLSC-SBA F 8  
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE  
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1606 M3A-D-LOA-AIN M3A\_STAT\_CNT\_1606 DLSC-SBA F INTEGER 8  
M3A DEPARTMENT LOA APPROVED ITEM NAME  
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1607 M3A-D-LOA-AIN-G M3A\_STAT\_CNT\_1607 DLSC-SBA F 8  
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1608 M3A-D-LOA-AIN-P DLSC-SBA F 8  
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT  
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1609 M3A-D-LOA-AIN-DIF DLSC-SBA F 8  
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE  
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1610 M3A-D-LOA-RN M3A\_STAT\_CNT\_1610 DLSC-SBA F INTEGER 8  
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER  
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1611	M3A-D-LOA-RN-G	M3A_STAT_CNT_1611	DLSC-SBA	F	8
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN BY LOA FOR THE DEPARTMENT.					
1612	M3A-D-LOA-RN-R		DLSC-SBA	F	8
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.					
1613	M3A-D-LOA-RN-DIF		DLSC-SBA	F	8
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.					
1614	M3BC-FSC-D-MG	M3BC_STAT_CNT_1614	DLSC-SBA	F INTEGER	8
MCBC FSC DEPARTMENT MANAGED THE DEPARTMENT TOTAL NSN COUNT FOR THE FSC. ONLY PICA LOAS ARE INCLUDES IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1615	M3BC-FSC-D-DM	M3BC_STAT_CNT_1615	DLSC-SBA	F INTEGER	8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1616	M3BC-FSC-D-DM-G	M3BC_STAT_CNT_1616	DLSC-SBA	F	8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC.					
1617	M3BC-FSC-D-DM-P		DLSC-SBA	F	8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR A SEPARTMENT WITHIN AN FSC.					
1618	M3BC-FSC-D-AIN	M3BC_STAT_CNT_1618	DLSC-SBA	F INTEGER	8
M3BC FSC DEPARTMENT APPROVED ITEM NAME THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1619	M3BC-FSC-D-AIN-G	M3BC_STAT_CNT_1619	DLSC-SBA	F	8
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC.					
1620	M3BC-FSC-D-AIN-P		DLSC-SBA	F	8
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC. SUBMITTING DEPARTMENT.					
1621	M3BC-FSC-D-RN	M3BC_STAT_CNT_1621	DLSC-SBA	F INTEGER	8
M3BC FSC DEPARTMENT REFERENCE NUMBER THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1622	M3BC-FSC-D-RN-G	M3BC_STAT_CNT_1622	DLSC-SBA	F	8
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL					
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR A DEPARTMENT WITHIN AN FSC.					
1623	M3BC-FSC-D-RN-R		DLSC-SBA	F	8
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO					
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC.					
1624	M3B-FSC-D-LOA-MG	M3B_STAT_CNT_1624	DLSC-SBA	F INTEGER	8
M3B FSC DEPARTMENT LOA MANAGED					
THE DEPARTMENT TOTAL NSN COUNT FOR AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1625	M3B-FSC-D-LOA-DM	M3B_STAT_CNT_1625	DLSC-SBA	F INTEGER	8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD					
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1626	M3B-FSC-D-LOA-DM-G	M3B_STAT_CNT_1626	DLSC-SBA	F	8
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL					
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.					
1627	M3B-FSC-D-LOA-DM-P		DLSC-SBA	F	8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT					
THE PERCENT OF DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.					
1628	M3B-FSC-D-LOA-AIN	M3B_STAT_CNT_1628	DLSC-SBA	F INTEGER	8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME					
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1629	M3B-FSC-D-LOA-AIN-G	M3B_STAT_CNT_1629	DLSC-SBA	F	8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL					
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.					
1630	M3B-FSC-D-LOA-AIN-P		DLSC-SBA	F	8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT					
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.					
1631	M3B-FSC-D-LOA-RN	M3B_STAT_CNT_1631	DLSC-SBA	F INTEGER	8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER					
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.					
1632	M3B-FSC-D-LOA-RN-G	M3B_STAT_CNT_1632	DLSC-SBA	F	8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL					
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR A DEPARTMENT WITHIN AN FSC BY LOA.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1633 M3B-FSC-D-LOA-RN-R DLSC-SBA F 8  
M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO  
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1634 M3C1-D-AT-MG M3C1\_STAT\_CNT\_1634 DLSC-SBA F INTEGER 8  
M3C1 DEPARTMENT ACTIVITY MANAGED  
THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIF A239 ITEMS WITH INC 7777 ARE EXCLUDED. REFERENCE METHOD BY SUBMITTING DEPARTMENT.

1635 M3C1-D-AT-DM M3C1\_STAT\_CNT\_1635 DLSC-SBA F INTEGER 8  
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD  
THE ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE INCLUDED.

1636 M3C1-D-AT-DM-G M3C1\_STAT\_CNT\_1636 DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1637 M3C1-D-AT-DM-P DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT  
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1638 M3C1-D-AT-AIN M3C1\_STAT\_CNT\_1638 DLSC-SBA F INTEGER 8  
M3C1 DEPARTMENT ACTIVITY AIN  
THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1639 M3C1-D-AT-AIN-G M3C1\_STAT\_CNT\_1639 DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY AIN GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

1640 M3C1-D-AT-AIN-P DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY AIN PERCENT  
THE PERCENT OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

1641 M3C1-D-AT-RN M3C1\_STAT\_CNT\_1641 DLSC-SBA F INTEGER 8  
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER  
THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

1642 M3C1-D-AT-RN-G M3C1\_STAT\_CNT\_1642 DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL  
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT.

1643 M3C1-D-AT-RN-R DLSC-SBA F 8  
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO  
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT.

1644 M3C2-FSC-D-AT-MG M3C2\_STAT\_CNT\_1644 DLSC-SBA F INTEGER 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## M3C2 FSC DEPARTMENT ACTIVITY MANAGED

THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1645 M3C2-FSC-D-AT-DM M3C2\_STAT\_CNT\_1645 DLSC-SBA F INTEGER 8

## M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD

THE ACTIVITY TOTAL NSN TOTAL COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS INC 77777 ARE EXCLUDED.

1646 M3C2-FSC-D-AT-DM-G M3C2\_STAT\_CNT\_1646 DLSC-SBA F 8

## M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1647 M3C2-FSC-D-AT-DM-P DLSC-SBA F 8

## M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT

THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1648 M3C2-FSC-D-AT-AIN M3C2\_STAT\_CNT\_1648 DLSC-SBA F INTEGER 8

## M3C2 FSC DEPARTMENT ACTIVITY AIN

THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1649 M3C2-FSC-D-AT-AIN-G M3C2\_STAT\_CNT\_1649 DLSC-SBA F 8

## M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITH A DEPARTMENT, WITHIN AN FSC.

1650 REP-ACTY-LOA-NSN REP\_STAT\_CNT\_1650 DLSC-SB F INTEGER 8

## REPARABILITY ACTIVITY LOA NSN

THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY BY LOA.

1651 REP-ACTY-NSN REP\_STAT\_CNT\_1651 DLSC-SBA F INTEGER 8

## REPARABILITY ACTIVITY NSN

THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY.

1652 REP-DEPT-LOA-NSN REP\_STAT\_CNT\_1652 DLSC-SBA F INTEGER 8

## REPARABILITY DEPARTMENT LOA NSN

THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY LOA.

1653 REP-DEPT-NSN REP\_STAT\_CNT\_1653 DLSC-SBA F INTEGER 8

## REPARABILITY DEPARTMENT NSN

THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY BY DEPARTMENT.

1654 LRN-C-P-RNL-DEPT-MTHLY DLSC-V F 8

## LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1655 LRN-C-P-RNL-DEPT-QTRLY DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1656 LRN-C-P-RNL-DEPT-YRLY DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1657 LRN-C-P-RNL-DLY-TOT LRN\_STAT\_CNT\_1657 DLSC-V F INTEGER 8  
LOGRUN CAGE PTL REF NBR LOG INQ DAILY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1658 LRN-C-P-RNL-WKLY-TOT DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ WEEKLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1659 LRN-C-P-RNL-MTHLY-TOT DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ MONTHLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1660 LRN-C-P-RNL-QTRLY-TOT DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ QUARTERLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1661 LRN-C-P-RNL-YRLY-TOT DLSC-V F 8  
LOGRUN CAGE PTL REF NBR LOG INQ YEARLY TOTAL  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1662 LRN-NIIN-INQ-CAN-DLY DLSC-V F 8  
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1663 LRN-NIIN-INQ-CAN-WKLY DLSC-V F 8  
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1664 LRN-NIIN-INQ-CAN-MTHLY DLSC-V F 8  
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1665 LRN-NIIN-INQ-CAN-QTRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1666 LRN-NIIN-INQ-CAN-YRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1667 LRN-NIIN-INQ-ACTY-DLY LRN\_STAT\_CNT\_1667 DLSC-V F INTEGER 8  
LOGRUN NIIN INQUIRY ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY ACTIVITY.

1668 LRN-NIIN-INQ-ACTY-WKLY DLSC-V F 8  
LOGRUN NIIN INQUIRY ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY ACTIVITY.

1669 LRN-NIIN-INQ-ACTY-MTHLY DLSC-V F 8  
LOGRUN NIIN INQUIRY ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY ACTIVITY.

1670 LRN-NIIN-INQ-ACTY-QTRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR INQUIRIES BY ACTIVITY.

1671 LRN-NIIN-INQ-ACTY-YRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY ACTIVITY.

1672 LRN-NIIN-INQ-DEPT-DLY LRN\_STAT\_CNT\_1672 DLSC-V F INTEGER 8  
LOGRUN NIIN INQUIRY DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT.

1673 PC-NSN-REF-II-NACL DLSC-V F 8  
PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES  
PERCENT OF NSNS THAT ARE REFERENCE METHOD TYPE II IN NON-ASSIGNED CLASSES.

1674 LRN-NIIN-INQ-DEPT-MTHLY DLSC-V F 8  
LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT.

1675 LRN-NIIN-INQ-DEPT-QTRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT.

1676 LRN-NIIN-INQ-DEPT-YRLY DLSC-V F 8  
LOGRUN NIIN INQUIRY DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT.

1677 QLTY-CTL-CMPTN-DT DLSC-V F 9  
QUALITY CONTROL COMPLETION DATE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DAY, MONTH, AND YEAR (E.G., 8 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1678 EDIT-PROD-CMPTN-DT DLSC-V F 9  
EDIT PRODUCTION COMPLETION DATE  
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1680 SCR-NM DLSC-V V 6  
SCREEN NAME  
AN ABBREVIATED NAME PERTAINING TO SPECIFIC SCREENS. THOSE NAMES ARE USED IN CALLING/RETRIEVING THOSE SCREENS FROM STORAGE AND BRINGING THEM TO THE CRT FOR VIEWER USE.

1682 FUNC-CD DLSC-SB F 2  
FUNCTION CODE  
IDENTIFIES THE EDIT FUNCTIONS PERFORMED IN ON-LINE PROCESSING.

1696 DP-ACTY-CC-END-BAL DLSC-SBA F 8  
DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE  
THE NUMBER OF NSNS AT THE ENDING POINT OF TIME BY AMC WITHIN COMMODITY CATEGORY CODE BY ACTIVITY WITHIN DEPARTMENT.

1697 PRCSG-CMPTN-DT DLSC-V F 9  
PROCESSING COMPLETION DATE  
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH PROCESSING MUST BE COMPLETED.

1698 DP-ORIG-NSN-TOTAL-7 DLSC-SBA F 8  
DEPARTMENT ORIGINAL NSN TOTAL 7  
THE NUMBER OF ORIGINAL NSNS (AN ITEM IDENTIFICATION APPROVED BY DLSC AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

1699 FULL-DESCRIPTIVE-MTHD-7 DLSC-SBA F 8  
FULL DESCRIPTIVE METHOD 7  
FULL DESCRIPTIVE METHOD TOTAL FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1700 PARTIAL-DESCRIPTIVE-7 DLSC-SBA F 8  
PARTIAL DESCRIPTIVE 7  
PARTIAL DESCRIPTIVE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1701 REFERENCE-METHOD-7 DLSC-SBA F 8  
REFERENCE METHOD 7  
REFERENCE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1702 LRN-C-NIIN-CAN-DLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1703 INFO-DISEM-NM DLSC-V F 80

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

#### INFORMATION DISSEMINATION NAMES

THE NAME OF A SPECIFIC INFORMATION DISSEMINATION SYSTEM OUTPUT PRODUCT. THE NUMBER OF LINES IS VARIABLE.

1704 DATA-ELE-NM                      DE\_NM\_1704                      DLSC-V                      F    CHAR                      60  
DATA ELEMENT NAMES  
THE NAME OF A DATA ELEMENT.

1706 EXTRN-PARM    DLSC-V                      F    80  
EXTRACTION PARAMETERS  
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF EXTRACTION INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1707 FMT-PARM    DLSC-V                      F    80  
FORMAT PARAMETERS  
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF FORMAT INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1708 INFO-DISEM-NAR-DATA    DLSC-V                      F    132  
INFORMATION DISSEMINATION NARRATIVE DATA  
DATA IN THE FORM OF NARRATIVES USED AS INPUT TO THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 132 CHARACTERS. THE NUMBER OF LINES IS VARIABLE.

1709 NAR-IDEN-NBR    DLSC-V                      F    9  
NARRATIVE IDENTIFICATION NUMBER  
A NUMBER IDENTIFYING SPECIFIC INFORMATION DISSEMINATION NARRATIVE DATA.

1710 INFO-DISEM-DT    DLSC-V                      F    9  
INFORMATION DISSEMINATION DATE  
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) FOR WHICH THE INFORMATION DISSEMINATION IS EFFECTIVE.

1711 RPRODTN-CMPTN-DT    DLSC-V                      F    9  
REPRODUCTION COMPLETION DATE  
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) BY WHICH THE INFORMATION DISSEMINATION MASTERS MUST BE REPRODUCED AND SENT TO THE CUSTOMERS.

1712 CTOF-DT    DLSC-V                      F    9  
CUT-OFF DATE  
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) AFTER WHICH CHANGES TO DATA WILL NOT BE ACCEPTED AS INPUT FOR INFORMATION DISSEMINATION SYSTEM PROCESSING.

1713 DATA-CHNG-DT    DLSC-V                      F    9  
DATA CHANGE DATE  
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) INDICATING THE BEGINNING OF THE TIME PERIOD FOR WHICH DATA CHANGES (INCLUDING ADDITIONS AND DELETIONS) ARE REFLECTED IN INFORMATION DISSEMINATION SYSTEM CHANGE BULLETINS, PAGE SUBSTITUTIONS, ADVANCE CHANGE NOTICES, AND PERCENT DATA CHANGE CALCULATIONS.

1714 KEY-DATA-ELE-NM    DLSC-V                      F    60  
KEY DATA ELEMENT NAME

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME OF A DATA ELEMENT ASSOCIATED TO ONE OR MORE OTHER DATA ELEMENTS FOR PURPOSES OF DATA EXTRACTION.

1715 DATA-STR-NM DLSC-V F 60  
DATA STORE NAME  
THE NAME OF A FILE OR DATA BASE IN WHICH DATA IS STORED.

1716 EXTRN-DESC DLSC-V F 80  
EXTRACTION DESCRIPTION  
A DESCRIPTION OF THE REQUIREMENTS FOR THE EXTRACTION OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1717 FMT-DESC DLSC-V F 80  
FORMAT DESCRIPTION  
A DESCRIPTION OF THE REQUIREMENTS FOR THE FORMATING OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1718 DCOD-PARM DLSC-V F 80  
DECODE PARAMETERS  
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF DECODE INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1719 DCOD-DESC DLSC-V F 80  
DECODE DESCRIPTION  
A DESCRIPTION OF THE REQUIREMENTS FOR THE DECODING OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1720 INFO-DISEM-IDEN-NBR INFO\_DISEM\_ID\_1720 DLSC-V F INTEGER 10  
INFORMATION DISSEMINATION IDENTIFICATION NUMBER  
A NUMBER IDENTIFYING A SPECIFIC INFORMATION DISSEMINATION SYSTEM OUTPUT PRODUCT.

1721 CRTFD-CONTR-ZIP-CD DLSC-SC F 10  
CERTIFIED CONTRACTOR ZONE IMPROVEMENT PROGRAM CODE  
THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1722 CRTFD-CONTR-ST-ADRS-TX CRTFD\_ST\_ADRS\_1722 DLSC-SB F CHAR 36  
CERTIFIED CONTRACTOR STREET ADDRESS TEXT  
A FIELD CONTAINING THE COMPANY STREET ADDRESS OF THE CERTIFIED CONTRACTOR. VALID VALUES ARE LETTERS, NUMBERS, BLANKS, AND PUNCTUATION.

1723 CRTFD-CONTR-PO-BOX CRTFD\_POBOX\_1723 DLSC-SC F CHAR 36  
CERTIFIED CONTRACTOR POST OFFICE BOX  
THE POST OFFICE BOX PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1724 CRTFD-CONTR-CTY-STA DLSC-SC V 36  
CERTIFIED CONTRACTOR CITY/STATE  
THE CITY AND STATE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1725 CRTFD-CONTR-CAGE-CD DLSC-SC F 5  
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE  
THE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE ASSIGNED TO CERTAIN MANUFACTURERS AND NON-MANUFACTURERS WHO HAVE DONE BUSINESS WITH THE GOVERNMENT.

1726 CON-DPT-OTH-DIC-TOT-NSN DLSC-SBA F 8  
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL  
THE TOTAL NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT.

1727 LRN-COMB-CAN-QTRLY DLSC-V F 8  
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1728 LRN-COMB-CAN-YRLY DLSC-V F 8  
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1729 LRN-COMB-ACTY-DLY LRN\_STAT\_CNT\_1729 DLSC-V F INTEGER 8  
LOGRUN COMBINATION ACTIVITY DAILY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY ACTIVITY.

1730 LRN-COMB-ACTY-WKLY DLSC-V F 8  
LOGRUN COMBINATION ACTIVITY WEEKLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY ACTIVITY.

1731 LRN-COMB-ACTY-MTHLY DLSC-V F 8  
LOGRUN COMBINATION ACTIVITY MONTHLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY ACTIVITY.

1732 LRN-COMB-ACTY-QTRLY DLSC-V F 8  
LOGRUN COMBINATION ACTIVITY QUARTERLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY ACTIVITY.

1733 LRN-COMB-ACTY-YRLY DLSC-V F 8  
LOGRUN COMBINATION ACTIVITY YEARLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY ACTIVITY.

1734 LRN-COMB-DEPT-DLY LRN\_STAT\_CNT\_1734 DLSC-V F INTEGER 8  
LOGRUN COMBINATION DEPARTMENT DAILY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1735 LRN-COMB-DEPT-WKLY DLSC-V F 8  
LOGRUN COMBINATION DEPARTMENT WEEKLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY DEPARTMENT.

1736 LRN-COMB-DEPT-MTHLY DLSC-V F 8  
LOGRUN COMBINATION DEPARTMENT MONTHLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY DEPARTMENT.

1737 LRN-COMB-DEPT-QTRLY DLSC-V F 8  
LOGRUN COMBINATION DEPARTMENT QUARTERLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY DEPARTMENT.

1738 LRN-COMB-DEPT-YRLY DLSC-V F 8  
LOGRUN COMBINATION DEPARTMENT YEARLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY DEPARTMENT.

1739 LRN-COMB-TOT-DLY LRN\_STAT\_CNT\_1739 DLSC-V F INTEGER 8  
LOGRUN COMBINATION TOTAL DAILY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1740 LRN-COMB-TOT-WKLY DLSC-V F 8  
LOGRUN COMBINATION TOTAL WEEKLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1741 CON-OTH-DIC-TOT-NSN DLSC-SB F 8  
CONSUMABLE OTHER DIC NSN TOTAL  
THE TOTAL QUANTITY OF TRANSACTIONS (OTHERS THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW FOR DEPARTMENT FOR ACTIVITY.

1742 LRN-COMB-TOT-QTRLY DLSC-V F 8  
LOGRUN COMBINATION TOTAL QUARTERLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1743 LRN-COMB-TOT-YRLY DLSC-V F 8  
LOGRUN COMBINATION TOTAL YEARLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1744 LRN-PROC-QCK-INFO-CAN-D DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1745 LRN-PROC-QCK-INFO-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1746 LRN-PROC-QCK-INFO-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1747 LRN-PROC-QCK-INFO-CAN-Q DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1748 LRN-PROC-QCK-INFO-CAN-Y DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1749 LRN-PROC-QCK-INFO-ACTY-D LRN\_STAT\_CNT\_1749 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY ACTIVITY.

1750 LRN-PROC-QCK-INFO-ACTY-W DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY ACTIVITY.

1751 LRN-PROC-QCK-INFO-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY ACTIVITY.

1752 LRN-PROC-QCK-INFO-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY ACTIVITY.

1753 LRN-PROC-QCK-INFO-ACTY-Y DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY ACTIVITY.

1754 LRN-PROC-QCK-INFO-DEPT-D DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT.

1755 LRN-PROC-QCK-INFO-DEPT-W DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1756 LRN-PROC-QCK-INFO-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT.

1757 LRN-PROC-QCK-INFO-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT.

1758 LRN-PROC-QCK-INFO-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT.

1759 LRN-PROC-QCK-INFO-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1760 LRN-PROC-QCK-INFO-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1761 LRN-PROC-QCK-INFO-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1762 LRN-PROC-QCK-INFO-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1763 LRN-PROC-QCK-INFO-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1764 LRN-PROC-CAI-CAN-D DLSC-SB F 6  
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1765 LRN-PROC-CAI-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1766 LRN-PROC-CAI-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1767 LRN-PROC-CAI-CAN-Q DLSC-SB F 6  
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1768 LRN-PROC-CAI-CAN-Y DLSC-SB F 6  
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1769 LRN-PROC-CAI-ACTY-D LRN\_STAT\_CNT\_1769 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES CAI ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1770 LRN-PROC-CAI-ACTY-W DLSC-SB F 6  
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1771 LRN-PROC-CAI-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1772 LRN-PROC-CAI-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1773 LRN-PROC-CAI-ACTY-Y DLSC-SB F 6  
LOGRUN PROCEDURES CAI ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1774 LRN-PROC-CAI-DEPT-D DLSC-SB F 6  
LOGRUN PROCEDURES CAI DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1775 LRN-PROC-CAI-DEPT-W DLSC-SB F 6  
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT.

1776 LRN-PROC-CAI-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1777 LRN-PROC-CAI-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1778 LRN-PROC-CAI-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES CAI DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1779 LRN-PROC-CAI-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES CAI TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1780 LRN-PROC-CAI-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES CAI TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1781 LRN-PROC-CAI-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES CAI TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1782 LRN-PROC-CAI-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES CAI TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1783 LRN-PROC-CAI-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES CAI TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1784 LRN-PROC-ADMN-CAN-D DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1785 LRN-PROC-ADMN-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1786 LRN-PROC-ADMN-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1787 LRN-PROC-ADMN-CAN-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1788 LRN-PROC-ADMN-CAN-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1789 LRN-PROC-ADMN-ACTY-D LRN\_STAT\_CNT\_1789 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY ACTIVITY.

1790 LRN-PROC-ADMN-ACTY-W DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY ACTIVITY.

1791 LRN-PROC-ADMN-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY ACTIVITY.

1792 LRN-PROC-ADMN-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY ACTIVITY.

1793 LRN-PROC-ADMN-ACTY-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY ACTIVITY.

1794 LRN-PROC-ADMN-DEPT-D DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT.

1795 LRN-PROC-ADMN-DEPT-W DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT.

1796 LRN-PROC-ADMN-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT.

1797 LRN-PROC-ADMN-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1798 LRN-PROC-ADMN-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT.

1799 LRN-PROC-ADMN-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1800 LRN-PROC-ADMN-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1801 LRN-PROC-ADMN-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1802 LRN-PROC-ADMN-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMEBR.

1803 LRN-PROC-ADMN-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1804 LRN-PROC-TRN-PRCS-CAN-D DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1805 LRN-PROC-TRN-PRCS-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1831 ACT-AMMO-CD-TOT-CT DLSC-SCA F 6  
ACTIVE AMMO CODE TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE AMMO CODES RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.

1832 ACT-APRVD-ITM-NM-TOT-CT DLSC-SCA F 6  
ACTIVE APPROVED ITEM NAME TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE APPROVED ITEM NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1833 ACT-BSC-NM-TOT-CT DLSC-SCA F 6  
ACTIVE BASIC NAME TOTAL COUNT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF ACTIVE BASIC NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1834 ACT-COLLOQ-NM-TOT-CT DLSC-SCA F 6  
ACTIVE COLLOQUIAL NAME TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE COLLOQUIAL NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1835 ACT-FSC-TOT-CT DLSC-SCA F 6  
ACTIVE FSC TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1836 ACT-FSC-MOD-TOT-CT DLSC-SCA F 6  
ACTIVE FSC MODIFIER TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE FSC MODIFIERS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1837 ACT-INDX-ENTRY-TOT-CT DLSC-SCA F 6  
ACTIVE INDEX ENTRY TOTAL COUNT  
THE TOTAL QUANTITY OF ACTIVE INDEX ENTRIES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1838 AMMO-CD-ADD-CT DLSC-SCA F 6  
AMMO CODE ADD COUNT  
THE QUANTITY OF AMMO CODES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1839 AMMO-CD-DELD-CT DLSC-SCA F 6  
AMMO CODE DELETED COUNT  
THE QUANTITY OF AMMO CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1840 AMMO-CD-CHNGD-CT DLSC-SCA F 6  
AMMO CODE CHANGED COUNT  
THE QUANTITY OF AMMO CODES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1841 AMMO-CD-NIIN-QTY DLSC-SCA F 6  
AMMO-CODE NIIN QUANTITY  
THE QUANTITY OF NIINs THAT THE SPECIFIC AMMO CODE IS RECORDED AGAINST IN THE LOGISTICS DATA STORE.

1842 APPLB-KEY-CD-FIIG-TOT-CT DLSC-SCA F 6  
APPLICABILITY KEY CODE FIIG TOTAL COUNT  
THE TOTAL QUANTITY OF APPLICABILITY KEYS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1843 CLAS-ASST-MOD-H3-TOT-CT DLSC-SCA F 6  
CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT  
THE TOTAL QUANTITY OF H3 MODIFIER RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1844 DELD-AMMO-CD-TOT-CT DLSC-SCA F 6  
DELETED AMMO CODE TOTAL COUNT  
THE TOTAL QUANTITY OF AMMO CODES WHICH WERE DELETED FROM THE NAME MASTER DATA BASE.

1845 DELD-APRVD-ITM-NM-TOT-CT DLSC-SCA F 6  
DELETED APPROVED ITEM NAME TOTAL COUNT

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF APPROVED ITEM NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.

1846 DELD-BSC-NM-TOT-CT DLSC-SCA F 6  
DELETED BASIC NAME TOTAL COUNT

THE TOTAL QUANTITY OF BASIC NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.

1847 DELD-COLLOQ-NM-TOT-CT DLSC-SCA F 6  
DELETED COLLOQUIAL NAME TOTAL COUNT

THE TOTAL QUANTITY OF COLLOQUIAL NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1848 DELD-INDX-ENTRY-TOT-CT DLSC-SCA F 6  
DELETED ITEM ENTRY TOTAL COUNT

THE TOTAL QUANTITY OF INDEX ENTRIES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1849 ITM-NM-DEF-DLIM-TOT-CT DLSC-SCA F 6  
ITEM NAME DEFINITION DELIMITATION TOTAL COUNT

THE TOTAL QUANTITY OF NAME DEFINITIONS RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.

1850 MGMT-FSC-TOT-CT DLSC-SCA F 6  
MANAGEMENT FSC TOTAL COUNT

THE TOTAL COUNT OF MANAGEMENT FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1869 STOP-TIME DLSC-S F 13  
STOP TIME

A POINT IN TIME MARKING THE END OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDHHMMSSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.

1870 START-TIME DLSC-S F 13  
START TIME

A POINT IN TIME MARKING THE BEGINNING OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDHHMMSSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.

1871 SIX-DIGIT-TIME SIX\_DIGIT\_TIM\_1871 DLSC-S F INTEGER 6  
SIX DIGIT TIME

AN EXPRESSION OF TIME IN THE FORM HHMMSS WHERE H = HOURS, M = MINUTES AND S = SECONDS.

1872 FIVE-DIGIT-SERIAL-NUMBER FIV\_DIG\_S\_NBR\_1872 DLSC-S F CHAR 5  
FIVE DIGIT SERIAL NUMBER

A SERIAL NUMBER USED IN THE IDENTIFICATION OF A SPECIFIC TRANSACTION. IT IS ASSIGNED BY TRANSACTION MANAGEMENT.

1873 RECOVERY-CODE RECOVERY\_CODE\_1873 DLSC-S F CHAR 1  
RECOVERY CODE

A CODE INDICATING THAT A TRANSACTION HAS BEEN RECOVERED FOR REPROCESSING.

1874 REPROCESSING-ENTRY-POINT DLSC-S F 1  
REPROCESSING ENTRY POINT

A CODE INDICATING AT WHAT POINT RECOVERED TRANSACTIONS ARE TO BE RE-INTRODUCED INTO THE PROCESSING FLOW.

1875 ABR DLSC-S V 24



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## ABBREVIATION

DATA ELEMENT NAME ABBREVIATED.

1876	ALI		DLSC-S	V		60
ALIAS A NAME ATTRIBUTED TO A DATA ELEMENT OTHER THAN THE PRIMARY OR PREFERRED NAME.						
1877	DATA-CHN		DLSC-S	F		4
DATA CHAIN COMPONENT DRNs WHICH MAKE UP A CHAIN.						
1878	DATA-DEF		DLSC-S	V		571
DATA DEFINITION CLEAR TEXT INFORMATION WHICH DESCRIBES THE DATA ELEMENT.						
1879	DATA-LNK		DLSC-S	F		4
DATA LINK DATA ELEMENT CODES THAT THIS DATA ELEMENT IS A PART OF.						
1880	FXD-VAR		DLSC-S	F		1
FIXED/VARIABLE SPECIFIES F FOR FIXED OR V FOR VARIABLE FIELD LENGTH.						
1881	HOMON		DLSC-S	V		60
HOMONYM THE SAME NAME TO LABEL DISTINCTLY DIFFERENT DATA ELEMENTS.						
1882	DATA-ELE-LGTH	DE_LENGTH_1882	DLSC-S	F	SMALLINT	4
DATA ELEMENT LENGTH DEFINES THE LENGTH (NUMBER OF CHARACTERS) OF THE DATA ELEMENT.						
1883	REF		DLSC-S	F		23
REFERENCE CLEAR TEXT DATA WHICH DEFINES OR STATES THE AUTHORITATIVE MANUAL OR HANDBOOK FOR THE SPECIFIC DATA ELEMENT.						
1885	VAL-SRC		DLSC-S	V		64
VALUE SOURCE CLEAR TEXT REFERENCE INDICATING WHERE THE PERMISSIBLE DATA CODE VALUES ARE LISTED AND EXPLAINED.						
1886	DT-DE-WAS-CRTD-OR-MODF		DLSC-S	F		5
DATE DE WAS CREATED/MODIFIED A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A DATA ELEMENT WAS CREATED OR MODIFIED.						
1887	ID-OF-PER-WHO-CRTD-DE		DLSC-SB	V		26
IDEN OF PERSON WHO CREATED DE CLEAR TEST NAME OF THE PERSON WHO CREATED THE DATA ELEMENT.						
1888	ID-OF-PE-WHO-LST-MOD-DE		DLSC-S	V		26

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDEN OF PER WHO LAST MODIF DE

CLEAR TEXT NAME OF PERSON WHO LAST MODIFIED THE DATA ELEMENT.

1889 TOT-NBR-OF-MODF-TO-DE DLSC-S F 8  
TOAL NUMBER OF MODIF TO DE  
THE TOTAL NUMBER OF MODIFICATIONS TO A DATA ELEMENT.

1890 TOT-NBR-OF-ACT-DE DLSC-S F 8  
TOTAL NUMBER OF ACTIVE DATA EL  
THE TOTAL NUMBER OF ACTIVE DATA ELEMENTS.

1891 TOT-NBR-OF-ADD-TRAN DLSC-S F 8  
TOTAL NUMBER OF ADD TRAN  
THE TOTAL NUMBER OF ADD TRANSACTIONS PROCESSED.

1892 TOT-NBR-OF-CANC-DE DLSC-S F 8  
TOTAL NUMBER OF CANCELLED DE  
THE TOTAL NUMBER OF CANCELLED DATA ELEMENTS.

1893 TOT-NBR-OF-CHNG-TRAN DLSC-S F 8  
TOTAL NUMBER OF CHANGE TRAN  
THE TOTAL NUMBER OF CHANGE TRANSACTIONS PROCESSED.

1894 TOT-NBR-OF-DEL-TRAN DLSC-S F 8  
TOTAL NUMBER OF DELETE TRAN  
THE TOTAL NUMBER OF DELETE TRANSACTIONS PROCESSED.

1895 TOT-NBR-OF-IP-TRAN DLSC-S F 8  
TOTAL NUMBER OF INPUT TRAN  
THE TOTAL NUMBER OF INPUT TRANSACTION PROCESSED.

1896 RPT-RQST-CD DLSC-S F 3  
REPORT REQUEST CODE  
A CODE TO INDICATE WHAT TYPE OF REPORT THE SUBMITTER REQUIRES.

1898 MGMT-FSC-CHNGD-CT DLSC-SBA F 4  
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT  
THE QUANTITY OF MGMT-FSCs CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1899 DOD-MMC-FSC-EA-CD-CT DLSC-SBA F 4  
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT  
THE QUANTITY OF DOD-MMC-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1900 MGMT-FSC-DELD-CT DLSC-SBA F 4  
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT  
THE QUANTITY OF MGMT-FSCs DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1902 H-DLR-BRKOT-FSC-EA-CD-CT DLSC-SBA F 4

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT  
THE QUANTITY OF HI-DLR-BRKOT-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1903 CIMM-FSC-CT DLSC-SBA F 4  
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT  
THE QUANTITY OF CIMM-FSCs COUNTS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1905 LRN-PROC-BB-UPDT-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

1906 PSN-ZONE-OR-DECIMAL PSN\_ZONE\_DEC\_1906 DLSC-S F CHAR 1  
PSN ZONE OR DECIMAL  
A DATA ELEMENT INDICATING WHETHER ONE OF THE LAST TWO POSITIONS OF PKG-SEQ-NBR IS TO BE CONVERTED TO AN ALPHA CHARACTER.

1907 DRN-POSITION-OUT DLSC-S F 3  
DRN POSITION OUT  
A DATA ELEMENT THAT GIVES THE LOCATION IN AN OUTPUT FORMAT OF A DATA RECORD NUMBER.

1908 IMAGE-NUMBER DLSC-S F 1  
IMAGE NUMBER  
A COMPONENT OF AUDIT-REQUEST WHICH SPECIFIES WHICH IMAGE(S) ARE TO BE EXTRACTED FOR REVIEW.

1909 GENERATE-LTI-INDICATOR DLSC-S F 1  
GENERATTE LTI INDICATOR  
AN INDICATOR USED BY TRANSACTION MANAGEMENT WHEN PROCESSING LFU TRANSACTIONS TO INDICATE THAT AN LTI INPUT TRANSACTION IS TO BE GENERATED.

1911 MOE-USER-RQST DLSC-SBA F 1  
MOE USER REQUEST  
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE USER'S REQUEST FOR THE EFFECTIVE DATED ACTIONS ON THE EFFECTIVE DATE MOE RULE FILE TO BE PROCESSED.

1912 GDE-NBR-FIIG-SRCH DLSC-SCB F 6  
GUIDE NUMBER FIIG SEARCH  
THE FIIG NUMBER WILL BE USED TO SEARCH FOR ALL ITEM NAMES WITHIN THE SPECIFIED FIIG (I.E. A003A0)

1913 ITM-NM-CD-SRCH DLSC-SCB F 5  
ITEM NAME CODE SEARCH  
THE ITEM NAME CODE WILL BE USED TO SEARCH DATA BEGINNING WITH THE SPECIFIED INC (I.E. 18257).

1914 ITM-NM-KEYWRD-SRCH DLSC-SCB V 250  
ITEM NAME KEY WORD SEARCH  
A SIGNIFICANT WORD OF AN ITEM NAME WHICH WILL BE USED TO SEARCH ALL ITEM NAMES THAT CONTAIN THE KEY WORD (I.E. CRANK)

1915 NM-MSTR-DT-RNG-SRCH DLSC-SCB V 17

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

## NAME MASTER DATE RANGE SEARCH

THE DATE RANGE THAT WILL BE USED TO SEARCH FOR ALL ACTIONS FROM A BEGINNING DATE TO AN END DATE THE DATES WILL BE INPUT MONTH, DAY AND YEAR (I.E. 10-05-89-11-05-89)

1916 ITM-NM-FSC-FIND-SRCH DLSC-SCB V 250

ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH

THE ITEM NAME OR ITEM NAME CODE WILL BE USED TO SEARCH FOR THE SPECIFIED NAME OR INC AS SHOWN IN THE FEDERAL ITEM NAME DIRECTORY (H6 SECTION A) (I.E. SCREW DRIVE OR 15762)

1917 ITM-NM-CHNGD-CT DLSC-SCB F 6

ITEM NAME CHANGED COUNT

THE QUANTITY OF ITEM NAMES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1918 ITM-NM-ADD-CT DLSC-SCB F 6

ITEM NAME ADD COUNT

THE QUANTITY OF ITEM NAMES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1919 ITM-NM-DELD-CT DLSC-SCB F 6

ITEM NAME DELETED COUNT

THE QUANTITY OF ITEM NAMES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1920 NM-DEF-DLIM-ADD-CT DLSC-SBA F 6

NAME DEFINITION DELIMINATION ADD COUNT

THE QUANTITY OF NAME DEFINITION DELIMITATIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1921 NM-DEF-DLIM-CHNGD-CT DLSC-SCB F 6

NAME DEFINITION DELIMINATION CHANGED COUNT

THE QUANTITY OF NAME DEFINITION DELIMITATIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1922 NM-DEF-DLIM-DELD-CT DLSC-SCB F 6

NAME DEFINITION DELIMINATION DELETED COUNT

THE QUANTITY OF NAME DEFINITION DELIMITATIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1923 EFF-DTD-FSC-MOD-DELD-CT DLSC-SCB F 6

EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT

THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1924 ITM-NM-DEF-ADD-CT DLSC-SCB F 6

ITEM NAME DEFINITION ADD COUNT

THE QUANTITY OF ITEM NAME DEFINITIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1925 ITM-NM-DEF-CHNGD-CT DLSC-SCB F 6

ITEM NAME DEFINITION CHANGED COUNT

THE QUANTITY OF ITEM NAME DEFINITIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1926	ITM-NM-DEF-DELD-CT	DLSC-SCB	F	6
ITEM NAME DEFINITION DELETED COUNT				
THE QUANTITY OF ITEM NAME DEFINITIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.				
1927	DELD-AMMO-CD-CT	DLSC-SCB	F	6
DELETED AMMUNITION CODE COUNT				
THE QUANTITY OF AMMUNITION CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.				
1928	FSC-DEL-EFF-DT-CT	DLSC-SCB	F	6
FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT				
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS DELETES IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.				
1929	DELD-FSC-MOD-CT	DLSC-SCB	F	6
DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT				
THE QUANTITY OF FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.				
1930	EFF-DTD-FSC-MOD-CHG-CT	DLSC-SB	F	6
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT				
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.				
1931	MGMT-FSC-OP-CT	DLSC-SCB	F	6
MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT				
THE QUANTITY OF MGMT-FSC OUTPUT TRANSACTIONS WHICH WERE PROCESSED THROUGH THE NAME MASTER PROCESSES.				
1932	ITM-NM-NIIN-CT	DLSC-SCB	F	6
ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT				
THE QUANTITY OF NIINS THAT THE SPECIFIC ITEM NAME IS RECORDED AGAINST IN THE LOGISTICS DATASTORE.				
1933	FSC-ESTB-EFF-DT-CT	DLSC-SCB	F	6
FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT				
THE QUANTITY OF FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE THAT WERE EFFECTIVE DATED.				
1934	ITM-NM-IP-CT	DLSC-SCB	F	6
ITEM NAME INPUT COUNT				
THE QUANTITY OF ITEM NAME INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES				
1935	ITM-NM-OP-CT	DLSC-SCB	F	6
ITEM NAME OUTPUT COUNT				
THE QUANTITY OF ITEM NAME TRANSACTIONS OUTPUT FROM THE NAME MASTER PROCESSES.				
1936	MGMT-FSC-IP-CT	DLSC-SCB	F	6
MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT				
THE QUANTITY OF MGMT-FSC INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES.				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1937	NIIN-FSC-CT	DLSC-SCB	F	6
NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT				
THE QUANTITY OF NIINS THAT THE SPECIFIC FSC IS RECORDED AGAINST IN THE LOGISTICS DATA BASE.				
1938	ITM-NM-MSTR-TOT-RCD-CT	DLSC-SCB	F	6
ITEM NAME MASTER TOTAL RECORD COUNT				
THE TOTAL COUNT OF ITEM NAME RECORDS IN THE NAME MASTER LOGISTICS DATA BASE.				
1939	FSG-TI-SRCH	DLSC-SCB	F	2
FEDERAL SUPPLY GROUP TITLES SEARCH				
THIS SEARCH WILL DISPLAY THE FSG AND TITLES AS SHOWN IN THE INDEX OF CATALOGING HANDBOOK H2-2.				
1940	ALPHA-ITM-NM-SRCH	DLSC-SCB	V	250
ALPHABETIC ITEM NAME SEARCH				
AN ITEM NAME WHICH WILL BE USED TO APLPABETICALLY SEARCH ALL ITEM NAMES FOR THE ITEM NAME ENTERED (I.E., CRANK).				
1941	FSG-FSC-DESC-SRCH	DLSC-SCB	F	4
FSG FSC DESCRIPTION SEARCH				
THE GROUP OR CLASSIFICATION WILL BE USED TO SEARCH FOR THE DESCRIPTION OF THE FSG OR FSC ENTERED (I.E. 59 OR 5910).				
1942	FSG-TOT-RCD-CT	DLSC-SCB	F	6
FSG TOTAL RECORD COUNT				
THE TOTAL COUNT OF FSG RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.				
1943	FSC-ALPH-ACT-ITM-NM-SRCH	DLSC-SCB	F	5
FSC ALPHA ACTIVE ITEM NAME SEARCH				
THE FSC AND AN ALPHA WILL BE USED TO SEARCH FOR ALL ITEM NAMES THAT START WITH THE ALPHA UNDER THE SPECIFIED FSC (I.E., 5315 S).				
1944	FSC-CANC-ITM-NM-SRCH	DLSC-SCB	F	4
FSC CANCELED ITEM NAME SEARCH				
THE FSC WILL BE USED TO SEARCH FOR ALL ITEM NAMES CANCELED UNDER THE SPECIFIED FSC (I.E., 5315).				
1945	PRIM-FUNCL-AREA	DLSC-S	F	1
PRIMARY FUNCTIONAL AREA				
IDENTIFIES THE FUNCTIONAL AREA WHICH HAS PRIMARY INTERST IN THE DATA ELEMENT.				
1946	INTRD-FUNCL-AREA	DLSC-S	F	1
INTERESTED FUNCTIONAL AREA				
IDENTIFIES THE FUNCTIONAL AREA WHICH HAS ASSOCIATED INTEREST IN THE DATA ELEMENT.				
1947	CANC-REIN-CD	DLSC-S	F	1
CANCEL REINSTATE CODE				
A CODE USED TO INDICATE THE REASON A DATA ELEMENT WAS CANCELLED OR REINSTATED.				
1948	PRM-DRN	DLSC-S	F	4
PRIME DRN				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCES THE DRN AND ABBREVIATION OF THE DATA ELEMENT OR DATA USER IDENTIFIER.

1949	DMS-TRAN-CD		DLSC-S	F		1
DMS TRANSACTION CODE						
A CODE USED TO INDICATE THE TYPE OF TRANSACTION BEING SUBMITTED (U FOR UPDATE, I FOR INQUIRIES, AND R FOR REPORTS).						
1950	FRT-DCODED-LST-DATE	FRT_DCD_DT_L_1950	DLSC-SBA	F	INTEGER	5
FREIGHT DECODED LAST DATE						
THIS DATE REFLECTS THE LAST CHANGE TO THE CODED DESCRIPTIVE FREIGHT SEGMENT.						
1952	FRT-MSTR-INQ-DATE	FR_MST_INQ_DT_1952	DLSC-SBA	F	DATE	5
FREIGHT MASTER INQUIRY DATE						
THIS DATE IS THE KEY THAT WILL BE USED TO ACCESS THE FREIGHT STAT FILE.						
1954	FRT-MSTR-DELETE-CT	FR_MST_DEL_CT_1954	DLSC-SBA	F	INTEGER	5
FREIGHT MASTER DELETE COUNT						
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE DELETE ROUTINE.						
1955	FRT-EXTND-DESC-ADD-ER-CT	FR_EXD_ADD_ER_1955	DLSC-SBA	F	INTEGER	5
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT						
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION ADD ROUTINE.						
1957	FRT-EXTND-DESC-DEL-ER-CT	FR_EXD_DEL_ER_1957	DLSC-SBA	F	INTEGER	5
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT						
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION DELETE ROUTINE.						
1959	FRT-MSTR-CHG-CT	FR_MST_CHG_CT_1959	DLSC-SBA	F	INTEGER	5
FREIGHT MASTER CHANGE COUNT						
THIS COUNT IS USED TO RECORD ADD ACTIONS.						
1960	FRT-EXTND-DESC-ADD-CT	FR_EXD_ADD_CT_1960	DLSC-SBA	F	INTEGER	5
FREIGHT EXTENDED DESCRIPTION ADD COUNT						
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION ADD ACTIONS						
1961	FRT-EXTND-DESC-CHG-CT	FR_EXD_CHG_CT_1961	DLSC-SBA	F	INTEGER	5
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT						
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION CHANGE ACTIONS.						
1962	FRT-EXTND-DESC-DEL-CT	FR_EXD_DEL_CT_1962	DLSC-SBA	F	INTEGER	5
FREIGHT EXTENDED DESCRIPTION DELETE COUNT						
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION DELETE ACTIONS.						
1963	LSA-GRND-T		DLSC-SD	V		6
LSA GRAND TOTAL						
TOTAL NUMBER OF TRANSACTIONS ASSIGNED FOR REPORTING DATE.						
1964	NBR-OF-DAYS		DLSC-SD	V		4
NUMBER OF DAYS						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

TOTAL NUMBER OF DAYS A LSA TRANSACTION WAS COMPLETED IN, OR RETURNED TO COUNTRY.

1965 BR-LSA-T DLSC-SD V 6

BRANCH LSA TOTAL

TOTAL NUMBER OF TRANSACTION ASSIGNED TO BRANCH FOR REPORTING DATE.

1966 CNTRY-NM CNTRY\_NM\_1966 DLSC-SD V CHAR 26

COUNTRY NAME

A NATO/FG COUNTRY NAME

1967 DT-PR-EFF DT\_PR\_EFF\_1967 DLSC-SD F INTEGER 9

DATE PRICE EFFECTIVE

DATE THAT ANY TRANSACTIONS SUBMITTED BY NATO AND FOREIGN GOVERNMENTS ARE CHARGED A DIFFERENT PRICE, OR NEW PRICE.

1968 KNA-PCT DLSC-SD V 3

KNA PERCENT

PERCENTAGE OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1969 KNA-PCT-T DLSC-SD F 3

KNA PERCENT TOTAL

TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD

1970 KNA-QTY DLSC-SD V 4

KNA QUANTITY

QUANTITY OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1971 KNA-QTY-T KNA\_QTY\_T\_1971 DLSC-SD F CHAR 6

KNA QUANTITY TOTAL

TOTAL NUMBER OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD.

1972 NATO-FG-OLD-TRAN-PR NATO\_O\_TR\_PR\_1972 DLSC-SD F DECIMAL 7

NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE

THE PRICE CHARGE TO TRANSACTIONS WHEN THERE IS A PRICE CHANGE. THIS PRICE IS EFFECTIVE UNTIL A DATE IS PASSED.

1973 NATO-TRAN-PR-CD NATO\_TRAN\_PR\_1973 DLSC-SD F CHAR 2

NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE

A CODE USED TO PRICE AND COST NATO AND FOREIGN GOVERNMENT TRANSACTIONS SUBMITTED TO DLSC FOR ADDITION TO THE TIR. A "DS" DIRECT SUBMITTED IS A TRANSACTION THAT IS POCESSED AUTOMATICALLY. AN "II" SUBMITTAL IS A TRANSACTION THAT HAS TO BE WORKED MANUALLY. A "RI" IS A RESUBMITTAL TRANSACTION WORKED MANUALLY.

1974 RTN-TO-CTRY-PCT DLSC-SD V 3

RETURN TO COUNTRY PERCENT

PERCENTAGE OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.

1975 RTN-TO-CTRY-PCT-T DLSC-SD V 3

RETURN TO COUNTRY PERCENT TOTAL

TOTAL PERCENTAGES OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
1976	RTN-TO-CTRY-QTY		DLSC-SD	V	6
RETURN TO COUNTRY QUANTITY					
QUANTITY OF TRANSACTIONS RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.					
1977	RTN-TO-CTRY-QTY-T		DLSC-SD	V	6
RETURN TO COUNTRY QUANTITY TOTAL					
TOTAL NUMBER OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.					
1978	PCT-KNA-N-RTN-TO-CTRY		DLSC-SD	V	2
PERCENT KNA AND RETURN TO COUNTRY					
PERCENTAGE OF TRANSACTIONS THAT WERE COMPLETED OR WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.					
1979	KNA-N-RTN-TO-CTRY-PCT-T		DLSC-SD	V	3
KNA AND RETURN TO COUNTRY PERCENT TOTAL					
TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED AND RETURNED TO COUNTRY FOR A REPORTING PERIOD.					
1980	UNK-LSA-T		DLSC-SD	V	6
UNKNOWN LSA TOTAL					
TOTAL NUMBER OF TRANSACTIONS ASSIGNED TO A CODE NOT ASSOCIATED WITH A SPECIFIC TECHNICIAN FOR A REPORTING DATE.					
1982	NBR-RCVD-IN-BCH		DLSC-SD	F	6
NUMBER RECEIVED IN BATCH					
THE NUMBER OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.					
1983	NBR-PURG-FROM-BCH		DLSC-SD	F	6
NUMBER PURGED FROM BATCH					
THE NUMBER OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.					
1984	NBR-PRCSD-BLD-IN-BCH		DLSC-SD	F	6
NUMBER PROCESSED BILLED IN BATCH					
THE NUMBER OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.					
1985	NBR-IN-PRCS-IN-BCH		DLSC-SD	F	6
NUMBER IN PROCESS IN BATCH					
THE NUMBER OF TRANSACTIONS IN PROCESS IN A SPECIFIED BATCH CONTROL NUMBER.					
1986	MFR-IND		DLSC-SD	F	3
MANUFACTURER INDICATOR					
A CODE THAT INDICATES THAT MANUFACTURERS DATA FOLLOWS.					
1987	TM-CD	TM_CD_1987	DLSC-SD	F CHAR	1
TEAM CODE					
A CODE USED TO ASSOCIATE A PAST OR PRESENT TRANSACTION WORKLOAD WITH A TEAM.					
1990	T-IN-PRCS-IN-BCH		DLSC-SD	F	6
TOTAL IN PROCESS IN BATCH					
THE TOTAL NUMBER OF TRANSACTIONS IN PROCESS WITHIN A SPECIFIED BATCH CONTROL NUMBER.					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1991 GT-RCVD-IN-BCH  
GRAND TOTAL RECEIVED IN BATCH  
THE GRAND TOTAL OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.

DLSC-SD

F

6

1992 GT-PURG-FROM-BCH  
GRAND TOTAL PURGED FROM BATCH  
THE GRAND TOTAL OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.

DLSC-SD

F

6

1993 GT-PRCSD-BLD-IN-BCH  
GRAND TOTAL PROCESSED BILLED IN BATCH  
THE GRAND TOTAL OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.

DLSC-SD

F

6

1994 GT-IN-PRCS-IN-BCH  
GRAND TOTAL IN PROCESS IN BATCH  
THE GRAND TOTAL OF TRANSACTIONS PROCESSED IN A SPECIFIED BATCH CONTROL NUMBER.

DLSC-SD

F

6

1995 RPTG-PER  
REPORTING PERIOD  
THE PERIOD OF TIME COVERED BY THE INFORMATION IN A REPORT OR STATISTIC.

DLSC-SD

F

14

1996 RPTG-DT  
REPORTING DATE  
THE SPECIFIC DATE COVERED BY THE INFORMATION CONTAINED IN A REPORT OR STATISTIC.

DLSC-SD

F

5

1997 DOC-ID-CD-CT  
DOCUMENT IDENTIFIER CODE COUNT  
THE NUMERIC REPRESENTATION OF THE DOCUMENT IDENTIFIER CODES AS SHOWN ON A REPORT OR STATISITIC.

DOC\_ID\_CD\_CT\_1997

DLSC-SD

F INTEGER

5

1998 RTN-CD-CT  
RETURN CODE COUNT  
A COUNT THAT INDICATES THE NUMBER OF DATA ELEMENTS/RECORDS RETURNED TO THE SUBMITTER.

RTN\_CD\_CT\_1998

DLSC-SD

F CHAR

3

1999 RTN-TO-CTRY-T  
RETURN TO COUNTRY TOTAL  
THE TOTAL NUMBER OF TRANSACTIONS RETURNED TO COUNTRY AS UNPROCESSED.

RTN\_TO\_CTRY\_T\_1999

DLSC-SD

F INTEGER

5

2001 L-DOC-ID-CD-T  
L DOCUMENT IDENTIFIER CODE TOTAL  
THE TOTAL NUMBER OF L DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.

DLSC-SD

F

5

2002 DOC-ID-CD-T  
DOCUMENT IDENTIFIER CODE TOTAL  
THE TOTAL NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.

DLSC-SD

F

5

2003 DOC-ID-CD-HORIZ-T  
DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL  
THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A HORIZONTAL TOTAL.

DLSC-SD

F

5

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2004	MO MONTH THE MONTH REPRESENTED ON THE REPORT OR STATISTIC IN WHICH AN INDICATED ACTION TOOK PLACE.	DLSC-SD	F	3
2005	DOC-ID-CD-VERT-T DOCUMENT IDENTIFIER CODE VERTICAL TOTAL THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL TOTAL.	DLSC-SD	F	5
2006	DOC-ID-CD-VERT-GRND-T DOCUMENT IDENTIFIER CODE VERTICAL GRAND TOTAL THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL GRAND TOTAL.	DLSC-SD	F	5
2007	DOC-ID-CD-MO-T DOCUMENT IDENTIFIER CODE MONTH TOTAL THE NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED FOR THE INDICATED MONTH.	DLSC-SD	F	5
2008	L-DIC-N-RTN-YR-T L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL THE TOTAL NUMBER OF TRANSACTIONS PROCESSED PLUS THOSE RETURNED TO COUNTRY AS UNPROCESSED FROM BEGINNING OF CALENDAR YEAR TO REPORTING DATE.	DLSC-SD	F	5
2009	DOC-CTL-NBR-T DOCUMENT CONTROL NUMBER TOTAL THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED WITHIN THE INDICATED REPORTING PERIOD.	DLSC-SD	F	5
2011	AVE-NBR-DAY-IN-NATO-B-BR AVERAGE NUMBER OF DAYS IN NATO B BRANCH THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO B BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.	DLSC-SD	F	3
2012	AVE-NBR-DAY-IN-NATO-C-BR AVERAGE NUMBER OF DAYS IN NATO C BRANCH THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO C BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.	DLSC-SD	F	3
2013	AVE-NBR-DAYS-IN-NATO-T AVERAGE NUMBER OF DAYS IN NATO TOTAL THE AVERAGE NUMBER OF DAYS REQUIRED BY BOTH NATO BRANCHES TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.	DLSC-SD	F	3
2014	DOC-ID-CD-GRND-T DOCUMENT IDENTIFIER CODE GRAND TOTAL THE GRAND TOTAL OF DOCUMENT IDENTIFIER CODES DISPLAYED ON A REPORT OR STATISTIC.	DLSC-SD	F	6
2015	TECH-DOC-CTL-NBR-T TECHNICAL DOCUMENT CONTROL NUMBER TOTAL THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER AND ASSIGNED A TECHNICIAN THAT HAVE NOT BEEN PROCESSED.	DLSC-SD	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2016 BCH-DOC-CTL-NBR DLSC-SD F 6  
BATCH DOCUMENT CONTROL NUMBER TOTAL  
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2017 BCH-DOC-CTL-NBR-GRND-T DLSC-SD F 6  
BATCH DOCUMENT CONTROL NUMBER TOTAL  
THE NUMBER OF TRANSACTIONS CONTAINED IN BATCH CONTROL NUMBERS THAT HAVE NOT BEEN PROCESSED

2018 BCH-PRCSG-STATUS-NEG-MSG DLSC-SD F 52  
BATCH PROCESSING STATUS NEGATIVE MESSAGE  
THE NEGATIVE MESSAGE CITES A BATCH CONTROL NUMBER AND STATES THAT NO RECORDS FOUND FOR THE CITED BATCH CONTROL NUMBER E.G., NO RECORDS FOUND FOR BATCH CONTROL NUMBER ZK89103-03.

2019 TRANS-STATUS-DT DLSC-SD F 5  
TRANSACTION STATUS DATE  
THE DATE ASSOCIATED WITH THE LATEST STATUS OF A TRANSACTION CONTAINED IN A REPORT.

2021 ERR-LSTG-NEG-MSG DLSC-SD F 27  
ERROR LISTING NEGATIVE MESSAGE  
THE NEGATIVE MESSAGE THAT APPEARS ON THE UNKNOWN BRANCH TEAM ERROR LISTING THAT READS AS FOLLOWS: NO ACTION KNE, KNI, KNU TRANS.

2022 REF-NBR-T-OTM DLSC-SD F 5  
REFERENCE NUMBER TOTAL OUT TO MANUFACTURER  
THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH A TECHNICIAN THAT HAVE BEEN OUT TO MANUFACTURE WITH A REQUEST FOR TECH DATA FOR OVER 30 DAYS.

2023 REF-NBR-GRND-T-OTM DLSC-SD F 6  
REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER  
THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH ALL TECHNICIANS THAT HAVE BEEN OUT TO MANUFACTURER WITH A REQUEST FOR TECH DATA OVER 30 DAYS.

2024 WRKLD-LOCK-OT-CD WRKLD\_LOCK\_OT\_2024 DLSC-SD F CHAR 1  
WORK LOAD LOCK OUT CODE  
A CODE USED TO DENY FURTHER ASSIGNMENT OF TRANSACTIONS TO A TEAM OR TECHNICIAN, I.E. (ASTERISK).

2026 T-DIC-DOLLAR-AMT DLSC-SD F 12  
TOTAL DIC DOLLAR AMOUNT  
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIME THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT.

2027 DOLLAR-AMT-GRND-T-CNTRY DLSC-SD F 12  
DOLLAR AMOUNT GRAND TOTAL COUNTRY  
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIMES THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT AND THEN ADDING THE SUMS TO PRODUCE A COUNTRY TOTAL.

2028 DOC-CTL-NBR-GRND-T DLSC-SD F 6  
DOCUMENT CONTROL NUMBER GRAND TOTAL

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED BY ALL TECHNICIANS WITHIN THE INDICATED REPORTING PERIOD.

2029 FRT-MSTR-CHG-ER-CT FR\_MST\_CHG\_ER\_2029 DLSC-SBA F INTEGER 5  
FREIGHT MASTER CHANGE ERROR COUNT  
THIS COUNT REPRESENTS THE NUMBER OF TIMES AN ERROR IS ENCOUNTERED DURING A CHANGE ACTION TO THE MASTER FREIGHT FILE.

2031 ITM-NM-DATA-EFF-DT DLSC-SCA F 5  
ITEM NAME DATA EFFECTIVE DATE  
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF ITEM NAME RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2032 FSG-FSC-DATA-EFF-DT DLSC-SCA F 5  
FEDERAL SUPPLY GROUP, FEDERAL SUPPLY CLASS DATA EFF DATE  
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF FSG/FSC RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2033 KEYWRD-MODIFIER-STMT KEYWRD\_MOD\_ST\_2033 DLSC-SCA V VARCHAR 108  
KEYWORD MODIFIER STATEMENT  
CONSISTS OF THE REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC) ARRANGED IN AN INVERTED SEQUENCE BY THE KEYWORD OF THE STATEMENT FOLLOWED BY MODIFIER(S). IT IS CONTAINED IN THE MASTER REQUIREMENT DIRECTORY (MRD) AND WILL BE USED TO ESTABLISH AN INDEX FROM THE REQUIREMENT STATEMENT TO THE MRC.

2034 KEYWRD-GRP-CD KEYWRD\_GRP\_CD\_2034 DLSC-SCA F CHAR 2  
KEYWORD GROUP CODE  
THE NUMBER WHICH IDENTIFIES THE GROUP THE KEYWORD REQUIREMENT STATEMENT USES.

2035 DCOD-DTA-FILE-ID DLSC-SCA F 1  
DECODE DATA FILE IDENTIFIER  
THIS DRN WOULD BE USED IN THE DECODE GUIDE UPDATE SYSTEM TO IDENTIFY THE DIFFERENCE BETWEEN THE "LGR" ISAC DATA AND THE FORMAT 3 REPLY DATA.

2036 INT-DRN-POSITION INT\_DRN\_PSTN\_2036 DLSC-S F CHAR 5  
INTERNAL DRN POSITION  
A DATA ELEMENT INDICATING THE POSITION ON ANY OTHER INTERNAL DATA ELEMENT.

2037 OUT-DRN-POSITION DLSC-S F 5  
OUTPUT DRN POSITION  
A DATA ELEMENT INDICATING THE POSITION OF ANY OTHER OUTPUT DATA ELEMENT.

2039 FRT-MSTR-NIIN-CT DLSC-SBA F 7  
FREIGHT MASTER NIIN COUNT  
A COUNT THAT IINDICATES THE NUMBER OF RECORDS FOR THE FREIGHT CODE (KEY) THAT ARE STILL RECORDED ON THAT NUMBER OF NIINS.

2041 DEC-RPLY-ZERO-SUPPRS DLSC-VO V 6  
DECIMAL REPLY ZERO SUPPRESSION  
THIS SIGNIFIES THE SUPPRESSION OF NONSIGNIFICANT ZEROES WHICH ARE NOT CONSIDERED TO BE USEFUL INFORMATION IN THE PUBLICATIONS.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2042 NUC-HARDND-CRIT-ITM DLSC-V F 1  
NUCLEAR HARDENED CRITICAL ITEM (NHCI)  
A CODE THAT INDICATES WHAT FEATURE(S) THE ITEM HAS IN REGARDS TO NUCLEAR HARDNESS OR OTHER CRITICAL FEATURES SUCH AS TOLERANCE, FIT RESTRICTIONS, OR APPLICATIONS. SEE VOLUME 10, TABLE 181.

2043 ESD-EMI-CD ESD\_EMI\_CD\_2043 DLSC-S F CHAR 1  
ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE  
A ONE POSITION CODE USED TO INDICATE WHETHER AN ITEM IS SUSCEPTIBLE TO ELECTROSTATIC DISCHARGE OR ELECTROMAGNETIC INTERFERENCE DAMAGE. ELECTROSTATIC DISCHARGE DAMAGE OCCURS WHEN AN ACCUMULATION OF STATIC ELECTRICITY GENERATED BY THE RELATIVE MOTION OR SEPARATION OF MATERIALS IS RELEASED TO ANOTHER ITEM BY DIRECT CONTACT. ELECTROMAGNETIC INTERFERENCE DAMAGE OCCURS WHEN AN ITEM COMES INTO PROXIMITY WITH AN ELECTROSTATIC OR MAGNETIC FIELD. SEE VOLUME 10, TABLE 189 AND QUICK INFO ON-LINE.

2044 IL-GDE-TBL-NBR DLSC-SB F 1  
IL GUIDE TABLE NUMBER  
THE NUMBER OF A TABLE ENTRY ON A SPECIFIC LINE OF AN IL GUIDE. UP TO EIGHT SEPARATE TABLES MAY BE USED IN THE DESCRIPTION OF A CHARACTERISTIC THIS TABLE NUMBER IS USED DURING FORMATTING THE DISPLAY TO ARRANGE THE DECODED INFORMATION.

2046 ACTY-CD ACTY\_CD\_2046 DLSC-V F CHAR 6  
ACTIVITY CODE  
CORPORATE ACTIVITY CODE FOR USE WITHIN DLSC. IT IS VARIABLE FROM TWO TO SIX CHARACTERS. AN ACTIVITY CODE IS ASSIGNED TO EACH ACTIVITY WITHIN THE LOGISTICS MANAGEMENT FUNCTION. THIS DATA ELEMENT HAS MULTIPLE ALIASES BECAUSE OF VARIED USAGE THROUGHOUT THE DLSC AUTOMATED SYSTEM.

2047 LRN-DEPT-QTR-3-TOT DLSC-SB F 6  
LOGRUN DEPARTMENT QUARTER 3 TOTAL  
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2048 LRN-GRD-TOT-WKLY-TOT DLSC-SB F 6  
LOGRUN GRAND TOTAL WEEKLY TOTAL  
THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED FOR A WEEK.

2049 LRN-GRD-TOT-QTR-4-TOT DLSC-SB F 6  
LOGRUN GRAND TOTAL QUARTER 4 TOTAL  
THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. GRAND TOTAL FISCAL QUARTER 1 IS EQUAL TO LRN-GRD-TOT-QTR-4-TOT OF THE PREVIOUS YEAR.

2050 DT-LST-CHNG-RCD-DIDS DLSC-SC F 5  
DATE, LAST CHANGE TO RECORD, DIDS  
THE YEAR AND JULIAN DAY OF THE LAST CHANGE TO A SPECIFIC RECORD SUCH AS SURPLUS SALES BIDDER, ADDRESS, NAME, ETC., E.G. 71007.

2051 KRT-IND-CD KRT\_IND\_2051 DLSC-SD F CHAR 1  
KRT INDICATOR CODE  
THE CODE THAT INDICATES WHETHER A COUNTRY USES THE DIC KRT PROCESS.

2052 DIC-I-O-TYPE DIC\_I\_O\_TYPE\_2052 DLSC-V F CHAR 1  
DIC INPUT OUTPUT TYPE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE TO INDICATE IF A DIC IS INPUT OR OUTPUT.

2053 LMD-COMB-NBR LMD\_COMB\_NBR\_2053 DLSC-V F CHAR 3  
LMD COMBINATION NUMBER  
A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A PARTICULAR SUBMITTING ACTIVITY CODE.

2054 LMD-COMB-TYPE LMD\_COMB\_TYPE\_2054 DLSC-V F CHAR 3  
LMD COMBINATION TYPE  
A DATA ELEMENT USED IN CONJUNCTION WITH LMD-COMB-NBR TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES WHEN A LMD TRANSACTION IS A SUBORDINATE PART OF OR NOT A SUBORDINATE PART OF ANOTHER DOCUMENT IDENTIFIER CODE (E.G. LMX).

2055 LMX-COMB-NBR LMX\_COMB\_NBR\_2055 DLSC-V F CHAR 3  
LMX COMBINATION NUMBER  
A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A PARTICULAR SUBMITTING ACTIVITY CODE.

2056 TRML-BCH-DNCG-OFRD-QTY DLSC-SBA F 8  
TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

2057 TRANS-TI TRANS\_TI\_2057 DLSC-V V VARCHAR 270  
TRANSACTION TITLE  
A DESCRIPTION OF A TRANSACTION (DIC) TITLE.

2061 EQPT-MGMT-CD DLSC-V F 1  
ENVIRONMENTAL DATA CHAIN  
A CHAIN OF ENVIRONMENTAL ATTRIBUTE CODE (DRN 3025) USED FOR OUTPUT PURPOSES. (NOTE: WHEN FOUR OR MORE CODES ARE USED THE LAST CODE WILL BE REPLACED WITH THE CHARACTER 'Z'.)

2062 STK-FD-CRED-IND DLSC-V F 1  
STOCK FUND CREDIT INDICATOR  
A ONE (1) POSITION CODE THAT IDENTIFIES THE DEGREE OF STOCK FUND CREDIT AUTHORIZED FOR ASSET TURN-IN.

2063 PRCMT-SRC-CD DLSC-V F 1  
PROCUREMENT SOURCE CODE  
A ONE (1) POSITION CODE THAT DESIGNATES AN ITEM'S PROCUREMENT SOURCE.

2064 ARLFT-CD DLSC-V F 1  
AIRLIFT CODE  
A ONE (1) POSITION CODE THAT IDENTIFIES THE PREMIUM TRANSPORTATION (AIRLIFT) FOR AN ITEM OF SUPPLY.

2066 PREV-UI DLSC-V F 2  
PREVIOUS UNIT OF ISSUE  
A PREVIOUS CODE INDICATIONG THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSE OF REQUISITIONING BY, AND ISSUE TO, THE END USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICED IS ASCRIBED.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2067	CRIT-ITM-CD-EFF-DT	DLSC-V	F	5
CRITICAL ITEM CODE EFFECTIVE DATE				
THE JULIAN EFFECTIVE DATE OF THE CRITICAL ITEM CODE.				
2068	CRIT-ITM-CD	DLSC-V	F	1
CRITICAL ITEM CODE				
A ONE (1) POSITION CODE IDENTIFYING AN ITEM AS CRITICAL IN THE SUPPLY SYSTEM.				
2069	TRNSP-DATA-EFF-DT	DLSC-V	F	5
TRANSPORTATION DATA EFFECTIVE DATE				
THE JULIAN EFFECTIVE DATE OF THE APPLICABLE TRANSPORTATION DATA.				
2072	TRANS-TYP-CGO-CD	DLSC-V	F	2
TRANSPORTATION TYPE CARGO CODE				
A TWO (2) POSITION CODE THAT IDENTIFIES TRANSPORTATION CHARACTERISTICS OF STOCK ITEMS AND DENOTES ANY SPECIAL HANDLING AND MARKINGS REQUIRED.				
2073	AIR-LOG-CTR-PRM-SITE	DLSC-V	F	1
AIR LOGISTICS CENTER PRIME SITE				
AIR LOGISTICS CENTER PRIME SITE CODE.				
2074	SP-PK-INST-DT	DLSC-V	F	5
SPECIAL PACKING INSTRUCTION DATE				
THE JULIAN DATE OF A SPECIAL PACKAGING INSTRUCTION.				
2076	SP-PK-INST-IND	DLSC-V	F	1
SPECIAL PACKING INSTRUCTION INDICATOR				
A ONE (1) POSITION CODE THAT INDICATES ANY SPECIAL PACKAGING INSTRUCTION FOR A PARTICULAR ITEM OF SUPPLY.				
2078	DT-CUR-PRCSG-PRFM	DLSC-SB	F	5
DATE, CURRENT PROCESSING PERFORMANCE				
THE YEAR AND JULIAN DAY THAT PROCESSING IS PERFORMED, E.G., 70328. APPLIES SPECIFICALLY TO THE DATE OF THE INPUT OR OUTPUT.				
2081	SP-PK-INST-NBR	DLSC-V	F	9
SPECIAL PACKING INSTRUCTION NUMBER				
FORMERLY KNOWN AS TRANSPORTATION PACKAGING ORDER (TPO). THE SPI PROVIDES DETAILED INSTRUCTIONS FOR CONSTRUCTION OF A PACKAGE FOR AN ITEM THAT REQUIRES MAXIMUM PROTECTION. IT USUALLY CONSISTS OF A DRAWING THAT DETAILS THE CUSHIONING, BLOCKING, BRACING, SOCK MOUNTS, TIE-DOWN DEVICES ETC., THIS IS REFERRED TO AS DISCRETE SPI. A SPI MAY ALSO DESCRIBE THE REQUIRED PACKAGING WITH WRITTEN INSTRUCTIONS AND SPECIFICATION NUMBERS ONLY. THIS IS REFERRED TO AS A NARRATIVE SPI.				
2082	RECOV-RIMCS-EFF-DT	DLSC-V	F	5
RECOVERABLE ITEM MOVEMENT CONTROL SYSTEM DATA (RIMCS) EFF DT				
CURRENT JULIAN DATE USED TO REFLECT DATE OF LAST RIMCS ACTION TAKEN.				
2083	CTL-CD	DLSC-SB	F	1
CONTROL CODE				
A ONE (1) POSITION ALPHA CODE SELECTED BY THE MANAGING ALC PROVIDING DISPOSITION INSTRUCTIONS.				



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2084	PRI-DESI		DLSC-V	F	2
	PRIORITY DESIGNATOR				
	A TWO (2) POSITION NUMERIC SUPPLY PRIORITY PRESCRIBED BY UMMIPS EXPRESSING THE PROPER TRANSPORTATION MOVEMENT OF MATERIAL.				
2085	MNTRG-INV-MGR-SYS-MGR		DLSC-V	F	3
	MONITORING INVENTORY MANAGER/SYSTEM MANAGER				
	A THREE (3) POSITION ROUTING IDENTIFIER CODE OF THE PRIME ACTIVITY WHICH FILE MAINTAINS RIMCS DATA.				
2086	SHP-STK-RCD-ACCT-NBR		DLSC-V	F	6
	SHIP TO STOCK RECORD ACCOUNT NUMBER				
	A SIX (6) POSITION ALPHANUMERIC CODE USED TO INDICATE THE OVERHAUL STORAGE SITE WHERE THE ITEM IS TO SHIPPED FOR REPAIR/STORAGE.				
2087	MRK-FOR		DLSC-V	F	7
	MARK FOR				
	A SEVEN (7) POSITION ALPHANUMERIC CODE USED TO IDENTIFY SUPPLEMENTAL INFORMATION SUCH AS CONTRACT LINE ITEM NUMBER WHEN SHIPPING TO A CONTRACTOR SITE.				
2088	PROJ-CD		DLSC-V	F	3
	PROJECT CODE				
	A THREE (3) POSITION ALPHANUMERIC CODE USED TO IDENTIFY MATERIAL TO A PROJECT OR TO AIR FORCE.				
2089	OWN-CD		DLSC-V	F	1
	OWNERSHIP CODE				
	A ONE (1) POSITION ALPHANUMERIC CODE USED TO IDENTIFY ASSET WHEN				
2090	FRT-CD-STAT-CD	FRT_CD_STAT_2090	DLSC-SBA	F CHAR	1
	FREIGHT CODE STATUS CODE				
	THIS CODE INDICATES THE STATUS OF THE FREIGHT CODE (I.E. NMFC/SUB/UFC) COMBINATION TO WHICH IT IS ASSIGNED. A STATUS CODE WHICH IS "BLANK" INDICATES THAT THE FREIGHT CODE IS ACTIVE IN THE SYSTEM, WHILE A STATUS CODE OF "C" INDICATES THAT THE FREIGHT CODE TO WHICH IT IS ASSIGNED IS CANCELLED.				
2091	FRT-RT-CD		DLSC-V	F	1
	FREIGHT RATE CODE				
	A ONE (1) POSITION CODE THAT IS DETERMINED FROM THE NMFC DESCRIPTION APPLIED TO THE ITEM. IT DENOTES THE PERCENTAGE OF THE FIRST CLASS RATE APPLICABLE FOR THE MOVEMENT OF THE ITEM BY MOTOR CARRIER.				
2093	TIR-OP-MED-CD	TIR_OP_MED_CD_2093	DLSC-SB	F CHAR	1
	TIR OUTPUT MEDIA CODE				
	THE PRIMARY MEDIA DESIRED BY DLSC CUSTOMERS FOR ALL DATA EXCEPT SYSTEM SUPPORT RECORD (SSR), SIMPLIFIED FILE MAINTENANCE (SFM), MONTHLY CUMULATIVE AND SEMI-ANNUAL BASIC.				
2094	CT-OP-MED-CD	SSR_OP_MED_CD_2094	DLSC-SB	F CHAR	2
	CATALOG TOOLS OUTPUT MEDIA CODE				
	THE PRIMARY MEDIA DESIRED BY DLSC CUSTOMERS FOR CATALOG TOOLS OUTPUT.				
2096	OP-DESTN	OP_DESTN_2096	DLSC-SB	V CHAR	15

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## OUTPUT DESTINATION

THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT.

2097	ROLL-UP-DIC	ROLL_UP_DIC_2097	DLSC-SB	F CHAR	3
ROLL-UP DOCUMENT IDENTIFIER CODE					
THE CATALOG MANAGEMENT DATA OUTPUT FORTY-FIVE (45) DAYS PRIOR TO THE EFFECTIVE DATE.					
2098	ROLL-UP-DIC-DESTN	RL_UP_DIC_DES_2098	DLSC-SB	V CHAR	15
ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION					
THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT (45) FORTY-FIVE DAYS PRIOR TO THE EFFECTIVE DATE.					
2099	ED-DIC	ED_DIC_2099	DLSC-SB	F CHAR	3
EFFECTIVE DATE DOCUMENT IDENTIFIER CODE					
THE CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.					
2101	CAT-MGMT-IP-OP-NOTE-IND	CM_NOTE_IND_2101	DLSC-SB	F CHAR	2
CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR					
AN INDICATION OF NOTES FOR CERTAIN CATALOG MANAGEMENT DATA INPUTS AND OUTPUTS.					
2102	ED-DIC-DESTN	ED_DIC_DESTN_2102	DLSC-SB	V CHAR	15
EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION					
THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.					
2103	OP-SCHD	OP_SCHD_2103	DLSC-SB	F CHAR	30
OUTPUT SCHEDULE					
A DESIGNATION OF WHEN OUTPUT IS SENT OUT FOR CONCURRENT SUBMITTAL INPUTS.					
2104	OP-RECP	OP_RECP_2104	DLSC-SB	V CHAR	30
OUTPUT RECIPIENT					
THE DATA RECIPIENTS OF OUTPUT SENT OUT FOR CONCURRENT SUBMITTAL INPUTS					
2105	DLSC-ACTN-OP-COND	ACTN_OP_COND_2105	DLSC-SB	V VARCHAR	150
DLSC ACTION OUTPUT CONDITION					
AN EXPLANATION OF DLSC ACTION FOR CERTAIN OUTPUT CONDITIONS ON CONCURRENT SUBMITTAL INPUT.					
2109	REC-COL	REC_COL_2109	DLSC-V	V CHAR	7
RECORD COLUMN					
THE POSITION OF A DATA ELEMENT WITHIN A CERTAIN DOCUMENT IDENTIFIER CODE (FORMERLY REFERRED TO AS CARD COLUMN).					
2111	DIC-DRN-NOTE	DIC_DRN_NOTE_2111	DLSC-V	V CHAR	30
DIC DRN NOTES					
SERIES OF 2 POSITION NOTE NUMBERS ASSOCIATED WITH DRN'S WITHIN A CERTAIN DIC.					
2113	DIC-DRN-NOTE-DEF	DIC_DRN_N_DEF_2113	DLSC-V	V VARCHAR	1500
DIC DRN NOTE DEFINITION					
A CLEAR TEXT EXPLANATION OF A DIC/DRN NOTE. DIC-DRN-NOTE-NBR 2112 DIC_DRN_N_NBR_2112DIC DRN NOTE NUMBER 2X CHAR L F DLSC-V DIC-DRN-NOTE-NBR X(2) THE NUMBER OF THE DIC/DRN NOTE.					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
2117	DATE-LAST-CHG-DICTRY DATE LAST CHANGE DICTIONARY THE JULIAN DATE OF THE LAST CHANGE TO A CERTAIN DRN IN THE DICTIONARY.	DT_LST_CHG_DD_2117	DLSC-V	F DATE	5
2127	TRANS-DEF TRANSACTION DEFINITION CLEAR TEXT EXPLANATION OF THE DOC-ID-CD (DRN 3920)	TRANS_DEF_2127	DLSC-V	V VARCHAR	1000
2128	EFF-DT DATE, EFFECTIVE, LOGISTICS ACTION THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS ACTION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS SYSTEM. THIS DATE WILL ALWAYS BE THE FIRST DAY OF MONTH, E.G., 74213. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT. SEE VOLUME 10, TABLES 99, 112 AND 145 AND QUICK INFO ON-LINE.	EFF_DT_2128	DLSC-SBA	F INTEGER	7
2131	TRANS-INST TRANSACTION INSTRUCTION CLEAR TEXT INSTRUCTIONS OF THE DOC-ID-CD (DRN 3920).	TRANS_INST_2131	DLSC-V	V VARCHAR	1500
2132	GLOS-TERM GLOSSARY TERM CLEAR TEXT TERM.	GLOS_TERM_2132	DLSC-V	F CHAR	90
2133	GLOS-TERM-DEF GLOSSARY TERM DEFINITION CLEAR TEXT EXPLANATION OF THE GLOSSARY TERM.	GLOS_TERM_DEF_2133	DLSC-V	V VARCHAR	1200
2134	GLOS-TERM-VOL-REF GLOSSARY TERM VOLUME REFERENCE THE VOLUME(S) IN WHICH THE GLOSSARY TERM OR ACRONYM CAN BE FOUND.	GLS_TRM_VL_RF_2134	DLSC-V	V CHAR	30
2135	GLOS-ACRNM GLOSSARY ACRONYM ACRONYM.	GLOS_ACRNM_2135	DLSC-V	V CHAR	20
2136	GLOS-ACRNM-TI GLOSSARY ACRONYM TITLE CLEAR TEXT OF ACRONYM.	GLOS_ACRNM_TI_2136	DLSC-V	F CHAR	90
2137	ADRS-TYP-CD ADDRESS TYPE CODE CODE THAT INDICATES TYPE OF ADDRESS: BLANK OR SPACE=PRESENT ADDRESS 1=FIRST FORMER ADDRESS 2=SECOND FORMER ADDRESS 3=TEMPORARY ADDRESS	ADRS_TYP_CD_2137	DLSC-V	F CHAR	1
2138	USR-PASSWORD USER PASSWORD AN ACCESS CODE THAT IS USED IN CONJUNCTION WITH A USERCODE TO GAIN ACCESS TO THE FEDERAL LOGISTICS INFORMATION SYSTEM OR ONE OF ITS SUBSYSTEMS. SEE USERCODE ALSO.	USR_PASSWORD_2138	DLSC-V	F CHAR	8

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2139	PASSTHRU-ACTY-ID PASSTHROUGH ACTIVITY IDENTIFIER THE IDENTIFIER THAT REPRESENTS THE TRANSACTIONS OF THE S/A. IT IS BUILT INTO THE CURRENT SUBMITTERS ID FIELD IN THE INPUT PASSTHROUGH TRANSACTION.	PSTHRU_ACT_ID_2139	DLSC-V	F CHAR	4
2140	PASSTHRU-ACTY-NM PASSTHROUGH ACTIVITY NAME THE ABBREVIATED CLEAR TEXT NAME OF THE PASSTHROUGH ACTIVITY IDENTIFIER.	PSTHRU_ACT_NM_2140	DLSC-V	F CHAR	9
2141	SICA-ACT-IND SICA ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A SICA.		DLSC-V	F	1
2142	PICA-ACT-IND PICA ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A PICA.		DLSC-V	F	1
2143	SUBMR-ACT-IND SUBMITTER ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY A SUBMITTER.	SUBMR_ACT_IND_2143	DLSC-V	F CHAR	1
2144	COLLAB-ACT-IND COLLABORATOR ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A COLLABORATOR.		DLSC-V	F	1
2145	RCVR-ACT-IND RECEIVER ACTIVITY INDICATOR A CODE TO INDICATE IF THE ACTIVITY IS A RECEIVER.		DLSC-V	F	1
2146	TRFR-SAC-T2-4-NSN TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 4 NSN THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.	TRFR_STAT_CNT_2146	DLSC-SBA	F INTEGER	8
2147	TRFR-SAC-T2-1-NSN TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 1 NSN THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.	TRFR_STAT_CNT_2147	DLSC-SBA	F INTEGER	8
2149	E-MAIL-MSG ELECTRONIC MAIL MESSAGE THIS PROVIDES E-MAIL MESSAGES TO THE USER THROUGH THE ONLINE PROCEDURES SYSTEM BULLETIN BOARD.		DLSC-V	F	80
2151	E-MAIL-ADRS E MAIL ADDRESS THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM.	E_M_ADRS_2151	DLSC-SB	F CHAR	30
2152	E-MAIL-MSG-TTL E MAIL MESSAGE TITLE	E_M_MSG_TTL_2152	DLSC-SB	F CHAR	30

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TITLE OF THE MESSAGE BEING SENT AS DEFINED BY SENDER.

2153 E-MAIL-MSG-IND-CD E\_M\_MSG\_IN\_CD\_2153 DLSC-SB F CHAR 3  
E MAIL MESSAGE INDICATOR CODE  
A CODE THAT INDICATES WHAT IS TO BE DONE WITH A PARTICULAR MESSAGE, I.E., RETURN RECEIPT, SENT, FORWARDING, ECT.

2154 E-MAIL-MSG-LN E\_M\_MSG\_LN\_2154 DLSC-SB V VARCHAR 70  
E MAIL MESSAGE LINE  
ONE LINE OF AN E MAIL MESSAGE. ITERATIONS OF THE E-MAIL-MSG-LN WILL BE THE E MAIL MESSAGE.

2155 E-MAIL-MSG-LN-NBR E\_M\_MSG\_LN\_NO\_2155 DLSC-SB V CHAR 6  
E MAIL MESSAGE LINE NUMBER  
A NUMBER ASSIGNED TO AN E-MAIL-MSG-LN

2156 E-MAIL-FNCTNL-DT-TM-STMP E\_M\_FNC\_DT\_ST\_2156 DLSC-SB F TIMESTMP 12  
E MAIL FUNCTIONAL DATE TIME STAMP  
THE DATE AND TIME THAT A SPECIFIC E MAIL TRANSACTION TOOK PLACE. CONSISTS OF YYMMDD AND HH:MM:SS.

2157 CONTL-TXT-ID CONTL\_TXT\_ID\_2157 DLSC-SB V CHAR 10  
CONTINUAL TEST IDENTIFIER  
A CODE THAT WILL IDENTIFY A SPECIFIC LINE OF TEXT WITHIN THE PROCEDURES.

2158 E-MAIL-USR-IND-STAT-CD E\_M\_USER\_STAT\_2158 DLSC-SB F CHAR 3  
E MAIL USER INDICATOR STAT CD  
A CODE THAT INDICATES THAT A FUNCTION OF E MAIL HAS BEEN PERFORMED. I.E., IF A RETURN RECEIPT HAS BEEN SENT.

2161 AR-MCC-DESCP-USE-CD AR\_MCC\_USE\_CD\_2161 DLSC-V F CHAR 1  
ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE  
A NUMERIC CODE THAT DESIGNATES A DESCRIPTION AND USE CODE. POSITION 3

2162 AR-MCC-DESCP-USE-TXT AR\_MCC\_USE\_TX\_2162 DLSC-V F VARCHAR 600  
ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT  
A TEXT FIELD THAT DESCRIBES THE DESCRIPTION AND USE CODE.

2163 AR-MCC-APPROP-SUBGRP AR\_MCC\_AP\_SUB\_2163 DLSC-V F CHAR 1  
ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE  
AN ALPHANUMERIC CODE DESIGNATING APPROPRIATION AND SUBGROUPING. POSITION 2

2164 AR-MCC-APPROP-SUBGRP-TXT AR\_MCC\_AP\_TXT\_2164 DLSC-V F VARCHAR 100  
ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT  
A TEXT FIELD THAT DESCRIBES THE APPROPRIATION AND SUBGROUP CODE.

2165 AR-MCC-SUB-GRP-CD AR\_MCC\_SG\_CD\_2165 DLSC-V F CHAR 1  
ARMY MATERIEL CATEGORY SUBGROUP CODE  
A ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITION 4

2166 AR-MCC-SUB-GRP-TXT AR\_MCC\_SG\_TX\_2166 DLSC-V F CHAR 80  
ARMY MATERIEL CATEGORY SUBGROUP

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A TEXT FIELD THAT DESCRIBES SUBGROUP POSITION 4

2167 AR-MCC-SUB-GRP-CD1 AR\_MCC\_SG\_CD1\_2167 DLSC-V F CHAR 2  
ARMY MATERIEL CATEGORY SUBGROUP CODE ONE  
AN ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITIONS 4 AND 5.

2168 AR-MCC-SUB-GRP-TXT1 AR\_MCC\_SG\_TX1\_2168 DLSC-V F VARCHAR 210  
ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE  
A TEXT FIELD THAT DESCRIBES SUBGROUP POSITIONS 4 AND 5.

2169 SCRNG-KEY-INDS DLSC-S F 1  
SCREENING KEY INDICATORS  
INDICATES WHETHER THE UNIQUE NIIN IDENTIFIER WAS DERIVED FROM 2-STEP, PARAMETRIC OR NON-PARAMETRIC SCREENING.

2171 LRN-COMB-CAN-MTHLY DLSC-V F 8  
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME  
DONE THROUGH LOGRUN ON A MONTHLY BASIS BY CUSTOMER ACCOUNT NUMBER.

2172 LRN-COMB-TOT-MTHLY DLSC-V F 8  
LOGRUN COMBINATION TOTAL MONTHLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME  
DONE THROUGH LOGRUN ON A MONTHLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

2173 LRN-NIIN-INQ-DEPT-WKLY DLSC-V F 8  
LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT.

2174 MUL-BCH-DOC-NBR-GRND-T DLSC-SD F 6  
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL  
THE NUMBER OF TRANSACTIONS CONTAINED IN MULTIPLE BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2175 BCH-DOC-CTL-NBR-T DLSC-SD F 6  
BATCH DOCUMENT CONTROL NUMBER TOTAL  
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2176 QDIC-ALL-OAC-RECVD DLSC-SB F 8  
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED  
THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY

2177 ITM-NM-NON-APRVD-RMDR NAIN\_RMDR\_2177 DLSC-SC V VARCHAR 971  
ITEM NAME NON APPROVED REMAINDER  
A FULL CLEAR TEXT NAME FOR INC 7777, GIVEN AS A REPLY WHEN DRN 3445-MRC="NAME". THIS FULL CLEAR TEXT NAME DOES  
NOT MEET THE CRITERIA FOR AN APPROVED ITEM NAME. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN  
NON-APRVD-ITM-NM (DRN 2301)).

2179 RQST-CDFN-RGSN-USER-CD DLSC-SD F 3  
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. A THREE POSITION NUMERIC CODE INDICATING A SPECIFIC QUESTION AND THE PERTAINING REPLY NEEDED AS COMPLEMENTARY INFORMATION TO BE SENT TOGETHER WITH ONE OR A GROUP OF LOGICALLY RELATED REQUESTS FOR CODIFICATION AND REGISTRATION OF USER (LSA) UNDER DIC L07 INPUT TRANSACTION.

2180 DT-NIIN-PSCN-ASGMT DT\_NIIN\_ASGMT\_2180 DLSC-SB F INTEGER 7  
DATE, NIIN/PSCN ASSIGNMENT  
THE YEAR AND JULIAN DAY WHEN A NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ OR PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WAS ASSIGNED, E.G., 71237. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2181 ID-MLC-CUM-CHG ID\_STAT\_CNT\_2181 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST CONSOLIDATED.

2182 ID-MLC-CUR-CHG ID\_STAT\_CNT\_2182 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR MANAGEMENT LIST CONSOLIDATED.

2183 ID-MLC-PCT-CHG DLSC-S F 8  
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST CONSOLIDATED FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2184 ID-MLN-CUM-CHG ID\_STAT\_CNT\_2184 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST NAVY CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2185 ID-MLN-CUR-CHG ID\_STAT\_CNT\_2185 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST NAVY CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2186 ID-MLN-PCT-CHG DLSC-S F 8  
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2187 ID-MCRL-CUM-CHG ID\_STAT\_CNT\_2187 DLSC-S F INTEGER 8  
INFO DISSEM MASTER CROSS REFERENCE LIST CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST.

2188 ID-MCRL-CUR-CHG ID\_STAT\_CNT\_2188 DLSC-S F INTEGER 8  
INFO DISSEM MASTER CROSS REFERENCE LIST CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2189 ID-MCRL-PCT-CHG DLSC-S F 8  
INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2193 CHAR-EXCP-IND CHAR\_EXCP\_IND\_2193 DLSC-S F CHAR 1  
CHARACTERISTICS EXCEPTION INDICATOR  
IDENTIFIES TYPE OF MATCH FOR THE ITEM AND IS BASED UPON THE PRESENCE OF PROPRIETARY DATA, E MODE CODE(S), AND EXCEPTION REQUIREMENTS WITHIN THE CHARACTERISTICS.

2195 ID-MLMC-CUM-CHG ID\_STAT\_CNT\_2195 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST MARINE CORPS CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS.

2196 ID-MLMC-CUR-CHG ID\_STAT\_CNT\_2196 DLSC-S F INTEGER 8  
INFO DISSEM MANAGEMENT LIST MC CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS.

2197 ID-MLMC-PCT-CHG DLSC-S F 8  
INFO DISSEM MANAGEMENT LIST MC PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS, FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2198 LWST-DOC-CTL-NBR-SEQ-NBR LWST\_DCSN\_SEQ\_2198 DLSC-SD F CHAR 4  
SEQUENCE NUMBER, LOWEST DOCUMENT CONTROL NUMBER  
FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. THE LAST FOUR CHARACTERS OF THE DOCUMENT CONTROL SERIAL NUMBER (DRN 1000) OF THE LOWEST DOCUMENT CONTROL NUMBER (DRN 1015) IN A GROUP OF RELATED DOCUMENT IDENTIFIER CODE LSA TRANSACTIONS COVERED BY A SINGLE DOCUMENT IDENTIFIER CODE L07 TRANSACTION.

2199 HGST-DOC-CTL-NBR-SEQ-NBR HI\_DCSN\_SEQ\_2199 DLSC-SD F CHAR 4  
SEQUENCE NUMBER, HIGHEST DOCUMENT CONTROL NUMBER  
FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. THE LAST FOUR CHARACTERS OF THE DOCUMENT CONTROL SERIAL NUMBER (DRN 1000) OF THE HIGHEST DOCUMENT CONTROL NUMBER (DRN 1015) IN A GROUP OF RELATED DOCUMENT IDENTIFIER CODE LSA TRANSACTIONS COVERED BY A SINGLE DOCUMENT IDENTIFIER CODE L07 TRANSACTION.

2201 REPBL-CD-NWS DLSC-SB F 1  
NATIONAL WEATHER SERVICE REPAIRABILITY CODE  
A DATA CHAIN OF MANAGEMENT CODES USED BY THE NATIONAL WEATHER SERVICE TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATIONS OF NWS-PECULIAR SYSTEMS.

2202 REPBL-CD-FAA DLSC-SB F 1  
FEDERAL AVIATION ADMINISTRATION REPAIRABILITY CODE  
A DATA CHAIN OF MANAGEMENT CODES USED BY THE FEDERAL AVIATION ADMINISTRATION TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATIONS OF FAA-PECULIAR SYSTEMS.

2203 MGMT-CTL-DATA-FAA DLSC-SB F 7  
FEDERAL AVIATION ADMINISTRATION MANAGEMENT CONTROL DATA  
A FIELD CONTAINING SPACES TO ENSURE BLANK FAA MANAGEMENT CONTROL DATA IN SEGMENT H.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2204	MGT-CTL-DATA-NWS		DLSC-SB	F		7
NATIONAL WEATHER SERVICE MANAGEMENT CONTROL DATA						
A FIELD CONTAINING SPACES TO ENSURE BLANK NWS MANAGEMENT CONTROL DATA IN SEGMENT H.						
2211	DIC-REF	DIC_REF_2211	DLSC-V	F	CHAR	15
DIC REFERENCE						
FIELD CONTAINS A MANUAL REFERENCE WHERE A PARTICULAR DIC IS DISCUSSED IN DETAIL.						
2212	DIC-RLTD-FNCTNL-DSCPTN	DIC_TO_FD_2212	DLSC-V	F	CHAR	5
DIC RELATED FUNCTIONAL DESCRIPTION						
FIELD CONTAINS A UNIQUE 5 CHARACTER NUMBER FOR A FUNCTIONAL DESCRIPTION THAT IS RELATED TO A PARTICULAR DIC.						
2213	DIC-CSTDN-ALT	DIC_CSTDN_ALT_2213	DLSC-V	F	CHAR	15
DIC CUSTODIAN ALTERNATE						
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE SECONDARY CUSTODIAN FOR A DIC. USUALLY LAST NAME AND FIRST INITIAL.						
2214	DIC-CSTDN	DIC_CSTDN_2214	DLSC-V	F	CHAR	15
DIC CUSTODIAN						
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE PRIMARY CUSTODIAN FOR A DIC. USUALLY LAST NAME AND FIRST INITIAL.						
2219	INCR-NBR	INCR_NBR_2219	DLSC-SBA	F	CHAR	2
INCREMENT NUMBER						
THIS FIELD CONTAINS A TWO POSITION NUMBER WHICH IS ASSIGNED TO A GROUP OF NIINS WHICH ARE TENTATIVELY GOING TO BE TRANSFERRED FROM A MILITARY SERVICE ACTIVITY TO A DLA/GSA ITEM MANAGER. BECAUSE OF THE LARGE VOLUME OF NIINS INVOLVED IN THE TOTAL ITEM TRANSFER, THE NIINS WILL BE INCREMENTALLY PROCESSED IN GROUPS, BY MILITARY SERVICE ACTIVITY.						
2221	RNAAC-IND	RNAAC_IND_2221	DLSC-SBA	F	CHAR	1
RNAAC INDICATOR						
THIS DATA ELEMENT IS USED TO INDICATE IF AN ACTIVITY CAN BE REFERENCE NUMBER ACTION ACTIVITY (Y=YES AND N=NO).						
2222	ORG-ACT-IND	ORG_ACT_IND_2222	DLSC-SBA	F	CHAR	1
ORIGINATING ACTIVITY INDICATOR						
THIS DATA ELEMENT IS USED TO INDICATE IF AN ACTIVITY CAN BE AN ORIGINATING ACTIVITY (Y=YES AND N=NO).						
2223	DROP-INDX-CD-MAINT	DROP_IN_MAINT_2223	DLSC-SBA	F	CHAR	2
DROP INDEX CODE MAINTENANCE						
FILE MAINTENANCE DISTRIBUTION DROP INDEX CODE ASSOCIATED WITH AN ACTIVITY. THIS FIELD IS FILLED ONLY AS REQUIRED.						
2224	DROP-INDX-CD-NOTIF	DROP_IN_NOTIF_2224	DLSC-SBA	F	CHAR	2
DROP INDEX CODE NOTIFICATION						
NOTIFICATION DISTRIBUTION DROP INDEX CODE ASSOCIATED WITH ACTIVITY. THIS FIELD IS FILLED ONLY AS REQUIRED.						
2225	DROP-INDX-CD	DROP_INDX_CD_2225	DLSC-SBA	F	CHAR	2
DROP INDEX CODE						
DROP INDEX CODE FIELD TO INDICATE DISTRIBUTION FOR MAINTENANCE OR NOTIFICATION.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2226 DROP-INDX-CD-TYP DROP\_IN\_TYP\_2226 DLSC-SBA F CHAR 1  
DROP INDEX CODE TYPE  
THIS FIELD INDICATES TYPE ACTION USAGE FOR DROP CODE (M=MAINTENANCE AND N=NOTIFICATION).

2227 CTGY-CD-ACT-EXPLN CTGY\_CD\_ACT\_X\_2227 DLSC-SBA V VARCHAR 120  
CATEGORY CODE ACTIVITY EXPLANATION  
CLEAR TEXT EXPLANATION FOR THE CATEGORY CODE CONTAINED IN FIELD NAMED "CTGY-CD" (DRN 0905).

2228 IN-DP-AT-NSN DLSC-SB F 8  
ITEM NAME DEPARTMENT ACTIVITY NSN  
THE TOTAL QUANTITY OF NSNS ON FILE HAVING AN APPROVED OR NON-APPROVED ITEM NAME BROKEN OUT BY SUBMITTING ACTIVITY.

2229 IN-DP-NSN DLSC-SB F 8  
ITEM NAME DEPARTMENT NSN  
THE TOTAL QUANTITY OF NSNS ON FILE HAVING AN APPROVED OR NON-APPROVED ITEM NAME BROKEN OUT BY SUBMITTING DEPARTMENT.

2231 TBL-CSTDN-ALT TBL\_CSTDN\_ALT\_2231 DLSC-V F CHAR 15  
TABLE CUSTODIAN ALTERNATE  
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE ALTERNATE CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2232 TBL-CSTDN TBL\_CSTDN\_2232 DLSC-V F CHAR 15  
TABLE CUSTODIAN  
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE PRIMARY CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2233 TBL-RSPNSBL-DRCTRT TBL\_RSP\_DIR\_2233 DLSC-V F CHAR 6  
TABLE RESPONSIBLE DIRECTORATE  
FIELD CONTAINS DIRECTORATE OFFICE SYMBOL RESPONSIBLE FOR CONTENTS OF A TABLE. MORE THAN ONE DIRECTORATE MAY BE RESPONSIBLE FOR THE CONTENTS OF A TABLE.

2234 IANDS-FAMILY-SIZE IANS\_SIZE\_2234 DLSC-SB F INTEGER 4  
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE  
THIS REPRESENTS THE GROUPING FOR EACH I AND S FAMILY SIZE THAT IS USED IN STATISTICS.

2235 LBL-ID LBL\_ID\_2235 DLSC-V F CHAR 2  
LABEL IDENTIFICATION  
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHO OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER IS AUTHORIZED TO ADD NEW USERS.

2237 CHARAS-A-MODE-RPLY DLSC-SCA V 990  
CHARACTERISTICS A MODE REPLY  
THE RESPONSE TO AN A MODE CODE OR A J MODE CODE WITH AN A MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS CLEAR TEXT CONSISTING OF ANY COMBINATION OF WORDS, NUMERALS AND/OR SYMBOLS.

2238 CHARAS-B-MODE-RPLY DLSC-SCA V 11

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## CHARACTERISTICS B MODE REPLY

THE RESPONSE TO A B MODE CODE OR A J MODE CODE WITH A B MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL. NEGATIVE VALUES WILL BE PRECEDED BY AN "M".

2239 CHARAS-F-MODE-RPLY DLSC-SCA V 23

## CHARACTERISTICS F MODE REPLY

THE RESPONSE TO A F MODE CODE OR A J MODE CODE WITH A F MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS A RANGE SHOWN IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL WITH A SLASH MARK SEPARATING THE RANGE VALUES. EACH VALUE IS PRECEDED BY EITHER AN "M" OR "P".

2240 DT-CANC-NIIN DLSC-SB F 5

DATE, CANCELLATION, NATIONAL ITEM IDENTIFICATION NUMBER

THE YEAR AND JULIAN DAY THAT A NATIONAL ITEM IDENTIFICATION NUMBER WAS CANCELLED, E.G. 71011

2241 GEN-INFO-NBR DLSC-SC V 2

## GENERAL INFORMATION NUMBER

THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC GENERAL INFORMATION INTRODUCTION NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2242 RPLY-INST DLSC-SC V 9999

## REPLY INSTRUCTION

A NARRATIVE WHICH CONTAINS THE INSTRUCTIONS REQUIRED TO STRUCTURE AND FORMAT THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) ENCODED DATA FOR THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2243 TECH-DATA-TBL-NBR DLSC-SC V 2

## TECHNICAL DATA TABLE NUMBER

THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC TECHNICAL DATA TABLE NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2244 ENG-NBR DLSC-SC F 13

## ENGINE NUMBER

A UNIQUE IDENTIFIER FOR NAVY AIRCRAFT ENGINES.

2245 SUPLR-NM DLSC-V F 32

## SUPPLIER NAME

THE NAME OF ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT.

2246 INQ-NBR DLSC-V F 3

## INQUIRY NUMBER

THE NUMBER IDENTIFYING A SPECIFIC FEDERAL LOGISTICS BATCH INQUIRY.

2247 SVC-AGCY DLSC-V F 9

## SERVICE AGENCY

THE NAME OF THE SERVICE OR AGENCY.

2248 BTCH-NM DLSC-V F 11

## BATCH NAME

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME ASSIGNED BY THE REQUESTER FOR A FEDERAL LOGISTICS BATCH INQUIRY.

2249 SHPG-CD DLSC-V F 6  
SHIPPING CODE

A CODE THAT UNIQUELY IDENTIFIES THE ACTIVITY TO WHICH A REPAIRABLE ITEM SHOULD BE SHIPPED.

2254 COCO-NBR COCO\_NBR\_2254 DLSC-SB F SMALLINT 3  
CONVERSION CONSTANT NUMBER

THE COCO-NBR IS AN ASSIGNED VALUE USED TO RETRIEVE THE CONVERSION CONSTANT (COCO) WHICH IS THE NUMERIC VALUE USED TO CONVERT THE NUMERIC PORTION OF A UNIT OF MEASUREMENT'S REPLY BY MATHEMATICAL COMPUTATIONS.

2257 RNG-MAT-CRITE DLSC-SCA V 9999  
RANGE AND MATERIAL CRITERIA

THIS DATA IS USED BY THE SECTION II APPLICATION IN ITS DECISION PROCESS TO IDENTIFY LIKE ITEMS WITHIN THE FLIS SYSTEM CHARACTERISTICALLY. MAX LENGTH IS 63,000 CHARACTERS.

2259 MDLS-PN MDLS\_PN\_2259 DLSC-V V CHAR 32  
PART NUMBER FOR MEDALS

AN IDENTIFYING NUMBER ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO AN ITEM WHOSE ENGINEERING DATA DOCUMENT IS ENTERED INTO MEDALS. (NOTE: THIS NUMBER MAY OR MAY NOT HAVE A RELATIONSHIP TO AN "ITEM OF SUPPLY" OR "ITEM OF PRODUCTION", AS THE PART NUMBER MAY NOT NECESSARILY BE STOCKLISTED OR ASSOCIATED IN ANY WAY WITH A STOCK NUMBER.)

2260 DT-LST-MOE-RULE-NBR-WTHD DT\_LST\_MRN\_2260 DLSC-SB F INTEGER 7  
DATE, LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN

THE YEAR AND JULIAN DAY THAT THE LAST MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM ETC., E.G. 65234. REQUIRED FOR REPORTING AND SUSPENSE FILE PURGE ACTIONS. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2262 DT-OE-RCD-ESTB DT\_OE\_RCD\_EST\_2262 DLSC-SC F INTEGER 7  
DATE, ORGANIZATIONAL ENTITY RECORD ESTABLISHED

THE YEAR AND JULIAN DAY THAT THE ORGANIZATIONAL ENTITY RECORD WAS ESTABLISHED IN THE SYSTEM SUPPORT RECORD, E.G., 71011. THIS DATE IS PERMANENTLY RETAINED IN THE FILE. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2272 MDLS-CAGE-CD MDLS\_CAGE\_CD\_2272 DLSC-V F CHAR 5  
CAGE CODE FOR MEDALS

A FIVE POSITION ALPHA/NUMERIC CODE ISSUED BY THE FEDERAL GOVERNMENT TO IDENTIFY AN ENTITY, AND WHICH IS PERMANENTLY ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A DOCUMENT THAT IS INPUT TO MEDALS. IT IS USED WITH A MEDALS-DOC-NBR TO FORM A TWO PART COMBINATION OF NUMBERS THAT ESTABLISHED A UNIQUE, PERMANENT DRAWING OR DOCUMENT IDENTIFICATION IAW MIL-STD-100 AND INDUSTRY STANDARDS. IN CASE OF CONFLICT WITH A CAGE SHOWN IN THE STOCKLIST, THE ASSIGNED DOCUMENT OR DRAWING CAGE CODE SHALL PREVAIL FOR IDENTIFICATION.

2274 MDLS-ASGND-NIIN MDLS\_ASG\_NIIN\_2274 DLSC-V F CHAR 9  
ASSIGNED NIIN FOR MEDALS

A NINE DIGIT NUMBER ASSIGNED TO EACH APPROVED ITEM, WHICH MAY OR MAY NOT BE IDENTICAL TO THE NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM, INPUT TO MEDALS TO AID IN LOCATING DATA ASSETS.

2279 MOE-BATCH-DEL-ERR-CT DLSC-S F 5  
MOE BATCH DELETE ERROR COUNT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE MOE RULE FROM THE MOE RULE MSTR FILE AS A RESULT OF EFFECTIVE DATED DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

2281	SUBSTUT-INC		DLSC-SB	F		5
	SUBSTITUTE ITEM NAME CODE					
	THIS DATA IS USED IN THE GUIDE UPDATE SYSTEM TO IDENTIFY ALL ITEM NAME CODES WITH JUST ONE VALUE.					
2282	SEQ-INSRT-CD		DLSC-SB	F		1
	SEQUENCING INSERT CODE					
	THIS ALPHA CODE IS USED IN CONJUNCTION WITH THE CARD-SEQUENCE-CODE. THIS CODE ALLOWS UP TO 24 ADDITIONAL LINES OF DATA TO BE INSERTED BETWEEN CARD-SEQUENCE-CODES CURRENTLY RESIDING ON THE SECTION II GUIDE.					
2283	MAJ-MCC-AR-EXPLN	MAJ_MCC_AR_EX_2283	DLSC-SB	V	VARCHAR	200
	MAJOR MATERIEL CATEGORY CODE, ARMY					
	A CLRTXT DEFINITION OF THE MAJOR MATERIEL CATEGORY CODE, ARMY (DRN 9256)					
2284	SHPG-CTNR-CU		DLSC-VO	F		4
	SHIPPING CONTAINER CUBE					
	THE VOLUME (IN CUBIC FEET) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FOOT.					
2286	RPTY-ID-TI	RPTY_ID_TI_2286	DLSC-V	F	CHAR	3
	REPOSITORY IDENTIFIER FOR TITLE					
	A CODE INDICATING THE REPOSITORY RECORDED ON A MEDALS TITLE OF A DATA ASSET IDENTIFIER. THERE CAN BE ONLY ONE TITLE RECORDED ON A DATA ASSET IDENTIFIER.					
2287	MDLS-CAGE-CD-PN	MDLS_CAGE_PN_2287	DLSC-V	F	CHAR	5
	MEDALS CAGE CODE FOR PART NUMBER					
	THE CAGE CODE PERMANENTLY ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A PART OR ITEM. THIS NUMBER MUST AGREE WITH THE "CAGE CODE FOR MEDALS" ASSIGNED TO DOCUMENTS IAW WITH MIL-STD-100C, MIL-STD-100E, MIL-STD-1915, AND ASMEY14.100.					
2288	MDLS-PREF-MED-CD	MDLS_PRF_MD_C_2288	DLSC-V	F	CHAR	2
	MEDALS PREFERRED MEDIA CODE					
	A CODE USED TO IDENTIFY THE PREFERRED MODE/MEDIA OF DATA ASSET OUTPUT AVAILABLE AT THE REPOSITORY FOR MEDALS USERS.					
2289	MDLS-MED-CD	MDLS_MED_CD_2289	DLSC-V	F	CHAR	2
	MEDALS MEDIA CODE					
	A CODE INDICATING THE FORMS OF MEDIA PREFERRED BY THE TECHNICAL DATA REPOSITORY PROVIDING DRAWING REPRINTS. ONLY TWO CODES ARE USED IN THE MEDALS, "AC" FOR APERTURE CARD AND "HC" FOR HARDCOPY.					
2291	FIIG-INC-INPUT-WK	FIIG_STAT_CNT_2291	DLSC-SBA	F	INTEGER	8
	FIIG INC INPUT WEEKLY					
	WEEKLY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.					
2292	FIIG-INC-P-MTCH-WK	FIIG_STAT_CNT_2292	DLSC-SBA	F	INTEGER	8
	FIIG INC POSSIBLE MATCH WEEK					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2293 FIIG-INC-A-MTCH-WK FIIG\_STAT\_CNT\_2293 DLSC-SBA F INTEGER 8  
FIIG INC ACTUAL MATCH WEEK

WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2294 FIIG-INC-MTCH-WK DLSC-SBA F 8  
FIIG INC MATCH WORK  
TOTAL QUANTITY OF ACTUAL AND POSSIBLE MATCHES BY FIIG FOR A WEEK.

2295 FIIG-INC-NEW-INPUT-WK FIIG\_STAT\_CNT\_2295 DLSC-SBA F INTEGER 8  
FIIG INC NEW INPUT WEEK  
WEEKLY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

2296 FIIG-INC-NEW-MTCH-WK FIIG\_STAT\_CNT\_2296 DLSC-SBA F INTEGER 8  
FIIG INC NEW MATCH WEEK  
WEEKLY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

2297 FIIG-INC-MAINT-INPUT-WK FIIG\_STAT\_CNT\_2297 DLSC-SBA F INTEGER 8  
FIIG INC MAINTENANCE INPUT WEEK  
WEEKLY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

2298 FIIG-INC-MAINT-MTCH-WK FIIG\_STAT\_CNT\_2298 DLSC-SBA F INTEGER 8  
FIIG INC MAINTENANCE MATCH WEEK  
WEEKLY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

2299 FIIG-INC-9001-USAGE-WK FIIG\_STAT\_CNT\_2299 DLSC-SBA F INTEGER 8  
FIIG INC 9001 USAGE WEEK  
WEEKLY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

2300 DT-STDZN-DEC DT\_STDZN\_DEC\_2300 DLSC-SB F INTEGER 7  
DATE, STANDARDIZATION DECISION  
THE LAST RECORDED YEAR AND JULIAN DAY WHEN STANDARDIZATION WAS APPLIED TO AN ITEM UNDER THE DEPARTMENT OF DEFENSE STANDARDIZATION PROGRAM, E.G., 71019. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2301 SHRT-NM SHRT\_NM\_2301 DLSC-SB F CHAR 19  
SHORT NAME  
A SHORTENED VERSION OF APPROVED, COLLOQUIAL, NON-APPROVED NAME USED FOR COMPARISON PURPOSES.

2303 NM-CD NM\_CD\_2303 DLSC-SB F CHAR 5  
NAME CODE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

GENERIC CODE FOR APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES. ITM-NM-TYP-CD WILL BE USED TO DIFFERENTIATE NAMES.

2304 NM-FLD DLSC-SB V 1762  
NAME FIELD  
A GENERIC FIELD USED TO DESCRIBE APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES.

2308 DCODD-ISAC-RPLY-STMT DCOD\_ISAC\_RPY\_2308 DLSC-SC V VARCHAR 379  
DECODED ISAC REPLY STATEMENT  
A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR IDENTIFIED SECONDARY ADDRESS CODE (ISAC) REPLY CODE. USED TO PRINT REPLY CODES FOR ISAC IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2309 DCODD-STYL-RPLY-STMT DCOD\_STYL\_RPY\_2309 DLSC-SC V VARCHAR 379  
DECODED STYLE REPLY STATEMENT  
A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR STYLE REPLY CODE. USED TO PRINT REPLY CODES FOR STYLES IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2310 DT-TRAN DT\_TRAN\_2310 DLSC-SB F INTEGER 7  
DATE, TRANSACTION  
THE YEAR AND JULIAN DAY AN ORGANIZATIONAL ENTITY (OE) GENERATES A TRANSACTION TO THE FEDERAL LOGISTICS INFORMATION SYSTEM DATA BANK OR TO ANOTHER OE, E.G. 71019. THIS DATE MAY DIFFER FROM THE DATE THE TRANSACTION IS FORWARDED TO OR RECEIVED BY A COMMUNICATIONS SYSTEM OR ACTUALLY TRANSMITTED. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2311 CLBRTN-MKR DLSC-SD F 1  
CALIBRATION MARKER  
A ONE ALPHANUMERIC CODE IDENTIFYING WHERE AN ITEM REQUIRED TO BE CALIBRATED (SEE SUB-SECTION 553, PAGE V-238Z101). FOR NATO USE.

2312 CTGY-MAT DLSC-SD F 1  
CATEGORY OF MATERIAL  
A ONE NUMERIC CODE IDENTIFYING STANDARD HARDWARE ITEMS, CONSUMABLES OR RAW AND SEMI-FABRICATED MATERIALS (SEE SUB-SECTION 553, PAGE V-238Z102). FOR NATO USE.

2313 WT-PKG-UNIT DLSC-SD F 7  
WEIGHT OF PACKAGED UNIT  
A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITH PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z103). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2314 WT-UNPKG-UNIT DLSC-SD F 7  
WEIGHT OF UNPACKAGED UNIT  
A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITHOUT PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z104). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2315 INIT-PRCSG-DT DLSC-V F 8  
INITIAL PROCESSING DATE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATE REPRESENTS THE SCHEDULED PROCESSING DAY OF AN IL PUBLICATION. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2316 BSC-OR-CHNG-BULTN-IND DLSC-V F 3

BASIC OR CHANGE BULLETIN INDICATOR

THE FIRST TWO POSITIONS INDICATE THE TYPE OF IL PUBLICATION BEING PRODUCED, BASIC (BA) OR CHANGE BULLETIN (CB). THE LAST POSITION TELLS THE NUMBER OF BA OR CB WHICH HAVE BEEN PRODUCED DURING A PUBLICATION CYCLE. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2317 EDIT-NARRATIVE-DATA DLSC-V V 113

EDIT NARRATIVE DATA

THE EDIT NARRATIVE DATA IS CONTAINED WITHIN DOCUMENT IDENTIFIER CODE LGZ, FILENAME LDOLILDF (IDENTIFICATION LIST GUIDES). THIS DRN CAN CONTAIN ALPHAS, NUMERICS, SPECIAL CHARACTERS, AND DRN 0510 (REPLY TABLE DECODE SEQUENCE NUMBER). THE PURPOSE OF THIS DRN IS TO PRODUCE A CLEAR TEXT NARRATIVE STATEMENT DURING DECODE PROCESSING.

2318 CONV-GD-SKLTN-BDY CONV\_SLTN\_BDY\_2318 DLSC-S F VARCHAR 57

CONVERSION GUIDE SKELETON BODY

THIS DATA IS THE MAIN PORTION OF THE STANDARD FORMULAS USED BY THE SECTION II APPLICATION TO CONVERT ENCODED DATA.

2319 SKELETON-CODE SKEL\_CODE\_2319 DLSC-S F CHAR 2

SKELETON CODE

THIS DATA IS USED AS THE ACCESS KEY TO THE CONVERSION GUIDE SKELETONS.

2322 SHPG-CTNR-LGTH DLSC-VO F 6

SHIPPING CONTAINER LENGTH

THE OVERALL LENGTH (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2344 MDLS-TI MDLS\_TI\_2344 DLSC-V V CHAR 19

MEDALS TITLE

A CLEAR TEXT WORD OR PHRASE THAT DESCRIBES A DATA ASSET IDENTIFIER (DAI). ONLY ONE TITLE IS ALLOWED PER DAI ON THE MEDALS DATA BASE AND THE REPOSITORY IDENTIFIER RECORDED AGAINST THE MDLS-TI IS THE ONLY ONE THAT CAN MAKE CHANGES TO THE MDLS-TI.

2345 RPTY-ID-CAGE-PN RPTY\_ID.CG\_PN\_2345 DLSC-V F CHAR 3

REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER

A CODE INDICATING THE REPOSITORY RECORDED ON A MDLS-CAGE-CD-PN NUMBER OF A DATA ASSET IDENTIFIER. A REPOSITORY MUST BE RECORDED ON A MDLS-CAGE-CD-PN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-CAGE-CD-PN.

2346 RPTY-ID-NIIN RPTY\_ID\_NIIN\_2346 DLSC-V F CHAR 3

REPOSITORY IDENTIFIER FOR NIIN

A CODE INDICATING A REPOSITORY RECORDED ON A MDLS-ASGND-NIIN OF A DATA ASSET IDENTIFIER (DAI). A REPOSITORY MUST BE RECORDED ON A MDLS-ASGND-NIIN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-ASGND-NIIN.

2347 UNIT-MEAS-TRM UNIT\_MEAS\_TRM\_2347 DLSC-SB F CHAR 20

UNIT MEASURE TERM

CLEAR TEXT WORD REPRESENTED BY UNIT-MEAS-CD (DRN 0107) AS USED IN VOL 10 TABLE 81.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2348	ISAC-PRES-CD ISAC PRESENCE CODE A CODE WHICH DESIGNATES THE MANDATORY USAGE OF ISAC. IT FORCES COMPATIBILITY BETWEEN RELATIONSHIP MRC(S) AND MUST BE PRESENT MRC(S). THE VALID VALUES ARE I = ISAC IS PRESENT, BLANK = ISAC IS NOT PRESENT.	ISAC_PRES_CD_2348	DLSC-SC	F CHAR	1
2349	MMC-GSA MATERIEL MANAGEMENT CODE FOR GSA A GSA CODE USED TO CLASSIFY ITEMS INTO CATEGORY(S) BY MATERIEL COMMODITY CODE FOR GSA MANAGEMENT PURPOSES. A TWO POSITION ALPHABETIC CODE USED AS A MATERIEL MANAGEMENT CODE FOR GSA. CODES IDENTIFY MANAGERS OF SPECIFIC ITEMS AND NATIONAL STOCK NUMBERS, AND APPLY TO SYSTEMS, PROGRAMS, AGGREGATION OF RELATED EQUIPMENT, AND SELECTED FEDERAL SUPPLY CLASSES.	MMC_GSA_2349	DLSC-SBA	F CHAR	2
2385	ITM-PER-PLT ITEMS PER PALLET THE TOTAL NUMBER OF ITEMS ON/IN THE PALLETIZED OR UNITIZED LOAD.		DLSC-VO	F	7
2386	UN-ORG-SER-NBR UNITED NATIONS ORGANIZATION SERIAL NUMBER A CODE, INTERNATIONALLY RECOGNIZED, ASSIGNED WITHIN THE UNITED NATIONS ORGANIZATION RECOMMENDATIONS TO DESIGNATE THE ITEM. (CFR-49, PART 172-101)		DLSC-VO	F	4
2387	DOT-CL DEPARTMENT OF TRANSPORTATION CLASS A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT CLASS ASSIGNED IN ACCORDANCE WITH THE HAZARDOUS MATERIALS REGULATION OF THE DOT. TWO CLASS MAY APPLY TO A SINGLE ITEM.		DLSC-VO	F	1
2388	DOT-LBL DEPARTMENT OF TRANSPORTATION LABEL A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT LABEL APPEARING ON THE SHIPPING CONTAINER AS REQUIRED BY THE DOT. MORE THAN ONE LABEL MAY APPLY TO A SINGLE ITEM.		DLSC-VO	F	1
2389	DOT-MKG DEPARTMENT OF TRANSPORTATION MARKING A TWO POSITION PSEUDO CODE THAT CORRELATES TO THE REQUIRED DOT MARKING AND PROPER SHIPPING NAME ASSIGNED TO A SPECIFIC ITEM.		DLSC-VO	F	2
2390	SHPG-CTNR-PER-PLT SHIPPING CONTAINERS PER PALLET THE TOTAL NUMBER OF SHIPPING/STORAGE CONTAINERS ON/IN THE PALLETIZED OR UNITIZED LOAD.		DLSC-VO	F	2
2391	PLT-WT PALLET WEIGHT THE TOTAL WEIGHT (IN POUNDS) OF THE PALLETIZED OR UNITIZED LOAD TO THE NEAREST POUND.		DLSC-VO	F	5
2392	PLT-LGTH PALLET LENGTH THE OVERALL LENGTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.		DLSC-VO	F	6
2393	PLT-WDTH		DLSC-VO	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

## PALLET WIDTH

THE OVERALL WIDTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2394 PLT-HT DLSC-VO F 6

## PALLET HEIGHT

THE OVERALL HEIGHT (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2395 PLT-CU DLSC-VO F 4

## PALLET CUBE

THE VOLUME (IN CUBIC FEET) OF THE PALLET AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FEET.

2398 CG-CL DLSC-VO F 4

## COAST GUARD CLASS

A FOUR POSITION CODE ASSIGNED FOR WATER TRANSPORTATION OF MILITARY EXPLOSIVE OR HAZARDOUS MUNITION ITEMS (SEE CFR 46, PART 146, RULES AND REGULATIONS FOR MILITARY EXPLOSIVES AND HAZARDOUS MATERIALS).

2399 LD-STWG-CD DLSC-VO F 2

## LOAD STOWAGE CODE

A TWO POSITION CODE INDICATING THE STOWAGE COMPATIBILITY OF HAZARDOUS MATERIALS FOR AIR SHIPMENT.

2401 KYWD KYWD\_2401 DLSC-V F VARCHAR 80

## KEYWORD SEARCH

THIS PROVIDES TEXTUAL DATA FROM THE DIDS PROCEDURES SYSTEM BASED UPON KEYWORD SEARCH. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST.

2402 LRN-GRD-TOT-YRLY-TOT DLSC-SB F 6

## LOGRUN GRAND TOTAL YEARLY TOTAL

THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR A GIVEN YEAR. GRAND TOTAL FISCAL YEAR TOTAL IS THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED IN A FISCAL YEAR.

2403 E-MAIL-MSG-ID E\_M\_MSG\_ID\_2403 DLSC-SB F CHAR 3

## E MAIL MESSAGE IDENTIFIER

A CODE THAT WILL IDENTIFY A PARTICULAR MESSAGE.

2405 RECORD-ID RECORD\_ID\_2405 DLSC-V F CHAR 3

## RECORD IDENTIFIER

TEXTUAL DATA FROM A PARTICULAR TABLE, SEGMENT, ETC., FOR A TRANSACTION DONE THROUGH THE ON-LINE PROCEDURES SYSTEM. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST. ALL INFORMATION CONTAINED IN THE CURRENT DOD 4100.39-M, VOL 8, 9, 10, 11, AND 16 WILL BE CODED.

2408 LRN-DEPT-QTR-4-TOT DLSC-SB F 6

## LOGRUN DEPARTMENT QUARTER 4 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. DEPARTMENT FISCAL QUARTER 1 IS EQUAL TO LRN-DEPT-QTR-4-TOT OF THE PREVIOUS YEAR.

2409 LRN-DEPT-YRLY-TOT DLSC-SB F 6

## LOGRUN DEPARTMENT YEARLY TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A GIVEN YEAR. DEPARTMENT FISCAL YEAR TOTAL IS THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT IN A FISCAL YEAR.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2410	LRN-ACT-DLY-TOT LOGRUN ACTIVITY DAILY TOTAL THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY EACH DAY.	LRN_STAT_CNT_2410	DLSC-SB	F INTEGER	6
2411	LRN-ACT-WKLY-TOT LOGRUN ACTIVITY WEEKLY TOTAL THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A WEEK.		DLSC-SB	F	6
2412	LRN-ACT-QTR-2-TOT LOGRUN ACTIVITY QUARTER 2 TOTAL THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF APRIL, MAY AND JUNE.		DLSC-SB	F	6
2413	LRN-ACT-MTHLY-TOT LOGRUN ACTIVITY MONTHLY TOTAL THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A MONTH.		DLSC-SB	F	6
2414	LRN-ACT-QTR-1-TOT LOGRUN ACTIVITY QUARTER 1 TOTAL THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.		DLSC-SB	F	6
2416	APPL-CD APPLICATION CODE THIS PROVIDES TEXTUAL DATA FROM THE FLIS PROCEDURES SYSTEM BASED UPON SPECIFIC APPLICATION. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST.	APPL_CD_2416	DLSC-V	F CHAR	3
2422	LRN-GRD-TOT-DLY-TOT LOGRUN GRAND TOTAL DAILY TOTAL THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED EACH DAY.	LRN_STAT_CNT_2422	DLSC-SB	F INTEGER	6
2423	DLSC-PRD-SVC-CD DLSC PRODUCTS AND SERVICES CODE THIS IDENTIFIES THE VARIOUS TYPES OF PRODUCTS AND SERVICES PROVIDED BY DLSC AND CAN BE ACCESSED FROM THE LOGRUN ON-LINE PROCEDURES MENU. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED IN A REPLY TO USER'S REQUEST.	PRD_SVC_CD_2423	DLSC-V	F CHAR	3
2424	LRN-GRD-TOT-MTHLY-TOT LOGRUN GRAND TOTAL MONTHLY TOTAL THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED FOR A MONTH.		DLSC-SB	F	6
2425	LRN-GRD-TOT-QTR-1-TOT LOGRUN GRAND TOTAL QUARTER 1 TOTAL THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.		DLSC-SB	F	6
2426	LRN-GRD-TOT-QTR-2-TOT LOGRUN GRAND TOTAL QUARTER 2 TOTAL THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF APRIL, MAY AND JUNE.		DLSC-SB	F	6
2427	LRN-GRD-TOT-QTR-3-TOT		DLSC-SB	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN GRAND TOTAL QUARTER 3 TOTAL

THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2429 LRN-DEPT-DLY-TOT LRN\_STAT\_CNT\_2429 DLSC-SB F INTEGER 6

LOGRUN DEPARTMENT DAILY TOTAL

THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT EACH DAY.

2430 LRN-ACT-QTR-3-TOT DLSC-SB F 6

LOGRUN ACTIVITY QUARTER 3 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2431 LRN-ACT-YRLY-TOT DLSC-SB F 6

LOGRUN ACTIVITY YEARLY TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A GIVEN YEAR. ACTIVITY FISCAL YEAR TOTAL IS THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY IN A FISCAL YEAR.

2432 LRN-ACT-QTR-4-TOT DLSC-SB F 6

LOGRUN ACTIVITY QUARTER 4 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. ACTIVITY FISCAL QUARTER 1 IS EQUAL TO LRN-ACT-QTR-4-TOT OF THE PREVIOUS YEAR.

2433 LRN-DEPT-WKLY-TOT DLSC-SB F 6

LOFRUN DEPARTMENT WEEKLY TOTAL

THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A WEEK.

2434 LRN-DEPT-MTHLY-TOT DLSC-SB F 6

LOGRUN DEPARTMENT MONTHLY TOTAL

THE SUM OFF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A MONTH.

2435 LRN-DEPT-QTR-1-TOT DLSC-SB F 6

LOGRUN DEPARTMENT QUARTER 1 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.

2436 LRN-DEPT-QTR-2-TOT DLSC-SB F 6

LOGRUN DEPARTMENT QUARTER 2 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF APRIL, MAY AND JUNE.

2437 FIRFT-GP DLSC-VO F 4

FIREFIGHTING GROUP

A CODE INDICATING THE COMMODITY GROUP TO WHICH THE ITEM IS ASSIGNED FOR FIREFIGHTING PURPOSES.

2438 PRRTD-WT-LBS DLSC-VO F 9

PRORATED WEIGHT (POUNDS)

THE WEIGHT (IN POUNDS) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET, TO THE NEAREST THOUSANDTH OF A POUND (PALLETIZED WEIGHT/ITEMS PER PALLET).

2439 PRRTD-CU-FT DLSC-VO F 7

PRORATED CUBE (FEET)

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE VOLUME (IN CUBIC FEET) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET TO THE NEAREST THOUSANDTH OF A CUBIC FOOT. (PALLETIZED CUBE/ITEMS PER PALLET)

2440	DODIC	DLSC-VO	F	4
DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE A FOUR POSITION CODE CONSISTING OF A ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS, ASSIGNED TO THE ITEMS COVERED BY THE GENERIC DESCRIPTIONS.				
2441	NALC	DLSC-VO	F	4
NAVY AMMUNITION LOGISTICS CODE A FOUR POSITION NAVY ASSIGNED CODE USED IN PLACE OF A DODIC.				
2442	ITM-NET-EXPL-WT	DLSC-VO	F	8
ITEM NET EXPLOSIVE WEIGHT TRANSPORTATION (TRANS) - THE TOTAL WEIGHT OF EXPLOSIVES (IN POUNDS) IN ONE ROUND OF THE ITEM LISTED REGARDLESS OF THE TYPE OF CONTAINER AND NUMBER OF ROUNDS CONTAINED THEREIN. STORAGE - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN EXPLOSIVE STORAGE. WATERFRONT - SHIPYARD (W/F-S/B) - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN WATERFRONT AND SHIPBOARD OPERATIONS.				
2443	QTY-PER-SHPG-CTNR	DLSC-VO	F	5
QUANTITY PER SHIPPING CONTAINER THE NUMBER OF ITEMS PACKAGED IN EACH SHIPPING/STORAGE CONTAINER. FOR AMMUNITION AND EXPLOSIVES, IT IS THE QUANTITY APPROVED FOR PLACEMENT IN THE EXTERIOR CONTAINER FOR THAT NSN. THE APPROVED EXTERIOR CONTAINER IS USED FOR BOTH SHIPPING AND STORAGE.				
2444	DOT-EXMPN-NBR	DLSC-VO	F	9
DEPARTMENT OF TRANSPORTATION EXEMPTION NUMBER A NUMBER THAT REPRESENTS AUTHORITY GRANTED BY THE DEPARTMENT OF TRANSPORTATION TO TRANSPORT HAZARDOUS MATERIALS NOT COVERED BY EXISTING REGULATION. (NAVY EXEMPTION NUMBER LISTED IN NAVSEA OP2165 VOL. 1)				
2446	LOCY-ASGND-RPTG-CD-AF	DLSC-VO	F	4
LOCALLY ASSIGNED REPORTING CODE (AIR FORCE) A FOUR POSITION, AIR FORCE ASSIGNED CODE USED IN PLACE OF A DODIC.				
2447	PKG-REF-NBR	DLSC-VO	F	9
PACKAGING REFERENCE NUMBER A NINE POSITION ALPHA/NUMERIC CODE IDENTIFYING THE DRAWING/SCHEMATIC THAT DETAILS THE PACKAGING OF SHIPPING CONTAINERS.				
2448	SHPG-CTNR-HT	DLSC-VO	F	6
SHIPPING CONTAINER HEIGHT THE OVERALL HEIGHT (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.				
2449	SHPG-CTNR-DIAM	DLSC-VO	F	6
SHIPPING CONTAINER DIAMETER THE OVERALL DIAMETER (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.				
2450	SHPG-CTNR-WT	DLSC-VO	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## SHIPPING CONTAINER WEIGHT

THE TOTAL WEIGHT (IN POUNDS) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST TENTH OF A POUND.

2451	TRFR-SAC-CUR-T2-NSN	TRFR_STAT_CNT_2451	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 2 NSN						
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2452	TRFR-SAC-CUR-T1-NSN	TRFR_STAT_CNT_2452	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 1 NSN						
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2453	TRFR-SAC-CUR-T4-NSN	TRFR_STAT_CNT_2453	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 4 NSN						
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2454	TRFR-SAC-CUR-TOT-NSN	TRFR_STAT_CNT_2454	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY CURRENT TOTAL NSN						
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY SUBMITTING DEPARTMENT/ACTIVITY.						
2455	TRFR-SAC-FYD-T2-NSN	TRFR_STAT_CNT_2455	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 NSN						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2456	TRFR-SAC-FYD-T1-NSN	TRFR_STAT_CNT_2456	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 NSN						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2457	TRFR-SAC-FYD-T4-NSN	TRFR_STAT_CNT_2457	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2458	TRFR-SAC-FYD-DM-PCT	TRFR_STAT_CNT_2458	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY FISCAL YTDJ DESCRIPTIVE MTHD PT						
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.						
2459	TRFR-SDP-CUR-T2-NSN	TRFR_STAT_CNT_2459	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 2 NSN						
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.						
2460	TRFR-SDP-CUR-T1-NSN	TRFR_STAT_CNT_2460	DLSC-SBA	F	INTEGER	8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 1 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

2461 TRFR-SDP-T1-2-NSN TRFR\_STAT\_CNT\_2461 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2462 TRFR-SDP-T1-4-NSN TRFR\_STAT\_CNT\_2462 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPROTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2463 TRFR-SDP-T2-1-NSN TRFR\_STAT\_CNT\_2463 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2464 TRFR-SDP-T4-2-NSN TRFR\_STAT\_CNT\_2464 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2465 TRFR-SDP-TRFR-TOT-NSN TRFR\_STAT\_CNT\_2465 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TRANSFER TOTAL NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

2466 TRFR-SAC-FYD-T1-2-NSN TRFR\_STAT\_CNT\_2466 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 2  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

2467 TRFR-SAC-FYD-T1-4-NSN TRFR\_STAT\_CNT\_2467 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 4  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2468 TRFR-SAC-FYD-T2-1-NSN TRFR\_STAT\_CNT\_2468 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 1  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2469 TRFR-SAC-FYD-T2-4-NSN TRFR\_STAT\_CNT\_2469 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 4  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2470 TRFR-SAC-FYD-T4-1-NSN TRFR\_STAT\_CNT\_2470 DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 TO 1

THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2471 TBL-ALLOC TBL\_ALLOC\_2471 DLSC-SBA F CHAR 4  
TABLE ALLOCATION  
THIS FIELD STORES THE PROGRAMS INITIAL SPACE ALLOCATION FOR EACH TABLE.

2472 DB2-ARCH-GROUP DB2\_ARCH\_GP\_2742 DLSC-SBA F CHAR 4  
DB2 ARCHIVE GROUP  
THIS FIELD STORES THE ARCHIVE TABLE GROUP NUMBER NEEDED WHEN INITIALIZING THE TABLES.

2472 TRFR-SAC-FYD-TRFR-T-NSN TRFR\_STAT\_CNT\_2472 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

2473 TBL-VOLUME TBL\_VOLUME\_2473 DLSC-SBA F CHAR 6  
TABLE VOLUME  
THIS FIELD STORES THE VOLUME EACH TABLE IS STORED ON FOR INITIALIZING THE TABLES.

2474 TRFR-SDP-FYD-T1-4-NSN TRFR\_STAT\_CNT\_2474 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FYD TYPE 1 TO 4 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING ACTIVITY.

2475 TRFR-SDP-FYD-T2-1-NSN TRFR\_STAT\_CNT\_2475 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2476 TRFR-SDP-FYD-T2-4-NSN TRFR\_STAT\_CNT\_2476 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 4 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2477 TRFR-SDP-FYD-T4-1-NSN TRFR\_STAT\_CNT\_2477 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2478 TRFR-SDP-FYD-T4-2-NSN TRFR\_STAT\_CNT\_2478 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2479 TRFR-SDP-FYD-TRFR-T-NSN TRFR\_STAT\_CNT\_2479 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2480	SACC-HTY-UC-AC	DLSC-SBA	F	8
STAT ACCESS HISTORY USER CODE ACTIVITY				
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2481	SACC-CUR-UC-AC	DLSC-SBA	F	8
STAT ACCESS CURRENT USER CODE ACTIVITY				
THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2482	SACC-TOT-UC-AC	DLSC-SBA	F	8
STAT ACCESS TOTAL USER CODE ACTIVITY				
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.				
2483	SACC-HTY-AC-DP	DLSC-SBA	F	8
STAT ACCESS HISTORY ACTIVITY DEPARTMENT				
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2484	SACC-CUR-AC-DP	DLSC-SBA	F	8
STAT ACCESS CURRENT ACTIVITY DEPARTMENT				
THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2485	SACC-TOT-AC-DP	DLSC-SBA	F	8
STAT ACCESS TOTAL ACTIVITY DEPARTMENT				
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.				
2486	SACC-HTY-DP-ST	DLSC-SBA	F	8
STAT ACCESS HISTORY DEPARTMENT STAT				
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.				
2487	SACC-TOT-DP-ST	DLSC-SBA	F	8
STAT ACCESS TOTAL DEPARTMENT STAT				
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.				
2488	SACC-HTY-ST	DLSC-SBA	F	8
STAT ACCESS HISTORY STAT				
TOTAL NUMBER OF ACCESSES TO HISTORY DATA BY STAT.				
2489	SACC-CUR-ST	DLSC-SBA	F	8
STAT ACCESS CURRENT STAT CODE ACTIVITY				
TOTAL NUMBER OF ACCESSES TO CURRENT DATA BY STAT.				
2490	SACC-TOT-ST	DLSC-SBA	F	8
STAT ACCESS TOTAL STAT				
TOTAL NUMBER OF ACCESSES TO STAT DATA BY STAT.				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
2491	SACC-GTOT-HTY STAT ACCESS GRAND TOTAL HISTORY GRAND TOTAL ACCESSES TO ALL STAT HISTORY DATA.		DLSC-SBA	F	8
2492	SACC-GTOT-CUR STAT ACCESS GRAND TOTAL CURRENT GRAND TOTAL ACCESSES TO STAT ALL HISTORY DATA.		DLSC-SBA	F	8
2493	SACC-GTOT-TOT STAT ACCESS GRAND TOTAL GRAND TOTAL ACCESSES TO ALL STAT DATA.		DLSC-SBA	F	8
2495	CIIC-CLS-CD-TI CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE TITLE OF THE CODE (DRN 5255) CLASSIFICATION.	CIIC_CLS_TI_2495	DLSC-SBA	V CHAR	24
2496	CIIC-CLS-CD-TI-EX CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN EXPANDED DEFINITION OF THE TITLE OF THE CODE (DRN 5255) CLASSIFICATION.	CIIC_CLS_EX_2496	DLSC-SBA	V VARCHAR	320
2497	AIR-CMDTY-CD AIR COMMODITY CODE AIR COMMODITY CODE AS IDENTIFIED IN THE FIRST PART OF TABLE 85 IN FLIS PROCEDURES VOL 10.	AIR_CMDTY_CD_2497	DLSC-SB	F CHAR	1
2498	RPLY-STAT-IND REPLY TABLE STATUS INDICATOR A CODE USED IN THE MRD TO INDICATE THE STATUS OF THE REPLY STATEMENT. CODE /D/ FOLLOWING THE REPLY STATEMENT CONTAINED IN A REPLY TABLE INDICATES A REPLY IS NOT AUTHORIZED FOR USE IN FUTURE FIIG DEVELOPMENT.	RPLY_STAT_IND_2498	DLSC-SCA	F CHAR	1
2499	LKD-LKU-RPLM-IND CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR A CODE WHICH INDICATES THAT THIS NSN IS THE REPLACEMENT NSN IN A CANCEL-DUPLICATE OR CANCEL-USE RELATIONSHIP FOR AN NSN WHICH IS BEING CANCELLED, BUT THE EFFECTIVE DATE OF THE CANCELLATION HAS NOT BEEN REACHED. THE VALUE OF THIS CODE WILL BE EQUAL TO THE JULIAN DATE THAT THE CANCELLATION IS EFFECTIVE.	LKD_LKU_RPLM_2499	DLSC-SBA	F CHAR	5
2501	MASS-CHG-CRITL-CHG MASS CHANGE CRITICALITY CHANGE USED TO INDICATE IF CRITICALITY CODE HAS CHANGED FOR ITEM DURING MASS CHANGE.		DLSC-SC	F	1
2502	MASS-CHG-ITM-SEG MASS CHANGE ITEM SEGMENT CONTAINS THE ITEM IDENTIFICATION AND CODED CHARACTERISTICS FOR AN ITEM CURRENTLY UNDERGOING REVISION DUE TO A MASS CHANGE/GUIDE REVISION OR PAGE CHANGE.		DLSC-SC	V	9999
2503	MASS-CHG-GDE-NBR MASS CHANGE GUIDE NUMBER CONTAINS THE CURRENT AND REVISED GDE-NBR-FIIG AND INC WHICH WILL BE USED IN RETRIEVING MASS CHANGE ITEM SEGMENTS. THIS FIELD WILL BE USED TO MINIMIZE USER INTERFACE REQUIREMENTS.		DLSC-SC	F	22

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

2504 MASS-CHG-TYP-CHG  
MASS CHANGE TYPE CHANGE  
WILL BE USED TO INDICATE IF TYPE OF ITEM DESCRIPTION HAS CHANGED FOR ITEM DURING MASS CHANGE ACTIVITY.

DLSC-SC F 1

2506 STAT-MANAGER  
STATISTICS MANAGER  
STAT-MANAGER IS A TERM DEVELOPED TO FACILITATE THE MANAGEMENT STATS SYSTEM WHICH IS SYNONYMOUS WITH THE TERM INTEGRATED MATERIAL MANAGER. IT IS THE MATERIAL MANAGER RESPONSIBLE FOR THE EXECUTION OF ASSIGNED MATERIAL MANAGEMENT FUNCTIONS FOR SELECTED ITEMS OR SELECTED FEDERAL SUPPLY CLASS. THIS FIELD CONTAINS THE ABBREVIATED CENTER NAME AND OR ACTIVITY ASSIGNED TO THAT CENTER.

STAT\_MANAGER\_2506 DLSC-S F CHAR 7

2507 ACQ-AD-CD  
ACQUISITION ADVICE CODE (AAC)  
A CODE DENOTING HOW, AS DISTINGUISHED FROM WHERE, AND UNDER WHAT RESTRICTIONS AN ITEM WILL BE ACQUIRED. SHORT TITLE, AAC. SEE VOLUME 10, TABLES 58, 97, 113 AND 143 AND QUICK INFO ON-LINE.

AAC\_2507 DLSC-SBA F CHAR 1

2508 ESD-EMI-CD-EX  
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA  
THIS FIELD CONTAINS THE EXPLANATION FOR A MATCHING ESD-EMI-CD (DRN 2043). THIS DATA ELEMENT TOGETHER WITH ESD-EMI-CD (DRN 2043) FORM LINE ENTRIES FOR THE ELECTROSTATIC DISCHARGE CODE TABLE WHICH WILL APPEAR IN DIDS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).

ESD\_EMI\_CD\_EX\_2508 DLSC-SB F VARCHAR 125

2509 FSC-REQ-ESD-CD  
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE  
THIS FIELD CONTAINS A FEDERAL SUPPLY CLASS THAT REQUIRES AN ELECTROSTATIC DISCHARGE CODE BE ASSOCIATED WITH ANY ITEM OF SUPPLY WITHIN THE FSC SPECIFIED. THIS DATA ELEMENT FORMS THE BASIS FOR ENTRIES TO THE FSCs REQUIRING ESD CODES WHICH WILL APPEAR IN FLIS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).

FSC\_RQ\_ESD\_CD\_2509 DLSC-SB F CHAR 4

2511 UNIT-MEAS  
UNIT OF MEASURE  
THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.

DLSC-S V 75

2512 TAIL-CHAR-IND  
TAILORED CHAR INDICATOR  
A CODE WHICH DENOTES WHETHER TAILORED CHARACTERISTIC DATA WILL BE OUTPUT TO CENTERS. THE LETTER "A-O" WILL BE USED FOR THIS PURPOSE. ALL OTHERS WILL CONTAIN AN "X" OR " ".

TAIL\_CHAR\_IND\_2512 DLSC-S F CHAR 2

2513 TAIL-ACT-CD  
TAILORED ACT CODE  
A TWO POSITION CODE WHICH DENOTES THE CENTER WHICH IS TO RECEIVE TAILORED CHARACTERISTIC OUTPUT.

TAIL\_ACT\_CD\_2513 DLSC-S F CHAR 2

2514 PROP-CHAR-CD  
PROPORTION CHAR CD  
USED TO VALIDATE SPECIAL CHARACTERS THAT ARE USED SPECIFICALLY TO APPLY A PROPORTION EDIT. VALID VALUES ARE + = PERPETUATION - PACS ARE THE SAME IN ALL CASES. % = PERCENT OF, ? = THEN, [<] = LESS THAN, [>] = GREATER THAN, /= RATIO OF, \$ = DATA RETRIEVAL, : = MUST HAVE.

PROP\_CHAR\_CD\_2514 DLSC-SC F CHAR 1

2516 NM-PREFIX  
NAME PREFIX

NM\_PREFIX\_2516 DLSC-SD V CHAR 10

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME "PREFIX" PRECEDES THE NOUN PORTION OF THE ITEM NAME. IT IS OFTEN ASSOCIATED WITH CARBON COMPOUNDS AND/OR MEDICAL NAMES. IT'S SCIENTIFIC SEQUENCING SCROLLING PROCEDURES.

2517 NM-ROOT-RMDR NM\_ROOT\_RMDR\_2517 DLSC-SD V VARCHAR 1743  
NAME ROOT REMAINDER

THE NAME "ROOT" MUST ALWAYS BE PRESENT IN THE NM-FLD AND IS ALWAYS USED IN THE PUBLICATION OF THE ITEM NAME FILE. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN SHRT-NM (DRN 2301)).

2521 SEG-X-NATO-ITM-APP-DATA DLSC-SD F 120  
SEGMENT X - NATO ITEM APPLICATION DATA

NATO USE ONLY. NOT TO BE USED IN DLSC. THIS SEGMENT, USED AS INPUT TO NCBs/NAMSA AND OUTPUT FROM NCBs, CONSISTS OF THE DRNs 2524 (RELATED END ITEM/WEAPON SYSTEM) AND/OR 2522 (RELATED ASSEMBLY) OR 2523 (RELATED SKO) AND THEIR VALUES IDENTIFIED BY THE NSNs OF THE END ITEMS/WEAPON SYSTEMS, ASSEMBLIES OR SKOs TO WHICH THE ITEM OF SUPPLY IS RELATED.

2522 REL-ASBLY DLSC-SD F 13  
RELATED ASSEMBLY

NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN ASSEMBLY TO WHICH THE ITEM OF SUPPLY IS RELATED.

2523 REL-SKO DLSC-SD F 13  
RELATED SKO

NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF A SET, KIT OR OUTFIT (SKO) TO WHICH THE ITEM OF SUPPLY IS RELATED.

2524 REL-END-ITM-WPN-SYS DLSC-SD F 13  
RELATED END ITEM WEAPON SYSTEM

NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN END ITEM/WEAPON SYSTEM TO WHICH THE ITEM OF SUPPLY IS RELATED.

2525 INT-CD-SEG-A-X DLSC-SD F 4  
INTERROGATION CODE SEGMENT A AND X

NATO USE ONLY. NOT TO BE USED IN DLSC. A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES A COMBINATION OF SEGMENTS A (DRN 9100) AND X (DRN 2521) DATA (SEE SUB-SECTION 533 TABLE 03).

2526 RPLM-MOE-RULE-NBR2 RPLM\_M\_RL\_NBR\_2526 DLSC-SB F CHAR 4  
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 2

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS SECOND OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE SECOND OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR3, ETC.

2527 RPLM-MOE-RULE-NBR3 RPLM\_M\_RL\_NBR\_2527 DLSC-SB F CHAR 4  
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 3

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS THIRD OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE THIRD OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2528	RPLM-MOE-RULE-NBR4	RPLM_M_RL_NBR_2528	DLSC-SB	F CHAR	4
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 4					
THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FOURTH OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FOURTH OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.					
2529	RPLM-MOE-RULE-NBR5	RPLM_M_RL_NBR_2529	DLSC-SB	F CHAR	4
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 5					
THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FIFTH OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FIFTH OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.					
2531	AUTHZD-II-DATA-COLLBR-CD	AUTH_II_COLBR_2531	DLSC-SBA	F CHAR	2
AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE					
AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO ITEM IDENTIFICATION DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.					
2532	AUTHZD-II-DATA-RCVR-CD	AUTH_II_RCVR_2532	DLSC-SBA	F CHAR	2
AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE					
AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.					
2533	SUPPLM-COLLBR	SUPPLM_COLLBR_2533	DLSC-SB	F CHAR	2
SUPPLEMENTARY COLLABORATOR					
AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO THE ITEM IDENTIFICATION DATA OF A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.					
2534	SUPPLM-RCVR	SUPPLM_RCVR_2534	DLSC-SB	F CHAR	2
SUPPLEMENTARY RECEIVER					
AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.					
2535	AUTHZD-II-DATA-SUBMR-CD	AUTH_II_SUBMR_2535	DLSC-SB	F CHAR	2
AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE					
A CODE IDENTIFYING THE SINGLE ACTIVITY AUTHORIZED TO SUBMIT ITEM IDENTIFICATION DATA FOR A SPECIFIC ITEM OF SUPPLY TO THE DEFENSE LOGISTICS SERVICE CENTER.					
2538	FRST-MNTH-JUL	FRST_MNTH_JUL_2538	DLSC-SBA	F CHAR	3
FIRST OF THE MONTH JULIAN					
A NUMERIC INDICATION OF THE JULIAN NUMBER THAT CORRELATES TO THE FIRST DAY OF A PARTICULAR MONTH. THE NUMBER IS ESTABLISHED FOR ONLY NON-LEAP YEARS.					
2539	NUMERIC-MONTH	NUMERIC_MONTH_2539	DLSC-SBA	F CHAR	2
NUMERIC MONTH					
A NUMERIC INDICATION OF THE MONTH. FOR EXAMPLE, 01 FOR JANUARY, 02 FOR FEBRUARY.					
2541	L07-TRANS-SENT-QTY	L07_TRAN_SENT_2541	DLSC-SD	F INTEGER	9

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## L07 TRANSACTIONS SENT QUANTITY

NUMBER OF L07 TRANSACTIONS SENT BY THE SUBMITTING COUNTRY.

2542 L07-TRANS-RCVD-QTY L07\_TRAN\_RCVD\_2542 DLSC-SD F INTEGER 9

## L07 TRANSACTIONS RECEIVED QUANTITY

NUMBER OF L07 TRANSACTIONS RECEIVED FROM THE SUBMITTING COUNTRY.

2544 CASE-NBR CASE\_NBR\_2544 DLSC-SD F CHAR 2

## CASE NUMBER

CASE NUMBER IS A TWO CHARACTER ID OF A REPORT FOR THE NATO CODIFICATION SYSTEM.

2546 NATO-BTCH-CTL-DT N\_BTCH\_CTL\_DT\_2546 DLSC-SD F INTEGER 9

## NATO BATCH CONTROL DATE

NATO BATCH JULIAN DATE IN (CCYYDDD) FORMAT.

2549 POS-ZONE POS\_ZONE\_2549 DLSC-SB F CHAR 10

## POSTAL ZONE

AN OPTIONAL CODE USED BY FOREIGN COUNTRIES IN PLACE OF A ZIP CODE.

2551 IMC-NW-D-AT-IMC-CIC-FY DLSC-SBA F INTEGER 8

## ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD

FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY.

2552 IMC-NW-D-AT-IMC-FY-T DLSC-SBA F 8

## ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY.

2553 IMC-NW-D-AT-CIC-FY-T DLSC-SBA F 8

## ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL

FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2554 IMC-NW-D-AT-IMC-CIC-FY-T DLSC-SBA F 8

## ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2555 IMC-NW-D-IMC-CIC-FY DLSC-SBA F 8

## ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD

FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2556 IMC-NW-D-IMC-FY-T DLSC-SBA F 8

## ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR DEPARTMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2557 IMC-NW-D-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2558 IMC-NW-D-IMC-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2559 IMC-NW-C-IMC-CIC-FY DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD  
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2561 REF-NBR-DEC-CTGY-CD RN\_DEC\_CAT\_CD\_2561 DLSC-SBA F CHAR 1  
REFERENCE NUMBER DECISION CATEGORY CODE  
A CODE THAT FURTHER DEFINES A DEGREE OF MATCH THRU THE PRIORITIZATION OF THE INPUT TRANSACTIONS AND FLIS DATABASE RNCC, RNVC COMBINATIONS. IT IS USED IN THE REFERENCE NUMBER DUPLICATION DECISION PROCESS AND PROVISIONING SCREENING.

2564 DFLT-OP-FMT DFLT\_OP\_FMT\_2564 DLSC-SBA F CHAR 1  
DEFAULT OUTPUT FORMAT  
CODE USED BY TRANSACTION MANAGEMENT TO IDENTIFY ACTIVITIES DEFAULT FORMAT WHEN AN ACTIVITY SELECTS USER-DEFINED FORMAT AS THEIR PRIMARY OUTPUT FORMAT AND DIC IS NOT IDENTIFIED ON THE USER\_OUTPUT\_FORMAT TABLE. CODE F WILL IDENTIFY DEFAULT FORMAT AS FIXED AND CODE V WILL IDENTIFY DEFAULT FORMAT AS VARIABLE.

2568 MGT-STAT-ARCH-PGM-NM ARCH\_PGM\_2568 DLSC-SBA F CHAR 8  
MANAGEMENT STATISTICS ARCHIVE PROGRAM NAME  
THE PROGRAM NAME THAT ARCHIVES THE DB2 GROUP NUMBER (DRN 4457) INTO DB2 GROUP NUMBER (DRN 2746).

2569 MGT-STAT-ROLL-OVR-PGM-NM ROLL\_OVR\_PGM\_2569 DLSC-SBA F CHAR 8  
MANAGEMENT STATISTICS ROLL OVER PROGRAM NAME  
PROGRAM NAME THAT ACCUMULATES THE DB2 GROUP NUMBER DATA (DRN 4457) INTO QUARTERLY DATA.

2571 RPTY-T-NBR-TP RPTY\_T\_NBR\_TP\_2571 DLSC-V F CHAR 1  
REPOSITORY TYPE OF PHONE NUMBER CODE  
THIS CODE WILL BE USED TO IDENTIFY THE REPOSITORY TYPE OF TELEPHONE NUMBER IDENTIFIED IN THE RPTY-TEL-NBR ELEMENT (DRN 2572). C = COMMERCIAL, A = AUTOVON, F = FTS, X = FAX, E = EXTENSION

2572 RPTY-TEL-NBR RPTY\_TEL\_NBR\_2572 DLSC-V F CHAR 12  
REPOSITORY TELEPHONE NUMBER  
THE REPOSITORY TELEPHONE NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY. THIS ALSO INCLUDES THE AREA CODE.

2574 RPTY-TEL-EXT RPTY\_TEL\_EXT\_2574 DLSC-V F CHAR 5  
REPOSITORY TELEPHONE EXTENSION  
THE REPOSITORY TELEPHONE EXTENSION OF COMMERCIAL AND GOVERNMENT ENTITY.

2576 FTP-STAT-IND-CD FTP\_STAT\_IND\_2576 DLSC-SBA F CHAR 1  
FILE TRANSFER PROTOCOL STATUS INDICATOR CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN INDICATION OF RECEIVE STATUS OF THE FILE TRANSFER PROTOCOL (FTP) CUSTOMER. "A" = ACTIVE RECEIVING TRANSMISSION, AND "I" = INACTIVE NOT RECEIVING.

2577 NULL-MSG-IND-CD                      NULL\_MSG\_IND\_2577                      DLSC-SBA                      F CHAR                      1

NULL MESSAGE INDICATOR CODE

AN INDICATOR THAT ALLOWS THE CUSTOMER OR PROGRAM MANAGER TO CONTROL THE RECEIPT OF NULL MESSAGES. "Y" = YES TO RECEIVE, "N" = NO NOT TO RECEIVE.

2578 TM-TRNSMT-TS                      TM\_TRNSMT\_TS\_2578                      DLSC-SBA                      F TIMESTMP                      26

TRANSACTION MGMT TRANSMIT TIMESTAMP

THE TIMESTAMP TAKEN TO INDICATE THE SUCCESSFUL COMPLETION OF THE TRANSMISSION OR OUTPUT FROM TRANSACTION MANAGEMENT.

2579 HZRD-CHAR-CD                      HCC\_2579                      DLSC-SBA                      F CHAR                      2

HAZARDOUS CHARACTERISTICS CODE

A TWO-DIGIT ALPHANUMERIC CODE DEVELOPED PRIMARILY FOR STORAGE PURPOSES TO ASSURE THAT INCOMPATIBLE HAZARDS ARE NOT STORED NEXT TO ONE ANOTHER. THE HCC THAT IS VISIBLE IN FLIS ONLY PERTAINS TO THE LATEST FORMULATION FOR THIS CAGE/PART NUMBER. USER NEEDS TO BE AWARE THAT ADDITIONAL INFORMATION MAY RESIDE IN THE HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS) FOR A DIFFERENT FORMULATION OF THE SAME CAGE/PART NUMBER. THE TECHNICAL DEFINITIONS ARE PROVIDED IN THE AGENCY AND SERVICES STORAGE MANUALS (DLAM 4145.11, ARMY TM 38-410, NAVSUP PUB 573, AFR 69-9, AND MCO 4450-12. THESE MANUALS ARE BEING REPLACED BY DOD 4145.19-R-2). SEE VOLUME 10, TABLE 214 AND QUICK INFO ON-LINE.

2581 IMC-NW-C-IMC-FY-T                      DLSC-SBA                      F                      8

ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

2582 IMC-NW-CM-CIC-FY-T                      DLSC-SBA                      F                      8

ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2583 IMC-NW-CM-IMC-CIC-FY-T                      DLSC-SBA                      F                      8

ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

2584 IMC-AL-D-AT-IMC-CIC-FY                      IMC\_STAT\_CNT\_2584                      DLSC-SBA                      F INTEGER                      8

ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD

FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2585 IMC-AL-D-AT-IMC-FY-T                      DLSC-SBA                      F                      8

ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2586 IMC-AL-D-AT-CIC-FY-T                      DLSC-SBA                      F                      8

ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2587 IMC-AL-D-AT-IMC-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2588 IMC-AL-D-IMC-CIC-FY DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD  
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2589 IMC-AL-D-IMC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

2591 IMC-AL-D-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) FOR THE DEPARTMENT.

2592 IMC-AL-D-IMC-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2593 IMC-AL-CM-IMC-CIC-FY DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD  
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2594 IMC-AL-CM-IMC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

2595 IMC-AL-CM-CIC-FY-T DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2596 IMC-AL-CM-IMC-CIC-FY-T DLSC-SBA F 8  
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL  
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2597 SURCHG-PRCSG-YR SUR\_PRC\_YR\_2597 DLSC-S F SMALLINT 2  
SURCHARGE PROCESSING YEAR

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS REPRESENTS THE YEAR THAT THE SURCHARGE PRICE WAS APPLIED AGAINST THE ITEM.

2598 SURCHG-ERR-IND DLSC-S F CHAR 1  
SURCHARGE ERROR INDICATOR

A CODE APPLIED BY THE DEFENSE LOGISTICS SERVICES CENTER TO INDICATE THE REASON WHY THE SUBMITTED SURCHARGE RECORD WAS RETURNED TO THE SUBMITTER.

2599 SURCHG-PRCSG-UNIT-PR SUR\_PRC\_UN\_PR\_2599 DLSC-S F CHAR 9  
SURCHARGE PROCESSING UNIT PRICE

THE SURCHARGE PRICE IS ESTABLISHED BY THE MANAGING ACTIVITY. THIS PRICE IS USED TO MASS CHANGE THE UNIT PRICE ON ALL USERS OF THE ITEM. THIS SURCHARGE PRICE IS USED TO OVERLAY THE SUBMITTED PRICE DURING SURCHARGE SPECIAL PROCESSING.

2601 LNG-NM LNG\_NM\_2601 DLSC-SCB F CHAR 50  
ITEM LONG NAME

THE FIRST 50 CHARACTERS OF AN APPCOURD, COLLOQUIAL, OR BASIC ENTRY USED TO CHECK FOR POSSIBLE DUPLICATION DURING 'NAME' ASSIGNMENT. FOR KEYING (INDEX) PURPOSES ALL CHARACTERS WILL BE UPPER CASE.

2602 BTCH-FMT-PARM BTCH\_FMT\_PARM\_2602 DLSC-SBB F CHAR 50  
BATCH FORMAT PARAMETERS

CONTAINS THE INFORMATION SPECIFYING THE FORMAT OF THE BATCH JOBS RUN UNDER MVS. THE SPECIFIC FORMATS CAN BE FOUND IN THE SUBSYSTEM SPECIFICATIONS FOR CAGE BATCH PROCESS (UPDATE) - LQLNC.

2604 STAT-BTCH-TIM STAT\_BTCH\_TIM\_2604 DLSC-S F CHAR 1  
BATCH TRANSACTION STATISTICAL TIME FRAME CODE

THIS FIELD CONTAINS A CODED VALUE OF 1 THRU 8 WHICH SPECIFIES THE LAPSE TIME RANGE IN HOURS FOR A BATCH TRANSACTION. VALID CODES ARE 1 = 0 - 3.999 HOURS, 2 = 4 - 11.999 HOURS, 3 = 12 - 47.999 HOURS, 4 = 48 - 71.999 HOURS, 5 = 72 - 95.999 HOURS, 6 = 96 - 119.999 HOURS, 7 = 120 - 143.999 HOURS, 8 = 144 + HOURS.

2607 FSC-COND-CD FSC\_COND\_CD\_2607 DLSC-SC F CHAR 1  
FEDERAL SUPPLY CLASSIFICATION CONDITION CODE

THE FOLLOWING CODES ARE UTILIZED IN THE H2 SERIES CATALOG HANDBOOKS TO DENOTE THE RESTRICTIONS FOR CLASSIFYING APPROVED ITEM NAMES (AIN). FOR CODE 1, THE AIN MAY BE CLASSIFIED IN ONLY ONE SPECIFIC FSC. FOR CODE 2, THE AIN MAY BE CLASSIFIED IN TWO OR MORE SPECIFIC FEDERAL SUPPLY CLASSIFICATIONS. FOR CODE 3, THE AIN MAY BE CLASSIFIED IN ONE OR MORE LOGICAL FSC BY VIRTUE OF MULTI-APPLICATION OR SPECIAL DESIGN (NO LONGER USED FOR NEW ASSIGNMENTS).

2608 COG-CD-NVY COG\_CD\_NVY\_2608 DLSC-SBA F CHAR 2  
COGNIZANCE CODE, NAVY

A CODE EMPLOYED BY THE U.S. NAVY TO CLASSIFY ITEMS BY TECHNICAL PROGRAM, TYPE OF FUND, AND TO INDICATE THE COGNIZANT INVENTORY CONTROL POINT /ICP/ AND TECHNICALLY RESPONSIBLE COMMAND. SEE VOLUME 10, TABLES 62 AND 129 AND QUICK INFO ON-LINE.

2611 CMDTY-MAT-MGMT-CD-DOD CMDTY\_MMC\_DOD\_2611 DLSC-SBA F CHAR 1  
COMMODITY MATERIEL MANAGEMENT CATEGORY CODE, DOD

A CODE EMPLOYED TO CLASSIFY ITEMS INTO CATEGORIES BY MATERIEL COMMODITY FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

2620 CAGE-NSCM-DESI-CD CAGE\_NSCM\_DES\_2620 DLSC-SBA F CHAR 1  
CAGE/NSCM DESIGNATOR CODE

A CODE WHICH SPECIFIES THAT ONE OR MORE CONDITIONS APPLY TO AN ORGANIZATION OR CORPORATE COMPLEX STRUCTURE. SEE VOLUME 10, TABLE 88, AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2621	RPTY-OFC-SYM	RPTY_OFC_SYM_2621	DLSC-V	F CHAR	60
REPOSITORY OFFICE SYMBOL REPOSITORY OFFICE SYMBOL OR OTHER ATTENTION INFORMATION SUCH AS THE BUILDING NUMBER.					
2622	RPTY-STA-US-POS-ABR	RPTY_ST_US_AB_2622	DLSC-V	F CHAR	2
REPOSITORY STATE/U.S. POSSESSION ABBREVIATION A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION OF A REPOSITORY.					
2623	RPTY-ZIP-CD	RPTY_ZIP_CD_2623	DLSC-V	F CHAR	9
REPOSITORY ZIP CODE FOR A REPOSITORY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.					
2624	RPTY-E-MAIL-ADRS	RPTY_E_ML_ADR_2624	DLSC-V	F CHAR	30
REPOSITORY E MAIL ADDRESS THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM OF A REPOSITORY.					
2625	RPTY-CLR-TXT2	RPTY_CLR_TXT2_2625	DLSC-V	V VARCHAR	60
REPOSITORY CLEAR TEXT - 2 SECOND OF UP TO FOUR LINES OF CLEAR TEXT DATA.					
2626	RPTY-CLR-TXT3	RPTY_CLR_TXT3_2626	DLSC-V	V VARCHAR	60
REPOSITORY CLEAR TEXT - 3 THE THIRD OF UP TO FOUR LINES OF CLEAR TEXT DATA.					
2627	RPTY-CLR-TXT4	RPTY_CLR_TXT4_2627	DLSC-V	V VARCHAR	60
REPOSITORY CLEAR TEXT - 4 THE FOURTH OF UP TO FOUR LINES OF CLEAR TEXT DATA.					
2628	TM-TRANS-OP-ADRS-ID	TM_OP_ADRS_ID_2628	DLSC-VP	F CHAR	3
TM TRANSACTION OUTPUT ADDRESS IDENTIFIER THE UNIQUE IDENTIFIER THAT DENOTES A TM TRANSACTION OUTPUT ADDRESS FOR PROVISIONING OR MAINTENANCE/NOTIFICATION.					
2629	TRNSMTL-TYP-DESI-CD	TRNSMTL_TYP_2629	DLSC-VP	F CHAR	1
TRANSMITTAL TYPE DESIGNATOR CODE THE CODE THAT DESIGNATES THE TYPE OF TRANSMITTAL.					
2631	DAI		DLSC-V	V	25
DATA ASSET IDENTIFIER AN ELEMENT IN THE MEDALS DATABASE CONSISTING OF DOCUMENT NUMBER, CAGE CODE, DOCUMENT TYPE AND REVISION LEVEL THAT UNIQUELY IDENTIFIES A SPECIFIC ENGINEERING DRAWING.					
2632	MEDALS-DOC-NBR	MDLS_DOC_NBR_2632	DLSC-V	F CHAR	32
MEDALS DOCUMENT NUMBER A NUMBER ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY OF A DOCUMENT TO IDENTIFY THAT DOCUMENT.					

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2633	DOC-TYP	DOC_TYP_2633	DLSC-V	F	CHAR	2
	DOCUMENT TYPE					

A CODE ASSIGNED TO ENGINEERING DRAWINGS IAW MIL-STD-100 INDICATING THE TYPE OF DRAWING IT IS. SEE MIL-STD-804 FOR DEFINITION OR CONTACT THE TECHNICAL DATA REPOSITORY WHERE THE ENGINEERING DRAWING IS MAINTAINED.

2634	DRC	DRC_2634	DLSC-V	F	CHAR	1
DATA RIGHTS CODE						

A CODE ASSIGNED BY TECHNICAL DATA REPOSITORIES INDICATING THE DISTRIBUTION CONTROLS OF AN ENGINEERING DRAWING FOR WHICH IT IS RESPONSIBLE FOR. "U" FOR UNLIMITED AND "L" FOR LIMITED.

2636	ERR-MSG-1	DLSC-V	V	78
ERROR MESSAGE 1				

**A CLEAR TEXT MESSAGE TO DESCRIBE A REASON FOR NOT PROCESSING.**

2637	RCD-TYP	DLSC-V	F	1
RECORD TYPE				

**MUST HAVE A NUMERIC VALUE OF 1, 2, 3, 4 . THIS IS MANDATORY FOR DOCUMENT IDENTIFICATION CODE (DIC) MEC.**

2638	RPTY-ID	RPTY_ID_2638	DLSC-V	F	CHAR	5
REPOSITORY IDENTIFIER						

A DEPT OF DEFENSE ACTIVITY ADDRESS CODE (DODAAC) INDICATING THE TECHNICAL DATA REPOSITORY WHO PROVIDES DATA TO MEDALS.

2639	LOC-SHRT-TI	LOC_SHRT_TI_2639	DLSC-V	V	CHAR	20
	LOCATION SHORT TITLE					

AN ABBREVIATED TITLE OF A DATA REPOSITORY.

2640	DAC	DAC_2640	DLSC-SBA	F	CHAR	1
DOCUMENT AVAILABILITY CODE (DAC)						

A CODE WHICH ESTABLISHES THE TYPE AND AVAILABILITY OF TECHNICAL DOCUMENTATION. NUMERIC CODES INDICATE TYPE AND AVAILABILITY OF THE DOCUMENTS TO ORIGINATOR AT TIME OF SUBMISSION OF REFERENCE NUMBER AND ITEM IDENTIFICATION CATALOGING TRANSACTIONS. ALPHA CODES INDICATE THE SAME DOCUMENT IS AVAILABLE AND WILL BE FURNISHED BY AN ACTIVITY IDENTIFIED BY THE REFERENCE NUMBER ACTION ACTIVITY CODE /RNAAC-DRN 2900/ THROUGH CROSS-SERVICE AGREEMENT. SEE VOLUME 10, TABLES 5 AND 15 AND QUICK INFO ON-LINE.

2642	TI	DLSC-V	V	19
TITLE				

**A CLEAR TEXT WORD OR PHRASE THAT DESCRIBES A DATA ASSET.**

2644	REV-LVL	REV_LVL_2644	DLSC-V	F	CHAR	3
REVISION LEVEL						

**A CODE, NOT TO EXCEED TWO CHARACTERS, INDICATING A CHANGE RECORDED TO AN ENGINEERING DRAWING. SEE DOD-STD-100 FOR MORE INFORMATION.**

2645	MINM-ADRS-CD	MINM_ADRS_CD_2645	DLSC-SC	F	CHAR	1
	MINIMUM ADDRESS CODE					

A CODE WHICH DENOTES A MINIMUM ADDRESS REQUIREMENT. THE CAGE/NSCM RECORD IS NOT SUBJECT TO STREET ADDRESS, CITY, STATE, ZIP CODE REQUIREMENTS. E.G., LAMP INDUSTRY. SEE VOLUME 10, TABLE 36 AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2646 RPLD-INC RPLD\_INC\_2646 DLSC-SCA F CHAR 5  
REPLACED ITEM NAME CODE  
THIS FIELD CONTAINS THE CANCELLED REPLACED INC.

2647 RPLD-FSC RPLD\_FSC\_2647 DLSC-SCA F CHAR 4  
REPLACED FEDERAL SUPPLY CLASS CODE  
THIS FIELD CONTAINS THE CANCELLED REPLACED FSC.

2648 RQMT-RPLY-INST RQMT\_RPY\_INST\_2648 DLSC-SC V CHAR 20  
REQUIREMENT REPLY INSTRUCTION  
A STATEMENT WHICH PROVIDES THE REQUIRED SEQUENCE AND CONTRUCTION OF THE REPLY FIELD RELATIVE TO A SPECIFIC MASTER REQUIREMENT CODE (MRC). IT IS STORED IN THE MASTER REQUIREMENTS DIRECTORY AND IS USED AS GUIDANCE FOR THE PREPARATION OF REQUIREMENTS FOR FEDERAL ITEM IDENTIFICATION GUIDES (FIIGS).

2650 ITM-STDZN-CD ISC\_2650 DLSC-SBA F CHAR 1  
ITEM STANDARDIZATION CODE (ISC)  
THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS. DECISIONS ARE BASED ON THE RULES AND PROCEDURES ESTABLISHED IN THE DEPARTMENT OF DEFENSE STANDARDIZATION MANUAL 4120.3. SEE VOLUME 10, TABLES 91 AND 92 AND QUICK INFO ON-LINE.

2655 ERRC-CD-AF ERRC\_CD\_AF\_2655 DLSC-SBA F CHAR 1  
EXPENDABILITY-RECOVERABILITY-REPARABILITY CATEGORY CODE-A  
A CODE DENOTING THE EXPENDABILITY, RECOVERABILITY, REPARABILITY CATEGORY EMPLOYED IN MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE AIR FORCE. SEE VOLUME 10, TABLE 69 AND QUICK INFO ON-LINE.

2665 ACCTG-RQMTS-CD-AR ACTG\_RQMT\_AR\_2665 DLSC-SBA F CHAR 1  
ACCOUNTING REQUIREMENTS CODE, ARMY  
A CODE EMPLOYED BY THE U.S. ARMY TO INDICATE THE ACCOUNTABILITY OF AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 64 AND QUICK INFO ON-LINE.

2670 NIIN-PSCN-STAT-CD NIIN\_STAT\_CD\_2670 DLSC-SBA F CHAR 1  
NIIN/PSCN STATUS CODE  
A CODE WHICH DENOTES THE CURRENT STATUS OF A NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ OR PERMANENT SYSTEM CONTROL NUMBER /PSCN/. SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

2671 RNDM-SMPL-IND-CD RNDM\_SMPL\_IND\_2671 DLSC-VPM F CHAR 1  
RANDOM SAMPLE INDICATOR CODE  
INDICATES WHETHER OR NOT A RANDOM SAMPLE IS REQUIRED. Y = YES, A RANDOM SAMPLE IS REQUIRED. N = NO, A RANDOM SAMPLE IS NOT REQUIRED.

2672 OP-PROD-EXTR-QY OP\_PROD\_EXTR\_2672 DLSC-VPM F INTEGER 6  
OUTPUT PRODUCT EXTRACT QUANTITY  
THE NUMBER OF RECORDS EXTRACTED FROM THE SOURCE FILE(S)/DATABASE(S) FOR A PARTICULAR OUTPUT PRODUCT. OP-PROD-EXTR-QTY WAS DELETED 08/01/94 FOR OP-PROD-EXTR-QY (DRN 2672). DELETED FOR RENAME DATA ELEMENT NAME.

2673 CNFDNC-LVL-RT CNFDNC\_LVL\_RT\_2673 DLSC-VPM F CHAR 2  
CONFIDENCE LEVEL RATE  
THE MEASURE OF THE RELIABILITY OF THE SAMPLE, AND THE RISK THAT THE TRUE POPULATION CHARACTERISTIC VALUE LIES OUTSIDE THE PRECISION INTERVAL OF THE SAMPLE. EXPRESSED AS A PERCENTAGE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2674 ERR-RT ERR\_RT\_2674 DLSC-VPM F CHAR 2  
ERROR RATE  
THE ANTICIPATED SAMPLING ERROR FOR A PARTICULAR SAMPLE SIZE. EXPRESSED AS A PERCENTAGE.

2675 SMPL-SZ-QY SMPL\_SZ\_QY\_2675 DLSC-VPM F SMALLINT 4  
SAMPLE SIZE QUANTITY  
NUMBER OF RANDOM SAMPLE ITEMS THAT WILL BE OUTPUT FOR QUALITY CONTROL.

2680 MCC-AR DLSC-SBA F 5  
MATERIEL CATEGORY CODE, ARMY  
INDICATES THE MATERIAL CLASSIFICATION UNDER WHICH MATERIAL MISSIONS ARE ASSIGNED WITHIN THE ARMY. INDICATES CONTINENTAL UNITED STATES INVENTORY CONTROL POINT RESPONSIBLE FOR SUCH MISSION. INDICATES THE APPROPRIATION ACCOUNT TITLE AND SUBTITLE, AND TYPE OF FUND. SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.

2694 CAGE-NSCM-STAT-CD CAGE\_STAT\_CD\_2694 DLSC-SBB F CHAR 1  
CAGE/NSCM STATUS CODE  
A CODE WHICH DESIGNATES A SPECIFIC STATUS CONDITION RELATING TO A CAGE/NSCM CODE. SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.

2695 FD-CD-AF FUND\_CD\_AF\_2695 DLSC-SBA F CHAR 2  
FUND CODE, AIR FORCE  
A CODE EMPLOYED BY THE AIR FORCE TO CLASSIFY ITEMS INTO CATEGORIES BY TYPE OF FUNDS EMPLOYED. SEE VOLUME 10, TABLE 68 AND QUICK INFO ON-LINE.

2720 HMC HMC\_2720 DLSC-SBA F CHAR 2  
HAZARDOUS MATERIEL CODE  
A CODE DENOTING MATERIAL WHICH REQUIRES SPECIAL HANDLING. IT IS USED AS A QUALIFIER FOLLOWING THE NATIONAL MOTOR FREIGHT CLASSIFICATION AND THE UNIFORM FREIGHT CLASSIFICATION NUMBER. VALID VALUES ARE % - CAGE CODE IS ASSIGNED TO THE PARENT ORGANIZATION OF A CORPORATE COMPLEX, G - CAGE CODE IS ASSIGNED TO A GOVERNMENT ORGANIZATION, AND 5 - REVISED COMBINATION OF CODE % AND CODE G. NOTE: SEE VOLUME 12, DATA RECORD NUMBER (DRN) FOR FORMAT. SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.

2736 ID-COL-HDR-DATA DLSC-V V 424  
IDENTIFICATION LIST COLUMN HEADER DATA  
A DATA FIELD IN THE ADP FEDERAL ITEM IDENTIFICATION GUIDE (FIG) WHICH REFLECTS THE WORDS/SYMBOLS WHICH WILL BE PRINTED IN THE IDENTIFICATION LIST FOR EACH COLUMN HEADING E.G., RESISTANCE/WATTS/NR/SECT/TERM DATA/ ETC.

2738 MDLS-FTP-TRNSMTG-ACTN-CD FTP\_TRN\_ACTN\_2738 DLSC-VP F CHAR 1  
MEDALS FTP TRANSMITTING ACTION CODE  
A CODE THAT DENOTES THE TYPE OF ACTION BEING TRANSMITTED VIA FTP TO OR FROM THE MEDALS SYSTEM. USED IN CONJUNCTION WITH MDLS-TRNSMTG-ACTY-ID (DRN 2739). THE CODE MAY BE: O = REPOSITORY ORDERS, U = REPOSITORY UPDATE INPUT, R = REPOSITORY UPDATE OUTPUT, OR I = BATCH INQUIRY OUTPUT.

2739 MDLS-TRNSMTG-ACTY-ID TRNSMTG\_ACTY\_2739 DLSC-VP F CHAR 5  
MEDALS TRANSMITTING ACTIVITY IDENTIFIER  
AN IDENTIFIER THAT REPRESENTS ACTIVITIES TRANSMITTING DATA TO OR FROM THE MEDALS. USED IN CONJUNCTION WITH MDLS-FTP-TRNSMTG-ACTN-CD (DRN 2738). THE IDENTIFIER MAY CONSIST OF: 1. AN ACTIVITY CODE, 2. A REPOSITORY CODE, OR 3. A UIC CODE.

2741 TRFR-SAC-FYD-T4-2-NSN TRFR\_STAT\_CNT\_2741 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 T

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

2743 TRFR-SDP-FYD-T1-2-NSN TRFR\_STAT\_CNT\_2743 DLSC-SBA F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 1 TO 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2744 IMC IMC\_2744 DLSC-SBA F CHAR 1  
ITEM MANAGEMENT CODE (IMC)  
A CODE DENOTING WHETHER ITEMS OF SUPPLY SHALL BE SUBJECTED TO INTEGRATED MANAGEMENT UNDER THE DEFENSE SUPPLY AGENCY OR RETAINED BY THE INDIVIDUAL MILITARY SERVICE OR OTHER DEPARTMENT OF DEFENSE COMPONENTS FOR THEIR MANAGEMENT. ASSIGNED BY THE ACTIVITY RESPONSIBLE FOR ITEM MANAGEMENT CODING. SEE VOLUME 10, TABLES 77 AND 143 AND QUICK INFO ON-LINE.

2745 REPBL-CD REPBL\_CD\_2745 DLSC-SBA F CHAR 1  
REPARABILITY CODE  
THIS FIELD CONTAINS THE REPARABILITY CODE FOR A GIVEN DEPARTMENT (DRN 0897).

2746 DB2-ARCH-GRP-NBR DB2\_ARC\_GP\_NO\_2746 DLSC-SBA F CHAR 4  
DB2 ARCHIVE GROUP NUMBER  
THIS FIELD CONTAINS THE ARBITRARY GROUP NUMBER ASSOCIATED WITH EACH DB2 ARCHIVE TABLE.

2747 INVLD-IMC-IND INVLD\_IMC\_IND\_2747 DLSC-SBA F CHAR 1  
INVALID ITEM MANAGEMENT CODE INDICATOR  
THIS FIELD IS USED TO INDICATE THAT A GIVEN IMC IS INVALID. THE INDICATOR IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 CHAPTER 4 TABLE 77. X = INVALID BLANK = VALID

2748 IMC-ACTY IMC\_ACTY\_2748 DLSC-SB F CHAR 2  
ITEM MANAGEMENT CODING ACTIVITY (IMCA)  
THE MILITARY SERVICE INVENTORY CONTROL POINT /ICP/ OR OTHER DEPARTMENT OF DEFENSE COMPONENT PERFORMING ITEM MANAGEMENT CODING.

2750 RNJC RNJC\_2750 DLSC-SBA F CHAR 1  
REFERENCE NUMBER JUSTIFICATION CODE  
A CODE USED TO RECORD THE DEGREE OF RESEARCH CONDUCTED AND THE JUSTIFICATION FOR ADDING A REFERENCE NUMBER, REINSTATEMENT OF AN ITEM IDENTIFICATION, OR ASSIGNMENT OF A NEW NATIONAL ITEM IDENTIFICATION NUMBER DESPITE A RECOGNIZED CONDITION OF POSSIBLE DUPLICATION WITH AN EXISTING ITEM. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

2755 TBL-ENTRY-KEY DLSC-SB F 10  
TABLE ENTRY KEY  
A KEY THAT IDENTIFIES AND ADDRESSES AN ENTRY IN A LOCK-UP TABLE. WHEN USED IN CONJUNCTION WITH THE LOOK-UP TABLE NUMBER, IT ALLOWS THE TABLE USER TO ADDRESS A SMALLER PART OF THE TABLE THAN THE WHOLE.

2760 LS-THN-CRLD-RTNG-CD LCL\_CD\_2760 DLSC-SBA F CHAR 1  
LESS THAN CARLOAD RATING CODE  
A CODE DENOTING THE LESS THAN CARLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER UNIFORM FREIGHT CLASSIFICATION. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2770 LS-THN-TL-RTNG-CD LST\_TL\_CD\_2770 DLSC-SBA F CHAR 1  
LESS THAN TRUCKLOAD RATING CODE

A CODE DENOTING THE LESS THAN TRUCK LOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER NATIONAL MOTOR FREIGHT CLASSIFICATION SYSTEM. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.

2790 MGMT-ECH-CD-MC DLSC-SBA F 2  
MANAGEMENT ECHELON CODE, MARINE CORPS

A CODE EMPLOYED BY THE MARINE CORPS IN CLASSIFYING ITEMS INTO CATEGORIES BY MATERIAL CATEGORY AND PROCUREMENT ECHELON. SEE VOLUME 10, TABLE 54 AND QUICK INFO ON-LINE.

2795 MRC-DCOD-TBL-PRT-SEQ MRC\_DCOD\_SEQ\_2795 DLSC-SC F CHAR 5  
MRC DECODE TABLE AND PRINT SEQUENCE

A CODE CONSISTING OF ONE NUMBER FOLLOWED BY 4 ALPHANUMERICS. THE FIRST NUMBER DESIGNATES THE SEQUENCE THAT THE TABLE WILL BE PRINTED OR INTERPRETED AND PRINTED. THE NEXT FOUR CHARACTERS ARE THE IDENTIFYING DESIGNATION SAME AS DRN 3845 FOR THE TABLE IN WHICH THE REPLY CODE FOR THE MRC WILL BE DECODED TO A CLEAR TEXT STATEMENT. THIS CODE WILL BE STORED IN THE MRD GUIDE AND WILL BE USED IN THE MRD PUBLICATION AND IN DECODING DATA GROUPS IN PRINTING DD146/S AND OTHER PUBLICATIONS.

2832 MAT-CTL-CD-NAVY MAT\_CTL\_NVY\_2832 DLSC-SBA F CHAR 1  
MATERIAL CONTROL CODE, NAVY

CODE DENOTING THE EXPENDABILITY, REPAIRABILITY, RECOVERABILITY, AND COST CATEGORY EMPLOYED IN THE MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE NAVY. SEE VOLUME 10, TABLE 63 AND QUICK INFO ON-LINE.

2833 MOE-CD MOE\_CD\_2833 DLSC-SBA F CHAR 2  
MAJOR ORGANIZATIONAL ENTITY (MOE) CODE

A CODE REPRESENTING THE SUBDIVISION OF A U.S. GOVERNMENTAL ORGANIZATION OR AN AGENCY OF THE NORTH ATLANTIC TREATY ORGANIZATION NATIONS, OTHER FRIENDLY GOVERNMENTS AND INTERNATIONAL ORGANIZATIONS PARTICIPATING IN THE FEDERAL CATALOG PROGRAM. SEE VOLUME 10, TABLES 51 AND 174 AND QUICK INFO ON-LINE.

2834 SP-MAT-IDEN-CD SMIC\_NVY\_2834 DLSC-SBA F CHAR 2  
SPECIAL MATERIAL IDENTIFICATION CODE

A CODE EMPLOYED BY THE NAVY TO CLASSIFY ITEMS INTO CATEGORIES BY SYSTEMS OR COMPONENTS OF SYSTEMS. SEE VOLUME 10, TABLE 60 AND QUICK INFO ON-LINE.

2835 COND-CD-FED DLSC-SBA F 2  
CONDITION CODE, FEDERAL

A CODE THAT INDICATES THE CURRENT PHYSICAL CONDITION OF THE SPECIFIC PROPERTY BEING REPORTED FOR SCREENING. SEE VOLUME 10, TABLE 151 AND QUICK INFO ON-LINE.

2836 MAT-MGMT-AG-CD-AF MMAC\_AF\_2836 DLSC-SBA F CHAR 2  
MATERIEL MANAGEMENT AGGREGATION CODE (MMAC), AIR FORCE

A TWO POSITION ALPHABETIC CODE /AA THROUGH ZZ/ AUTHORIZED TO IDENTIFY SPECIFIC ITEMS /NATIONAL STOCK NUMBER/ TO BE MANAGED BY A SPECIFIC MANAGER. THESE CODES APPLY TO /1/ SYSTEMS /2/ PROGRAMS /3/ AGGREGATION OF RELATED EQUIPMENT AND /4/ SELECTED FEDERAL SUPPLY CLASSES. SEE VOLUME 10, TABLE 66 AND QUICK INFO ON-LINE.

2841 ERRC-CNDM-LV-AF ERRC\_CNDM\_LV\_2841 DLSC-SB F CHAR 15  
EXPEND RECOVER REPAIR CATEGORY CONDEMN LVL AIR FORCE



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPRESENTS THE LOWEST MAINTENANCE LEVEL AT WHICH CONDEMNATION IS NORMALLY ACCOMPLISHED. DOES NOT PRECLUDE CONDEMNATION AT A LOWER LEVEL WHEN THE ITEM MEETS THE CONDITION CONDEMNED CRITERIA. THE LOWEST CONDEMNATION LEVEL WILL ALSO REPRESENT THE HIGHEST MAINTENANCE LEVEL AT WHICH REPAIR IS NORMALLY ACCOMPLISHED. POSSIBLE CONDEMNATION LEVELS ARE DEPOT, INTERMEDIATE, AND USER. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2842 ERRCDSGAF ERRCDSGAF\_2842 DLSC-SB F CHAR 3  
EXPEND RECOVER REPAIR CATEGORY DESIGNATOR AIR FORCE

A THREE-POSITION ERRCD DESIGNATOR, COMPLETELY INTERCHANGEABLE WITH A ONE-POSITION ERRCD CODE ERRCD-CD-AF (DRN 2655), GENERALLY USED IN CORRESPONDENCE AND PUBLICATIONS. THE FIRST POSITION, N (NONEXPENDABLE) OR X (EXPENDABLE), HAS A SPECIAL MEANING AND REFERENCE MUST BE SECURED FROM THE REGULATION. THE SECOND POSITION IDENTIFIES RECOVERABLE ITEMS THROUGH REPAIRS AND THE LOWEST MAINTENANCE REPAIR LEVEL TO CONDEMNING AN ITEM. THE THIRD POSITION, EXCEPT FOR CATEGORY 1 (SCARS), IS MEANINGFUL ONLY WHEN USED WITH THE FIRST TWO POSITIONS.

2843 ERRCEXPYNAF ERRCEXPYN\_2843 DLSC-SB F CHAR 3  
EXPEND RECOVER REPAIR CATEGORY EPEND YES OR NO AIR FORCE

THIS IS A SPECIAL AF TERM DEALING WITH MATERIEL ACCOUNTABILITY. (SEE AFM 67-1, VOL. 1, PART FOUR, ATTACHMENT 27.) POSSIBLE EXPENDABLE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2844 ERRCREPYNAF ERRCREPYN\_2844 DLSC-SB F CHAR 3  
EXPEND RECOVER REPAIR CATEGORY REPBL AIR FORCE

THIS IS A SPECIAL AF TERM DENOTING THE REPARABILITY CATEGORY EMPLOYED IN MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE AIR FORCE. POSSIBLE REPARABLE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2850 NMFC-CD NMFC\_2850 DLSC-SB F CHAR 6  
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE

A CODE DIVIDING ARTICLES INTO GROUPS OR CLASSES ACCORDING TO PHYSICAL CHARACTERISTICS. FIRST STEP IN ESTABLISHING CHARGES FOR THE MOVEMENT OF MATERIAL BETWEEN SPECIFIED POINTS. THE CLASSIFICATION IS BASED ON TRUCKLOAD VS LESS THAN TRUCKLOAD. THE NATIONAL MOTOR FREIGHT CLASSIFICATION PUBLISHES RATINGS FROM CLASS 35 TO 500, 5 TIMES FIRST CLASS. IT IS THE PRIMARY CLASSIFICATION FOR THE MOTOR INDUSTRY.

2862 PHRS-CD-MDL PHRS\_CD\_2862 DLSC-SBA F CHAR 1  
PHRASE CODE-MANAGEMENT DATA LIST

A CODE ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/OR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA, E.G., TECHNICAL DOCUMENT NUMBER, QUANTITATIVE EXPRESSION, ETC. SEE VOLUME 10, TABLES 52, 96, 100 AND 108 AND QUICK INFO ON-LINE.

2863 CIIC CIIC\_2863 DLSC-SBA F CHAR 1  
CONTROLLED INVENTORY ITEM CODE (CIIC)

A CODE INDICATING THE SECURITY CLASSIFICATION AND/OR SECURITY RISK OR PILFERAGE CONTROLS FOR STORAGE AND TRANSPORTATION OF DOD ASSETS. SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

2866 PICA PICA\_2866 DLSC-SB F CHAR 2  
PRIMARY INVENTORY CONTROL ACTIVITY (PICA)

A CODE INDICATING THE PRINCIPAL SUPPLY CONTROL ACTIVITY RESPONSIBLE FOR ESTABLISHING STOCKAGE OBJECTIVES, CONTROLLING STOCKAGE OBJECTIVES AND MAINTAINING ITEM ACCOUNTABILITY FOR AN ITEM OF SUPPLY. SHORT TITLE- PICA. FORMERLY-WHOLESALE INVENTORY MANAGER.

2867 PRI-IND-CD PRI\_IND\_CD\_2867 DLSC-SBA F CHAR 1  
PRIORITY INDICATOR CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO INDICATE THE RELATIVE IMPORTANCE OF A SPECIFIC FUNCTION, MISSION, PROJECT OR PROGRAM WHICH REQUIRES ITEM DATA SUPPORT. THE PRIORITY INDICATOR CODE WILL BE THE PRINCIPAL FACTOR IN DETERMINING THE PRECEDENCE AND RESPONSE TIME ALLOWED FOR TRANSACTION PROCESSING TO ENSURE EMPLOYMENT OF UNIFORM STANDARDS AND DISCIPLINES. SEE VOLUME 10, TABLE 24 AND QUICK INFO ON-LINE.

2871 ACQ-MTHD-CD AMC\_2871 DLSC-SBA F CHAR 1  
ACQUISITION METHOD CODE

A CODE REFLECTING THE DECISION OF THE PRIMARY INVENTORY CONTROL ACTIVITY /PICA/ AS TO TECHNIQUE OF PURCHASING TO BE EMPLOYED FROM A PLANNED PROCUREMENT REVIEW. MUST BE USED IN COMBINATION WITH DRN 2876. SEE VOLUME 10, TABLES 70 AND 71 AND QUICK INFO ON-LINE.

2876 ACQ-MTHD-SUF-CD AMSC\_2876 DLSC-SBA F CHAR 1  
ACQUISITION METHOD SUFFIX CODE (AMSC)

A SUPPLEMENTARY CODE TO INDICATE THE PRIMARY REASON WHY THE NUMERIC CODE/PROCUREMENT METHOD CODE/WAS ASSIGNED FOR PROCUREMENT. E.G. ITEM REQUIRES SPECIAL TESTING, RIGHTS TO PROCUREMENT NOT LEGALLY AVAILABLE, ETC. MUST BE USED IN COMBINATION WITH DRN 2871. SEE VOLUME 10, TABLES 70 AND 71 AND QUICK INFO ON-LINE.

2891 RECOV-CD-MC RECOV\_CD\_MC\_2891 DLSC-SBA F CHAR 1  
RECOVERABILITY CODE, MARINE CORPS

A CODE TO PROVIDE INFORMATION ON EACH MARINE CORPS ITEM RELATIVE TO WHETHER THE ITEM IS CONSIDERED REPARABLE, CONSUMABLE OR SALVAGEABLE. SEE VOLUME 10, TABLE 57 AND QUICK INFO ON-LINE.

2892 RECOV-CD-AR RECOV\_CD\_AR\_2892 DLSC-SB F CHAR 1  
RECOVERABILITY CODE, ARMY

A CODE EMPLOYED WITHIN THE U.S. ARMY DENOTING THE RECOVERABILITY CATEGORY UNDER WHICH AN ITEM OF SUPPLY IS MANAGED. SEE VOLUME 10, TABLE 87 AND QUICK INFO ON-LINE.

2893 TECH-DOC-NBR TECH\_DOC\_NBR\_2893 DLSC-SB F CHAR 20  
TECHNICAL DOCUMENT NUMBER

A VARIABLE LENGTH ALPHANUMERIC NUMBER OF A TECHNICAL DOCUMENT RELATED OR APPLIED TO A NATIONAL STOCK NUMBER AS SPECIFIED THROUGH THE PHRASE CODE.

2895 REL-NSN REL\_NSN\_2895 DLSC-SB F CHAR 13  
RELATED NATIONAL STOCK NUMBER

A NATIONAL STOCK NUMBER RELATED TO THE RECORD NATIONAL STOCK NUMBER BY MEANS OF A MANAGEMENT DATA PHRASE CODE. IF THE MANAGEMENT DATA LIST PHRASE CODE IS E, F, U, OR 3 THE MASTER NSN MUST HAVE I&S ORDER OF USE RECORDED FOR THIS NSN.

2900 RNAAC RNAAC\_2900 DLSC-SBA F CHAR 2  
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC)

A CODE DESIGNATING THE ACTIVITY WHICH HAS ACKNOWLEDGED THE POSSESSION OR NON-POSSESSION OF A DRAWING OR TECHNICAL DOCUMENTATION. SUCH ACKNOWLEDGEMENT IS REFLECTED IN THE DOCUMENT AVAILABILITY CODE. DRAWINGS COULD BE MADE AVAILABLE TO OTHERS HAVING INTEREST IN THE ITEM. SEE VOLUME 10, TABLES 5 AND 104 AND QUICK INFO ON-LINE.

2910 RNCC RNCC\_2910 DLSC-SBA F CHAR 1  
REFERENCE NUMBER CATEGORY CODE (RNCC)

A CODE DESIGNATING THE RELATIONSHIP OF THE REFERENCE NUMBER TO THE ITEM OF SUPPLY. SEE VOLUME 10, TABLES 6, 15, 31 AND 40 AND QUICK INFO ON-LINE.

2920 REF-NBR-FMT-CD RNFC\_2920 DLSC-SBA F CHAR 1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## REFERENCE NUMBER FORMAT CODE (RNFC)

A CODE WHICH IDENTIFIES THE FORMAT MODE OF A LOGISTICS REFERENCE NUMBER USED IN BOTH ENGINEERING AND LOGISTICS DATA SYSTEMS. SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.

2923 REF-NBR-STAT-CD RNSC\_2923 DLSC-SBA F CHAR 1

## REFERENCE NUMBER STATUS CODE

A CODE DESIGNATING WHETHER A MANUFACTURER IS A SOURCE OF PROCUREMENT AND WHETHER THE REFERENCE NUMBER IS REQUIRED FOR IDENTIFICATION IN THE PROCUREMENT INVITATION FOR BID. SEE VOLUME 10, TABLE 17 AND QUICK INFO ON-LINE

2926 REL-INC REL\_INC\_2926 DLSC-SC F CHAR 5

## RELATED ITEM NAME CODE

A CODE RECORDED AGAINST OTHER ITEM NAME CODES/ITEM NAMES TO INDICATE RELATIONSHIPS BETWEEN DIFFERENT ITEM NAMES, E.G., COLLOQUIAL NAME CROSS REFERENCED TO APPLICABLE APPROVED ITEM NAME.

2930 REIMB-CD REIMB\_CD\_2930 DLSC-SBA F CHAR 1

## REIMBURSEMENT CODE

A ONE POSITION NUMERIC CODE TO DENOTE THAT AN ITEM IS REIMBURSABLE OR NON-REIMBURSABLE. SEE VOLUME 10, TABLE 153 AND QUICK INFO ON-LINE.

2931 FMR-SUPPLM-COLLBR DLSC-SBA F 2

## FORMER SUPPLEMENTARY COLLABORATOR

AN ACTIVITY FORMERLY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO THE ITEM IDENTIFICATION OF A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2933 REPBL-CD-AR REPBL\_CD\_AR\_2933 DLSC-SBA F CHAR 1

## REPARABILITY CODE ARMY

A CODE DENOTING WHETHER OR NOT THE ITEM IS REPARABLE AND THE ARMY ECHELON AT WHICH SUCH MAINTENANCE REPAIR IS ACCOMPLISHED. THE CODE IS POSITION 3 OF THE MATERIEL CATEGORY CODE-ARMY (DRN 2680). SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.

2934 REPBL-CHAR-IND-CD-DLA REP\_CD\_DLA\_2934 DLSC-SBA F CHAR 1

## REPARABLE CHARACTERISTICS INDICATOR CODE, DLA

A CODE INDICATING WHETHER OR NOT THE ITEM HAS REPARABLE CHARACTERISTICS AND WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS REVIEW. THIS CODE IS APPLICABLE TO DLA MANAGED ITEMS ONLY. NOTE: ITEMS IN THIS CODE CATEGORY ARE NOT "REPARABLE" AS DEFINED IN DOD 4100.26-M, VOLUME 1, WHICH WOULD QUALIFY THEM FOR SERVICE RETENTION RATHER THAN COMMODITY INTEGRATED MATERIEL MANAGEMENT, BUT THEY ARE SYNONYMOUS WITH THE DEFINITION OF "RECOVERABLE" AS CONTAINED IN PARAGRAPH 1-3W OF DLAM 4151.1. SEE VOLUME 10, TABLE 130 AND QUICK INFO ON-LINE.

2936 FMR-SUPPLM-RCVR DLSC-SBA F 2

## FORMER SUPPLEMENTARY RECEIVER

AN ACTIVITY FORMERLY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2938 SICA-CD SICA\_2938 DLSC-SB F CHAR 2

## SECONDARY INVENTORY CONTROL ACTIVITY (SICA)

A CODE THAT IDENTIFIES A SUPPLY CONTROL ACTIVITY RESPONSIBLE FOR CONTROLLING STOCK LEVELS AND MAINTAINING ITEM ACCOUNTABILITY WHEN SUPPLY SUPPORT IS FURNISHED BY A DIFFERENT SERVICE OR AGENCY OR, IN THE CASE OF DEFENSE SUPPLY CENTERS, RESPONSIBLE FOR RESIDUAL SUPPLY MANAGEMENT ACTIONS NOT TRANSFERRED TO THE GENERAL SERVICES ADMINISTRATION /GSA/. SHORT TITLE-SICA. FORMERLY-THE RETAIL MANAGER.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2943 SHLF-LIF-CD SLC\_2943 DLSC-SBA F CHAR 1  
SHELF LIFE CODE

A CODE INDICATING THE STORAGE TIME PERIOD OR PERISHABILITY OF AN ITEM. \*THIS DATA IS CODIFIED BY ONE CHARACTER WHICH MAY BE AN ALPHA, NUMERIC OR A SYMBOL. SEE VOLUME 10, TABLES 50 AND 143 AND QUICK INFO ON-LINE.

2948 SOS-MOD-CD SOSM\_CD\_2948 DLSC-SBA F CHAR 3  
SOURCE OF SUPPLY MODIFIER (SOSM) CODE

A CODE DENOTING ROUTING INFORMATION FOR REQUISITIONS WHICH CANNOT BE ADDRESSED TO A SINGLE MILSTRIP /MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES/ ROUTING IDENTIFIER OR WHEN A SINGLE ROUTING IDENTIFIER CANNOT BE ASSIGNED. SHORT TITLE - SOSM. SEE VOLUME 10, TABLES 59 AND 113 AND QUICK INFO ON-LINE.

2959 STRS-ACCT-MC STRS\_ACT\_MC\_2959 DLSC-SBA F CHAR 1  
STORES ACCOUNT-MARINE CORPS

A CODE USED TO INDICATE THE TYPE OF FUNDS EMPLOYED WITHIN THE MARINE CORPS IN SUPPLY SUPPORT OPERATIONS.SEE VOLUME 10, TABLE 55 AND QUICK INFO ON-LINE.

2980 TECH-DATA-SPT-CD DLSC-SB F 1  
TECHNICAL DATA SUPPORT CODE

AN INTERNAL CODE DERIVED FROM THE DOCUMENT AVAILABILITY CODE DENOTING WHAT DOCUMENTATION WAS AVAILABLE AT THE TIME A NATIONAL ITEM IDENTIFICATION NUMBER WAS ASSIGNED.

3010 ENVRNMTL-ATTR-DEF-TX ENV\_ATTR\_DEF\_3010 DLSC-SBA F CHAR 250  
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT

THE CLEAR TEXT DEFINITION OF ENVRNMTL-ATTR-CD (DRN 3025). SEE VOLUME 10, TABLE XXX.

3011 HCC-DP-NSN-ALL HCC\_STAT\_CNT\_3011 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT NSN ALL

A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY DEPARTMENT.

3012 HCC-DP-HCC-NSN-TOT HCC\_STAT\_CNT\_3012 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT HCC NSN TOTAL

A TOTAL COUNT OF NSNs WITHIN A DEPARTMENT BROKEN OUT BY INDIVIDUAL HCC.

3013 HCC-DP-AT-ALL HCC\_STAT\_CNT\_3013 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT ACTIVITY ALL

A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY ACTIVITY.

3014 HCC-DP-AT-HCC-NSN-T HCC\_STAT\_CNT\_3014 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT ACTIVITY HCC NSN TOTAL

A TOTAL COUNT OF NSNs WITHIN AN ACTIVITY BROKEN OUT BY INDIVIDUAL HCC.

3015 HCC-DP-AT-LOA-NSN-TOT HCC\_STAT\_CNT\_3015 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT ACTIVITY LOA NSN TOTAL

A TOTAL COUNT OF HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.

3016 HCC-D-A-HCC-LOA-NSN-T HCC\_STAT\_CNT\_3016 DLSC-SBA F INTEGER 4  
HCC DEPARTMENT ACTIVITY LOA HCC NSN TOTAL

A COUNT OF NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3017	HCC-FSC-NSN-ALL HCC FEDERAL SUPPLY CLASS NSN ALL A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY FEDERAL SUPPLY CLASS.	HCC_STAT_CNT_3017	DLSC-SBA	F INTEGER	4
3018	HCC-FSC-HCC-NSN-TOT HCC FSC HCC NSN TOTAL A TOTAL COUNT OF NSNs WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3018	DLSC-SBA	F INTEGER	4
3019	HCC-FSC-DP-ALL HCC FSC DEPARTMENT ALL A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY DEPARTMENT.	HCC_STAT_CNT_3019	DLSC-SBA	F INTEGER	4
3020	HCC-FSC-DP-HCC-TOT HCC FSC DEPARTMENT HCC TOTAL A COUNT OF NSNs FOR A DEPARTMENT WITHIN AN FSC, BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3020	DLSC-SBA	F INTEGER	4
3021	HCC-FSC-DEPT-ACTY-ALL HCC FSC DEPT ACTIVITY ALL A TOTAL COUNT OF HCC-NSNs WITHIN AN FSC BROKEN OUT BY ACTIVITY.	HCC_STAT_CNT_3021	DLSC-SBA	F INTEGER	4
3022	HCC-FSC-DP-AT-HCC-ALL-T HCC FSC DEPT ACTY HCC ALL TOTAL A TOTAL COUNT OF NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3022	DLSC-SBA	F INTEGER	4
3023	HCC-FSC-D-A-LOA-NSN-T HCC FSC DEPARTMENT ACTIVITY LOA NSN TOTAL A TOTAL COUNT OF FSC HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.	HCC_STAT_CNT_3023	DLSC-SBA	F INTEGER	4
3024	HCC-FSC-DP-AT-HCC-LOA-T HCC FSC DEPT ACTY LOA HCC TOTAL A TOTAL COUNT OF FSC NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3024	DLSC-SBA	F INTEGER	4
3025	ENVRNMTL-ATTR-CD ENVIRONMENTAL ATTRIBUTE CODE A CODE THAT IS USED TO PROVIDE A MEANS OF IDENTIFYING ITEMS OF SUPPLY THAT HAVE ENVIRONMENTAL CHARACTERISTICS.	ENAC_3025	DLSC-SBA	F CHAR	1
3026	HCC-N-US-DP-NSN-ALL HCC NON US DEPARTMENT NSN ALL A TOTAL COUNT OF ALL NON-US HCC-NSNs BROKEN OUT BY DEPARTMENT.	HCC_STAT_CNT_3026	DLSC-SBA	F INTEGER	4
3027	HCC-N-US-DP-HCC-NSN-T HCC NON US DEPARTMENT HCC NSN TOTAL A COUNT OF NON-US-NSNs WITHIN A DEPARTMENT BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3027	DLSC-SBA	F INTEGER	4
3028	HCC-N-US-DP-AT-ALL HCC NON US DEPARTMENT ACTIVITY ALL A TOTAL COUNT OF ALL NON-US HCC-NSNs BROKEN OUT BY ACTIVITY.	HCC_STAT_CNT_3028	DLSC-SBA	F INTEGER	4

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
3029	HCC-N-US-DP-AT-HCC-NSN-T HCC NON US DEPARTMENT ACTIVITY HCC NSN TOTAL A TOTAL COUNT OF NON-US NSNs WITHIN AN ACTIVITY BROKEN OUT BY HCC.	HCC_STAT_CNT_3029	DLSC-SBA	F INTEGER	4
3030	HCC-N-US-DP-AT-LOA-NSN-TOT HCC NON US DEPARTMENT ACTIVITY LOA NSN TOTAL A COUNT OF NON-US HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.	HCC_STAT_CNT_3030	DLSC-SBA	F INTEGER	4
3031	HCC-N-US-DP-AT-HCC-LOA-T HCC NON US DEPT ACTY LOA HCC TOTAL A COUNT OF NON-US NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3031	DLSC-SBA	F INTEGER	4
3032	HCC-NON-US-FSC-NSN-ALL HCC NON US FEDERAL SUPPLY CLASS NSN ALL A TOTAL COUNT OF NON-US HCC-NSNs WITHIN A FEDERAL SUPPLY CLASS.	HCC_STAT_CNT_3032	DLSC-SBA	F INTEGER	4
3033	HCC-N-US-FSC-HCC-NSN-TOT HCC NON US FSC HCC NSN TOTAL A COUNT OF NON-US NSNs WITHIN A FEDERAL SUPPLY CLASS BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3033	DLSC-SBA	F INTEGER	4
3034	HCC-N-US-FSC-DP-ALL HCC NON US FSC DEPARTMENT ALL A COUNT OF ALL NON-US HCC-NSNs WITHIN AN FSC BROKEN OUT BY DEPARTMENT.	HCC_STAT_CNT_3034	DLSC-SBA	F INTEGER	4
3035	HCC-N-US-FSC-DP-HCC-TOT HCC NON US FSC DEPARTMENT HCC TOTAL A COUNT OF NON-US NSNs FOR AN FSC WITHIN A DEPARTMENT, BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3035	DLSC-SBA	F INTEGER	4
3036	HCC-N-US-FSC-D-A-ALL HCC NON US FSC DEPT ACTIVITY ALL A TOTAL COUNT OF ALL NON-US HCC-NSNs WITHIN AN FSC, BROKEN OUT BY ACTIVITY.	HCC_STAT_CNT_3036	DLSC-SBA	F INTEGER	4
3037	HCC-N-US-FSC-DP-AT-HCC-T HCC NON US FSC DEPT ACTY HCC TOTAL A TOTAL COUNT OF NON US NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3037	DLSC-SBA	F INTEGER	4
3038	HCC-NON-US-FSC-D-A-LOA-T HCC NON US FSC DEPARTMENT ACTIVITY LOA NSN TOTAL A TOTAL COUNT OF NON-US HCC-NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY LOA.	HCC_STAT_CNT_3038	DLSC-SBA	F INTEGER	4
3039	HCC-N-US-FSC-D-A-HCC-LOA-T HCC NON US FSC DEPT ACTY LOA HCC TOTAL A TOTAL COUNT OF NON-US NSNs FOR AN ACTIVITY LOA WITHIN AN FSC, BROKEN OUT BY INDIVIDUAL HCC.	HCC_STAT_CNT_3039	DLSC-SBA	F INTEGER	4
3040	UFC-CD-MODF UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)	UFC_CD_MODF_3040	DLSC-SBA	F CHAR	5

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DIVIDES ARTICLES INTO GROUPS OR CLASSES ACCORDING TO PHYSICAL CHARACTERISTICS. FIRST STEP IN ESTABLISHING CHARGES FOR THE MOVEMENT OF MATERIAL BETWEEN SPECIFIED POINTS. THE CLASSIFICATION IS BASED ON CARLOAD VERSUS LESS THAN CARLOAD. THE UNIFORM FREIGHT CLASSIFICATION PUBLISHES RATINGS FROM CLASS 13 TO 400 /4 TIMES FIRST CLASS/. USED EXTENSIVELY BY THE RAIL CARRIERS AND BY SOME MOTOR CARRIERS.

3041 OLD-UI-CD OLD\_UI\_CD\_3041 DLSC-SB F CHAR 2  
OLD UNIT OF ISSUE CODE  
THIS FIELD CONTAINS THE OLD UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 079.

3042 NEW-UI-CD NEW\_UI\_CD\_3042 DLSC-SB F CHAR 2  
NEW UNIT OF ISSUE CODE  
THIS FIELD CONTAINS THE NEW UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 179.

3043 SEQ-KEY SEQ\_KEY\_3043 DLSC-SB F CHAR 1  
SEQUENCE KEY  
THIS FIELD CONTAINS A SINGLE ALPHABETIC SEQUENCE (STARTING WITH A) CHARACTER WHICH ALLOWS FOR SUBCATEGORIES UNDER UNIT OF ISSUE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3044 OLD-QUANT-EXP OLD\_QUANT\_EXP\_3044 DLSC-SB F CHAR 13  
OLD QUANTITATIVE EXPRESSION  
THIS FIELD CONTAINS THE OLD QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3045 NEW-QUANT-EXP NEW\_QUANT\_EXP\_3045 DLSC-SB F CHAR 13  
NEW QUANTITATIVE EXPRESSION  
THIS FIELD CONTAINS THE NEW QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3046 OLD-UI-TEXT OLD\_UI\_TEXT\_3046 DLSC-SB V VARCHAR 50  
OLD UNIT OF ISSUE TEXT  
THIS FIELD CONTAINS THE OLD UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3047 NEW-UI-TEXT NEW\_UI\_TEXT\_3047 DLSC-SB V VARCHAR 50  
NEW UNIT OF ISSUE TEXT  
THIS FIELD CONTAINS THE NEW UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3048 FRST-PHRS-CD FRST\_PHRS\_CD\_3048 DLSC-SB F CHAR 1  
FIRST PHRASE CODE  
THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A SECOND PHRASE CODE (DRN 3049) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3049 SCND-PHRS-CD SCND\_PHRS\_CD\_3049 DLSC-SB F CHAR 1  
SECOND PHRASE CODE  
THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A FIRST PHRASE CODE (DRN 3048) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3050 UI UI\_3050 DLSC-SBA F CHAR 2  
UNIT OF ISSUE

A CODE INDICATING THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSES OR REQUISITIONING BY, AND ISSUE TO, THE END-USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICE IS ASCRIBED. SEE VOLUME 10, TABLES 53, 79 AND 143 AND QUICK INFO ON-LINE.

3051 PHRS-CD-COMB-NT-IND PH\_CD\_NT\_IND\_3051 DLSC-SB F CHAR 1  
PHRASE CODE COMBINATION NOTE INDICATOR

THIS FIELD CONTAINS THE SINGLE CHARACTER NOTE CODE REFERENCE TO THE NOTES FOR THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3053 UI-CONV-FAC UI\_CONV\_FAC\_3053 DLSC-SBA F CHAR 5  
UNIT OF ISSUE CONVERSION FACTOR

THE QUANTITATIVE VALUE BY WHICH THE PROPER QUANTITY PER UNIT OF ISSUE MUST BE MULTIPLIED TO ARRIVE AT AN EQUAL QUANTITY OF THE NEW UNIT OF ISSUE. SEE VOLUME 10, TABLE 79 AND QUICK INFO ON-LINE.

3054 SNA-REMOT-SYS-ID SNA\_REMOT\_ID\_3054 DLSC-SBA F CHAR 4  
SNA REMOTE SYSTEM IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE REMOTE SYSTEM CONNECTED TO IN A SNA LU6.2 CONNECTION.

3058 MRC-NUM-VALUE MRC\_NUMERIC\_VALUE DLSC-SB F 2  
MRC NUMERIC VALUE  
COUNT OF MRCs WITH A OR B REPLYs.

3059 TMSTMP TMSTMP\_3059 DLSC-SB F TIMESTMP 26  
TIME STAMP

TIME STAMP USED FOR EFFECTIVE DATE YYYY - YEAR YYYY-MM-DD-HH.MM.SS.NNNNNN MM - MONTH EXAMPLE: 1990-10-27-03.30.00 DD - DAY HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS

3060 AND-OR-IND AND\_OR\_IND\_3060 DLSC-SB F CHAR 1  
AND OR INDICATOR

USED TO INDICATE WHETHER TO USE 'AND' OR 'OR' AS THE CONNECTOR OF TEXT FROM 'CODED/CLEAR REPLY'.

3063 TEXT-KEYWORD TEXT\_KEYWORD DLSC-SB F 35  
TEXT KEYWORD

TEXT FOR A KEYWORD SEARCH OF BYWORDS OF A SET OF TEXT DATA USED BY CHARACTERISTIC SEARCH.

3065 STAT-LVL-AUTH-CD1 STAT\_LOA1\_3065 DLSC-SBA F CHAR 2  
STATISTICS LEVEL OF AUTHORITY CODE1

PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.

3066 STAT-LVL-AUTH-CD STAT\_LOA\_3066 DLSC-SBA F CHAR 2  
STATISTICS LEVEL OF AUTHORITY CODE

A CODE THAT INCLUDES BOTH PRIMARY INVENTORY CONTROL ACTIVITY (PICA) (DRN 3505) OR SECONDARY INVENTORY CONTROL ACTIVITY (SICA) (DRN 9547) FOR STATISTICAL USE ONLY.

3067 STAT-LVL-AUTH-CD2 STAT\_LOA2\_3067 DLSC-SBA F CHAR 2  
STATISTICS LEVEL OF AUTHORITY CODE2

PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3068	STAT-LVL-AUTH-CD3 STATISTICS LEVEL OF AUTHORITY CODE3 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA3_3068	DLSC-SBA	F CHAR	2
3069	STAT-LVL-AUTH-CD4 STATISTICS LEVEL OF AUTHORITY CODE4 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA4_3069	DLSC-SBA	F CHAR	2
3070	STAT-LVL-AUTH-CD5 STATISTICS LEVEL OF AUTHORITY CODE5 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA5_3070	DLSC-SBA	F CHAR	2
3071	STAT-LVL-AUTH-CD6 STATISTICS LEVEL OF AUTHORITY CODE6 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.	STAT_LOA6_3071	DLSC-SBA	F CHAR	2
3073	J-TBL-REPLY J TABLE REPLY THE REPLY CODE PORTION(S) FOR A J MODE CODE MRC.	J_TBL_REPLY_3073	DLSC-SC	F CHAR	12
3074	MRC-VALUE-MAX MRC VALUE MAXIMUM MAXIMUM VALUE OF AN MRC IN CHARACTERISTIC SEARCH.		DLSC-SC	F	4
3075	MRC-VALUE-MIN MRC VALUE MINIMUM MINIMUM MRC FOR CHARACTERISTIC SEARCH.		DLSC-SC	F	4
3076	MRC-VALUE-NOM MRC VALUE NOMINAL NOMINAL VALUE OF AN MRC IN CHARACTERISTIC SEARCH.		DLSC-SC	F	4
3077	H-TBL-VALUE H TABLE VALUE VALUE OF AN H MODE REPLY.	H_TBL_VALUE_3077	DLSC-SC	F VARCHAR	48
3078	F-MIN-VALUE F MINIMUM VALUE MINIMUM VALUE OF AN F MODE REPLY.	F_MIN_VALUE_3078	DLSC-SC	F DECIMAL	15
3079	F-NOM-VALUE F NOMINAL VALUE NOMINAL VALUE OF AN F MODE REPLY.	F_NOM_VALUE_3079	DLSC-SC	F INTEGER	15
3084	PINC PSEUDO INC ITEM NAME CODE	PINC_3084	DLSC-SC	F CHAR	7

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PSEUDO ITEM NAME CODE USED TO IDENTIFY EITHER AN APPROVED ITEM NAME (SEE INC, DRN 4080) OR A NON-APPROVED ITEM NAME (SEE NAIN-CD, DRN 3237).

3085	ACQ-MTHD-CD-TO ACQUISITION METHOD CODE TO	AMC_TO_3085	DLSC-SBA	F CHAR	1
3086	ACQ-MTHD-CD-FROM ACQUISITION METHOD CODE FROM	AMC_FROM_3086	DLSC-SBA	F CHAR	1
3087	PC-DN-LD-LINE PC DOWNLOAD LINE A LINE OF TEXT DOWNLOADED FROM SCREEN DISPLAYS IN LOLA TO A PC.	PC_DN_LD_LINE_3087	DLSC-SB	F VARCHAR	80
3088	CLRTXT-KEY CLEAR TEXT REPLY FIRST 14 CHARACTERS OF A CLEAR TEXT REPLY.	CLRTXT_KEY_3088	DLSC-SB	F CHAR	14
3090	STAT-LVL-AUTH-COMB STATISTICS LEVEL OF AUTHORITY COMBINATION THIS ELEMENT IS A CONCATENATION OF DRNs 3065, 3067, 3068, 3069, 3070, 3071.	STAT_LOA_COMB_3090	DLSC-SB	F CHAR	12
3101	REF-SCRN-IND REFERENCE SCREENING INDICATOR A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY REFERENCE NUMBER SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.	REF_SCRN_IND_3101	DLSC-V	V CHAR	8
3102	CHAR-SCRN-IND CHARACTERISTIC SCREENING INDICATOR A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.	CHAR_SCRN_IND_3102	DLSC-V	V CHAR	8
3103	TYP-MATCH TYPE MATCH THE TYPE OF MATCH RESULTS BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTICS SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN).	TYP_MATCH_3103	DLSC-V	V CHAR	8
3104	RESULT-ACTN RESULT ACTION THE RESULTING ACTION BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.	RESULT_ACTN_3104	DLSC-V	V CHAR	30
3105	RNCC-MUST-HAVE-RNG REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE THE ACCEPTABLE MUST HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.	RNCC_MS_H_RNG_3105	DLSC-V	F CHAR	1
3106	RNVC-MUST-HAVE-RNG REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE	RNVC_MS_H_RNG_3106	DLSC-V	F CHAR	1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACCEPTABLE MUST HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.

3107 DAC-MUST-HAVE-RNG                      DAC\_MUST\_RNG\_3107                      DLSC-V                      F CHAR                      1  
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE  
THE ACCEPTABLE MUST RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.

3108 VLD-REF-MST-HV-NOTE-IND                      VLD\_REF\_MST\_3108                      DLSC-V                      F CHAR                      1  
VALID REFERENCE MUST HAVE NOTE INDICATOR  
ONE ASTERISK TO INDICATE THAT THIS COMBINATION MUST ALWAYS HAVE ONE ADDITIONAL REFERENCE NUMBER CODED RNCC  
3.

3109 RNCC-MAY-HAVE-RNG                      RNCC\_MA\_H\_RNG\_3109                      DLSC-V                      F CHAR                      1  
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE  
THE ACCEPTABLE MAY HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.

3110 RNVC-MAY-HAVE-RNG                      RNVC\_MA\_H\_RNG\_3110                      DLSC-V                      F CHAR                      1  
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE  
THE ACCEPTABLE MAY HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.

3111 DAC-MAY-HAVE-RNG                      DAC\_MAY\_RNG\_3111                      DLSC-V                      F CHAR                      1  
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE  
THE ACCEPTABLE MAY HAVE RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.

3112 VLD-REF-MAY-HV-NOTE-IND                      VLD\_REF\_MAY\_3112                      DLSC-V                      V CHAR                      10  
VALID REFERENCE MAY HAVE NOTE INDICATOR  
TWO OR THREE ASTERISKS TO INDICATE NOTES APPLICABLE TO THESE COMBINATIONS.

3113 FMT-REF-NBR-GOVT-CAGE                      FMT\_R\_NBR\_CAG\_3113                      DLSC-V                      V CHAR                      15  
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY  
THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY CODE REFERENCE  
NUMBER.

3114 FMT-EXAMPLE                      FMT\_EXAMPLE\_3114                      DLSC-V                      V CHAR                      11  
FORMAT EXAMPLE  
AN EXAMPLE OF THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY  
CODE REFERENCE NUMBER.

3115 SCR-NRNC                      SCR\_NRNC\_3115                      DLSC-V                      F CHAR                      1  
SCREENING REFERENCE NUMBER CATEGORY CODE  
THE ACCEPTABLE REFERENCE NUMBER CATEGORY CODE COMBINATION FOR ITEM OF SUPPLY CONCEPT TYPE OF SCREENING,  
CODE P REFERENCE NUMBER SEARCH PROCESS.

3116 SCR-NRNC                      SCR\_NRNC\_3116                      DLSC-V                      F CHAR                      1  
SCREENING REFERENCE NUMBER VARIATION CODE  
THE ACCEPTABLE REFERENCE NUMBER VARIATION CODE COMBINATION FOR ITEM-OF-SUPPLY CONCEPT, TYPE OF SCREENING  
CODE P REFERENCE NUMBER SEARCH PROCESS.

3117 REF-NBR-DUP-DEC-IND                      R\_N\_DUP\_DEC\_I\_3117                      DLSC-V                      V CHAR                      4  
REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ONE OR MORE ASTERISKS TO INDICATE THAT A NOTE FURTHER DEFINES THIS DUPLICATION DECISION.

3118	OP-MODE-MED-CD-DESC	OP_MOD_MED_EX_3118	DLSC-V	F	VARCHAR	94
	OUTPUT MODE/MEDIA CODE DESCRIPTION					
	DESCRIPTION OF CODES TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT.					
3119	FIXED-VAR-LEN-MED-IND	F_V_LEN_IND_3119	DLSC-V	F	CHAR	2
	FIXED VARIABLE LENGTH MEDIA INDICATOR					
	A CODE USED TO IDENTIFY THE MODE/MEDIA OF DIDS OUTPUT AS TO VARIABLE LENGTH OR FIXED (80-COLUMN).					
3120	EAM-CARD-INTERP-IND	EAM_CRD_INTRP_3120	DLSC-V	F	CHAR	2
	ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC					
	A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT OF EAM CARDS.					
3121	LISTIN-PART-PAPER-IND	LST_PRT_P_IND_3121	DLSC-V	F	CHAR	2
	LISTING PART PAPER INDICATOR					
	A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM AS TO THE NUMBER OF PART PAPER USED.					
3122	MAG-TAPE-TRCKS-ENCD-IND	MT_TRC_ENCD_I_3122	DLSC-V	V	VARCHAR	90
	MAGNETIC TAPE TRACKS ENCODED INDICATOR					
	A CODE USED TO IDENTIFY THE MODE/MEDIA OF FEDERAL LOGISTICS INFORMATION SYSTEM AS TO THE NUMBER TRACKS ON THE MAGNETIC TAPE.					
3123	MAG-TAPE-USAGE-NOTE	MT_USG_NOTE_3123	DLSC-V	V	VARCHAR	90
	MAGNETIC TAPE USAGE NOTE					
	A NOTE USED TO EXPLAIN THE ACCEPTABLE USAGE FOR MAGNETIC TAPES.					
3124	MAG-TAPE-DENSITY-IND	MT_DNSTY_IND_3124	DLSC-V	V	CHAR	4
	MAGNETIC TAPE DENSITY INDICATOR					
	A NUMBER INDICATING THE DENSITY OF A MAGNETIC TAPE IN BITS PER INCH.					
3125	MAG-TAPE-PARITY-IND	MT_PRTY_IND_3125	DLSC-V	V	CHAR	4
	MAGNETIC TAPE PARITY INDICATOR					
	A CODE USED TO DESCRIBE IF THE PARITY OF THE MAGNETIC TAPE IS EVEN OR ODD.					
3126	MAG-TAPE-BLCKNG-FAC-IND	MT_BLK_FAC_3126	DLSC-V	V	CHAR	24
	MAGNETIC TAPE BLOCKING FACTOR INDICATOR					
	A NUMBER USED TO IDENTIFY THE BLOCKING FACTOR FOR MAGNETIC TAPES.					
3127	MAG-TAPE-LAB-IND	MT_LAB_IND_3127	DLSC-V	V	CHAR	8
	MAGNETIC TAPE LABEL INDICATOR					
	A CODE USED TO IDENTIFY IF A MAGNETIC TAPE IS STANDARD LABEL OR NO LABEL PRESENT.					
3128	RNCC-IN	RNCC_IN_3128	DLSC-V	F	CHAR	1
	REFERENCE NUMBER CATEGORY CODE RNCC INCOMING					
	AN INCOMING CODE (RNCC) DESIGNATING THE RELATIONSHIP OF THE REFERENCE NUMBER TO THE ITEM OF SUPPLY TO DETERMINE A REFERENCE NUMBER DUPLICATION					
3129	RNVC-IN	RNVC_IN_3129	DLSC-V	F	CHAR	1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

REFERENCE NUMBER VARIATION CODE RNVC INCOMING  
AN INCOMING CODE (RNVC) INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING , OR IS FOR INFORMATION ONLY TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3130 RNCC-DB RNCC\_DB\_3130 DLSC-V F CHAR 1  
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE  
THE CODE IN THE DATA BASE THAT IS CHECKED AGAINST THE INCOMING RNCC CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3131 RNVC-DB RNVC\_DB\_3131 DLSC-V F CHAR 1  
REFERENCE NUMBER VARIATION CODE (RNVC) DATA BASE  
THE CODE IN THE DATABASE THAT IS CHECKED AGAINST THE INCOMING RNVC CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3132 UNMATCHED-RNCC UNMTCH\_RNCC\_3132 DLSC-V V CHAR 12  
UNMATCHED REFERENCE NUMBER CATEGORY CODE  
THE CODE IN THE DATABASE OF AN ADDITIONAL REFERENCE NUMBER WHICH DOES NOT MATCH THE INCOMING REFERENCE NUMBER.

3133 REF-NBR-DUP-DEC R\_N\_DUP\_DEC\_3133 DLSC-V F CHAR 8  
REFERENCE NUMBER DUPLICATION DECISION  
THE DUPLICATION DECISION AS TO AN ACTUAL OR POSSIBLE MATCH FOR REFERENCE NUMBER CATEGORY CODE 2ND REFERENCE NUMBER VARIATION CODE.

3134 CIIM-RTN-ACTN-CD CIIM\_RTN\_CD\_3134 DLSC-V F CHAR 2  
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE  
A RETURN CODE USED TP INDICATE THE REASON ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3135 OP-DIC DLSC-SB F 3  
DIC OUTPUT  
FIELD CONTAINS DIC GENERATED BY INPUT DIC. AN INPUT DIC MAY GENERATE ONE OR MORE OUTPUT DIC'S.

3136 NO-Q8-RTN-CD-ED NO\_Q8\_ED\_3136 DLSC-SC F CHAR 1  
NO Q8 RETURN CODE EDIT  
FIELD THAT WILL INDICATE WHETHER OR NOT QB EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.

3137 CIIM-RTN-ACTN-CD-DEF-INS CIIM\_RTN\_DEF\_3137 DLSC-V V VARCHAR 450  
COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE  
THE DEFINITION OF 2 RETURN CODE AS TO WHY ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3138 CIIM-INPUT-FILE-IND CIIM\_IN\_IND\_3138 DLSC-V V CHAR 15  
COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR  
CLEAR TEXT EXPRESSION INDICATING TYPE OF DATA: EITHER "FILE DATA" OR "INPUT DATA".

3139 CIIM-ACTN-RTN-TO CIIM\_RTN\_TO\_3139 DLSC-V V CHAR 15  
COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO  
THE PERSON TO WHOM THE RETURN CODE IS SENT FOR ITEM MANAGEMENT CODING DATA THAT REJECTED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3140 RTN-CD-DEF-INST RTN\_DEF\_INST\_3140 DLSC-V V VARCHAR 1400  
RETURN CODE DEFINITION AND INSTRUCTION  
THE DEFINITION OF A RETURN ACTION CODE DESCRIBING WHY A TRANSACTION WAS RETURNED.

3141 FU-STAT-CD-DEF FU\_STAT\_DEF\_3141 DLSC-V V VARCHAR 125  
FOLLOW-UP STATUS CODE DEFINITION  
FOLLOW-UP STATUS CODE DEFINITION (TEXT).

3142 FU-STAT-CD-INST FU\_STAT\_INST\_3142 DLSC-V V VARCHAR 125  
FOLLOW-UP STATUS CODE INSTRUCTION  
FOLLOW-UP STATUS CODE INSTRUCTION (TEXT)

3143 SEG-R-WITH-OP-DIC SGR\_W\_OP\_DIC\_3143 DLSC-V F CHAR 1  
SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE  
INDICATES WHETHER SEGMENT R IS WITH OUTPUT

3144 SEG-R-W-O-OP-DIC SGR\_WO\_OP\_DIC\_3144 DLSC-V F CHAR 1  
SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE  
INDICATES SEGMENT R WITHOUT ANY OUTPUT DIC'S.

3145 CURR-TIR-SEG CURR\_TIR\_SEG\_3145 DLSC-V F CHAR 1  
CURRENT TOTAL ITEM RECORD SEGMENTS  
INDICATOR FOR CURRENT TIR SEGMENTS.

3146 ADDNTL-R-P-Q-SEG ADD\_R\_P\_Q\_SEG\_3146 DLSC-V F CHAR 1  
ADDITIONAL R P Q SEGMENTS  
INDICATES WHICH ADDITIONAL SEGMENTS ARE PROVIDED.

3147 USI-SVC-CD-EXPLN USI\_SVC\_CD\_X\_3147 DLSC-SB V VARCHAR 80  
USING SERVICE CODE EXPLANATION  
EXPLANATION OF VALID USING SERVICE CODES (TEXT)

3148 MAT-CAT-MC MAT\_CAT\_MC\_3148 DLSC-SB V VARCHAR 80  
MATERIEL CATEGORY MARINE CORPS  
THE MATERIAL DESIGNATED BY THE MATERIEL MANAGEMENT CODE, MARINE CORPS.

3149 MGMT-AGENCY-GRP-OR-CLS-MC MGT\_AG\_G\_C\_MC\_3149 DLSC-SB V VARCHAR 400  
MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS  
THE MANAGEMENT AGENCY RESPONSIBLE FOR THE ALPHA MATERIEL MANAGEMENT CODE MARINE CORPS OR THE FEDERAL SUPPLY GROUP OR CLASS RESPONSIBLE FOR THE NUMERIC MATERIEL MANAGEMENT CODE.

3150 ECH-CD-MC ECH\_CD\_MC\_3150 DLSC-SB F CHAR 1  
ECHELON CODE MARINE CORPS  
A CODE WHICH FURTHER DEFINES THE MATERIEL MANAGEMENT CODE MARINE CORPS.

3151 ECH-ACQ-STK-MC EC\_ACQ\_STK\_MC\_3151 DLSC-SB V CHAR 40  
ECHELON ACQUIRING STOCK MARINE CORPS  
THE ECHELON ACQUIRING STOCK DESIGNATED BY THE ECHELON CODE MARINE CORPS.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3152	ECH-REM-MC ECHELON REMARKS MARINE CORPS A REMARK WHICH FURTHER DEFINES THE ECHELON ACQUIRING STOCK MARINE CORPS.	ECH_REM_MC_3152	DLSC-SB	V VARCHAR	350
3153	STRS-ACCT-EXPLN-MC STORES ACCOUNT EXPLANATION MARINE CORPS EXPLANATION OF VALID STORES ACCOUNT CODES (TEXT).	STRS_ACT_MC_X_3153	DLSC-SB	V CHAR	80
3154	RECOV-CD-EXPLN-MC RECOVERABILITY CODE EXPLANATION MARINE CORPS EXPLANATION OF VALID RECOVERABILITY CODES MARINE CORPS (TEXT).	RECOV_EX_MC_3154	DLSC-SB	V VARCHAR	320
3155	SP-MAT-APL-ITEM-OR-KIT SPECIAL MATERIAL APPLICATION ITEM OR KIT THE PREDOMINANT QPPLICATION IDENTIFIED BY THE SPECIAL MATERIEL IDENTIFICATION CODE.	SP_MAT_APL_IK_3155	DLSC-SB	V VARCHAR	560
3156	MAT-CTL-CD-DEF-NVY MATERIEL CONTROL CODE DEFINITION NAVY THE DEFINITION OF VALID MATERIEL CONTROL CODES, NAVY.	MCC_NVY_EX_3156	DLSC-SB	V VARCHAR	300
3157	ACCTG-RQMTS-CD-EXPLN-AR ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY EXPLANATION OF VALID ACCOUNTING REQUIREMENTS CODES, ARMY (TEXT).	ACT_RQM_BR_EX_3157	DLSC-SB	V VARCHAR	400
3158	MAT-MGMT-AG-CD-DEF-AF MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE THE DEFINITION OF VALID MATERIAL MANAGEMENT AGGREGATION CODES, AIR FORCE	MMAC_DEF_AF_3158	DLSC-SB	V VARCHAR	640
3159	AF-BDGT-PGM AIR FORCE BUDGET PROGRAM THE BUDGET PROGRAM IDENTIFIED BY THE AIR FORCE BUDGET CODE.	AF_BDGT_PGM_3159	DLSC-SB	V CHAR	3
3160	AF-BDGT-APPRP AIR FORCE BUDGET APPROPRIATION THE APPROPRIATION IDENTIFIED BY THE AIR FORCE BUDGET CODE.	AF_BDGT_APPRP_3160	DLSC-SB	F CHAR	7
3161	AF-BDGT-CD-MDL-DEF AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION THE DEFINITION OF VALID AIR FORCE BUDGET CODES.	BDGT_CD_AF_EX_3161	DLSC-SB	V VARCHAR	280
3162	AF-BDGT-STK-FD-DIV AIR FORCE BUDGET STOCK FUND DIVISION THE RESPONSIBLE STOCK FUND DIVISION FOR CERTAIN AIR FORCE BUDGET CODES.	AF_BGT_STK_FD_3162	DLSC-SB	V CHAR	18
3163	FD-CD-DEF-AF FUND CODE DEFINITION AIR FORCE THE DEFINITION OF VALID AIR FORCE FUND CODES.	FD_CD_DEF_AF_3163	DLSC-SB	V VARCHAR	240

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3164	ERRC-CD-EXPLN-AF	ERRC_EX_AF_3164	DLSC-SB	V	VARCHAR	80
EXPEND RECOVER REPAR CATEGORY CODE EXPLANATION AIR FORCE						
EXPLANATION OF VALID EXPENDABILITY-RECOVERABILITY-REPARABILITY-CATEGORY CODES, AIR FORCE (TEXT).						
3165	CMBT-ESNTL-CD-EXPLN-MC	CMBT_MC_EXP_3165	DLSC-SB	V	VARCHAR	320
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS						
EXPLANATION OF VALID COMBAT ESSENTIALITY CODES, MARINE CORPS.						
3166	MAT-IDEN-CD-EXPLN	MAT_ID_MC_EX_3166	DLSC-SB	V	VARCHAR	80
MATERIAL IDENTIFICATION CODE EXPLANATION						
EXPLANATION OF VALID MATERIAL IDENTIFICATION CODES.						
3167	MAT-IDEN-CD-NOTE-IND	MAT_ID_MC_NOT_3167	DLSC-SB	F	CHAR	1
MATERIAL IDENTIFICATION CODE NOTE INDICATOR						
AN INDICATION OF A NOTE EXCLUSIVE TO A PARTICULAR MATERIAL IDENTIFICATION CODE.						
3168	SP-HDLG-CD-EXPLN	SP_HDLG_CD_EX_3168	DLSC-SB	V	VARCHAR	80
SPECIAL HANDLING CODE EXPLANATION						
EXPLANATION OF VALID SPECIAL HANDLING CODES (TEXT).						
3169	AIR-SP-HDLG-CD	AIR_S_HDLG_3169	DLSC-SB	F	CHAR	1
AIR SPECIAL HANDLING CODE						
A CODE DENOTING AIR CARGO REQUIRING SPECIAL HANDLING OR REPORTING.						
3170	AIR-SP-HDLG-CD-EXPLN	AIR_S_HDLG_EX_3170	DLSC-SB	V	VARCHAR	500
AIR SPECIAL HANDLING CODE EXPLANATION						
EXPLANATION OF VALID AIR SPECIAL HANDLING CODES (TEXT).						
3171	TYP-OF-OE-CD-EXPLN	TYP_OE_CD_EXP_3171	DLSC-SC	V	VARCHAR	80
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION						
EXPLANATION OF VALID TYPE OF ORGANIZATIONAL ENTITY CODES (TEXT).						
3172	SP-MAT-CONT-CD-EXPLN	SP_MAT_CON_EX_3172	DLSC-SB	V	VARCHAR	120
SPECIAL MATERIAL CONTENT CODE EXPLANATION						
EXPLANATION OF VALID SPECIAL MATERIAL CONTENT CODES.						
3173	FILE-MAINT-ACTN-CD-EXPLN	FILE_MAINT_EX_3173	DLSC-V	V	VARCHAR	250
FILE MAINTENANCE ACTION CODES EXPLANATION						
EXPLANATION OF THE VALID FILE MAINTENANCE ACTION CODES (TEXT).						
3174	SEG-CD-SUPMTL-EXPLN	SEG_CD_SUP_EX_3174	DLSC-V	V	VARCHAR	80
SEGMENT CODE SUPPLEMENTAL EXPLANATION						
EXPLANATION OF THE VALID CODES (TEXT).						
3175	DIDS-SEG-CD-EXPLN	DIDS_SEG_EX_3175	DLSC-V	F	VARCHAR	80
DEFENSE INTEGRATED DATA SYSTEM SEGMENT CODE EXPLANATION						
EXPLANATION OF THE VALID SEGMENT CODES (TEXT).						



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3176 OPRTNL-TST-CD-EXPLN OPRTL\_T\_MC\_EX\_3176 DLSC-V V VARCHAR 700  
OPERATIONAL TEST CODE EXPLANATION  
EXPLANATION OF THE VALID TEST CODES (TEXT).

3177 PHY-CTGY-CD-EXPLN PHY\_CTGY\_MC\_X\_3177 DLSC-V V VARCHAR 60  
PHYSICAL CATEGORY CODE EXPLANATION  
EXPLANATION OF VALID PHYSICAL CATEGORY CODES (TEXT).

3178 TYP-OF-SP-PRCSG-IND-CD-E TYP\_SP\_PRC\_E\_3178 DLSC-V V VARCHAR 360  
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION  
EXPLANATION OF VALID SPECIAL PROCESSING INDICATOR CODES (TEXT).

3179 INV-ACCT-CD-CG-EXPLN INV\_ACT\_CG\_EX\_3179 DLSC-V V VARCHAR 270  
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION  
EXPLANATION OF COAST GUARD INVENTORY ACCOUNT CODES (TEXT).

3180 REPBL-CD-CG-EXPLN REP\_CD\_CG\_EX\_3180 DLSC-V V VARCHAR 180  
REPARABILITY CODE COAST GUARD EXPLANATION  
EXPLANATION OF VALID REPARABILITY CODES.

3181 NO-Q8-RTN-CD-ED-NVY NO\_Q8\_ED\_NVY\_3181 DLSC-V F CHAR 1  
NO Q8 RETURN CODE EDIT NAVY  
FIELD THAT WILL INDICATE WHETHER OR NOT Q8 EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.

3182 SER-NBR-CTL-CD-CG-EXPLN SRN\_CTL\_CG\_EX\_3182 DLSC-SB V VARCHAR 80  
SERIAL NUMBER CONTRO CODE EXPLANATION  
EXPLANATION OF VALID CODES FOR SERIAL NUMBER CONTROL (TEXT).

3183 COND-CD-FED1-TI CON\_CD\_FD1\_TI\_3183 DLSC-SB F CHAR 50  
CONDITION CODE FEDERAL 1 TITLE  
CLEAR TEXT TITLE ASSOCIATED WITH THE FIRST POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.

3184 COND-CD-FED1-DF CON\_CD\_FD1\_3184 DLSC-SB V VARCHAR 600  
CONDITION CODE FEDERAL 1 DEFINITION  
THIS FIELD CONTAINS THE CLEAR TEXT DEFINITION ASSOCIATED WITH THE FIRST POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.

3185 REIMB-CD-EXPLN REIMB\_CD\_EX\_3185 DLSC-SB V VARCHAR 125  
REIMBURSEMENT CODE EXPLANATION  
CLEAR TEXT EXPLANATION OF REIMBURSEMENT CODE (2930).

3186 TRAN-STAT-CD-DEF TRAN\_STAT\_DEF\_3186 DLSC-SBA V VARCHAR 150  
TRANSACTION STATUS CODES  
CLEAR TEXT DISPOSITION OF THE TRANSACTION.

3187 TRAN-STAT-CD-INST TRAN\_STAT\_INS\_3187 DLSC-SBA V VARCHAR 150

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## TRANSACTION STATUS CODES INSTRUCTIONS

INSTRUCT THE SUBMITTER ON WHAT ACTIONS ARE TO BE INITIATED.

3188 TRAN-STAT-CD-OP                      TRAN\_STAT\_OP\_3188                      DLSC-SBA                      V    VARCHAR                      150

TRANSACTION STATUS CODE OUTPUT

A LISTING OF OUTPUT DIC RESULTING FROM NATO FOLLOW-UP INTERROGATION.

3189 TRAN-STAT-CD-NOTE-IND                      TRAN\_STAT\_NOT\_3189                      DLSC-SBA                      F    CHAR                      1

TRANSACTION STATUS CODES TSC NOTE INDICATOR

INSTRUCTION TO THE SUBMITTER UNDER WHAT CONDITION A PARTICULAR OUTPUT DIC WILL BE GENERATED.

3190 PUB-TERM-ABBREV                      PUB\_TRM\_ABR\_3190                      DLSC-V                      V    CHAR                      15

PUBLICATIONS TERM ABBREVIATION

A TABLE OF ABBREVIATION REFERENCE TO TERMS USED FOR CLEAR TEXT REPLIES.

3191 PR-VLDTN-CD-AF-DEF                      PVC\_AF\_DEF\_3191                      DLSC-SB                      V    VARCHAR                      1200

PRICE VALIDATION CODE AIR FORCE DEFINITION

CLEAR TEXT DEFINITION OF PROCE VALIDATION CODE , AIR FORCE (0858)

3192 PUB-TERM                      PUB\_TERM\_3192                      DLSC-V                      V    VARCHAR                      120

PUBLICATION TERM

CLEAR TEXT TERM USED IN PUBLICATIONS RELATED TO A SPECIFIC PUBLICATION TERM ABBREVIATION.

3193 DOD-DBRMT-PPSL-INITR                      DBR\_PRO\_INIT\_3193                      DLSC-SC                      V    VARCHAR                      90

DOD DEBARMENT PROPOSAL INITIATORS

A TABLE OF MILITARY SERVICE, AGENCY, OR OTHER DOD AUTHORIZED TO INITIATE PROPOSAL.

3194 MA-AA-ROW                      MA\_AA\_ROW\_3194                      DLSC-S                      F    SMALLINT                      2

MASTER ADDRESS/ASSOCIATED ADDRESS ROW

THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE MA/AA.

3195 MA-AA-SEQ                      MA\_AA\_SEQ\_3195                      DLSC-S                      F    CHAR                      1

MASTER ADDRESS/ASSOCIATED ADDRESS SORT SEQUENCE

THE SORT SEQUENCE PRIORITY FOR THE MA/AA. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3196 ADRS-OFFSET-INCH                      ADRS\_OFST\_IN\_3196                      DLSC-S                      F    DECIMAL                      5

ADDRESS OFFSET IN INCHES

THE OFFSET FROM THE LEFT MARGIN FOR THE ADDRESS CLEAR TEXT.

3197 ADRS-WIDTH-INCH                      ADRS\_WIDTH\_IN\_3197                      DLSC-S                      F    DECIMAL                      5

ADDRESS WIDTH IN INCHES

THE WIDTH OF THE PRINT AREA FOR THE ADDRESS PORTION OF THE LABEL. THE ADDRESS WIDTH IN INCHES MUST BE LESS THAN OR EQUAL TO THE LABEL WIDTH IN INCHES MINUS THE ADDRESS OFFSET FROM LEFT MARGIN.

3198 DLN-SEQ                      DLN\_SEQ\_3198                      DLSC-S                      F    CHAR                      1

DISTRIBUTION LIST NUMBER SORT SEQUENCE

THE SORT SEQUENCE PRIORITY FOR THE DISTRIBUTION LIST NUMBER. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
3199	PRDCT-TI-ROW PRODUCT TITLE RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE PRODUCT TITLE.	PRDCT_TI_ROW_3199	DLSC-S	F SMALLINT	2
3200	SOURCE-OF-RQST SOURCE OF REQUEST INTERFACE SOURCE OF THE AMLS REQUEST.	SRC_OF_RQST_3200	DLSC-S	F CHAR	2
3201	PARM-INFO PARAMETER INFORMATION VARIABLE PARAMETERS BASED ON THE SOURCE OF THE REQUEST.	PARM_INFO_3201	DLSC-S	V VARCHAR	560
3202	AMLS-RUN-ID AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER REQUEST IDENTIFIER (CONTROL NUMBER) FOR REQUEST TO PRINT A REPORT OR LABELS THROUGH AMLS.	AMLS_RUN_ID_3202	DLSC-S	F CHAR	7
3203	AMLS-RUN-ID-SEQ-NBR AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER SEQUENCE NBR SEQUENCE NUMBER OF PHYSICAL ROWS WITHIN A RUN ID.	AMLS_RI_SEQ_3203	DLSC-S	F CHAR	5
3204	AMLS-TARGET-PGM AUTOMATED MAILING LABEL SYSTEM TARGET PROGRAM PROGRAM THAT IS INVOKED WITHIN AMLS TO PRODUCE REPORTS OR LABELS WITHIN AMLS.	AMLS_TRGT_PGM_3204	DLSC-S	F CHAR	8
3205	SUBMTR-USERID SUBMITTER RACF USERID RACF USERID OF PERSON WHO MADE THE AMLS REQUEST.	SUBMTR_USERID_3205	DLSC-S	F CHAR	8
3206	ADRS-1-ROW ADDRESS LINE 1 RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FIRST LINE OF THE CLEAR TEXT ADDRESS.	ADRS_1_ROW_3206	DLSC-S	F SMALLINT	2
3207	LBL-ID-ROW LABEL IDENTIFIER RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES OR A LABEL FOR THE LABEL IDENTIFIER.	LBL_ID_ROW_3207	DLSC-S	F SMALLINT	2
3208	ADRS-2-ROW ADDRESS LINE 2 RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SECOND LINE OF THE CLEAR TEXT ADDRESS.	ADRS_2_ROW_3208	DLSC-S	F SMALLINT	2
3209	ADRS-3-ROW ADDRESS LINE 3 RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE THIRD LINE OF THE CLEAR TEXT ADDRESS.	ADRS_3_ROW_3209	DLSC-S	F SMALLINT	2
3210	ADRS-4-ROW ADDRESS LINE 4 RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FOURTH LINE OF THE CLEAR TEXT ADDRESS.	ADRS_4_ROW_3210	DLSC-S	F SMALLINT	2

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3211 ADRS-5-ROW ADRS\_5\_ROW\_3211 DLSC-S F SMALLINT 2  
ADDRESS LINE 5 RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FIFTH LINE OF THE CLEAR TEXT ADDRESS.

3212 ADRS-6-ROW ADRS\_6\_ROW\_3212 DLSC-S F SMALLINT 2  
ADDRESS LINE 6 RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SIXTH LINE OF THE CLEAR TEXT ADDRESS.

3213 ADRS-7-ROW ADRS\_7\_ROW\_3213 DLSC-S F SMALLINT 2  
ADDRESS LINE 7 RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SEVENTH LINE OF THE CLEAR TEXT ADDRESS.

3214 ADRS-8-ROW ADRS\_8\_ROW\_3214 DLSC-S F SMALLINT 2  
ADDRESS LINE 8 RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE EIGHTH LINE OF THE CLEAR TEXT ADDRESS.

3216 ZIP-CD-SEQ ZIP\_CD\_SEQ\_3216 DLSC-S F CHAR 1  
ZIP CODE SORT SEQUENCE  
THE SORT SEQUENCE PRIORITY FOR THE ZIP CODE. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3218 NBR-COPIES-SEQ NBR\_COPY\_SEQ\_3218 DLSC-S F CHAR 1  
NUMBER OF COPIES SORT SEQUENCE  
THE SORT SEQUENCE PRIORITY FOR THE TOTAL DLN PRODUCT PER ADDRESS. PRIORITY IS 1 THRU 7 (1 BEING HIGHEST PRIORITY AND 7 LOWEST PRIORITY).

3219 ZIP-CD-ROW ZIP\_CD\_ROW\_3219 DLSC-S F SMALLINT 2  
ZIP CODE RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE ZIP CODE.

3220 NBR-ADRS-PRCSD NBR\_ADRS\_PRC\_3220 DLSC-S F DECIMAL 11  
NUMBER OF ADDRESSES PROCESSED  
COUNT OF ADDRESSES SATISFYING THE AMLS REQUEST BY THE AMLS-RUN-ID.

3221 DELETER-USERID DELETER\_USRID\_3221 DLSC-S F CHAR 8  
DELETER RACF USERID  
RACF USERID OF PERSON WHO DELETED THE AMLS REQUEST.

3222 PRDCT-TI-SEQ PRDCT\_TI\_SEQ\_3222 DLSC-S F CHAR 1  
PRODUCT TITLE SORT SEQUENCE  
THE SORT SEQUENCE PRIORITY FOR THE PRODUCT TITLE. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3223 NBR-COPIES-ROW NBR\_COPY\_ROW\_3223 DLSC-S F SMALLINT 2  
NUMBER OF COPIES RELATIVE ROW  
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE TOTAL DLN PRODUCT PER ADDRESS.

3224 NBR-LBL-ACROSS NBR\_LBL\_ACRS\_3224 DLSC-S F CHAR 1  
NUMBER OF LABELS ACROSS  
THE NUMBER OF LABELS IN A ROW ON THE LABEL FORM.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3225	CHAR-IN-ADRS-LI CHARACTERS IN THE ADDRESS LINE THE NUMBER OF CHARACTERS TO BE PRINTED IN THE ADDRESS CLEAR TEXT LINE.	CHAR_ADRS_LI_3225	DLSC-S	F SMALLINT	2
3226	WIDTH-INCH LABEL WIDTH IN INCHES WIDTH OF A SINGLE LABEL ON THE LABEL FORM.	WIDTH_INCH_3226	DLSC-S	F DECIMAL	5
3227	LENGTH-INCH LABEL LENGTH IN INCHES LENGTH OF A SINGLE LABEL ON THE LABEL FORM.	LENGTH_INCH_3227	DLSC-S	F DECIMAL	5
3228	LBL-FORMAT LABEL FORMAT IDENTIFIER IDENTIFIER FOR THE PHYSICAL DESCRIPTION OF THE LABEL FORM, REQUIRED ENTRY, FULL FIELD.	LBL_FORMAT_3228	DLSC-S	F CHAR	2
3229	OPR-MSG OPERATOR MESSAGE MESSAGE TO COMPUTER OPERATOR TO MOUNT THE LABEL FORMS, REQUIRED ENTRY.	OPER_MSG_3229	DLSC-S	F CHAR	80
3230	LBL-ID-SEQ LABEL IDENTIFIER SORT SEQUENCE THE SORT SEQUENCE PRIORITY FOR THE LABEL IDENTIFIER. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).	LBL_ID_SEQ_3230	DLSC-S	F CHAR	1
3231	MLNG-PIC-ROW MAILING PRIORITY INDICATOR CODE RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE MAILING PRIORITY INDICATOR CODE.	MLNG_PIC_ROW_3231	DLSC-S	F SMALLINT	2
3232	MLNG-PIC-SEQ MAILING PRIORITY INDICATOR CODE SORT SEQUENCE THE SORT SEQUENCE PRIORITY FOR THE MAILING PRIORITY INDICATOR CODE. PRIORITY IS 1 THROUGH 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).	MLNG_PIC_SEQ_3232	DLSC-S	F CHAR	1
3233	DLN-ROW DISTRIBUTION LIST NUMBER RELATIVE ROW THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE DISTRIBUTION LIST NUMBER.	DLN_ROW_3233	DLSC-S	F SMALLINT	2
3234	LINES-PER-INCH LINES PER INCH NUMBER OF LINES PER INCH ON THE LABEL FORM.	LINES_INCH_3234	DLSC-S	F SMALLINT	2
3235	CHAR-PER-INCH CHARACTERS PER INCH NUMBER OF CHARACTERS PER INCH ON THE LABEL FORM.	CHAR_PER_INCH_3235	DLSC-S	F SMALLINT	2
3236	FCP-DP-PICA-MGD-FD-NN FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs		DLSC-S	F INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNs THAT ARE FULLY DESCRIBED AND ARE PICA MANAGED BY A SPECIFIC DEPARTMENT.

3237	NAIN-CD NON-APPROVED ITEM NAME CODE A CODE USED TO UNIQUELY IDENTIFY A NON-APPROVED ITEM NAME.	NAIN_CD_3237	DLSC-S	F CHAR	7
3238	ACTY-NM-LINE1 ACTIVITY NAME LINE - 1 THE FIRST OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE1_3238	DLSC-SBA	V VARCHAR	60
3239	ACTY-NM-LINE2 ACTIVITY NAME LINE - 2 THE SECOND OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE2_3239	DLSC-SBA	V VARCHAR	60
3240	ACTY-NM-LINE3 ACTIVITY NAME LINE - 3 THE THIRD OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE3_3240	DLSC-SBA	V VARCHAR	60
3241	ACTY-NM-LINE4 ACTIVITY NAME LINE - 4 THE FOURTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE4_3241	DLSC-SBA	V VARCHAR	60
3242	ACTY-NM-LINE5 ACTIVITY NAME LINE - 5 THE FIFTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.	ACTY_NM_LINE5_3242	DLSC-SBA	V VARCHAR	60
3243	ACTY-OFC-SYM ACTIVITY OFFICE SYMBOL ACTIVITY OFFICE SYMBOL OR OTHER ATTENTION INFORMATION SUCH AS THE BUILDING NUMBER.	ACTY_OFC_SYM_3243	DLSC-SBA	V VARCHAR	60
3244	ACTY-ST-ADRS1 ACTIVITY STREET ADDRESS - 1 THE FIRST OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.	ACTY_ST_ADRS1_3244	DLSC-SBA	V VARCHAR	60
3245	ACTY-ST-ADRS2 ACTIVITY STREET ADDRESS - 2 THE SECOND OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.	ACTY_ST_ADRS2_3245	DLSC-SBA	V VARCHAR	60
3246	ACTY-CITY ACTIVITY CITY THAT PART OF AN ADDRESS REFLECTING THE CITY OF AN ACTIVITY.	ACTY_CITY_3246	DLSC-SBA	V VARCHAR	60
3247	ACTY-STA-US-POS-ABR ACTIVITY STATE/U.S. POSSESSION ABBREVIATION A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION OF AN ACTIVITY.	ACTY_ST_US_AB_3247	DLSC-SBA	F CHAR	2
3248	ACTY-ZIP-CD	ACTY_ZIP_CD_3248	DLSC-SBA	F CHAR	9

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

#### ACTIVITY ZIP CODE

FOR AN ACTIVITY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.

3251 TRFR-FSC-OAC-M-T1-2-NSN TRFR\_STAT\_CNT\_3251 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTION TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.

3252 TRFR-FSC-OAC-M-T1-4-NSN TRFR\_STAT\_CNT\_3252 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3253 TRFR-FSC-OAC-M-T2-1-NSN TRFR\_STAT\_CNT\_3253 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3254 TRFR-FSC-OAC-M-T2-4-NSN TRFR\_STAT\_CNT\_3254 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3255 TRFR-FSC-OAC-M-T4-1-NSN TRFR\_STAT\_CNT\_3255 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3256 TRFR-FSC-OAC-M-T4-2-NSN TRFR\_STAT\_CNT\_3256 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.

3257 TRFR-FSC-SAC-M-T1-2-NSN TRFR\_STAT\_CNT\_3257 DLSC-SBA F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3258 TRFR-FSC-SAC-M-T1-4-NSN TRFR\_STAT\_CNT\_3258 DLSC-SBA F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3259 TRFR-FSC-SAC-M-T2-1-NSN TRFR\_STAT\_CNT\_3259 DLSC-SBA F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN  
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3260 TRFR-FSC-SAC-M-T2-4-NSN TRFR\_STAT\_CNT\_3260 DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3261 TRFR-FSC-SAC-M-T4-1-NSN TRFR\_STAT\_CNT\_3261 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3262 TRFR-FSC-SAC-M-T4-2-NSN TRFR\_STAT\_CNT\_3262 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY SUBMITTING ACTIVITY.

3263 TRFR-FSC-SAC-MTH-T2-NSN TRFR\_STAT\_CNT\_3263 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3264 TRFR-FSC-SAC-MTH-T1-NSN TRFR\_STAT\_CNT\_3264 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3265 TRFR-FSC-SAC-MTH-T4-NSN TRFR\_STAT\_CNT\_3265 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3266 TRFR-FSC-OAC-MTH-T2-NSN TRFR\_STAT\_CNT\_3266 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3267 TRFR-FSC-OAC-MTH-T1-NSN TRFR\_STAT\_CNT\_3267 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3268 TRFR-FSC-OAC-MTH-T4-NSN TRFR\_STAT\_CNT\_3268 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN

THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3271 MDLS-ALWD-ERR-PCT-RT MDLS\_ERR\_PCT\_3271 DLSC-VP F CHAR 2

MEDALS ALLOWED ERROR PERCENT RATE

A two digit numeric rate to represent the level of error percent allowed for submission into either a batch or update process run for MEDALS. The maximum range of digits will be 00-99.

3272 MDLS-REPT-PULL-DAY-CD MDLS\_PULL\_DAY\_3272 DLSC-VP F CHAR 2



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## MEDALS REPOSITORY PULL DAY CODE

A TWO DIGIT NUMERIC CODE REPRESENTING THE DAY OF THE MONTH AN INDIVIDUAL REPOSITORY WILL HAVE DATA PULLED FROM THAT PARTICULAR REPOSITORY. THE MAXIMUM RANGE OF DIGITS WILL BE 01-28.

3273 MDLS-PRIM-MED-CD MDLS\_PRIM\_MED\_3273 DLSC-VP F CHAR 1  
MEDALS PRIMARY MEDIA CODE

A ONE DIGIT ALPHABETIC CODE REPRESENTING THE PRIMARY OUTPUT MEDIA FROM DLSC TO THE REPOSITORY CONSISTING OF REPORTS, INQUIRY RESULTS, AND STATISTICS. THE CODES WILL BE: F FTP ON-LINE, C TAPE CARTRIDGE, T MAGNETIC TAPE, AND P HARDCOPY PAPER OUTPUT.

3274 MDLS-ALT-MED-CD MDLS\_ALT\_MED\_3274 DLSC-VP F 1  
MEDALS ALTERNATE MEDIA CODE

A ONE DIGIT ALPHABETIC CODE REPRESENTING THE ALTERNATE OUTPUT MEDIA FROM DLSC TO THE REPOSITORY CONSISTING OF REPORTS, INQUIRY RESULTS, AND STATISTICS. THE CODES WILL BE: F FTP ON-LINE, C TAPE CARTRIDGE, T MAGNETIC TAPE, AND P HARDCOPY PAPER OUTPUT.

3281 LBL-ID-TEXT LBL\_ID\_TEXT\_3281 DLSC-V F CHAR 20  
LABEL IDENTIFIER TEXT  
CLEAR TEXT FOR A VALID LABEL IDENTIFIER (SERVICE ENTITY).

3282 LBL-ID-MA-IND LBL\_ID\_MA\_IND\_3282 DLSC-V F CHAR 1  
LABEL IDENTIFIER MASTER ADDRESS INDICATOR  
FLAG TO INDICATE WHETHER THE LABEL IDENTIFIER (SERVICE ENTITY) PROCESSING MAKES USE OF THE MASTER ADDRESS TO ASSOCIATED ADDRESS RELATIONSHIP. T = USES MAs F = DOES NOT USE MAs.

3283 LBL-ID-DLN-IND LBL\_ID\_DLN\_3283 DLSC-V F CHAR 1  
LABEL IDENTIFIER DISTRIBUTION LIST NUMBER INDICATOR  
FLAG TO INDICATE WHETHER THE LABEL IDENTIFIER (SERVICE ENTITY) PROCESSING MAKES USE OF THE DLN PRODUCT DISTRIBUTION FUNCTIONS. T = USES DLNS F = DOES NOT USE DLNS.

3284 AMLS-SUBMIT-DATE AMLS\_SUB\_DT\_3284 DLSC-V F DATE 10  
AUTOMATED MAILING LABELS SUBMIT DATE  
DATE STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS SUBMITTED.

3285 AMLS-SUBMIT-TIME AMLS\_SUB\_TM\_3285 DLSC-V F TIME 8  
AUTOMATED MAILING LABELS SUBMIT TIME  
TIME STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS SUBMITTED.

3286 AMLS-PROCESS-DATE AMLS\_PROC\_DT\_3286 DLSC-V F DATE 10  
AUTOMATED MAILING LABELS PROCESS DATE  
DATE STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS PROCESSED.

3287 AMLS-PROCESS-TIME AMLS\_PROC\_TM\_3287 DLSC-V F TIME 8  
AUTOMATED MAILING LABELS PROCESS TIME  
TIME STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS PROCESSED.

3288 LBL-FORM-CD LBL\_FORM\_CD\_3288 DLSC-V F CHAR 1  
LABEL FORM CODE  
CODE USED TO INDICATE THE TYPE OF PAPER STOCK (FORM) ON WHICH TO PRINT MAILING LABELS. L = LABEL STOCK, H = HARD COPY (ON SYSTEM PRINTER), B = BOTH.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3289 LBL-SET-QTY LBL\_SET\_QTY\_3289 DLSC-V F SMALLINT 2  
LABEL SET QUANTITY  
NUMBER OF SETS OF MAILING LABELS TO BE PRODUCED BY AMLS.

3290 AMLS-LST-CNTL-ID AMLS\_LST\_CNTL\_3290 DLSC-V F INTEGER 5  
AUTOMATED MAILING LABEL SYSTEM LAST CONTROL IDENTIFIER  
LAST (CONTROL IDENTIFIER) NUMBER FOR SETS OF MAILING LABELS OR REPORTS TO BE PRODUCED BY THE AUTOMATED MAILING LABEL SYSTEM (AMLS).

3291 AMLS-LBL-ID AMLS\_LBL\_ID\_3291 DLSC-VOL F CHAR 2  
AMLS LABEL IDENTIFICATION  
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHICH OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3292 AAT-LBL-ID AAT\_LBL\_ID\_3292 DLSC-VOL F CHAR 2  
AAT LABEL IDENTIFICATION CODE  
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHICH OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3293 AAT-USERID AAT\_USERID\_3293 DLSC-VOL F CHAR 8  
AAT USER IDENTIFICATION  
AN EIGHT POSITION ALPHABETIC CODE THAT DESIGNATES THE USER WHO OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3306 LOLA-REQUEST-DATE LOLA\_REQ\_DATE\_3306 DLSC-SBA F DATE 8  
LOLA REQUEST DATE  
DATE FIELD USED TO IDENTIFY STORED LOLA REQUESTS. PART OF TABLE LOLA\_INQ\_STATS KEY. FORMAT OF DATE IS MMDDCCYY.

3307 LOLA-STATS-SCOPE LOLA\_STAT\_SC\_3307 DLSC-SBA F CHAR 1  
LOLA STATS SCOPE  
WILL IDENTIFY THE SCOPE OF A LOLA\_INQ\_STATS TABLE ROW. VALID SCOPES ARE DAILY, WEEKLY, MONTHLY, YEARLY.

3308 ITM-NM-TYP-CD ITM\_NM\_TYP\_CD\_3308 DLSC-SC F CHAR 1  
ITEM NAME TYPE CODE  
THE FOLLOWING CODES ARE ASSIGNED TO ITEM NAMES AS APPLICABLE. CODE 0, ITEM NAME, APPROVED, SEE DRN 5000. CODE 1, BASIC CONCEPT NAME, SEE DRN 9561. CODE 2, ALL EXCEPT USA (NATO USE ONLY). CODE 3, CANADIAN USE (APPROVED ITEM NAME). CODE 4, COLLOQUIAL NAME, SEE DRN 4955. CODE 5, INDEX ENTRY, SEE DRN 0094.

3309 STAT-USER-RQST-DT USER\_RQST\_DT\_3309 DLSC-SBA F TIMESTMP 26  
STATISTICS USER REQUEST DATE  
THE DATE THE USER REQUESTED AN ARCHIVE.

3311 CMBT-ESNTL-CD-MC CMBT\_ESTL\_MC\_3311 DLSC-SBA F CHAR 1  
COMBAT ESSENTIALITY CODE, MARINE CORPS

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE EMPLOYED BY THE MARINE CORPS TO ESTABLISH THAT AN END ITEM IS ESSENTIAL TO THE OPERATIONAL READINESS OF A WEAPON SYSTEM OR THE CONDUCT OF A MILITARY MISSION; OR THAT A FUNCTIONAL PART CONTRIBUTES TO THE TACTICAL AND ESSENTIAL OPERATIONS OF AN END ITEM COMPONENT OR ASSEMBLY, AND ITS FAILURE WOULD RENDER THE END ITEM INOPERABLE OR INCAPABLE OF FULFILLING ITS MISSION; OR THAT A REPAIR OR SECONDARY DEPOT REPARABLE COMPONENT IS REQUIRED FOR THE SAFETY AND HEALTH OF PERSONNEL, OR IS REQUIRED BY STATE OR LOCAL LAWS. SEE VOLUME 10, TABLE 72 AND QUICK INFO ON-LINE.

3313 LOLA-UPDT-TRAN-HDR-TXT UPDT\_TRAN\_HDR\_3313 DLSC-VOA F CHAR 66  
LOLA UPDATE TRANSACTION HEADER TEXT  
THE TRANSACTION HEADER DATA INPUT BY AN ONLINE USER. THE DATA IS STORED TO USE FOR LOLA UPDATE RECOVERY AND STATISTICAL PURPOSES.

3314 LOLA-UPDT-COMM-TXT UPDT\_COMM\_3314 DLSC-VOA V VARCHAR 1400  
LOLA UPDATE COMMUNICATIONS TEXT  
THE VARIABLE DATA OF THE COMMUNICATIONS AREA NEEDED BY THE LOLA UPDATE SYSTEM TO RECOVER AND RE-DISPLAY A TRANSACTION INPUT BY AN ONLINE USER.

3317 CHARAS-DATA-GP DLSC-SC V 1000  
CHARACTERISTICS DATA GROUP  
A GROUP OF DATA REPRESENTING AN ENCODED DATA CHARACTERISTIC IN A CHARACTERISTIC DESCRIPTION OF AN ITEM. IT CONSISTS OF THE MASTER REQUIREMENT CODE, MODE CODE AND THE REPLY FIELD IN CODED AND/OR CLEAR TEXT AS DESIGNATED BY THE MODE CODE. IT MAY INCLUDE THE SECONDARY ADDRESS CODE AND THE SECONDARY ADDRESS CODE INDICATOR WHEN THERE IS MORE THAN ONE REPLY WITHIN A MASTER REQUIREMENT CODE AND MAY INCLUDE EITHER OF THE AND/OR SYMBOLS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

3323 LOLA-UPDT-PRCSD-TIME UPDT\_PRC\_TIME\_3323 DLSC-VOA F CHAR 6  
LOLA UPDATE PROCESSED TIME  
THE TIME OF DAY THAT A TRANSACTION WAS PROCESSED THROUGH LOLA ON\_LINE UPDATE. FORMAT: HHMMSS.

3324 LOLA-UPDT-DIC-CT-NBR UPDT\_DIC\_CT\_3324 DLSC-VOA F CHAR 8  
LOLA UPDATE DIC COUNT NUMBER  
THE COUNT OF OCCURRENCES OF THE DIC FOR A GIVEN MONTH BY USER\_CD\_1101.

3339 STAT-LOG-DT LOG\_DT\_3339 DLSC-SBA F TIMESTMP 26  
STATISTICS LOG DATE  
THE DATE THAT THE ARCHIVE WAS DONE.

3341 EX-RPT-DT-SER-NBR DLSC-SB F 8  
EXCESS REPORT DATE AND SERIAL NUMBER  
THE JULIAN DATE AND SERIAL NUMBER OF A PROPERTY DISPOSAL OFFICE DECLARED EXCESS DOCUMENT NUMBER.

3342 RI-CD-DPDO RI\_CD\_DPDO\_3342 DLSC-SB F CHAR 3  
ROUTING IDENTIFIER CODE, DEFENSE PROPERTY DISPOSAL OFFICE  
A CODE WHICH IDENTIFIES THE PROPERTY DISPOSAL OFFICE/HOLDING ACTIVITY WHICH REPORTS DEPARTMENT OF DEFENSE EXCESS/SURPLUS PROPERTY FOR UTILIZATION SCREENING/DISPOSAL.

3351 OFC-NM-LI-TX OFC\_NM\_LI\_3351 DLSC-VOA F CHAR 50  
OFFICE NAME LINE TEXT  
THE FIRST LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE OFFICE NAME. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3352 OPTNL-NM-LI-TX                      OPTNL\_NM\_LI\_3352                      DLSC-VOA                      F CHAR                      50  
OPTIONAL NAME LINE TEXT

THE SECOND LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. IT IS AN EXTENSION OF THE FIRST LINE. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3353 ACTY-NM-LI-TX                      ACTY\_NM\_LI\_3353                      DLSC-VOA                      F CHAR                      50  
ACTIVITY NAME LINE TEXT

THE THIRD LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE NAME OF THE ACTIVITY. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3354 DLVR-ADRS-LI-TX                      DLVR\_ADRS\_LI\_3354                      DLSC-VOA                      F CHAR                      50  
DELIVERY ADDRESS LINE TEXT

THE FOURTH LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT IS A REQUIRED FIELD. IT CONTAINS STREET ADDRESS, SUITE AND/OR PO BOX. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER WITH EXCEPTION OF SPECIAL CHARACTERS.

3355 DLVR-PNT-BARCODE-ID                      DPBC\_3355                      DLSC-VOA                      F CHAR                      2  
DELIVERY POINT BARCODE IDENTIFIER

CONFORMS TO POSTAL REQUIREMENTS FOR THE DELIVERY POINT BARCODE (DPBC). IT IS PART OF THE EXTENDED ZIP CODE BUT IT IS NOT NORMALLY VISIBLE ON AN ENVELOP. IT DEFINES THE CARRIER ROUTE AND IS REFLECTED IN THE BAR CODE. MAY NOT CONTAIN A VALUE IF THE LAST 4 CHARACTERS OF POSTAL\_ZONE\_2549 IS BLANK.

3366 TYPE-CAGE-NSCM-AFFL-CD-DEF                      CAGE\_AFFL\_DEF\_3366                      DLSC-SB                      F CHAR                      50  
TYPE OF CAGE/NSCM AFFILIATION CODE DEFINITION  
DEFINITION OF TYPE-CAGE-NSCM-AFFL-CD (DRN 0250).

3367 SZ-OF-BUS-CD-DEF                      SZ\_OF\_BUS\_DEF\_3367                      DLSC-SB                      F CHAR                      50  
SIZE OF BUSINESS CODE DEFINITION  
DEFINITION OF SZ-OF-BUS-CD (DRN 1364).

3368 PRIM-BUS-CAT-DEF                      BUS\_CAT\_DEF\_3368                      DLSC-SB                      F CHAR                      50  
PRIMARY BUSINESS CATEGORY DEFINITION  
DEFINITION OF PRIM-BUS-CTGY-CD (DRN 1365).

3369 TYP-OF-BUS-DEF                      TYP\_BUS\_DEF\_3369                      DLSC-SB                      F CHAR                      50  
TYPE OF BUSINESS DEFINITION  
DEFINITION OF TYP-OF-BUS-CD (DRN 1366).

3370 CAGE-RQST-RSN-DEF                      CAGE\_RSN\_DEF\_3370                      DLSC-SB                      F CHAR                      100  
CAGE REQUEST REASON DEFINITION  
DEFINITION OF CAGE-RQST-RSN-CD (DRN 3407).

3371 TAXPYR-ID-EXMPN-DEF                      TPYR\_EXMP\_DEF\_3371                      DLSC-SB                      F CHAR                      50  
TAXPAYER IDENTIFIER EXEMPTION DEFINITION  
DEFINITION OF TAXPYR-ID-EXMPN-CD (DRN 3402).

3372 BUS-FM-CD-DEF                      BUS\_FM\_CD\_DEF\_3372                      DLSC-SB                      F CHAR                      100  
BUSINESS FORM CODE DEFINITION

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DEFINITION OF BUS-FM-CD (DRN 3406).

3373 VND-RGSTR-RNWL-DT RGSTR\_RNWL\_DT\_3373 DLSC-SBB F INTEGER 7  
VENDOR REGISTRATION RENEWAL DATE  
THIS ELEMENT WILL CONTAIN THE DATE OF RENEWAL REQUIRED BY THE CCR. THIS DATE WILL BE THE EXPIRATION OF THE VENDOR REGISTRATION.

3374 CAGE-PNT-OF-CNTCT-NM CNTCT\_NM\_3374 DLSC-SBB F CHAR 35  
CAGE POINT OF CONTACT NAME  
THIS ELEMENT WILL CONTAIN THE POINT OF CONTACT NAME WITHIN A CORPORATION. THIS IS THE NAME OF THE PERSON TO CALL WITH ANY QUESTIONS PERTAINING TO THE CAGE ADDRESS FILE.

3375 EMAIL-ADRS-TX EMAIL\_ADRS\_3375 DLSC-SBB F CHAR 80  
EMAIL ADDRESS TEXT  
THIS ELEMENT WILL CONTAIN AN E-MAIL ADDRESS FOR THE COMPANY. THIS WILL PROVIDE FOR AN ELECTRONIC METHOD OF COMMUNICATION.

3381 USR-ACCS-LVL-SUBSYS-CD USR\_ACCS\_SUB\_3381 DLSC-B F CHAR 1  
USER ACCESS LEVEL SUBSYSTEM CODE  
THE CODE THAT DENOTES THE SUBSYSTEM THAT REQUIRES OF ON-LINE USER ACCESS LEVEL CONTROL. VALID VALUES ARE: C - CAGE, M - MEDALS.

3401 TAXPYR-ID TAX\_PYR\_ID\_3401 DLSC-SB F CHAR 9  
TAXPAYER IDENTIFIER  
A UNIQUE ID CODE ASSIGNED BY THE TREASURY DEPARTMENT TO ALL BUSINESSES. THIS IS AN OPTIONAL FIELD.

3402 TAXPYR-ID-EXMPN-CD TAX\_PYR\_EXMPN\_3402 DLSC-SB F CHAR 1  
TAXPAYER IDENTIFIER EXEMPTION CODE  
A CODE DENOTING THE REASON WHY A TAXPAYER IDENTIFIER IS NOT REQUIRED FOR A CONTRACTOR. VALID VALUES: CODE A - FOREIGN CONCERN/ENTITY, CODE B - FOREIGN GOVERNMENT ENTITY, CODE C - FEDERAL, STATE OR LOCAL GOVERNMENT ENTITY.

3403 PARNT-TAXPYR-ID PARNT\_TAXPYR\_3403 DLSC-SB F CHAR 9  
PARENT TAXPAYER IDENTIFIER  
THE TAXPAYER IDENTIFIER BELONGING TO THE PARENT TAXPAYING ORGANIZATION.

3404 CONTR-ESTBMT-CD CONTR\_ESTBMT\_3404 DLSC-SB F CHAR 9  
CONTRACTOR ESTABLISHMENT CODE  
THE GOVERNMENT-OWNED CODE WHICH REPRESENTS A BASIC BUSINESS ORGANIZATION (FIRST 8 DIGITS). THE LAST (9TH) DIGIT IS A CHECK DIGIT. THIS IS AN OPTIONAL FIELD.

3405 DUNS DUNS\_3405 DLSC-SB F CHAR 9  
DATA UNIVERSAL NUMBERING SYSTEM  
A PROPRIETARY CODE WHICH REPRESENTS A BASIC BUSINESS ORGANIZATION (INCLUDES A CHECK DIGIT).

3406 BUS-FM-CD BUS\_FM\_CD\_3406 DLSC-SBB F CHAR 1  
BUSINESS FORM CODE  
A CODE WHICH REPRESENTS THE TYPE OF BUSINESS STRUCTURE OF A PROSPECTIVE CONTRACTOR. VALID VALUES AS FOLLOWS: C - CORPORATION, E - TAX EXEMPT HOSPITAL/EXTENDED CARE FACILITY UNDER 26 CFR 501(A) AND 501(3), P - PARTNERSHIP, S - SOLE PROPRIETOR/INDIVIDUAL, N - NOT CODED. VOLUME 10 TABLE 203.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3407 CAGE-RQST-RSN-CD CAGE\_RQST\_RSN\_3407 DLSC-SB F CHAR 1  
CAGE REQUEST REASON CODE

A CODE WHICH REPRESENTS THE TYPE OF BUSINESS STRUCTURE OF A PROSPECTIVE CONTRACTOR. THIS IS A MANDATORY FIELD . VALID VALUES: A - COMPANY IS PRIMARILY A MANUFACTURING WEAPONS SYSTEMS. B - COMPANY IS PRIMARILY A SUBCONTRACTOR INVOLVED IN THE MANUFACTURING OF WEAPONS SYSTEMS. C - COMPANY IS PRIMARILY A SUPPLIER OF PRODUCTS AND SERVICES, D - COMPANY IS PRIMARILY A SUBTIER SUPPLIER OF PRODUCTS AND SERVICES, N - NOT CODED. VOL 10 TABLE

3408 CNTRY-CD CNTRY\_CD\_3408 DLSC-SB F CHAR 3  
COUNTRY CODE  
A CODE WHICH REPRESENTS A FOREIGN COUNTRY.

3409 CNTY-NM CNTY\_NM\_3409 DLSC-SB F CHAR 21  
COUNTY-NM  
THE NAME OF A COUNTY. THIS IS AN OPTIONAL FIELD.

3410 CNGRSL-DSTRCT-CD CNGRSL\_DSTRCT\_3410 DLSC-SB F CHAR 3  
CONGRESSIONAL DISTRICT CODE  
A CODE WHICH REPRESENTS A CONGRESSIONAL DISTRICT. THIS IS AN OPTIIONAL FIELD.

3411 CONTR-PLND-PRDCR-CD PLND\_PRDCR\_CD\_3411 DLSC-SB F CHAR 1  
CONTRACTOR PLANNED PRODUCER CODE  
INDICATOR OF WHETHER A CONTRACTOR HAS SIGNED A PRODUCTION PLANNING SCHEDULE AGREEMENT OR HAS A CONTRACT WITH A LARGE OPTION CLAUSE TO PRODUCE CRITICAL MILITARY ITEMS. THIS IS A MANDATORY FIELD. VALID VALUES ARE Y=YES N=NO.

3412 CONTR-ID-CHNG-CD CONTR\_ID\_CHNG\_3412 DLSC-SB F CHAR 1  
CONTRACTOR IDENTITY CHANGE CODE  
A CODE WHICH DENOTES WHETHER OR NOT THE CONTRACTOR IS UNDERGOING UNSPECIFIED CHANGES IN THE ORGANIZATION. VALID VALUES: Y-UNDOCUMENTED CHANGES UNDERWAY, OR N-NO CHANGE IN PROCESS.

3413 TEL-NBR-TYP-CD-DEF TEL\_TYP\_DEF\_3413 DLSC-SB F CHAR 20  
PHONE NUMBER TYPE CODE DEFINITION  
DEFINITION OF THE TYPE OF PHONE NUMBER CODE (DRN 1088), SEE VOLUME 10.

3414 FRM-ZIP-CD FRM\_ZIP\_CD\_3414 DLSC-SB F CHAR 10  
FROM ZIP CODE  
THE BEGINNING OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3415 TO-ZIP-CD TO\_ZIP\_CD\_3415 DLSC-SB F CHAR 10  
TO ZIP CODE  
THE END OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3417 EC-EDI-CPBLTY-IND-CD EC\_EDICPBLTY\_3417 DLSC-SB F CHAR 1  
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

INDICATES WHETHER A CONTRACTOR HAS THE CAPABILITY OF DOING BUSINESS ELECTRONICALLY (ELECTRONIC COMMERCE - EC) USING THE TRADING PARTNER PROFILE TRANSACTION SET (838) WITHIN THE CONTEXT OF AN ELECTRONIC DATA INTERCHANGE (EDI) ENVIRONMENT. THIS IS AN OPTIONAL FIELD. VALID VALUES ARE: Y = YES AND N = NO.

3418 MDLS-FTP-CMMD-CPBLTY-CD CMMD\_CPBLTY\_3418 DLSC-VP F CHAR 1  
MEDALS FTP COMMAND CAPABILITY CODE  
A CODE TO DETERMINE AS TO WHETHER A REPOSITORY HAS "FTP SITE COMMAND" CAPABILITY. THE CODES WILL BE "Y" = YES, "N" = NO.

3421 STAT-RQST-TYP-ID STAT\_RQST\_TYP\_3421 DLSC-SBA F CHAR 6  
STATISTICS REQUEST TYPE IDENTIFIER  
THE TYPE OF ON-LINE STATISTICS A USER VIEWS. THIS DRN IS USED IN CONCERT WITH VALID-DEPT TO PROVIDE THE USER A CROSS REFERENCE OF VALID DEPARTMENTS TO TYPE OF STATISTICS. VALID VALUES ARE ON-LINE SCREEN IDS.

3422 STAT-VLD-DEPT-ID STAT\_VLD\_DEPT\_3422 DLSC-SBA F CHAR 40  
STATISTICS VALID DEPARTMENT IDENTIFIER  
THE VALID DEPARTMENTS FOR THE TYPE OF ON-LINE STATISTICS THAT CAN BE DISPLAYED TO A USER. VALID VALUES ARE A STRING OF UP TO 20 OCCURRENCES OF STAT\_DEPT\_0897.

3424 STAT-EXCP-DPT-ID STAT\_EXCP\_DPT\_3424 DLSC-SBA F CHAR 40  
STATISTIC EXCEPTION DEPARTMENT IDENTIFIER  
AN ELEMENT DEFINING TO THE STATISTICS SYSTEM THOSE DEPARTMENTS THAT HAVE NO DETAIL DATA TO SUPPORT THEIR TOTALS. USED WITH STAT\_RQST\_TYP\_3421 TO GIVE THE USER AND PROGRAMMER THE VALID VALUES OF DEPARTMENTS. REFERENCE DB2 TABLE STAT\_DEPT\_NME\_CD (GP 698) FOR VALID VALUES.

3428 HI-DLR-BRKOT-CMDTY-CTG H\_D\_BRK\_CMDTY\_3428 DLSC-SBA F CHAR 1  
HI-DOLLAR BREAKOUT COMMODITY CATEGORY  
A CODE USED BY DEPARTMENT OF DEFENSE ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS. INCLUDES COMPONENTS AND RELATED SPARES/ PROCUREMENT BY HI-DOLLAR BREAKOUT COMMODITY CATEGORY. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

3445 MRC MRC\_3445 DLSC-SC F CHAR 4  
MASTER REQUIREMENT CODE  
A CODE ASSIGNED TO EACH DIFFERENT APPROVED FEDERAL ITEM IDENTIFICATION GUIDE/FIIG REQUIREMENT. THE MRC SERVES TO IDENTIFY THE ITEM CHARACTERISTIC DEFINED BY THE REQUIREMENT.

3447 PRICE-NOTE PRICE\_NOTE\_3447 DLSC-V F CHAR 25  
PRICE NOTE  
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE DOLLAR VALUE UNIT PRICE (DRN 7075). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3448 QE-NOTE QE\_NOTE\_3448 DLSC-V F CHAR 25  
QE NOTE  
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE QUANTITATIVE EXPRESSION (DRN 8575). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3449 SVC-CD-P-S-EX SVC\_CD\_P\_S\_EX\_3449 DLSC-V F CHAR 75  
SERVICE CODE P S EXPLANATION

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE CLEARTEXT FOR THE PROVISIONING SCREENING SERVICE CODE (DRN 0264). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 42.

3450 PHRS-CD-SVC-X PHRS\_CD\_SVC\_X\_3450 DLSC-V F CHAR 50

PHRASE CODE SERVICE EXPLANATION

THIS FIELD CONTAINS A SERVICE SPECIFIC CLEARTEXT EXPLANATION OF THE PHRASE CODE. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 52 FOR SERVICE PECULIAR PHRASE CODE.

3451 NATO-ONLY-IND NATO\_ONLY\_IND\_3451 DLSC-V F CHAR 1

NATO ONLY INDICATOR

THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR TO IDENTIFY ALL OR PART OF THE DATA IN THE ROW OF A DB2 TABLE. X = NATO ONLY. OTHERWISE, THE FIELD WILL BE BLANK.

3452 DLIS-PROC-CHP-NBR DLIS\_CHP\_NBR\_3452 DLSC-V F SMALLINT 4

DLIS PROCEDURES CHAPTER NUMBER

THIS FIELD CONTAINS THE CHAPTER NUMBER THAT IS ASSOCIATED WITH PUBLISHED VERSION OF PROCEDURES. (EG. DLIS PROCEDURES)

3453 TXT-TAB-HDR-IND TX\_TB\_HDR\_IND\_3453 DLSC-V F CHAR 1

TEXT TABLE HEADER INDICATOR

THIS FIELD INDICATES THAT THE DATA IN THE ROW IS HEADER INFORMATION. VALUE X INDICATES HEADER DATA. BLANK INDICATES NON HEADER DATA.

3454 MIL-VOL-IND MIL\_VOL\_IND\_3454 DLSC-V F CHAR 1

MILITARY VOLUNTARY INDICATOR

AN INDICATION THAT THE STANDARD REPRESENTED BY THE COMMERCIAL AND GOVERNMENT ENTITY IS EITHER FEDERAL MILITARY = BLANK OR VOLUNTARY = V.

3455 SIN-MULT-OP-EX SIN\_MLT\_OP\_EX\_3455 DLSC-V V VARCHAR 500

SINGLE MULTIPLE OUTPUT CODE EXPLANATION

THIS FIELD CONTAINS THE CLEARTEXT EXPLANATION OF A SPECIFIC SINGLE MULTIPLE OUTPUT CODE CONTAINED IN FIELD NAME SIN-MULT-OP-CD (DRN 4535). THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4.

3456 SYM-IND SYM\_IND\_3456 DLSC-V F CHAR 1

SYMBOL INDICATOR

THIS FIELD CONTAINS A SPECIAL CHARACTER SUCH AS ASTERISK \* OR POUND-SIGN#. THE FIELD IS USED IN SUPPORT OF MULTIPLE DLIS PROCEDURES TABLES CONTAINED IN DOD 4100.39-M. THE USAGE OF THE SPECIAL CHARACTER IS DEFINED BY THE SPECIFIC PROCEDURE TABLE FOR WHICH IT IS BEING USED.

3457 CONTR-LBL-CD-EX-PSMAT CNTR\_LBL\_CD\_X\_3457 DLSC-SB F CHAR 42

CONTRACTOR LABEL CODE EXPLANATION PSMAT

THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF THE CONTRACTOR LABEL CODE PSMAT (DRN 0893).

3458 CMD-AUTH-CD-X CMD\_AUTH\_CD\_X\_3458 DLSC-SB F CHAR 14

CATALOG MANAGEMENT DATA AUTHORIZATION CODE EXPLANATION

THIS FIELD CONTAINS THE CLEAR TEXT EXPLANATION FOR THE CODE CONTAINED IN THE FIELD CMD-AUTHZN-CD (DRN 0759).

3459 REEL-NBR REEL\_NBR\_3459 DLSC-S F CHAR 9

REEL NUMBER



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF THE TAPE, REEL, OR CARTRIDGE ON WHICH THE DATA IS STORED.

3460	MRD-AUD-RQMT-STAT-IND	AUD_RQMT_STAT_3460	DLSC-SCA	F CHAR	1
MRD AUDIT REQUIREMENT STATUS INDICATOR THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRD REQUIREMENT AUDIT DATA. VALID VALUES B = BEFORE CHANGE C = AFTER CHANGE D = DELETED REQUIREMENT A = ADDED NEW REQUIREMENT					
3461	MRD-AUD-RPLY-STAT-IND	AUD_RPLY_STAT_3461	DLSC-SCA	F CHAR	1
MRD AUDIT REPLY STATUS INDICATOR THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRD REPLY AUDIT DATA. VALID VALUES B = BEFORE CHANGE C = AFTER CHANGE D = DELETED REPLY A = ADDED NEW REPLY					
3462	MRC-ASGND-STAT-IND	MRC_ASGN_STAT_3462	DLSC-SCA	F CHAR	1
MRC ASSIGNED STATUS INDICATOR THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRCS ON THE ASSIGN MRC TABLE. VALID VALUES D = DELETED MRC H = HOLD MRC A = ASSIGNED MRC U = UNASSIGNED MRC					
3463	RPLY-TBL-CD-STATUS-IND	RPLY_TBL_STAT_3463	DLSC-SCA	F CHAR	1
REPLY TABLE CODES STATUS INDICATOR THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF REPLY TABLE CODES ON THE ASSIGN REPLY TABLE. VALID VALUES D = DELETED REPLY H = HOLD REPLY A = ASSIGNED REPLY U = UNASSIGNED REPLY					
3464	UP-QTY-EXPL	UP_QTY_EXPL_3464	DLSC-SBA	V VARCHAR	120
UNIT PACK QUANTITY EXPLANATION EXPLANATION OF VALUE CONTAINED IN FIELD UP-QTY (DRN 5321).					
3465	CDD-RPLY	CDD_RPLY_3465	DLSC-SC	V CHAR	6
CODED REPLY A DATA FIELD OF ONE TO SIX ALPHA AND/OR NUMERIC POSITIONS IN A MASTER REQUIREMENTS DIRECORY REPLY TABLE WHICH IDENTIFIES THE CONTENT OF A REPLY TO A MASTER REQUIREMENT CODE (MRC) IN CODED FORM. THIS CODE MUST BE DECODED INTO CLEAR TEXT PRIOR TO PRINTING A DD FORM 146, COMMERCIAL ITEM DESCRIPTION OR IDENTIFICATION LIST DESCRIPTION.					
3466	HMIC-EXPLN	HMIC_EXPLN_3466	DLSC-SBA	V VARCHAR	250
HAZARDOUS MATERIAL INDICATOR EXPLANATION THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF A HAZARDOUS MATERIAL INDICATOR CODE (HMIC) (DRN 0865). THIS DATA ELEMENT IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOLUME 10 CHAP 4 TABLE 179.					
3467	CRITL-CD-FIIG-EXPLN	CRT_CD_FIG_EX_3467	DLSC-SBA	V VARCHAR	250
CRITICALITY CODE FIIG EXPLANATION THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF A CRITICALITY CODE FIIG (DRN 3843). THIS DATA ELEMENT IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOLUME 10 CHAP 4 TABLE 181.					
3475	COND-CD-FED1	CON_CD_FED1_3475	DLSC-SB	F CHAR	1
CONDITION CODE FEDERAL 1 THIS FIELD CONTAINS THE FIRST POSITION OF THE TWO (2) POSITION FEDERAL CONDITION CODES AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.					
3476	COND-CD-FED2	CON_CD_FED2_3476	DLSC-SB	F CHAR	1
CONDITION CODE FEDERAL 2					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE SECOND POSITION OF THE TWO (2) POSITION FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES.

3477 COND-CD-FED2-TI CON\_CD\_FD2\_TI\_3477 DLSC-SB F CHAR 50  
CONDITION CODE FEDERAL 2 TITLE

CLEAR TEXT TITLE ASSOCIATED WITH THE SECOND POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES.

3478 COND-CD-FED2-EXP-DF CON\_CD\_FD2\_XD\_3478 DLSC-SB V VARCHAR 500  
CONDITION CODE FEDERAL 2 BRIEF DEFINITION

CLEAR TEXT BRIEF DEFINITION ASSOCIATED WITH THE SECOND POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES. DELETED FOR RENAME DATA ELEMENT NAME.

3479 SVC-NM SVC\_NM\_3479 DLSC-V F CHAR 13  
SERVICE NAME

THIS FIELD WILL CONTAIN A CLEARTEXT SERVICE NAME. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3480 NM-LINE-1 NM\_LINE1\_3480 DLSC-V F CHAR 60  
NAME LINE 1

THIS FIELD WILL CONTAIN THE CLEARTEXT FIRST NAME LINE OF AN ADDRESS. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3481 NM-LINE-2 NM\_LINE2\_3481 DLSC-V F CHAR 60  
NAME LINE 2

THIS FIELD WILL CONTAIN THE CLEARTEXT SECOND NAME LINE OF AN ADDRESS, IF REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) IF NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3482 ATTN-LINE ATTN\_LINE\_3482 DLSC-V F CHAR 36  
ATTENTION LINE

THIS FIELD WILL CONTAIN THE CLEARTEXT ATTENTION LINE OR OFFICE SYMBOL FOR AN ADDRESS WHEN REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) WHEN NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3483 DSOR-ACTY-NM DSOR\_ACTY\_NM\_3483 DLSC-V F CHAR 150  
DEPOT SOURCE OF REPAIR ACTIVITY NAME

THIS FIELD WILL CONTAIN THE CLEARTEXT DEPOT SOURCE OF REPAIR ACTIVITY NAME. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 1.

3484 DSOR-STMT DSOR\_STMT\_3484 DLSC-V F CHAR 10  
DEPOT SOURCE OF REPAIR STATEMENT

THIS FIELD WILL CONTAIN THE CLEARTEXT COMPATABILITY INDICATION FOR DEPOT SOURCE OF REPAIR FOR A GIVEN SERVICE AND A GIVEN NIMSC (NONCONSUMABLE ITEM MANAGEMENT SUPPORT CODE). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 126.

3485 INC-FIIG-CORL INC\_FIIG\_CORL\_3485 DLSC-V F CHAR 50  
ITEM NAME TO FIIG CORRELATION CONDITION

THIS FIELD CONTAINS THE CLEARTEXT DESCRIPTION OF THE CORRELATION CONDITION BETWEEN THE ITEM NAME AND A FIIG. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3486 TYP-II-2 TYPE\_II\_2\_3486 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION 2

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 2 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3487 TYP-II-4 TYP\_II\_4\_3487 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION 4

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 4 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3488 TYP-II-M TYP\_II\_M\_3488 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION M

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE M ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3489 TYP-II-N TYP\_II\_N\_3489 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION N

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE N ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3490 TYP-II-1 TYP\_II\_1\_3490 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION 1

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 1 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3491 TYP-II-K TYP\_II\_K\_3491 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION K

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE K ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3492 TYP-II-L TYP\_II\_L\_3492 DLSC-V F CHAR 20  
TYPE ITEM IDENTIFICATION L

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE L ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3493 SVC-SICA SVC\_SICA\_3493 DLSC-V F CHAR 20  
SERVICE SICA

THIS FIELD CONTAINS THE CLEARTEXT PARENT SERVICE NAME FOR A SICA. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3494 CIIC-NOTE CIIC\_NOTE\_3494 DLSC-V F CHAR 25  
CIIC NOTE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE CONTROLLED INVENTORY ITEM CODE (DRN 2863). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3495 SLC-NOTE SLC\_NOTE\_3495 DLSC-V F CHAR 25  
SLC NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SHELF LIFE CODE (DRN 2943). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3496 SOSM-NOTE SOSM\_NOTE\_3496 DLSC-V F CHAR 25  
SOSM NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY MODIFIER CODE (DRN 2948). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3497 UI-NOTE UI\_NOTE\_3497 DLSC-V F CHAR 25  
UI NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE UNIT OF ISSUE (DRN 3050). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3498 SOS-NOTE SOS\_NOTE\_3498 DLSC-V F CHAR 25  
SOS NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY CODE (DRN 3690). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3499 QUP-NOTE QUP\_NOTE\_3499 DLSC-V F CHAR 25  
QUP NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE QUANTITY PER UNIT PACK CODE (DRN 6106). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3505 PICA-LVL-AUTH-CD PICA\_LOA\_3505 DLSC-SBA F CHAR 2  
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L

A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A PRIMARY INVENTORY CONTROL ACTIVITY /PICA/. THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF RESPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITIES ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

3561 ASGN-ISAC-RPLY-STAT-IND ASGN\_ISAC\_RPY\_3561 DLSC-S F CHAR 1  
ASSIGN ISAC REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY TABLE ON THEASSIGN\_ISAC\_RPLY TABLE.

3562 AUD-ISAC-RPLY-STAT-IND AUD\_ISAC\_RPY\_3562 DLSC-S F CHAR 1  
AUDIT ISAC REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY AUDIT DATA.

3563 AUD-STYL-RPLY-STAT-IND AUD\_STYL\_RPY\_3563 DLSC-S F CHAR 1  
AUDIT STYLE REPLY STATUS INDICATOR

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF STYLE REPLY AUDIT DATA.

3565	REF-DWG-GP-DES	REF_DWG_GP_DS_3565	DLSC-SC	V CHAR	2
REFERENCE DRAWING GROUP DESIGNATION A REFERENCE DRAWING GROUP CONSISTS OF ONE OR MORE REFERENCE DRAWINGS. WHEN APPROPRIATE, A REFERENCE DRAWING GROUP IS SUBDIVIDED INTO SECTIONS. A REFERENCE DRAWING GROUP OR SECTION IS SUBDIVIDED INTO STYLES. THEREFORE, AN EXAMPLE OF A REFERENCE DRAWING GROUP WHICH IS SUBDIVIDED INTO SECTIONS WOULD BE CITED AS REFERENCE DRAWING GROUP A, SECTION AC, STYLE NUMBER 19A.					
3570	REF-NBR-LOG	REF_NBR_3570	DLSC-SBA	F CHAR	32
REFERENCE NUMBER, LOGISTICS A NUMBER, OTHER THAN AN ACTIVITY STOCK NUMBER, USED TO IDENTIFY AN ITEM OF PRODUCTION OR, EITHER BY ITSELF OR IN CONJUNCTION WITH OTHER REFERENCE NUMBERS, TO IDENTIFY AN ITEM OF SUPPLY. INCLUDES MANUFACTURERS PART, DRAWING, MODEL, TYPE, SOURCE-CONTROLLING NUMBERS, SPECIFICATION-CONTROLLING NUMBERS, THE MANUFACTURERS TRADE NAME WHEN THE MANUFACTURER IDENTIFIES THE ITEM BY TRADE NAME ONLY, NATO STOCK NUMBERS, SPECIFICATION OR STANDARD PART, DRAWING, OR TYPE NUMBERS. SEE VOLUME 10, TABLE 21 AND QUICK INFO ON-LINE.					
3571	CONV-REF-NBR	CONV_REF_NBR_3571	DLSC-SBA	F CHAR	32
CONVERTED REFERENCE NUMBER THE VALUE OF REFERENCE NUMBER, LOGISTICS AFTER IT HAS BEEN SUBJECTED TO THE REFERENCE NUMBER FORMAT CONVERSION CRITERIA. THIS VALUE IS USED IN ALL REFERENCE NUMBER SCREENING, INCLUDING NEW ITEMS, MAINTENANCE TRANSACTIONS, AND PROVISIONING SCREENING. THE CONVERTED REFERENCE NUMBER VALUE MAY OR MAY NOT BE EQUAL TO THE "IN-THE-CLEAR" REFERENCE NUMBER, LOGISTICS VALUE.					
3572	PMIC-CDD-REPLY	PMIC_CDD_RPLY_3572	DLSC-SBA	F CHAR	6
PRECIOUS METAL INDICATOR CODE CODED REPLY ONE TO SIX ALPHA AND OR NUMERIC CHARACTERS WHICH IDENTIFY THE CONTENT OF A PRECIOUS METAL REPLY TO A PRECIOUS METAL MRC IN CODED FORM.					
3573	PMIC-MRC	PMIC_MRC_3573	DLSC-SBA	F CHAR	4
PRECIOUS METAL INDICATOR CODE MRC AN MRC USED TO DESCRIBE PRECIOUS METAL CONTAINED IN AN ITEM OF SUPPLY.					
3574	PMIC-TBL-TYPE	PMIC_TBL_TYPE_3574	DLSC-SBA	F CHAR	1
PRECIOUS METAL INDICATOR CODE TABLE TYPE A ONE POSITION CODE ASSIGNED TO AN MRC CONTAINING PRECIOUS METAL. VALID TABLE TYPE CODES ARE A, B, C, D, E, F, AND G.					
3595	RPLM-CAGE-CD	RPLM_CAGE_CD_3595	DLSC-SC	F CHAR	5
REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE A COMMERCIAL AND GOVERNMENT ENTITY CODE (CAGEC) WHICH REPLACES A CANCELLED CAGE CODE OR A NATO SUPPLY CODE FOR MANUFACTURERS (NSCM)					
3596	SOS-SOS-MOD-ID	SOS_SOSM_3596	DLSC-VO	F CHAR	3
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER THE CODE IDENTIFYING A SPECIFIC SUPPLY AND DISTRIBUTION ORGANIZATION OR REQUISITION PROCESSING POINT. IT COULD ALTERNATELY CONTAIN A CODE WHICH DENOTES ROUTING INFO FOR REQUISITIONS WITHOUT AN ASSIGNED IDENTIFIER.					
3597	SOS-SOS-MOD-EXPLN-TX	SOS_SOSM_EX_3597	DLSC-VO	V VARCHAR	500
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN ADDRESS USED FOR ROUTING SUPPLY OR REQUISITION DATA, OR A DESCRIPTION OF THE ROUTING REQUIREMENTS FOR A SUPPLY SOURCE.

3612 RPLY-DATA-DESCR-COL-IL DLSC-V V 16

REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENT CODE, PRINTING CRITERIA FOR COLUMNAR IDENTIFICATION LIST FOR CLEAR TEXT OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED THROUGH THE USE OF THE MASTER REPLY DECODE TABLE. FOR ADDITIONAL INFORMATION REFER TO HSI 4100.2 .

3613 ABBRE-RQMT-STMT ABRV\_RQM\_STMT\_3613 DLSC-SCA V VARCHAR 65

ABBREVIATED REQUIREMENT STATEMENT

A VARIABLE LENGTH DATA FIELD WHICH GIVES THE ABBREVIATED REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THE ABBREVIATED CLEAR TEXT REQUIREMENT STATEMENT IN AN IDENTIFICATION LIST.

3614 RQMT-STMT RQMT\_STMT\_3614 DLSC-SC V VARCHAR 110

REQUIREMENT STATEMENT

A DATA FIELD WHICH GIVES THE REQUIREMENT STATEMENT IN STRAIGHT FORWARD SEQUENCE FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT WILL BE STORED IN THE MASTER REQUIREMENTS DIRECTORY AND WILL BE USED IN THE DECODING AND PRINTING OF DATA GROUPS ON A DD FORM 146 (FILDR) AND MAY BE USED IN OTHER PUBLICATIONS AS REQUIRED.

3615 ABBRE-RPLY-STMT ABRV\_RPY\_STMT\_3615 DLSC-SCA V VARCHAR 133

ABBREVIATED REPLY STATEMENT

A DATA FIELD WHICH REFLECTS THE DECODED ABBREVIATED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THE ABBREVIATED CLEAR TEXT REPLY STATEMENT IN AN IDENTIFICATION LIST.

3616 REPLY-DATA-DESCR-PARA-IL DLSC-V V 50

REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENTS CODE, THE FIXED OR CONSTANT PORTION OF THE REPLY WHICH WILL BE PRINTED IN A PARAGRAPHIC TYPE IDENTIFICATION LIST. IN ADDITION, IT CONTAINS PRINTING CRITERIA FOR CLEAR AND/OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED. IF THE DD146 OR COMMERCIAL ITEM DESCRIPTION EXPRESSION IS ADEQUATE FOR THE IL AN INDICATION OF THIS CONDITION WILL BE FOUND IN THIS FIELD. FOR ADDITIONAL INFORMATION SEE HSI 4100.2 .

3631 MASS-CHG-DEL-CDG-CD MC\_DEL\_CDG\_3631 DLSC-SBC F CHAR 1

MASS CHANGE DELETED CDG CODE

THE PURPOSE OF THIS DRN IS TO DETERMINE IF A CDG IN AN ITEM IS VALID OR INVALID. THE VALUES A "I" OR " ". "I" = INVALID CDG. " " = VALID CDG.

3661 FIIG-TI-DATA-SEG DLSC-SC F CHAR 110

FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT

A GROUP OF INPUT DATA USED TO ESTABLISH AND MAINTAIN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TITLE IN THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

3662 NM-INC-FIIG-EFF-DT-DATA DLSC-SB V 2004

NAME/INC/FIIG/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME CODES, NAMES AND RELATED DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3663 INC-NM-DEF-EFF-DT-DATA DLSC-SB V 2004  
INC/NAME DEFINITION/EFFECTIVE DATE DATA  
A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME DEFINITION/DELIMITATION INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3664 INC-REL-INC-EFF-DT-DATA DLSC-SB V 2004  
INC/RELATED INC/EFFECTIVE DATE DATA  
A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE RELATED ITEM NAME CODE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3665 INC-FSC-MOD-EFF-DT-DATA INC\_FSC\_MOD\_D\_3665 DLSC-SC V VARCHAR 2004  
INC/FSC/MODIFIER/EFFECTIVE DATE DATA  
A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE NAME MODIFIER AND RESPECTIVE FEDERAL SUPPLY CLASS(ES) INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3666 FMT-EDIT-DATA-GP DLSC-SC F 80  
FORMAT EDIT DATA GROUP  
A GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) FORMAT EDIT DATA, APPLICABLE TO A GIVEN ITEM NAME CODE FOR A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD (SSR) SECTOR. ALSO USED TO ENTER THE DUPLICATION SCREENING KEY INDICATOR INTO THE SSR SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3668 TECH-EDIT-DATA-GP DLSC-SC V 9999  
TECHNICAL EDIT DATA GROUP  
AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TECHNICAL EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR, A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3673 RL-EDIT-DATA-GP DLSC-SC V 9999  
RELATIONSHIP EDIT DATA GROUP  
AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) RELATIONSHIP EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3680 SIN-MGR-ACTY-CD DLSC-SB F 2  
SINGLE MANAGER ACTIVITY CODE  
AN ACTIVITY DESIGNATED TO BE RESPONSIBLE FOR MANAGEMENT OF SPECIFIED COMMODITIES OR COMMON SERVICE ACTIVITIES ON A DEPARTMENT OF DEFENSE-WIDE BASIS.

3690 SOS-CD SOS\_CD\_3690 DLSC-SBA F CHAR 3  
SOURCE OF SUPPLY (SOS) CODE  
A CODE /MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) ROUTING IDENTIFIER CODE/ WHICH IDENTIFIES THE ACTIVITY AS A POTENTIAL SOURCE OF SUPPLY USED IN THE AUTOMATIC DIGITAL NETWORK TO AUTOMATICALLY ROUTE MILSTRIP REQUISITIONS. THE FIELD IS REFLECTED IN 3 PARTS OF THE RECORD, FOR THE ARMY, NAVY AND AIR FORCE. SEE VOLUME 10, TABLES 103 AND 113 AND QUICK INFO ON-LINE.

3708 STATL-IND-CD STATL\_IND\_CD\_3708 DLSC-SBA F CHAR 1  
STATISTICAL INDICATOR CODE

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE VOLUME 10, TABLE 37 AND QUICK INFO ON-LINE.

3720 SUBMG-ACTY-CD SUBMG\_ACTY\_CD\_3720 DLSC-SBA F CHAR 2  
SUBMITTING ACTIVITY CODE

ANY PARTICIPATING ACTIVITY WHICH SUBMITS PROPOSED DATA DIRECTLY TO THE DEFENSE LOGISTICS SERVICES CENTER (DLSC) FOR APPROVAL. THE SUBMITTING ACTIVITY MAY BE THE ACTIVITY WHICH ORIGINATES THE DATA, OR AN INTERMEDIATE MONITORING ACTIVITY, E.G., DEFENSE SUPPLY CENTER, DEFENSE ATOMIC SUPPORT AGENCY, THROUGH WHICH THE ORIGINATING ACTIVITY IS REQUIRED TO SUBMIT ITS PROPOSALS TO DLSC. SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

3735 SCN DLSC-SB F CHAR 9  
SYSTEM CONTROL NUMBER (SCN)

NUMBER FOR CONTROL PURPOSES TO RECORD ERROR CONDITIONS LOCATED DURING PROCESSING. THE NUMBER WILL BE CONSTRUCTED AS FOLLOWS - NNAAANNNN. THE LEFTMOST TWO POSITIONS WILL CONTAIN THE NATIONAL CODIFICATION BUREAU CODE FOR THE UNITED STATES. AN /S/ IN THE THIRD POSITION SIGNIFIES THAT IT IS A SYSTEM CONTROL NUMBER /SCN/ OF A TEMPORARY NATURE.

3738 CATLG-ACTY-CD CATLG\_ACTY\_CD\_3738 DLSC-SB F CHAR 2  
CATALOGING ACTIVITY CODE

A CODE IDENTIFYING A CATALOGING ACTIVITY IN ANY SERVICE, BUREAU, COMMAND, CIVIL ESTABLISHMENT, OR ANY SUBDIVISION THEREOF, ENGAGED IN CATALOGING UNDER THE FEDERAL CATALOGING PROGRAM.

3740 OP-MODE-MED-CD OP\_MOD\_MED\_CD\_3740 DLSC-SBA F CHAR 2  
OUTPUT MODE/MEDIA CODE

IDENTIFIES THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT. SEE VOLUME 10, TABLE 10 AND QUICK INFO ON-LINE.

3741 LRN-APPL-HELP-ACTY-DLY LRN\_STAT\_CNT\_3741 DLSC-SBA F INTEGER 4  
LOGRUN APPLICATION HELP ACTIVITY DAILY  
TOTAL OF APPLICATION HELP QUERIES BY ACTIVITY.

3742 LRN-APPL-HELP-DEPT-DLY LRN\_STAT\_CNT\_3742 DLSC-SBA F INTEGER 4  
LOGRUN APPLICATION HELP DEPARTMENT DAILY  
TOTAL OF APPLICATION HELP QUERIES BY DEPARTMENT.

3743 LRN-APPL-HELP-TOT-DLY LRN\_STAT\_CNT\_3743 DLSC-SBA F INTEGER 4  
LOGRUN APPLICATION HELP TOTAL DAILY  
GRAND TOTAL OF APPLICATION HELP QUERIES.

3765 AF-BDGT-CD-MDL BDGT\_CD\_AF\_3765 DLSC-SBA F CHAR 1  
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST  
A CODE EMPLOYED BY THE AIR FORCE TO CLASSIFY ITEMS INTO CATEGORIES BY BUDGET ACCOUNT FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 67 AND QUICK INFO ON-LINE.

3767 DODAC DLSC-SC F 9  
DEPARTMENT OF DEFENSE AMMUNITION CODE  
THE DEPARTMENT OF DEFENSE AMMUNITION CODE IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FSC ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A HYPHEN. THE LAST FOUR POSITIONS MAY BE ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS AND REPRESENT THE AMMUNITION CODE ASSIGNED TO THE ITEMS COVERED BY GENERIC DESCRIPTIONS.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3769 AMMO-GNC-DESC DLSC-SC V 1975  
AMMUNITION GENERIC DESCRIPTION

EACH DIFFERENT GENERIC DESCRIPTION MUST CONSIST OF AN APPROVED ITEM NAME WHICH IS REFERENCED TO A DESCRIPTION PATTERN, PLUS THE COMMON CHARACTERISTICS OF SEVERAL SPECIFIC ITEMS OF SUPPLY WHICH ARE FUNCTIONALLY INTER-CHANGEABLE AND THEREFORE TREATED COLLECTIVELY IN NORMAL SUPPLY OPERATIONS IN FEDERAL SUPPLY GROUP 13, E.G., PROJECTILE, 155 MILLIMETER-HOWITZER, SMOKE, GREEN - HOWITZER, SMOKE, HC, ETC.

3790 CANC-NSN DLSC-SB F 13  
CANCELED NATIONAL STOCK NUMBER  
A NATIONAL STOCK NUMBER WHICH IS NO LONGER AUTHORIZED FOR USE TO IDENTIFY AN ITEM OF SUPPLY.

3843 CRITL-CD-FIIG CRITL\_CD\_FIIG\_3843 DLSC-SC F CHAR 1  
CRITICALITY CODE, FEDERAL ITEM IDENTIFICATION GUIDE  
A CODE WHICH INDICATES WHEN AN ITEM IS TECHNICALLY CRITICAL, BY REASON OF TOLERANCE, FIT, APPLICATION OR OTHER CHARACTERISTIC WHICH AFFECTS IDENTIFICATION OF THE ITEM. SEE VOLUME 10, TABLE 181 AND QUICK INFO ON-LINE.

3844 STATS-SVC-AGCY-PREF-CD STATS\_SA\_PREF\_3844 DLSC-SBA F SMALLINT 4  
STATISTICS SERVICE AGENCY PREFERENCE CODE  
THE LEVEL OF PREFERENCE FOR A SERVICE/AGENCY FOR DEMIL. THE FOLLOWING ARE THE VALID VALUES: 1 = DLA, 2 = MIL, 3 = NSA, 4 = DNA, 5 = GSA, 6 = VA, 7 = FAA, 8 = NATO, 99 = OTHER.

3845 RPLY-TBL-CD-FIIG-DCOD-GD RPLY\_TBL\_DCOD\_3845 DLSC-SC F CHAR 4  
REPLY TABLE CODE, FIIG DECODE GUIDES  
A CODE ASSIGNED TO EACH REPLY TABLE FOR IDENTIFICATION PURPOSES IN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) DECODE GUIDES. EACH TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE.

3860 DCODD-CHARAS-DATA DLSC-SC V 5000  
DECODED CHARACTERISTICS DATA  
A DATA FIELD WHICH REFLECTS THE CLEAR TEXT COMPUTER DECODED OUTPUT OF THE DATA GROUP /DRN 3317/. IT INCLUDES THE MASTER REQUIREMENTS CODE /DRN 3445/, THE REQUIREMENT STATEMENT /DRN 3614/, THE REPLY FIELD, AND WHEN APPLICABLE THE ASSOCIATED STORED TEXT IN CLEAR TEXT FOR THE PRINTING OF DD FORMS 146 AND OTHER PUBLICATIONS.

3864 DCODD-RPLY-STMT DCOD\_RPLY\_ST\_3864 DLSC-SC V VARCHAR 379  
DECODED REPLY STATEMENT  
A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. USED TO PRINT REPLY CODES IN CLEAR TEXT FORM IN A FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

3870 DSK-CD-CATLG DSK\_CD\_CATLG\_3870 DLSC-S F CHAR 1  
DESK CODE, CATALOGING  
A CODE WHICH IDENTIFIES THE LOCATION OF THE TECHNICIAN RESPONSIBLE FOR MANUALLY PROCESSING CATALOGING ITEM IDENTIFICATIONS. USED AS A KEY TO COMPUTER SORT DD146 DESCRIPTIONS AND GROUP THEM BY DESK CODE TO PRECLUDE HANDSORTING.

3880 DEST-ACTY-CD-OP DEST\_ACTY\_OP\_3880 DLSC-SB F 2  
DESTINATION ACTIVITY CODE, OUTPUT  
A CODE USED TO IDENTIFY AN ACTIVITY AND MAILING ADDRESS FOR PURPOSES OF IDENTIFYING THE ACTIVITY TO WHICH OUTGOING DATA IS FORWARDED. EXCLUDES PROVISIONING SCREENING DATA.

3881 WPN-SYS-ID WPN\_SYS\_ID\_3881 DLSC-SBA F CHAR 2

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## WEAPON SYSTEM IDENTIFIER

A NONSIGNIFICANT IDENTIFIER ASSIGNED BY DLA TO DIFFERENTIATE WEAPON SYSTEMS AND WEAPON SUPPORT SYSTEMS USED BY A MILITARY SERVICE. SEE WPN-SYS-SVC-CD (DRN 3882) AND WPN-SYS-DESI (DRN 3888). VALID VALUES: ANY ALPHANUMERIC CHARACTER.

3882 WPN-SYS-SVC-CD WPN\_SYS\_SVC\_3882 DLSC-SBA F CHAR 1  
WEAPON SYSTEM SERVICE CODE

THE CODE ASSIGNED BY DLA TO THE MILITARY SERVICE THAT MANAGES THE WEAPON SYSTEM OR WEAPON SUPPORT SYSTEM. SEE WPN-SYS-ID (DRN 3881) AND WPN-SYS-DESI (DRN 3888). VALID VALUES ARE: A = ARMY, F = AIR FORCE, N = NAVY, M = MARINE CORPS.

3883 WPN-SYS-IND-CD WPN\_SYS\_IND\_3883 DLSC-SBA F CHAR 1  
WEAPON SYSTEM INDICATOR CODE

A ONE POSITION CODE THAT INDICATES THE COMBINATION OF WPN-SYS-ESNTL-CD (DRN 3885) AND WPN-SYS-CRIT-GP-CD (DRN 3884). VALID VALUES ARE (WPN-SYS-CRIT-GP-CD/WPN-SYS-ESNTL-CD): F = (A/1), G = (A/5), H = (A/6), J = (A/7), K = (A/3), L = (B/1), M = (B/5), P = (B/6), R = (B/7), S = (B/3), T = (C/1), W = (C/5), X = (C/6), Y = (C/7), Z = (C/3).

3885 WPN-SYS-ESNTL-CD WPN\_SYS\_ESNTL\_3885 DLSC-SBA F CHAR 1  
WEAPON SYSTEM CRITICAL GROUP CODE

THE CODE THAT REPRESENTS THE GROUPING OF WEAPON SYSTEM DETERMINED BY HOW CRITICAL THEY ARE TO THE MILITARY SERVICES MISSIONS. THE VALID VALUES: A = MOST CRITICAL, B = CRITICAL, C = LEAST CRITICAL

3886 DLA-CTR-CD DLA\_CTR\_CD\_3886 DLSC-SBA F CHAR 1  
DLA CENTER CODE

A ONE POSITION ALPHA CODE INDICATING THE DLA CENTER THAT MANAGES THE ITEM. THE FOLLOWING ARE VALID CODES: G = DGSC OR DEFENSE SUPPLY CENTER, RICHMOND, I = DISC, DEFENSE INDUSTRIAL SUPPLY CENTER, C = DCSC OR DEFENSE SUPPLY CENTER, COLUMBUS, E = DESC OR DEFENSE SUPPLY CENTER, COLUMBUS.

3887 WPN-SYS-NM WPN\_SYS\_NM\_3887 DLSC-SBA F CHAR 75  
WEAPON SYSTEM NAME

THE IDENTIFICATION, LABEL, TITLE, OR TYPE DESIGNATOR OF A SPECIFIC WEAPON SYSTEM, SUPPORT SYSTEM, OR END ITEM. IT DOES NOT OFFICIALLY DESCRIBE PHYSICAL OR PERFORMANCE CHARACTERISTICS OF THE SYSTEM. ALL ALPHANUMERIC CHARACTERS ARE VALID.

3889 WPN-SYS-GP-CD WPN\_SYS\_GP\_CD\_3889 DLSC-SBA F CHAR 1  
WEAPON SYSTEM GROUP CODE

THE CODE THAT IS DETERMINED BY THE MILITARY SERVICES/AUTHORIZED PARTICIPATING ACTIVITIES. IT EXPRESSES THE CRITICALITY OF A SPECIFIC WEAPON SYSTEM TO THAT PARTICULAR SERVICE. AS DETERMINED FROM AMONG, AND IN COMPARISON TO, ALL OTHER WEAPON SYSTEMS FOR THAT SERVICE/AGENCY. HQ DLA THEN ASSIGNS/AUTHORIZES IT FOR USE IN THE WEAPON SYSTEM SUPPORT PROGRAM (WSSP) DATA BASE FOR THE RESPECTIVE SERVICE. IT IS A VITAL COMPONENT IN DETERMINING WPN-SYS-IND-CD (DRN 3883) OF THE VARIOUS AND INDIVIDUAL NSN APPLICATION RECORDS. THE VALID VALUES ARE: CODE A = MOST CRITICAL, CODE B = CRITICAL, AND CODE C = LEAST CRITICAL.

3890 DEST-CD-SCRNG DEST\_CD\_SCRNG\_3890 DLSC-SBA F CHAR 5  
DESTINATION CODE, SCREENING

A FIVE POSITION CODE USED IN THE PROVISIONING SCREENING RESULTS DESTINATION TABLE TO IDENTIFY RECIPIENTS AND ADDRESSES TO WHICH RESULTS OF PROVISIONING SCREENING ARE TO BE FURNISHED. CODE MAY BE ANY COMBINATION OF ALPHANUMERICS AS DESIGNATED BY SUBMITTER. AT LEAST TWO ALPHA CHARACTERS ARE MANDATORY FOR GOVERNMENT ACTIVITIES/AGENCIES TO PRECLUDE DUPLICATION OF A VALID CAGEC. A NONGOVERNMENT ACTIVITY (CONTRACTOR) MAY USE BUT IS NOT RESTRICTED TO THEIR ASSIGNED CAGEC. SEE VOLUME 10, TABLE 23 AND QUICK INFO ON-LINE.

3891 DLAC DLAC\_3891 DLSC-SBA F CHAR 2

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## DEFENSE LOGISTICS AGENCY CENTER ACTIVITY CODE

AN ACTIVITY CODE CORRESPONDING TO THE VALUE OF THE IMCA SUBMITTED IN A DIC LVA TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. THIS WILL BE THE DLA CENTER WHO IS DESIGNATED TO RECEIVE THE DIC KIR OUTPUT RESULTS FROM THE LVA. USED ON THE KVI SUSPENSE FILE.

3892 LMD-ODIC LMD\_ODIC\_3892 DLSC-SBA F CHAR 3  
LMD OUTPUT DOCUMENT IDENTIFIER CODE  
A DIC FIELD CONTAINING THE VALUE OF THE OUTPUT DIC WHICH GIVES THE PROCESSING RESULTS OF AN LMD TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. WHEN AN LMD IS PROCESSED AND APPROVED, THE VALUE WILL BE KNA. WHEN AN LMD IS PROCESSED AND REJECTS WITH OUTPUT DIC KRE, THE VALUE WILL BE KRE. USED ON THE KVI SUSPENSE FILE.

3893 LVA-ODIC LVA\_ODIC\_3893 DLSC-SBA F CHAR 3  
LVA OUTPUT DOCUMENT IDENTIFIER CODE  
A DIC FIELD CONTAINING THE VALUE OF THE OUTPUT DIC WHICH GIVES THE PROCESSING RESULTS OF AN LVA TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. WHEN AN LVA IS PROCESSED AND APPROVED, THE VALUE WILL BE KNA. WHEN AN LVA IS PROCESSED AND REJECTS WITH OUTPUT DIC KRE, THE VALUE WILL BE KRE. USED ON THE KVI SUSPENSE FILE.

3910 DIST-ACTY-CD-DD146 DLSC-SB F 3  
DISTRIBUTION ACTIVITY CODE (DD FORM 146)  
A CODE IDENTIFIER USED TO IDENTIFY AN ACTIVITY AND ITS MAILING ADDRESS FOR PURPOSES OF DISTRIBUTING DOCUMENT PRINTER GENERATED FEDERAL ITEM LOGISTICS DATA RECORDS/DD FORM 146/ ON A FEDERAL CLASSIFICATION /FSC/ DISTRIBUTION BASIS AND FOR BILLING OF THE ACTIVITY.

3920 DOC-ID-CD DIC\_3920 DLSC-SBA F CHAR 3  
DOCUMENT IDENTIFIER CODE (DIC)  
IDENTIFIES A TRANSACTION TO THE SYSTEM TO WHICH IT PERTAINS, AND ITS INTENDED USAGE. SEE VOLUME 10, TABLE 105 AND QUICK INFO ON-LINE.

3921 DIC-IP DIC\_IP\_3921 DLSC-V F CHAR 3  
DOCUMENT IDENTIFIER CODE, INPUT  
THE DOCUMENT IDENTIFIER CODE SUBMITTED TO THE DEFENSE LOGISTICS SERVICES CENTER WHICH IS PERPETUATED IN RESULTANT OUTPUTS TO IDENTIFY THE INPUT TRANSACTION.

3922 DIC-ORIG-IP DLSC-V F 3  
DOCUMENT IDENTIFIER CODE, ORIGINAL INPUT  
THE SUBMITTED DOCUMENT IDENTIFIER CODE USED TO INDICATE THE SPECIFIC TYPE OF ACTION WHICH CAUSED THE DATA ELEMENT(S) TO BE EFFECTIVE DATED.

3930 DOC-NBR DLSC-SB 14  
DOCUMENT NUMBER

3960 ASGND-NSN NSN\_3960 DLSC-SB F CHAR 13  
ASSIGNED NATIONAL STOCK NUMBER (NSN)  
A NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM TO EACH APPROVED UNITED STATES FEDERAL ITEM IDENTIFICATION. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN).

3970 FSC-APPL DLSC-SC F 4  
FEDERAL SUPPLY CLASSES APPLICABLE  
THE FEDERAL SUPPLY CLASSES APPLICABLE TO A SPECIFIC ITEM NAME CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3981 REL-FSC DLSC-SB F 4  
RELATED FEDERAL SUPPLY CLASS  
THE FEDERAL SUPPLY CLASS OF THE RELATED NATIONAL STOCK NUMBER (DRN 2895)

3990 ASGND-FSC FSC\_3990 DLSC-SC F CHAR 4  
ASSIGNED FEDERAL SUPPLY CLASS (FSC)  
A CODE WHICH IDENTIFIES THE SUPPLY CLASSIFICATION OF AN ITEM OF SUPPLY IDENTIFIED UNDER THE FEDERAL CATALOGING PROGRAM, AN ITEM OF PRODUCTION AND/OR A HOMOGENEOUS AREA OF COMMODITIES IN RESPECT TO THEIR PHYSICAL OR PERFORMANCE CHARACTERISTICS. THE FIRST TWO DIGITS IDENTIFY THE FEDERAL SUPPLY GROUP AND THE LAST TWO DIGITS IDENTIFY THE SPECIFIC CLASS WITHIN THE SPECIFIED GROUP. THE COMBINATION OF THESE FOUR DIGITS CONSTITUTE THE FEDERAL SUPPLY CLASSIFICATION.

3994 ASGND-FSG FSG\_3994 DLSC-SC F CHAR 2  
ASSIGNED FEDERAL SUPPLY GROUP (FSG)  
THE FEDERAL SUPPLY CLASSIFICATION ALLOWS 99 SEGMENTS CALLED GROUPS. EACH OF THESE GROUPS IS ASSIGNED A TWO DIGIT CODE, E.G., GROUP 10-WEAPONS, GROUP 13-AMMUNITION AND EXPLOSIVES.

3995 STAT-CMDTY-CTGY STAT\_CCTGY\_3995 DLSC-SBA F CHAR 2  
STATISTICS COMMODITY CATEGORY  
A CODE USED TO GROUP LIKE FSCS TOGETHER FOR STATISTICAL REPORTING ON ACQUISITION METHOD CODE / ACQUISITION METHOD SUFFIX CODES STATS.

3996 ASGND-FSC-WI-FSG FSC\_WI\_FSG\_3996 DLSC-SCA F CHAR 2  
ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP  
THE FEDERAL SUPPLY CLASSIFICATION ALLOWS THE FEDERAL SUPPLY GROUP TO BE SUBDIVIDED INTO 99 CLASSES. THE CLASSES WITHIN ANY GROUP ARE CONSIDERED TO BE CLOSELY RELATED. THE COMBINATION OF THE FEDERAL SUPPLY GROUP AND THE SPECIFIC CLASS WITHIN THE SPECIFIED GROUP CONSTITUTE THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION. THIS ELEMENT IS INPUT WITH ITS ASSOCIATED FSG, BUT MAY BE USED AS A SORT KEY WITHIN THE SYSTEM BY DESIGN.

4000 ASGND-NIIN NIIN\_4000 DLSC-SB F CHAR 9  
ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)  
A NUMBER ASSIGNED TO EACH APPROVED ITEM IDENTIFICATION UNDER THE FEDERAL CATALOGING PROGRAM. IT CONSISTS OF NINE NUMERIC CHARACTERS, THE FIRST TWO OF WHICH ARE THE NATIONAL CODIFICATION BUREAU /NCB/ CODE. THE REMAINING POSITIONS CONSIST OF A SEVEN DIGIT NONSIGNIFICANT NUMBER.

4020 FRT-DESC FRT\_DESC\_4020 DLSC-SBA V CHAR 35  
FREIGHT DESCRIPTION  
A BRIEF STANDARDIZED DESCRIPTION ASSIGNED TO A RECORDED ITEM UNDER WHICH INDIVIDUAL ITEMS ARE GROUPED FOR THE PURPOSE OF ASSESSING CLASS AND COMMODITY RATES.

4061 ILL-RTN-DT ILL\_RTN\_DT\_4061 DLSC-V F CHAR 5  
ILLUSTRATION RETURN DATE  
THE DATE THE ILLUSTRATION WAS RETURNED AS A COMPLETED PHOTO MECHANICAL TRANSFER. THE DRAWING IS NOW READY FOR DIGITIZATION AND UPLOADING TO MAINFRAME.

4062 ILL-START-DT ILL\_START\_DT\_4062 DLSC-V F CHAR 5  
ILLUSTRATION START DATE  
THE DATE THE ILLUSTRATION IS SENT FOR PREPARATION AS A PHOTO MECHANICAL TRANSFER.

4063 ILL-ACPT-IND ILL\_ACPT\_IND\_4063 DLSC-V F CHAR 1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## ILLUSTRATION ACCEPTANCE INDICATOR

AN INDICATOR CODE THAT TELLS WHETHER THE DRAWING IS ACCEPTABLE OR NOT. VALID VALUES - Y OR N.

4064 DWG-FIIG-INTR-ID DWG\_FIIG\_INIT\_4064 DLSC-V F CHAR 4  
DRAWING FIIG INITIATOR IDENTIFIER  
IDENTIFIES WHAT ACTIVITY HAS INITIATED THE FIIG.

4065 GDE-NBR-FIIG FIIG\_4065 DLSC-SC F CHAR 6  
GUIDE NUMBER, FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)  
A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY RECORDED AGAINST A MASTER REQUIREMENT CODE WHICH IDENTIFIES THE FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ IN WHICH THE MASTER REQUIREMENT CODE WILL BE USED. ALSO APPEARS IN THE SYSTEM SUPPORT RECORD ITEM NAME SECTOR DENOTING THE GUIDE WHICH IS APPLICABLE TO AN ITEM NAME.

4066 ILL-ID ILL\_ID\_4066 DLSC-V F CHAR 10  
ILLUSTRATION IDENTIFIER  
IDENTIFIES THE COMPANY INDIVIDUAL CONTRACTED TO PROVIDE THE PHOTO MECHANICAL TRANSFER. THE DRAWINGS ARE DIGITIZED FROM THESE TRANSFERS.

4069 DWG-FIIG DWG\_FIIG\_4069 DLSC-V F CHAR 5  
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)  
A 5 POSITION FIIG USED FOR IDENTIFICATION PURPOSES FOR DRAWING CROSS REFERENCE DIGITIZED DRAWINGS.

4075 IMCA IMCA\_4075 DLSC-SB F CHAR 2  
ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)  
THE APPROPRIATE DEFENSE SUPPLY CENTER, OR THE GENERAL SERVICES ADMINISTRATION, RESPONSIBLE FOR DETERMINING THE DEPARTMENT OF DEFENSE MANAGEMENT METHOD FOR EACH ITEM IN FEDERAL SUPPLY CLASSES ASSIGNED FOR INTEGRATED MANAGEMENT. RESPONSIBILITIES ARE DEFINED IN DOD 4140.26-M, VOLUME 1.

4080 INC INC\_4080 DLSC-SC F CHAR 5  
ITEM NAME CODE  
A FIVE DIGIT NUMBER, ASSIGNED BY THE DEFENSE LOGISTICS SERVICES CENTER (DLSC), TO EACH APPROVED ITEM NAME. NAMES OTHER THAN APPROVED ITEM NAMES ARE ASSIGNED ITEM NAME CODE 7777. ITEM NAME CODE 7777 WILL BE INCLUDED IN OUTPUT FROM DLSC WHEN THE ITEM NAME IS OTHER THAN AN APPROVED ITEM NAME. SEE VOLUME 10, TABLE 20 AND QUICK INFO ON-LINE.

4115 MFR-PT-NBR-EDIT-IDEN DLSC-SC F 1  
MANUFACTURER PART NUMBER EDIT IDENTIFICATION  
A CODE WHICH INDICATES THAT ALL INCOMING ITEM IDENTIFICATION REFERENCE NUMBERS BEARING THE TYPE A O.E. CODE SHOWN IN THE OUTPUT TRANSACTION ARE SUBJECT TO EDIT/VALIDATION SCREENING IN CONFORMANCE WITH THE SPECIFICATIONS CITED IN CATALOGING HANDBOOK H7. SEE VOLUME 10, TABLE 21 AND QUICK INFO ON-LINE.

4120 MTCHD-NSN DLSC-SB F 13  
MATCHED NATIONAL STOCK NUMBER  
THE EXISTING NATIONAL STOCK NUMBER /NSN/ WHICH IS FOUND TO BE AN ACTUAL OR POSSIBLE DUPLICATE OF A SUBMITTED PROPOSAL WHEN A MATCH IS REVEALED CHARACTERISTICALLY OR BY REFERENCE NUMBER. THE SUBMITTER IS NOTIFIED OF THIS MATCH THROUGH THE USE OF THIS NSN AND APPROPRIATE OUTPUT CODE NOTIFICATION.

4126 MAT-IDEN-CD MAT\_IDEN\_MC\_4126 DLSC-SBA F CHAR 1  
MATERIEL IDENTIFICATION CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE EMPLOYED BY THE MARINE CORPS TO IDENTIFY THE METHOD OF ACCOUNTING, DEGREE AND TYPE CONTROL TO BE MAINTAINED FOR THE ITEM UNDER THE SUPPORTED ACTIVITIES SUPPLY SYSTEM AND TO IDENTIFY MATERIEL BY SPECIFIC PURPOSE, TYPE OR CLASSIFICATION FOR THE WAR RESERVE SUB SYSTEM. SEE VOLUME 10, TABLE 73 AND QUICK INFO ON-LINE.

4128 CDD-CLR-RPLY CDD\_CLR\_RPLY\_4128 DLSC-SCA V VARCHAR 990  
CODED AND OR CLEAR TEXT REPLY

THE REPLY FIELD REPRESENTS A CODED AND/OR CLEAR TEXT DESCRIPTION AS DESIGNATED BY THE MODE CODE. THE REPLY FIELD WILL BEGIN IN THE POSITION FOLLOWING THE MODE CODE, FOR EACH MASTER REQUIREMENT CODE, AND WILL CONTINUE UNTIL A DATA ELEMENT TERMINATOR (\*) IS ENCOUNTERED. IT INCLUDES THE SECONDARY ADDRESS CODE AND THE SECONDARY ADDRESS CODE INDICATOR WHEN THERE IS MORE THAN ONE REPLY WITHIN A MASTER REQUIREMENT CODE AND MAY INCLUDE EITHER OF THE AND/OR SYMBOLS.

4129 EDIT-CRITE-STMT ED\_CRITE\_STMT\_4129 DLSC-SCA V VARCHAR 14750  
EDIT CRITERIA STATEMENT

A FIELD USED TO ENTER THE VALID REPLY TO THE RELATED MASTER REQUIREMENTS CODE (MRC). THE REPLY WILL CONSIST OF EITHER PROPORTION, TECHNICAL OR RELATIONSHIP EDIT CRITERIA STATEMENT SYMBOLOGY USED TO EDIT THE STRUCTURE OF THE MRCs CODED REPLIES. REFERENCE THE LENGTH FIELD, THE ACTUAL VALUE IS 14750.

4130 NCB-CD NCB\_CD\_4130 DLSC-SD F CHAR 2  
NATIONAL CODIFICATION BUREAU CODE

A TWO-DIGIT CODE NUMBER INDICATING THE COUNTRY WHICH ORIGINALLY CATALOGED THE ITEM. SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

4131 I-I-NBR I\_I\_NBR\_4131 DLSC-SBA F CHAR 7  
ITEM IDENTIFICATION NUMBER  
THE LAST SEVEN POSITIONS OF THE ASSIGNED-NIIN

4140 NATO-NSCM-CD NSCM\_4140 DLSC-SBB F 5  
NATO SUPPLY CODE FOR MANUFACTURERS

A FIVE-POSITION ALPHANUMERIC CODE WITH AN ALPHA CHARACTER IN THE FIRST OR LAST POSITION ASSIGNED BY A NATO COUNTRY OR NAMSA (NATO MAINTENANCE AND SUPPLY AGENCY). NSCM CODES ARE ASSIGNED TO ORGANIZATIONS LOCATED IN NORTH ATLANTIC TREATY ORGANIZATION (NATO) MEMBER NATIONS (EXCLUDING U.S.) AND OTHER FOREIGN COUNTRIES WHICH MANUFACTURE AND/OR CONTROL THE DESIGN OF ITEMS SUPPLIED TO A GOVERNMENT MILITARY ACTIVITY OR CIVIL AGENCY. THE FIRST AND LAST CHARACTER, WHICH IS ALPHABETIC, REPRESENTS THE COUNTRY ORIGINATING THE CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

4150 NATO-SN DLSC-SD F 13  
NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER

A NUMBER ASSIGNED BY A NATO COUNTRY PARTICIPATING IN THE FCS UNDER STANDARDIZATION AGREEMENTS (STANAG) 3150 AND 3151 TO EACH ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION, THE TWO DIGIT NATIONAL CODIFICATION BUREAU CODE AND A SEVEN DIGIT NON-SIGNIFICANT NUMBER ASSIGNED BY EACH NATO COUNTRY. THE SAME SEVEN DIGIT NUMBER MAY BE ASSIGNED BY MORE THAN ONE NATO COUNTRY. THE NATIONAL CODIFICATION BUREAU CODE WILL MAKE THE NATO STOCK NUMBER UNIQUE.

4151 IDS-EXTN-FILE-NM EXTN\_FILE\_NM\_4151 DLSC-VPE F CHAR 8  
IDS EXTERNAL FILE NAME

THE WORDS THAT EXPRESS THE DESIGNATION OF THE EXTERNAL FILE NAME REQUIRED DURING THE CREATION OF AN IDS PRODUCT. THIS NAME REPRESENTS THE THIRD LEVEL OF QUALIFICATION AS FOLLOWS: 1 = DEFAULT TO LPDV, 2 = DEFAULT TO DATAFILE, 3 = THE SPECIFIED FILENAME.

4152 IDS-EXTN-FILE-OFFST-NBR FILE\_OFST\_NBR\_4152 DLSC-VPE F INTEGER 5  
IDS EXTERNAL FILE OFFSET NUMBER

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE UNIQUE VALUE OF THE STARTING POSITION (RELATIVE TO ZERO) OF A FIELD WITHIN AN EXTERNAL FILE THAT IS BEING INPUT TO THE IDS INTERFACE (REFER TO IDS EXTERNAL FILE NAME). VALID ENTRIES: 00000 - 00999.

4153	IDS-PARM-STNG-TXT IDS PARAMETER STRING TEXT AN OPTIONAL PARAMETER STRING PASSED FROM CALLING TO CALLED PROGRAM USED TO MODIFY THE INTERFACE SERVICE ROUTINES.	PARM_STNG_TXT_4153	DLSC-VPE	F CHAR	40
4154	IDS-PRDCT-PT-NBR IDS PRODUCT PART NUMBER THE UNIQUE VALUE THAT REPRESENTS THE PART OF A IDS PRODUCT THAT A GIVEN RECORD TYPE IS ASSOCIATED WITH. VALID VALUES ARE 000 - 999. DEFAULT IS ZERO.	PRDCT_PT_NBR_4154	DLSC-VPE	F SMALLINT	3
4155	IDS-EDIT-MBR-TXT IDS EDIT MEMBER TEXT THE PDS MEMBER NAME(S) OF THE EDIT ROUTINE THAT PERFORMS FINAL EDITS ON DATA, E.G., HYPHENS IN THE NSN, IN THE OUTPUT FILE. UP TO TWO 8 CHARACTER NAMES MAY BE SPECIFIED SEPARATED BY A COMMA.	EDIT_MBR_TXT_4155	DLSC-VPE	F CHAR	17
4156	IDS-MARKUP-TXT IDS MARKUP TEXT THE SGML MARKUP ASSOCIATED WITH EACH DATA ELEMENT EXTRACTED FOR USE IN IDS PRODUCT.	MARKUP_TXT_4156	DLSC-VPE	V VARCHAR	79
4157	IDS-DCOD-SVC-IND IDS DECODE SERVICE INDICATOR A CHARACTER SPECIFYING WHETHER ALL MRCS OR A SPECIFIED SET OF MRCS ARE TO BE PROCESSED. VALID INPUT VALUES ARE: A = ALL, S = SPECIFIED.	DCOD_SVC_IND_4157	DLSC-VPE	F CHAR	1
4158	IDS-EXTN-FILE-LGTH-NBR IDS EXTERNAL FILE LENGTH NUMBER THE UNIQUE VALUE THAT IDENTIFIES THE LENGTH OF A FILE COMPONENT BEING SPECIFIED FOR EXTERNAL FILES. VALID ENTRIES: 00001 - 01000.	EX_FILE_LGTH_4158	DLSC-VPE	F INTEGER	5
4159	IDS-XFILE-RPETD-DATA-NBR IDS EXTERNAL FILE REPEATED DATA NUMBER THE UNIQUE VALUE FOR THE NUMBER OF TIMES A DATA FIELD IS REPEATED ON AN EXTERNAL FILE. VALID VALUES ARE 001 - 999. DEFAULT IS 001.	XFILE_RPETD_4159	DLSC-VPE	F SMALLINT	3
4160	IDS-CMPNT-NBR IDS COMPONENT NUMBER THE UNIQUE VALUE FOR THE ORDER OF THE DB2 COLUMNS OR FILE FIELDS IN A GIVEN IDS PRODUCT. VALID VALUES ARE 01 - 50. DEFAULT IS 01.	IDS_CMPNT_NBR_4160	DLSC-VPE	F SMALLINT	2
4161	IDS-DB2-CMPNT-ELE-NM IDS DB2 COMPONENT ELEMENT NUMBER THE WORD THAT EXPRESSES THE DESIGNATION OF THE DB2 TABLE COLUMNS.	CMPNT_ELE_NM_4161	DLSC-VPE	F CHAR	18
4162	IDS-ACCS-CMPNT-BLN-IND IDS ACCESS COMPONENT BLANK INDICATOR A VALUE THAT DETERMINES WHETHER OR NOT TO PUT SGML MARKUP INTO THE DATA STREAM EVEN IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).	CMPNT_BLN_4162	DLSC-VPE	F CHAR	1

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4163 IDS-ACCS-CMPNT-OMIT-IND CMPNT\_OMIT\_4163 DLSC-VPE F CHAR 1  
IDS ACCESS COMPONENT OMIT INDICATOR  
A VALUE THAT DETERMINES WHETHER OR NOT TO LEAVE OUT SGML MARKUP IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4164 IDS-ACCS-CMPNT-FAIL-IND CMPNT\_FAIL\_4164 DLSC-VPE F CHAR 1  
IDS ACCESS COMPONENT FAIL INDICATOR  
A VALUE THAT DETERMINES WHETHER OR NOT, IF ANY PART OF A RECORD TYPE IS NOT FOUND THEN ALL DATA FOR THE RECORD TYPE IS OMITTED. VALID VALUES: Y = YES, N = NO (DEFAULT).

4165 IDS-ACCS-CMPNT-MANY-IND CMPNT\_MANY\_4165 DLSC-VPE F CHAR 1  
IDS ACCESS COMPONENT MANY INDICATOR  
A VALUE THAT DETERMINES WHETHER OR NOT MANY ROWS ARE EXPECTED FROM A PARTICULAR ACCESS. VALID VALUES ARE: Y=YES, N=NO.

4166 IDS-EXTR-RCD-TYP-SEQ-NBR EXTR\_TYP\_SEQ\_4166 DLSC-VPE F SMALLINT 2  
IDS EXTRACT RECORD TYPE SEQUENCE NUMBER  
THE UNIQUE VALUE THAT DETERMINES THE ORDER IN WHICH THE RECORD TYPES THE IDS 3090 INTERFACE ARE TO BE INCLUDED IN A IDS PRODUCT. VALID VALUES: 03 - 99.

4167 IDS-SRT-SEQ-TXT SRT\_SEQ\_TXT\_4167 DLSC-VPE F CHAR 110  
IDS SORT SEQUENCE TEXT  
THE SORT SEQUENCE FOR EACH PART OF THE IDS PRODUCTS. THE FORMAT IS RNN,ANN,CNN,S,RNN,ANN,CNN,S... WHERE R = RECORD TYPE, A = ACCESS NUMBER, C = COMPONENT NUMBER, AND S = SPECIFIER (A = ASCENDING AND D = DESCENDING).

4168 IDS-ACCS-CMPNT-FILE-NM CMPNT\_FILE\_NM\_4168 DLSC-VPE F CHAR 8  
IDS ACCESS COMPONENT FILE NAME  
THE NAME OF A USER SPECIFIED IBM FILE NAME. THIS FILE NAME SPECIFIES AN OUTPUT FILE DURING PROCESSING FOR THE STORAGE OF PARTICULAR PRODUCTS.

4169 IDS-RCD-TYP-ORDR-NBR RCD\_TYP\_ORDR\_4169 DLSC-VPE F SMALLINT 2  
IDS RECORD TYPE ORDER NUMBER  
THE UNIQUE VALUES THAT DETERMINE THE POSITION OF THE RECORD TYPES IN A IDS PRODUCT IN RELATION TO THE OTHER RECORD TYPES. VALID VALUES: 01 - 99.

4171 IDS-ACCS-CMPNT-DSCRD-IND CMPNT\_DSCRD\_4171 DLSC-VPE F CHAR 1  
IDS ACCESS COMPONENT DISCARD INDICATOR  
THE UNIQUE VALUE THAT DETERMINES WHETHER THE COMPONENT IS TO BE KEPT FOR FINAL OUTPUT PROCESSING OR IS TO BE DISCARDED. VALID VALUES ARE Y=YES, N=NO.

4172 IDS-ACCS-CMPNT-SEQ-NBR CMPNT\_SEQ\_4172 DLSC-VPE F SMALLINT 2  
IDS ACCESS COMPONENT SEQUENCE NUMBER  
THE UNIQUE VALUE THAT DETERMINES THE SEQUENCE OF THE COMPONENTS. VALID VALUES ARE: 01 - 50.

4173 IDS-ACCS-CMPNT-CATNT-IND CMPNT\_CATNT\_4173 DLSC-VPE F CHAR 1  
IDS ACCESS COMPONENT CATENATE INDICATOR  
DETERMINES IF THE COMPONENT IS TO BE CATENATED WITH THE PREVIOUS COMPONENT. VALID VALUES ARE: Y=YES, N=NO (DEFAULT).



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4174	IDS-ACCS-CMPNT-LGTH-NBR	CMPNT_LGTH_4174	DLSC-VPE	F SMALLINT	5
IDS ACCESS COMPONENT LENGTH NUMBER THE WIDTH OF THE FIELD WHICH IS TO CONTAIN THE DATA FOR THIS COMPONENT. A POSITIVE INTEGER IS ALLOWED.					
4175	IDS-ACCS-CMPNT-TYP-NBR	CMPNT_TYP_4175	DLSC-VPE	F SMALLINT	3
IDS ACCESS COMPONENT TYPE NUMBER A UNIQUE VALUE THAT SPECIFIES THE COLUMN DATA TYPE (FOR A DB2 TABLE) OR THE NUMBER OF OCCURRENCES OF THE DATA ELEMENT (FOR FILES). VALID VALUES ARE 001 - 999.					
4176	IDS-DATA-STRM-BRK-IND	DATA_STRM_BRK_4176	DLSC-VPE	F CHAR	1
IDS DATA STREAM BREAK INDICATOR A VALUE THAT DETERMINES WHETHER DUPLICATE COMPONENT FIELDS ARE TO BE DISPLAYED IN OUTPUT OR NOT. VALID VALUES ARE Y = YES, N = NO (DEFAULT).					
4177	IDS-A-CMPNT-SRT-ORDR-IND	CMPNT_SRT_4177	DLSC-VPE	F CHAR	1
IDS ACCESS COMPONENT SORT ORDER INDICATOR A VALUE THAT SPECIFIES THE ORDER OF THE ACCESS COMPONENT. VALID VALUES ARE: A = ASCENDING, D = DESCENDING.					
4178	IDS-ACCS-CMPNT-MRKP-TXT	CMPNT_MRKP_4178	DLSC-VPE	F CHAR	40
IDS ACCESS COMPONENT MARKUP TEXT THE SGML MARKUP THAT IS TO BE INSERTED IN THE DATA STREAMS.					
4179	IDS-MRKP-DSRPTR-FLD-NBR	MRKP_DSRPTR_4179	DLSC-VPE	F SMALLINT	3
IDS MARKUP DESCRIPTOR FIELD NUMBER A UNIQUE NUMBER VALUE USED TO SET THE INDEX OF THE PROCESSING ARRAY FOR THE COMPONENTS OF THE RECORD TYPE. VALID VALUES ARE: 000 - 999.					
4180	NSCM-CDFN-BUR	NSCM_CDFN_BUR_4180	DLSC-SBB	F CHAR	1
NATIONAL SUPPLY CD FOR MANUFACTURERS CODIFICATION BUREAU THIS CODE PREFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NORTH ATLANTIC TREATY ORGANIZATION (NATO) CODE BY A RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.					
4181	NSN-MRKP-HPHN-IND	MRKP_HPHN_4181	DLSC-VPE	F CHAR	1
NSN MARKUP HYPHEN INDICATOR A VALUE THAT DETERMINES IF A HYPHEN IS TO BE PLACED FOLLOWING THE THIRD DIGIT OF THE I_I_NBR_4131. VALID VALUES: BLANK = DO NOT INSERT HYPHEN, H = INSERT HYPHEN.					
4182	IDS-MRKP-CPTLZTN-IND	MRKP_CPTLZTN_4182	DLSC-VPE	F CHAR	1
IDS MARKUP CAPITALIZATION INDICATOR A VALUE THAT DETERMINES THE CAPITALIZATION REQUIREMENTS. VALID VALUES: M = MIXED, U = UPPER CASE, L = LOWER CASE.					
4183	IDS-CLBL-ACCS-SUBRTN-NM	ACCS_SUBRTN_4183	DLSC-VPE	F CHAR	8
IDS CALLABLE ACCESS SUBROUTINE NAME THE WORD THAT EXPRESSES THE IBM PDS MEMBER NAME OF A COBOL COMPILED SUBROUTINE.					
4184	IDS-C-ACCS-PASD-PARM-TXT	PASD_PARM_4184	DLSC-VPE	F CHAR	160
IDS CALLABLE ACCESS PASSED PARAMETER TEXT THE NARRATIVE THAT DESCRIBES THE PARAMETERS TO BE PASSED TO THE CALLABLE ACCESS, DELIMITED BY COMMAS.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4185 IDS-CLBL-ACCS-PARM-TXT ACCS\_PARM\_4185 DLSC-VPE F CHAR 160  
IDS CALLABLE ACCESS PARAMETER TEXT

THE NARRATIVE THAT DESCRIBES THE PARAMETERS THAT ALLOW THE CALLABLE ACCESS TO ACCESS THE CORRECT RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER, DELIMITED BY COMMAS.

4186 IDS-ACCS-CMPNT-LTH-NBR CMPNT\_LTH\_4186 DLSC-VPE F SMALLINT 5  
IDS ACCESS COMPONENT LENGTH NUMBER

THE UNIQUE VALUE THAT SPECIFIES THE COMPONENT LENGTH THAT WILL BE PASSED TO THE SQLDA.

4187 IDS-ACCS-CMPNT-OFST-NBR CMPNT\_OFST\_4187 DLSC-VPE F SMALLINT 5  
IDS ACCESS COMPONENT OFFSET NUMBER

THE UNIQUE VALUE THAT SPECIFIES THE OFFSET FROM WHICH THE COMPONENT STARTS.

4188 IDS-NXT-PUB-DT NXT\_PUB\_DT\_4188 DLSC-VPE F CHAR 9  
IDS NEXT PUBLICATION DATE

THIS IS A REQUIRED FIELD THAT SPECIFIES THE EFFECTIVE DATE OF THE DATA TO BE INCLUDED IN A PUBLICATION. VALID VALUES: VALID JULIAN DATE.

4189 IDS-LST-PUB-UPDT-DT LST\_UPDT\_DT\_4189 DLSC-VPE F CHAR 9  
IDS LAST PUBLICATION UPDATE DATE

THE SPECIFIC PERIOD OF TIME THAT IS OBTAINED FROM THE IBM 3090 WHEN A ID PRODUCT DEFINITION IS UPDATED THROUGH THE LPDV100U CICS ON-LINE INTERACTIVE PROGRAM. VALID VALUES: IBM DATE IN FORM DD-MMM-YY.

4191 IDS-LST-PUB-DT LST\_PUB\_DT\_4191 DLSC-VPE F CHAR 9  
IDS LAST PUBLISHED DATE

THIS IS THE LAST EFFECTIVE DATE THAT WAS UTILIZED FOR THE GENERATION OF THE LAST PUBLICATION. VALID VALUES: VALID JULIAN DATE.

4192 IDS-PRDCT-DEF-ESTB-DT DEF\_ESTB\_DT\_4192 DLSC-VPE F CHAR 9  
IDS PRODUCT DEFINITION

THE SPECIFIC PERIOD OF TIME WHEN THE IDS PRODUCT DEFINITION IS ADDED THROUGH THE INTERACTIVE PROGRAM. VALID VALUES: SYSTEM SUPPLIED DATE OF THE FORM DD-MMM-YY.

4193 IDS-DEF-STAT-CD DEF\_STAT\_CD\_4193 DLSC-VPE F CHAR 1  
IDS DEFINITION STATUS CODE

THE SPECIFIC VALUE THAT DENOTES THE CURRENT STATUS OF THE ID PRODUCT DEFINITION BEING PROCESSED. VALID INPUT VALUES ARE: B=BUILD, M=MODIFY. OTHER VALID VALUES: C=DECODE PROCESSING, F=BUILD FAILURE.

4194 IDS-PUB-CYCL-TM PUB\_CYCL\_TM\_4194 DLSC-VPE F CHAR 13  
IDS PUBLICATION (OR PRODUCT) CYCLE TIME

THE SPECIFIC CHRONOLOGICAL POINT IN TIME THAT DESIGNATES THE OCCURRENCE OF THE PRODUCTION OF IDS PRODUCTS.

4195 IDS-FUNC-MNEM-NM FUNC\_MNEM\_NM\_4195 DLSC-VPE F CHAR 6  
IDS FUNCTION MNEMONIC NAME

THE WORD THAT REPRESENTS THE FUNCTION MNEMONIC FOR ANY OF THE VALID IDS 3090 INTERFACE ON-LINE PROGRAMS THAT AN IDS 3090 INTERFACE USER LAST USED.

4196 IDS-ACT-USR-IND ACT\_USR\_IND\_4196 DLSC-VPE F CHAR 1  
IDS ACTIVE USER INDICATOR

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE SPECIFIC VALUE THAT SHOWS WHETHER OR NOT A PARTICULAR IPS PRODUCT IS ASSIGNED TO A PARTICULAR USER.

4197 IDS-REC-TYP-CD REC\_TYP\_CD\_4197 DLSC-VPE F SMALLINT 2  
IDS RECORD TYPE CODE

THE SPECIFIC VALUES THAT REPRESENT WHICH ITEMS ARE TO BE INCLUDED OR NOT INCLUDED IN A IDS PRODUCT. VALID VALUES ARE: 01 ALWAYS REPRESENTS THE ITEM ITSELF. 02 REPRESENTS THE CONDITIONS IN WHICH THE ITEM IS NOT TO BE INCLUDED IN THE CATALOG. 03-99 REPRESENT INFORMATION ABOUT THE ITEM THAT IS TO BE INCLUDED IN THE CATALOG.

4198 IDS-ACCS-TYP-CD ACCS\_TYP\_CD\_4198 DLSC-VPE F CHAR 1  
IDS ACCESS TYPE CODE

A SPECIFIC VALUE THAT DENOTES THE TYPE OF ACCESS BEING REQUESTED FOR AN ITEM WITHIN THE IDS PRODUCT DEFINITION. VALID VALUES: T=TABLE, F=FILE, C=CALLABLE, D=DECODE.

4199 IDS-ACCS-REC-SEQ-NBR ACCS\_SEQ\_NBR\_4199 DLSC-VPE F SMALLINT 2  
IDS ACCESS RECORD SEQUENCE NUMBER

SET OF CHARACTERS ASSIGNED TO REPRESENT THE SEQUENTIAL RANKING OF IDS PRODUCT DESCRIPTION DATA REQUESTS FROM EITHER A DB2 TABLE, AN EXTERNAL FILE, A PRE-WRITTEN CALLABLE ROUTINE OR A CALL TO DECODE. VALID VALUES ARE: 01 - 20 INCLUSIVE.

4200 OLD-FSC OLD\_FSC\_4200 DLSC-SCA F CHAR 4  
OLD FEDERAL SUPPLY CLASSIFICATION

THE FEDERAL SUPPLY CLASSIFICATION /FSC/ WHICH WAS ORIGINALLY ASSIGNED TO AN ITEM IDENTIFICATION AND THEN CANCELLED IN PREFERENCE TO A DIFFERENT FEDERAL SUPPLY CLASSIFICATION.

4201 IDS-ITM-PRCSG-QTY ITM\_PRCSEG\_QTY\_4201 DLSC-VPE F SMALLINT 4  
IDS ITEMS TO PROCESS QUANTITY

A UNIT REPRESENTING THE COUNT OF THE NUMBER OF ITEMS TO BE OUTPUT FOR A IDS PRODUCT. USED TO LIMIT THE OUTPUT FOR A TEST USER OF A IDS PRODUCT. VALID VALUES: 0001 - 9999. DEFAULT IS 9999 = OUTPUT ALL ITEMS.

4202 IDS-EXTR-OP-FL-QTY EXTR\_OP\_FL\_4202 DLSC-VPE F INTEGER 7  
IDS EXTRACT OUTPUT FILE QUANTITY

THE NON-MONETARY UNIT REPRESENTING THE COUNT OF THE MAXIMUM NUMBER OF ITEMS TO BE INCLUDED IN EACH IDS EXTRACT OUTPUT FILE AS SUPPLIED BY THE USER. VALID VALUES ARE 000000001 - 999999999.

4203 IDS-SQL-COND-MBR-STNG-TX MBR\_STNG\_TX\_4203 DLSC-VPE F CHAR 17  
IDS SQL CONDITIONAL MEMBER STRING TEXT

THE 8 CHARACTER PDS MEMBER NAMES THAT REPRESENT PRE-WRITTEN SQL CONDITIONAL STATEMENTS THAT ARE USED TO FURTHER QUALIFY THE CONDITION STATEMENT SPECIFIED ON THE IDS 3090 INTERFACE TABLE ACCESS SCREEN. UP TO TWO ARE ALLOWED SEPARATED BY A COMMA.

4204 IDS-PRCSG-ACTN-TXT PRCSEG\_ACTN\_4204 DLSC-VPE F CHAR 18  
IDS PROCESSING ACTION TEXT

INSTRUCTIONS TO THE LPDV930B BUILD PROGRAM SPECIFYING HOW TO TREAT THE RESULTS OF AN ACCESS.

4205 ROW-IND ROW\_IND\_4205 DLSC-VPE F CHAR 1  
ROW INDICATOR

THE SPECIFIC VALUE THAT REPRESENTS WHETHER OR NOT A GIVEN ACCESS MAY RETURN MORE THAN ONE ROW. VALID VALUES ARE: O = ONE, M = MANY.

4206 IDS-COND-TXT COND\_TXT\_4206 DLSC-VPE V VARCHAR 1120

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## IDS CONDITION TEXT

USER INPUT CONDITIONS THAT LIMIT THE VALUES RETURNED BY A TABLE ACCESS WITHIN THE IDS 3090 INTERFACE.

4207 IDS-TBL-QRY-STNG-TXT TBL\_QRY\_STNG\_4207 DLSC-VPE V VARCHAR 2048

IDS TABLE QUERY STRING TEXT

AN SQL QUERY FOR A TABLE ACCESS OR THE NAME OF A FILE FOR A FILE ACCESS OR THE DECODE SERVICE FOR A DECODE ACCESS.

4208 IDS-LINK-PARM-STNG-TXT LINK\_PARM\_4208 DLSC-VPE V VARCHAR 160

IDS LINK PARAMETER STRING TEXT

PARAMETER STRINGS THAT SPECIFY RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER. EACH PARAMETER STRING RT[1-2]A[ JC ] IS DELIMITED FROM OTHER STRINGS BY COMMAS. THIS FIELD LINKS THE ACCESS DESCRIPTOR TABLE TO THE CORRECT COMPONENTS SPECIFIED IN THE ACCESS RECORD DESCRIPTOR TABLE.

4209 IDS-EXTR-DATA-ITM-QY EXTR\_ITM\_QY\_4209 DLSC-VPE F INTEGER 8

IDS EXTRACT DATA ITEM QUANTITY

THE TOTAL NUMBER OF ITEMS FOR WHICH DATA HAS BEEN EXTRACTED FOR AN IDS PRODUCT. VALID VALUES ARE 0-99,999,999.

4210 ORIG-ACTY-CD ORIG\_ACTY\_CD\_4210 DLSC-SBA F CHAR 2

ORIGINATING ACTIVITY CODE

A CODE WHICH IDENTIFIES AN ACTIVITY AUTHORIZED TO INPUT LOGISTICAL TOOLS AND/OR DATA DIRECTLY OR INDIRECTLY TO THE DEFENSE LOGISTICS SERVICES CENTER. SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

4211 KVI-DECR-CTR KVI\_DECR\_CTR\_4211 DLSC-SBA V VARCHAR 11

KVI DECREMENT COUNTER

THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE DECREMENT COUNTER VALUE FOR EACH ACTIVITY IS INITIALLY ESTABLISHED BY THE DLSC PROGRAM MANAGER FOR ITEM TRANSFER. IT IS SUBSEQUENTLY UPDATED (DECREMENTED) BY LVA TRANSACTIONS WHICH ARE PROCESSED MORE THAN 65 DAYS BEYOND THE ESTABLISHED DATE FOR THE NIIN IN THE KVI SUSPENSE FILE. IT IS ALSO AUTOMATICALLY RESET TO EQUAL THE ORIGINAL COUNTER VALUE FOR THE ACTIVITY ON THE 6TH DAY OF EVERY MONTH.

4212 KVI-ORIG-CTR KVI\_ORIG\_CTR\_4212 DLSC-SBA V VARCHAR 11

KVI ORIGINAL COUNTER

THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE ORIGINAL COUNTER VALUE FOR EACH ACTIVITY IS ESTABLISHED AND MAINTAINED BY THE DLSC PROGRAM MANAGER FOR ITEM TRANSFER.

4213 ITM-TRNSFR-RJCT-CD DLSC-SBA F CHAR 1

ITEM TRANSFER REJECT CODE

THIS FIELD CONTAINS A ONE POSITION ERROR CODE WHICH IDENTIFIES THE SPECIFIC ERROR CONDITION FOUND WITH A CANDIDATE NSN SUBMITTED AS PART OF THE ITEM TRANSFER.

4214 KVI-SUSPNS-ESTB-DT KVI\_SPNS\_E\_DT\_4214 DLSC-SBA F CHAR 5

KVI SUSPENSE ESTABLISHED DATE

THIS FIELD CONTAINS THE JULIAN DATE THAT A KVI SUSPENSE RECORD IS INITIALLY GENERATED AND ADDED TO THE KVI SUSPENSE FILE.

4215 OTH-DIC OTHER\_DIC\_4215 DLSC-SBA F CHAR 3

OTHER DIC

THIS FIELD CONTAINS THE LITERAL VALUE OF A DIC OR TRANSACTION OTHER THAN LVA OR LMD, WHICH WILL RESULT IN AN UPDATE TO THIS FIELD IN THE KVI SUSPENSE FILE WHEN PROCESSED AND APPROVED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4216	OTH-DIC-DATE OTHER DIC DATE THIS FIELD CONTAINS THE JULIAN DATE THAT A DIC OTHER THAN LVA OR LMD IS PROCESSED AND APPROVED FOR AN ITEM TRANSFER NIIN.	OTHR_DIC_DATE_4216	DLSC-SBA	F CHAR	5
4217	LVA-DATE LVA DATE THIS FIELD CONTAINS THE JULIAN DATE THAT AN LVA TRANSACTION IS PROCESSED AND APPROVED FOR AN ITEM TRANSFER NIIN.	LVA_DATE_4217	DLSC-SBA	F CHAR	5
4218	LMD-DATE LMD DATE THIS FIELD CONTAINS THE JULIAN DATE THAT AN LMD TRANSACTION IS PROCESSED AND APPROVED FOR AN ITEM TRANSFER NIIN.	LMD_DATE_4218	DLSC-SBA	F CHAR	5
4219	DSOR-CTR DSOR COUNTER CONTAINS NUMBER OF DEPOT SOURCE OF REPAIR CODES SUBMITTED IN VARIABLE LENGTH RECORD FORMAT.		DLSC-SBA	F CHAR	1
4234	PUBS-UNIT-IL PUBLICATIONS UNIT IDENTIFICATION LIST AN IDENTIFIER USED FOR EACH MICROFICHE PUBLICATION OF THE IDENTIFICATION LIST (IL). THE PUBLICATION MAY ENCOMPASS MORE THAN ONE FEDERAL SUPPLY CLASS (FSC). IT MAY BE A CONSOLIDATED BASIC ISSUE OR A CONSOLIDATED CHANGE BULLETIN. THIS DATA ELEMENT WILL CONSTITUTE A UNIQUE IDENTIFICATION TO AID IN SCHEDULING, MONITORING AND MEASURING IL PRODUCTION.	PUBS_UNIT_IL_4234	DLSC-SB	F CHAR	3
4235	FOR-DOM-DESI-CD FOREIGN/DOMESTIC DESIGNATOR CODE A CODE WHICH DESIGNATES THE LOCATION OF AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 29 AND QUICK INFO ON-LINE.	FRN_DOM_CD_4235	DLSC-SBA	F CHAR	1
4238	CAGE-NSCM-TYP-CD CAGE/NSCM-TYPE CODE A CODE IDENTIFYING THE APPLICABLE TYPE OF ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 90 AND QUICK INFO ON-LINE.	CAGE_TYP_CD_4238	DLSC-SBA	F CHAR	1
4250	PSCN PERMANENT SYSTEM CONTROL NUMBER (PSCN) ASSIGNED FOR CONTROL PURPOSES TO IDENTIFY ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER ASSIGNMENT. THE NUMBER WILL BE CONSTRUCTED AS FOLLOWS-NNAAANNNN. THE FIRST TWO POSITIONS WILL CONTAIN THE NATIONAL CODIFICATION CODE. THE THIRD POSITION WILL CONTAIN A "P" AND THE FOURTH AND FIFTH POSITIONS WILL BE ALPHA. THE SIXTH THRU NINTH POSITIONS WILL CONSIST OF A SEQUENTIALLY ASSIGNED SERIAL NUMBER "0000" THRU "9999."		DLSC-SB	F	9
4251	IDS-USER-PAD-CHAR IDS USER PAD CHARACTER THE CHARACTER TO BE USED FOR FILLER TO PAD FIELDS TO A FIXED WIDTH AND TO REPLACE MISSING DATA IN A PUBLICATION EXTRACT.	USER_PAD_CHAR_4251	DLSC-VPE	F SMALLINT	4
4252	IDS-SRT-RPL-IND IDS SORT REPLACE INDICATOR A FLAG TO INDICATE THAT A SORT KEY FOR THE CURRENT PUBLICATION MAY BE BUILT USING SPACES TO REPLACE MISSING KEY FIELDS. VALID VALUES INCLUDE: 'Y', YES AND 'N', NO.	SRT_RPL_4252	DLSC-VPE	F CHAR	1

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4253 IDS-PRPY-DCOD-IND PRPY\_DCOD\_4253 DLSC-VPE F CHAR 1  
IDS PROPRIETARY DECODE INDICATOR

A FLAG TO INDICATE WHICH OF SEVERAL PROCESSING OPTIONS ARE TO BE APPLIED TO THE CURRENT PUBLICATION WHEN PROPRIETARY CHARACTERISTICS DATA IS ENCOUNTERED. VALID VALUES: 'S', SUPPRESS PROPRIETARY CHARACTERISTICS DATA, 'X', EXCLUDE AN ITEM WHICH HAS PROPRIETARY CHARACTERISTICS DATA FROM THE PUBLICATION, 'I', IGNORE THE PROPRIETARY NATURE OF CHARACTERISTICS DATA, AND 'P', PROVIDE ONLY PROPRIETARY CHARACTERISTICS DATA IN THE EXTRACT FOR THIS PUBLICATION.

4254 IDS-PRPY-NOTC-IND PRPY\_NOTC\_4254 DLSC-VPE F CHAR 1  
IDS PROPRIETARY NOTICE INDICATOR

THE FLAG TO INDICATE THAT A NOTICE SHOULD BE RETURNED IN PLACE OF OR IN ADDITION TO PROPRIETARY CHARACTERISTICS DATA. VALID VALUES ARE: 'Y', YES AND 'N', NO.

4255 IDS-DATA-RPL-IND DATA\_RPL\_4255 DLSC-VPE F CHAR 1  
IDS DATA REPLACE INDICATOR

THE FLAG TO INDICATE THAT MISSING DATA IS TO BE REPLACED TO THE DEFINED FIELD WIDTH WITH THE PUBLICATION'S FILLER CHARACTER. VALID VALUES ARE: 'Y', YES AND 'N', NO.

4256 IDS-ACCS-RPET-CT-QTY ACCS\_RPET\_CT\_4256 DLSC-VPE F SMALLINT 4  
IDS ACCESS REPEAT COUNT QUANTITY  
THE NUMBER OF TIMES AN ACCESS IS TO BE REPEATED. A POSITIVE INTEGER IS ALLOWED.

4257 IDS-FLD-JUST FLD\_JUST\_4257 DLSC-VPE F CHAR 1  
IDS FIELD JUSTIFICATION  
THIS ELEMENT INDICATES WHETHER DATA WITHIN A FIXED WIDTH FIELD IS TO BE JUSTIFIED LEFT OR RIGHT. VALID VALUES ARE: 'L', LEFT AND 'R', RIGHT.

4258 IDS-POST-MRKP-TXT POST\_MRKP\_4258 DLSC-VPE V VARCHAR 79  
IDS POST MARKUP TEXT  
THE MARKUP TEXT TO BE APPENDED TO AN SGML ELEMENT.

4259 IDS-PRE-DELIM PRE\_DELIM\_4259 DLSC-VPE F SMALLINT 4  
IDS PREPENDED DELIMITER  
THIS ELEMENT REPRESENTS A SINGLE CHARACTER DELIMITER TO BE PREPENDED TO A DATA ELEMENT OF A VARIABLE LENGTH RECORD.

4260 IDS-POST-DELIM POST\_DELIM\_4260 DLSC-VPE F SMALLINT 4  
IDS APPENDED DELIMITER  
THIS ELEMENT REPRESENTS A SINGLE CHARACTER DELIMITER TO BE APPENDED TO A DATA ELEMENT OF A VARIABLE LENGTH RECORD.

4273 MCFCH-NBR DLSC-V F 5  
MICROFICHE NUMBER  
A NUMBER LOCATED IN THE UPPER RIGHT HAND CORNER OF A MICROFICHE TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL ITEM IDENTIFICATION NUMBER.

4300 RPLM-NIIN DLSC-SB F 9  
REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN EXISTING NATIONAL ITEM IDENTIFICATION NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL ITEM IDENTIFICATION NUMBER.

4307 FYD DLSC-SBA F CHAR 1  
FISCAL YEAR TO DATE  
FISCAL YEAR TO DATE REPRESENTS A PERIOD OF TIME BEGINNING OCTOBER 1 OF AGIVEN CALENDER YEAR AND RUNNING TO A SPECIFIC DATE OR END OF A REPORTINGPERIOD PRIOR TO 30 SEPTEMBER OF THE FOLLOWING CALENDER YEAR. THIS FIELDIS USED TO SELECT FISCAL YEAR TO DATE.

4311 IDS-JOB-JCL-ID JOB\_JCL\_4311 DLSC-VPE F CHAR 7  
IDS JOB JCL IDENTIFIER  
JOB IDENTIFICATION USED IN JCL. VALID ENTRIES INCLUDE LPDV902, LPDV910, LPDV930, LPDV950, LPDV955.

4312 IDS-STEP-JCL-ID STEP\_JCL\_4312 DLSC-VPE F CHAR 1  
IDS STEP JCL IDENTIFIER  
CODE INDICATING JOB STEP. VALID ENTRIES INCLUDE A THROUGH Z & BLANK.

4313 IDS-JCL-TYP-CD JCL\_TYP\_4313 DLSC-VPE F CHAR 1  
IDS JCL TYPE CODE  
TYPE OF JCL INFORMATION. VALID VALUES FOR OBJECT TYPE INCLUDE: 0 - /\*\* (COMMENT LINE), 1 - JOB INFO (JOB CARD, INFORMATION SUCH AS JOB NAME, MESSAGE CLASS, NOTIFY INFORMATION, ETC), 2 - PROC INFO (NAME OF PROCEDURE TO RUN, SYMBOLICS TO PASS TO THE PROC, ETC), 3 - DD OVERRIDES (OVERRIDES OF DD STATEMENTS IN THE PROC), 4 - DSN (DSN UTILITY TO RUN A DB2 PROGRAM), 5 - IDCAMS (AN IBM UTILITY TO PERFORM VARIOUS TASKS SUCH AS GDG DEFINITIONS AND MEMBER DELETIONS), 6 - CICS TRAN (TX0049P -- A UTILITY PROGRAM THAT LAUNCHES A CICS TRANSACTION), 7 - LPDV999 LRECL (A FIXED RECORD LENGTH SUPPORTED BY PROGRAM LPDV999B).

4314 IDS-STEP-SEQ-ID STEP\_SEQ\_4314 DLSC-VPE F SMALLINT 4  
IDS STEP SEQUENCE IDENTIFIER  
A SEQUENCE NUMBER WITHIN OBJECT TYPE. VALID ENTRIES INCLUDE NUMERICS 1 - 10.

4315 IDS-JCL-TX JCL\_TX\_4315 DLSC-VPE F CHAR 72  
IDS JCL TEXT  
TEXT OF JCL STATEMENT.

4316 IDS-FILE-TYP-CD FILE\_TYP\_4316 DLSC-VPE F CHAR 1  
IDS FILE TYPE CODE  
INDICATES TYPE OF FILE. VALID FILE TYPE CODES INCLUDE I - ITEM LIST, D - DATA FILE, S - SORTED DATA, F - FORMATTED DATA, O - CUSTOMER OUTPUT, R - REFORMATTED DATA FROM CUSTOMER OUTPUT, M - MASTER FILE.

4317 IDS-PRIM-SPC-ALOC-QY PRIM\_SPC\_ALOC\_4317 DLSC-VPE F CHAR 3  
IDS PRIMARY SPACE ALLOCATION QUANTITY  
PRIMARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DASD.

4318 IDS-SECD-SPC-ALOC-QY SECD\_SPC\_ALOC\_4318 DLSC-VPE F CHAR 3  
IDS SECONDARY SPACE ALLOCATION QUANTITY  
SECONDARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DASD.

4319 IDS-PRIM-WS-ALOC-QY PRIM\_WS\_ALOC\_4319 DLSC-VPE F CHAR 3  
IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRIMARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DFSORT WORK AREA.

4320 IDS-SECD-WS-ALOC-QY SECD\_WS\_ALOC\_4320 DLSC-VPE F CHAR 3  
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY  
SECONDARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DFSORT WORK AREA.

4321 IDS-STOR-UNIT-TYP-TX STOR\_UNIT\_TYP\_4321 DLSC-VPE F CHAR 5  
IDS STORAGE UNIT TYPE TEXT  
TYPE OF STORAGE (DISK, TAPE, CART). VALID VALUES ARE SYSDA, CART, MANL (MANUALLY MOUNTED CARTRIDGES), TP8MM, TAPE.

4322 IDS-FILE-RET-TIME-QY FILE\_RET\_TIME\_4322 DLSC-VPE F CHAR 3  
IDS FILE RETENTION TIME QUANTITY  
LENGTH OF TIME TO RETAIN FILE IN DAYS. VALID ENTRIES ARE 0 - 365.

4323 IDS-FXD-OP-LRECL-QY FXD\_LRECL\_4323 DLSC-VPE F CHAR 5  
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY  
RECORD LENGTH FOR FIXED OUTPUT. VALID VALUES ARE 18 - 32764.

4324 IDS-FXD-OP-BLCKSZ-QY FXD\_BLCKSZ\_4324 DLSC-VPE F CHAR 5  
IDS FIXED OUTPUT BLOCK SIZE QUANTITY  
BLOCKSIZE FOR FIXED OUTPUT. VALID VALUES ARE 0 - 32768.

4325 IDS-ASCII-IND-CD ASCII\_IND\_4325 DLSC-VPE F CHAR 1  
IDS ASCII INDICATOR CODE  
AN INDICATOR IF OUTPUT IS TO BE IN ASCII FORMAT (Y/N).

4326 IDS-PRFL-PRFX-TX PRFL\_PRFX\_TX\_4326 DLSC-VPE F CHAR 8  
IDS PROFILE PREFIX TEXT  
DB2 HLQ. VALID ENTRIES ARE ANY DB2 PROFILE PREFIX, I.E. DLCDBAP, DLCITX, ETC.

4327 IDS-PRFX-JCL-MBR-NM PRFX\_JCL\_MBR\_4327 DLSC-VPE F CHAR 6  
IDS PREFIX JCL MEMBER NAME  
PREFIX OF JCL MEMBER NAMES. VALID ENTRIES MUST BEGIN WITH AN ALPHA CHARACTER AND INCLUDE ONLY CHARACTERS ALLOWED FOR MEMBER NAMES BY MVS.

4328 IDS-FILEAID-MBR-NM FILEAID\_MBR\_4328 DLSC-VPE F CHAR 8  
IDS FILEAID MEMBER NAME  
THE NAME OF PARMLIB MEMBER WHICH CONTAINS USER-DEVELOPED FILEAID CONTROL STATEMENTS.

4329 IDS-CANC-ITM-IND-CD CANC\_ITM\_IND\_4329 DLSC-VPE F CHAR 1  
IDS CANCELLED ITEM INDICATOR CODE  
CODE WHICH CONSISTS OF VALUES "Y" OR "N" AND INDICATES WHETHER CANCELLED ITEMS SHOULD BE INCLUDED IN A PUBLICATION UPDATE AND MASTER FILE.

4356 KHN-ACTY-IND KHN\_ACTY\_IND\_4356 DLSC-SBA F CHAR 1  
KHN ACTIVITY INDICATOR



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TO IDENTIFY RECIPIENTS OF CAGE/NATO KHN OUTPUT. KHN ACTIVITY INDICATOR VALUES ARE AS FOLLOWS: D=DLA SERVICE CENTER FORMAT, N=NATO KHN FORMAT, A=ALL SPECIFIED FORMATS.

4361	CCR-DUNS-PLUS4-ID	DUNS_PLUS4_4361	DLSC-SBC	F CHAR	4
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS4 IDENTIFIER THE IDENTIFIER THAT REPRESENTS AN ADDITIONAL BREAKOUT, SUCH AS A SUBDIVISION OF A COMPANY THAT HAS AN ASSIGNED DUNS.					
4363	CCR-INCORP-CTRY-ABR-CD	INCORP_CTRY_4363	DLSC-SBC	F CHAR	3
CENTRAL CONTRACTOR REGISTRATION INCORPORATION COUNTRY ABBREVIATION CODE THE COUNTRY IN WHICH THE COMPANY WAS INCORPORATED.					
4364	CCR-AVG-NBR-EMPL-QY	AVG_NBR_EMPL_4364	DLSC-SBC	F INTEGER	10
CENTRAL CONTRACTOR REGISTRATION AVERAGE NUMBER EMPLOYEES QUANTITY THE AVERAGE NUMBER OF EMPLOYEES FOR THE PREVIOUS YEAR.					
4365	CCR-CO-RVNU-AM	CO_RVNU_4365	DLSC-SBC	F INTEGER	13
CENTRAL CONTRACTOR REGISTRATION COMPANY REVENUE AMOUNT THE AVERAGE ANNUAL REVENUES FOR THE PRECEDING 3 YEARS IN U.S. DOLLARS.					
4367	CCR-CO-FSCL-END-DT	CO_FSCL_END_4367	DLSC-SBC	F CHAR	8
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE THE ACCOUNTING PERIOD CLOSE DATE, IN THE FORM OF MM/DD/YY.					
4369	CCR-PREV-GOVT-ISS-ID	PREV_GOVT_ISS_4369	DLSC-SBC	F CHAR	45
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTIFIER THE GOVERNMENT ISSUING DEPARTMENT OR AGENCY HAVING ASSIGNED A PRIOR FEDERAL ID NUMBER.					
4372	CCR-SEC-LVL-NM	SEC_LVL_4372	DLSC-SBC	F CHAR	15
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME THE HIGHEST SECURITY LEVEL OF THE FACILITY.					
4376	CCR-CRED-CRD-BUS-CD	CRED_CRD_BUS_4376	DLSC-SBC	F CHAR	1
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS CODE A CODE THAT INDICATES WHETHER THIS COMPANY CAN DO BUSINESS USING GOVERNMENT CREDIT CARD. VALID VALUES: Y=YES N=NO					
4377	CCR-ST-ADRS-TX	CCR_ST_ADRS_4377	DLSC-SBC	F CHAR	35
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT THE STREET ADDRESS OF THE REGISTERING PARTY.					
4380	EDI-TRAN-SET-NBR-ID	EDI_TRAN_NBR_4380	DLSC-SBC	F CHAR	3
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENTIFIER A 3 POSITION NUMBER ASSIGNED TO AN ELECTRONIC DATA INTERCHANGE (EDI) TRANSACTION SET BY THE AMERICAN NATIONAL STANDARD INSTITUTE (ANSI), USING X12. VALID VALUES: 001-999					
4383	CCR-DOING-BUS-AS-NM	DBA_NM_4383	DLSC-SBC	F CHAR	35
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME A NAME USED BY THE REGISTERING PARTY OTHER THAN THE INCORPORATED OR REGISTERED NAME.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4386 CCR-CO-PMT-MTHD-ID CO\_PMT\_MTHD\_4386 DLSC-SBC F CHAR 7  
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIER  
AN IDENTIFIER THAT DESCRIBES THE METHOD OF PAYMENT(S) ALLOWED BY THE COMPANY.

4388 CCR-CO-NM-SEQ-NBR-ID CO\_NM\_SEQ\_NBR\_4388 DLSC-SBC F INTEGER 1  
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER IDENTIFIER  
THE IDENTIFIER THAT REPRESENTS A SEQUENTIAL NUMBER ASSIGNED TO A COMPANY NAME. THIS NUMBER IS USED TO KEEP THE ORDER OF THE COMPANY NAME (3 LINES OF NAME).

4389 CCR-DUNS-LST-ACTN-CD DUNS\_LST\_ACTN\_4389 DLSC-SBC F CHAR 1  
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE  
AN INTERNAL CODE USED TO DISPLAY THE TYPE OF ACTION LAST DONE TO A DUNS NUMBER RECORD. VALID VALUES: A=ADD, U=UPDATE, R=REPLACED, C=CANCELLED

4391 CCR-TYP-BUS-DEF-TX CCR\_TYP\_DEF\_4391 DLSC-SBC F CHAR 50  
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT  
THE CLEAR TEXT DEFINITION OF CCR-TYP-BUS-ID (DRN 4375).

4398 ZIP-ADD-ON-CD ZIP\_ADD\_ON\_4398 DLSC-SB F CHAR 4  
ZIP ADD-ON CODE  
A POST OFFICE ASSIGNED CODE WHICH FURTHER SUBDIVIDES THE ZIP CODE. THIS CODE FOLLOWS THE ZIP CODE.

4399 ZIP-PLUS-FOUR-CD ZIP\_PLUS\_FOUR\_4399 DLSC=SB F CHAR 10  
ZIP PLUS FOUR CODE  
A POST OFFICE ASSIGNED CODE WHICH IDENTIFIES A SMALL GEOGRAPHIC DELIVERY AREA THAT IS SERVICEABLE BY A SINGLE CARRIER. IT IS A COMBINATION OF ZIP CODE AND ZIP PLUS FOUR CODE SEPARATED BY A DASH.

4400 ZIP-CD ZIP\_CD\_4400 DLSC=SB F CHAR 5  
ZIP CODE  
A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF.

4401 ITEM-NAME-KEYWORD ITEM\_NM\_KY\_WD\_4401 DLSC-SB CHAR 35  
ITEM NAME KEY WORD

4402 TMSTMP2 TMSTMP2\_4402 DLSC-SB F TIMESTMP 26  
TIME STAMP 2  
TIME STAMP FOR A DLSC EFFECTIVE DATED ITEM.

4403 TAIL-SEQ-NO TAIL\_SEQ\_NO\_4403 DLSC-SB F SMALLINT 4  
TAIL SEQUENCE NUMBER  
SEQUENCE IN WHICH THE MRCS ARE TO BE OUTPUT FOR TAILORED CHARACTERISTICS

4404 GDE-NBR-FIIG-SEQ-NO FIIG\_SEQ\_NO\_4404 DLSC-SB F SMALLINT 4  
FIIG SEQUENCE NUMBER  
DESIGNATES THE SEQUENCE OF MRCS ON THE EDIT GUIDE AS DETERMINED BY THE FIIG

4405 INC-APPLIC-IND INC\_APPL\_IND\_4405 DLSC-SB F CHAR 1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## INC APPLICATION INDICATOR

DETERMINES IF A PROGRAM HAS TO ACCESS AN INDIVIDUAL FORMAT GUIDE FOR A PARTICULAR INC OR 5 BALLER INC. A '5 BALLER' MEANS THAT ALL THE MRCS ARE THE SAME FOR ALL OF THE INCS UNDER A PARTICULAR FIIG. VALID VALUES: 'Y' - ACCESS THE 5 BALLER INC OF '00000', 'N' - ACCESS THE INDIVIDUAL INC.

4407 MRC-SEQ-NBR MRC\_SEQ\_NBR\_4407 DLSC-S F SMALLINT 4  
MASTER REQUIREMENT CODE SEQUENCE NUMBER  
A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF MASTER REQUIREMENTCODES (MRCS). THIS DRN WILL APPEAR IN TABLES 115 AND 116.

4408 RPLY-SEQ-NBR RPLY\_SEQ\_NBR\_4408 DLSC-S F SMALLINT 4  
REPLY SEQUENCE NUMBER  
A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF A REPLY CODE FOR APARTICULAR MASTER REQUIREMENT CODE (MRC). THIS DRN WILL APPEAR IN TABLES 115 AND 116.

4409 PRPY-IND PRPY\_IND\_4409 DLSC-S F CHAR 1  
PROPRIETARY INDICATOR  
AN INDICATOR CODE THAT DESIGNATES IF A MASTER REQUIREMENT CODE (MRC) IS PROPRIETARY. CODE Y INDICATES THE MRC IS PROPRIETARY, CODE N INDICATES THE MRC IS NOT PROPRIETARY.

4410 AND-OR AND\_OR\_4410 DLSC-SCA F CHAR 2  
AND OR  
USED TO INDICATE WHETHER TO USE AND OR OR AS THE CONNECTOR OF TEXT FROM CODED CLEAR REPLY.

4411 UNIT-MEAS-DES UNIT\_MEAS\_DES\_4411 DLSC-SCA V VARCHAR 2000  
UNIT OF MEASURE DESIGNATION  
THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.

4412 SKIP-COUNT SKIP\_CNT\_4412 DLSC-SC F CHAR 1  
SKIP COUNT  
INDICATES THE NUMBER OF POSITIONS TO BE SKIPPED BEFORE THE UNIT OF MEASURE COMPUTATION IS REACHED.

4413 CHNG-RPLY-FRM CHNG\_RPLY\_FRM\_4413 DLSC-SC V CHAR 6  
CHANGE REPLY FROM  
THE UNIT OF MEASURE THAT IS CHANGED (E.G., MILLIMETERS CHANGED TO INCHES).

4414 CHNG-RPLY-TO CHNG\_RPLY\_TO\_4414 DLSC-SB V CHAR 6  
CHANGE REPLY TO  
THE UNIT OF MEASURE THAT IS CHANGED TO (E.G., MILLIMETERS CHANGED FROM INCHES).

4415 COCO-CONV-TYPE COCO\_CONV\_TYP\_4415 DLSC-SC F CHAR 1  
CONVERSION CONSTANT CONVERSION TYPE  
INDICATES THE TYPE OF MATHEMATICAL COMPUTATION TO BE MADE (E.G., ADD, SUBTRACT, MULTIPLY, FAHRENHEIT, KELVIN OR NOTHING).

4416 CNV-FRM-LEFT CNV\_FRM\_LEFT\_4416 DLSC-SC V DECIMAL 15  
DATA CONVERSION FORMULA FROM LEFT  
THE NUMBER OF INTEGER POSITIONS LEFT OF THE DECIMAL POINT IN A CONVERSION FORMULA.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4417	CNV-FRM-RIGHT DATA CONVERSION FORMULA FROM RIGHT THE NUMBER OF INTEGER POSITIONS RIGHT OF THE DECIMAL POINT IN A CONVERSION FORMULA.	CNV_FRM_RIGHT_4417	DLSC-SC	V DECIMAL	7
4418	DL-REPLY DL REPLY THE REPLY CODE FOR A D OR L MODE CODE MRC.	DL_REPLY_4418	DLSC-SB	F CHAR	6
4419	AB-VALUE AB VALUE THE NUMERIC VALUE FOR AN A OR B MODE CODE MRC.	AB_VALUE_4419	DLSC-SB	F DECIMAL	15
4420	J-MIN-L-VALUE J MIN L VALUE	J_MIN_L_VAL_4420	DLSC-SB	F DECIMAL	15
4421	STORE-TYPE STORE TYPE FLAG INDICATING NOMINAL, MINIMUM OR MAXIMUM OF J-MODE REPLY. INDICATES THE TYPE OF MATHEMATICAL COMPUTATION THAT HAS BEEN MADE (E.G., ADD, SUBTRACT, MULTIPLY, FAHRENHEIT, KELVIN, OR BLANK)	STORE_TYPE_4421	DLSC-SC	F CHAR	1
4422	J-MAX-L-VALUE J MAX L VALUE	J_MAX_L_VAL_4422	DLSC-SB	F DECIMAL	15
4423	J-MIN-R-VALUE J MIN R VALUE	J_MIN_R_VAL_4423	DLSC-SB	F DECIMAL	0
4424	STORE-M-J-TBL STORE M J TABLE THE UNCONVERTED REPLY CODE FOR A J MODE CODE MRC.	STORE_M_J_TBL_4424	DLSC-SB	F CHAR	12
4425	STORE-M-MIN STORE M MINIMUM THE UNCONVERTED MINIMUM/NOMINAL NUMERIC VALUE FOR A J MODE CODE MRC.	STORE_M_MIN_4425	DLSC-SB	V VARCHAR	23
4426	STORE-M-MAX STORE M MAXIMUM THE UNCONVERTED MAXIMUM NUMERIC VALUE FOR A J MODE CODE MRC.	STORE_M_MAX_4426	DLSC-SB	V VARCHAR	23
4427	J-MAX-R-VALUE J MAX R VALUE INDICATES THE DECIMAL PORTION OF THE MAXIMUM NUMERIC VALUE OF A J MODE CODE MRC.	J_MAX_R_VAL_4427	DLSC-SB	F DECIMAL	7
4428	F-MAX-VALUE F MAXIMUM VALUE	F_MAX_VALUE_4428	DLSC-SC	F DECIMAL	15

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MAXIMUM VALUE OF AN F MODE REPLY.

4429	H-TAB1-VALUE H TAB1 VALUE THE REPLY CODE FOR THE 1ST TABLE IN AN H MODE CODE MRC.	H_TAB1_VAL_4429	DLSC-SB	F CHAR	6
4430	H-TAB2-VALUE H TAB2 VALUE THE REPLY CODE FOR THE 2ND TABLE IN AN H MODE CODE MRC.	H_TAB2_VAL_4430	DLSC-SB	F CHAR	6
4431	H-TAB3-VALUE H TAB3 VALUE THE REPLY CODE FOR THE 3RD TABLE IN AN H MODE CODE MRC.	H_TAB3_VAL_4431	DLSC-SB	F CHAR	6
4432	H-TAB4-VALUE H TAB4 VALUE THE REPLY CODE FOR THE 4TH TABLE IN AN H MODE CODE MRC.	H_TAB4_VAL_4432	DLSC-SB	F CHAR	6
4433	H-TAB5-VALUE H TAB5 VALUE THE REPLY CODE FOR THE 5TH TABLE IN AN H MODE CODE MRC.	H_TAB5_VAL_4433	DLSC-SB	F CHAR	6
4434	H-TAB6-VALUE H TAB6 VALUE THE REPLY CODE FOR THE 6TH TABLE IN AN H MODE CODE MRC.	H_TAB6_VAL_4434	DLSC-SB	F CHAR	6
4435	H-TAB7-VALUE H TAB7 VALUE THE REPLY CODE FOR THE 7TH TABLE IN AN H MODE CODE MRC.	H_TAB7_VAL_4435	DLSC-SB	F CHAR	6
4436	H-TAB8-VALUE H TAB8 VALUE THE REPLY CODE FOR THE 8TH TABLE IN AN H MODE CODE MRC.	H_TAB8_VAL_4436	DLSC-SB	F CHAR	6
4437	H-J-TEXT H J TEXT THE CLEAR TEXT REPLY PORTION OF A J MODE CODE MRC, STORED IN THE H-J TEXT TABLE.	H_J_TEXT_4437	DLSC-SB	V VARCHAR	990
4439	MRC-VALUE-COUNT MASTER REQUIREMENT CODE VALUE COUNT COUNT OF MRCs FOR CHARACTERISTIC SEARCH.	MRC_COUNT_4439	DLSC-SC	F INTEGER	7
4443	TMSTMP3 TIME STAMP 3	TMSTMP3_4443	DLSC-SB	TIMESTAMP	26
4444	NBR-OF-TBLS NUMBER OF TABLES	NBR_OF_TBLS_4444	DLSC-SB	INTEGER	4

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4445 PRT-SKLTN-1 PRT\_SKLTN\_1\_4445 DLSC-SC F CHAR 1  
PRINT SKELTON CODE 1  
THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4446 AND 4447.)

4446 PRT-SKLTN-2 PRT\_SKLTN\_2\_4446 DLSC-SC F CHAR 1  
PRINT SKELTON CODE 2  
THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4445 AND 4447.)

4447 PRT-SKLTN-3 PRT\_SKLTN\_3\_4447 DLSC-SC F CHAR 1  
PRINT SKELTON CODE 3  
THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4445 AND 4446.)

4448 KEY-GRP-DESC KEY\_GRP\_DESC\_4448 DLSC-SB CHAR 20  
KEY GROUP DESCRIPTION

4449 TABL-NAME-REM TABL\_NAME\_REM\_4449 DLSC-V V CHAR 200  
TABLE NAME REMAINDER  
THIS FIELD CONTAINS THE REMAINDER OF A TABLE NAME IF THE FIELD DLIS-TBL-NAME (DRN 4466) IS UNABLE TO HOLD THE COMPLETE NAME.

4450 DIDS-SUB-SEC DIDS\_SUB\_SEC\_4450 DLSC-SB F CHAR 3  
DIDS SUB-SECTION  
THE IDENTIFIER USED TO DISTINGUISH PARTS OR SECTIONS OF FLIS PROCEDURES VOLUME 10, CHAPTER 4.

4453 HEAD-NARRTV HEAD\_NARRTV\_4453 DLSC-V F CHAR 79  
HEAD NARRATIVE  
THIS FIELD CONTAINS COLUMN HEADING DATA. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES VOLUME 10 CHAPTER 4, VOLUME 8 CHAPTER 3, AND VOLUME 9 CHAPTER 3.

4454 TRAIL-NARRATV TRAIL\_NARRATV\_4454 DLSC-SB VARCHAR 800  
TRAILING NARRATIVE

4455 DB2-QTBL-NME DB2\_QTL\_NME\_4455 DLSC-SB F CHAR 27  
FULLY QUALIFIED DB2 TABLE NAME

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPRESENTS THE FULLY QUALIFIED DB2 TABLE NAME FOR THE MTR TABLES NEEDED BY THE TUTOR GT HELP SOFTWARE TO PRESENT MTR TABLE DATA (TYPICALLY CODES AND DESCRIPTION) WITHIN THE LOWER SEGMENT OF THE CRT HELP WINDOW. THIS IS DERIVED AND CREATED BY A COMMON MODULE.

4463 STOP-WORD-CDM STOP\_WORD\_CDM\_4463 DLSC-SB CHAR 35  
STOP WORD CDM  
THIS FIELD CONTAINS THE WORDS THAT ARE EXCLUDED FROM ANY CLEAR TEXT KEYWORD SEARCH TABLES.

4465 DB2-TBL-NAME DB2\_TBL\_NAME\_4465 DLSC-V F CHAR 18  
DB2 TABLE NAME  
THIS FIELD CONTAINS THE NAME OF AN IBM DB2 TABLE.

4467 FLIS-SUB-PART DIDS\_SUB\_PART\_4467 DLSC-V F CHAR 3  
FLIS SUBSECTION PART  
THIS FIELD CONTAINS THE SUBSECTION NUMBER IF A TABLE CONTAINS MORE THAN ONE SECTION. USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES VOLUME 10.

4469 DRN-FULL-VALUE DRN\_FULL\_VAL\_4469 DLSC-SBA V VARCHAR 1978  
DRN FULL VALUE  
THE CONTENTS OF THE SPECIFIED DRN INPUT TO THE CATALOGING TOOLS APPLICATION WITHIN A GIVEN TRANSACTION. USED IN THE CATALOG TOOLS EFFECTIVE DATED PROCESSES.

4470 HISTORY-DATE HISTORY\_DT\_4470 DLSC-SB F INTEGER 5  
HISTORY DATE  
THE DATE THE ROW WAS ADDED TO THE HISTORY TABLE. IT WILL BE USED TO PURGE OLD ROWS FROM THE HISTORY FILE.

4471 CAGE-KEYWORD CAGE\_KEYWORD\_4471 DLSC-S F CHAR 25  
CAGE KEY WORD  
IT IS A KEYWORD THAT IS CREATED FOR EACH WORD IN A CAGE NAME THAT IS NOT IN THE STOP-WORD TABLE. IN NEW GROUP ALSO CAGE-CD AND ADRS\_TYP\_CD\_2137.

4472 TMSTMP4 TMSTMP4\_4472 DLSC-SB TIMESTMP 26  
TIME STAMP 4

4473 TMSTMP5 TMSTMP5\_4473 DLSC-SB TIMESTMP 26  
TIME STAMP 5

4474 TMSTMP6 TMSTMP6\_4474 DLSC-SB TIMESTMP 26  
TIME STAMP 6

4475 REF-BACK-MRC REF\_MRC\_4475 DLSC-SCA F CHAR 4  
REFERENCE BACK MASTER REQUIREMENT CODE  
WHEN A MASTER REQUIREMENT CODE (MRC) IN THE CHARACTERISTICS EDIT GUIDE PROCESS CONTAINS THE SAME MODE CODE AND EDIT CRITERIA AS A PREVIOUSLY DEFINED MRC. THIS REFER-BACK MRC IS USED TO REFERENCE (OR POINT TO) THE PREVIOUSLY DEFINED MRC. THIS INSURES EFFICIENT STORAGE OF THE EDIT CRITERIA STATEMENTS AND EASIER MAINTENANCE CAPABILITIES.

4476	QUERY-TYPE	QUERY_TYPE_4476	DLSC-SB	F	CHAR	2
TYPE OF INQUIRY CODE						
A 2 CHARACTER FIELD THAT IS UPDATED RELATED TO THE TYPE OF SEARCH USER PERFORMS. THIS ELEMENT WILL BE USED BY MANAGEMENT STATS TO COMPUTE STATISTICS BY TYPE OF INQUIRY CODE FOR LOLA.						
4477	INQ-OUT-VIEW	INQ_OUT_VIEW_4477	DLSC-SB	F	CHAR	20
INQUIRY OUT VIEW						
THIS IS A 20 CHARACTER FIELD THAT IS MATRIXED TO RECORD THE TYPE OF VIEWS THAT WERE SELECTED BY USER FOR INQUIRY OUTPUT. AN X IS USED TO DENOTE EACH VIEW SELECTED.						
4486	DB2-KEY-LENGTH	DB2_KEY_LEN_4486	DLSC-SB	F	DECIMAL	3
DB2 TABLE PRIMARY KEY LENGTH						
REPRESENTS THE LENGTH OF THE PRIMARY KEY FOR THOSE DB2 MTR TABLES NECESSARY TO SUPPORT THE TUTOR GT HELP PRODUCT IN PARSING THE MTR TABLE DATA THAT WILL BE PRESENTED IN THE LOWER SEGMENT OF THE KEY FROM THE ASSOCIATED DATA SO THAT IT WILL BE MORE READABLE. THIS IS DERIVED AND CREATED BY A COMMON MODULE.						
4488	CONCEPT-NBR	CONCEPT_NBR_4488	DLSC-SB	F	CHAR	1
CONCEPT NUMBER						
CONCEPT NUMBER IS USED TO DIFFERENTIATE HOW A PARTICULAR ITEM NAME SHOULD BE USED.						
4489	ROW-OBS-DT	ROW_OBS_DT_4489	DLSC-SB	F	INTEGER	7
ROW OBSOLETE DATE						
THE DATE A DATABASE DB2 RECORD WILL BECOME OBSOLETE AND NO LONGER VALID AS CURRENT DATA.						
4490	STATE-NAME	STATE_NAME_4490	DLSC-V	F	CHAR	20
STATE NAME						
FULL, CLEAR TEXT NAME OF STATE.						
4491	HLP-PRC-PGMNM	HLP_PRC_PGMNM_4491	DLSC-V	F	CHAR	8
HELP PROCEDURE PROGRAM NAME						
AN 8 CHARACTER ELEMENT THAT IDENTIFIES THE PROGRAM WHICH WOULD PROCESS THIS TABLE NUMBER WITHIN THE PROCEDURES APPLICATION OF LOLA.						
4492	DB2-GRP-NUM	DB2_GRP_NUM_4492	DLSC-V	F	CHAR	3
DB2 GROUP NUMBER						
THE DB2 GROUP NUMBER IS AN ARBITRARY NUMBER ASSOCIATED WITH EACH DB2 TABLE.						
4495	FST-POS-MR	FST_POS_MR_4495	DLSC-SBA	F	CHAR	1
FIRST POSITION MOE RULE						
THE FIRST POSITION OF THE MOE RULE IS VALIDATED AGAINST THE MOE_CD_2833.						
4496	NSCM-CTRY-ABBRV		DLSC-SC	F		3
NSCM COUNTRY ABBREVIATION						
THIS IS A THREE POSITION ALPHABETIC ABBREVIATION FOR A COUNTRY HAVING NSCM CODES ON DLSC FILES.						
4497	INCL-EXCL-CD	INCL_EXCL_CD_4497	DLSC-SBA	F	CHAR	1
INCLUSIVE EXCLUSIVE CODE						
A CODE SHOWING WHETHER A FSC OR FSG IS TO BE INCLUDED OR EXCLUDED FROM A MOE RULE NUMBER. I = INCLUSIVE E = EXCLUSIVE						



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4499	AUTH-INPUT-DIC AUTHORIZED INPUT DIC CLEAR TEXT VALUES OF AUTHORIZED INPUT DICs IN A STRING USED IN DLIS VOL 10.4.104, PART 2.	DLSC-V	V	VARCHAR	200
4503	DOD-CAT-ACT-SGL-SUB DOD CATALOG ACTION SINGER SUBMITTER THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.	CAT_SGL_SUB_4503 DLSC-V	F	CHAR	30
4504	FSC-MOE-RL-CHG-IND-CD-TI FSC MOE RULE CHANGE INDICATOR CODE TITLE THIS FIELD CONTAINS THE SINGLE WORD TITLE FOR THE FSC-MOE-RULE-CHNG-IND (DRN 0122) IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 166.	FSC_M_RL_C_TI_4504 DLSC-V	F	CHAR	9
4505	DRP-NOTIF-OR-MAINT-IND DROP NOTIFICATION OR MAINTENANCE INDICATOR THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR N FOR NOTIFICATION M FOR MAINTENANCE AND SUPPORT FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 104 PART 3.	DRP_N_OR_M_4505 DLSC-V	F	CHAR	1
4506	AUTH-INTEROG-SUB AUTHORIZED INTERROGATION SUBMITTER THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THE FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.	AUTH_INT_SUB_4506 DLSC-V	F	CHAR	30
4507	AUTH-FL-UPDT-RCVRS AUTHORIZED FILE UPDATE RECEIVERS THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN DLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 20. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.	AUTH_UPD_RCVR_4507 DLSC-V	F	CHAR	30
4508	SEG-IP-TRAN SEGMENT INPUT TRANSACTIONS SEGMENT-RELATED INPUT TRANSACTION FORMATTED AS EXTERNAL INPUT.	SEG_IP_TRAN_4508 DLSC-SBA	F	CHAR	80
4511	FMT-REMARKS FORMAT REMARKS REFERENCE NUMBER FORMAT CRITERIA FOR SPECIFIC CAGEs (DLIS VOL 10.4.21) REMARKS.	FMT_REMARKS_4511 DLSC-V	V	VARCHAR	200
4513	AAT-LBL-ID-ACCESS AMLS ACCESS TABLE LABEL ID ACCESS CODE AUTOMATED MAILING LABEL SYSTEM USERS LABEL ID ACCESS CODE. IF VALUE = I USER CAN ONLY PERFORM INQUIRIES ON THE CORRESPONDING LABEL ID DATA. IF VALUE = U, USER CAN PERFORM INQUIRIES AND UPDATES.	AAT_LID_ACES_4513 DLSC-VOL	F	CHAR	1
4514	AMLS-LBL-ID-ACCESS AMLS ACCESS TABLE LABEL ID ACCESS CODE ACCESS TYPE CODE FOR MAILING LABEL SYSTEM USERS BASE LABEL DATA. IF CODE = I USER CAN INQUIRE ON DATA. IF CODE = U USER CAN INQUIRE AND UPDATE DATA.	AMLS_LID_ACES_4514 DLSC-V	F	CHAR	1
4518	ROW-NBR ROW-NBR	ROW_NBR_4518 DLSC-V	F	INTEGER	5

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## ROW NUMBER

THIS FIELD CONTAINS A NUMBER WHICH IS USED TO ORDER THE ROWS OR LINES OF TEXTUAL DATA FROM TEXT TABLE.

4519 TEXT-LINE TEXT\_LINE\_4519 DLSC-V F CHAR 78

TEXTUAL LINE

THIS FIELD CONTAINS A FORMATTED LINE OF TEXT FROM A TEXT TABLE.

4521 AIR-SP-HDLG-PT-1 AIR\_S\_HDLG\_P1\_4521 DLSC-S F CHAR 1

AIR SPECIAL HANDLING PART 1

THIS FIELD CONTAINS ONE OF THE SECOND POSITIONS (AIR SPECIAL HANDLING CODE) AUTHORIZED IN PART 1 OF TABLE 85 (FLIS PROCEDURES VOL 10).

4522 AIR-SP-HDLG-SUB-1 AIR\_S\_HDLG\_S1\_4522 DLSC-S F CHAR 1

AIR SPECIAL HANDLING SUB 1

THIS FIELD CONTAINS THE KEY CODE FOR THE FIRST SUBGROUP OF PART 1 (SECOND POSITION AIR SPECIAL HANDLING CODES).

4523 AIR-SP-HDLG-SUB-2 AIR\_S\_HDLG\_S2\_4523 DLSC-S F CHAR 1

AIR SPECIAL HANDLING SUB 2

THIS FIELD CONTAINS THE KEY CODE FOR THE SECOND SUBGROUP OF PART 1 (SECOND POSITION AIR SPECIAL HANDLING CODES).

4524 AIR-SP-HDLG-PT-2 AIR\_S\_HDLG\_P2\_4524 DLSC-S F CHAR 1

AIR SPECIAL HANDLING PART 2

THIS FIELD CONTAINS ONE OF THE SECOND POSITIONS (AIR SPECIAL HANDLING CODE) AUTHORIZED IN PART 2 OF TABLE 85 (FLIS PROCEDURES VOL 10).

4528 DLIS-SEG-NOTE1 SEG\_NOTE\_NBR1\_4528 DLSC-V F SMALLINT 4

DLIS SEGMENT NOTE NUMBER1

THIS FIELD CONTAINS A PRIMARY NOTE NUMBER REFERENCE TO NOTE AT THE BOTTOM OF THE PRINTED TABLE IN FLIS PROCEDURES (DOD 4100.39) VOL 8 AND 9.

4529 DLIS-SEG-NOTE2 SEG\_NOTE\_NBR2\_4529 DLSC-V F SMALLINT 4

DLIS SEGMENT NOTE NUMBER2

THIS FIELD CONTAINS A SECONDARY NOTE NUMBER REFERENCE TO A NOTE AT THE BOTTOM OF THE PRINTED TABLE IN FLIS PROCEDURES (DOD 4100.39) VOL 8 AND 9.

4531 RPD MRC-KFP-FU-IND RPD MRC\_FU\_IND\_4531 DLSC-SBA F CHAR 1

RPD MRC KFP FOLLOW UP INDICATOR

THIS IS A NUMERIC 1 POSITION INDICATOR. IT IS USED TO TELL THE PROGRAM LOGIC WHEN THE 2ND, AND FINAL, KFP IS GOING OUT. WITHOUT THIS INDICATOR THE PROGRAM LOGIC WILL NOT KNOW WHEN IF TO PROCESS THE 2ND, AND FINAL, RPD MRC KFP. THIS IS AN ADDITION THAT PERTAINS TO THE RPD MRC FOLLOW UP TABLE. FOR THE 1ST KFP IT MAY CONTAIN A VALUE OF 0 OR 1. FOR THE 2ND KFP IT MAY CONTAIN ONLY A VALUE OF 2.

4532 RPD MRC-KFP-FU-DT RPD MRC\_FU\_DT\_4532 DLSC-SBA F DATE 7

RPD MRC KFP FOLLOW UP DATE

THIS IS A NUMERIC 7 POSITION JULIAN DATE. IT IS USED IN CONJUNCTION WITH A NIIN (NCB\_CD\_4130 AND I\_L\_NBR\_4131) TO ESTABLISH A SPECIFIC DATE WHEN A KFP NEEDS TO BE SENT TO THE MANAGER OF THE NIIN. IT IS ESTABLISHED WHEN A FLIS INPUT TRANSACTION REQUESTS THE ASSIGNMENT OF A NEW NIIN WITH A RPD MRC CODE (DRN 4765) OF 5, AND A NIIN IS ASSIGNED. THE TABLE CONTAINING THIS DATA ELEMENT MUST BE LOADED BY THE PROGRAM LOGIC THAT PROCESSES AND APPROVES REQUESTS FOR NEW NIINS. NOTE: IF YOU WANT TO SWITCH THE ABRV NAME AND THE ALIAS IT IS OK.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4535 SIN-MULT-OP-CD                      SIN\_MLT\_OP\_CD\_4535                      DLSC-SBA                      F CHAR                      1  
SINGLE/MULTIPLE OUTPUT CODE

A CODE TO INDICATE THAT NOTIFICATION OF NATIONAL STOCK NUMBER FOUND THROUGH PROVISIONING SCREENING OR ASSIGNED TO NEW ITEM IDENTIFICATION IS TO BE FURNISHED TO ONE/SINGLE OUTPUT/OR MORE THAN ONE/MULTIPLE OUTPUT/ACTIVITY. INCLUDES GOVERNMENT AND CONTRACTOR ACTIVITIES. SEE VOLUME 10, TABLE 11 AND QUICK INFO ON-LINE.

4538 DATA-OVRD-CD                      DATA\_OVRD\_CD\_4538                      DLSC-SC                      F CHAR                      1  
DATA OVERRIDE CODE

A CODE UTILIZED IN A DELETE TRANSACTION TO PERMIT DELETION OF A COMPLETE ORGANIZATIONAL ENTITY RECORD FROM THE SYSTEM SUPPORT RECORD WHEN THE DATA IS PROTECTED BY A DATA PROTECT CODE /DRN 4539/.

4539 DATA-PROT-CD                      DATA\_PROT\_CD\_4539                      DLSC-SC                      F CHAR                      1  
DATA PROTECT CODE

A CODE USED TO INDICATE THAT AN ORGANIZATIONAL ENTITY RECORD CANNOT BE DELETED WITHOUT THE PRESENCE OF A DATA-OVER-RIDE CODE /DRN 4538/ IN THE INPUT TRANSACTION. VALID VALUES: P = PROTECTED, BLANK = NOT PROTECTED.

4540 DELT-RSN-CD                      DELT\_RSN\_CD\_4540                      DLSC-SBA                      F CHAR                      1  
DELETION REASON CODE

A CODE IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION TYPE ACTION. SEE VOLUME 10, TABLE 25 AND QUICK INFO ON-LINE.

4541 GIRDER-CD-NEW-1                      GRDR\_CD\_NW\_1\_4541                      DLSC-SBA                      F CHAR                      2  
GIRDER CODE NEW NUMBER 1

A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. ONE OF TWO CODES USED IN COMBINATION.

4542 GIRDER-CD-NEW-2                      GRDR\_CD\_NW\_2\_4542                      DLSC-SBA                      F CHAR                      2  
GIRDER CODE NEW NUMBER 2

A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. SECOND OF TWO CODES USED IN COMBINATION.

4543 GIRDER-SEQ-NBR                      GRDR\_SEQ\_NBR\_4543                      DLSC-SBA                      F INTEGER                      7  
GIRDER RECORD SEQUENCE NUMBER

DATA RETRIEVAL, GIRDER PROCESS SEQUENTIAL NUMBER USED TO MAINTAIN THE SEQUENCE OF RECORDS WITHIN THE TABLE.

4544 GIRDER-NEW-CAGE-CD                      GRDR\_NW\_CG\_CD\_4544                      DLSC-SBA                      F CHAR                      5  
GIRDER NEW CAGE CODE

A CAGE CODE SUPPLIED BY THE MANUFACTURER TO CHANGE THE EXISTING CAGE FOR AN ITEM IN THE GIRDER PROCESS.

4545 GIRDER-NEW-REF-NBR-LOG                      GRDR\_NW\_RN\_LG\_4545                      DLSC-SBA                      F CHAR                      32  
GIRDER NEW REFERENCE NUMBER LOGISTICS

A REFERENCE NUMBER SUPPLIED BY THE MANUFACTURER TO BE USED IN THE TRANSACTIONS CREATED FOR THE SUBMITTED ITEM.

4546 GIRDER-MFR-DATA                      GRDR\_MFR\_DATA\_4546                      DLSC-SBA                      F VARCHAR                      100  
GIRDER MANUFACTURER SUPPLIED DATA

DATA SUPPLIED BY THE MANUFACTURER TO BE USED IN THE GIRDER PROCESS.

4547 GIRDER-DUP-PROTECTED                      GRDR\_DUP\_PROT\_4547                      DLSC-SBA                      F CHAR                      83  
GIRDER DUPLICATE COPY PROTECTED DATA

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATA USED IN THE GIRDER PROCESS THAT EXISTS ON THE DUPLICATE COPY FILE AND MAY NOT HAVE ANY CHANGES IN THE GIRDER-MFR-PROTECTED AREA.

4548	GIRDER-MFR-PROTECTED	GRDR_MFR_PROT_4548	DLSC-SBA	F CHAR	83
GIRDER MANUFACTURER PROTECTED DATA RECORD IDENTIFICATION DATA USED IN THE GIRDER PROCESS. THE DATA MAY NOT BE ALTERED BY THE MANUFACTURER. GIRDER-DUP-PROTECTED IS USED TO VERIFY THAT NO CHANGES HAVE BEEN MADE.					
4549	PRIM-DIC	PRIM_DIC_4549	DLSC-SBA	F CHAR	3
PRIMARY DOCUMENT IDENTIFIER CODE IDENTIFIES A PRIMARY INPUT TRANSACTION TO THE SYSTEM WHEN MULTIPLE TRANSACTIONS ARE SUBMITTED UNDER THE SAME DOCUMENT NUMBER.					
4551	BUL-BRD-GEN-DT	BB_GEN_DT_4551	DLSC-V	F INTEGER	9
BULLETIN BOARD GENERATED DATE DATE THE PROCEDURES INQUIRY BULLETIN IS GENERATED.					
4552	BUL-BRD-SEQ-NBR	BB_SEQ_NBR_4552	DLSC-V	F CHAR	2
BULLETIN BOARD SEQUENCE NUMBER SEQUENCE NUMBER TO UNIQUELY IDENTIFY THE PROCEDURES INQUIRY BULLETIN IF MORE THAN ONE TEXT OF BULLETIN BOARD IS NEEDED.					
4553	BUL-BRD-AREA-TO-ID	BB_AREA_TO_ID_4553	DLSC-V	F CHAR	10
BULLETIN BOARD AREA TO IDENTIFICATION AREA THE PROCEDURES INQUIRY BULLETIN PERTAINS TO.					
4554	BUL-BRD-AREA-FRM-ID	BB_AREA_FM_ID_4554	DLSC-V	F CHAR	10
BULLETIN BOARD AREA FROM IDENTIFICATION AREA THE PROCEDURES INQUIRY BULLETIN IS COMING FROM.					
4555	BUL-BRD-SUBJ-NM	BB_SUBJ_NM_4555	DLSC-V	V VARCHAR	70
BULLETIN BOARD SUBJECT NAME SUBJECT OF THE PROCEDURES INQUIRY BULLETIN.					
4556	BUL-BRD-TXT	BB_TXT_4556	DLSC-V	V VARCHAR	4004
BULLETIN BOARD TEXT THE TEXT OF THE PROCEDURES INQUIRY BULLETIN.					
4557	RTN-CD-DRN-CMNT	RTN_CD_DRN_CM_4557	DLSC-V	F CHAR	11
RETURN CODE DRN COMMENT THIS FIELD IS USED FOR SPECIAL DRN COMMENTS WHICH DEPEND ON RETURN CODE FOR FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 10.2.					
4558	COG-CD-CMNT-NVY	COG_CD_NV_CM_4558	DLSC-V	F CHAR	50
COGNIZANCE CODE COMMENT NAVY THIS FIELD IS USED FOR SPECIAL COMMENTS RELATING TO A NAVY COGNIZANCE CODE IN FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 111.					
4559	RTN-CD-CMNT	RTN_CD_CMMT_4559	DLSC-V	F CHAR	1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## RETURN CODE COMMENT

THIS FIELD IS USED TO IDENTIFY WHICH SPECIAL COMMENT IS APPLICABLE FROM FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 10.2.

4562 OLD-DAI DLSC-V F 25  
OLD DATA ASSET IDENTIFIER

THIS DATA ELEMENT IS USED IN AN UPDATE MEDALS TRANSACTION TO CHANGE THE DAI. IT IDENTIFIES THE DATA ASSET IDENTIFIER (DRN 2631) WHICH IS TO BE CHANGED.

4564 TMSTMP1 TMSTMP1\_4564 DLSC-V F TIMESTMP 26  
TIME STAMP 1

TIME STAMP USED AS PART KEY TO DIFFERENTIATE YYYY - YEAR IDENTICAL ROWS IN A DB2 TABLE. MM - MONTH YYYY-MM-DD-HH.MM.SS.NNNNNN DD - DAY EXAMPLE: 1990-10-27-03.30.00 HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS

4571 MASS-CHNG-INC MC\_INC\_4571 DLSC-SC F CHAR 5  
MASS CHANGE DATABASE ITEM NAME CODE

A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A CONVEYANCE TO UPDATE THE PROGRESSION OF AN ITEM NAME CODE. THE PROGRESSION MAY BE CAUSED EITHER BY BEING A REPLACEMENT FOR AN ALREADY EXISTING ITEM NAME CODE OR MIGRATING FROM ONE FIIG TO ANOTHER.

4572 MASS-CHNG-CHAR-TMSTMP MC\_CDG\_TMSTMP\_4572 DLSC-SC F DATE 10  
MASS CHANGE TIME CHARACTERISTICS DATA GROUP

A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A KEY TO ALLOW ACCESS AND UPDATE OF A REPLY AND OTHER ASSOCIATED DATA ELEMENTS TO A PARTICULAR NIIN. THIS IS AN IBM TIMESTAMP FIELD.

4573 MASS-CHNG-LGG-TMSTMP MC\_LGG\_TMSTMP\_4573 DLSC-SC F DATE 10  
MASS CHANGE DEFENSE LOGISTICS TIME LOG

A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED FOR RESTORATION AND BROWSE PURPOSES. THIS DATA FIELD IS THE KEY ELEMENT THAT ALLOWS THE USER TO BROWSE A PAST MASS CHANGE CRITERIA STATEMENT APPLIED TO A PARTICULAR NIIN. ADDITIONALLY, THIS ELEMENT IS THE KEY TO RESTORING ANY LGG TRANSACTION THAT FALLS WITHIN THE PREDEFINED RESTORATION TIMEFRAME. THIS IS AN IBM TIMESTAMP FIELD.

4574 MASS-CHNG-GDE-NBR-FIIG MC\_FIIG\_4574 DLSC-SC F CHAR 6  
MASS CHANGE GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUID

A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A CONVEYANCE TO UPDATE THE PROGRESSION OF A FIIG FROM TEST (A T FIIG) TO PRODUCTION (AN A FIIG) OR THE ESTABLISHMENT OF AN ENTIRELY NEW FIIG DUE TO GROWTH DEMANDS THAT NECESSITATES ITS SUBDIVISION. THE COMPLETE DESCRIPTION OF THE (MOTHER) FIIG IS DEFINED IN DRN 4065.

4575 MASS-CHNG-CDG MC\_CDG\_4575 DLSC-SC V VARCHAR 1005  
MASS CHANGE CHARACTERISTICS DATA GROUP

A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A REPOSITORY FOR INFORMATION AS IT AFFECTS A PARTICULAR NIIN. COMPONENTS OF THIS ELEMENT INCLUDE SECONDARY ADDRESS INDICATOR (DRN 9485), SECONDARY ADDRESS CODE (DRN 8990), MODE CODE (DRN 4735), AND REPLY (DRN 4128).

4581 INTRNL-EXTRNL-IND IN\_EX\_IND\_4581 DLSC-V F CHAR 1  
INTERNAL EXTERNAL INDICATOR

THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR. I FOR INTERNAL E FOR EXTERNAL THE PRIMARY USE OF THIS FIELD IS WITH THE DIC INFORMATION TABLES TO INDICATE INTERNAL AND EXTERNAL IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4582 BSC-CMB-IMM-IND BSC\_CM\_IM\_IND\_4582 DLSC-V F CHAR 1

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

BASIC COMBINATION OR INTEGRATED MATERIAL MANAGER INDICATO

THIS FIELD WILL CONTAIN A SINGLE CHARACTER INDICATOR. B FOR BASIC C FOR COMBINATION I FOR IMM OR INTEGRATED MATERIAL MANAGER THE PRIMARY USE OF THIS FIELD IS WITH THE DIC INFORMATION TABLE TO INDICATE BASIC OR COMBINATION IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4583 EDT-VAL-CRIT-EXPL ED\_VAL\_CRI\_EX\_4583 DLSC-V V VARCHAR 1400

EDIT VALIDATION CRITERIA EXPLANATION

THIS FIELD CONTAINS A VARIABLE LENGTH NARRATIVE OF THE EDIT VALIDATION CRITERIA FOR A GIVEN DRN AND RETURN CODE AS DISCUSSED IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4584 FILE-VAL-IND FILE\_VAL\_IND\_4584 DLSC-V F CHAR 1

FILE VALIDATION INDICATOR

THIS FIELD MAY BE BLANK OR CONTAIN AN F. THE PRESENCE OF AN F INDICATES THAT THE INPUT DATA ELEMENT FIELD IDENTIFIED BY THE DRN IS VALIDATED AGAINST THE DATA ELEMENT FIELD STORED IN THE DATA BASE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4591 IN-OR-OUT-IND I\_OR\_O\_IND\_4591 DLSC-V F CHAR 3

INPUT OR OUTPUT INDICATOR

USED TO INDICATE INPUT (WITH I) OR OUTPUT (WITH O).

4592 MIN-LGTH MIN\_LGTH\_4592 DLSC-V F SMALLINT 4

MINIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MINIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4593 MAX-LGTH MAX\_LGTH\_4593 DLSC-V F SMALLINT 4

MAXIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MAXIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4594 REPT-SEG-IND REPT\_SEG\_IND\_4594 DLSC-V F CHAR 1

REPEATING SEGMENT INDICATOR

THIS FIELD INDICATES WHETHER MULTIPLES OF THE SAME SEGMENT MAY BE PRESENT (WITH Y FOR YES AND N FOR NO). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4595 MAX-OCUR MAX\_OCURS\_4595 DLSC-V F SMALLINT 4

MAXIMUM OCCURRENCES

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MAXIMUM NUMBER OF TIMES THAT PARTICULAR FIELD (DATA ELEMENT, SEGMENT, DIC) MAY BE REPEATED. THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4596 TOT-MAX-LGTH TOT\_MAX\_LGTH\_4596 DLSC-V F INTEGER 7

TOTAL MAXIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE THE TOTAL MAXIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC) WITH REPEATING SUBFIELDS. THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4605 I-S-IND-AR DLSC-V F 1

I & S INDICATOR CODE ARMY

A CODE EMPLOYED BY THE ARMY TO INDICATE THAT AN ADDITIONAL ITEM RELATIONSHIP FOR AN ITEM LISTED IN AN ARMY MANAGEMENT DATA LIST (MDL). PUBLICATION IS CONTAINED IN THE ARMY MASTER DATA FILE (AMDF).

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4621 DLSC-ONLY-IND DLSC\_ONLY\_IND\_4621 DLSC-V F CHAR 1  
DLSC ONLY INDICATOR  
THIS FIELD CONTAINS AN INDICATOR X = DLSC. ONLY THE FIELD WILL CONTAIN ONLY AN X OR A BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4622 I-I-DATA-IND I\_I\_DATA\_IND\_4622 DLSC-V F CHAR 1  
ITEM IDENTIFICATION DATA INDICATOR  
THIS FIELD CONTAINS AN INDICATOR X = ITEM IDENTIFICATION DATA AS DISTINGUISHED FROM SUPPORT DATA. THIS FIELD WILL CONTAIN ONLY AN X OR BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4623 SUPT-DATA-IND SUPT\_DATA\_IND\_4623 DLSC-V F CHAR 1  
SUPPORT DATA INDICATOR  
THIS FIELD CONTAINS AN INDICATOR X = SUPPORT DATA AS DISTINGUISHED FROM ITEM IDENTIFICATION DATA THIS FIELD WILL CONTAIN ONLY AN X OR BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4624 MAND-SEG-STNG MAND\_SEG\_STNG\_4624 DLSC-V F CHAR 30  
MANDATORY SEGMENT STRING  
THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED MANDATORY USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4625 OPTNL-SEG-STNG OPTL\_SEG\_STNG\_4625 DLSC-V F CHAR 30  
OPTIONAL SEGMENT STRING  
THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED OPTIONAL USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4626 CTGY-DIC-CMNT CTGY\_DIC\_CMNT\_4626 DLSC-SBA V VARCHAR 50  
CATEGORY DIC COMMENT  
COMMENT PERTAINING TO A PARTICULAR COMBINATION OF CATEGORY AND DIC USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 104 PART 2.

4645 LMT-DIST-CD LMT\_DIST\_CD\_4645 DLSC-SBA F CHAR 1  
LIMITED DISTRIBUTION CODE  
A ONE DIGIT CODE WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

4672 SVC-AGCY-DESI-CD SADC\_4672 DLSC-SB F CHAR 2  
SERVICE/AGENCY DESIGNATOR CODE (SADC)  
A CODE DESIGNATING THE MILITARY SERVICE OR AGENCY THAT MADE A DECISION TO RELATE A LOGISTICS REFERENCE NUMBER TO A NATIONAL STOCK NUMBER EVEN THOUGH THERE IS NO DIRECT RELATIONSHIP OF THE REFERENCE NUMBER TO THE NSN OTHER THAN A CROSS-REFERENCE THAT THE NSN WAS ACCEPTED AS A SUBSTITUTE FOR THE ITEM IDENTIFIED BY THE REFERENCE NUMBER. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

4675 MCFCH-FRME-NBR DLSC-V F 3  
MICROFICHE FRAME NUMBER  
AN ALPHANUMERIC NUMBER PROVIDED ON EACH FRAME OF A MICROFICHE FOR SEQUENCING AND CONTROL PURPOSES, E.G., A01, A02.

4690 OP-DATA-RQST-CD ODRC\_4690 DLSC-SBA F CHAR 4  
OUTPUT DATA REQUEST CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH A TRANSACTION TO INDICATE WHAT TYPE OF DATA THE SUBMITTER, ORIGINATOR OR THE USER REQUIRES, E.G. REFERENCE DATA, MANAGEMENT DATA, DESCRIPTIVE DATA, ETC. SEE VOLUME 10, TABLES 28 AND 30 AND QUICK INFO ON-LINE.

4691 FRST-LOLA-OVERNIGHT-ODRC FIRST\_ODRC\_4691 DLSC-VOA F CHAR 4  
FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE  
THE FIRST POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER.

4692 SECN-LOLA-OVERNIGHT-ODRC SECOND\_ODRC\_4692 DLSC-VOA F CHAR 4  
SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE  
THE SECOND POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ACCEPT UP TO 3 ODRCS.

4693 THRD-LOLA-OVERNIGHT-ODRC THIRD\_ODRC\_4693 DLSC-VOA F CHAR 4  
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE  
THE THIRD POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ALLOW UP TO 3 ODRCS.

4694 LOLA-OVERNIGHT-SEG-VAL SEG\_VALUES\_4694 DLSC-VOA F CHAR 15  
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER  
THE POSSIBLE COMBINATIIONS OF DLIS SEGMENTS A LOLA USER COULD INPUT.

4695 LOLA-OVERNIGHT-TRAN-DT TRANS\_DT\_4695 DLSC-VOA F DATE 7  
LOLA OVERNIGHT TRANSACTION DATE  
THE SPECIFIC DAY ON WHICH THE LOLA OVERNIGHT TRANSACTIONS ARE SENT TO DATA RETRIEVAL FOR PROCESSING. FORMAT IS CCYYDDD.

4696 LOLA-OVERNIGHT-LSN-LTI LSN\_LTI\_RMDR\_4696 DLSC-VOA F CHAR 57  
LOLA OVERNIGHT LSN LTI REMAINDER  
THE REMAINDER OF THE LSN OR LTI TRANSACTION THE LOLA OVERNIGHT PROCESS SENDS TO TM FOR PROCESSING BY DATA RETRIEVAL.

4720 ASTS-AVLB-CD DLSC-SB F 1  
ASSETS AVAILABILITY CODE  
A CODE REFLECTED IN THE PROVISIONING SCREENING OUTPUT DATA INDICATING WHETHER OR NOT ASSETS WERE REVEALED. A CODE OF 1 INDICATES ASSETS ARE AVAILABLE. A CODE OF 2 INDICATES THAT ASSETS ARE NOT AVAILABLE.

4735 MODE-CD MODE\_CD\_4735 DLSC-SC F CHAR 1  
MODE CODE  
A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY (MRD) WHICH REFLECTS THE PERMISSIBLE MODE CODE FOR A SPECIFIC MASTER REQUIREMENT CODE (MRC). THIS CODE INDICATES THE TYPE AND FORMAT OF A REPLY TO BE GIVEN TO THE MRC. VALID MODE CODES ARE A, B, D, F, G, H, J AND L.

4760 RAIL-VARI-CD RAIL\_VARI\_CD\_4760 DLSC-SB F CHAR 1  
RAIL VARIATION CODE  
A CODE /NUMERIC 1/ TO INDICATE THAT A VARIANCE EXISTS BETWEEN THE NATIONAL MOTOR FREIGHT CLASSIFICATION CODE AND THE UNIFORM FREIGHT CLASSIFICATION CODE DESCRIPTIONS, REQUIRING THE ACTIVITY TO MAKE A DETERMINATION AS TO WHICH DESCRIPTION APPLIES.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4765	RPDMRC	RPDMRC_4765	DLSC-SBA	F CHAR	1
REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (RPDMRC)					
THE REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE /RPDMRC/ IS USED TO JUSTIFY A REFERENCE TYPE OR PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION SUBMITTAL FOR NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ ASSIGNMENT OR REINSTATEMENT OF A NIIN. SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.					
4780	RNVC	RNVC_4780	DLSC-SBA	F CHAR	1
REFERENCE NUMBER VARIATION CODE (RNVC)					
A CODE INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING, OR IS FOR INFORMATION ONLY. SEE VOLUME 10, TABLES 7, 31 AND 75 AND QUICK INFO ON-LINE.					
4792	CCR-EDI-TRAN-CPBLTY-NM	EDI_TRAN_4792	DLSC-SBC	F CHAR	20
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME					
THE NAME OF THE TYPE OF CAPABILITIES AVAILABLE WHILE USING A SPECIFIC EDI TRANSACTION.					
4794	CCR-EDI-CPBLTY-EFF-TM	EDI_CPBLTY_TM_4794	DLSC-SBC	F CHAR	5
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME					
THE TIME THAT AN EDI CAPABILITY BECAME EFFECTIVE.					
4795	CCR-ABA-ROUT-TNST-NBR-ID	ABA_ROUT_TNST_4795	DLSC-SBC	F CHAR	9
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION					
THE IDENTIFICATION NUMBER THAT REPRESENTS AMERICAN BANKING ASSOCIATION (ABA) ROUTING TRANSIT.					
4797	CCR-EFT-ACCT-BNKG-NBR-ID	EFT_ACCT_NBR_4797	DLSC-SBC	F CHAR	20
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENTIFIER					
THE IDENTIFIER THAT REPRESENTS THE BANKING NUMBER OF THE ELECTRONIC FUNDS TRANSFER ACCOUNT USED FOR TRANSFERS.					
4798	CCR-EFT-TRAN-BNK-ACCT-NM	EFT_TRAN_ACCT_4798	DLSC-SBC	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION EFT TRANSACTION BANK ACCOUNT NAME					
THE NAME OF THE BANK ACCOUNT BEING USED FOR ELECTRONIC FUNDS TRANSFER TRANSACTIONS.					
4800	CCR-CNTCT-TYP-CD	CCR_CNTCT_TYP_4800	DLSC-SBC	F CHAR	2
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE					
A CODE THAT REPRESENTS THE TYPE OF AUTHORITY OF AN ADDITIONAL CONTACT POINT. VALID VALUES ARE: A1 = AUTH FIN CONTACT, A2 = AUTH SIGN, A3 = CERTIFIER, A4 = EDI COORD, A5 = INFO CNTCT, A6 = OWNER, A7 = ACH COORD.					
4802	CCR-SM-BUS-AUTH-OFC-NM	SM_BUS_OFC_4802	DLSC-SBC	F CHAR	50
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE NAME					
THE NAME OF THE SMALL BUSINESS AUTHORITY OFFICE.					
4803	CCR-MIL-SPEC-NBR-ID	CCR_SPEC_NBR_4803	DLSC-SBC	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER IDENTIFIER					
THE IDENTIFIER THAT REPRESENTS MILITARY SPECIFICATION NUMBERS.					
4806	CCR-POC-TEL-NBR-ID	CCR_POC_TEL_4806	DLSC-SBC	F CHAR	30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER					
THE IDENTIFIER THAT REPRESENTS THE PHONE NUMBER OF THE POINT OF CONTACT FOR CCR REGISTRATION ISSUES.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4807 CCR-POC-NM POC\_4807 DLSC-SB F CHAR 35  
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME  
THE NAME OF AN INDIVIDUAL TO WHICH ALL REFERENCES MUST BE MADE FOR A SPECIFIC TYPE OF REQUEST FOR THE REGISTERED PARTY.

4809 CCR-POC-CTY-NM CCR\_POC\_CTY\_4809 DLSC-SBC F CHAR 35  
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME  
THE NAME OF THE CITY OF THE POINT OF CONTACT.

4811 CCR-PSTL-ID CCR\_PSTL\_4811 DLSC-SBC F CHAR 35  
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER  
THE INTERNATIONAL POSTAL CODE OR, FOR U.S. ADDRESSES, THE 5 OR 9 CHARACTER ZIP CODE.

4813 CCR-CUR-RGSN-STAT-CD CUR\_RGSN\_STAT\_4813 DLSC-SBC F CHAR 1  
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE  
A CODE EXPLAINING THE CURRENT STATUS OF THE REGISTRATION OF A COMPANY. THE VALID VALUES ARE: A=ACTIVE, C=CANCELLED, I=IN-PROCESS.

4820 TYP-OF-II-CD TYP\_II\_4820 DLSC-SBA F CHAR 1  
TYPE OF ITEM IDENTIFICATION CODE  
A DESCRIPTION CODE WHICH INDICATES THE TYPE OF FEDERAL ITEM IDENTIFICATION. SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.

4822 CCR-POC-FAX-NBR-ID POC\_FAX\_NBR\_4822 DLSC-SBC F CHAR 30  
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDENTIFIER  
THE IDENTIFIER THAT REPRESENTS THE FAX NUMBER OF THE POINT OF CONTACT FOR CCR REGISTRATION ISSUES.

4824 EDI-TRAN-MEDIA-CPBLTY-ID EDI\_MEDIA\_4824 DLSC-SB CHAR 2  
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY IDENTIFIER  
THE IDENTIFIER THAT REPRESENTS THE EDI SYSTEMS MEDIA CAPABILITY OF THE REGISTERING PARTY FOR GENERATING EDI TRANSACTIONS.

4827 CCR-EDI-SFTWR-VRSN-NM EDI\_SFTWR\_4827 DLSC-SBC F CHAR 35  
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME  
THE NAME OF THE EDI SOFTWARE AND VERSION OF THE REGISTERING PARTY.

4829 STD-INDUST-CLAS-SECD-CD SIC\_SECD\_4829 DLSC-SB F CHAR 4  
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE  
THE CODE THAT REPRESENTS A FURTHER EXPLANATION OF THE SIC CODE DESCRIPTION.

4833 CCR-RQST-CMPLTD-DT CCR\_RQST\_CMP\_4833 DLSC-SB F CHAR 8  
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE  
THE DATE A CCR REQUEST WAS COMPLETED BY DLSC AND THE CCR PROCESS. THIS DATE WILL BE USED TO RETURN INFORMATION BACK TO THE OUT-REACH SITES. THE FORMAT IS IN THE FORM OF MM/DD/YY.

4834 CCR-SITE-RQST-STAT-CD RQST\_STAT\_CD\_4834 DLSC-SBC F CHAR 1  
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE CODE THAT REPRESENTS THE CURRENT STATUS OF A TRANSACTION REQUEST AFTER BEING INITIATED BY THE OUT-REACH SITE. VALID VALUES: A=REQUEST FOR NEW CAGE, B=UPDATE INFO TO AN EXISTING CAGE, C=CANCEL OF AN EXISTING CAGE CODE, D=VENDOR DEBARRED FROM DOING BUSINESS, E=NEW ASSIGNMENT COMPLETED, F=REQUEST REJECTED(SEE COMMENTS), I=INPROCESS.

4836 CCR-ORG-TYP-CD-DEF-TX CCR\_ORG\_DEF\_4836 DLSC-SB F CHAR 50  
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITION TEXT  
THE TEXT DEFINING CCR-ORG-TYP-CD (DRN 4374).

4837 CCR-PROD-SVC-TI-TX PROD\_SVC\_TI\_4837 DLSC-SB F CHAR 100  
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT  
THE TEXT OF THE TITLE OF A PRODUCT AND OR SERVICE.

4838 STD-INDUST-CD-TI-TX SIC\_TI\_4838 DLSC-SB F CHAR 100  
STANDARD INDUSTRIAL CODE TITLE TEXT  
THE TEXT OF THE TITLE OF A STANDARD INDUSTRIAL CODE.

4840 CCR-FSC-TI-TX CCR\_FSC\_TI\_4840 DLSC-SB F CHAR 100  
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TITLE TEXT  
THE TEXT OF A TITLE WHICH REPRESENTS A FEDERAL SUPPLY CLASSIFICATION (FSC) OF ITEMS WITHIN A FEDERAL SUPPLY GROUP. THIS TITLE IS A TRUNCATED VERSION OF THE FSC\_TI\_4970 TITLE.

4955 COLLOQ-NM DLSC-SC V 1762  
COLLOQUIAL NAME  
A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH AN APPROVED ITEM NAME HAS BEEN DEVELOPED.

4962 FSC-NOTE FSC\_NOTE\_4962 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY CLASSIFICATION NOTE  
A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY CLASSIFICATION(FSC), AND SPECIFYING WHAT PARTICULAR ITEMS ARE EITHER INCLUDED OR EXCLUDED FROM THE FSC TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4965 FSG-NOTE FSG\_NOTE\_4965 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY GROUP NOTE  
A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY GROUP /FSG/, AND IDENTIFYING SIMILAR ITEMS WHICH ARE INCLUDED OR EXCLUDED FROM THE FSG TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4968 FSC-INCL-DIRCT-DATA DLSC-SB V 2004  
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA  
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

4970 FSC-TI FSC\_TI\_4970 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY CLASSIFICATION TITLE  
A TITLE WHICH REPRESENTS A NARROW FEDERAL SUPPLY CLASSIFICATION /FSC/ OF ITEMS WITHIN A FEDERAL SUPPLY GROUP /FSG/, E.G. FSG 51 WOULD ENCOMPASS FSC 5110-HAND TOOLS, EDGED, NON-POWERED, FSC 5120-HAND TOOLS, NON-EDGED, NON-POWERED, FSC 5130-HAND TOOLS, POWER DRIVEN, ETC.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4972 FSG-TI FSG\_TI\_4972 DLSC-SC V VARCHAR 1978  
FEDERAL SUPPLY GROUP TITLE

A TITLE WHICH REPRESENTS A FEDERAL SUPPLY GROUP /FSG/ OF RELATED ITEMS, E.G. FSG 10-WEAPONS, FSG 39-MATERIALS HANDLING EQUIPMENT, FSG 53- HARDWARE AND ABRASIVES, ETC.

4975 KEYWRD-RQMT-STMT DLSC-SC V 110  
KEYWORD REQUIREMENT STATEMENT

A VARIABLE LENGTH RECORD WHICH GIVES THE REQUIREMENT STATEMENT /FOR AN ASSIGNED MASTER REQUIREMENT CODE/ ARRANGED IN AN INVERTED MANNER BY THE KEYWORD OF THE STATEMENT. IT WILL BE STORED IN THE MASTER REQUIREMENT DIRECTORY /MRD/ GUIDE AND WILL BE USED IN THE PUBLICATION OF SECTION I OF THE MRD TO ESTABLISH A KWIC INDEX FROM THE KEY WORD OF THE REQUIREMENT STATEMENT TO THE ASSIGNED MASTER REQUIREMENT CODE /MRC/.

4981 DR-ODRC-REC-CD DR\_ODRC\_REC\_4981 DLSC-SBA F CHAR 1  
DATA RETRIEVAL ODRC CODE

A CODE USED IN CONJUNCTION WITH THE DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) TO FORM A UNIQUE KEY TO A TABLE USED TO VALIDATE DATA REQUESTS WITHIN THE DATA RETRIEVAL PROCESS AND SPECIFY SEGMENT OUTPUT REQUIRED FOR THE REQUEST.

4982 DR-SEG-A-CD DR\_SEG\_A\_4982 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT A CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED OP-DATA-RQST-CD (DRN 4690) AND DIC (DRN 3920) WITHIN THE DATA RETRIEVAL PROCESS.

4983 DR-SEG-B-CD DR\_SEG\_B\_4983 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT B CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4984 DR-SEG-C-CD DR\_SEG\_C\_4984 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT C CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4985 DR-SEG-E-CD DR\_SEG\_E\_4985 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT E CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4986 DR-SEG-F-CD DR\_SEG\_F\_4986 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT F CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4987 DR-SEG-G-CD DR\_SEG\_G\_4987 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT G CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4988 DR-SEG-H-CD DR\_SEG\_H\_4988 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT H CODE

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4989 DR-SEG-M-CD DR\_SEG\_M\_4989 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT M CODE  
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4990 DR-SEG-N-CD DR\_SEG\_N\_4990 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT N CODE  
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4991 DR-SEG-V-CD DR\_SEG\_V\_4991 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT V CODE  
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4992 DR-SEG-Z-CD DR\_SEG\_Z\_4992 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT Z CODE  
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4993 DR-CONTR-LBL-CD-1 DR\_CONTR\_LBL1\_4993 DLSC-SBA F CHAR 1  
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 1  
A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4994 DR-CONTR-LBL-CD-2 DR\_CONTR\_LBL2\_4994 DLSC-SBA F CHAR 1  
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 2  
A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4995 DR-CONTR-LBL-CD-3 DR\_CONTR\_LBL3\_4995 DLSC-SBA F CHAR 1  
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 3  
A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4996 DR-SEG-W-CD DR\_SEG\_W\_4996 DLSC-SBA F CHAR 1  
DATA RETRIEVAL SEGMENT W CODE  
A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

5000 ITM-NM DLSC-SC V CHAR 1762  
ITEM NAME  
A NAME WHICH HAS BEEN SELECTED AND DELIMITED WHERE NECESSARY, TO ESTABLISH A BASIC CONCEPT OF THE ITEM OF SUPPLY TO WHICH THE ITEM BELONGS. IT MAY BE A BASIC NOUN, OR NOUN-PHRASE, FOLLOWED BY THOSE MODIFIERS NECESSARY TO DIFFERENTIATE BETWEEN ITEM CONCEPTS FOR ITEMS HAVING THE SAME BASIC NOUN. (SEE DRN 3308-ITEM NAME TYPE CODE 0).

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5010 APRVD-ITM-NM DLSC-SC F 19  
APPROVED ITEM NAME (AIN)

THE FIRST NINETEEN POSITIONS OF THE ITEM NAME WHICH IS INPUT OR OUTPUT IN REQUIRED DD FORM 635 CARD FORMAT. THE BASIC NAME SHALL BE SEPARATED FROM MODIFIERS BY A COMMA. A SPACE SHALL SEPARATE THE WORDS IN A BASIC NOUN PHRASE. HYPHENS SHALL BE REFLECTED BY THE USE OF A DASH /11 PUNCH/.

5015 ITM-NM-DEF-DLIM ITM\_NM\_DEF\_5015 DLSC-SC V VARCHAR 1762  
ITEM NAME DEFINITION/DELIMITATION

AN ITEM NAME DEFINITION CLEARLY EXPLAINS THE CHARACTERISTICS INVOLVED IN THE ITEM CONCEPT TO WHICH IT APPLIES, AND SERVES TO DISTINGUISH THE ITEM CONCEPT FROM OTHER SIMILAR OR CLOSELY RELATED CONCEPTS. A DELIMITATION IS THE DEMARCATION OF ITEM CONCEPTS INHERENT IN BASIC NAMES AND ITEM NAMES IN ORDER TO DISTINGUISH BETWEEN DIFFERENT ITEM CONCEPTS IN THE SAME NAME OR BETWEEN SIMILAR ITEM CONCEPTS IN DIFFERENT NAMES.

5020 NON-APRVD-ITM-NM NAIN\_5020 DLSC-SC F CHAR 19  
NON-APPROVED ITEM NAME (NAIN)

A NAME APPLIED TO A PROPOSED NEW FEDERAL ITEM IDENTIFICATION OR TO AN ITEM OUTSIDE THE SCOPE OF THE FEDERAL CATALOG PROGRAM WHICH DOES NOT MEET THE CRITERIA FOR AN APPROVED ITEM NAME.

5027 RQMT-STMT-DEF RQMT\_STMT\_DEF\_5027 DLSC-SC V VARCHAR 500  
REQUIREMENT STATEMENT DEFINITION

A CLEAR TEXT EXPLANATION OF THE MEANING OF THE REQUIREMENT STATEMENT.

5028 SP-NOTA DLSC-SC V 99  
SPECIAL NOTATIONS

SPECIAL NOTATIONS INCLUDE VARIOUS TYPES OF DATA, USUALLY IN REVISED ITEM IDENTIFICATIONS, TO INDICATE PREVIOUS STATUS OF DATA WHICH MAY BE HELPFUL TO DD FORM 146 USERS WHEN THE REVISED DD FORM 146 CONTAINS A CHANGE OF ITEM NAME, GUIDE NUMBER, DESCRIPTION PATTERN NUMBER, OR FEDERAL SUPPLY CLASS, OR INDICATES A CHANGE FROM A DIFFERENT TYPE OF ITEM IDENTIFICATION. SUCH INFORMATION IS INCLUDED TO SIMPLIFY LOCATION OF PREVIOUS CARDS OR OTHER RECORDS TO BRING THE FILE OF THE RECEIVING ACTIVITY UP TO DATE.

5037 PHYS-DWG-ID PHYS\_DWG\_ID\_5037 DLSC-V F CHAR 8  
PHYSICAL DRAWING IDENTIFIER  
THE FIELD IN MASTER\_DRAW\_FILE (816) THAT POINTS TO THE IBM FLAT FILE CONTAINING A PARTICULAR DRAWING. ALSO IN MASTER\_DRW\_WRK\_FLE (817).

5038 NIIN-PSCN-IND NIIN\_PSCN\_IND\_5038 DLSC-SB F CHAR 1  
NIIN PSCN INDICATOR  
INDICATES WHETHER I\_I\_NBR\_4131 IS A NIIN OR PSCN.

5039 DRN-SEQ-NBR DRN\_SEQ\_NBR\_5039 DLSC-SB F CHAR 2  
DATA RECORD NUMBER SEQUENCE NUMBER  
A NUMBER THAT REPRESENTS THE PROPER SEQUENCE FOR A DATA RECORD NUMBER (DRN) WITHIN A SEGMENT OR TRANSACTION.

5060 TYP-NM DLSC-SC V 1762  
TYPICAL NAME  
A NAME WHICH REPRESENTS A COMMODITY THAT IS INCLUDED IN CATALOGING HANDBOOK H2-2 AS A GUIDE TO PERMIT CLASSIFICATION OF AN ITEM OF SUPPLY. IT MAY BE AN APPROVED ITEM NAME, A BASIC NAME, A COLLOQUIAL NAME, OR MAY BE A GENERIC NAME, AN INVERTED NAME, OR AN APPROVED ITEM NAME WITH MODIFIERS OR OTHER ENTRIES ADDED TO IT TO DELIMIT IT SO THAT CLASSIFICATION BY A FEDERAL SUPPLY CLASSIFICATION (FSC) CAN BE ACCOMPLISHED.

5061 FIIG-DWG-SEQ FIIG\_DWG\_SEQ\_5061 DLSC-S F SMALLINT 4

**FIG DRAWING SEQUENCE NUMBER**  
THIS IS THE SEQUENCE NUMBER FOR A DRAWING AS PLACED IN A FIG. IT RESIDES IN THE FIG\_DRAWING\_DATA TABLE.

5063	DWG-TYP	DWG_TYP_5063	DLSC-S	F	CHAR	1
DRAWING TYPE						
THE DRAWING TYPE INDICATES THE FORMAT THE DRAWING WAS DIGITIZED AS - V BIT OR TIFF.						

5065	PUB_FIIG-DATE	PUB_FIIG_DATE_5065	DLSC-S	F	INTEGER	7
	PUBLICATION FIIG DATE					
	THIS IS THE PUBLICATION DATE OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.					

5066	PRPRTY-IND	PRPRTY_IND_5066	DLSC-S	F	CHAR
PROPRIETARY INDICATOR INDICATES THAT THE DATA IS PROPRIETARY. IT RESIDES IN BOTH THE FIIG_DRAWING_DATA TABLE AND THE NSN_MED TABLE.					

5068	FIIG-SB-SC-TI	FIIG_SB_SC_TI_5068	DLSC-S	V	VARCHAR	120
FIIG SUB SECTION TITLE TEXT						
THIS IS THE SUB SECTION TITLE OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.						

5069	FIIG-SCTN-ID	FIIG_SCTN_ID_5069	DLSC-S	F	CHAR	1
FIIG SECTION IDENTIFIER						
THIS IS A SECTION OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.						

5070	FIG-SEC-TI	FIG_SEC_TI_5070	DLSC-S	V	VARCHAR	120
	FIG SECTION TITLE TEXT					
	THIS IS THE TITLE OF A SECTION OF A FIG. IT RESIDES IN THE FIG_DRAWING_DATA TABLE.					

5071	FIIG-SB-SC-ID	FIIG_SB_SC_ID_5071	DLSC-S	F	CHAR	2
FIIG SUB SECTION IDENTIFIER						
THIS IS THE SUB SECTION OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.						

5072	DWG-STAT-IND	DWG_STAT_IND_5072	DLSC-S	F	CHAR	1
DRAWING STATUS INDICATOR						
THIS CODE INDICATES THE STATUS OF A DRAWING. N = NEW DRAWING C = CANCELLED DRAWING R = REPLACEMENT DRAWING						
BLANK =						

5073	DWG-STAT-DT	DWG_STAT_DT_5073	DLSC-S	F	INTEGER	5
DRAWING STATUS DATE						
INDICATES THE DATE A CHANGE WAS MADE TO A DRAWING. FORMAT IS CCYYDDD.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5074 PHYS-TYP-IND                      PHYS\_TYP\_IND\_5074                      DLSC-S                      F CHAR                      1  
PHYSICAL TYPE INDICATOR  
THE TYPE OF GRAPHIC. IT RESIDES IN BOTH THE MASTER\_DRAW\_FILE AND THE MASTER\_DRAW\_WORK\_FILE.

5099 PICA-SICA-IND-CD                      PICA\_SICA\_IND\_5099                      DLSC-SBA                      F CHAR                      1  
PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE  
A CODE THAT IDENTIFIES WHICH LEVEL OF INVENTORY CONTROL IS RESPONSIBLE FOR THE OVERALL PACKAGING DATA REQUIREMENTS ASSIGNED A SPECIFIC NSN.

5100 GIRDER-CD-EXPLN                      GIRDER\_CD\_EX\_5100                      DLSC-SD                      V VARCHAR                      1000  
GIRDER CODE EXPLANATION  
AN EXPLANATION OF AN ACTION CODE \*DRN 0808\* FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH CHAPTER 19, VOLUME 4, DOD 4100.39-M.

5101 NATL-CDFN-BUR-CD-CTRY                      NCB\_CD\_CTRY\_5101                      DLSC-SD                      F CHAR                      20  
NATIONAL CODIFICATION BUREAU CODE COUNTRY  
A LIST IDENTIFYING THE NAME OF NORTH ATLANTIC TREATY ORGANIZATION (NATO) OR OTHER COUNTRIES ASSOCIATED WITH THE VARIOUS VALUES OF NATIONAL CODIFICATION BUREAU CODE (DRN 4130). SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

5102 NATL-CDFN-BUR-CD-NOTE                      NCB\_CD\_NOTE\_5102                      DLSC-SD                      F CHAR                      1  
NATIONAL CODIFICATION BUREAU CODE NOTE  
A SET OF ONE OR TWO DIGIT NUMERIC CODE INDICATING IF THE COUNTRY CATALOGING AN ITEM IS A NORTH ATLANTIC TREATY ORGANIZATION (NATO) COUNTRY OR IF THE CODE IS ACCEPTED INTERNATIONALLY AS A STANDARD ITEM. SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

5104 FLW-UP-COND-CD-DEF                      FU\_COND\_DEF\_5104                      DLSC-SBA                      V VARCHAR                      500  
FOLLOW-UP CONDITION CODE DEFINITION  
NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF THE FOLLOW-UP CONDITION CODE (DRN 0155). IT INDICATES THE FOLLOW-UP ACTION REQUIRED BY THE SUBMITTING SERVICE/AGENCY.

5105 FLW-UP-COND-CD-INST                      FU\_COND\_INST\_5105                      DLSC-SBA                      V VARCHAR                      300  
FOLLOW-UP CONDITION CODE INSTRUCTION  
THE INSTRUCTIONS FOR THE FOLLOW-UP CONDITION CODE (DRN 0155) INDICATES WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.

5106 LMT-DIST-CD-EXPLN                      LMT\_DIST\_EX\_5106                      DLSC-SBA                      V VARCHAR                      1200  
LIMITED DISTRIBUTION CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 4645) WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

5107 LMT-DIST-CD-NOTE                      LMT\_DIST\_NOTE\_5107                      DLSC-SBA                      V VARCHAR                      1200  
LIMITED DISTRIBUTION CODE NOTE  
A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES A LIMITED DISTRIBUTION CODE (DRN 4645). SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

5108 SVC-ACTY-AND-ADRS-SOS-CD                      SA\_ADD\_SOS\_CD\_5108                      DLSC-SBA                      V VARCHAR                      500  
SERVICE/ACTIVITY & ADDRESS, SOURCE OF SUPPLY CODE  
THE SERVICE/ACTIVITY AND ADDRESS IDENTIFIED BY A DESIGNATED SOURCE OF SUPPLY CODE (DRN 3690). SEE VOLUME 10, TABLE 103 AND QUICK INFO ON-LINE.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5109	SOS-CD-CONDL-NOTE		DLSC-SBA	V		9999
SOURCE OF SUPPLY CODE CONDITIONAL NOTE						
A COMMENT AND /OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SOURCE OF SUPPLY CODE (DRN 3690). SEE VOLUME 10, TABLE 103 AND QUICK INFO ON-LINE.						
5110	CONF-NOTI-CD-EXPLN	CONF_NOTI_EX_5110	DLSC-SBA	V	VARCHAR	9999
CONFLICT NOTIFICATION CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 0095) WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.						
5111	CONF-NOTI-CD-RMK	CONF_NOT_CDRK_5111	DLSC-SBA	V	VARCHAR	9999
CONFLICT NOTIFICATION CODE REMARK						
A REMARK WHICH FURTHER DEFINES THE CONFLICT NOTIFICATION CODE EXPLANATION (DRN 5110). SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.						
5112	CONF-NOTI-CD-NOTE		DLSC-SBA	V		9999
CONFLICT NOTIFICATION CODE NOTE						
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONFLICT NOTIFICATION CODE (DRN 0095). SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.						
5113	PSDO-SOS-CD-DESC	PSDO_SOS_DESC_5113	DLSC-SBA	V	VARCHAR	1000
PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION						
AN EXPLANATION FOR A CODE (DRN 0133) USED TO REFLECT WHETHER THE SOURCE OF SUPPLY (SOS) IS EITHER CENTRALIZED OR DECENTRALIZED. SEE VOLUME 10, TABLE 110 AND QUICK INFO ON-LINE.						
5114	REF-NBR-FMT-CD-EXPLN	RNFC_EX_5114	DLSC-SBA	V	VARCHAR	200
REFERENCE NUMBER FORMAT CODE EXPLANATION						
NARRATIVE DESCRIPTION OF VARIOUS VALUES OF THE REFERENCE NUMBER FORMAT CODE (DRN 2920). SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.						
5115	REF-NBR-FMT-CD-NOTE		DLSC-SBA	V		9999
REFERENCE NUMBER FORMAT CODE NOTE						
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE REFERENCE NUMBER FORMAT CODE (DRN 2920) AND THE CONDITIONS APPLICABLE TO THE USE OF THIS CODE. SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.						
5116	TYP-OF-II-CD-TYP	TYP_II_CD_TYP_5116	DLSC-SBA	F	CHAR	2
TYPE OF ITEM IDENTIFICATION CODE TYPE						
A SET OF ONE DIGIT NUMERIC OR TWO DIGIT ALPHANUMERIC CODES USED IN CONJUNCTION WITH TYPE OF ITEM IDENTIFICATION CODE (DRN 4820) TO SPECIFICALLY IDENTIFY AN ITEM OF SUPPLY.						
5117	TYP-OF-II-CD-EXPLN	TYP_II_CD_EXP_5117	DLSC-SBA	V	VARCHAR	100
TYPE OF ITEM IDENTIFICATION CODE EXPLANATION						
NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF TYPE OF ITEM IDENTIFICATION CODE (DRN 4820). SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.						
5118	TYP-OF-II-CD-NOTE		DLSC-SBA	V		9999
TYPE OF ITEM IDENTIFICATION CODE NOTE						
A COMMENT REFERENCING THE SOURCE OF FURTHER INFORMATION ON ITEM IDENTIFICATION. SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5119 RPDRC-EXP RPDRC\_EXP\_5119 DLSC-SBA V VARCHAR 1000

REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE EXPLN

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (DRN 4765) EXPLAINING THE REASON A REFERENCE TYPE, REFERENCE DESCRIPTIVE TYPE OR PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION WAS SUBMITTED. SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.

5120 REF-PTL-DES-MTD-RS-CD-NT DLSC-SBA V 9999

REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE NOTE

A COMMENT EXPLAINING THE CONDITIONS UNDER WHICH DLSC EDITS PERMIT CHANGES BETWEEN VARIOUS VALUES OF REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (DRN 4765). SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.

5121 REF-NBR-JUST-CD-EXPLN RNJC\_EX\_5121 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER JUSTIFICATION CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBERS JUSTIFICATION CODE (DRN 2750). IT RECORDS THE DEGREE OF RESEARCH CONDUCTED AND JUSTIFICATION FOR THE CREATION OF A NEW ITEM IDENTIFICATION DESPITE A RECOGNIZED CONDITION OF POSSIBLE DUPLICATION WITH AN EXISTING ITEM. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

5122 REF-NBR-JUST-CD-NOTE DLSC-SBA V 9999

REFERENCE NUMBER JUSTIFICATION CODE NOTE

A COMMENT EXPLAINING THE CONDITIONS UNDER WHICH THE REFERENCE NUMBER JUSTIFICATION CODE (DRN 2750) SHOULD BE USED AND THE INSTRUCTIONS FOR USING IT. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

5123 DOC-AVLB-CD-EXPLN DAC\_EX\_5123 DLSC-SBA V VARCHAR 9999

DOCUMENT AVAILABILITY CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF DOCUMENT AVAILABILITY CODE (DRN 2640). IT IDENTIFIES THE ACTIVITY BY REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC) (DRN 2900) FROM WHERE THE DOCUMENTATION IS AVAILABLE. SEE VOLUME 10, TABLE 5 AND QUICK INFO ON-LINE.

5124 DOC-AVLB-CD-NOTE DLSC-SBA V 9999

DOCUMENT AVAILABILITY CODE NOTE

A COMMENT FURTHER EXPLAINING THE CONDITIONING AND THE USE OF DOCUMENT AVAILABILITY CODE (DRN 2640). SEE VOLUME 10, TABLE 5 AND QUICK INFO ON-LINE.

5125 REF-NBR-CTGY-CD-EXPLN RNCC\_EX\_5125 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER CATEGORY CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER CATEGORY CODE (DRN 2910). IT EXPLAINS THE RELATIONSHIP OF A REFERENCE NUMBER TO THE ITEM OF SUPPLY. SEE VOLUME 10, TABLE 6 AND QUICK INFO ON-LINE.

5126 REF-NBR-CTGY-CD-NOTE DLSC-SBA V 9999

REFERENCE NUMBER CATEGORY CODE NOTE

A COMMENT FURTHER EXPLAINING THE CONDITIONS FOR THE USE OF REFERENCE NUMBER CATEGORY CODE (DRN 2910). SEE VOLUME 10, TABLE 6 AND QUICK INFO ON-LINE.

5127 REF-NBR-VARI-CD-EXPLN RNVC\_EX\_5127 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER VARIATION CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER VARIATION CODE (DRN 4780). IT INDICATES IF A CITED REFERENCE NUMBER IS ITEM IDENTIFYING AS IS, OR IF SOME ADDITIONAL INFORMATION IS NEEDED FOR IDENTIFICATION PURPOSES. SEE VOLUME 10, TABLE 7 AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				
5128	REF-NBR-VARI-CD-NOTE		DLSC-SBA	V 9999
REFERENCE NUMBER VARIATION CODE NOTE A SET OF INSTRUCTIONS INDICATING THE PROPER USE OF REFERENCE NUMBER VARIATION CODE (DRN 4780). SEE VOLUME 10, TABLE 7 AND QUICK INFO ON-LINE.				
5129	TECH-DTA-SPT-CD-COMP-DAC		DLSC-SB	V 9999
TECHNICAL DATA SUPPORT CODE COMPUTATION DAC A SET OF INSTRUCTIONS INDICATING THE COMBINATIONS OF DOCUMENT AVAILABILITY CODE (DAC) (DRN 2640) TO BE USED IN THE COMPUTATION OF TECHNICAL DATA SUPPORT CODE (DRN 2980).				
5130	TEC-DTA-SPT-CD-COMP-NOTE		DLSC-SBA	V 9999
TECHNICAL DATA SUPPORT CODE COMPUTATION NOTE COMMENTS FURTHER EXPLAINING THE CONDITIONS UNDER WHICH DAC SHOULD BE USED AND RETAINED IN THE TOTAL ITEM RECORD (TIR).				
5131	REF-NBR-STAT-CD-EXPLN	R_N_STAT_EX_5131	DLSC-SBA	V VARCHAR 1000
REFERENCE NUMBER STATUS CODE EXPLANATION A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER STATUS CODE (DRN 2923). SEE VOLUME 10, TABLE 17 AND QUICK INFO ON-LINE.				
5132	DELT-RSN-CD-EXPLN	DELT_RSN_EX_5132	DLSC-SBA	V VARCHAR 9999
DELETION REASON CODE EXPLANATION AN EXPLANATION FOR A CODE (DRN 4540) IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION ACTION. SEE VOLUME 10, TABLE 25 AND QUICK INFO ON-LINE.				
5133	STATL-IND-CD-EXPLN	STATL_I_CD_EX_5133	DLSC-SBA	V VARCHAR 100
STATISTICAL INDICATOR CODE EXPLANATION AN EXPLANATION FOR A CODE DRN 3708 USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE VOLUME 10, TABLE 37 AND QUICK INFO ON-LINE.				
5134	ITM-STDZN-CD-EXPLN	ITM_STDZN_EX_5134	DLSC-SBA	V VARCHAR 1000
ITEM STANDARDIZATION CODE EXPLANATION AN EXPLANATION FOR A CODE DRN 2650 REPRESENTING THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS. SEE VOLUME 10, TABLE 91 AND QUICK INFO ON-LINE.				
5135	DATA-TRNSMSN-CTL-CD-EXPL	D_TRN_CTL_EX_5135	DLSC-SBA	V VARCHAR 250
DATA TRANSMISSION CONTROL CODE EXPLANATION AN EXPLANATION FOR A CODE DRN 0756 USED TO PROVIDE SERVICE/AGENCIES OPTIONS TO INFORM DLSC OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL DLIS DATA TRANSMITTED VIA AUTODIN. SEE VOLUME 10, TABLE 101 AND QUICK INFO ON-LINE.				
5136	DEMIL-CD-EXPLN	DEMIL_CD_EX_5136	DLSC-SBA	V VARCHAR 9999
DEMILITARIZATION CODE EXPLANATION AN EXPLANATION FOR A CODE DRN 0167 USED TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.				
5137	DEMIL-CD-NOTE		DLSC-SBA	V 9999
DEMILITARIZATION CODE NOTE A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES AN APPLICABLE DEMILITARIZATION CODE 0167. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5138 ITM-STDZN-CD-RPLD-NSN DLSC-SBA F CHAR 1  
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER  
THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS NOT AUTHORIZED FOR FUTURE PROCUREMENT. SEE VOLUME 10, TABLES 91 AND 92 AND QUICK INFO ON-LINE.

5149 PKG-REF DLSC-SBA F 10  
PACKAGING REFERENCE  
A DATA FIELD THAT INDICATES THE APPLICABLE TYPE OF PACKAGING REFERENCE, PACKAGING DATA SHEETS, SPECIAL PACKAGING INSTRUCTIONS (SPI) APERTURE CARD, PACKAGING STANDARDS, MASTER PACKAGING SHEETS, FEDERAL AND MILITARY SPECIFICATIONS, PURCHASE DESCRIPTIONS AND DRAWINGS.

5150 DT-EFF-LOG-ACTN-CANC DLSC-SCA F 5  
DATE, EFFECTIVE, LOGISTICS ACTION CANCELLED  
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS CANCELLATION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS SYSTEM. THIS DATE WILL ALWAYS BE THE FIRST DAY OF THE MONTH. USED IN CONJUNCTION WITH DRN 4000 AND DRN 3790.

5151 LVL-PROTN-CD LOP\_CD\_5151 DLSC-SBA F CHAR 1  
LEVEL OF PROTECTION CODE  
A CODE THAT INDICATES THE LEVEL OF PROTECTION WHICH THE PACKAGE REQUIREMENT PROVIDES THE ITEM DURING SHIPMENT, HANDLING AND STORAGE.

5152 INTMED-CTNR-QTY INTMD\_CTN\_QTY\_5152 DLSC-SBA F CHAR 3  
INTERMEDIATE CONTAINER QUANTITY  
A DATA FIELD INDICATING THE QUANTITY OF UNIT PACKS CONTAINED IN THE INTERMEDIATE CONTAINER.

5153 UP-WT UP\_WT\_5153 DLSC-SBA F CHAR 5  
UNIT PACK WEIGHT  
DATA FIELD INDICATING THE MAXIMUM GROSS WEIGHT OF THE UNIT PACK.

5154 UP-SZ UP\_SZ\_5154 DLSC-SBA F CHAR 12  
UNIT PACK SIZE  
DATA FIELD INDICATING THE MAXIMUM OUTSIDE LENGTH, WIDTH AND DEPTH OF THE UNIT PACK.

5155 UP-CU UP\_CU\_5155 DLSC-SBA F INTEGER 7  
UNIT PACK CUBE  
A DATA FIELD INDICATING THE MAXIMUM CUBE OF THE UNIT PACK.

5156 ITM-TYP-STOR-CD ITM\_TYP\_STOR\_5156 DLSC-SBA F CHAR 1  
ITEM TYPE STORAGE CODE  
A CODE THAT INDICATES THE TYPE OF STORAGE SPACE AND ENVIRONMENT CONDITIONS TO BE MAINTAINED FOR AN ITEM DURING STAORAGE AND SHIPMENT.

5157 UNPKG-ITM-WT UNPKG\_ITM\_WT\_5157 DLSC-SBA F INTEGER 5  
UNPACKAGED ITEM WEIGHT  
A DATA FIELD INDICATING THE ACTUAL WEIGHT OF THE NUMBER (MULTIPLES) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE UNIT PACK.

5158 UNPKG-ITM-DIM UNPKG\_ITM\_DIM\_5158 DLSC-SBA F CHAR 12

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## UNPACKAGED ITEM DIMENSIONS

A DATA FIELD INDICATING THE LENGTH, WIDTH AND DEPTH OF THE NUMBER (MULTIPLE) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE PACK.

5159	PKG-CTGY-CD	PKG_CTGY_CD_5159	DLSC-SBA	F CHAR	4
PACKAGING CATEGORY CODE					
A CODE USED TO GROUP ITEMS (CLASSIFIED INTO THREE TYPES OF ITEMS, NAMELY, COMMON ITEMS, SELECTIVE ITEMS OR SPECIAL ITEMS), BY PHYSICAL AND CHEMICAL CHARACTERISTICS, WEIGHT/FRAGILITY, AND PRESERVATIVE GROUP.					
5160	MTHD-PRES-CD	MTHD_PRSRV_CD_5160	DLSC-SBA	F CHAR	2
METHOD OF PRESERVATION CODE					
A CODE THAT DEFINES THE PREVENTIVE MEASURES TO FORESTALL DETERIORATION RESULTING FROM EXPOSURE TO ATMOSPHERIC CONDITIONS DURING STORAGE AND SHIPMENT.					
5161	CLNG-DRYNG-PRO-CD	CLNG_DRY_PRC_5161	DLSC-SBA	F CHAR	1
CLEANING AND DRYING PROCEDURE CODE					
A CODE THAT DEFINES THE PROCEDURE FOR REMOVING SOIL/FOREIGN MATTER FROM PARTS, AND THE PROCEDURES TO ACCOMPLISH THE SUBSEQUENT DRYING OF THE CLEANED PART ITEM.					
5162	PRES-CD	PRSRV_MAT_CD_5162	DLSC-SBA	F CHAR	2
PRESERVATION MATERIAL CODE					
A CODE THAT IDENTIFIES THE MATERIAL USED TO PREVENT OR INHIBIT CORROSION OR DETERIORATION OF AN ITEM.					
5163	WRAP-MAT-CD	WRAP_MAT_CD_5163	DLSC-SBA	F CHAR	2
WRAPPING MATERIAL CODE					
A CODE USED TO IDENTIFY THE TYPE OF WRAPPING MATERIAL TO BE USED ON AN ITEM.					
5164	CUSH-DUN-MAT-CD	CUSH_DUN_MAT_5164	DLSC-SBA	F CHAR	2
CUSHIONING AND DUNNAGE MATERIAL CODE					
A CODE USED TO IDENTIFY RESILIENT MATERIAL OR DEVICES USED TO ABSORB AND DISSIPATE ENERGY FROM SHOCK AND VIBRATION TO ADEQUATELY PROTECT THE CONTENTS AND PACKAGING COMPONENTS FROM PHYSICAL DAMAGE DURING HANDLING SHIPMENT AND STORAGE.					
5165	THK-CUSH-DUN-CD	THK_CUSH_DUN_5165	DLSC-SBA	F CHAR	1
THICKNESS OF CUSHIONING OR DUNNAGE CODE					
A CODE THAT IDENTIFIES THE MINIMUM THICKNESS OF MATERIAL USED TO CUSHION THE ITEM.					
5166	UNIT-CTNR-CD	UNIT_CTNR_CD_5166	DLSC-SBA	F CHAR	2
UNIT CONTAINER CODE					
A CODE THAT IDENTIFIES THE CONTAINER USED TO HOLD THE QUANTITY UNIT PACK					
5167	INTMED-CTNR-CD	INTMD_CTNR_CD_5167	DLSC-SBA	F CHAR	2
INTERMEDIATE CONTAINER CODE					
A CODE THAT INDICATES A CONTAINER WHICH HOLDS TWO OR MORE UNIT PACKS OF IDENTICAL ITEMS.					
5168	UNIT-CTNR-LVL-CD	UNIT_CTNR_LVL_5168	DLSC-SBA	F CHAR	1
UNIT CONTAINER LEVEL CODE					
A CODE THAT INDICATES IF THE UNIT CONTAINER IS AN ACCEPTABLE SHIPPING CONTAINER AND IF SO, THE HIGHEST LEVEL OF PACKING PROTECTION PROVIDED BY THE CONTAINER.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5169 SP-MKG-CD SP\_MKG\_CD\_5169 DLSC-SBA F CHAR 2  
SPECIAL MARKING CODE  
A CODE USED TO IDENTIFY THE SPECIAL MARKINGS APPLIED TO THE CONTAINER ACCORDING TO MIL-STD-129 THAT ARE REQUIRED AS AN INTEGRAL PART OF THE TOTAL PACK TO PROTECT THE CONTAINED ITEM DURING PRESERVATION, PACKING, STORAGE, TRANSIT AND REMOVAL FROM THE PACK.

5170 LVL-A-PKG-RQMT-CD LVL\_A\_PKG\_CD\_5170 DLSC-SBA F CHAR 1  
LEVEL A PACKING REQUIREMENT CODE  
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL A MAXIMUM PACKING PROTECTION.

5171 LVL-B-PKG-RQMT-CD LVL\_B\_PKG\_CD\_5171 DLSC-SBA F CHAR 1  
LEVEL B PACKING REQUIREMENT CODE  
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL B INTERMEDIATE PACKING PROTECTION.

5172 LVL-C-PKG-RQMT-CD LVL\_C\_PKG\_CD\_5172 DLSC-SBA F CHAR 1  
LEVEL C PACKING REQUIREMENT CODE  
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL C MINIMUM PACKING PROTECTION.

5173 OPTNL-PRO-IND-CD OPTNL\_PRO\_IND\_5173 DLSC-SBA F CHAR 1  
OPTIONAL PROCEDURE INDICATOR CODE  
A CODE THAT INDICATES ALLOWABLE DEVIATIONS FROM PRESCRIBED REQUIREMENTS.

5174 SUPMTL-INST SUPMTL\_INST\_5174 DLSC-SBA F VARCHAR 59  
SUPPLEMENTAL INSTRUCTIONS  
A DATA FIELD THAT PROVIDES ADDITIONAL, IN-THE-CLEAR, PACKAGING INSTRUCTIONS, RECORDED IN A NARRATIVE FORM, IN ADDITION TO THAT SHOWN IN THE PRESERVATION AND PACKING DATA AREA.

5175 SPI-NBR SPI\_NBR\_5175 DLSC-SBA F CHAR 10  
SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER  
A NUMBER, PROVIDED BY THE PACKAGING DESIGN ACTIVITY, THAT IDENTIFIES A SPECIFIC SPECIAL PACKAGING INSTRUCTION (SPI).

5176 SPI-REV SPI\_REV\_5176 DLSC-SBA F CHAR 1  
SPECIAL PACKAGING INSTRUCTION (SPI) REVISION  
A CODE (BEGINNING WITH AN 'A' FOR THE FIRST REVISION, THEN PROCEEDING THROUGH THE ALPHABET FOR EACH SUCCEEDING REVISION) THAT IDENTIFIES THE VERSION OF THE SPECIAL PACKAGING INSTRUCTION (SPI).

5177 SPI-DT SPI\_DT\_5177 DLSC-SBA F DATE 5  
SPECIAL PACKAGING INSTRUCTION (SPI) DATE  
A DATA FIELD (TWO POSITION ORDINAL DATE AND THREE POSITION DAY) THAT INDICATES THE DATE OF THE SPECIAL PACKAGING INSTRUCTION (SPI).

5178 CTNR-NSN CTNR\_NSN\_5178 DLSC-SBA F CHAR 13  
CONTAINER NATIONAL STOCK NUMBER (NSN)  
A DATA FIELD THAT IDENTIFIES THE NATIONAL STOCK NUMBER (NSN) ASSIGNED TO A LONG-LIFE REUSABLE CONTAINER.

5179 PKG-DSGN-ACTY-CD PKG\_DSGN\_ACTY\_5179 DLSC-SBA F CHAR 5  
PACKAGING DESIGN ACTIVITY CODE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE (THE 5-DIGIT NUMERICAL CAGE CODE ASSIGNED IN CONFORMANCE WITH CATALOGING HANDBOOK H4/8) THAT IDENTIFIES THE PACKAGING DESIGN ACTIVITY.

5180 NAPRD-CLAS-ASST-MOD-H2 DLSC-SCA V 1762  
NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER, H2  
A MODIFYING WORD OR PHRASE USED TO QUALIFY A NON-APPROVED ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDEAL SUPPLY CLASS(ES) TO BE REFLECTED IN CATALOGING HANDBOOK H2.

5181 NAPRD-DT-ETB-CAN-RD-DIDS DLSC-SCA F 5  
NON-APPROVED DATE ESTABLISHED, CANCELLED RECORD DIDS  
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE NON-APPROVED ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES.

5182 FSC-DT-ESB-CANC-RCD-DIDS FSC\_DT\_E\_C\_RC\_5182 DLSC-SCA F INTEGER 7  
FSC DATE ESTABLISHED, CANCELLED RECORD DIDS  
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

5183 FSG-DT-ESB-CANC-RCD-DIDS FSG\_DT\_E\_C\_RC\_5183 DLSC-SCA F INTEGER 7  
FSG DATE ESTABLISHED, CANCELLED RECORD DIDS  
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

5184 NON-APRVD-ITM-NM-DEF-DLI DLSC-SCA V 1762  
NON-APPROVED ITEM NAME DEFINITION DELIMITATION  
A NON-APPROVED ITEM NAME DEFINITION CLEARLY EXPLAINS THE CHARACTERISTICS INVOLVED IN THE ITEM CONCEPT TO WHICH IT APPLIES, AND SERVES TO DISTINGUISH THE ITEM CONCEPT FROM OTHER SIMILAR OR CLOSELY RELATED CONCEPTS. A DELIMITATION IS THE DEMARCATION OF ITEM CONCEPTS INHERENT IN NON-APPROVED BASIC NAMES AND NON-APPROVED ITEM NAMES IN ORDER TO DISTINGUISH BETWEEN DIFFERENT ITEM CONCEPTS IN THE SAME NAME OR BETWEEN SIMILAR ITEM CONCEPTS IN DIFFERENT NAMES.

5185 CDD-RPLY-STMT DLSC-SCA V 379  
CODED REPLY STATEMENT  
A DATA FIELD IN THE MASTER REPLY MRD/DECODE TABLE WHICH REFLECTS THE REPLY CODE FOR A PARTICULAR DECODED REPLY STATEMENT.

5186 NON-APRVD-BSC-NM DLSC-SCA V 1762  
NON-APPROVED BASIC NAME  
A BASIC NOUN WORD/PHRASE THAT ESTABLISHES A BASIC CONCEPT OF A NON-APPROVED ITEM OF SUPPLY AS ESTABLISHED/DEFINED IN CATALOGING HANDBOOK H6-1 AND FEDERAL MANUAL FOR SUPPLY CATALOGING M1-2.

5187 NON-APRVD-FSC-COND-CD DLSC-SCA F 1  
NON-APPROVED FSC CONDITION CODE  
THE FOLLOWING CODES ARE UTILIZED IN THE H2 SERIES CATALOGING HANDBOOKS TO DENOTED THE RESTRICTIONS FOR CLASSIFYING NON-APPROVED ITEM NAMES (NAIN). FOR CODE '1', THE NAIN MAY BE CLASSIFIED IN ONLY ONE SPECIFIC FSC, FOR CODE '2' THE NAIN MAY BE CLASSIFIED IN TWO OR MORE SPECIFIC FSC'S, AND FOR CODE '3' THE NAIN MAY BE CLASSIFIED IN ANY LOGICAL FSC BY VIRTUE OF MULTI-APPLICATION OR SPECIAL DESIGN.

5189 NON-APRVD-OLD-FSC DLSC-SCA F 4

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION

THE FEDERAL SUPPLY CLASSIFICATION (FSC) WHICH WAS ORIGINALLY ASSIGNED TO A NON-APPROVED ITEM IDENTIFICATION AND THEN CANCELLED IN PREFERENCE TO A DIFFERENT FEDERAL SUPPLY CLASSIFICATION.

5190 NON-APRVD-COLLOQ-NM DLSC-SCA V 1762  
NON-APPROVED COLLOQUIAL NAME

A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE NON-APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH A NON-APPROVED ITEM NAME HAS BEEN DEVELOPED.

5191 NON-APRVD-ITEM-NM-DLI DLSC-SCA V 1762  
NON-APPROVED ITEM NAME DELIMITER

A NAME WHICH HAS BEEN SELECTED AND DELIMITED WHERE NECESSARY TO ESTABLISH A BASIC CONCEPT OF THE NON-APPROVED ITEM OF SUPPLY TO WHICH THE ITEM BELONGS. IT MAY BE A BASIC NOUN, OR NOUN-PHRASE, FOLLOWED BY THOSE MODIFIERS NECESSARY TO DIFFERENTIATE BETWEEN ITEM CONCEPTS FOR ITEMS HAVING THE SAME BASIC NOUN. (SEE DRN 3308-ITEM NAME TYPE CODE 0).

5192 NON-APRVD-INDX-ENTR DLSC-SCA F 1762  
NON-APPROVED INDEX ENTRY

NAMES OF NON-APPROVED ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DICTIONARY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHT FORWARD SEQUENCE.

5193 MRC-RQMT-STMT-DEF DLSC-SCA F 5  
MRC REQUIREMENT STATEMENT DEFINITION

A CLEAR TEXT EXPLANATION OF THE MEANING OF THE REQUIREMENT STATEMENT. USED IN CONJUNCTION WITH DRN 3445.

5194 ASSOC-CD-NATO-SUP-CD-MFR DLSC-SC F 5  
ASSOCIATION CODE NATO SUPPLY CODE FOR MANUFACTURERS

A SEMI-SIGNIFICANT CODE WHICH IDENTIFIES MANUFACTURERS LOCATED IN THE NORTH ATLANTIC TREATY ORGANIZATION (NATO) AND OTHER FRIENDLY COUNTRIES. CODES ARE ASSIGNED BY THE CENTRAL CATALOGING OFFICES OF THE RESPECTIVE COUNTRIES. THE SIGNIFICANT PORTION OF THE CODE IS THE FIRST CHARACTER WHICH IS ALPHABETIC AND REPRESENTS THE COUNTRY ORIGINATING THE CODE (DRN 4180). THE REMAINING POSITIONS ARE NUMERIC. USED IN CONJUNCTION WITH DRN 8855.

5196 EFF-DT-MOE-RULE-TRAN DLSC-SBA F 5  
EFFECTIVE DATE, MOE RULE TRANSACTIONS  
THIS IS THE DATE THAT THE MOE RULE WAS ESTABLISHED ON THIS ITEM.

5201 NIIN-PSCN-ST-CD-DEF-INST N\_PSCN\_ST\_DEF\_5201 DLSC-SBA V VARCHAR 100  
NIIN/PSCN STATUS CODE DEFINITION AND INSTRUCTIONS  
A NARRATIVE PROVIDING THE DEFINITION OF THE VARIOUS VALUES OF NIIN/PSCN STATUS CODE (DRN 2670) AND THE INSTRUCTIONS FOR THE USE OF THIS CODE. SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

5202 NIIN-PSCN-ST-CD-NOTE DLSC-SBA V 9999  
NIIN/PSCN STATUS CODE NOTE  
COMMENTS FURTHER EXPLAINING THE CONDITIONS FOR THE USE OF NIIN/PSCN STATUS CODE (DRN 2670). SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

5203 NIIN-PSCN-ST-CD-CON-NOTE N\_PSCN\_ST\_NOT\_5203 DLSC-SBA V VARCHAR 1000  
NIIN/PSCN STATUS CODE CONDITIONAL NOTE  
A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE NIIN/PSCN STATUS CODES (DRN 2670). SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5204	ACQ-MTHD-CD-EXP	AMC_EX_5204	DLSC-SBA	V	VARCHAR	9999
ACQUISITION METHOD CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 2871) REFLECTING THE DECISION OF THE PRIMARY INVENTORY CONTROL ACTIVITY (PICA) AS TO TECHNIQUE OF PURCHASING TO BE EMPLOYED FROM A PLANNED PROCUREMENT REVIEW. SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.						
5205	ACQ-MTHD-SUF-CD-EXPLN	AMSC_EX_5205	DLSC-SBA	V	VARCHAR	9999
ACQUISITION METHOD SUFFIX CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 2876) USED TO INDICATE THE PRIMARY REASON WHY THE NUMERIC CODE (ACQUISITION METHOD CODE) WAS ASSIGNED FOR PROCUREMENT. SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.						
5206	ACQ-MTHD-CD-NOTE		DLSC-SBA	V		9999
ACQUISITION METHOD CODE NOTE						
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION METHOD CODE (DRN 2871). SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.						
5207	ACQ-MTHD-SUF-CD-NOTE		DLSC-SBA	V		9999
ACQUISITION METHOD SUFFIX CODE NOTE						
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION METHOD SUFFIX CODE (DRN 2876). SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.						
5208	IMC-TI	IMC_TI_5208	DLSC-SBA	V	VARCHAR	100
ITEM MANAGEMENT CODE TITLE						
A TITLE FOR A CODE (DRN 2744). SEE VOLUME 10, TABLE 77 AND QUICK INFO ON-LINE.						
5209	IMC-DEF	IMC_DEF_5209	DLSC-SBA	V	VARCHAR	1000
ITEM MANAGEMENT CODE DEFINITION						
AN EXPLANATION FOR A CODE (DRN 2744) DENOTING WHETHER ITEMS OF SUPPLY SHALL BE SUBJECT TO INTEGRATED MANAGEMENT UNDER THE DEFENSE SUPPLY AGENCY OR RETAINED BY THE INDIVIDUAL MILITARY SERVICE OR OTHER DEPARTMENT OF DEFENSE COMPONENTS FOR THEIR MANAGEMENT. SEE VOLUME 10, TABLE 77 AND QUICK INFO ON-LINE.						
5210	NIMSC-EXPLN	NIMSC_EXPLN_5210	DLSC-SBA	V	VARCHAR	200
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 0076) DESIGNATING THE DEGREE OF SUPPORT RECEIVED BY AN INDIVIDUAL SECONDARY INVENTORY CONTROL ACTIVITY OR TO IDENTIFY THE SERVICE(S) PERFORMING DEPOT MAINTENANCE FOR A LEAD SERVICE. SEE VOLUME 10, TABLE 107 AND QUICK INFO ON-LINE.						
5211	CRD-IDEN-CD-TI	CRD_ID_CD_TI_5211	DLSC-SBA	V	VARCHAR	9999
CARD IDENTIFICATION CODE TITLE						
A TITLE FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.						
5212	CRD-IDEN-CD-EXPLN	CRD_ID_CD_EX_5212	DLSC-SBA	V	VARCHAR	600
CARD IDENTIFICATION CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.						
5213	NORM-SRC-PRCMT-CD-TI	NRM_SRC_PR_TI_5213	DLSC-SBA	V	VARCHAR	100
NORMAL SOURCE OF PROCUREMENT CODE TITLE						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A TITLE FOR A CODE (DRN 0721) INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.

5214 NOR-SRC-PRCMT-CD-EXPLN NRM\_SRC\_PR\_EX\_5214 DLSC-SBA V VARCHAR 500  
NORMAL SOURCE OF PROCUREMENT CODE EXPLANATION  
A TITLE FOR A CODE (DRN 0721) INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.

5215 TYP-MBLZTN-RSV-RQT-CD-EX TYP\_MBL\_RSV\_X\_5215 DLSC-SBA V VARCHAR 100  
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 0723) INDICATING THE TYPE OF MOBILIZATION REQUIREMENT. SEE VOLUME 10, TABLE 139 AND QUICK INFO ON-LINE.

5216 SP-PKG-RQMT-CD-EXPLN S\_PKG\_RQM\_EX\_5216 DLSC-SBA V VARCHAR 100  
SPECIAL PACKAGING REQUIREMENT CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 0725) INDICATING WHETHER SPECIAL PACKAGING IS REQUIRED WHICH IS BEYOND NORMAL PRACTICE AND WHICH CANNOT BE OBTAINED THROUGH LOCAL PURCHASE. SEE VOLUME 10, TABLE 140 AND QUICK INFO ON-LINE.

5217 DMD-IND-CD-EXPLN DMD\_IND\_EX\_5217 DLSC-SBA V VARCHAR 200  
DEMAND INDICATOR CODE EXPLANATION  
AN EXPLANATION FOR A CODE (0728) INDICATING THE BASIS FOR THE FORECAST OF ESTIMATED DEMAND. SEE VOLUME 10, TABLE 141 AND QUICK INFO ON-LINE.

5218 TYP-FINCL-MGT-CTL-CD-EXP TYP\_FIN\_MGT\_X\_5218 DLSC-SBA V VARCHAR 100  
TYPES OF FINANCIAL MANAGEMENT CONTROL CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 0729) INDICATING THE TYPE OF FINANCIAL MANAGEMENT CONTROL OVER AN ITEM. SEE VOLUME 10, TABLE 142 AND QUICK INFO ON-LINE.

5219 EST-ACT-PR-CD-EXPLN EST\_ACT\_PR\_EX\_5219 DLSC-SBA F VARCHAR 90  
ESTIMATED OR ACTUAL PRICE CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 0731) INDICATING THE BASIS FOR THE STANDARD UNIT PRICE OF AN ITEM. SEE VOLUME 10, TABLE 144 AND QUICK INFO ON-LINE.

5220 INTGTY-CD-DEF INTGTY\_CD\_DEF\_5220 DLSC-SBA V VARCHAR 1000  
INTEGRITY CODE DEFINITION  
A DEFINITION OF A CODE (DRN 0864) THAT INDICATES THAT A NATIONAL STOCK NUMBER (NSN) HAS BEEN SELECTED AND REVIEWED BY MILITARY TRAFFIC MANAGEMENT COMMAND (MTMC) TO ENSURE THAT THE FREIGHT CLASSIFICATION DATA IS CORRECT. SEE VOLUME 10, TABLE 176 AND QUICK INFO ON-LINE.

5221 LVL-PROTN-CD-DEF DLSC-SB V 9999  
LEVEL OF PROTECTION CODE DEFINITION  
A DEFINITION FOR A CODE (DRN 5151) THAT DEFINES THE LEVEL OF PRESERVATION OR PACKING REQUIRED FOR THE PROTECTION OF MATERIAL UNDER KNOWN FAVORABLE CONDITIONS OR AGAINST THE MOST SEVERE CONDITIONS KNOWN OR ANTICIPATED TO BE ENCOUNTERED DURING SHIPMENT, HANDLING AND STORAGE.

5222 HMC-EXPLN HMC\_EXPLN\_5222 DLSC-SBA V VARCHAR 1000  
HAZARDOUS MATERIAL CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 2720) DENOTING THE MATERIAL WHICH REQUIRES SPECIAL HANDLING. SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5223 HMC-COND-NOTE DLSC-SBA V 9999

HAZARDOUS MATERIAL CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE HAZARDOUS MATERIAL CODES, (DRN 2720). SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.

5224 TYP-CGO-CD-EXPLN TYP\_CGO\_EXP\_5224 DLSC-SBA V VARCHAR 1000

TYPE OF CARGO CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 9260) USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE TYPE OF CARGO INCLUDED WITHIN THE SHIPMENT UNIT. SEE VOLUME 10, TABLE 82 AND QUICK INFO ON-LINE.

5225 TYP-SP-HDLG-CGO DLSC-SBA V 9999

TYPE OF SPECIAL HANDLING CARGO

A CODE USE TO IDENTIFY THE TYPE OF CARGO REQUIRING SPECIAL HANDLING WITHIN THE SHIPMENT UNIT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5226 SIN-HDLG-COND-CD DLSC-SBA V 9999

SINGLE HANDLING CONDITION CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY SINGLE HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5227 HVY-LIFT-HDLG-RQMT-CD DLSC-SBA V 9999

HEAVY LIFT HANDLING REQUIREMENT CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY HEAVY LIFT HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5228 OTSZD-DIM-HDLG-RQMT-CD DLSC-SBA V 9999

OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5229 HL-OTSZD-DIM-HDLG-RQM-CD DLSC-SBA V 9999

HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO

A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY HEAVY LIFT AND OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5230 SP-HDLG-CD-COND-NOTE DLSC-SBA V 9999

SPECIAL HANDLING CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SPECIAL HANDLING CODE, DRN 9240. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5231 AIR-DIM-CD-EXPLN AIR\_DIM\_CD\_EX\_5231 DLSC-SBA V VARCHAR 9999

AIR DIMENSION CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 9220) THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. SEE VOLUME 10, TABLE 84 AND QUICK INFO ON-LINE.

5232 AIR-CMDTY-CD-EXPLN AIR\_CMTY\_EX\_5232 DLSC-SBA V VARCHAR 350

AIR COMMODITY CODE EXPLANATION

EXPLANATION OF VALID AIR COMMODITY CODES (TEXT). SEE VOLUME 10, TABLE 85 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5233	LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	DLSC-SBA	F CHAR	20
LESS THAN CARLOAD RATING CODE EXPLANATION					
AN EXPLANATION FOR A CODE (DRN 2760) DENOTING THE LESS THAN CARLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER UNIFORM FREIGHT CLASSIFICATION. SEE VOLUME 10, TABLE 86 AND QUICK AND INFO ON-LINE.					
5234	LS-THN-TL-RTNG-CD-EXPLN	LST_TL_EX_5234	DLSC-SBA	F CHAR	20
LESS THAN TRUCKLOAD RATING CODE EXPLANATION					
AN EXPLANATION FOR A CODE (DRN 2770) DENOTING THE LESS THAN TRUCKLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER NATIONAL MOTOR FREIGHT CLASSIFICATION SYSTEM. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.					
5235	REP-NET-PR	REP_NET_PR_5235	DLSC-SBA	F INTEGER	9
REPAIR NET PRICE					
A CODE WHICH INDICATES THAT AN ITEM MUST BE REQUISITIONED WITH END USE FUNDS AT THE 'NET PRICE'.					
5236	SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	DLSC-SBA	F CHAR	42
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION					
AN EXPLANATION FOR A CODE (DRN 0745) USED TO DIFFERENTIATE BETWEEN SERVICE, INTEGRATED MATERIAL MANAGER, LEAD SERVICE AND CIVIL AGENCY CATALOG MANAGEMENT DATA. SEE VOLUME 10, TABLE 39 AND QUICK INFO ON-LINE.					
5237	STR-TM-PED	STR_TM_PED_5237	DLSC-SBA	V VARCHAR	200
STORAGE TIME PERIOD					
THE SHELF LIFE STORAGE TIME PERIOD ASSOCIATED WITH A GIVEN SHELF LIFE CODE (DRN 2943). SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.					
5238	TYP-SHLF-LIF-CD-NOTE		DLSC-SBA	V	9999
TYPE OF SHELF LIFE CODE NOTE					
A DEFINITION WHICH IS USED TO FURTHER EXPLAIN THE DIFFERENCES BETWEEN TYPE I AND TYPE II SHELF LIFE CODES. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.					
5239	SHLF-LIF-CD-NOTE		DLSC-SBA	V	9999
SHELF LIFE CODE NOTE					
A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES THE APPLICABLE SHELF LIFE CODE, DRN 2943. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.					
5240	PHRS-CD-PHRS	PHRS_CD_PHRS_5240	DLSC-SBA	F CHAR	100
PHRASE CODE PHRASE					
THE PHRASE ASSIGNED TO A GIVEN PHRASE CODE, DRN 2862. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.					
5241	PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	DLSC-SBA	V VARCHAR	1000
PHRASE CODE EXPLANATION					
AN EXPLANATION FOR A CODE (DRN 2862) ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/OR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS (NSN) AND REFERENCE DATA. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.					
5242	UI-TRM	UI_TRM_5242	DLSC-SBA	F CHAR	20
UNIT OF ISSUE TERM					
THE TERM WHICH APPLIES TO A GIVEN UNIT OF ISSUE, DRN 3050. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.					
5243	UI-DEF	UI_DEF_5243	DLSC-SBA	V VARCHAR	1000
UNIT OF ISSUE DEFINITION					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN EXPLANATION FOR A CODE (DRN 3050) INDICATING THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSES OF REQUISITIONING BY, AND ISSUE TO, THE END-USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICE IS ASCRIBED. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5244 UI-CONDL-NOTE DLSC-SBA V 9999  
UNIT OF ISSUE CONDITIONAL NOTE  
A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE UNIT OF ISSUE, DRN 3050. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5245 FMR-UI-TRM DLSC-SBA V 9999  
FORMER UNIT OF ISSUE TERM  
THE TERM WHICH APPLIES TO A GIVEN FORMER UNIT OF ISSUE, DRN 8472. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5246 FMR-UI-DEF DLSC-SBA V 9999  
FORMER UNIT OF ISSUE DEFINITION  
AN EXPLANATION FOR A UNIT OF ISSUE CODE (DRN 8472) THAT FORMERLY APPLIED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5247 FMR-UI-CONDL-NOTE DLSC-SBA V 9999  
FORMER UNIT OF ISSUE CONDITIONAL NOTE  
A COMMENT AND/OR EXPLANATION USED IN UNIQUE CURCUMSTANCES TO FURTHER DEFINE THE FORMER UNIT OF ISSUE, DRN 8472. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5248 QUP-CD-QTY QUP\_CD\_QTY\_5248 DLSC-SBA V VARCHAR 200  
QUANTITY PER UNIT PACK CODE QUANTITY  
THE QUANTITY EXPRESSION ASSIGNED TO A CODE (DRN 6106) INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACKAGE AS ESTABLISHED BY THE MANAGING ACTIVITY. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

5249 QUP-CD-NOTE DLSC-SBA V 9999  
QUANTITY PER UNIT PACK CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE QUANTITY PER UNIT PACK CODE, DRN 6106. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

5250 AAC-EXPLN AAC\_EXPLN\_5250 DLSC-SBA V VARCHAR 9999  
ACQUISITION ADVICE CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 2507) DENOTING HOW (AS DISTINGUISHED FROM WHERE) AND UNDER WHAT RESTRICTIONS AN ITEM WILL BE ACQUIRED. SEE VOLUME 10, TABLE 58 AND QUICK INFO ON-LINE.

5251 AAC-NOTE DLSC-SBA V 9999  
ACQUISITION ADVICE CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION ADVICE CODE DRN 2507. SEE VOLUME 10, TABLE 58 AND QUICK INFO ON-LINE.

5252 SOS-MOD-CD-EXPLN SOSM\_CD\_EX\_5252 DLSC-SBA V VARCHAR 200  
SOURCE OF SUPPLY MODIFIER CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 2948) DENOTING ROUTING INFORMATION FOR REQUISITIONS WHICH CANNOT BE ADDRESSED TO A SINGLE MILSTRIP ROUTING IDENTIFIER OR WHEN A SINGLE ROUTING IDENTIFIER CANNOT BE ASSIGNED. SEE VOLUME 10, TABLE 59 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5253 SOS-MOD-CD-NOTE DLSC-SBA V 9999  
SOURCE OF SUPPLY MODIFIER CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE SOURCE OF SUPPLY MODIFIER CODE, DRN 2948. SEE VOLUME 10, TABLE 59 AND QUICK INFO ON-LINE.

5254 CTLD-INV-ITM-CD-EXPLN CII\_CTGY\_EX\_5254 DLSC-SBA V VARCHAR 9999  
CONTROLLED INVENTORY ITEM CODE EXPLANATION  
AN EXPLANATION OF A CODE (DRN 2863) INDICATING THE SECURITY RISK OR PILFERAGE CONTROLS FOR STORAGE AND TRANSPORTATION OF DEPARTMENT OF DEFENSE ASSETS. SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

5255 CIIC-CLS-CD CIIC\_CLS\_CD\_5255 DLSC-SBA V CHAR 1  
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE  
THE APPLICABLE CATEGORY FOR A GIVEN CONTROLLED INVENTORY ITEM CODE (DRN 2863). SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

5256 COG-CD-NVY-DEF COG\_CD\_NVY\_EX\_5256 DLSC-SBA V VARCHAR 9999  
COGNIZANCE CODE, NAVY DEFINITION  
AN EXPLANATION FOR A CODE (DRN 2608) EMPLOYED BY THE UNITED STATES NAVY TO CLASSIFY ITEMS BY TECHNICAL PROGRAM, TYPE OF FUND, AND TO INDICATE THE COGNIZANT INVENTORY CONTROL POINT (ICP) AND TECHNICALLY RESPONSIBLE COMMAND. SEE VOLUME 10, TABLE 62 AND QUICK INFO ON-LINE.

5257 COG-CD-INV-MGR-RETL-OFC COG\_RETL\_OFC\_5257 DLSC-SBA V VARCHAR 9999  
COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE  
THE INVENTORY MANAGER OR RETAIL OFFICE TECHNICALLY RESPONSIBLE FOR THE APPLICABLE COGNIZANT INVENTORY ITEMS. SEE VOLUME 10, TABLE 62 AND QUICK INFO ON-LINE.

5258 QNTV-EXPRSN-TRM DLSC-SBA V 9999  
QUANTITATIVE EXPRESSION TERM  
THE TERM FOR AN EXPRESSION WHICH SPECIFIES THE CONTENT OF THE NONDEFINITIVE UNIT OF ISSUE ASSIGNED TO AN ITEM OF SUPPLY.

5259 RECOV-CD-EXPLN-AR RECOV\_EX\_AR\_5259 DLSC-SBA V VARCHAR 250  
RECOVERABILITY CODE EXPLANATION, ARMY  
AN EXPLANATION FOR A CODE (DRN 2892) EMPLOYED WITHIN THE UNITED STATES ARMY DENOTING THE RECOVERABILITY CATEGORY UNDER WHICH AN ITEM OF SUPPLY IS MANAGED. SEE VOLUME 10, TABLE 87 AND QUICK INFO ON LINE.

5260 ISS-REP-RQNG-RSTRN-CD-DE IRRN\_NVY\_DEF\_5260 DLSC-SBA V VARCHAR 200  
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF  
AN EXPLANATION FOR A CODE (DRN 0132) THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISITIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE VOLUME 10, TABLE 95 AND QUICK INFO ON-LINE.

5261 REPBL-CHAR-IND-CD-DLA-DE REP\_CD\_DLA\_EX\_5261 DLSC-SBA V VARCHAR 1000  
REPARABLE CHARACTERISTICS INDICATOR CODE, DLA DEFINITION  
A DEFINITION FOR A CODE (DRN 2934) INDICATING WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS. SEE VOLUME 10, TABLE 130 AND QUICK INFO ON-LINE.

5262 ADPE-IDEN-CD-DEF ADPEC\_DEF\_5262 DLSC-SBA V VARCHAR 9999  
ADPE IDENTIFICATION CODE DEFINITION

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DEFINITION OF A CODE (DRN 0801) USED TO INDICATE AN ITEM OF AUTOMATIC DATA PROCESSING EQUIPMENT (ADPE) OR CONTAINING ADPE REGARDLESS OF ASSIGNED FEDERAL SUPPLY CLASS TO PROVIDE VISIBILITY FOR COMPLIANCE WITH UNIQUE MANAGER REQUIREMENTS ESTABLISHED FOR ADPE BY PUBLIC LAW 89-306. SEE VOLUME 10, TABLE 159 AND QUICK INFO ON-LINE.

5263 TYP-PREC-MTL TYP\_PREC\_MTL\_5263 DLSC-SBA V VARCHAR 100  
TYPE OF PRECIOUS METAL  
THE TYPE OF PRECIOUS METAL INDICATED BY THE PRECIOUS METAL INDICATOR CODE (DRN 0802). SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

5264 PREC-MTL-IND-CD-NOTE PRC\_MTL\_I\_NOT\_5264 DLSC-SBA V CHAR 50  
PRECIOUS METAL INDICATOR CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE PRECIOUS METAL INDICATOR CODE (DRN 0802). SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

5265 NSCM-SUF-CDFN-BUR-CD-NOT NSCM\_S\_CD\_B\_N\_5265 DLSC-SBB F CHAR 1  
NSCM SUFFIX CODIFICATION BUREAU CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE NSCM SUFFIX CODIFICATION BUREAU CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5266 NSCM-SUF-CDFN-BUR-CD-EXP NSCM\_S\_CD\_B\_X\_5266 DLSC-SBB V CHAR 25  
NSCM SUFFIX CODIFICATION BUREAU CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 5267) WHICH SUFFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5267 NSCM-SUF-CDFN-BUR-CD NSCM\_S\_CD\_BR\_5267 DLSC-SD F CHAR 1  
NSCM SUFFIX CODIFICATION BUREAU CODE  
A CODE WHICH SUFFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5268 NSCM-PRFX-CDFN-BUR-CD-NT NSCM\_CD\_BUR\_N\_5268 DLSC-SBB F CHAR 1  
NSCM PREFIX CODIFICATION BUREAU CODE NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE NSCM PREFIX CODIFICATION BUREAU CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5270 CAO-ADP-EXCP-PRCSG-CD-EX CAO\_EX\_PR\_EX\_5270 DLSC-SBA V VARCHAR 130  
CAO/ADP EXCEPTION PROCESSING CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 8868) WHICH SIGNIFIES AN EXCEPTION TO THE NORMAL PROCEDURE AND RULE FOR RELATING CONTRACT ADMINISTRATION OFFICE (CAO) CODES AND AUTOMATIC DATA PROCESSING (ADP) POINT CODES TO ADD/CHANGE OE TRANSACTIONS AFFECTING THE MANUFACTURERS/NONMANUFACTURERS ORGANIZATIONAL ENTITY RECORDS. SEE VOLUME 10, TABLE 132 AND QUICK INFO ON-LINE.

5271 COMN-NBRG-SYS-IND-EXPLN CNBR\_SYS\_I\_EX\_5271 DLSC-SC V VARCHAR 150  
COMMON NUMBERING SYSTEM INDICATOR EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 0845) WHICH DESIGNATES WHETHER OR NOT A COMMON PART NUMBERING SYSTEM EXISTS BETWEEN TWO OR MORE COMPANIES WITHIN A DESIGNATED CORPORATE STRUCTURE.

5272 NSCM-PRFX-CDFN-BUR-CD-EX NSCM\_CD\_BUR\_X\_5272 DLSC-SBB V CHAR 30  
NSCM PREFIX CODIFICATION BUREAU CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 4180) WHICH PREFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5273 CRTFD-CONTR-NM CRTFD\_CNTR\_NM\_5273 DLSC-SB F CHAR 72  
CERTIFIED CONTRACTOR NAME  
THE NAME OF A PRIVATE INDIVIDUAL OR ENTERPRISE THAT PROVIDED SELF-CERTIFICATION IN ACCORDANCE WITH DOD DIRECTIVE D-5230.25 AS A CONDITION FOR OBTAINING ACCESS TO EXPORT CONTROLLED TECHNICAL DATA. CERTAIN DATA ELEMENTS ARE EXTRACTED FROM THE DLSC CERTIFICATION MASTER FILE AND PUBLISHED IN THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

5274 SUBSDY-DIV-NM SUBSDY\_DIV\_NM\_5274 DLSC-SC V VARCHAR 72  
SUBSIDIARY DIVISION NAME  
THE NAME OF THE AFFILIATE ORGANIZATION OF A CORPORATION/COMPANY WHO IS CERTIFIED AS A QUALIFIED CONTRACTOR.

5275 CRTFD-CONTR-ADRS DLSC-SC V 118  
CERTIFIED CONTRACTOR ADDRESS  
THE ADDRESS OF A CERTIFIED CONTRACTOR WHICH INCLUDES THE P.O. BOX IF REQUIRED, STREET AND NUMBER, STATE, AND ZIP CODE.

5276 CRTFD-CONTR-PHN-NBR CRTFD\_PHN\_NBR\_5276 DLSC-SB F CHAR 10  
CERTIFIED CONTRACTOR PHONE NUMBER  
THE TELEPHONE NUMBER (INCLUDING AREA CODE) OF A CERTIFIED CONTRACTOR.

5277 DATA-RECI-NM DATA\_RECI\_NM\_5277 DLSC-SC F CHAR 36  
DATA RECIPIENT NAME  
THE NAME OF A SPECIFIC INDIVIDUAL WITHIN A CORPORATION OR OTHER ORGANIZATION DESIGNATED TO RECEIVE AND CONTROL MILITARY CRITICAL TECHNICAL INFORMATION.

5278 DATA-RECI-TI DATA\_RECI\_TI\_5278 DLSC-SC F CHAR 36  
DATA RECIPIENT TITLE  
THE POSITION TITLE OF THE DATA RECIPIENT.

5279 DATA-RECI-ADRS DLSC-SCA F 118  
DATA RECIPIENT ADDRESS  
THE ADDRESS FOR A DATA RECIPIENT WHICH INCLUDES THE P.O. BOX IF REQUIRED, STREET AND NUMBER, CITY, STATE AND ZIP CODE.

5280 DATA-RECI-ST DLSC-SC F 36  
DATA RECIPIENT STREET  
THE STREET NAME AND ASSOCIATED NUMBER PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5281 DATA-RECI-PO-BOX DLSC-SC F 36  
DATA RECIPIENT POST OFFICE BOX  
THE POST OFFICE BOX PORTION OF THE DATA RECIPIENT ADDRESS.

5282 DATA-RECI-CTY-STA DLSC-SC F 36  
DATA RECIPIENT CITY/STATE  
THE CITY AND STATE PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5283 DESC-RELVT-BUS-ACTY D\_REL\_BUS\_ACT\_5283 DLSC-SC F VARCHAR 1392  
DESCRIPTION OF RELEVANT BUSINESS ACTIVITY



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

BRIEF STATEMENT(S) DESCRIBING THE BUSINESS ACTIVITY OF THE FIRM TO BE CERTIFIED JUSTIFYING EITHER THE NEED TO BE CERTIFIED OR THE REQUEST FOR MILITARY CRITICAL TECHNICAL DATA.

5284 DATA-RECI-ZIP-CD DLSC-SC F 10  
DATA RECIPIENT ZIP CODE  
THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE DATA RECIPIENT ADDRESS.

5285 DATA-RECI-PHN-NBR DLSC-SC F 12  
DATA RECIPIENT PHONE NUMBER  
THE TELEPHONE NUMBER (INCLUDING THE AREA CODE) OF A DATA RECIPIENT.

5286 OE-DESI-CD-EXPLN-NOTE DLSC-SBA V 99  
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ORGANIZATIONAL ENTITY DESIGNATOR CODE (DRN 2620). SEE VOLUME 10, TABLE 88 AND QUICK INFO ON-LINE.

5287 OE-DESI-CD-EXPLN OE\_DESI\_EX\_5287 DLSC-SBB V VARCHAR 50  
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 2620) WHICH SPECIFIES THAT ONE OR MORE CONDITIONS APPLY TO AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 88 AND QUICK INFO ON-LINE.

5288 MINM-ADRS-CD-EXPLN MINM\_ADRS\_EX\_5288 DLSC-SBA V VARCHAR 100  
MINIMUM ADDRESS CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 2645) WHICH DENOTES A MINIMUM ADDRESS REQUIREMENT. SEE VOLUME 10, TABLE 36 AND QUICK INFO ON-LINE.

5289 FOR-DOM-DESI-CD-EXPLN FRN\_DOM\_EX\_5289 DLSC-SBA V VARCHAR 100  
FOREIGN/DOMESTIC DESIGNATOR CODE EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 4235) WHICH DESIGNATES THE LOCATION OF AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 29 AND QUICK INFO ON-LINE.

5290 CRTFN-EXPR-DT CRTFN\_EXPR\_DT\_5290 DLSC-SC F DATE 6  
CERTIFICATION EXPIRATION DATE  
THE DATE AT THE END OF THE PUBLICATION QUARTER IN WHICH THE FIVE (5) YEAR ANNIVERSARY OF THE CERTIFICATION WAS ESTABLISHED. BASED ON THE FIVE YEAR EXPIRATION DATE, THERE SHALL BE AN AUTOMATIC GENERATION OF A RENEWAL NOTICE AT THE CUTOFF DATE FOR THE PUBLICATION WHICH WILL BE VALID UNTIL THE DATE OF EXPIRATION.

5291 DT-CRTFN-NBR-RVCTN DT\_CRT\_NBR\_RV\_5291 DLSC-SC F DATE 6  
DATE OF CERTIFICATION NUMBER REVOCATION  
THE DATE UPON WHICH A CERTIFICATION NUMBER WAS REVOKED.

5292 ACTN-OFC ACTN\_OFC\_5292 DLSC-SC F CHAR 1  
ACTION OFFICE  
THE OFFICE RESPONSIBLE FOR ESTABLISHING A CERTIFICATION NUMBER. THE ACTION OFFICE MAY BE EITHER DLSC OR HQ DLA.

5293 CAGE-STAT-CD-USER-INTPTN CAGE\_USR\_INTP\_5293 DLSC-SBA V VARCHAR 1000  
CAGE STATUS CODE USER INTERPRETATION  
A NARRATIVE INDICATING THE STATUS OF AN ORGANIZATIONAL ENTITY (OE) IDENTIFIED BY THE COMMERCIAL AND GOVERNMENT ENTITY STATUS CODE (DRN 2694). SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5294 CAGE-STAT-CD-APPL-OE DLSC-SBB V 20  
CAGE STATUS CODE APPLICABLE ORGANIZATIONAL ENTITY  
IDENTIFICATION OF THE ORGANIZATIONAL ENTITY (OE) CAGE/NSCM RELATED TO THE VARIOUS VALUES OF COMMERCIAL AND GOVERNMENT ENTITY STATUS CODE (DRN 2694). SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.

5295 CRTFN-NBR CRTFN\_NBR\_5295 DLSC-SB F CHAR 7  
CERTIFICATION NUMBER  
A SEVEN DIGIT NUMERIC IDENTIFICATION CODE ASSIGNED BY DLSC TO IDENTIFY A VALID CERTIFIED CONTRACTOR NAME.

5296 CRTFN-DT-ESTB CRTFN\_DT\_ESTB\_5296 DLSC-SC F DATE 6  
CERTIFICATION DATE ESTABLISHED  
THE DATE ON WHICH A CERTIFICATION NUMBER WAS ESTABLISHED.

5297 CRTFD-CONTR-STAT-CD CRTFN\_STAT\_CD\_5297 DLSC-SB F CHAR 1  
CERTIFIED CONTRACTOR CERTIFICATION STATUS CODE  
A CODE INDICATING THE STATUS OF THE CERTIFICATION NUMBER ASSIGNED TO A CERTIFIED CONTRACTOR. VALID VALUES ARE A=ACTIVE, B=DEBARRED, C=INACTIVE, AND BLANK=AVAILABLE.

5298 MOE-CD-NOTE DLSC-SBA V 9999  
MAJOR ORGANIZATIONAL ENTITY CODE NOTE  
A COMMENT AND/OR EXPLANATION USED TO FURTHER DEFINE THE MAJOR ORGANIZATIONAL ENTITY CODE (DRN 2833). SEE VOLUME 10, TABLE 51 AND QUICK INFO ON-LINE.

5299 MOE-CD-IDEN MOE\_CD\_IDEN\_5299 DLSC-SBA V VARCHAR 100  
MAJOR ORGANIZATIONAL ENTITY CODE IDENTIFICATION  
AN EXPLANATION FOR A CODE (DRN 2833) REPRESENTING THE SUBDIVISION OF A U.S. GOVERNMENT AND THE INTERNATIONAL ORGANIZATIONS PARTICIPATING IN THE FEDERAL CATALOG PROGRAM. SEE VOLUME 10, TABLE 51 AND QUICK INFO ON-LINE.

5300 CMDTY-CTGY-NOTE-FSC DLSC-SBA V VARCHAR 9999  
COMMODITY CATEGORY NOTE - FSC  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE COMMODITY CATEGORY CODE (DRN 3428) FOR A GIVEN FEDERAL SUPPLY CLASS (FSC). SEE VOLUME 10, TABLE 78.

5301 CMDTY-CTGY-EXPLN CMDTY\_CT\_EXR\_5301 DLSC-SBA V VARCHAR 9999  
COMMODITY CATEGORY EXPLANATION  
AN EXPLANATION FOR A CODE (DRN 3428) AND A GIVEN ASSIGNED FEDERAL SUPPLY CLASS CODE (DRN 3990) WHICH TOGETHER ARE USED BY THE DEPARTMENT OF DEFENSE (DOD) ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS FOR A GIVEN FSC. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

5302 SICA-LVL-AUTH-CD-DEF SICA\_LOA\_DEF\_5302 DLSC-SBA V VARCHAR 1300  
SICA LEVEL OF AUTHORITY CODE DEFINITION  
AN EXPLANATION FOR A CODE (DRN 9547) THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A SECONDARY INVENTORY CONTROL ACTIVITY (SICA). SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

5303 PICA-LVL-AUTH-CD-DEF PICA\_LOA\_DEF\_5303 DLSC-SBA V VARCHAR 1300  
PICA LEVEL OF AUTHORITY CODE DEFINITION  
AN EXPLANATION FOR A CODE (DRN 3505) THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A PRIMARY INVENTORY CONTROL ACTIVITY (PICA). SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

5305 FSC-MOE-IND-CD-EXPLN FSC\_M\_RL\_C\_EX\_5305 DLSC-SBA V VARCHAR 1000

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FSC/MOE RULE INDICATOR CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 0122) WHICH IS COMPUTER GENERATED AS THE RESULT OF AN INPUT TRANSACTION CHANGING ANY PORTION OF A FEDERAL SUPPLY CLASS/MAJOR ORGANIZATIONAL ENTITY (FSC/MOE) RULE RECORD.

5306 FUT-CT-MOE-RL-ST-CD-DEF FUT\_M\_RL\_ST\_D\_5306 DLSC-SBA V VARCHAR 100

FUTURE CATALOG TOOLS MOE RULE STATUS CODE DEFINITION

AN EXPLANATION FOR A CODE (DRN 0297) ENTERED AGAINST A CATALOG TOOLS MAJOR ORGANIZATIONAL ENTITY (MOE) RULE RECORD WHICH REFLECTS THE FORTHCOMING STATUS CODE TO BE ASSIGNED BASED ON A PENDING FUTURE EFFECTIVE DATED CATALOG TOOLS MOE RULE ACTION. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

5307 MOE-RU-STAT-CD-DEF M\_RL\_STAT\_EX\_5307 DLSC-SBA V VARCHAR 100

MOE RULE STATUS CODE DEFINITION

AN EXPLANATION FOR A CODE (DRN 8458) DESIGNATING THE STATUS OF A MOE RULE. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

5308 CMDTY-MAT-MGMT-CD-DOD-ID CMDTY\_MMC\_ID\_5308 DLSC-SBA V VARCHAR 100

COMMODITY MATERIAL MANAGEMENT CATEGORY CD DOD IDENTIFICAT

AN EXPLANATION FOR A CODE (DRN 2611) EMPLOYED TO CLASSIFY ITEMS INTO CATEGORIES BY MATERIAL COMMODITY FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

5309 CMDTY-MAT-MGMT-CD-DOD-NT DLSC-SBA V 9999

COMMODITY MATERIAL MANAGEMENT CODE DOD NOTE

A COMMENT AND/OR EXPLANATION WHICH IS USED TO FURTHER DEFINE APPLICABLE COMMODITY MATERIAL MANAGEMENT CATEGORY CODE (DRN 2611). SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

5310 CMDTY-CTGY-FSG DLSC-SBA V 9999

COMMODITY CATEGORY FSC

AN EXPLANATION FOR A CODE (DRN 3428) AND A GIVEN ASSIGNED FEDERAL SUPPLY GROUP (DRN 3994) WHICH TOGETHER ARE USED BY THE DEPARTMENT OF DEFENSE (DOD) ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS FOR A GIVEN FSC. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

5311 ASGND-CTL-NM-MCRL-SA-DES DLSC-SB V 9999

ASSIGNED CONTROL NUMBER MCRL SERVICE AGENCY DESIGNATOR

AN ALPHABETIC CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN) 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. USED IN CONJUNCTION WITH PERMANENT SYSTEM CONTROL NUMBER (PSCN).

5312 NIIN-MCRL-SVC-AGCY-DESI DLSC-SB V 9999

NIIN MCRL SERVICE AGENCY DESIGNATOR

AN ALPHABETIC CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN) 4672 (SERVICE/AGENCY DESIGNATOR) IN SEGMENT C. USED IN CONJUNCTION WITH NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) AND DRN 4140.

5313 PSCN-MCRL-SVC-AGCY-DESI DLSC-VO V 9999

PSCN MCRL SERVICE AGENCY DESIGNATOR

AN ALPHA CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN) 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. USED IN CONJUNCTION WITH PERMANENT SYSTEM CONTROL NUMBER (PSCN) AND DRN 9250.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5314 DGTZD-DT-EFF-LOG-ACTN DLSC-VO F 5  
DIGITIZED DATE EFFECTIVE LOGISTICS ACTION  
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS ACTION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS. THIS DATE WILL ALWAYS BE THE FIRST DAY OF THE MONTH, E.G. 74213. USED IN CONJUNCTION WITH THE DATA RECORD NUMBER (DRN 0772).

5315 DRMS-CHL-IND-CD DRMS\_CHAL\_CD\_5315 DLSC-VO F CHAR 1  
DRMS CHALLENGE INDICATOR CODE  
A CODE WHICH APPEARS IN THE DEMIL PUBLICATION TO INDICATE A DEMIL CODE (DML) WHICH IS THE RESULT OF A DEFENSE REUTILIZATION AND MARKETING SERVICE CHALLENGE.

5318 CMDTY-CTGY-NOTE-FSG DLSC-SBA V 9999  
COMMODITY CATEGORY NOTE FSG  
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE COMMODITY CATEGORY CODE FOR A GIVEN FEDERAL SUPPLY GROUP (FSG). SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

5319 SVC-AGCY-DESI-CD-DEF SA\_DESI\_CD\_X\_5319 DLSC-SBA F CHAR 20  
SERVICE AGENCY DESIGNATOR CODE DEFINITION  
THE DEFINITION OF A CODE (DRN 4672) WHICH DESIGNATES THE MILITARY OR SERVICE OR AGENCY THAT MADE A DECISION TO RELATE A LOGISTICS REFERENCE NUMBER TO A NATIONAL STOCK NUMBER EVEN THOUGH THERE IS NO DIRECT RELATIONSHIP OF THE REFERENCE NUMBER TO THE NSN OTHER THAN A CROSS REFERENCE THAT THE NSN WAS ACCEPTED AS A SUBSTITUTE FOR THE ITEM IDENTIFIED BY THE REFERENCE NUMBER. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

5321 UP-QTY UP\_QTY\_5321 DLSC-SBA F CHAR 3  
UNIT PACK QUANTITY  
A DATA FIELD INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACK AS ESTABLISHED BY THE MANAGING ACTIVITY.

5322 UP-CD-QTY DLSC-SBA V 9999  
UNIT PACK CODE QUANTITY  
THE SPECIFIED QUANTITY FOR A GIVEN UNIT PACK QUANTITY CODE (DRN 5321).

5323 AAC-FSC-ACTY-LOA-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE FSC ACTIVITY LOA NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5324 AAC-FSC-ACTY-LOA-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE FSC ACTIVITY LOA GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5325 DIC-SAC-DEPT-TOT-NIINST DIC\_STAT\_CNT\_5325 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL NIIN STATUS  
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

5326 DIC-SAC-GTOT-RECVD DLSC-SBA F 8  
DIC SAC GRAND TOTAL RECEIVED  
THE GRAND TOTAL OF TRANSACTIONS RECEIVED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5327	DIC-SAC-GTOT-PRCSD		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL PROCESSED				
	THE GRAND TOTAL OF TRANSACTIONS PROCESSED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5328	DIC-SAC-GTOT-APRVD		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL APPROVED				
	THE GRAND TOTAL OF TRANSACTIONS APPROVED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5329	DIC-SAC-GTOT-RETRND		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL RETURNED				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5330	DIC-SAC-GTOT-ADUPS		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL ACTUAL DUPLICATES				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5331	DIC-SAC-GTOT-PDUPS		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL POSSIBLE DUPLICATES				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5332	DIC-SAC-GTOT-CLRCL		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL CLERICAL				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5333	DIC-SAC-GTOT-RULES		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL RULES				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5334	DIC-SAC-GTOT-NIINST		DLSC-SBA	F	8
	DIC SAC GRAND TOTAL NIIN STATUS				
	THE GRAND TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.				
5335	DIC-ALL-OAC-DEPT-RECVD	DIC_STAT_CNT_5335	DLSC-SBA	F INTEGER	8
	DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED				
	THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.				
5336	DIC-ALL-OAC-DEPT-PRCSD		DLSC-SBA	F	8
	DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED				
	THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.				
5337	DIC-ALL-OAC-DEPT-APRVD	DIC_STAT_CNT_5337	DLSC-SBA	F INTEGER	8
	DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED				
	THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.				
5338	DIC-ALL-OAC-DEPT-RETRND		DLSC-SBA	F	8
	DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED				
	THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5339	DIC-ALL-OAC-DEPT-ADUPS	DIC_STAT_CNT_5339	DLSC-SBA	F	INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.						
5340	DIC-ALL-OAC-DEPT-PDUPS	DIC_STAT_CNT_5340	DLSC-SBA	F	INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.						
5341	DIC-ALL-OAC-DEPT-CLRCL	DIC_STAT_CNT_5341	DLSC-SBA	F	INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.						
5342	DIC-ALL-OAC-DEPT-RULES	DIC_STAT_CNT_5342	DLSC-SBA	F	INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.						
5343	DIC-ALL-OAC-DEPT-NIINST	DIC_STAT_CNT_5343	DLSC-SBA	F	INTEGER	8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY FOR DEPARTMENT.						
5344	DIC-ALL-OAC-GTOT-RECVD		DLSC-SBA	F		8
DIC ALL OAC GRAND TOTAL RECEIVED THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY						
5345	DIC-ALL-OAC-GTOT-PRCSD		DLSC-SBA	F		8
DIC ALL OAC GRAND TOTAL PROCESSED THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.						
5346	DIC-ALL-OAC-GTOT-APRVD		DLSC-SBA	F		8
DIC ALL OAC GRAND TOTAL APPROVED THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.						
5347	DIC-ALL-OAC-GTOT-RETRND		DLSC-SBA	F		8
DIC ALL OAC GRAND TOTAL RETURNED THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.						
5348	AAC-Y-1		DLSC-SBA	F		8
ACQUISITION ADVICE CODE Y 1 ACQUISITION ADVICE CODE Y FOR DRN 5323, DEPARTMENT TOTAL ACQUISITION ADVICE CODE NSN QUANTITY 1.						
5349	AAC-FSC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5349	DLSC-SBA	F	INTEGER	8
ACQUISITION ADVICE CODE FSC ACTIVITY LOA AAC NSN TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.						
5350	AAC-FSC-ACTY-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE FSC ACTIVITY NSN						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5351 DIC-ALL-OAC-GTOT-PDUPS DLSC-SBA F 8  
DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5352 DIC-ALL-OAC-GTOT-CLRCL DLSC-SBA F 8  
DIC ALL OAC GRAND TOTAL CLERICAL  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5353 DIC-ALL-OAC-GTOT-RULES DLSC-SBA F 8  
DIC ALL OAC GRAND TOTAL RULES  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5354 DIC-ALL-OAC-GTOT-NIINST DLSC-SBA F 8  
DIC ALL OAC GRAND TOTAL NIIN STATUS  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5355 DIC-OAC-DEPT-TOT-RECVD DIC\_STAT\_CNT\_5355 DLSC-SBA F INTEGER 8  
DIC OAC DEPARTMENT TOTAL RECEIVED  
THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5356 DIC-OAC-DEPT-TOT-PRCSD DLSC-SBA F 8  
DIC OAC DEPARTMENT TOTAL PROCESSED  
THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5357 DIC-OAC-DEPT-TOT-APRVD DIC\_STAT\_CNT\_5357 DLSC-SBA F INTEGER 8  
DIC OAC DEPARTMENT TOTAL APPROVED  
THE COUNT TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5358 DIC-OAC-DEPT-TOT-RETRND DLSC-SBA F 8  
DIC OAC DEPARTMENT TOTAL RETURNED  
THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ACTIVITY.

5359 DIC-OAC-DEPT-TOT-ADUPS DIC\_STAT\_CNT\_5359 DLSC-SBA F INTEGER 8  
DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES  
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC DEPARTMENT BY ORIGINATING ACTIVITY.

5360 DIC-OAC-DEPT-TOT-PDUPS DIC\_STAT\_CNT\_5360 DLSC-SBA F INTEGER 8  
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES  
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5361 DIC-OAC-DEPT-TOT-CLRCL DIC\_STAT\_CNT\_5361 DLSC-SBA F INTEGER 8  
DIC OAC DEPARTMENT TOTAL CLERICAL  
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5362 DIC-OAC-DEPT-TOT-RULES                      DIC\_STAT\_CNT\_5362                      DLSC-SBA                      F    INTEGER                      8  
DIC OAC DEPARTMENT TOTAL RULES  
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5363 DIC-OAC-DEPT-TOT-NIINST                      DIC\_STAT\_CNT\_5363                      DLSC-SBA                      F    INTEGER                      8  
DIC OAC DEPARTMENT TOTAL NIIN STATUS  
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5364 DIC-OAC-GTOT-RECV                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL RECEIVED  
THE GRAND TOTAL OF TRANSACTIONS RECEIVED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5365 DIC-OAC-GTOT-PRCSD                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL PROCESSED  
THE GRAND TOTAL OF TRANSACTIONS PROCESSED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5366 DIC-OAC-GTOT-APRVD                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL APPROVED  
THE GRAND TOTAL OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5367 DIC-OAC-GTOT-RETRND                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL RETURNED  
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5368 DIC-OAC-GTOT-ADUPS                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL ACTUAL DUPLICATES  
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5369 DIC-OAC-GTOT-PDUPS                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES  
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5370 DIC-OAC-GTOT-CLRCL                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL CLERICAL  
THE GRAND TOTAL TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5371 DIC-OAC-GTOT-RULES                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL RULES  
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5372 DIC-OAC-GTOT-NIINST                                      DLSC-SBA                      F                                      8  
DIC OAC GRAND TOTAL NIIN STATUS  
THE GRAND TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5373	QDIC-ALL-SAC-RECVD QUARTERLY DIC ALL SAC RECEIVED THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY	DLSC-SBA	F	8
5374	QDIC-ALL-SAC-PRCSD QUARTERLY DIC ALL SAC PROCESSED THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY	DLSC-SBA	F	8
5375	QDIC-ALL-SAC-APRVD QUARTERLY DIC ALL SAC APPROVED THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5376	QDIC-ALL-SAC-RETRND QUARTERLY DIC ALL SAC RETURNED THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5377	AAC-FSC-ACTY-GP-NSN ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.	DLSC-SBA	F	8
5378	AAC-FSC-ACTY-AAC-NSN AAC_STAT_CNT_5378 ACQUISITION ADVICE CODE FSC ACTIVITY AAC NSN TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.	DLSC-SBA	F INTEGER	8
5379	QDIC-ALL-SAC-ADUPS QUARTERLY DIC ALL SAC ACTUAL DUPLICATES THE QUARTERLY COUNT OF ALL TRANSACTION RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5380	QDIC-ALL-SAC-PDUPS QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5381	QDIC-ALL-SAC-CLRCL QUARTERLY DIC ALL SAC CLERICAL THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5382	QDIC-ALL-SAC-RULES QUARTERLY DIC ALL SAC RULES THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5383	QDIC-ALL-SAC-NIINST QUARTERLY DIC ALL SAC NIIN STATUS THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.	DLSC-SBA	F	8
5384	QDIC-ALL-SAC-DEPT-RECVD QDIC_STAT_CNT_5384 QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED	DLSC-SBA	F INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5385 QDIC-ALL-SAC-DEPT-PRCSD DLSC-SBA F 8

QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED

THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5386 QDIC-ALL-SAC-DEPT-APRVD QDIC\_STAT\_CNT\_5386 DLSC-SBA F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT APPROVED

THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5387 QDIC-ALL-SAC-DEPT-RETRND DLSC-SBA F 8

QUARTERLY DIC ALL SAC DEPARTMENT RETURNED

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5388 QDIC-ALL-SAC-DEPT-ADUPS QDIC\_STAT\_CNT\_5388 DLSC-SBA F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5389 QDIC-ALL-SAC-DEPT-PDUPS QDIC\_STAT\_CNT\_5389 DLSC-SBA F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5390 QDIC-ALL-SAC-DEPT-CLRCL QDIC\_STAT\_CNT\_5390 DLSC-SBA F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5391 QDIC-ALL-SAC-DEPT-RULES QDIC\_STAT\_CNT\_5391 DLSC-SBA F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT RULES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5392 QDIC-ALL-SAC-DEPT-NIINST QDIC\_STAT\_CNT\_5392 DLSC-SB F INTEGER 8

QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS

THE QUARTERLY COUNT FOR ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5393 QDIC-ALL-SAC-GTOT-RECVD DLSC-SBA F 8

QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED

THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.

5394 QDIC-ALL-SAC-GTOT-PRCSD DLSC-SBA F 8

QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED

THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.

5395 QDIC-ALL-SAC-GTOT-APRVD DLSC-SBA F 8

QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED

THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5396	QDIC-ALL-SAC-GTOT-RETRND		DLSC-SBA	F	8
QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.					
5397	QDIC-ALL-SAC-GTOT-ADUPS		DLSC-SBA	F	8
QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.					
5398	QDIC-ALL-SAC-GTOT-PDUPS		DLSC-SBA	F	8
QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.					
5399	QDIC-ALL-SAC-GTOT-CLRCL		DLSC-SBA	F	8
QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.					
5400	QDIC-ALL-SAC-GTOT-RULES		DLSC-SBA	F	8
QUARTERLY DIC ALL SAC GRAND TOTAL RULES					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.					
5401	QDIC-ALL-SAC-GTOT-NIINST		DLSC-SBA	F	8
QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS					
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.					
5402	QDIC-SAC-TOT-RECVD	QDIC_STAT_CNT_5402	DLSC-SBA	F INTEGER	8
QUARTERLY DIC SAC TOTAL RECEIVED					
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.					
5403	AAC-FSC-DEPT-LOA-NSN		DLSC-SBA	F	8
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN					
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.					
5404	AAC-FSC-DEPT-LOA-GP-NSN		DLSC-SBA	F	8
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN					
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.					
5405	QDIC-SAC-TOT-PRCSD		DLSC-SBA	F	8
QUARTERLY DIC SAC TOTAL PROCESSED					
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS PROCESSED.					
5406	QDIC-SAC-TOT-APRVD	QDIC_STAT_CNT_5406	DLSC-SBA	F INTEGER	8
QUARTERLY DIC SAC TOTAL APPROVED					
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS APPROVED.					
5407	QDIC-SAC-TOT-RETRND		DLSC-SBA	F	8
QUARTERLY DIC SAC TOTAL RETURNED					
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5408	QDIC-SAC-TOT-ADUPS	QDIC_STAT_CNT_5408	DLSC-SBA	F	INTEGER	8
QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES						
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.						
5409	QDIC-SAC-TOT-PDUPS	QDIC_STAT_CNT_5409	DLSC-SBA	F	INTEGER	8
QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES						
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.						
5410	QDIC-SAC-TOT-CLRCL	QDIC_STAT_CNT_5410	DLSC-SBA	F	INTEGER	8
QUARTERLY DIC SAC TOTAL CLERICAL						
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.						
5411	QDIC-SAC-TOT-RULES	QDIC_STAT_CNT_5411	DLSC-SBA	F	INTEGER	8
QUARTERLY DIC SAC TOTAL RULES						
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR RULES ERRORS.						
5412	QDIC-SAC-TOT-NIINST	QDIC_STAT_CNT_5412	DLSC-SBA	F	INTEGER	8
QUARTERLY DIC SAC TOTAL NIIN STATUS						
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.						
5413	AAC-I-4		DLSC-SBA	F		8
ACQUISITION ADVICE CODE I4						
ACQUISITION ADVICE CODE I FOR DRN 5404, IM DEPARTMENT LOA ACQUISITION ADVICE CODE QUANTITY 4.						
5414	QDIC-ALL-OAC-PRCSD		DLSC-SBA	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED						
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.						
5415	QDIC-ALL-OAC-APRVD		DLSC-SBA	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED						
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.						
5416	QDIC-ALL-OAC-RETRND		DLSC-SBA	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED						
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.						
5417	QDIC-ALL-OAC-ADUPS		DLSC-SBA	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE						
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.						
5418	QDIC-ALL-OAC-PDUPS		DLSC-SB	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC						
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.						
5419	QDIC-ALL-OAC-CLRCL		DLSC-SBA	F		8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5420 QDIC-ALL-OAC-RULES DLSC-SBA F 8  
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5421 QDIC-ALL-OAC-NIINST DLSC-SBA F 8  
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5422 QDIC-ALL-OAC-DEPT-RECVD QDIC\_STAT\_CNT\_5422 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED

THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5423 QDIC-ALL-OAC-DEPT-PRCSD DLSC-SBA F 8  
QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED

THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5424 QDIC-ALL-OAC-DEPT-APRVD QDIC\_STAT\_CNT\_5424 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT APPROVED

THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5425 QDIC-ALL-OAC-DEPT-RETRND DLSC-SBA F 8  
QUARTERLY DIC ALL OAC DEPARTMENT RETURNED

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5426 QDIC-ALL-OAC-DEPT-ADUPS QDIC\_STAT\_CNT\_5426 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5427 QDIC-ALL-OAC-DEPT-PDUPS QDIC\_STAT\_CNT\_5427 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5428 QDIC-ALL-OAC-DEPT-CLRCL QDIC\_STAT\_CNT\_5428 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED WITH CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5429 QDIC-ALL-OAC-DEPT-RULES QDIC\_STAT\_CNT\_5429 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT RULES

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5430 QDIC-ALL-OAC-DEPT-NIINST QDIC\_STAT\_CNT\_5430 DLSC-SBA F INTEGER 8  
QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5431 AAC-FSC-DEPT-LOA-AAC-NSN AAC\_STAT\_CNT\_5431 DLSC-SBA F INTEGER 8  
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA AAC NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.

5432 AAC-FSC-DEPT-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE FSC DEPARTMENT NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5433 QDIC-ALL-OAC-GTOT-RECVD DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

5434 QDIC-ALL-OAC-GTOT-PRCSD DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5435 QDIC-ALL-OAC-GTOT-APRVD DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5436 QDIC-ALL-OAC-GTOT-RETRND DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5437 QDIC-ALL-OAC-GTOT-ADUPS DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

5438 QDIC-ALL-OAC-GTOT-PDUPS DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5439 QDIC-ALL-OAC-GTOT-CLRCL DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5440 QDIC-ALL-OAC-GTOT-RULES DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL RULES  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5441 QDIC-ALL-OAC-GTOT-NINST DLSC-SBA F 8  
QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS  
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5442 QDIC-OAC-TOT-RECVD QDIC\_STAT\_CNT\_5442 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUARTERLY DIC OAC TOTAL RECEIVED  
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.

5443	QDIC-OAC-TOT-PRCSD		DLSC-SBA	F		8
	QUARTERLY DIC OAC TOTAL PROCESSED					
	THE QUARTERLY TOTAL OF TRANSACTIONS PROCESSED.					

5444	QDIC-OAC-TOT-APRVD	QDIC_STAT_CNT_5444	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC TOTAL APPROVED					
	THE QUARTERLY TOTAL OF TRANSACTIONS APPROVED.					

5445	QDIC-OAC-TOT-RETRND		DLSC-SBA	F		8
	QUARTERLY DIC OAC TOTAL RETURNED					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED.					

5446	QDIC-OAC-TOT-ADUPS	QDIC_STAT_CNT_5446	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC ACTUAL DUPLICATES					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.					

5447	QDIC-OAC-TOT-PDUPS	QDIC_STAT_CNT_5447	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.					

5448	QDIC-OAC-TOT-CLRCL	QDIC_STAT_CNT_5448	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC TOTAL CLERICAL					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.					

5449	QDIC-OAC-TOT-RULES	QDIC_STAT_CNT_5449	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC TOTAL RULES					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS.					

5450	QDIC-OAC-TOT-NIINST	QDIC_STAT_CNT_5450	DLSC-SBA	F	INTEGER	8
	QUARTERLY DIC OAC TOTAL NIIN STATUS					
	THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.					

5451	SCN-PRE-REF-DP-CUR-MTH	PRER_STAT_CNT_5451	DLSC-SBA	F	INTEGER	8
	SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH					
	THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.					

5452	SCN-PRE-REF-DP-CUR-NMTH	PRER_STAT_CNT_5452	DLSC-SBA	F	INTEGER	8
	SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED					
	THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.					

5453	SCN-PRE-REF-DP-CUR-REJ	PRER_STAT_CNT_5453	DLSC-SBA	F	INTEGER	8
	SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS					
	THE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5454	SCN-PRE-REF-DP-CUR-RECVD		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED					
THE CURRENT QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER RECEIVED FOR DEPARTMENT.					
5455	SCN-PRE-REF-DP-YTD-MTH		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED					
THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.					
5456	SCN-PRE-REF-DP-YTD-NMTH		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH					
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.					
5457	AAC-FSC-DEPT-GP-NSN		DLSC-SBA	F	8
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN					
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.					
5458	AAC-FSC-DEPT-AAC-NSN	AAC_STAT_CNT_5458	DLSC-SBA	F INTEGER	8
ACQUISITION ADVICE CODE FSC DEPARTMENT AAC NSN					
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.					
5459	SCN-PRE-REF-DP-YTD-REJ		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT					
THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.					
5460	SCN-PRE-REF-DP-YTD-RECVD		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD					
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.					
5461	SCN-PRE-REF-DP-PYD-MTH		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED					
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.					
5462	SCN-PRE-REF-DP-PYD-NMTH		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH					
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.					
5463	SCN-PRE-REF-DP-PYD-REJ		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED					
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.					
5464	SCN-PRE-REF-DP-PYD-RECVD		DLSC-SBA	F	8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED					



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PREVIOUS YEAR-TO-DATE QUANTITY OF PREPROCUREMENT NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5465 SCN-PRE-REF-TOT-MTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED  
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS.

5466 SCN-PRE-REF-TOT-NMTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED  
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS.  
THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

5467 SCN-PRE-REF-TOT-REJ DLSC-SBA F 8  
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED  
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

5468 SCN-PRE-REF-TOT-RECVD DLSC-SBA F 8  
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED  
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

5469 SCN-LSN-NSN-DP-CUR-MTH LSND\_STAT\_CNT\_5469 DLSC-SBA F INTEGER 8  
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED  
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5470 SCN-LSN-NSN-DP-CUR-NMTH LSND\_STAT\_CNT\_5470 DLSC-SBA F INTEGER 8  
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED  
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5471 SCN-LSN-NSN-DP-CUR-REJ LSND\_STAT\_CNT\_5471 DLSC-SBA F INTEGER 8  
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS  
THE CURRENT QUANTITY OF TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5472 SCN-LSN-NSN-DP-CUR-RECVD DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY  
THE CURRENT QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5473 SCN-LSN-NSN-DP-YTD-MTH DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5474 SCN-LSN-NSN-DP-YTD-NMTH DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED  
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5475 SCN-LSN-NSN-DP-YTD-REJ DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT  
THE YEAR-TO-DATE QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5476 SCN-LSN-NSN-DP-YTD-RECVD DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED  
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5477 SCN-LSN-NSN-DP-PYD-MTH DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED  
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THOUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5478 SCN-LSN-NSN-DP-PYD-NMTH DLSC-SBA F 8  
SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5479 SCN-LSN-NSN-DP-PYD-REJ DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS  
THE QUANTITY OF PREVIOUS YEAR-TO-DATE TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5480 SCN-LSN-NSN-DP-PYD-RECVD DLSC-SBA F 8  
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED  
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5481 SCN-LSN-NSN-TOT-MTH DLSC-SBA F 8  
SCREENING LSN NSN TOTAL MATCHED  
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5482 SCN-LSN-NSN-TOT-NMTH DLSC-SBA F 8  
SCREENING LSN NSN TOTAL NOT MATCHED  
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5483 SCN-LSN-NSN-TOT-REJ DLSC-SBA F 8  
SCREENING LSN NSN TOTAL REJECT  
THE TOTAL QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5484 SCN-LSN-NSN-TOT-RECVD DLSC-SBA F 8  
SCREENING LSN NSN TOTAL RECEIVED  
THE TOTAL QUANTITY OF NSNS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5485	AAC-ACTY-LOA-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE ACTIVITY LOA NSN						
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE.						
5486	AAC-ACTY-LOA-GP-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN						
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs.						
5487	M8A1-DP-LOA-BB-NSN	M8A1_STAT_CNT_5487	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY LOA.						
5488	M8A1-DP-LOA-ADD-NSN	M8A1_STAT_CNT_5488	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT LOA ADD NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY LOA.						
5489	M8A1-DP-LOA-DLT-NSN	M8A1_STAT_CNT_5489	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT LOA DELETE NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY LOA.						
5490	M8A1-DP-LOA-EB-NSN	M8A1_STAT_CNT_5490	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT LOA ENDING BALANCE NSN						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY LOA.						
5491	M8A1-DP-LOA-NET-CHG		DLSC-SBA	F		8
M8A1 DEPARTMENT LOA NET CHANGE						
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY LOA.						
5492	M8A1-DP-LOA-PCT		DLSC-SBA	F		8
M8A1 DEPARTMENT LOA PERCENT						
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY LOA.						
5493	M8A1-DP-BB-NSN	M8A1_STAT_CNT_5493	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT BEGINNING BALANCE NSN						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT.						
5494	M8A1-DP-ADD-NSN	M8A1_STAT_CNT_5494	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT ADD NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT.						
5495	M8A1-DP-DLT-NSN	M8A1_STAT_CNT_5495	DLSC-SBA	F	INTEGER	8
M8A1 DEPARTMENT DELETE NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5496 M8A1-DP-EB-NSN M8A1\_STAT\_CNT\_5496 DLSC-SBA F INTEGER 8  
M8A1 DEPARTMENT ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF THE REPORTING PERIOD BY DEPARTMENT.

5497 M8A1-DP-NET-CHG DLSC-SBA F 8  
M8A1 DEPARTMENT NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT.

5498 M8A1-DP-PCT DLSC-SBA F 8  
M8A1 DEPARTMENT PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT.

5499 M8C1-DP-AT-LOA-BB-NSN M8C1\_STAT\_CNT\_5499 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5500 M8C1-DP-AT-LOA-ADD-NSN M8C1\_STAT\_CNT\_5500 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5501 M8C1-DP-AT-LOA-DLT-NSN M8C1\_STAT\_CNT\_5501 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5502 M8C1-DP-AT-LOA-EB-NSN M8C1\_STAT\_CNT\_5502 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5503 M8C1-DP-AT-LOA-NET-CHG DLSC-SBA F 8  
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5504 M8C1-DP-AT-LOA-PCT DLSC-SBA F 8  
M8C1 DEPARTMENT ACTIVITY LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5505 M8C1-DP-AT-BB-NSN M8C1\_STAT\_CNT\_5505 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5506 M8C1-DP-AT-ADD-NSN M8C1\_STAT\_CNT\_5506 DLSC-SBA F INTEGER 8  
M8C1 DEPARTMENT ACTIVITY ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5507	M8C1-DP-AT-DLT-NSN	M8C1_STAT_CNT_5507	DLSC-SBA	F	INTEGER	8
M8C1 DEPARTMENT ACTIVITY DELETE NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY.						
5508	M8C1-DP-AT-EB-NSN	M8C1_STAT_CNT_5508	DLSC-SBA	F	INTEGER	8
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.						
5509	M8C1-DP-AT-NET-CHG		DLSC-SBA	F		8
M8C1 DEPARTMENT ACTIVITY NET CHANGE						
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.						
5510	M8C1-DP-AT-PCT		DLSC-SBA	F		8
M8C1 DEPARTMENT ACTIVITY PERCENT						
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.						
5511	AAC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5511	DLSC-SBA	F	INTEGER	8
ACQUISITION ADVICE CODE ACTIVITY LOA AAC NSN						
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE.						
5512	AAC-ACTY-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE ACTIVITY NSN						
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE.						
5513	M8B1-IM-DP-LOA-BB-NSN	M8B1_STAT_CNT_5513	DLSC-SBA	F	INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSED BY DEPARTMENT BY LOA.						
5514	M8B1-IM-DP-LOA-ADD-NSN	M8B1_STAT_CNT_5514	DLSC-SBA	F	INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMET LOA ADD NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.						
5515	M8B1-IM-DP-LOA-DLT-NSN	M8B1_STAT_CNT_5515	DLSC-SBA	F	INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN						
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.						
5516	M8B1-IM-DP-LOA-EB-NSN	M8B1_STAT_CNT_5516	DLSC-SBA	F	INTEGER	8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN						
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.						
5517	M8B1-IM-DP-LOA-NET-CHG		DLSC-SBA	F		8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5518 M8B1-IM-DP-LOA-PCT DLSC-SBA F 8  
M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5519 M8B1-IM-DP-BB-NSN M8B1\_STAT\_CNT\_5519 DLSC-SBA F INTEGER 8  
M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5520 M8B1-IM-DP-ADD-NSN M8B1\_STAT\_CNT\_5520 DLSC-SBA F INTEGER 8  
M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.

5521 M8B1-IM-DP-DLT-NSN M8B1\_STAT\_CNT\_5521 DLSC-SBA F INTEGER 8  
M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.

5522 M8B1-IM-DP-EB-NSN M8B1\_STAT\_CNT\_5522 DLSC-SBA F INTEGER 8  
M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5523 M8B1-IM-DP-NET-CHG DLSC-SBA F 8  
M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS ON NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5524 M8B1-IM-DP-PCT DLSC-SBA F 8  
M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5525 M8B2-IM-AT-LOA-BB-NSN M8B2\_STAT\_CNT\_5525 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5526 M8B2-IM-AT-LOA-ADD-NSN M8B2\_STAT\_CNT\_5526 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5527 M8B2-IM-AT-LOA-DLT-NSN M8B2\_STAT\_CNT\_5527 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5528 M8B2-IM-AT-LOA-EB-NSN M8B2\_STAT\_CNT\_5528 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5529 M8B2-IM-AT-LOA-NET-CHG DLSC-SBA F 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5530 M8B2-IM-AT-LOA-PCT DLSC-SBA F 8  
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5531 M8B2-IM-AT-BB-NSN M8B2\_STAT\_CNT\_5531 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5532 M8B2-IM-AT-ADD-NSN M8B2\_STAT\_CNT\_5532 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN  
THE NET QUANTITY OF NSNS THAT DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5533 M8B2-IM-AT-DLT-NSN M8B2\_STAT\_CNT\_5533 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IN DELETED FROM AS MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5534 M8B2-IM-AT-EB-NSN M8B2\_STAT\_CNT\_5534 DLSC-SBA F INTEGER 8  
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5535 M8B2-IM-AT-NET-CHG DLSC-SBA F 8  
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5536 M8B2-IM-AT-PCT DLSC-SBA F 8  
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5537 M8B3-CLM-DP-LOA-BB-NSN M8B3\_STAT\_CNT\_5537 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5538 M8B3-CLM-DP-LOA-ADD-NSN M8B3\_STAT\_CNT\_5538 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

5539 AAC-ACTY-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S

5540 AAC-ACTY-AAC-NSN AAC\_STAT\_CNT\_5540 DLSC-SBA F INTEGER 8  
ACQUISITION ADVICE CODE ACTIVITY AAC NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE.

5541 M8B3-CLM-DP-LOA-DLT-NSN M8B3\_STAT\_CNT\_5541 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

5542 M8B3-CLM-DP-LOA-EB-NSN M8B3\_STAT\_CNT\_5542 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5543 M8B3-CLM-DP-LOA-NET-CHG DLSC-SBA F 8  
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5544 M8B3-CLM-DP-LOA-PCT DLSC-SBA F 8  
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5545 M8B3-CLM-DP-BB-NSN M8B3\_STAT\_CNT\_5545 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5546 M8B3-CLM-DP-ADD-NSN M8B3\_STAT\_CNT\_5546 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5547 M8B3-CLM-DP-DLT-NSN M8B3\_STAT\_CNT\_5547 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5548 M8B3-CLM-DP-EB-NSN M8B3\_STAT\_CNT\_5548 DLSC-SBA F INTEGER 8  
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT.

5549 M8B3-CLM-DP-NET-CHG DLSC-SBA F 8  
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS BY DEPARTMENT.

5550 M8B3-CLM-DP-PCT DLSC-SBA F 8  
M8B3 CLASS MANAGER DEPARTMENT PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT.

5551 M8B4-CLM-AT-LOA-BB-NSN M8B4\_STAT\_CNT\_5551 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5552 M8B4-CLM-AT-LOA-ADD-NSN M8B4\_STAT\_CNT\_5552 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY  
ACTIVITY BY LOA.

5553 M8B4-CLM-AT-LOA-DLT-NSN M8B4\_STAT\_CNT\_5553 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY  
ACTIVITY BY LOA.

5554 M8B4-CLM-AT-LOA-EB-NSN M8B4\_STAT\_CNT\_5554 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5555 M8B4-CLM-AT-LOA-NET-CHG DLSC-SBA F 8  
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT  
BY ACTIVITY BY LOA.

5556 M8B4-CLM-AT-LOA-PCT DLSC-SBA F 8  
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5557 M8B4-CLM-AT-BB-NSN M8B4\_STAT\_CNT\_5557 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS  
MANAGER BY DEPARTMENT BY ACTIVITY.

5558 M8B4-CLM-AT-ADD-NSN M8B4\_STAT\_CNT\_5558 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY ADD NSN

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5559 M8B4-CLM-AT-DLT-NSN M8B4\_STAT\_CNT\_5559 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5560 M8B4-CLM-AT-EB-NSN M8B4\_STAT\_CNT\_5560 DLSC-SBA F INTEGER 8  
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5561 M8B4-CLM-AT-NET-CHG DLSC-SBA F 8  
M8B4 CLASS MANAGER ACTIVITY NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5562 M8B4-CLM-AT-PCT DLSC-SBA F 8  
M8B4 CLASS MANAGER ACTIVITY PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5563 M8B5-FSC-DP-LOA-BB-NSN M8B5\_STAT\_CNT\_5563 DLSC-SBA F INTEGER 8  
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5564 M8B5-FSC-DP-LOA-ADD-NSN M8B5\_STAT\_CNT\_5564 DLSC-SBA F INTEGER 8  
M8B5 FSC DEPARTMENT LOA ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5565 AAC-DEPT-LOA-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE.

5566 AAC-DEPT-LOA-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS A PART OF A GROUP OF AACs.

5567 M8B5-FSC-DP-LOA-DLT-NSN M8B5\_STAT\_CNT\_5567 DLSC-SBA F INTEGER 8  
M8B5 FSC DEPARTMENT LOA DELETE NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5568 M8B5-FSC-DP-LOA-EB-NSN M8B5\_STAT\_CNT\_5568 DLSC-SBA F INTEGER 8  
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5569	M8B5-FSC-DP-LOA-NET-CHG		DLSC-SBA	F	8
	M8B5 FSC DEPARTMENT LOA NET CHANGE				
	THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.				
5570	M8B5-FSC-DP-LOA-PCT		DLSC-SBA	F	8
	M8B5 FSC DEPARTMENT LOA PERCENT				
	THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.				
5571	M8B5-FSC-DP-BB-NSN	M8B5_STAT_CNT_5571	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN				
	THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT.				
5572	M8B5-FSC-DP-ADD-NSN	M8B5_STAT_CNT_5572	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT ADD NSN				
	THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT.				
5573	M8B5-FSC-DP-DLT-NSN	M8B5_STAT_CNT_5573	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT DELETE NSN				
	THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT.				
5574	M8B5-FSC-DP-EB-NSN	M8B5_STAT_CNT_5574	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT ENDING BALANCE NSN				
	THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT.				
5575	M8B5-FSC-DP-NET-CHG	M8B5_STAT_CHG_5575	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT NET CHANGE				
	THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT.				
5576	M8B5-FSC-DP-PCT	M8B5_STAT_PCT_5576	DLSC-SBA	F INTEGER	8
	M8B5 FSC DEPARTMENT PERCENT				
	THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT.				
5577	M8B6-FSC-AT-LOA-BB-NSN	M8B6_STAT_CNT_5577	DLSC-SBA	F INTEGER	8
	M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN				
	THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.				
5578	M8B6-FSC-AT-LOA-ADD-NSN	M8B6_STAT_CNT_5578	DLSC-SBA	F INTEGER	8
	M8B6 FSC ACTIVITY LOA ADD NSN				
	THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.				
5579	M8B6-FSC-AT-LOA-DLT-NSN	M8B6_STAT_CNT_5579	DLSC-SBA	F INTEGER	8
	M8B6 FSC ACTIVITY LOA DELETE NSN				
	THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5580 AAC-N-10 DLSC-SBA F 8  
ACQUISITION ADVICE CODE N 10  
ACQUISITION ADVICE CODE N FOR DRN 5566, TOTAL NON-ASSIGNED FSC DEPARTMENT ACTIVITY LOA AAC QUANTITY 10.

5581 M8B6-FSC-AT-LOA-NET-CHG DLSC-SBA F 8  
M8B6 FSC ACTIVITY LOA NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5582 M8B6-FSC-AT-LOA-PCT DLSC-SBA F 8  
M8B6 FSC ACTIVITY LOA PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5583 M8B6-FSC-AT-BB-NSN M8B6\_STAT\_CNT\_5583 DLSC-SBA F INTEGER 8  
M8B6 FSC ACTIVITY BEGINNING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5584 M8B6-FSC-AT-ADD-NSN M8B6\_STAT\_CNT\_5584 DLSC-SBA F INTEGER 8  
M8B6 FSC ACTIVITY ADD NSN  
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.

5585 M8B6-FSC-AT-DLT-NSN M8B6\_STAT\_CNT\_5585 DLSC-SBA F INTEGER 8  
M8B6 FSC ACTIVITY DELETE NSN  
THE QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.

5586 M8B6-FSC-AT-EB-NSN M8B6\_STAT\_CNT\_5586 DLSC-SBA F INTEGER 8  
M8B6 FSC ACTIVITY ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5587 M8B6-FSC-AT-NET-CHG DLSC-SBA F 8  
M8B6 FSC ACTIVITY NET CHANGE  
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5588 M8B6-FSC-AT-PCT DLSC-SBA F 8  
M8B6 FSC ACTIVITY PERCENT  
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5589 POP-FSC-AAIN-MG-FU POP\_STAT\_CNT\_5589 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL  
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5590 POP-FSC-AAIN-MG-PA POP\_STAT\_CNT\_5590 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5591	POP-FSC-AAIN-MG-RE	POP_STAT_CNT_5591	DLSC-SBA	F	INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE						
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.						
5592	POP-FSC-AAIN-MG-AC	POP_STAT_CNT_5592	DLSC-SBA	F	INTEGER	8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY						
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.						
5593	AAC-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_5593	DLSC-SBA	F	INTEGER	8
ACQUISITION ADVICE CODE DEPARTMENT LOA AAC NSN						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE.						
5594	AAC-DEPT-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE DEPARTMENT NSN						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE.						
5595	POP-FSC-FIIG-AAIN-MG	POP_STAT_CNT_5595	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED						
THE QUANTITY OF NSNS MANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.						
5596	POP-FSC-FIIG-AAIN-MG-FU	POP_STAT_CNT_5596	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL						
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.						
5597	POP-FSC-FIIG-AAIN-MG-PA	POP_STAT_CNT_5597	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL						
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.						
5598	POP-FSC-FIIG-AAIN-MG-RE	POP_STAT_CNT_5598	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE						
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.						
5599	POP-FSC-FIIG-AAIN-MG-AC	POP_STAT_CNT_5599	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY						
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.						
5600	POP-FSC-FIIG-AIN-MG		DLSC-SBA	F		8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED						
THE QUANTITY OF NSNS MANAGED AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.						
5601	POP-FSC-FIIG-AIN-MG-FU	POP_STAT_CNT_5601	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL						
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.						
5602	POP-FSC-FIIG-AIN-MG-RE	POP_STAT_CNT_5602	DLSC-SBA	F	INTEGER	8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE						
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5603 POP-FSC-FIIG-AIN-MG-AC POP\_STAT\_CNT\_5603 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY  
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5604 POP-FSC-AAIN-NMG POP\_STAT\_CNT\_5604 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED  
THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM CODES WITHIN AN FSC.

5605 POP-FSC-AAIN-NMG-FU POP\_STAT\_CNT\_5605 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL  
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5606 POP-FSC-AAIN-NMG-PA POP\_STAT\_CNT\_5606 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5607 POP-FSC-AAIN-NMG-RE POP\_STAT\_CNT\_5607 DLSC-SBA F INTEGER 8  
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE  
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5608 POP-FSC-FIIG-AAIN-NMG POP\_STAT\_CNT\_5608 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED  
THE QUANTITY OF NSNS NONMANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5609 POP-FSC-FIIG-AAIN-NMG-FU POP\_STAT\_CNT\_5609 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED  
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5610 POP-FSC-FIIG-AAIN-NMG-PA POP\_STAT\_CNT\_5610 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5611 POP-FSC-FIIG-AAIN-NMG-RE POP\_STAT\_CNT\_5611 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER  
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5612 POP-FSC-FIIG-AIN-NMG DLSC-SBA F 8  
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED  
THE QUANTITY OF NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5613 POP-FSC-FIIG-AIN-NMG-FU POP\_STAT\_CNT\_5613 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL  
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5614 POP-FSC-FIIG-AIN-NMG-PA POP\_STAT\_CNT\_5614 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5615 POP-FSC-FIIG-AIN-NMG-RE POP\_STAT\_CNT\_5615 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE  
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5617 POP-FSC-FIIG-AIN-MG-PA POP\_STAT\_CNT\_5617 DLSC-SBA F INTEGER 8  
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5618 NAIN-TOTAL-RCVD-ACTY-NSN DLSC-SBA F 8  
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTIVITY NSN  
THE TOTAL AMOUNT OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BY ACTIVITY.

5619 NAIN-ACTY-CAGE-NSN NAIN\_STAT\_CNT\_5619 DLSC-SBA F INTEGER 8  
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN  
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5620 AAC-DEPT-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5621 AAC-DEPT-AAC-NSN AAC\_STAT\_CNT\_5621 DLSC-SBA F INTEGER 8  
ACQUISITION ADVICE CODE DEPARTMENT AAC NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE.

5622 NAIN-ACTY-CAGE-PCT DLSC-SBA F 8  
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT  
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5623 NAIN-ACTY-FSC-NSN NAIN\_STAT\_CNT\_5623 DLSC-SBA F INTEGER 8  
NONAPPROVED ITEM NAME ACTIVITY FSC NSN  
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5624 NAIN-ACTY-FSC-PCT DLSC-SBA F 8  
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT  
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5625 NAIN-ACTY-RPDMRC-NSN NAIN\_STAT\_CNT\_5625 DLSC-SBA F INTEGER 8  
NONAPPROVED ITEM NAME ACTIVITY RPDMRC NSN  
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

5626 NAIN-ACTY-RPDMRC-PCT DLSC-SBA F 8  
NONAPPROVED ITEM NAME ACTIVITY RPDMRC PERCENT  
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

5627	DAC-DEPT-TYPE-II-QTY	DLSC-SBA	F	8
	DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY			
	THE QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE BROKEN OUT BY TYPE ITEM IDENTIFICATION FOR DEPARTMENT.			
5628	DAC-DEPT-NSN-TOT	DLSC-SBA	F	8
	DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR ALL TYPES ITEM IDENTIFICATION FOR DEPARTMENT.			
5629	DAC-TYPE-II-1-TOT	DAC_STAT_CNT_5629	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILTY CODE FOR TYPE 1 ITEM IDENTIFICATION.			
5630	DAC-TYPE-II-1A-TOT	DAC_STAT_CNT_5630	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1A ITEM IDENTIFICATION.			
5631	DAC-TYPE-II-1B-TOT	DAC_STAT_CNT_5631	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1B ITEM IDENTIFICATION.			
5632	DAC-TYPE-II-4-TOT	DAC_STAT_CNT_5632	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4 ITEM IDENTIFICATION.			
5633	DAC-TYPE-II-4A-TOT	DAC_STAT_CNT_5633	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4A ITEM IDENTIFICATION.			
5634	DAC-TYPE-II-4B-TOT	DAC_STAT_CNT_5634	DLSC-SB	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 4B TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4B ITEM IDENTIFICATION.			
5635	DAC-TYPE-II-2-TOT	DAC_STAT_CNT_5635	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE TYPE II 2 TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY FOR TYPE 2 ITEM IDENTIFICATION.			
5636	DAC-NSN-TOT	DLSC-SBA	F	8
	DOCUMENT AVAILABILITY CODE NSN TOTAL			
	THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODES.			
5637	DAC-DEPT-REF-QTY	DAC_STAT_CNT_5637	DLSC-SBA	F INTEGER 8
	DOCUMENT AVAILABILITY CODE DEPARTMENT REFERENCE QUANTITY			
	THE QUANTITY OF REFERENCE NUMBERS ON NSNS WITH A SPECIFIC LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR DEPARTMENT.			
5638	DAC-REF-TOT	DLSC-SBA	F	8
	DOCUMENT AVAILABILITY CODE REFERENCE TOTAL			



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF REFERENCE NUMBERS ON NSNS WITH A LIMITED RIGHTS DOCUMENT AVAILABILITY CODE.

5639 IMC-NW-DP-AT-IMC-CIC IMC\_STAT\_CNT\_5639 DLSC-SBA F INTEGER 8  
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE  
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY  
ITEM MANAGEMENT CODING ACTIVITY.

5640 IMC-NW-DP-AT-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPARTMENT ACTIVITY IMC TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED  
TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY.

5641 IMC-NW-DP-AT-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY CARD ID CODE TOTAL  
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY  
ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5642 IMC-NW-DP-AT-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE TOTL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY  
(IMCA).

5643 IMC-NW-DP-IMC-CIC DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE  
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR  
DEPARTMENT.

5644 IMC-NW-DP-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED  
TO NEW NSNS FOR DEPARTMENT.

5645 IMC-NW-DP-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL  
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC)  
FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5646 IMC-NW-DP-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING  
ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5647 IMC-NW-CLM-IMC-CIC DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE  
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR  
CLASS MANAGER.

5648 AAC-IM-ACTY-LOA-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5649 AAC-IM-ACTY-LOA-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5650 IMC-NW-CLM-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

5651 IMC-NW-CLM-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL  
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5652 IMC-NW-CLM-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL  
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

5653 IMC-AL-DP-AT-IMC-CIC IMC\_STAT\_CNT\_5653 DLSC-SBA F INTEGER 8  
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CARD ID CODE  
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACITIVITY (IMCA).

5654 IMC-AL-DP-AT-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL  
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5655 IMC-AL-DP-AT-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL  
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5656 IMC-AL-DP-AT-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5657 IMC-AL-DP-IMC-CIC DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE  
THE QUANTITY OF ALL CHANGED AND NEWLY ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

5658 IMC-AL-DP-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

5659 IMC-AL-DP-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL  
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITH THE DEPARTMENT.

5660 IMC-AL-DP-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL  
ACQUISITION ADVICE CODE L FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5661 IMC-AL-CLM-IMC-CIC DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE  
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5662 IMC-AL-CLM-IMC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL  
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

5663 IMC-AL-CLM-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL  
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5664 IMC-AL-CLM-IMC-CIC-TOT DLSC-SBA F 8  
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL  
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGER.

5665 AAC-Q-13 DLSC-SBA F 8  
ACQUISITION ADVICE CODE Q13  
ACQUISITION ADVICE CODE Q FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5666 STAT-RETURN-CATEGORY STAT\_RETN\_CAT\_5666 DLSC-SBA F CHAR 2  
STATISTICS RETURN CATEGORY  
A CATEGORY WHICH REPRESENTS A GROUP OF LIKE RETURN REASON CODES.

5667 AAC-S-13 DLSC-SBA F 8  
ACQUISITION ADVICE CODE S13  
ACQUISITION ADVICE CODE S FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5668 STAT-NAME DLSC-SBA F 50  
STATISTICS NAME  
A TITLE WHICH REPRESENTS A GROUP OF STATISTICAL COUNTS.

5669 PRI-IND-CD-TM-FRAME DLSC-SBA F 4

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## PRIORITY INDICATOR CODE TIME FRAME

THE MAXIMUM TIME FRAME ALLOWED FOR A PRIORITY INDICATOR CODE TO PROCESS, IN MINUTES.

5670	LRN-PROC-BB-UPDT-CAN-D	DLSC-SB	F	6
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL				
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.				
5671	LRN-PROC-CHG-UPDT-CAN-D	DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY				
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.				
5672	LRN-PROC-ADD-UPDT-CAN-D	DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY				
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.				
5673	LRN-PROC-DEL-UPDT-CAN-D	DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY				
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.				
5674	AAC-IM-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5674	DLSC-SBA	F INTEGER 8
ACQUISITION ADVICE CODE INTEGRATED MANAGED ACTY LOA AAC NSN				
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.				
5675	AAC-IM-ACTY-NSN	DLSC-SBA	F	8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN				
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.				
5676	LRN-PROC-BB-UPDT-DEPT-D	DLSC-SB	F	6
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY				
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.				
5677	LRN-PROC-CHG-UPDT-DEPT-D	DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY				
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.				
5678	LRN-PROC-ADD-UPDT-DEPT-D	DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY				
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.				
5679	LRN-PROC-DEL-UPDT-DEPT-D	DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY				
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5680	LRN-PROC-BB-UPDT-ACTY-D	LRN_STAT_CNT_5680	DLSC-SB	F INTEGER	6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY					
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.					
5681	LRN-PROC-CHG-UPDT-ACTY-D	LRN_STAT_CNT_5681	DLSC-SB	F INTEGER	6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY					
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.					
5682	LRN-PROC-ADD-UPDT-ACTY-D	LRN_STAT_CNT_5682	DLSC-SB	F INTEGER	6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY					
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.					
5683	LRN-PROC-DEL-UPDT-ACTY-D	LRN_STAT_CNT_5683	DLSC-SB	F INTEGER	6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY					
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEST OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.					
5684	LRN-PROC-BB-UPDT-TOT-D		DLSC-SB	F	6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY					
THE TOTAL NUMBER OF UPDATE MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.					
5685	LRN-PROC-CHG-UPDT-TOT-D		DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY					
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5686	LRN-PROC-ADD-UPDT-TOT-D		DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY					
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5687	LRN-PROC-DEL-UPDT-TOT-D		DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY					
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.					
5688	LRN-PROC-BB-UPDT-ACTY-W		DLSC-SB	F	6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY					
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.					
5689	LRN-PROC-CHG-UPDT-ACTY-W		DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY					
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.					
5690	LRN-PROC-ADD-UPDT-ACTY-W		DLSC-SB	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5691 LRN-PROC-DEL-UPDT-ACTY-W DLSC-SB F 6

LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5692 LRN-PROC-BB-UPDT-DEPT-W DLSC-SB F 6

LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5693 LRN-PROC-CHG-UPDT-DEPT-W DLSC-SB F 6

LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5694 LRN-PROC-ADD-UPDT-DEPT-W DLSC-SB F 6

LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5695 LRN-PROC-DEL-UPDT-DEPT-W DLSC-SB F 6

LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5696 LRN-PROC-BB-UPDT-TOT-W DLSC-SB F 6

LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5697 LRN-PROC-CHG-UPDT-TOT-W DLSC-SB F 6

LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5698 LRN-PROC-ADD-UPDT-TOT-W DLSC-SB F 6

LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5699 LRN-PROC-DEL-UPDT-TOT-W DLSC-SB F 6

LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5700 LRN-PROC-BB-UPDT-CAN-M DLSC-SB F 6

LOGRUN PROCEDURES BLLTN BOARD UPDATE CSTMR ACCNT NMBR MTHLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5701 LRN-PROC-CHG-UPDT-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5702 AAC-IM-ACTY-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5703 AAC-IM-ACTY-AAC-NSN AAC\_STAT\_CNT\_5703 DLSC-SBA F INTEGER 8  
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY AAC NSN  
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5704 LRN-PROC-ADD-UPDT-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5705 LRN-PROC-DEL-UPDT-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5706 LRN-PROC-BB-UPDT-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5707 LRN-PROC-CHG-UPDT-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5708 LRN-PROC-ADD-UPDT-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5709 LRN-PROC-DEL-UPDT-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5710 LRN-PROC-BB-UPDT-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5711 LRN-PROC-CHG-UPDT-DEPT-M DLSC-SB F 6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5712 LRN-PROC-ADD-UPDT-DEPT-M DLSC-SB F 6

LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5713 LRN-PROC-DEL-UPDT-DEPT-M DLSC-SB F 6

LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5714 LRN-PROC-BB-UPDT-TOT-M DLSC-SB F 6

LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5715 LRN-PROC-CHG-UPDT-TOT-M DLSC-SB F 6

LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5716 LRN-PROC-ADD-UPDT-TOT-M DLSC-SB F 6

LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS

5717 LRN-PROC-DEL-UPDT-TOT-M DLSC-SB F 6

LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY

THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5718 LRN-PROC-BB-UPDT-CAN-Q DLSC-SB F 6

LOGRUN PROCEDURES BLLTN BOARD UPDATE CUSTOMER ACCT NMBR QRTL

THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5719 LRN-PROC-CHG-UPDT-CAN-Q DLSC-SB F 6

LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRLY

THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5720 LRN-PROC-ADD-UPDT-CAN-Q DLSC-SB F 6

LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY

THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5721 LRN-PROC-DEL-UPDT-CAN-Q DLSC-SB F 6



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5722 LRN-PROC-BB-UPDT-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5723 LRN-PROC-CHG-UPDT-ACT-Q DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5724 LRN-PROC-ADD-UPDT-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5725 LRN-PROC-DEL-UPDT-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5726 LRN-PROC-BB-UPDT-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTL  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5727 LRN-PROC-CHG-UPDT-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5728 AAC-IM-DEPT-LOA-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5729 AAC-IM-DEPT-LOA-GP-NSN DLSC-SBA F 8  
ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN  
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5730 ISC-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE NSN  
QUANTITY OF NSNS WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5731 ISC-WMGR-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE WITH MANAGER NSN  
QUANTITY OF NSNS WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5732 ISC-USGOVT-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE US GOVERNMENT NSN  
QUANTITY OF NSNS MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5733 ISC-DOD-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE DOD NSN  
QUANTITY OF NSNS MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5734 ISC-WOMGR-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN  
QUANTITY OF NSNS WITHOUT MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5735 ISC-FSG-NSN-TOT DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG NSN TOTAL  
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5736 ISC-FSG-WMGR-NSN-TOT DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL  
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5737 ISC-FSG-USGOVT-NSN-TOT DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL  
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5738 ISC-FSG-DOD-NSN-TOT DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL  
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY DOD IN THE SYSTEM WITH AN ITEM STANDARDIZATION.

5739 ISC-FSG-WOMGR-NSN-TOT DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL  
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5740 ISC-FSG-NSN ISC\_STAT\_CNT\_5740 DLSC-SBA F INTEGER 8  
ITEM STANDARDIZATION CODE FSG NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5741 ISC-FSG-WMGR-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5742 ISC-FSG-USGOVT-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION.

5743 ISC-FSG-DOD-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG DOD NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5744 ISC-FSG-WOMGR-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER  
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5745 ISC-FSC-NSN DLSC-SBA F 8  
ITEM STANDARDIZATION CODE FSC NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION.

5746 ISC-FSC-WMGR-NSN ISC\_STAT\_CNT\_5746 DLSC-SBA F INTEGER 8  
ITEM STANDARDIZATION CODE FSC WITH MANAGER NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5747 ISC-FSC-USGOVT-NSN ISC\_STAT\_CNT\_5747 DLSC-SBA F INTEGER 8  
ITEM STANDARDIZATION CODE FSC US GOVERNMENT NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5748 ISC-FSC-DOD-NSN ISC\_STAT\_CNT\_5748 DLSC-SBA F INTEGER 8  
ITEM STANDARDIZATION CODE FSC DOD NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODES.

5749 ISC-FSC-WOMGR-NSN ISC\_STAT\_CNT\_5749 DLSC-SBA F INTEGER 8  
ITEM STANDARDIZATION CODE FSC WITHOUT MANAGER NSN  
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5750 INC-NSN INC\_STAT\_CNT\_5750 DLSC-SBA F INTEGER 8  
ITEM NAME CODE NSN  
THE NUMBER OF NSNS ASSOCIATED WITH A SPECIFIC ITEM NAME CODE.

5751 FSC-INC-NSN FSC\_INC\_NSN\_5751 DLSC-SBA F INTEGER 8  
FEDERAL SUPPLY CLASS ITEM NAME CODE NSN  
THE NUMBER OF NSNS ASSOCIATED WITH A SPECIFIC ITEM NAME CODE BROKEN OUT BY FSC.

5752 FSC-NSN FSC\_STAT\_CNT\_5752 DLSC-SBA F INTEGER 8  
FEDERAL SUPPLY CLASS NSN  
THE NUMBER OF NSNS WITHIN A SPECIFIC FSC.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5753	MOE-FSG-NSN MOE FEDERAL SUPPLY GROUP NSN THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.	MOE_STAT_CNT_5753	DLSC-SBA	F	INTEGER	8
5754	MOE-FSC-NSN MOE FEDERAL SUPPLY CLASS NSN THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.	MOE_STAT_CNT_5754	DLSC-SBA	F	INTEGER	8
5755	ICWS-ALL-MNGD-MM ICWS ALL MANAGED MULTI MANAGED THE TOTAL NUMBER OF MANAGER NSNS THAT HAVE MULTIPLE MANAGERS.	ICWS_STAT_CNT_5755	DLSC-SBA	F	INTEGER	8
5756	ICWS-ALL-MNGD-MMPC ICWS ALL MANAGED MULTI-MANAGED PERCENT THE PERCENTAGE OF MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.		DLSC-SBA	F		8
5757	ICWS-ALL-DOD-MM ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER THE TOTAL NUMBER OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.	ICWS_STAT_CNT_5757	DLSC-SBA	F	INTEGER	8
5758	ICWS-ALL-DOD-MMPC ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT THE PERCENTAGE OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.		DLSC-SBA	F		8
5759	ICWS-ALL-CI-MM ICWS ALL CIVIL MULTI-MANAGED THE TOTAL NUMBER OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.	ICWS_STAT_CNT_5759	DLSC-SBA	F	INTEGER	8
5760	ICWS-ALL-CI-MMPC ICWS ALL CIVIL MULTI-MANAGED PERCENT THE PERCENTAGE OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.		DLSC-SBA	F		8
5761	ICWS-ALL-OGOV-MM ICWS ALL OTHER GOVERNMENT MULTI-MANAGED THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.	ICWS_STAT_CNT_5761	DLSC-SBA	F	INTEGER	8
5762	ICWS-ALL-OGOV-MMPC ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT THE PERCENTAGE OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.		DLSC-SBA	F		8
5763	ICWS-IM-ALL-MNGD-MM ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.	ICWS_STAT_CNT_5763	DLSC-SBA	F	INTEGER	8
5764	ICWS-IM-ALL-MNGD-MMPC ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT THE PERCENTAGE OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.		DLSC-SBA	F		8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5765	ICWS-IM-ALL-DOD-MM	ICWS_STAT_CNT_5765	DLSC-SBA	F INTEGER	8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED					
THE TOTAL NUMBER OF DOD MANADEG NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5766	ICWS-IM-ALL-DOD-MMPC		DLSC-SBA	F	8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT					
THE PERCENTAGE OF DOD MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5767	ICWS-IM-ALL-CI-MM	ICWS_STAT_CNT_5767	DLSC-SBA	F INTEGER	8
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED					
THE TOTAL NUMBER OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5768	ICWS-IM-ALL-CI-MMPC		DLSC-SBA	F	8
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT					
THE PERCENTAGE OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5769	ICWS-IM-ALL-OGOV-MM	ICWS_STAT_CNT_5769	DLSC-SBA	F INTEGER	8
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT					
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5770	ICWS-IM-ALL-OGOV-MMPC		DLSC-SBA	F	8
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P					
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.					
5771	ICWS-LA-ALL-MNGD-MM	ICWS_STAT_CNT_5771	DLSC-SBA	F INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED					
THE TOTAL NUMBER OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.					
5772	ICWS-LA-ALL-MNGD-MMPC		DLSC-SBA	F	8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT					
THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.					
5773	ICWS-LA-ALL-DOD-MM	ICWS_STAT_CNT_5773	DLSC-SBA	F INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED					
THE TOTAL NUMBER OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS. B, C, E.					
5774	ICWS-LA-ALL-DOD-MMPC		DLSC-SBA	F	8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT					
THE PERCENTAGE OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.					
5775	ICWS-LA-ALL-CI-MM	ICWS_STAT_CNT_5775	DLSC-SBA	F INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED					
THE TOTAL NUMBER OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.					
5776	ICWS-LA-ALL-CI-MMPC		DLSC-SBA	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT  
THE PERCENTAGE OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5777 ICWS-LA-ALL-OGOV-MM ICWS\_STAT\_CNT\_5777 DLSC-SBA F INTEGER 8  
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED  
THE TOTAL NUMBER OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT  
(ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.

5778 ICWS-LA-ALL-OGOV-MMPC DLSC-SBA F 8  
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC  
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE  
MANAGERS.

5779 ICWD-ALL-DOD-CI-OGOV ICWD\_STAT\_CNT\_5779 DLSC-SBA F INTEGER 8  
ICWD ALL DOD CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT

5780 ICWD-ALL-DOD-CI ICWD\_STAT\_CNT\_5780 DLSC-SBA F INTEGER 8  
ICWD ALL DOD CIVIL  
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5781 ICWD-ALL-DOD-OGOV ICWD\_STAT\_CNT\_5781 DLSC-SBA F INTEGER 8  
ICWD ALL DOD OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENTS.

5782 ICWD-ALL-DOD ICWD\_STAT\_CNT\_5782 DLSC-SBA F INTEGER 8  
ICWD ALL DEPARTMENT OF DEFENSE  
THE TOTAL NUMBER OF NSNS MANAGED BY DOD ONLY.

5783 ICWD-ALL-CI-OGOV ICWD\_STAT\_CNT\_5783 DLSC-SBA F INTEGER 8  
ICWD ALL CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5784 ICWD-ALL-CI ICWD\_STAT\_CNT\_5784 DLSC-SBA F INTEGER 8  
ICWD ALL CIVIL  
THE TOTAL NUMBER OF NSNS MANAGED BY CIVIL ONLY.

5785 ICWD-ALL-OGOV ICWD\_STAT\_CNT\_5785 DLSC-SBA F INTEGER 8  
ICWD ALL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENT ONLY.

5786 ICWD-IM-ALL-DOD-CI-OGOV ICWD\_STAT\_CNT\_5786 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER  
GOVERNMENT.

5787 ICWD-IM-ALL-DOD-CI ICWD\_STAT\_CNT\_5787 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL DOD CIVIL  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5788 ICWD-IM-ALL-DOD-OGOV ICWD\_STAT\_CNT\_5788 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5789 ICWD-IM-ALL-DOD ICWD\_STAT\_CNT\_5789 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL DOD  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY DOD ONLY.

5790 ICWD-IM-ALL-CI-OGOV ICWD\_STAT\_CNT\_5790 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5791 ICWD-IM-ALL-CI ICWD\_STAT\_CNT\_5791 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL CIVIL  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY CIVIL ONLY.

5792 ICWD-IM-ALL-OGOV ICWD\_STAT\_CNT\_5792 DLSC-SBA F INTEGER 8  
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY OTHER GOVERNMENT ONLY.

5793 ICWD-LA-ALL-DOD-CI-OGOV ICWD\_STAT\_CNT\_5793 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5794 ICWD-LA-ALL-DOD-CI ICWD\_STAT\_CNT\_5794 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THST SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5795 ICWD-LA-ALL-DOD-OGOV ICWD\_STAT\_CNT\_5795 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5796 ICWD-LA-ALL-DOD ICWD\_STAT\_CNT\_5796 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL DOD  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY DOD ONLY.

5797 ICWD-LA-ALL-CI-OGOV ICWD\_STAT\_CNT\_5797 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5798 ICWD-LA-ALL-CI ICWD\_STAT\_CNT\_5798 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL CIVIL  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY CIVIL ONLY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5799 ICWD-LA-ALL-OGOV ICWD\_STAT\_CNT\_5799 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY OTHER GOVERNMENT ONLY.

5800 ICWD-LA-FSC-DOD-CI-OGOV ICWD\_STAT\_CNT\_5800 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGE-  
MENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5801 ICWD-LA-FSC-DOD-CI ICWD\_STAT\_CNT\_5801 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGE-  
MENT BETWEEN DOD AND CIVIL.

5802 ICWD-LA-FSC-DOD-OGOV ICWD\_STAT\_CNT\_5802 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGE-  
MENT BETWEEN DOD AND OTHER GOVERNMENT.

5803 ICWD-LA-FSC-DOD ICWD\_STAT\_CNT\_5803 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC DOD  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC MANAGED BY DOD ONLY.

5804 ICWD-LA-FSC-CI-OGOV ICWD\_STAT\_CNT\_5804 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGE-  
MENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5805 ICWD-LA-FSC-CI ICWD\_STAT\_CNT\_5805 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC CIVIL  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY CIVIL ONLY.

5806 ICWD-LA-FSC-OGOV ICWD\_STAT\_CNT\_5806 DLSC-SBA F INTEGER 8  
ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT  
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY OTHER GOVERNMENT ONLY.

5807 ICWS-LA-FSC-MNGD-MM ICWS\_STAT\_CNT\_5807 DLSC-SBA F INTEGER 8  
ICWS LOGISTICS ASSIGNMENT FSC MANAGED  
THE NUMBER OF MANAGED NSN WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5808 ICWS-LA-FSC-MNGD-MMPC DLSC-SBA F 8  
ICWS LOGISTICS ASSIGNMENT FSC MANAGED  
THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5809 ICWS-LA-FSC-DOD-MM ICWS\_STAT\_CNT\_5809 DLSC-SBA F INTEGER 8  
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED  
THE NUMBER OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5810	ICWS-LA-FSC-DOD-MMPC		DLSC-SBA	F		8
	ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED THE PERCENTAGE OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.					
5811	ICWS-LA-FSC-CI-MM	ICWS_STAT_CNT_5811	DLSC-SBA	F	INTEGER	8
	ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED THE NUMBER OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.					
5812	ICWS-LA-FSC-CI-MMPC		DLSC-SBA	F		8
	ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT THE PERCENTAGE OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.					
5813	ICWS-LA-FSC-OGOV-MM	ICWS_STAT_CNT_5813	DLSC-SBA	F	INTEGER	8
	ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED THE TOTAL NUMBER OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.					
5814	ICWS-LA-FSC-OGOV-MMPC		DLSC-SB	F		8
	ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT THE PERCENTAGE OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.					
5815	PIC-ACTY-DIC-PRICD-ZER	PIC_STAT_CNT_5815	DLSC-SB	F	INTEGER	8
	PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO THE QUANTITY OF PRIORITY INDICATOR CODE ZERO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.					
5816	PIC-ACTY-DIC-STD-PCT-ZER		DLSC-SBA	F		8
	PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY					
5817	PIC-ACTY-DIC-ACL-PCT-ZER		DLSC-SB	F		8
	PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO THE ACTUAL PERCENT OF PIC O TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
5818	PIC-ACTY-DIC-DEV-PCT-ZER		DLSC-SB	F		8
	PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC O STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.					
5819	PIC-ACTY-PRICD-ZER	PIC_STAT_CNT_5819	DLSC-SBA	F	INTEGER	8
	PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY CODE OF ZERO FOR A SPECIFIC ACTIVITY.					
5820	PIC-ACTY-STD-PCT-ZER		DLSC-SBA	F		8
	PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ZERO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.					
5821	PIC-ACTY-ACL-PCT-ZER		DLSC-SBA	F		8
	PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ZERO FOR A SPECIFIC ACTIVITY.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5822 PIC-ACTY-DEV-PCT-ZER DLSC-SBA F 8  
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ZERO  
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ZERO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

5823 PIC-DEPT-PRICD-ZER PIC\_STAT\_CNT\_5823 DLSC-SBA F INTEGER 8  
PRIORITY INDICATOR CODE DEPARTMENT PIC CODE ZERO  
THE QUANTITY OF PRIORITY INDICATOR CODE ZERO TRANSACTIONS RECEIVED FOR A DEPARTMENT.

5824 PIC-DEPT-STD-PCT-ZER PIC\_STAT\_CNT\_5824 DLSC-SBA F INTEGER 8  
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ZERO  
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ZERO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5825 PIC-DEPT-ACL-PCT-ZER DLSC-SBA F 8  
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ZERO  
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ZERO FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5826 PIC-DEPT-DEV-PCT-ZER DLSC-SBA F 8  
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ZERO  
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ZERO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5827 ICDS-FSC-ALL-DOD-MM ICDS\_STAT\_CNT\_5827 DLSC-SBA F INTEGER 8  
ICDS FSC ALL DOD MULTI-MANAGED  
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS.

5828 ICDS-FSC-ALL-DOD-MMPC DLSC-SBA F 8  
ICDS FSC ALL DOD MULTI-MANAGED PERCENT  
THE PERCENT OF DOD MULTIPLE MANAGED NSNS.

5829 ICDS-FSC-ALL-MS-MM ICDS\_STAT\_CNT\_5829 DLSC-SBA F INTEGER 8  
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5830 ICDS-FSC-ALL-MS-MMPC DLSC-SBA F 8  
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT  
THE PERCENT OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5831 ICDS-FSC-ALL-IM-MM ICDS\_STAT\_CNT\_5831 DLSC-SBA F INTEGER 8  
ICDS FSC ALL INTEGRATED MANAGER MULTI-MANAGED  
THE TOTAL NUMBER OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5832 ICDS-FSC-ALL-IM-MMPC DLSC-SBA F 8  
ICDS FSC ALL INTEGRATED MANAGED MULTI-MANAGED  
THE PERCENT OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
5833	ICDS-FSC-ALL-OD-MM	ICDS_STAT_CNT_5833	DLSC-SBA	F INTEGER	8
ICDS FSC ALL OTHER DOD MULTI-MANAGED					
THE TOTAL NUMBER OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.					
5834	ICDS-FSC-ALL-OD-MMPC		DLSC-SBA	F	8
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT					
THE PERCENT OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.					
5835	ICDS-FSC-ALL-LC-DOD-MM	ICDS_STAT_CNT_5835	DLSC-SBA	F INTEGER	8
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD					
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS.					
5836	ICDS-FSC-ALL-LC-DOD-MMPC		DLSC-SBA	F	8
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT					
THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.					
5837	ICDS-FSC-ALL-LC-MS-MM	ICDS_STAT_CNT_5837	DLSC-SBA	F INTEGER	8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED					
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS.					
5838	ICDS-FSC-ALL-LC-MS-MMPC		DLSC-SBA	F	8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT					
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.					
5839	ICDS-FSC-ALL-LC-IM-MM	ICDS_STAT_CNT_5839	DLSC-SBA	F INTEGER	8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED					
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS.					
5840	ICDS-FSC-ALL-LC-IM-MMPC		DLSC-SBA	F	8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT					
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.					
5841	ICDS-FSC-ALL-LC-OD-MM	ICDS_STAT_CNT_5841	DLSC-SBA	F INTEGER	8
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED					
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MULTI-MANAGED NSNS.					
5842	ICDS-FSC-ALL-LC-OD-MMPC		DLSC-SBA	F	8
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT					
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.					
5843	ICDS-IM-ALL-DOD-MM	ICDS_STAT_CNT_5843	DLSC-SBA	F INTEGER	8
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED					
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.					
5844	ISC-FSC-NSN-QTY-12		DLSC-SBA	F	8
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12					
THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES BROKEN OUT BY ITEMS WITHOUT MANAGERS, ITEMS WITH MANAGERS U.S. GOVERNMENT, AND DOD.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5845 ITEMS-W-O-MANAGERS-12 DLSC-SBA F 8  
ITEMS WITHOUT MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITHOUT MANAGERS FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5846 ITEMS-WITH-MANAGERS-12 DLSC-SBA F 8  
ITEMS WITH MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITH MANAGERS FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5847 US-GOVERNMENT-12 DLSC-SBA F 8  
UNITED STATES GOVERNMENT 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR U.S. GOVERNMENT FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5848 DOD-12 DLSC-SBA F 8  
DEPARTMENT OF DEFENSE 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR DEPARTMENT OF DEFENSE FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5849 ICMD-LA-ALL-LC-ANM ICMD\_STAT\_CNT\_5849 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5850 ICMD-LA-ALL-LC-AN ICMD\_STAT\_CNT\_5850 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5851 ICMD-LA-ALL-LC-AFM ICMD\_STAT\_CNT\_5851 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5852 ICMD-LA-ALL-LC-AF ICMD\_STAT\_CNT\_5852 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5853 ICMD-LA-ALL-LC-AM ICMD\_STAT\_CNT\_5853 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5854 ICMD-LA-ALL-LC-A ICMD\_STAT\_CNT\_5854 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATIONS.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5855	ICMD-LA-ALL-LC-NFM	ICMD_STAT_CNT_5855	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.						
5856	ICMD-LA-ALL-LC-NF	ICMD_STAT_CNT_5856	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.						
5857	ICMD-LA-ALL-LC-NM	ICMD_STAT_CNT_5857	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.						
5858	ICMD-LA-ALL-LC-N	ICMD_STAT_CNT_5858	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.						
5859	ICDS-IM-ALL-DOD-MMPC		DLSC-SBA	F		8
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.						
5860	ICDS-IM-ALL-MS-MM	ICDS_STAT_CNT_5860	DLSC-SBA	F	INTEGER	8
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED THE TOTAL NUMBER OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.						
5861	ICMD-LA-ALL-LC-FM	ICMD_STAT_CNT_5861	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.						
5862	ICMD-LA-ALL-LC-F	ICMD_STAT_CNT_5862	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.						
5863	ICMD-LA-ALL-LC-M	ICMD_STAT_CNT_5863	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.						
5864	ICMD-LA-FSC-ALL-ANFM	ICMD_STAT_CNT_5864	DLSC-SBA	F	INTEGER	8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.						
5865	ICMD-LA-FSC-ALL-ANF	ICMD_STAT_CNT_5865	DLSC-SBA	F	INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY, NAVY AND AIR FORCE.

5866 ICMD-LA-FSC-ALL-ANM ICMD\_STAT\_CNT\_5866 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY, NAVY AND MARINE CORPS.

5867 ICMD-LA-FSC-ALL-AN ICMD\_STAT\_CNT\_5867 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY AND NAVY.

5869 ICMD-LA-FSC-ALL-AFM ICMD\_STAT\_CNT\_5869 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

5870 ICMD-LA-FSC-ALL-AF ICMD\_STAT\_CNT\_5870 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY AND AIR FORCE.

5871 ICMD-LA-FSC-ALL-AM ICMD\_STAT\_CNT\_5871 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY AND MARINE CORPS.

5872 ICMD-LA-FSC-ALL-A ICMD\_STAT\_CNT\_5872 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY ARMY ONLY.

5873 ICMD-LA-FSC-ALL-NFM ICMD\_STAT\_CNT\_5873 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

5874 ICMD-LA-FSC-ALL-NF ICMD\_STAT\_CNT\_5874 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY NAVY AND AIR FORCE.

5875 ICMD-LA-FSC-ALL-NM ICMD\_STAT\_CNT\_5875 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS

THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY NAVY AND MARINE CORPS.

5876 ICMD-LA-FSC-ALL-N ICMD\_STAT\_CNT\_5876 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY.

5877 ICMD-LA-FSC-ALL-FM ICMD\_STAT\_CNT\_5877 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

5878 ICMD-LA-FSC-ALL-F ICMD\_STAT\_CNT\_5878 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY AIR FORCE.

5879 ICMD-LA-FSC-ALL-M ICMD\_STAT\_CNT\_5879 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY MARINE CORPS.

5880 ICMD-LA-FSC-LC-ANFM ICMD\_STAT\_CNT\_5880 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5881 ICMD-LA-FSC-LC-ANF ICMD\_STAT\_CNT\_5881 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5882 ICMD-LA-FSC-LC-ANM ICMD\_STAT\_CNT\_5882 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5883 ICMD-LA-FSC-LC-AN ICMD\_STAT\_CNT\_5883 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5884 ICMD-LA-FSC-LC-AFM ICMD\_STAT\_CNT\_5884 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5885 ICMD-LA-FSC-LC-AF ICMD\_STAT\_CNT\_5885 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5886 ICMD-LA-FSC-LC-AM ICMD\_STAT\_CNT\_5886 DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5887 ICMD-LA-FSC-LC-A ICMD\_STAT\_CNT\_5887 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY

THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5888 ICMD-LA-FSC-LC-NFM ICMD\_STAT\_CNT\_5888 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY NAVY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5889 ICMD-LA-FSC-LC-NF ICMD\_STAT\_CNT\_5889 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5890 ICMD-LA-FSC-LC-NM ICMD\_STAT\_CNT\_5890 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5891 ICMD-LA-FSC-LC-N ICMD\_STAT\_CNT\_5891 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5892 ICMD-LA-FSC-LC-FM ICMD\_STAT\_CNT\_5892 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE  
MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5893 ICMD-LA-FSC-LC-F ICMD\_STAT\_CNT\_5893 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.

5894 ICMD-LA-FSC-LC-M ICMD\_STAT\_CNT\_5894 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED  
BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.

5895 ICFS-FAA-ALL-MNGD-TOT ICFS\_STAT\_CNT\_5895 DLSC-SBA F INTEGER 8

ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED

THE TOTAL NUMBER OF NSNS MANAGED BY FEDERAL AVIATION ADMINISTRATION.

5896 ICFS-FAA-ALL-MNGD-MM ICFS\_STAT\_CNT\_5896 DLSC-SBA F INTEGER 8

ICFS FAA ALL MANAGED MULTI-MANAGED



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5897 ICFS-FAA-ALL-MNGD-MMPC DLSC-SB F 8  
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT  
THE PERCENTAGE OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5898 ICFS-DLA-ALL-MM ICFS\_STAT\_CNT\_5898 DLSC-SBA F INTEGER 8  
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5899 ICFS-DLA-ALL-MMPC DLSC-SBA F 8  
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5900 DOD-A2C DLSC-SBA F 8  
DOD A2C  
DOD TOTAL FOR DRN 5896, NON ASSIGNED FSC MULTI MANAGED DEPARTMENT NSN QUANTITY A2C.

5901 ICFS-DOD-ALL-MM ICFS\_STAT\_CNT\_5901 DLSC-SBA F INTEGER 8  
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5902 ICFS-DOD-ALL-MMPC DLSC-SBA F 8  
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5903 ICFS-GSA-ALL-TOTAL DLSC-SBA F 8  
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL  
THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5904 ICDS-IM-ALL-MS-MMPC DLSC-SBA F 8  
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT  
THE PERCENT OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5905 ICDS-IM-ALL-IM-MM ICDS\_STAT\_CNT\_5905 DLSC-SBA F INTEGER 8  
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED  
THE TOTAL NUMBER OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5906 ICDS-IM-ALL-IM-MMPC DLSC-SBA F 8  
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT  
THE PERCENT OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5907 ICDS-IM-ALL-OD-MM ICDS\_STAT\_CNT\_5907 DLSC-SBA F INTEGER 8  
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED  
THE TOTAL NUMBER OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5908 ICDS-IM-ALL-OD-MMPC DLSC-SBA F 8  
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT  
THE PERCENT OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5909 ICDS-IM-ALL-LC-DOD-MM ICDS\_STAT\_CNT\_5909 DLSC-SBA F INTEGER 8  
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED  
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5910 ICDS-IM-ALL-LC-DOD-MMPC DLSC-SBA F 8  
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT  
THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5911 ICDS-IM-ALL-LC-MS-MM ICDS\_STAT\_CNT\_5911 DLSC-SBA F INTEGER 8  
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD  
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5912 ICDS-IM-ALL-LC-MS-MMPC DLSC-SB F 8  
ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT  
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5913 ICDS-IM-ALL-LC-IM-MM ICDS\_STAT\_CNT\_5913 DLSC-SBA F INTEGER 8  
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD  
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5914 ICDS-IM-ALL-LC-IM-MMPC DLSC-SBA F 8  
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT  
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5915 ICDS-IM-ALL-LC-OD-MM ICDS\_STAT\_CNT\_5915 DLSC-SBA F INTEGER 8  
ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED  
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MANAGED NSNS WITHIN ASSIGNED CLASSES.

5916 ICDS-IM-ALL-LC-OD-MMPC DLSC-SBA F 8  
ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT  
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS OF EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5917 ICDS-LA-ALL-DOD-MM ICDS\_STAT\_CNT\_5917 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED  
TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5918 ICDS-LA-ALL-DOD-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT  
THE PERCENT OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5919 ICDS-LA-ALL-MS-MM ICDS\_STAT\_CNT\_5919 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5920 ICDS-LA-ALL-MS-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT  
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5921 ICDS-LA-ALL-IM-MM ICDS\_STAT\_CNT\_5921 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED  
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5922 ICDS-LA-ALL-IM-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT  
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5923 ICDS-LA-ALL-OD-MM ICDS\_STAT\_CNT\_5923 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED  
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5924 ICDS-LA-ALL-OD-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT  
THE PERCENT OF OTHER DOD MULTIPLE NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5925 ICDS-LA-ALL-LC-DOD-MM ICDS\_STAT\_CNT\_5925 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED  
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5926 ICDS-LA-ALL-LC-DOD-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT  
THE PERCENT OF DOD MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5927 ICDS-LA-ALL-LC-MS-MM ICDS\_STAT\_CNT\_5927 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED  
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5928 ICDS-LA-ALL-LC-MS-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT  
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5929 ICDS-LA-ALL-LC-IM-MM ICDS\_STAT\_CNT\_5929 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG  
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5930 ICDS-LA-ALL-LC-IM-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT  
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5931 ICDS-LA-ALL-LC-OD-MM ICDS\_STAT\_CNT\_5931 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD  
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5932 ICDS-LA-ALL-LC-OD-MMPC DLSC-SBA F 8  
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT  
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5933 ICDS-LA-FSC-ALL-DOD-MM ICDS\_STAT\_CNT\_5933 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED  
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5934 ICDS-LA-FSC-ALL-DOD-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT  
THE TOTAL NUMBER OF DOD MULTIPLE NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5935 ICDS-LA-FSC-ALL-MS-MM ICDS\_STAT\_CNT\_5935 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5936 ICDS-LA-FSC-ALL-MS-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT  
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5937 ICDS-LA-FSC-ALL-IM-MM ICDS\_STAT\_CNT\_5937 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD  
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5938 ICDS-LA-FSC-ALL-IM-MMPC DLSC-SBA F 8  
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT  
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5939 ICDS-LA-FSC-ALL-OD-MM ICDS\_STAT\_CNT\_5939 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED  
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5940 ICDS-LA-FSC-ALL-OD-MMPC DLSC-SB F 8  
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT  
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5941 ICDS-LA-FSC-LC-DOD-MM ICDS\_STAT\_CNT\_5941 DLSC-SBA F INTEGER 8  
ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM  
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC,  
WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5942 ICDS-LA-FSC-LC-DOD-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT  
THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A  
SPECIFIC LOGISTICS ASSIGNMENT.

5943 ICDS-LA-FSC-LC-MS-MM ICDS\_STAT\_CNT\_5943 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD  
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC FSC,  
WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5944 ICDS-LA-FSC-LC-MS-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT  
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN  
A SPECIFIC LOGISTICS ASSIGNMENT.

5945 ICDS-LA-FSC-LC-IM-MM ICDS\_STAT\_CNT\_5945 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD  
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A  
SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5946 ICDS-LA-FSC-LC-IM-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT  
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC  
FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5947 ICDS-LA-FSC-LC-OD-MM ICDS\_STAT\_CNT\_5947 DLSC-SBA F INTEGER 8  
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD  
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC,  
WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5948 ICDS-LA-FSC-LC-OD-MMPC DLSC-SBA F 8  
ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT  
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC  
WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5949 ICDD-FSC-ALL-MS-IM-OD ICDD\_STAT\_CNT\_5949 DLSC-SBA F INTEGER 8  
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

5950 ICDD-FSC-ALL-MS-IM ICDD\_STAT\_CNT\_5950 DLSC-SBA F INTEGER 8  
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND INTEGRATED MANAGER.

5951 ICDD-FSC-ALL-MS-OD ICDD\_STAT\_CNT\_5951 DLSC-SBA F INTEGER 8  
ICDD FSC ALL MILITARY SERVICE OTHER DOD

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND OTHER DOD.

5952 ICDD-FSC-ALL-MS ICDD\_STAT\_CNT\_5952 DLSC-SBA F INTEGER 8  
ICDD FSC ALL MILITARY SERVICE  
THE TOTAL NUMBER DOD NSNS MANAGED BY THE MILITARY ONLY.

5953 ICDD-FSC-ALL-IM-OD ICDD\_STAT\_CNT\_5953 DLSC-SBA F INTEGER 8  
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

5954 ICDD-FSC-ALL-IM ICDD\_STAT\_CNT\_5954 DLSC-SBA F INTEGER 8  
ICDD FSC ALL INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5955 ICDD-FSC-ALL-OD ICDD\_STAT\_CNT\_5955 DLSC-SBA F INTEGER 8  
ICDD FSC ALL OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY OTHER DOD ONLY.

5956 ICDD-FSC-ALL-LC-MS-IM-OD ICDD\_STAT\_CNT\_5956 DLSC-SBA F INTEGER 8  
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT OF MILITARY,  
INTEGRATED MANAGER AND OTHER DOD.

5957 ICDD-FSC-ALL-LC-MS-IM ICDD\_STAT\_CNT\_5957 DLSC-SBA F INTEGER 8  
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND  
INTEGRATED MANAGER.

5958 ICDD-FSC-ALL-LC-MS-OD ICDD\_STAT\_CNT\_5958 DLSC-SBA F INTEGER 8  
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND  
OTHER DOD.

5959 ICDD-FSC-ALL-LC-MS ICDD\_STAT\_CNT\_5959 DLSC-SBA F INTEGER 8  
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE  
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES  
ONLY.

5960 ICDD-FSC-ALL-LC-IM-OD ICDD\_STAT\_CNT\_5960 DLSC-SBA F INTEGER 8  
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED  
MANAGER AND OTHER DOD.

5961 ICDD-FSC-ALL-LC-IM ICDD\_STAT\_CNT\_5961 DLSC-SBA F INTEGER 8  
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER  
ONLY.

5962 ICDD-FSC-ALL-LC-OD ICDD\_STAT\_CNT\_5962 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICDD FSC ALL LOA COMBINATION OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY OTHER DOD ONLY.

5963 ICDD-IM-ALL-MS-IM-OD ICDD\_STAT\_CNT\_5963 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD  
THE TTOAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES,  
INTEGRATED MANAGER AND OTHER DOD.

5964 ICDD-IM-ALL-MS-IM ICDD\_STAT\_CNT\_5964 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND  
INTEGRATED MANAGER.

5965 ICDD-IM-ALL-MS-OD ICDD\_STAT\_CNT\_5965 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND  
OTHER DOD.

5966 ICDD-IM-ALL-MS ICDD\_STAT\_CNT\_5966 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MILITARY SERVICES ONLY.

5967 ICDD-IM-ALL-IM-OD ICDD\_STAT\_CNT\_5967 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND  
OTHER DOD.

5968 ICDD-IM-ALL-IM ICDD\_STAT\_CNT\_5968 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5969 ICDD-IM-ALL-OD ICDD\_STAT\_CNT\_5969 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY OTHER DOD ONLY.

5970 LGRN-INQRY-DEPT-QTY DLSC-SBA F 8  
LOGRUN INQUIRY DEPARTMENT QUANTITY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED FOR INQUIRIES FOR DEPARTMENT.

5971 LGRN-INQRY-DEPT-PCT DLSC-V F 8  
LOGRUN INQUIRY DEPARTMENT PERCENT  
THE PERCENT OF LOGRUN INQUIRIES FOR DEPARTMENT.

5972 LRN-C-NIIN-CAN-MTHLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5973 LRN-C-NIIN-CAN-QTRLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5974 LRN-C-NIIN-CAN-YRLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5975 LRN-C-NIIN-ACTY-DLY LRN\_STAT\_CNT\_5975 DLSC-V F INTEGER 8  
LOGRUN CAGE NIIN INQ ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5976 LRN-C-NIIN-ACTY-WKLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5977 LGRN-CAGE-OL-INQRY-DP-QT DLSC-SBA F 8  
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY  
THE NUMBER OF TIMES THE LOGRUN HAS BEEN ACCESSED FOR CAGE CODES INQUIRIES FOR DEPARTMENT.

5978 LRN-C-NIIN-ACTY-MTHLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5979 LRN-C-NIIN-ACTY-QTRLY DLSC-V F 8  
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5980 LGRN-CHAR-UPDT-DEPT-QTY DLSC-SBA F 8  
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS DATA INQUIRIES FOR DEPARTMENT.

5981 LGRN-CHS-INQRY-DEPT-QTY DLSC-V F 8  
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH LESS THAN 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.

5982 LGRN-CST-INQRY-DEPT-QTY DLSC-SBA F 8  
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY  
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH OVER 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.

5983 LRN-C-NIIN-DEPT-DLY LRN\_STAT\_CNT\_5983 DLSC-V F INTEGER 8  
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5984 LRN-C-NIIN-DEPT-WKLY DLSC-V F 8  
LOGRUN CAGE NIIN DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5985	LGRN-TEST-ACCESS-DEPT-QT		DLSC-SBA	F	8
	LOGRUN TEST ACCESS DEPARTMENT QUANTITY				
	THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.				
5986	LRN-C-NIIN-DEPT-MTHLY		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.				
5987	LRN-C-NIIN-DEPT-QTRLY		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.				
5988	LRN-C-NIIN-DEPT-YRLY		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.				
5989	LRN-C-NIIN-DLY-TOT	LRN_STAT_CNT_5989	DLSC-V	F	INTEGER 8
	LOGRUN CAGE NIIN INQ DAILY TOTAL				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
5990	LRN-C-NIIN-WKLY-TOT		DLSC-SBA	F	8
	LOGRUN CAGE NIIN INQ WEEKLY TOTAL				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITIES AND CUSTOMER ACCOUNT NUMBER.				
5991	LRN-C-NIIN-MTHLY-TOT		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ MONTHLY TOTAL				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
5992	LRN-C-NIIN-QTRLY-TOT		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ QUARTERLY TOTAL				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
5993	LRN-C-NIIN-YRLY-TOT		DLSC-V	F	8
	LOGRUN CAGE NIIN INQ YEARLY TOTAL				
	THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.				
5994	L-CAGE-OL-IQY-DP-ACT-QTY		DLSC-SBA	F	8
	LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY				
	THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CAGE CODES FOR DEPARTMENT FOR ACTIVITY.				
5995	LRN-PROC-CAN-MTHLY		DLSC-SB	F	6
	LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY				
	THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5996 LRN-C-RNL-CAN-DLY DLSC-V F 8  
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5997 LRN-C-RNL-CAN-WKLY DLSC-SBA F 8  
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5998 LRN-C-RNL-CAN-MTHLY DLSC-V F 8  
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5999 LRN-C-RNL-CAN-QTRLY DLSC-V F 8  
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6060 QTY-ASTS-RPTD DLSC-SB F 5  
QUANTITY, ASSETS REPORTED  
THE QUANTITY OF AN ITEM REPORTED AS EXCESS TO THE REQUIREMENT OF THE REPORTING ACTIVITY WHO MANAGES OR CONTROLS THE ITEM.

6088 IANDS-ACTY-NSN-FAMILIES IANS\_STAT\_CNT\_6088 DLSC-SBA F INTEGER 8  
I & S ACTIVITY NSN FAMILY COUNT  
THE NUMBER OF FAMILIES FOR A SPECIFIC ACTIVITY FOR A SPECIFIC NSN GROUPING.

6089 IANDS-DEPT-NSN-FAMILIES IANS\_STAT\_CNT\_6089 DLSC-SBA F INTEGER 8  
I & S DEPT NSN FAMILY COUNT  
THE NUMBER OF FAMILIES FOR A SPECIFIC DEPARTMENT FOR A SPECIFIC NSN GROUPING.

6099 IANDS-GTOT-NSN-FAMILIES IANS\_STAT\_CNT\_6099 DLSC-SBA F INTEGER 8  
I & S GRAND TOTAL NSN FAMILY COUNT  
THE TOTAL OF I & S NSN FAMILIES FOR THE ENTIRE FEDERAL CATALOGING SYSTEM.

6106 QUP-CD QUP\_6106 DLSC-SB F CHAR 1  
QUANTITY PER UNIT PACK (QUP) CODE  
A CODE INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACKAGE AS ESTABLISHED BY THE MANAGING ACTIVITY.  
SHORT TITLE, QUP. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

6137 ID-MCRL-NSN ID\_STAT\_CNT\_6137 DLSC-SB F INTEGER 8  
INFO DISSEM MCRL NSN COUNT  
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION MCRL.

6154 ID-MLMC-NSN ID\_STAT\_CNT\_6154 DLSC-SBA F INTEGER 8  
INFO DISSEM ML MARINE CORP NSN COUNT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML MARINE CORP CATALOG.

6159	ID-MLC-NSN	ID_STAT_CNT_6159	DLSC-SBA	F	INTEGER	8
INFO DISSEM ML CONSOLIDATED NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML CONSOLIDATED CATALOG.						

6161	ID-MLN-NSN	ID_STAT_CNT_6161	DLSC-SBA	F	INTEGER	8
INFO DISSEM ML NAVY NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML FOR THE NAVY.						

6162	ID-PIIL-NSN	ID_STAT_CNT_6162	DLSC-SBA	F	INTEGER	8
INFO DISSEM PIIL CATALOG NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION PIIL CATALOG.						

6164	ID-CG-NSN	ID_STAT_CNT_6164	DLSC-SBA	F	INTEGER	8
INFO DISSEM COAST GUARD CATALOG NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION COAST GUARD CATALOG.						

6166	ID-FAA-NSN	ID_STAT_CNT_6166	DLSC-SBA	F	INTEGER	8
INFO DISSEM FAA CATALOG NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION FAA CATALOG.						

6168	ID-IL-NSN	ID_STAT_CNT_6168	DLSC-SBA	F	INTEGER	8
INFO DISSEM IL NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION IL's.						

6169	ID-AMMO-NSN	ID_STAT_CNT_6169	DLSC-SBA	F	INTEGER	8
INFO DISSEM AMMO NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION AMMO CATALOG.						

6171	ID-CAC-NSN	ID_STAT_CNT_6171	DLSC-SBA	F	INTEGER	8
INFO DISSEM CIVIL AGENCY CATALOG NSN COUNT						
TNE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION CIVIL AGENCY CATALOG.						

6172	ID-MED-NSN	ID_STAT_CNT_6172	DLSC-SBA	F	INTEGER	8
INFO DISSEM MEDICAL CATALOG NSN COUNT						
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION MEDICAL CATALOG.						

6174	L-PN-INQY-DEPT-ACT-QTY		DLSC-SB	F		8
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY						
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR PART NO. INQUIRIES FOR DEPARTMENT FOR ACTIVITY.						

6175	L-FSC-INQRY-DEPT-ACT-QTY		DLSC-SBA	F		8
LOGRUN FSC INQUIRY DEPARTMENT ACTIVITY QUANTITY						
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR FSC INQUIRIES FOR DEPARTMENT FOR ACTIVITY.						

6176	L-TEST-ACCESS-DP-ACT-QTY		DLSC-SBA	F		8
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.

6177 LRN-C-RNL-CAN-YRLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6178 LRN-C-RNL-ACTY-DLY LRN\_STAT\_CNT\_6178 DLSC-V F INTEGER 8

LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6179 LRN-C-RNL-ACT-WKLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6180 LRN-C-RNL-ACTY-MTHLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6181 LRN-C-RNL-ACTY-QTRLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6182 LRN-C-RNL-ACTY-YRLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6183 LRN-C-RNL-DEPT-DLY LRN\_STAT\_CNT\_6183 DLSC-V F INTEGER 8

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6184 CAGE-ON-LINE-1 DLSC-SBA F 8

CAGE ON LINE 1

CAGE-ON-LINE FOR DRN 6178, LOGRUN INQUIRY QUANTITY 1.

6185 LRN-C-RNL-DEPT-WKLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6186 LRN-C-RNL-DEPT-MTHLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6187 LRN-C-RNL-DEPT-QTRLY DLSC-V F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6188 LRN-C-RNL-DEPT-YRLY DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6189 LRN-C-RNL-DLY-TOT LRN\_STAT\_CNT\_6189 DLSC-V F INTEGER 8

LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6190 LRN-C-RNL-WKLY-TOT DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6192 LRN-C-RNL-MTHLY-TOT DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6193 LRN-C-RNL-QTRLY-TOT DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6194 LRN-C-RNL-YRLY-TOT DLSC-V F 8

LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6195 LRN-PROC-CAN-QTRLY DLSC-SB F 6

LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRLY

THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

6196 LRN-C-P-RNL-CAN-DLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6197 LRN-C-P-RNL-CAN-WKLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6198 LRN-C-P-RNL-CAN-MTHLY DLSC-V F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6199 LRN-C-P-RNL-CAN-QTRLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6200 LRN-C-P-RNL-CAN-YRLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6201 LRN-TES-IQY-DP-SN-TIC-QT DLSC-SBA F 8

LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY

THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR TEST DATA BASE INQUIRY BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.

6202 LRN-C-P-RNL-ACTY-DLY LRN\_STAT\_CNT\_6202 DLSC-V F INTEGER 8

LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6203 LRN-C-P-RNL-ACTY-WKLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6204 LRN-C-P-RNL-ACTY-MTHLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6205 LRN-C-P-RNL-ACTY-QTRLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6206 LRN-C-P-RNL-ACTY-YRLY DLSC-V F 8

LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6207 LRN-C-P-RNL-DEPT-DLY LRN\_STAT\_CNT\_6207 DLSC-V F INTEGER 8

LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6208 LRN-C-P-RNL-DEPT-WKLY DLSC-V F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6209 SCN-PRO-NSN-DP-CUR-MTH PRON\_STAT\_CNT\_6209 DLSC-SBA F INTEGER 8  
SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED  
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6210 SCN-PRO-NSN-DP-CUR-NMTH PRON\_STAT\_CNT\_6210 DLSC-SBA F INTEGER 8  
SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH  
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6211 SCN-PRO-NSN-DP-CUR-REJ PRON\_STAT\_CNT\_6211 DLSC-SBA F INTEGER 8  
SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS  
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6212 SCN-PRO-NSN-DP-CUR-RECD DLSC-SBA F 8  
SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY  
THE CURRENT QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6213 SCN-PRO-NSN-DP-YTD-MTH DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6214 SCN-PRO-NSN-DP-YTD-NMTH DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH  
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6215 SCN-PRO-NSN-DP-YTD-REJ DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT  
THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6216 SCN-PRO-NSN-DP-YTD-RECD DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED  
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6217 SCN-PRO-NSN-DP-PYD-MTH DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED  
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6218 SCN-PRO-NSN-DP-PYD-NMTH DLSC-SBA F 8  
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6219	SCN-PRO-NSN-DP-PYD-REJ		DLSC-SBA	F		8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS						
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.						
6220	SCN-PRO-NSN-DP-PYD-RECVD		DLSC-SBA	F		8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED						
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.						
6221	SCN-PRO-NSN-TOT-MTH		DLSC-SBA	F		8
SCREENING PROVISIONING NSN TOTAL MATCHED						
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS.						
6222	SCN-PRO-NSN-TOT-NMTH		DLSC-SBA	F		8
SCREENING PROVISIONING NSN TOTAL NOT MATCHED						
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.						
6223	SCN-PRO-NSN-TOT-REJ		DLSC-SBA	F		8
SCREENING PROVISIONING NSN TOTAL REJECT						
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED.						
6224	SCN-PRO-NSN-TOT-RECVD		DLSC-SBA	F		8
SCREENING PROVISIONING NSN TOTAL RECEIVED						
THE TOTAL QUANTITY OF PROVISIONING SCREENING TRANSACTIONS RECEIVED.						
6225	SCN-PRO-REF-DP-CUR-MTH	PROR_STAT_CNT_6225	DLSC-SBA	F	INTEGER	8
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH						
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.						
6226	SCN-PRO-REF-DP-CUR-NMTH	PROR_STAT_CNT_6226	DLSC-SB	F	INTEGER	8
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED						
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.						
6227	SCN-PRO-REF-DP-CUR-REJ	PROR_STAT_CNT_6227	DLSC-SBA	F	INTEGER	8
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS						
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.						
6228	SCN-PRO-REF-DP-CUR-RECVD		DLSC-SBA	F		8
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED						
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER FOR PROVISIONING SCREENING FOR DEPARTMENT.						
6229	SCN-PRO-REF-DP-YTD-MTH		DLSC-SBA	F		8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED						



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6230 SCN-PRO-REF-DP-YTD-NMTH DLSC-SBA F 8  
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED  
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6231 SCN-PRO-REF-DP-YTD-REJ DLSC-SBA F 8  
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED  
THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6232 SCN-PRO-REF-DP-YTD-RECVD DLSC-SB F 8  
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED  
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6233 SCN-PRO-REF-DP-PYD-MTH DLSC-SBA F 8  
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6234 SCN-PRO-REF-DP-PYD-NMTH DLSC-SBA F 8  
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.

6235 SCN-PRO-REF-DP-PYD-REJ DLSC-SBA F 8  
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED  
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6236 SCN-PRO-REF-DP-PYD-RECVD DLSC-SBA F 8  
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6237 SCN-PRO-REF-TOT-MTH DLSC-SBA F 8  
SCREENING PROVISIONING REFERENCE TOTAL MATCHED  
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS.

6238 SCN-PRO-REF-TOT-NMTH DLSC-SBA F 8  
SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED  
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6239 SCN-PRO-REF-TOT-REJ DLSC-SBA F 8  
SCREENING PROVISIONING REFERENCE TOTAL REJECTED  
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6240 SCN-PRO-REF-TOT-RECVD DLSC-SBA F 8  
SCREENING PROVISIONING REFERENCE TOTAL RECEIVED  
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

6241 SCN-PRE-NSN-DP-CUR-MTH PREN\_STAT\_CNT\_6241 DLSC-SBA F INTEGER 8  
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED  
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6242 SCN-PRE-NSN-DP-CUR-NMTH PREN\_STAT\_CNT\_6242 DLSC-SBA F INTEGER 8  
SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED  
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6243 SCN-PRE-NSN-DP-CUR-REJ PREN\_STAT\_CNT\_6243 DLSC-SBA F INTEGER 8  
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS  
THE QUANTITY OF TRANSACTIONS REJECTED THROUGH THE PREPROCUREMENT SCREENING BY NIIN FOR DEPARTMENT.

6244 SCN-PRE-NSN-DP-CUR-RECVD DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED  
THE CURRENT QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6245 SCN-PRE-NSN-DP-YTD-MTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6246 SCN-PRE-NSN-DP-YTD-NMTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED  
THE YEAR-TO DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6247 SCN-PRE-NSN-DP-YTD-REJ DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT  
THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6248 SCN-PRE-NSN-DP-YTD-RECVD DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED  
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6249 SCN-PRE-NSN-DP-PYD-MTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH  
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6250 SCN-PRE-NSN-DP-PYD-NMTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH  
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6251 SCN-PRE-NSN-DP-PYD-REJ DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT  
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6252 SCN-PRE-NSN-DP-PYD-RECVD DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED  
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6253 SCN-PRE-NSN-TOT-MTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN TOTAL MATCHED  
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS.

6254 SCN-PRE-NSN-TOT-NMTH DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED  
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6255 SCN-PRE-NSN-TOT-REJ DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN TOTAL REJECT  
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED.

6256 SCN-PRE-NSN-TOT-RECVD DLSC-SBA F 8  
SCREENING PREPROCUREMENT NSN TOTAL RECEIVED  
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING TRANSACTIONS RECEIVED.

6257 FIIG-TOT-INPUT DLSC-SB F 8  
FIIG TOTAL INPUT  
TOTAL QUANTITY OF TRANSACTIONS RECEIVED BY FIIG FOR A NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6258 FIIG-TOT-MTCH DLSC-SBA F 8  
FIIG TOTAL MATCH  
TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES BY FIIG FOR A WEEK.

6259 FIIG-TOT-P-MTCH DLSC-SB F 8  
FIIG TOTAL POSSIBLE MATCH  
TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG FOR A MONTH.

6260 FIIG-TOT-A-MTCH DLSC-SB F 8  
FIIG TOTAL ACTUAL MATCH  
TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG FOR MONTH.

6261 FIIG-TOT-NEW-INPUT DLSC-SB F 8  
FIIG TOTAL NEW INPUT

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG FOR A MONTH.

6262 FIIG-TOT-NEW-MTCH DLSC-SB F 8  
FIIG TOTAL NEW MATCH

TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG FOR A MONTH.

6263 FIIG-TOT-MAINT-INPUT DLSC-SB F 8  
FIIG TOTAL MAINTENANCE INPUT

TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG FOR A MONTH.

6264 FIIG-TOT-MAINT-MTCH DLSC-SB F 8  
FIIG TOTAL MAINTENANCE MATCH

TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG FOR A MONTH.

6265 FIIG-TOT-9001-USAGE DLSC-SB F 8  
FIIG TOTAL 9001 USAGE

TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG FOR A MONTH.

6266 PIR-ACTY-DIC-DEV-PCT-ONE DLSC-SB F 8  
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE

THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

6267 ID-CAC-CUM-CHG ID\_STAT\_CNT\_6267 DLSC-SB F INTEGER 8  
INFO DISSEM CIVIL AGENCY CATALOG CUM CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGENCY CATALOG.

6268 ID-CAC-CUR-CHG ID\_STAT\_CNT\_6268 DLSC-SB F INTEGER 8  
INFO DISSEM CIVIL AGENCY CATALOG CUR CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGENCY CATALOG.

6269 ID-CAC-PCT-CHG DLSC-SB F 8  
INFO DISSEM CIVIL AGENCY CATALOG PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGENCY CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6270 ID-MED-CUM-CHG ID\_STAT\_CNT\_6270 DLSC-SB F INTEGER 8  
INFO DISSEM MEDICAL CATALOG CUM CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG.

6271 ID-MED-CUR-CHG ID\_STAT\_CNT\_6271 DLSC-SB F INTEGER 8  
INFO DISSEM MEDICAL CATALOG CUR CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG.

6272 ID-MED-PCT-CHG DLSC-SB F 8  
INFO DISSEM MEDICAL CATALOG PERCENT CHANGE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6273 ID-AMMO-CUM-CHG ID\_STAT\_CNT\_6273 DLSC-SB F INTEGER 8  
INFO DISSEM AMMO CATALOG CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO CATALOG.

6274 ID-AMMO-CUR-CHG ID\_STAT\_CNT\_6274 DLSC-SB F INTEGER 8  
INFO DISSEM AMMO CATALOG CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO AGENCY CATALOG.

6275 ID-AMMO-PCT-CHG DLSC-SB F 8  
INFO DISSEM AMMO CATALOG PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6276 ID-IL-CUM-CHG ID\_STAT\_CNT\_6276 DLSC-SB F INTEGER 8  
INFO DISSEM IL CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6277 ID-IL-CUR-CHG ID\_STAT\_CNT\_6277 DLSC-SB F INTEGER 8  
INFO DISSEM IL CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6278 ID-IL-PCT-CHG DLSC-SB F 8  
INFO DISSEM IL PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR EACH IL FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6279 ID-FAA-CUM-CHG ID\_STAT\_CNT\_6279 DLSC-SB F INTEGER 8  
INFO DISSEM FAA CATALOG CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG.

6280 ID-FAA-CUR-CHG ID\_STAT\_CNT\_6280 DLSC-SB F INTEGER 8  
INFO DISSEM FAA CATALOG CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG.

6281 ID-FAA-PCT-CHG DLSC-SB F 8  
INFO DISSEM FAA CATALOG PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6282 ID-CG-CUM-CHG ID\_STAT\_CNT\_6282 DLSC-SB F INTEGER 8  
INFO DISSEM COAST GUARD CATLAOG CUM CHG QUANTITY

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAINS TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG.

6283 ID-CG-CUR-CHG ID\_STAT\_CNT\_6283 DLSC-SB F INTEGER 8  
INFO DISSEM COAST GUARD CATALOG CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG.

6284 ID-CG-PCT-CHG DLSC-SB F 8  
INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6285 ID-PIIL-CUM-CHG ID\_STAT\_CNT\_6285 DLSC-SB F INTEGER 8  
INFO DISSEM PIIL CUM CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST.

6286 ID-PIIL-CUR-CHG ID\_STAT\_CNT\_6286 DLSC-SB F INTEGER 8  
INFO DISSEM PIIL CATALOG CUR CHG QUANTITY  
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST.

6287 ID-PIIL-PCT-CHG DLSC-SB F 8  
INFO DISSEM PIIL CATALOG PERCENT CHANGE  
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6288 ID-UNIT-NBR DLSC-SB F 8  
INFO DISSEM PUB UNIT NUMBER  
THIS DATA ELEMENT REFLECTS PUBLICATION NUMBER ASSIGNED TO THAT FEDERAL SUPPLY GROUP OR FEDERAL SUPPLY CLASS(S).

6289 ID-INTRO-NBR ID\_INTRO\_NBR\_6289 DLSC-SB F CHAR 8  
INFO DISSEM PUB INTRODUCTION NUMBER  
THIS DATA ELEMENT REFLECTS THE PUBLICATION INTRODUCTION NUMBER THAT IS ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION TITLE.

6290 ID-PUB-TITLE DLSC-SB F 8  
INFO DISSEM PUBLICATION TITLE  
THIS DATA ELEMENT REFLECTS THE PUBLICATION TITLE ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION INTRODUCTION NUMBER.

6291 M3C2-FSC-D-AT-AIN-P DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT  
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT, WITH AN FSC.

6292 M3C2-FSC-D-AT-RN M3C2\_STAT\_CNT\_6292 DLSC-SBA F INTEGER 8  
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6293 M3C2-FSC-D-AT-RN-G M3C2\_STAT\_CNT\_6293 DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL  
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6294 M3C2-FSC-D-AT-RN-R DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO  
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6295 M3C2-FSC-D-AT-LOA-MG M3C2\_STAT\_CNT\_6295 DLSC-SBA F INTEGER 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED  
THE ACTIVITY LOA TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6296 M3C2-FSC-D-AT-LOA-DM-G M3C2\_STAT\_CNT\_6296 DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6297 M3C2-FSC-D-AT-LOA-DM-P DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT  
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6298 M3C2-FSC-D-AT-LOA-AIN M3C2\_STAT\_CNT\_6298 DLSC-SBA F INTEGER 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN  
THE ACTIVITY LOA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6299 M3C2-FSC-D-AT-LOA-AIN-G M3C2\_STAT\_CNT\_6299 DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6300 M3C2-FSC-D-AT-LOA-AIN-P DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT  
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6301 M3C2-FSC-D-AT-LOA-RN M3C2\_STAT\_CNT\_6301 DLSC-SBA F INTEGER 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER  
THE ACTIVITY LOA TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6302 M3C2-FSC-D-AT-LOA-RN-G M3C2\_STAT\_CNT\_6302 DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL  
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6303 M3C2-FSC-D-AT-LOA-RN-R DLSC-SBA F 8  
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO  
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6304 M3D-D-MG M3D\_STAT\_CNT\_6304 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT MANAGED  
THE DEPARTMENT TOTAL PICS/SICA NSN COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6305 M3D-D-DM M3D\_STAT\_CNT\_6305 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT DESCRIPTIVE METHOD  
THE DEPARTMENT TOTAL PICA/SICA NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6306 M3D-D-DM-G M3D\_STAT\_CNT\_6306 DLSC-SBA F 8  
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6307 M3D-D-DM-DIF DLSC-SBA F 8  
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE  
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6308 M3D-D-AIN M3D\_STAT\_CNT\_6308 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT AIN  
THE DEPARTMENT TOTAL COUNT OF PICA/SICA NSNS WITH APPROVED ITEM NAMES. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6309 M3D-D-AIN-G M3D\_STAT\_CNT\_6309 DLSC-SBA F 8  
M3D DEPARTMENT AIN GOAL  
THE ESTABLISHED GOAL PERCENTAGE FOR PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6310 M3D-D-AIN-P DLSC-SBA F 8  
M3D DEPARTMENT AIN PERCENT  
THE PERCENTAGE OF PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6311 M3D-D-AIN-DIF DLSC-SBA F 8  
M3D DEPARTMENT AIN DIFFERENCE  
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR PICA/SICA NSNS FOR THE DEPARTMENT.

6312 M3D-D-RN M3D\_STAT\_CNT\_6312 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT REFERENCE NUMBER  
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST PICA/SICA NSNS. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6313 M3D-D-RN-G M3D\_STAT\_CNT\_6313 DLSC-SBA F 8  
M3D DEPARTMENT REFERENCE NUMBER GOAL  
THE ESTABLISHED PICA/SICA GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6314	M3D-D-RN-R		DLSC-SBA	F	8
	M3D DEPARTMENT REFERENCE NUMBER RATIO				
	THE ACTUAL PICA/SICA REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.				
6315	M3D-D-RN-DIF		DLSC-SBA	F	8
	M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE				
	THE DIFFERENCE BETWEEN THE PICA/SICA REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.				
6316	M3D-D-FSC-MG		DLSC-SB		8
	M3D DEPARTMENT FSC MANAGED				
6317	M3D-D-FSC-DM		DLSC-SB		8
	M3D DEPARTMENT FSC DESCRIPTIVE METHOD				
6318	M3D-D-FSC-DM-G	M3D_STAT_CNT_6318	DLSC-SBA	F INTEGER	8
	M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL				
	THE ESTABLISHED PICA/SICA GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN FSC WITHIN A DEPARTMENT.				
6319	M3D-D-FSC-DM-P		DLSC-SBA	F	8
	M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT				
	THE PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.				
6320	M3D-D-FSC-DM-DIF		DLSC-SBA	F	8
	M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE				
	THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.				
6321	M3D-D-FSC-AIN		DLSC-SB		8
	M3D DEPARTMENT FSC AIN				
6322	M3D-D-FSC-AIN-G	M3D_STAT_CNT_6322	DLSC-SBA	F INTEGER	8
	M3D DEPARTMENT FSC AIN GOAL				
	THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.				
6323	M3D-D-FSC-AIN-P		DLSC-SBA	F	8
	M3D DEPARTMENT FSC AIN PERCENT				
	THE FSC PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.				
6324	M3D-D-FSC-AIN-DIF		DLSC-SBA	F	8
	M3D DEPARTMENT FSC AIN DIFFERENCE				
	THE FSC PICA/SICA DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR NSNS WITHIN THE DEPARTMENT.				
6325	M3D-D-FSC-RN		DLSC-SB		8
	M3D DEPARTMENT FSC REFERENCE NUMBER				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6326 M3D-D-FSC-RN-G M3D\_STAT\_CNT\_6326 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL  
THE FSC PICA/SICA ESTABLISHED PERCENTAGE FOR REFERENCE NUMBERS PER NSN WITHIN A DEPARTMENT.

6327 M3D-D-FSC-RN-R DLSC-SBA F 8  
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO  
THE FSC PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.

6328 M3D-D-FSC-RN-DIF DLSC-SBA F 8  
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE  
THE FSC PICA/SICA DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN THE DEPARTMENT.

6329 M3D-D-FSC-AT-MG M3D\_STAT\_CNT\_6329 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC ACTIVITY MANAGED  
THE FSC PICA/SICA ACTIVITY NSN COUNT WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6330 M3D-D-FSC-AT-DM M3D\_STAT\_CNT\_6330 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD  
THE FSC PICA/SICA ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6331 M3D-D-FSC-AT-DM-G M3D\_STAT\_CNT\_6331 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL  
THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6332 M3D-D-FSC-AT-DM-P DLSC-SBA F 8  
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT  
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6333 M3D-D-FSC-AT-DM-DIF DLSC-SBA F 8  
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE  
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN THE DEPARTMENT.

6334 M3D-D-FSC-AT-AIN M3D\_STAT\_CNT\_6334 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC ACTIVITY AIN  
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.

6335 M3D-D-FSC-AT-AIN-G M3D\_STAT\_CNT\_6335 DLSC-SBA F INTEGER 8  
M3D DEPARTMENT FSC ACTIVITY AIN GOAL  
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENTAGE FOR NSNS WITHIN A DEPARTMENT.

6336 M3D-D-FSC-AT-AIN-P DLSC-SBA F 8  
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT  
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6337	M3D-D-FSC-AT-AIN-DIF		DLSC-SBA	F		8
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE						
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES WITHIN THE DEPARTMENT.						
6338	M3D-D-FSC-AT-RN	M3D_STAT_CNT_6338	DLSC-SBA	F	INTEGER	8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER						
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.						
6339	M3D-D-FSC-AT-RN-G	M3D_STAT_CNT_6339	DLSC-SBA	F		8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL						
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR NSNS WITHIN A DEPARTMENT.						
6340	M3D-D-FSC-AT-RN-R		DLSC-SBA	F		8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO						
THE FSC PICA/SICA ACTIVITY ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.						
6341	M3D-D-FSC-AT-RN-DIF		DLSC-SBA	F		8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE						
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.						
6342	M3E-FSC-D-MG	M3E_STAT_CNT_6342	DLSC-SBA	F	INTEGER	8
M3E FSC DEPARTMENT MANAGED						
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITHIN AN FSC. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.						
6343	M3E-FSC-D-DM	M3E_STAT_CNT_6343	DLSC-SBA	F	INTEGER	8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD						
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR NSNS WITHIN AN FSC. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.						
6344	M3E-FSC-D-DM-G	M3E_STAT_CNT_6344	DLSC-SBA	F		8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL						
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN AN FSC.						
6345	M3E-FSC-D-DM-P		DLSC-SBA	F		8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT						
THE DEPARTMENT PICA/SICA PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN AN FSC.						
6346	M3E-FSC-D-AIN	M3E_STAT_CNT_6346	DLSC-SBA	F	INTEGER	8
M3E FSC DEPARTMENT AIN						
THE DEPARTMENT PICA/SICA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.						
6347	M3E-FSC-D-AIN-G	M3E_STAT_CNT_6347	DLSC-SBA	F		8
M3E FSC DEPARTMENT AIN GOAL						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.

6348 M3E-FSC-D-AIN-P DLSC-SBA F 8  
M3D FSC DEPARTMENT AIN PERCENT  
THE DEPARTMENT PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.

6349 M3E-FSC-D-RN M3E\_STAT\_CNT\_6349 DLSC-SBA F INTEGER 8  
M3E FSC DEPARTMENT REFERENCE NUMBER  
THE DEPARTMENT PICA/SICA TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. FIIG A239 ITESM WITH INC 7777 ARE EXCLUDED.

6350 M3E-FSC-D-RN-G M3E\_STAT\_CNT\_6350 DLSC-SBA F 8  
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL  
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN WITHIN AN FSC.

6351 AMC-DP-ACC-MVMT-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6352 AMC-DP-ACC-CD-TO-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6353 AMC-DP-ACC-MVMT-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN  
THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6354 AMC-DP-CC-BBAL-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6355 AMC-DP-CC-BBAL-NSN AMC\_STAT\_CNT\_6355 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITH A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6356 AMC-DP-CC-ADDS-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6357 AMC-DP-CC-ADDS-NSN AMC\_STAT\_CNT\_6357 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6358 AMC-DP-CC-DLTS-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN  
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6359 AMC-DP-CC-DLTS-NSN AMC\_STAT\_CNT\_6359 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN  
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6360 AMC-DP-CC-MVMT-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6361 AMC-DP-CC-CD-TO-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6362 AMC-DP-CC-CD-FR-NSN DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6363 AMC-DP-CC-MVMT-NSN AMC\_STAT\_CNT\_6363 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN  
THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6364 AMC-DP-CC-EBAL-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6365 AMC-DP-CC-AMC-TOT-NSN AMSC\_STAT\_TOT\_6365 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6366 AMC-DP-ACC-BBAL-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6367 AMC-DP-ACC-BBAL-NSN AMSC\_STAT\_TOT\_6367 DLSC-SBA F INTEGER 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6368 AMC-AT-ACC-CD-TO-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT  
THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6369 AMC-AT-ACC-MVMT-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN  
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT  
REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6370 AMC-AT-CC-BBAL-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD  
WITHIN A SPECIFIC COMMODITY CATEGORY.

6371 AMC-AT-CC-BBAL-NSN AMC\_STAT\_CNT\_6371 DLSC-SBA F INTEGER 8  
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD  
WITH A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6372 AMC-AT-CC-ADDS-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY COMMODITY CATEGORY ADDS TOTAL NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC  
COMMODITY CATEGORY.

6373 AMC-AT-CC-ADDS-NSN AMC\_STAT\_CNT\_6373 DLSC-SBA F INTEGER 8  
AMC ACTIVITY COMMODITY CATEGORY ADDS NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC  
COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6374 AMC-DP-ACC-ADDS-TOT-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADD TOTAL NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6375 AMC-DP-ACC-ADDS-NSN DLSC-SBA F 8  
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADDS NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES  
WITH A SPECIFIC ACQUISITION METHOD CODE.

6376 AMC-AT-CC-DLTS-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS TOT NSN  
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN  
A SPECIFIC COMMODITY CATEGORY.

6377 AMC-AT-CC-DLTS-NSN AMC\_STAT\_CNT\_6377 DLSC-SBA F INTEGER 8  
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS NSN  
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN  
A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6378 AMC-AT-CC-MVMT-TOT-NSN DLSC-SBA F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AMC ACTIVITY COMMODITY CATEGORY MOVEMENT TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6379 AMC-AT-CC-CD-TO-TOT-NSN DLSC-SBA F 8

AMC ACTIVITY COMMODITY CATEGORY CODE TO TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6380 AMC-AT-CC-CD-FR-NSN DLSC-SBA F 8

AMC ACTIVITY COMMODITY CATEGORY CODE FROM NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6381 AMC-AT-CC-MVMT-NSN AMC\_STAT\_CNT\_6381 DLSC-SBA F INTEGER 8

AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN

THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6382 AMC-DP-ACC-DLTS-TOT-NSN DLSC-SBA F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6383 AMC-DP-ACC-DLTS-NSN DLSC-SBA F 8

AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6384 AMC-AT-CC-EBAL-TOT-NSN DLSC-SBA F 8

AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6385 AMC-AT-CC-AMC-TOT-NSN AMSC\_STAT\_TOT\_6385 DLSC-SB F INTEGER 8

AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6386 AMSC-DP-AT-AMSC-TOT DLSC-SBA F 8

AMSC DEPARTMENT ACTIVITY AMSC TOTAL

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6387 AMSC-DP-AT-AMC-NSN AMC\_STAT\_CNT\_6387 DLSC-SBA F INTEGER 8

AMSC DEPARTMENT ACTIVITY AMC NSN

THE TOTAL QUANTITY MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6388 AMSC-DP-AT-AMC-TOT AMSC\_STAT\_TOT\_6388 DLSC-SBA F CHAR 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## AMSC DEPARTMENT ACTIVITY AMC TOTAL

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6389 AMSC-DP-TOT-NSN DLSC-SBA F 8

## AMSC DEPARTMENT TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODES.

6390 DP-CC-CHG-FRM-AMC-4-Q-9 DLSC-SBA F 8

## DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9

THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 4 BY COMMODITY CATEGORY CODE BY DEPARTMENT TO AMC 1, 2, 3 OR 5.

6391 FCS-SAC-NSN DLSC-SBA F 8

## FCS SUBMITTING ACTIVITY CODE NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6392 FCS-SAC-TII-1-NSN FCS\_STAT\_CNT\_6392 DLSC-SBA F INTEGER 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6393 FCS-SAC-TII-2-NSN FCS\_STAT\_CNT\_6393 DLSC-SBA F INTEGER 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6394 FCS-SAC-TII-4-NSN FCS\_STAT\_CNT\_6394 DLSC-SBA F INTEGER 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6395 FCS-SAC-TII-1-PCT DLSC-SBA F 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6396 FCS-SAC-TII-2-PCT DLSC-SBA F 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6397 FCS-SAC-TII-4-PCT DLSC-SBA F 8

## FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6398 AMC-DP-ACC-CD-FR-NSN DLSC-SBA F INTEGER 8

## AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6399 AMSC-DP-AMSC-TOT-NSN DLSC-SBA F 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## AMSC DEPARTMENT AMSC TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6400 AMSC-DP-AMC-NSN AMC\_STAT\_CNT\_6400 DLSC-SBA F INTEGER 8

## AMSC DEPARTMENT AMC NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6401 AMSC-DP-AMC-TOT-NSN AMSC\_STAT\_TOT\_6401 DLSC-SBA F CHAR 8

## AMSC DEPARTMENT AMC TOTAL NSN

THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF A SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6402 FCS-C-SAC-TII-1-NSN FCS\_STAT\_CNT\_6402 DLSC-SBA F INTEGER 8

## FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6403 FCS-C-SAC-TII-2-NSN FCS\_STAT\_CNT\_6403 DLSC-SBA F INTEGER 8

## FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6404 FCS-C-SAC-TII-4-NSN FCS\_STAT\_CNT\_6404 DLSC-SBA F INTEGER 8

## FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM

6405 AMC-DP-ACC-EBAL-TOT-NSN DLSC-SBA F 8

## AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6406 AMC-DP-ACC-AMC-TOT-NSN DLSC-SBA F 8

## AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6407 FCS-C-SAC-TII-2-PCT DLSC-SBA F 8

## FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6408 FCS-C-SAC-TII-4-PCT DLSC-SBA F 8

## FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6409 FCS-SDP-NSN DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FCS SUBMITTING DEPARTMENT NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6410 FCS-SDP-TII-1-NSN FCS\_STAT\_CNT\_6410 DLSC-SBA F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 1 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6411 FCS-SDP-TII-2-NSN FCS\_STAT\_CNT\_6411 DLSC-SBA F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6412 FCS-SDP-TII-4-NSN FCS\_STAT\_CNT\_6412 DLSC-SBA F INTEGER 8

FCS SUBMITTING DEPARTMENT TYPE II 4 NSN

QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6413 AMC-AT-ACC-BBAL-TOT-NSN DLSC-SBA F 8

AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6414 AMC-AT-ACC-BBAL-NSN AMSC\_STAT\_TOT\_6414 DLSC-SBA F INTEGER 8

AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N

THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6415 FCS-SDP-TII-1-PCT DLSC-SBA F 8

FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6416 FCS-SDP-TII-2-PCT DLSC-SBA F 8

FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6417 FCS-SDP-TII-4-PCT DLSC-SBA F 8

FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6418 FCS-C-SDP-NSN DLSC-SBA F INTEGER 8

FCS CURRENT SUBMITTING DEPARTMENT NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6419 FCS-C-SDP-TII-1-NSN FCS\_STAT\_CNT\_6419 DLSC-SBA F INTEGER 8

FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6420 FCS-C-SDP-TII-2-NSN FCS\_STAT\_CNT\_6420 DLSC-SBA F INTEGER 8  
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN  
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE  
METHOD TYPE ITEM IDENTIFICATION.

6421 AMC-AT-ACC-ADDS-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE  
COMMODITY CATEGORIES.

6422 AMC-AT-ACC-ADDS-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN  
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE  
COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6423 FCS-C-SDP-TII-4-NSN FCS\_STAT\_CNT\_6423 DLSC-SBA F INTEGER 8  
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN  
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL  
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6424 FCS-C-SDP-TII-1-PCT DLSC-SBA F 8  
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL  
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6425 FCS-C-SDP-TII-2-PCT DLSC-SBA F 8  
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE  
METHOD TYPE ITEM IDENTIFICATION.

6426 FCS-C-SDP-TII-4-PCT DLSC-SBA F 8  
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL  
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6427 AMC-4-19 DLSC-SBA F 8  
ACQUISITION METHOD CODE 4  
THE QUANTITY OF ACQUISITION METHOD CODE 4 FOR DRN 6422, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC NEW  
NSN QUANTITY.

6428 FCS-AIN-SAC-TII-1-NSN FCS\_STAT\_CNT\_6428 DLSC-SBA F INTEGER 8  
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN  
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD  
TYPE ITEM IDENTIFICATION

6429 AMC-AT-ACC-DLTS-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN  
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN  
THE COMMODITY CATEGORIES.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6430 AMC-AT-ACC-DLTS-NSN DLSC-SBA F 8

AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6431 FCS-AIN-SAC-TII-2-NSN FCS\_STAT\_CNT\_6431 DLSC-SBA F INTEGER 8

FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6432 FCS-AIN-SAC-TII-4-NSN FCS\_STAT\_CNT\_6432 DLSC-SBA F INTEGER 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE

QUANTITY OF NSN IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6433 FCS-AIN-SAC-TII-1-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6434 FCS-AIN-SAC-TII-2-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6435 FCS-AIN-SAC-TII-4-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6436 AMC-5-20 DLSC-SBA F 8

ACQUISITION METHOD CODE 5

THE QUANTITY OF ACQUISITION METHOD CODE 5 FOR DRN 6430, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC DELETE QUANTITY.

6437 FCS-C-SAC-TII-1-PCT DLSC-SBA F 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6438 FCS-C-AIN-SAC-TII-1-NSN FCS\_STAT\_CNT\_6438 DLSC-SBA F INTEGER 8

FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6439 FCS-C-AIN-SAC-TII-2-NSN FCS\_STAT\_CNT\_6439 DLSC-SBA F INTEGER 8

FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6440	FCS-C-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6440	DLSC-SBA	F	INTEGER	8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN						
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION						
6441	FCS-C-AIN-SAC-TII-1-PCT		DLSC-SBA	F		8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT						
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION						
6442	FCS-C-AIN-SAC-TII-2-PCT		DLSC-SBA	F		8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT						
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.						
6443	FCS-C-AIN-SAC-TII-4-PCT		DLSC-SBA	F		8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT						
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.						
6444	TO-AMC-4-7		DLSC-SBA	F		8
TO ACQUISITION METHOD CODE 4						
TO AMC 4 FOR DRN 6441, DEPARTMENT COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.						
6445	FCS-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6445	DLSC-SBA	F	INTEGER	8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN						
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION						
6446	FCS-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6446	DLSC-SBA	F	INTEGER	8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN						
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION						
6447	FCS-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6447	DLSC-SBA	F	INTEGER	8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN						
QUANTITY OF NSNS IN THD FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION						
6448	FCS-AIN-SDP-TII-1-PCT		DLSC-SBA	F		8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT						
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION						
6449	FCS-AIN-SDP-TII-2-PCT		DLSC-SBA	F		8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT						
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6450	FCS-AIN-SDP-TII-4-PCT		DLSC-SBA	F	8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6451	AMC-AT-ACC-EBAL-TOT-NSN		DLSC-SBA	F	8
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.					
6452	AMC-AT-ACC-AMC-TOT-NSN		DLSC-SBA	F	8
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.					
6453	FCS-C-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6453	DLSC-SBA	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6454	FCS-C-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6454	DLSC-SBA	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.					
6455	FCS-C-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6455	DLSC-SBA	F INTEGER	8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6456	FCS-C-AIN-SDP-TII-1-PCT		DLSC-SBA	F	8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6457	FCS-C-AIN-SDP-TII-2-PCT		DLSC-SBA	F	8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.					
6458	FCS-C-AIN-SDP-TII-4-PCT		DLSC-SBA	F	8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.					
6459	MIM-FSC-LOA-D-MMNSN-QC1C		DLSC-SBA	F	8
MILSTRIP ROUTING INDICATOR					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A DATA CHAIN OF SOURCE OF SUPPLY CODES UTILIZED IN THE ROUTING OF MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) REQUISITIONS. POSITIONS 1-3 EQUALS INTEGRATED MATERIEL MANAGER SOURCE OF SUPPLY (SOS): 4 EQUALS ACTIVE OR INACTIVE: 5-7 EQUALS ARMY SOS: 8 EQUALS FILLER: 9-11 EQUALS AIR FORCE SOS: 12 FILLER: 13-15 EQUALS NAVY SOS: 16-17 EQUALS NAVY SPECIAL SOS: 18 FILLER. POSITION 4 WILL CONTAIN AN I IF THE SOS IS INACTIVE: BLANK INDICATES ACTIVE.

6460 ICDD-IM-ALL-LC-MS-IM-OD ICDD\_STAT\_CNT\_6460 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6461 ICDD-IM-ALL-LC-MS-IM ICDD\_STAT\_CNT\_6461 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6462 ICDD-IM-ALL-LC-MS-OD ICDD\_STAT\_CNT\_6462 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6463 ICDD-IM-ALL-LC-MS ICDD\_STAT\_CNT\_6463 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES ONLY.

6464 ICDD-IM-ALL-LC-IM-OD ICDD\_STAT\_CNT\_6464 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6465 ICDD-IM-ALL-LC-IM ICDD\_STAT\_CNT\_6465 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE INTEGRATED MANAGER ONLY.

6466 ICDD-IM-ALL-LC-OD ICDD\_STAT\_CNT\_6466 DLSC-SBA F INTEGER 8  
ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE OTHER DOD.

6467 ICDD-LA-ALL-MS-IM-OD ICDD\_STAT\_CNT\_6467 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

6468 ICDD-LA-ALL-MS-IM ICDD\_STAT\_CNT\_6468 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY AND INTEGRATED MANAGER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

6469 ICDD-LA-ALL-MS-OD ICDD\_STAT\_CNT\_6469 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE  
MANAGED BY MILITARY AND OTHER DOD.

6470 ICDD-LA-ALL-MS ICDD\_STAT\_CNT\_6470 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY  
MILITARY SERVICES ONLY.

6471 ICDD-LA-ALL-IM-OD ICDD\_STAT\_CNT\_6471 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE  
MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6472 ICDD-LA-ALL-IM ICDD\_STAT\_CNT\_6472 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY  
INTEGRATED MANAGER ONLY.

6473 ICDD-LA-ALL-OD ICDD\_STAT\_CNT\_6473 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY  
OTHER DOD ONLY.

6474 ICDD-LA-ALL-LC-MS-IM-OD ICDD\_STAT\_CNT\_6474 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSN FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS  
COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6475 ICDD-LA-ALL-LC-MS-IM ICDD\_STAT\_CNT\_6475 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS  
COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6476 ICDD-LA-ALL-LC-MS-OD ICDD\_STAT\_CNT\_6476 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS  
COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6477 ICDD-LA-ALL-LC-MS ICDD\_STAT\_CNT\_6477 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS  
MANAGEMENT BY MILITARY SERVICES ONLY.

6478 ICDD-LA-ALL-LC-IM-OD ICDD\_STAT\_CNT\_6478 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS  
COMMON MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6479 ICDD-LA-ALL-LC-IM ICDD\_STAT\_CNT\_6479 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6480 ICDD-LA-ALL-LC-OD ICDD\_STAT\_CNT\_6480 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFELCTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6481 ICDD-LA-FSC-ALL-MS-IM-OD ICDD\_STAT\_CNT\_6481 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6482 ICDD-LA-FSC-ALL-MS-IM ICDD\_STAT\_CNT\_6482 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND INTEGRATED MANAGER.

6483 ICDD-LA-FSC-ALL-MS-OD ICDD\_STAT\_CNT\_6483 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICE AND OTHER DOD.

6484 ICDD-LA-FSC-ALL-MS ICDD\_STAT\_CNT\_6484 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MILITARY SERVICES ONLY.

6485 ICDD-LA-FSC-ALL-IM-OD ICDD\_STAT\_CNT\_6485 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6486 ICDD-LA-FSC-ALL-IM ICDD\_STAT\_CNT\_6486 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY INTEGRATED MANAGER ONLY.

6487 ICDD-LA-FSC-ALL-OD ICDD\_STAT\_CNT\_6487 DLSC-SBA F INTEGER 8  
ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY OTHER DOD.

6488 ICDD-LA-FSC-LC-MS-IM-OD ICDD\_STAT\_CNT\_6488 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6489 ICDD-LA-FSC-LC-MS-IM ICDD\_STAT\_CNT\_6489 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND INTEGRATED MANAGER.

6490 ICDD-LA-FSC-LC-MS-OD ICDD\_STAT\_CNT\_6490 DLSC-SBA F INTEGER 8  
ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6491 ICDD-LA-FSC-LC-MS ICDD\_STAT\_CNT\_6491 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY MILITARY SERVICES ONLY.

6492 ICDD-LA-FSC-LC-IM-OD ICDD\_STAT\_CNT\_6492 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6493 ICDD-LA-FSC-LC-IM ICDD\_STAT\_CNT\_6493 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER.

6494 ICDD-LA-FSC-LC-OD ICDD\_STAT\_CNT\_6494 DLSC-SBA F INTEGER 8  
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD  
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY OTHER DOD.

6495 ICMS-FSC-ALL-MS-MM ICMS\_STAT\_CNT\_6495 DLSC-SBA F INTEGER 8  
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6496 ICMS-FSC-ALL-MS-MMPC DLSC-SBA F 8  
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6497 ICMS-FSC-ALL-AR-MM ICMS\_STAT\_CNT\_6497 DLSC-SBA F INTEGER 8  
ICMS FSC ALL ARMY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6498 ICMS-FSC-ALL-AR-MMPC DLSC-SBA F 8  
ICMS FSC ALL ARMY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6499 ICMS-FSC-ALL-NA-MM ICMS\_STAT\_CNT\_6499 DLSC-SBA F INTEGER 8  
ICMS FSC ALL NAVY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6500	ICMS-FSC-ALL-NA-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL NAVY MULTI-MANAGED PERCENT THE PERCENT OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6501	ICMS-FSC-ALL-AF-MM	ICMS_STAT_CNT_6501	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL AIR FORCE MULTI-MANAGED THE TOTAL NUMBER OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6502	ICMS-FSC-ALL-AF-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT THE PERCENT OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6503	ICMS-FSC-ALL-MC-MM	ICMS_STAT_CNT_6503	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL MARINE CORPS MULTI-MANAGED THE TOTAL NUMBER OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6504	ICMS-FSC-ALL-MC-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT THE PERCENT OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.				
6505	ICMS-FSC-ALL-LC-MS-MM	ICMS_STAT_CNT_6505	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.				
6506	ICMS-FSC-ALL-LC-MS-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.				
6507	ICMS-FSC-ALL-LC-AR-MM	ICMS_STAT_CNT_6507	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.				
6508	ICMS-FSC-ALL-LC-AR-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT THE PERCENT OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATIONS.				
6509	ICMS-FSC-ALL-LC-NA-MM	ICMS_STAT_CNT_6509	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED THE TOTAL NUMBER OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.				
6510	ICMS-FSC-ALL-LC-NA-MMPC		DLSC-SBA	F	8
	ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT THE PERCENT OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.				
6511	ICMS-FSC-ALL-LC-AF-MM	ICMS_STAT_CNT_6511	DLSC-SBA	F INTEGER	8
	ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED				

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6512 ICMS-FSC-ALL-LC-AF-MMPC DLSC-SBA F 8  
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6513 ICMS-FSC-ALL-LC-MC-MM ICMS\_STAT\_CNT\_6513 DLSC-SBA F INTEGER 8  
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6514 ICMS-FSC-ALL-LC-MC-MMPC DLSC-SBA F 8  
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC  
THE PERCENT OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6515 ICMS-IM-ALL-MS-MM ICMS\_STAT\_CNT\_6515 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6516 ICMS-IM-ALL-MS-MMPC DLSC-SBA F 8  
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6517 ICMS-IM-ALL-AR-MM ICMS\_STAT\_CNT\_6517 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6518 ICMS-IM-ALL-AR-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6519 ICMS-IM-ALL-NA-MM ICMS\_STAT\_CNT\_6519 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6520 ICMS-IM-ALL-NA-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6521 ICMS-IM-ALL-AF-MM ICMS\_STAT\_CNT\_6521 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6522 ICMS-IM-ALL-AF-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6523 ICMS-IM-ALL-MC-MM ICMS\_STAT\_CNT\_6523 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6524 ICMS-IM-ALL-MC-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6525 ICMS-IM-ALL-LC-MS-MM ICMS\_STAT\_CNT\_6525 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6526 ICMS-IM-ALL-LC-MS-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6527 ICMS-IM-ALL-LC-AR-MM ICMS\_STAT\_CNT\_6527 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6528 ICMS-IM-ALL-LC-AR-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6529 ICMS-IM-ALL-LC-NA-MM ICMS\_STAT\_CNT\_6529 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6530 ICMS-IM-ALL-LC-NA-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6531 ICMS-IM-ALL-LC-AF-MM ICMS\_STAT\_CNT\_6531 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6532 ICMS-IM-ALL-LC-AF-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT  
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6533 ICMS-IM-ALL-LC-MC-MM ICMS\_STAT\_CNT\_6533 DLSC-SBA F INTEGER 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL  
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6534 ICMS-IM-ALL-LC-MC-MMPC DLSC-SBA F 8  
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6535 ICMS-LA-ALL-MS-MM ICMS\_STAT\_CNT\_6535 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6536 ICMS-LA-ALL-MS-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6537 ICMS-LA-ALL-AR-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6538 ICMS-LA-ALL-NA-MM ICMS\_STAT\_CNT\_6538 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6539 ICMS-LA-ALL-NA-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6542 DEPARTMENT-ERRC DLSC-SBA F 8  
DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE  
THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR A DEPARTMENT.

6543 DEPT-ACTIVITY-ERRC DLSC-SBA F 8  
DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE  
THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR AN ACTIVITY WITHIN A DEPARTMENT.

6544 I-O-IDIC-ODIC-RTNCD DLSC-SBA F 8  
I O INPUT DIC OUTPUT DIC RETURN CODE  
THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED INPUT DIC BROKEN OUT BY OUTPUT DIC AND RETURN CODE

6545 I-O-IDIC-TOT DLSC-SBA F 8  
I O INPUT DIC TOTAL  
THE TOTAL TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC.

6546 I-O-ACTY-IDIC-ODIC-RTNCD IO\_STAT\_CNT\_6546 DLSC-SBA F INTEGER 8  
I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE  
THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY INPUT DIC AND RETURN CODE

6547 I-O-ACTY-IDIC-TOT DLSC-SBA F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## I O ACTIVITY INPUT DIC TOTAL

THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR A SUBMITTING ACTIVITY

6548 I-O-ODIC-RTNCD-IDIC DLSC-SBA F 8

I O OUTPUT DIC RETURN CODE INPUT DIC

THE QUANTITY OF TRANSACTIONS WITH A SPECIFIED OUTPUT CODE AND RETURN CODE TO INPUT CODE.

6549 I-O-ODIC-RTNCD-TOT DLSC-SBA F 8

I O OUTPUT DIC RETURN CODE TOTAL

THE TOTAL QUANTITY OF TRANSACTIONS FOR A SPECIFIED OUTPUT DIC.

6589 NAIN-STRNG NAIN\_STRING\_6589 DLSC-SBA V VARCHAR 19

NON APPROVED ITEM NAME STRING

THIS FIELD CONTAINS A CHARACTER STRING, USUALLY A WORD, WHICH IS ASSOCIATED WITH SPECIFIED FSG-FSC (FEDERAL SUPPLY GROUP AND FEDERAL SUPPLY CLASS) COMBINATIONS AND SUPPORTS EDITING FOR VALID COMBINATIONS. THIS WORD STRING WILL NORMALLY CONSIST OF ONLY A PORTION OF A TOTAL NON APPROVED ITEM NAME (NAIN), BUT IN SOME INSTANCES MAY EQUAL THE TOTAL NAIN.

6591 I-O-ACTY-ODIC-RTNCD-IDIC DLSC-SBA F 8

I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC

THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY OUTPUT DIC AND RETURN CODE TO INPUT DIC.

6592 STAT-DAC-SA STAT\_DAC\_SA\_6592 DLSC-SBA F CHAR 7

STATISTICS DAC SERVICE ACTIVITY

THIS DATA ELEMENT REPRESENTS THE VARIOUS CENTERS, ACTIVITIES, AND DEPARTMENTS THAT ARE DEPICTED IN DOCUMENT AVAILABILITY STATISTICS.

6593 EFF-ADD-NIIN-MOERULE-QTY DLSC-SBA F 8

EFFECTIVE ADD NIIN MOE RULE QUANTITY

THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE ADDED BY MOE RULE.

6594 EFF-DEL-NIIN-MOERULE-QTY DLSC-SBA F 8

EFFECTIVE DELETE NIIN MOE RULE QUANTITY

THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE DELETED BY MOE RULE.

6595 ACT-NIIN-MOERULE-QTY DLSC-SBA F 8

ACTIVE NIIN MOE RULE QUANTITY

THE COUNT OF NIINS/PSCNS FOR ACTIVE ITEMS BY MOE RULE.

6596 FSC-MOERULE-NIIN-QTY DLSC-SBA F 8

FSC MOE RULE NIIN QUANTITY

THE TOTAL NIIN COUNT BY MOE RULE NUMBER BY SPECIFIC FSC.

6597 ALL-FSC-MOERULE-NIIN-QTY DLSC-SBA F 8

ALL FSC MOE RULE NIIN QUANTITY

THE TOTAL NIIN COUNT BY ALL MOE RULE NUMBER BY FSC.

6598 MGR-CAGE-OUTPUT-ACCESS DLSC-SBA F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MANAGER CAGE OUTPUT ACCESSES  
THE NUMBER OF USER ACCESSES FOR CAGE CODE STATS.

6599 FREIGHT-INC-NSN FRGT\_STAT\_CNT\_6599 DLSC-SBA F INTEGER 8  
FREIGHT ITEM NAME CODE NSN  
THE NUMBER OF NSNS WITH A SPECIFIC FREIGHT CLASSIFICATION CODE BROKEN OUT BY ITEM NAME CODE.

6600 FREIGHT-INC-TOT-NSN FRGT\_STAT\_CNT\_6600 DLSC-SBA F INTEGER 8  
FREIGHT ITEM NAME CODE TOTAL NSN  
THE TOTAL NUMBER OF NSNS ASSOCIATED WITH A FREIGHT CLASSIFICATION CODE.

6601 NIIN-ALL-INC-FSC-QTY DLSC-SBA F 8  
NIIN ALL ITEM NAME CODE FSC QUANTITY  
THE AMOUNT OF TOTAL NIINS WITH A SPECIFIC FSC BY EACH ITEM NAME CODE.

6602 NIIN-INC-FSC-QTY DLSC-SBA F 8  
NIIN ITEM NAME CODE FSC QUANTITY  
THE AMOUNT OF TOTAL NIIN WITH A SPECIFIC FSC BY ITEM NAME CODE.

6603 TOT-NIIN-INC-QTY DLSC-SBA F 8  
TOTAL NIINS ITEM NAME CODE QUANTITY  
THE TOTAL AMOUNT OF NIINS BY ITEM NAME CODE.

6604 TOT-NIIN-MFRS-INC-QTY DLSC-SBA F 8  
TOTAL NIIN MANUFACTURERS ITEM NAME CODE QUANTITY  
THE TOTAL NUMBER OF NIINS BY MANUFACTURERS CODE BY ITEM NAME CODE.

6605 MGR-ACCESS-COUNT MGR\_STAT\_CNT\_6605 DLSC-SBA F INTEGER 8  
MANAGER FREIGHT OUTPUT ACCESSES  
THE NUMBER OF USER ACCESS TO A FUNCTIONAL PRIMITIVE WITHIN THE MANAGEMENT STATISTICS SYSTEM.

6606 TOT-NIIN-FSG-QTY DLSC-SBA F 8  
TOT-NIIN-FSG-QTY  
THE TOTAL NUMBER OF NIINS FOR A SPECIFIC FEDERAL SUPPLY GROUP.

6607 TOT-NIIN-FSC-MOECD-QTY DLSC-SBA F 8  
TOTAL NIINS FSC MOE CODE QUANTITY  
THE TOTAL NUMBER OF NIINS BY FSC BY MOE CODE.

6608 TOT-NIIN-AFSC-MOECD-QTY DLSC-SBA F 8  
TOTAL NIIN ALL FSC MOE CODE QUANTITY  
THE TOTAL NUMBER OF NIINS FOR ALL FEDERAL SUPPLY CLASSES FOR A PARTICULAR MOE CODE.

6609 POP-FIIG-EFFDTD-ALL DLSC-SBA F 8  
POPULATION FIIG EFFECTIVE DATED ALL  
THE TOTAL NUMBER OF NSNS RELATED TO A SPECIFIC FIIG THAT HAVE EFFECTIVE DATED STATUS.

6610 POP-FIIG-ALL POP\_STAT\_CNT\_6610 DLSC-SBA F INTEGER 8



# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

#### POPULATION FIIG ALL

THE TOTAL NUMBER OF NSNS RELATED TO A SPECIFIC FIIG.

6611 POP-FIIG-EFFDTE-INC-NSN POP\_STAT\_CNT\_6611 DLSC-SBA F INTEGER 8

POPULATION FIIG EFFECTIVE DATED ITEM NAME CODE

THE NUMBER OF NSNS WITHIN A SPECIFIC ITEM NAME CODE, WITHIN A SPECIFIC FIIG THAT HAVE EFFECTIVE DATED STATUS.

6612 POP-FIIG-INC-NSN POP\_STAT\_CNT\_6612 DLSC-SBA F INTEGER 8

POPULATION FIIG ITEM NAME CODE NSN

THE NUMBER OF NSNS WITHIN A SPECIFIC ITEM NAME CODE WITHIN A SPECIFIC FIIG.

6613 TOT-NIIN-MFR-CD-QTY DLSC-SBA F 8

TOTAL NIIN MANUFACTURER CODE QUANTITY

THE TOTAL NUMBER OF NIINS BY MANUFACTURERS CODE.

6614 TOT-REF-NO-MFR-CD-QTY DLSC-SBA F 8

TOTAL REFERENCE NUMBER MANUFACTURERS CODE QUANTITY

THE TOTAL NUMBER OF REFERENCE NUMBERS BY MANUFACTURERS CODE.

6615 TOT-NIIN-ITEM-NAME-QTY DLSC-SBA F 8

TOTAL NIINS ITEM NAME QUANTITY

THE TOTAL AMOUNT OF NIINS BY ITEM NAME.

6616 TOT-NIINS-FSC-MFRS-CODE DLSC-SBA F 8

TOTAL NIINS FSC MANUFACTURERS CODE

THE TOTAL AMOUNT OF NIINS BY FSC BY MANUFACTURERS CODE.

6617 FIIG-INC-INPUT FIIG\_STAT\_CNT\_6617 DLSC-SB F INTEGER 8

FIIG INC INPUT

QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6618 FIIG-INC-MTCH DLSC-SB F 8

FIIG INC MATCH

QUANTITY OF ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.

6619 FIIG-INC-P-MTCH FIIG\_STAT\_CNT\_6619 DLSC-SB F INTEGER 8

FIIG INC POSSIBLE MATCH

QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL AND/OR DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION FOR A MONTH.

6620 FIIG-INC-A-MTCH FIIG\_STAT\_CNT\_6620 DLSC-SB F INTEGER 8

FIIG INC ACTUAL MATCH

QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION FOR A MONTH.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6621	FIIG-INC-NEW-INPUT FIIG INC NEW INPUT QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION FOR A MONTH.	FIIG_STAT_CNT_6621	DLSC-SB	F INTEGER	8
6622	FIIG-INC-NEW-MTCH FIIG INC NEW MATCH QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.	FIIG_STAT_CNT_6622	DLSC-SB	F INTEGER	8
6623	FIIG-INC-MAINT-INPUT FIIG INC MAINTENANCE INPUT QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION FOR A MONTH.	FIIG_STAT_CNT_6623	DLSC-SB	F INTEGER	8
6624	FIIG-INC-MAINT-MTCH FIIG INC MAINTENANCE MATCH QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION FOR A MONTH.	FIIG_STAT_CNT_6624	DLSC-SB	F INTEGER	8
6625	FIIG-INC-9001-USAGE FIIG INC 9001 USAGE QUANTITY OF PAC 9001 (OVERIVE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BYFIIG AND INC COMBINATION FOR A MONTH.	FIIG_STAT_CNT_6625	DLSC-SB	F INTEGER	8
6626	FIIG-INC-MTCH-PC FIIG INC MATCH PERCENT PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.		DLSC-SBA	F	8
6627	FIIG-OVERALL-MTCH-PC FIIG OVERALL MATCH PERCENT TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIIG FOR A MONTH.		DLSC-SB	F	8
6628	FIIG-ALL-NEW-ITM-MTCH-PC FIIG ALL NEW ITEM MATCH PERCENT PERCENT OF THE FIIG NEW INPUTS WITH A MATCH BY FIIG FOR A MONTH.		DLSC-SB	F	8
6629	FIIG-ALL-MAINT-MTCH-PC FIIG ALL MAINTENANCE MATCH PERCENT PERCENT OF THE FIIG MAINTENANCE INPUTS WITH A MATCH BY FIIG FOR A MONTH.		DLSC-SB	F	8
6630	FIIG-ALL-9001-USAGE-PC FIIG ALL 9001 USAGE PERCENT PERCENT OF FIIG TOTAL INPUTS THAT PAC 9001 WAS USED ON BY FIIG FOR A MONTH.		DLSC-SB	F	8
6631	FIIG-INC-SCRN FIIG INC SCREENING QUANTITY OF INCS SCREENED WITHIN A FIIG BY FIIG AND INC FOR A MONTH.		DLSC-SB	F	8
6632	FIIG-RECORD-COUNT FIIG RECORD COUNT		DLSC-SB	F	8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE TOTAL RECORD COUNT OF THE FIIG.

6633 FIIG-GTOT-INPUT DLSC-SB F 8  
FIIG GRAND TOTAL INPUT  
GRAND TOTAL QUANTITY OF TRANSACTIONS RECEIVED FRO ALL FIIGS FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6634 FIIG-GTOT-MTCH DLSC-SB F 8  
FIIG GRAND TOTAL MATCH  
GRAND TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6635 FIIG-GTOT-P-MTCH DLSC-SB F 8  
FIIG GRAND TOTAL POSSIBLE MATCH  
GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OR REFERENCE NUMBERS(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6636 FIIG-GTOT-A-MTCH DLSC-SB F 8  
FIIG GRAND TOTAL ACTUAL MATCH  
GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION , DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6637 FIIG-GTOT-NEW-INPUT DLSC-SB F 8  
FIIG GRAND TOTAL NEW INPUT  
GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT FOR ALL FIIGS FOR A MONTH.

6638 FIIG-GTOT-NEW-MTCH DLSC-SB F 8  
FIIG GRAND TOTAL NEW MATCH  
GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSINGMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6639 FIIG-GTOT-MAINT-INPUT DLSC-SB F 8  
FIIG GRAND TOTAL MAINTENANCE INPUT  
GRAND TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR FIIGS FOR A MONTH.

6640 FIIG-GTOT-MAINT-MTCH DLSC-SB F 8  
FIIG GRAND TOTAL MAINTENANCE MATCH  
GRAND TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR ALL FIIGS FOR A MONTH.

6641 FIIG-GTOT-9001-USAGE DLSC-SB F 8  
FIIG GRAND TOTAL 9001 USAGE  
GRAND TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED FOR ALL FIIGS FOR A MONTH.

6642 FIIG-GTOT-MTCH-PC DLSC-SB F 8  
FIIG GRAND TOTAL MATCH PERCENT  
GRAND TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES FOR ALL FIIGS FOR A MONTH.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6643	FIIG-GTOT-INC-SCRN		DLSC-SB	F		8
FIIG GRAND TOTAL INC SCREENING						
GRAND TOTAL QUANTITY OF INCS SCREENED WITHIN ALL FIIGS FOR A MONTH.						
6644	FIIG-GTOT-FIIG-SCRN		DLSC-SB	F		8
FIIG GRAND TOTAL FIIG SCREENING						
GRAND TOTAL QUANTITY OF FIIGS SCREENED FOR A MONTH.						
6645	DP-DM-PICA-NNSN-FY74-PCT		DLSC-SBA	F		8
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT						
THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION APPROVED FOR NSN ASSIGNMENT FOR DEPARTMENT FOR THE ENDING QUARTER OF FY74.						
6647	MOE-FSC-TOT-NSN		DLSC-SBA	F		8
MOE FSC TOTAL NSN						
THE TOTAL NUMBER OF MOE RULE NUMBERS RECORDED FOR ALL FEDERAL SUPPLY CLASSES.						
6648	M3D-D-DM-P		DLSC-SBA	F		8
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT						
THE PERCENTAGE OD DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.						
6649	M3E-FSC-D-RN-R		DLSC-SBA	F		8
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO						
THE DEPARTMENT PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN AN FSC.						
6650	M3C2-FSC-D-AT-LOA-DM	M3C2_STAT_CNT_6650	DLSC-SBA	F	INTEGER	8
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD						
THE ACTIVITY LOA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 7777 ARE EXCLUDED.						
6651	CAGE-ACTY-AAC-NSN	CAGE_STAT_CNT_6651	DLSC-SBA	F	INTEGER	8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN						
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC ACQUISITION ADVICE CODE.						
6652	CAGE-ACTY-AAC-NSN-GRP		DLSC-SBA	F		8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP						
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC GROUP OF ACQUISITION ADVICE CODES.						
6653	CAGE-ACTY-AAC-NSN-TOT		DLSC-SBA	F		8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL						
TOTAL COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC AQUISITION ADVICE CODE(S).						
6654	CAGE-NSN	CAGE_STAT_CNT_6654	DLSC-SBA	F	INTEGER	8
CAGE NSN						
A COUNT OF NSNS BY A SPECIFIC CAGE CODE.						
6655	CAGE-REF	CAGE_STAT_CNT_6655	DLSC-SBA	F	INTEGER	8
CAGE REFERENCE NUMBER						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A COUNT OF REFERENCE NUMBERS BY SPECIFIC CAGE CODE.

6656	CAGE-INC-NSN	CAGE_STAT_CNT_6656	DLSC-SBA	F	INTEGER	8
	CAGE ITEM NAME CODE NSN					

A COUNT OF NSNS BY SPECIFIC CAGE CODE AND ITEM NAME CODE.

6657	CAGE-FSC-NSN	CAGE_STAT_CNT_6657	DLSC-SBA	F	INTEGER	8
	CAGE FSC NSN					

A COUNT OF NSNS BY SPECIFIC CAGE CODE AND FEDERAL SUPPLY CODE.

6658	PCT-RETURNED-5		DLSC-SBA	F		8
	PERCENT RETURNED 5					

THE PERCENT RETURNED FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.

6659	DEPT-TOTAL-5		DLSC-SBA	F		8
	DEPARTMENT TOTAL 5					

THE DEPARTMENT TOTAL FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.

6660	DEPT-ACT-NEW-NSN-RM-6		DLSC-SBA	F		8
	DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6					

THE NUMBER OF ORIGINALS (AN ITEM IDENTIFICATION APPROVED, BY DLSC AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) WITH REFERENCE METHOD FOR DEPARTMENT, FOR SUBMITTING ACTIVITY BROKEN OUT BY THE NUMBER PROCESSED, APPROVED, RETURNED, PERCENT RETURNED.

6661	PROCESSED-6		DLSC-SBA	F		8
	PROCESSED 6					

THE NUMBER PROCESSED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6662	APPROVED-6		DLSC-SBA	F		8
	APPROVED 6					

THE NUMBER APPROVED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6663	RETURNED-6		DLSC-SBA	F		8
	RETURNED 6					

THE NUMBER RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6664	PCT-RETURNED-6		DLSC-SBA	F		8
	PERCENT RETURNED 6					

THE PERCENT RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6665	DEPT-TOTAL-6		DLSC-SBA	F		8
	DEPARTMENT TOTAL 6					

THE DEPARTMENT TOTAL FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6666	DP-DM-PICA-NSN-FY74-PCT		DLSC-SBA	F		8
	DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT					

THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF FY74.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6667 DP-DM-PICA-NSN-FPY-PCT DLSC-SBA F 8  
DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT  
THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF PREVIOUS FY.

6668 DP-FD-PICA-NSN-FY-PCT-1 DLSC-SBA F 8  
DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1  
THE PERCENT OF FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR PICA MANAGED NSNS FOR DEPARTMENT FOR EACH QUARTER OF THE FY.

6669 FRST-QTR-CUR-FY-1 DLSC-SBA F 8  
FIRST QUARTER CURRENT FISCAL YEAR 1  
FIRST QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6670 SCND-QTR-CUR-FY-1 DLSC-SBA F 8  
SECOND QUARTER CURRENT FISCAL YEAR 1  
SECOND QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6671 THRD-QTR-CUR-FY-1 DLSC-SBA F 8  
THIRD QUARTER CURRENT FISCAL YEAR 1  
THIRD QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6672 FRTH-QTR-CUR-FY-1 DLSC-SBA F 8  
FOURTH QUARTER CURRENT FISCAL YEAR 1  
FOURTH QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6673 DP-FD-PICA-NSN-GOAL-PCT DLSC-SBA F 8  
DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT  
THE PERCENT GOAL FOR FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT.

6674 DP-ORIG-NSN-PCT-2 DLSC-SBA F 8  
DEPARTMENT ORIGINAL NSN PERCENT 2  
THE PERCENT OF ORIGINAL NSNS (AN ITEM ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE ALSO BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

6675 FULL-DESCRIPTIVE-METHOD-2 DLSC-SBA F 8  
FULL DESCRIPTIVE METHOD 2  
FULL DESCRIPTIVE METHOD PERCENT FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6676 PARTIAL-DESCRIPTIVE-2 DLSC-SBA F 8  
PARTIAL DESCRIPTIVE 2  
PARTIAL DESCRIPTIVE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6677 REFERENCE-METHOD-2 DLSC-SBA F 8  
REFERENCE METHOD 2

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6678 DP-TRNSF-FULL-DESCR-FY74 DLSC-SBA F 8  
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74  
THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR FY 74.

6679 DP-TRNSF-FULL-DESCRP-PFY DLSC-SBA F 8  
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR  
THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR THE PREVIOUS FISCAL YEAR.

6680 RAW-FIIG-INC-INPUT DLSC-SBA F 8  
RAW FIIG INC INPUT  
DAILY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.

6681 RAW-FIIG-INC-P-MTCH DLSC-SBA F 8  
RAW FIIG INC POSSIBLE MATCH  
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF A FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6682 RAW-FIIG-INC-A-MTCH DLSC-SBA F 8  
RAW FIIG INC ACTUAL MATCH  
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6683 RAW-FIIG-INC-NEW-INPUT DLSC-SBA F 8  
RAW FIIG INC NEW INPUT  
DAILY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

6684 RAW-FIIG-INC-NEW-MTCH DLSC-SBA F 8  
RAW FIIG INC NEW MATCH  
DAILY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

6685 RAW-FIIG-INC-MAINT-INPUT DLSC-SBA F 8  
RAW FIIG INC MAINTENANCE INPUT  
DAILY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6686 RAW-FIIG-INC-MAINT-MTCH DLSC-SBA F 8  
RAW FIIG INC MAINTENANCE MATCH  
DAILY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6687 RAW-FIIG-INC-9001-USAGE DLSC-SBA F 8  
RAW FIIG INC 9001 USAGE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DAILY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

6688 IN-DP-AT-AIN-NSN IN\_STAT\_CNT\_6688 DLSC-SBA F INTEGER 8  
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME  
THE TOTAL NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE ACTIVITY.

6689 IN-DP-AT-NAIN-NSN IN\_STAT\_CNT\_6689 DLSC-SBA F INTEGER 8  
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM  
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6690 IN-DP-AT-NAIN-PCT DLSC-SBA F 8  
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT  
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6691 IN-DP-AIN-NSN IN\_STAT\_CNT\_6691 DLSC-SBA F INTEGER 8  
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN  
THE NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE DEPARTMENT.

6692 IN-DP-NAIN-NSN IN\_STAT\_CNT\_6692 DLSC-SBA F INTEGER 8  
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN  
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM ANME FOR THE DEPARTMENT.

6693 IN-DP-NAIN-PCT DLSC-SBA F 8  
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT  
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

6694 IN-DP-AT-TOT-NR-NSN DLSC-SBA F 8  
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN  
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE ACTIVITY.

6695 IN-DP-AT-AIN-NR-NSN IN\_STAT\_CNT\_6695 DLSC-SBA F INTEGER 8  
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN  
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE ACTIVITY.

6696 IN-DP-AT-NAIN-NR-NSN IN\_STAT\_CNT\_6696 DLSC-SBA F INTEGER 8  
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN  
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH A NONAPPROVED ITEM NAME FOR ACTIVITY.

6697 IN-DP-AT-NAIN-NR-PCT DLSC-SBA F 8  
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE CURRENT MONTH FOR THE ACTIVITY.

6698 IN-DP-TOT-NR-NSN DLSC-SBA F 8  
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN  
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE DEPARTMENT.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6699	IN-DP-AIN-NR-NSN	IN_STAT_CNT_6699	DLSC-SBA	F INTEGER	8
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE DEPARTMENT.					
6700	IN-DP-NAIN-NR-NSN	IN_STAT_CNT_6700	DLSC-SBA	F INTEGER	8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NEW REINSTD NSN THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH NONAPPROVED ITEM NAME FOR DEPARTMENT.					
6701	IN-DP-NAIN-NR-PCT		DLSC-SBA	F	8
ITEM NAME DEPT NONAPPROVED ITEM NAME NEW REINSTD PERCENT THE PERCENT OF NEWLY ASSIGNED/RESINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE CURRENT MONTH FOR THE DEPARTMENT.					
6702	IN-DP-AT-YTD-NR-NSN		DLSC-SBA	F	8
ITEM NAME DEPT ACTIVITY YEAR TO DATE NEW REINSTATED NSN THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.					
6703	IN-DP-AT-YTD-NAIN-NR-NSN		DLSC-SBA	F	8
ITEM NAME DEPT ACTY YTD NONAPPRD ITEM NAME NEW REINSTD NSN THE NUMBER OF NSNS WEEKLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.					
6704	IN-DP-AT-YTD-NAIN-NR-PCT		DLSC-SBA	F	8
ITEM NAME DEPT ACT YTD NONAPPRD ITEM NAME NEW REINSTD PCT THE PERCENT OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.					
6705	IN-DP-YTD-NR-NSN		DLSC-SBA	F	8
ITEM NAME DEPARTMENT YEAR TO DATE NEW REINSTATED NSN THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED FOR THE CURRENT YEAR TO DATE FOR THE DEPARTMENT.					
6706	IN-DP-YTD-NAIN-NR-NSN		DLSC-SBA	F	8
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTD NSN THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR-TO-DATE FOR THE DEPARTMENT.					
6707	IN-DP-YTD-NAIN-NR-PCT		DLSC-SBA	F	8
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTATED PERCENT THE PERCENT OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR-TO-DATE FOR THE DEPARTMENT.					
6708	IN-DP-AT-NAIN-NR-PCT-1-Q		DLSC-SBA	F	8
ITEM NAME DEPT ACTY NONAPPRD ITEM NAME NEW REINSTD PCT 1ST Q THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FIRST QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.					
6709	IN-DP-AT-NAIN-NR-PCT-2-Q		DLSC-SBA	F	8
ITEM NAME DEPT ACTY NONAPPRD NEW REINSTATED PERCENT 2ND Q					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE SECOND QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6710 IN-DP-AT-NAIN-NR-PCT-3-Q DLSC-SBA F 8  
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 3RD Q  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6711 IN-DP-AT-NAIN-NR-PCT-4-Q DLSC-SBA F 8  
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 4TH Q  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FOURTH QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6712 IN-DP-NAIN-NR-PCT-1-Q DLSC-SBA F 8  
ITEM NAME DEPT NONAPPD ITEM NAME NEW REINSTD PCT 1ST QTR  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FIRST QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

6713 POP-FIIG-AAIN-MG POP\_STAT\_CNT\_6713 DLSC-SBA F INTEGER 8  
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED  
THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6714 POP-FIIG-AAIN-MG-FU POP\_STAT\_CNT\_6714 DLSC-SBA F INTEGER 8  
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL  
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6715 POP-FIIG-AAIN-MG-PA POP\_STAT\_CNT\_6715 DLSC-SBA F INTEGER 8  
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6716 POP-FIIG-AAIN-MG-RE POP\_STAT\_CNT\_6716 DLSC-SBA F INTEGER 8  
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE  
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6717 POP-FIIG-AAIN-MG-AC POP\_STAT\_CNT\_6717 DLSC-SBA F INTEGER 8  
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY  
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN IN FIIG.

6718 POP-FIIG-AIN-ALL-MG POP\_STAT\_CNT\_6718 DLSC-SBA F INTEGER 8  
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED  
THE MANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG

6719 POP-FIIG-AIN-ALL-MG-FU POP\_STAT\_CNT\_6719 DLSC-SBA F INTEGER 8  
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL  
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6720 POP-FIIG-AIN-ALL-MG-PA POP\_STAT\_CNT\_6720 DLSC-SBA F INTEGER 8  
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL  
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6721	POP-FIIG-AIN-ALL-MG-RE	POP_STAT_CNT_6721	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE						
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6722	POP-FIIG-AIN-ALL-MG-AC	POP_STAT_CNT_6722	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY						
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6723	POP-FIIG-AIN-FSC-MG		DLSC-SBA	F		8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED						
THE QUANTITY OF MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6724	POP-FIIG-AIN-FSC-MG-FU	POP_STAT_CNT_6724	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL						
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6725	POP-FIIG-AIN-FSC-MG-PA	POP_STAT_CNT_6725	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL						
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6726	POP-FIIG-AIN-FSC-MG-AC	POP_STAT_CNT_6726	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY						
THE QUASNTITY OF NSNS MANAGED BY AN ACTIVITY FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6727	POP-NAIN-ALL-FSC		DLSC-SBA	F		8
POPULATION NONAPPROVED ITEM NAME ALL FSC						
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS ALL FSCS.						
6728	POP-NAIN-FSC		DLSC-SBA	F		8
POPULATION NONAPPROVED ITEM NAME FSC						
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS A SINGLE FSC.						
6729	POP-NAIN-FSC-INAC	POP_STAT_CNT_6729	DLSC-SBA	F	INTEGER	8
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE						
THE QUANTITY OF INACTIVE NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.						
6730	POP-NAIN-FSC-MG	POP_STAT_CNT_6730	DLSC-SBA	F	INTEGER	8
POPULATION NONAPPROVED ITEM NAME FSC MANAGED						
THE QUANTITY OF MANAGED NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.						
6731	POP-NAIN-FSC-AC	POP_STAT_CNT_6731	DLSC-SBA	F	INTEGER	8
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY						
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.						
6732	POP-NAIN-FSC-ALL-INAC	POP_STAT_CNT_6732	DLSC-SBA	F	INTEGER	8
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE						
THE QUANTITY OF INACTIVE NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6733	POP-NAIN-FSC-ALL-MG	POP_STAT_CNT_6733	DLSC-SBA	F	INTEGER	8
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED						
THE QUANTITY OF MANAGED NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.						
6734	POP-NAIN-FSC-ALL-AC		DLSC-SBA	F		8
POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY						
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A NONAPPROVED ITEM NAME.						
6735	POP-FIIG-AAIN-NMG	POP_STAT_CNT_6735	DLSC-SBA	F	INTEGER	8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED						
THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.						
6736	POP-FIIG-AAIN-NMG-FU	POP_STAT_CNT_6736	DLSC-SBA	F	INTEGER	8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL						
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.						
6737	POP-FIIG-AAIN-NMG-PA	POP_STAT_CNT_6737	DLSC-SBA	F	INTEGER	8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL						
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.						
6738	POP-FIIG-AAIN-NMG-RE	POP_STAT_CNT_6738	DLSC-SBA	F	INTEGER	8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE						
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.						
6739	POP-FIIG-AIN-ALL-NMG	POP_STAT_CNT_6739	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED						
THE NONMANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6740	POP-FIIG-AIN-ALL-NMG-FU	POP_STAT_CNT_6740	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL						
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6741	POP-FIIG-AIN-ALL-NMG-PA	POP_STAT_CNT_6741	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL						
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6742	POP-FIIG-AIN-ALL-NMG-RE	POP_STAT_CNT_6742	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE						
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6743	POP-FIIG-AIN-FSC-NMG	POP_STAT_CNT_6743	DLSC-SBA	F	INTEGER	8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED						
THE QUANTITY OF NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.						
6744	TRFR-OAC-CUR-T2-NSN	TRFR_STAT_CNT_6744	DLSC-SBA	F	INTEGER	8
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 2 NSN						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6745 TRFR-OAC-CUR-T1-NSN TRFR\_STAT\_CNT\_6745 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 1 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6746 TRFR-OAC-CUR-T4-NSN TRFR\_STAT\_CNT\_6746 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 4 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6747 TRFR-OAC-CUR-TOT-NSN TRFR\_STAT\_CNT\_6747 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT/ACTIVITY.

6748 TRFR-OAC-CUR-DM-PCT TRFR\_STAT\_CNT\_6748 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT  
THE PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6749 TRFR-OAC-FYD-T2-NSN TRFR\_STAT\_CNT\_6749 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6750 TRFR-OAC-FYD-T1-NSN TRFR\_STAT\_CNT\_6750 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6751 TRFR-OAC-FYD-T4-NSN TRFR\_STAT\_CNT\_6751 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT ACTIVITY.

6752 TRFR-OAC-FYD-TOT-NSN TRFR\_STAT\_CNT\_6752 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN  
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT/ACTIVITY.

6753 TRFR-OAC-FYD-DM-PCT TRFR\_STAT\_CNT\_6753 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT  
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT ACTIVITY.

6754 TRFR-ODP-CUR-T2-NSN TRFR\_STAT\_CNT\_6754 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT CURRENT TYPE 2 NSN

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6755 TRFR-ODP-CUR-T1-NSN TRFR\_STAT\_CNT\_6755 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 1 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6756 TRFR-ODP-CUR-T4-NSN TRFR\_STAT\_CNT\_6756 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 4 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6757 TRFR-ODP-CUR-TOT-NSN TRFR\_STAT\_CNT\_6757 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT.

6758 TRFR-ODP-CUR-DM-PCT TRFR\_STAT\_CNT\_6758 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT  
PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6759 TRFR-ODP-FYD-T2-NSN TRFR\_STAT\_CNT\_6759 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6760 TRFR-ODP-FYD-T1-NSN TRFR\_STAT\_CNT\_6760 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6761 TRFR-ODP-FYD-T4-NSN TRFR\_STAT\_CNT\_6761 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6762 TRFR-ODP-FYD-TOT-NSN TRFR\_STAT\_CNT\_6762 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.

6763 TRFR-ODP-FYD-DM-PCT TRFR\_STAT\_CNT\_6763 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT  
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6764 TRFR-FSC-OAC-FYD-T2-NSN TRFR\_STAT\_CNT\_6764 DLSC-SBA F INTEGER 8  
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6765	TRFR-FSC-OAC-FYD-T1-NSN	TRFR_STAT_CNT_6765	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.						
6766	TRFR-FSC-OAC-FYD-T4-NSN	TRFR_STAT_CNT_6766	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.						
6767	TRFR-FSC-OAC-FYD-TOT-NSN	TRFR_STAT_CNT_6767	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN						
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY ORIGINATING DEPARTMENT/ACTIVITY.						
6768	TRFR-FSC-OAC-FYD-DM-PCT	TRFR_STAT_CNT_6768	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT						
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.						
6769	TRFR-FSC-OAC-FYD-GL-DIF	TRFR_STAT_CNT_6769	DLSC-SBA	F	INTEGER	8
TRANDFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER						
THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.						
6770	TRFR-FSC-OAC-FYD-GOAL	TRFR_STAT_CNT_6770	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL						
THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.						
6772	TRFR-FSC-ODP-FYD-T1-NSN	TRFR_STAT_CNT_6772	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN						
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.						
6774	TRFR-FSC-ODP-FYD-TOT-NSN	TRFR_STAT_CNT_6774	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN						
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.						
6775	TRFR-FSC-ODP-FYD-DM-PCT	TRFR_STAT_CNT_6775	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT						
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.						
6776	TRFR-FSC-ODP-FYD-GL-DIF	TRFR_STAT_CNT_6776	DLSC-SBA	F	INTEGER	8
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE						
THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.						
6777	TRFR-FSC-ODP-FYD-GOAL	TRFR_STAT_CNT_6777	DLSC-SBA	F	INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL

THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE  
ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.6778 TRFR-ODP-T1-2-NSN TRFR\_STAT\_CNT\_6778 DLSC-SBA F INTEGER 8  
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 2 NSNTHE TOTAL QUANTITY OF NSNS IN THE CURENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM  
FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.6779 DIC-SAC-NIINST DIC\_STAT\_CNT\_6779 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE NIIN STATUSTHE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR SUBMITTING  
ACTIVITY FOR DOCUMENT IDENTIFIER CODE.6780 DIC-SAC-RULES DIC\_STAT\_CNT\_6780 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE RULES

THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6781 DIC-SAC-CLRCL DIC\_STAT\_CNT\_6781 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE CLERICAL

THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6782 DIC-SAC-PDUPS DIC\_STAT\_CNT\_6782 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES  
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER  
CODE.6783 DIC-SAC-ADUPS DIC\_STAT\_CNT\_6783 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES  
THE COUNT OF TRANSACTIONS RETURNED AS AN ACTUAL DUPLICATE FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER  
CODE.6784 DIC-SAC-RETRND DLSC-SBA F 8  
DIC SUBMITTING ACTIVITY CODE RETURNED  
THE COUNT OF TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY BY DOCUMENT IDENTIFIER CODE.6785 IDIC-DEPT-SAC-RETD-QTY-B DLSC-SBA F 8  
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B  
THE COUNT OF TRANSACTIONS FOR SUBMITTING ACTIVITIES WITHIN A DEPARTMENT THAT REJECT AND ARE RETURNED BROKEN  
OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS,  
RULES ERRORS AND NIIN STATUS.6786 DIC-SAC-APRVD DIC\_STAT\_CNT\_6786 DLSC-SBA F INTEGER 8  
DIC SUBMITTING ACTIVITY CODE APPROVED  
THE COUNT OF TRANSACTIONS APPROVED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.6787 DIC-SAC-PRCSD DLSC-SBA F 8  
DIC SUBMITTING ACTIVITY CODE PROCESSED  
THE COUNT OF TRANSACTIONS PROCESSED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6788	DIC-SAC-RECVD DIC SUBMITTING ACTIVITY RECEIVED THE COUNT OF TRANSACTIONS RECEIVED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.	DIC_STAT_CNT_6788	DLSC-SBA	F	INTEGER	8
6789	DIC-ALL-SAC-NIINST DIC ALL SUBMITTING ACTIVITY CODE NIIN STATUS THE NUMBER OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE IDENTIFICATION.	DIC_STAT_CNT_6789	DLSC-SBA	F	INTEGER	8
6790	DIC-ALL-SAC-RULES DIC ALL SUBMITTING ACTIVITY CODE RULES THE NUMBER OF TRANSACTIONS RETURNED FOR RULES ERRORS.	DIC_STAT_CNT_6790	DLSC-SBA	F	INTEGER	8
6791	DIC-ALL-SAC-CLRCL DIC ALL SUBMITTING ACTIVITY CODE CLERICAL THE NUMBER OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.	DIC_STAT_CNT_6791	DLSC-SBA	F	INTEGER	8
6792	DIC-ALL-SAC-PDUPS DIC ALL SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES THE NUMBER OF TRANSACTIONS RETURNED THAT ARE POSSIBLE DUPLICATES.	DIC_STAT_CNT_6792	DLSC-SBA	F	INTEGER	8
6793	DIC-ALL-SAC-ADUPS DIC ALL SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES THE NUMBER OF TRANSACTIONS RETURNED THAT ARE ACTUAL DUPLICATES.	DIC_STAT_CNT_6793	DLSC-SBA	F	INTEGER	8
6794	DIC-ALL-SAC-RETRND DIC ALL SUBMITTING ACTIVITY CODE RETURNED THE COUNT OF REJECTED TRANSACTIONS RETURNED.		DLSC-SBA	F		8
6795	D-SAC-TRANS-RETRND-QTY-A DEPARTMENT SUBMITTING ACTIVITY TRANSACTIONS RETURNED QTY A THE COUNT OF REJECTED TRANSACTIONS RETURNED, BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.		DLSC-SBA	F		8
6796	DIC-ALL-SAC-APRVD DIC ALL SUBMITTING ACTIVITY CODE APPROVED THE COUNT OF TRANSACTIONS APPROVED, BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN THE DEPARTMENT.	DIC_STAT_CNT_6796	DLSC-SBA	F	INTEGER	8
6797	DIC-ALL-SAC-PRCSD DIC ALL SUBMITTING ACTIVITY CODE PROCESSED THE COUNT OF TRANSACTIONS PROCESSED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN DEPARTMENT.	DIC_STAT_CNT_6797	DLSC-SBA	F	INTEGER	8
6798	DIC-ALL-SAC-RECVD DIC ALL SUBMITTING ACTIVITY CODE RECEIVED THE COUNT OF TRANSACTIONS RECEIVED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN THE DEPARTMENT.	DIC_STAT_CNT_6798	DLSC-SBA	F	INTEGER	8
6799	DIC-OAC-PDUPS DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	DIC_STAT_CNT_6799	DLSC-SBA	F	INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF TRANSACTION RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

6800 DIC-OAC-ADUPS                      DIC\_STAT\_CNT\_6800                      DLSC-SBA                      F    INTEGER                      8  
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES  
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

6801 DIC-OAC-RETRND    DLSC-SBA                      F    8  
DIC ORIGINATING ACTIVITY CODE RETURNED  
THE COUNT OF TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

6802 IDIC-DEPT-OAC-RETD-QTY-D    DLSC-SBA                      F    8  
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D  
THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES WITHIN DEPARTMENT THAT REJECT AND ARE RETURNED BROKEN  
OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS,  
RULES ERRORS AND NIIN STATUS.

6803 DIC-OAC-APRVD                      DIC\_STAT\_CNT\_6803                      DLSC-SBA                      F    INTEGER                      8  
DIC ORIGINATING ACTIVITY CODE APPROVED  
THE COUNT OF TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

6804 DIC-OAC-PRCSD    DLSC-SBA                      F    8  
DIC ORIGINATING ACTIVITY CODE PROCESSED  
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

6805 DIC-OAC-RECVD                      DIC\_STAT\_CNT\_6805                      DLSC-SBA                      F    INTEGER                      8  
DIC ORIGINATING ACTIVITY CODE RECEIVED  
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

6806 DIC-ALL-OAC-NIINST                      DIC\_STAT\_CNT\_6806                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS  
THE COUNT AF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING  
ACTIVITY.

6807 DIC-ALL-OAC-RULES                      DIC\_STAT\_CNT\_6807                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL ORIGINATING ACTIVITY CODE RULES  
THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

6808 DIC-ALL-OAC-CLRCL                      DIC\_STAT\_CNT\_6808                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL  
THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

6809 DIC-ALL-OAC-PDUPS                      DIC\_STAT\_CNT\_6809                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES  
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

6810 DIC-ALL-OAC-ADUPS                      DIC\_STAT\_CNT\_6810                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES  
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6811 DIC-ALL-OAC-RETRND DLSC-SBA F 8  
DIC ALL ORIGINATING ACTIVITY CODE RETURNED  
THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

6812 D-OAC-TRANS-RETRND-QTY-C DLSC-SBA F 8  
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C  
THE COUNT OF REJECTED TRANSACTIONS RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6813 DIC-ALL-OAC-APRVD DIC\_STAT\_CNT\_6813 DLSC-SBA F INTEGER 8  
DIC ALL ORIGINATING ACTIVITY CODE APPROVED  
THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

6814 DIC-ALL-OAC-PRCSD DIC\_STAT\_CNT\_6814 DLSC-SBA F INTEGER 8  
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED  
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

6815 DIC-ALL-OAC-RECVD DIC\_STAT\_CNT\_6815 DLSC-SBA F INTEGER 8  
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED  
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

6816 QDIC-OAC-DIC-NIINST QDIC\_STAT\_CNT\_6816 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC NIIN STATUS  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED ORIGINATING ACTIVITY.

6817 QDIC-OAC-DIC-RULES QDIC\_STAT\_CNT\_6817 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC RULES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6818 QDIC-OAC-DIC-CLRCL QDIC\_STAT\_CNT\_6818 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC CLERICAL  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6819 QDIC-OAC-DIC-PDUPS QDIC\_STAT\_CNT\_6819 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6820 QDIC-OAC-DIC-ADUPS QDIC\_STAT\_CNT\_6820 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC ACTUAL DUPLICATES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6821 QDIC-OAC-DIC-RETRND DLSC-SBA F 8  
QUARTERLY DIC OAC DIC RETURNED  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED ORIGINATING ACTIVITY.

6822 OAC-IP-DIC-RETRND-QTY-H DLSC-SBA F 8  
ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6823 QDIC-OAC-DIC-APRVD QDIC\_STAT\_CNT\_6823 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC APPROVED  
THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED ORIGINATING ACTIVITY.

6824 QDIC-OAC-DIC-PRCSD DLSC-SBA F 8  
QUARTERLY DIC OAC DIC PROCESSED  
THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIC ORIGINATING ACTIVITY.

6825 QDIC-OAC-DIC-RECDV QDIC\_STAT\_CNT\_6825 DLSC-SBA F INTEGER 8  
QUARTERLY DIC OAC DIC RECEIVED  
THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIC ORIGINATING ACTIVITY.

6826 QDIC-SAC-DIC-NIINST QDIC\_STAT\_CNT\_6826 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC NIIN STATUS  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED SUBMITTING ACTIVITY.

6827 QDIC-SAC-DIC-RULES QDIC\_STAT\_CNT\_6827 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC RULES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6828 QDIC-SAC-DIC-CLRCL QDIC\_STAT\_CNT\_6828 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC CLERICAL  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6829 QDIC-SAC-DIC-PDUPS QDIC\_STAT\_CNT\_6829 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED SUBMITTING ACTIVITY.

6830 QDIC-SAC-DIC-ADUPS QDIC\_STAT\_CNT\_6830 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC ACTUAL DUPLICATES  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR SUBMITTING ACTIVITY.

6831 QDIC-SAC-DIC-RETRND DLSC-SBA F 8  
QUARTERLY DIC SAC DIC RETURNED  
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED SUBMITTING ACTIVITY.

6832 SAC-INPUT-DIC-RTD-QTY-F DLSC-SBA F 8  
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F  
THE COUNT OF TRANSACTIONS FOR SUBMITTING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6833 QDIC-SAC-DIC-APRVD QDIC\_STAT\_CNT\_6833 DLSC-SBA F INTEGER 8  
QUARTERLY DIC SAC DIC APPROVED  
THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED SUBMITTING ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
6834	QDIC-SAC-DIC-PRCSD QUARTERLY DIC SAC DIC PROCESSED THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED SUBMITTING ACTIVITY.		DLSC-SBA	F	8
6835	QDIC-SAC-DIC-RECD QUARTERLY DIC SAC DIC RECEIVED THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED SUBMITTING ACTIVITY.	QDIC_STAT_CNT_6835	DLSC-SBA	F INTEGER	8
6836	DIC-OAC-NIINST DIC ORIGINATING ACTIVITY CODE NIIN STATUS THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.	DIC_STAT_CNT_6836	DLSC-SBA	F INTEGER	8
6837	DIC-OAC-RULES DIC ORIGINATING ACTIVITY CODE RULES THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.	DIC_STAT_CNT_6837	DLSC-SBA	F INTEGER	8
6838	DIC-OAC-CLRCL DIC ORIGINATING ACTIVITY CODE CLERICAL THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.	DIC_STAT_CNT_6838	DLSC-SBA	F INTEGER	8
6839	MGMTCHG-ACTY-GRS-ADD-NSN MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT BY ACTIVITY.		DLSC-SBA	F	8
6840	MGMTCHG-ACTY-NEW-NSN MANAGEMENT CHANGE ACTIVITY NEW NSN THE NET QUANTITY OF NEWLY ASSIGNED NSNS BY DEPARTMENT BY ACTIVITY.	MCHG_STAT_CNT_6840	DLSC-SBA	F INTEGER	8
6841	MGMTCHG-ACTY-NEW-MGR-NSN MANAGEMENT CHANGE ACTIVITY NEW MANAGER NSN THE NEW QUANTITY OF EXISTING NSNS FOR WHICH AN ACTIVITY HAS BEEN ADDED TO AS A MANAGER BY DEPARTMENT ACTIVITY.	MCHG_STAT_CNT_6841	DLSC-SBA	F INTEGER	8
6842	MGMTCHG-ACTY-REIN-NSN MANAGEMENT CHANGE ACTIVITY REINSTATEMENT NSN THE NET QUANTITY OF CANCELED NSNS WHICH HAVE BEEN REAUTHORIZED FOR USE BY DEPARTMENT BY ACTIVITY.	MCHG_STAT_CNT_6842	DLSC-SBA	F INTEGER	8
6843	MGMTCHG-ACTY-REACT-NSN MANAGEMENT CHANGE ACTIVITY REACTIVATION NSN THE NET QUANTITY OF NSNS BY DEPARTMENT BY ACTIVITY FOR WHICH THE ACTIVITY HAD PREVIOUSLY WITHDRAWN ITS MANAGEMENT RESPONSIBILITY FROM AND IS REREGISTERING ON THAT NSN AS A MANAGER.	MCHG_STAT_CNT_6843	DLSC-SBA	F INTEGER	8
6844	MGMTCHG-ACTY-GRS-DLT-NSN MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN THE GROSS QUANTITY OF NSNS THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT BY ACTIVITY.		DLSC-SBA	F	8
6845	MGMTCHG-ACTY-DLT-RSN-NSN MANAGEMENT CHANGE ACTIVITY DELETE REASON NSN	MCHG_STAT_CNT_6845	DLSC-SBA	F INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF NSNS BY DEPARTMENT BY ACTIVITY BY DELETION REASON CODE THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM.

6846 MGMTCHG-ACTY-DLT-RSN-GRP DLSC-SBA F 8  
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP  
THE QUANTITY OF NSN THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT BY ACTIVITY.

6847 MGMTCHG-DP-GRS-ADD-NSN DLSC-SBA F 8  
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN  
THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT.

6848 MGMTCHG-DP-NEW-NSN MCHG\_STAT\_CNT\_6848 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT NEW NSN  
THE NET QUANTITY OF NEWLY ASSIGNED NSNS BY DEPARTMENT.

6849 MGMTCHG-DP-NEW-MGR-NSN MCHG\_STAT\_CNT\_6849 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT NEW MANAGER NSN  
THE NET QUANTITY OF EXISTING NSNS FRO WHICH A DEPARTMENT HAS BEEN ADDED TO AS A MANAGER BY DEPARTMENT.

6850 MGMTCHG-DP-REIN-NSN MCHG\_STAT\_CNT\_6850 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT REINSTATEMENT NSN  
THE NET QUANTITY OF CANCELED NSNS WHICH HAVE BEEN REAUTHORIZED FOR USE BY DEPARTMENT.

6851 MGMTCHG-DP-REACT-NSN MCHG\_STAT\_CNT\_6851 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT REACTIVATION NSN  
THE NET QUANTITY OF NSNS BY DEPARTMENT FOR WHICH THE DEPARTMENT HAD PREVIOUSLY WITHDRAWN ITS MANAGEMENT RESPONSIBILITY FROM AND IS REREGISTERING ON THAT NSN AS A MANAGER.

6852 MGMTCHG-DP-GRS-DLT-NSN DLSC-SBA F 8  
MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN  
THE GROSS QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT.

6853 MGMTCHG-DP-DLT-RSN-NSN MCHG\_STAT\_CNT\_6853 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT DELETE REASON NSN  
THE QUANTITY OF NSNS BY DEPARTMENT BY DELETION REASON CODE THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM.

6854 MGMTCHG-DP-DLT-RSN-GRP MCHG\_STAT\_CNT\_6854 DLSC-SBA F INTEGER 8  
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP  
THE QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT.

6855 LRN-FSG-FSC-ITM-NM-ACT-W DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY ACTIVITY.

6856 LRN-FSG-FSC-ITM-NM-ACT-M DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY ACTIVITY.

6857 LRN-FSG-FSC-ITM-NM-ACT-Q DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY ACTIVITY.

6858 LRN-FSG-FSC-ITM-NM-ACT-Y DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY ACTIVITY.

6860 LRN-FSG-FSC-ITM-NM-DPT-D LRN\_STAT\_CNT\_6860 DLSC-SC F INTEGER 8  
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT.

6861 LRN-FSG-FSC-ITM-NM-DPT-W DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT.

6862 LRN-FSG-FSC-ITM-NM-DPT-M DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT.

6863 LRN-FSG-FSC-ITM-NM-DPT-Q DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT.

6864 LRN-FSG-FSC-ITM-NM-DPT-Y DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT.

6865 LRN-FSG-FSC-ITM-NM-TOT-D LRN\_STAT\_CNT\_6865 DLSC-SC F INTEGER 8  
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6866 LRN-FSG-FSC-ITM-NM-TOT-W DLSC-SC F 8  
LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6867 LRN-FSG-FSC-ITM-NM-TOT-M DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6868 LRN-FSG-FSC-ITM-NM-TOT-Q DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6869 LRN-FSG-FSC-ITM-NM-TOT-Y DLSC-SC F 8  
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6870 FCS-C-REF-SAC-TII-1-PCT DLSC-SBA F 8  
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6871 IANDS-DEPT-MTR-P-S-FAM IANS\_STAT\_CNT\_6871 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F  
THE TOTAL NUMBER OF I AND S FAMILIES A DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.

6872 IANDS-DEPT-AVG-NSN DLSC-SBA F 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN  
THE AVERAGE NUMBER OF NSNS PER I AND S FAMILY FOR A DEPARTMENT.

6873 IANDS-DEPT-GRP-NSN DLSC-SBA F 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN  
THE QUANTITY OF NSNS IN AND S FAMILIES FOR DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, AND 26-50 NSNS PER FAMILY.

6874 LRN-PROC-TRN-PRCS-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6875 LRN-PROC-TRN-PRCS-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6876 LRN-PROC-TRN-PRCS-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6877 LRN-PROC-TRN-PRCS-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6878 LRN-PROC-TRN-PRCS-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6879 LRN-PROC-PRD-SVC-ACTY-M DLSC-SB F 6



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN RPOCEDURES DLSC PROD SVC ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6880 LRN-PROC-PRD-SVC-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6881 LRN-PROC-PRD-SVC-ACTY-Y DLSC-SB F 6  
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6882 IANDS-DEPT-FSG-TOT-FAM IANS\_STAT\_CNT\_6882 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI  
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSG.

6883 FCS-C-REF-SAC-TII-2-PCT DLSC-SBA F 8  
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WIT MORE T HAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6884 FCS-C-REF-SAC-TII-4-PCT DLSC-SBA F 8  
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II  
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6885 IANDS-DEPT-FSG-MTR-PICA IANS\_STAT\_CNT\_6885 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P  
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSG.

6886 FCS-REF-SDP-TII-1-NSN FCS\_STAT\_CNT\_6886 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SU BMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6887 FCS-REF-SDP-TII-2-NSN FCS\_STAT\_CNT\_6887 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6888 FCS-REF-SDP-TII-4-NSN FCS\_STAT\_CNT\_6888 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFI CATION.

6889 FCS-REF-SDP-TII-1-PCT DLSC-SBA F 8  
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6890 FCS-REF-SDP-TII-2-PCT DLSC-SBA F 8  
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUB MITTING DEPARTMENT WITH REFERENCE  
METHOD TYPE ITEM IDENTIFICATION.

6891 FCS-REF-SDP-TII-4-PCT DLSC-SBA F 8  
FSC REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL  
DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6892 TMG-PIC-DIC-TMFR TMG\_STAT\_CNT\_6892 DLSC-SBA F INTEGER 8  
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME  
THE QUANTITY OF TRANSACTIONS BY DIC WITH A SPECIFIC PRIORITY INDICATOR CODE THAT WERE PROCESSED WITHIN A  
SPECIFIC TIMEFRAME.

6893 TMG-PIC-DIC-TMFR-AVG-TM TMG\_STAT\_CNT\_6893 DLSC-SBA F INTEGER 8  
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME  
THE AVERAGE PROCESSING TIME BY DIC FOR THOSE TRANSACTIONS WITH A SPECIFIC PRIORITY INDICATOR CODE THAT  
PROCESSED IN A SPECIFIC TIMEFRAME.

6894 TMG-PIC-DIC-TMFR-PCT DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT  
THE PERCENT OF TRANSACTIONS PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIED DIC AND PRIORITY INDICATOR  
CODE.

6895 TMG-PIC-DIC DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC  
THE QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE FOR A SPECIFIED DIC.

6896 TMG-PIC-DIC-PCT DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC PERCENT  
THE PERCENT OF TRANSACTIONS FOR A SPECIFIC DIC THAT HAVE A SPECIFIC PRIORITY INDICATOR CODE.

6897 TMG-PIC-DIC-TOT DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC TOTAL  
THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC DIC.

6898 TMG-PIC-TOT-AVG-TIME DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME  
THE AVERAGE PROCESSING TIME FOR A SPECIFIC DIC AND PRIORITY INDICATOR CODE.

6899 TMG-PIC-DIC-TOT-AVG-TIME DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME  
THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES FOR A SPECIFIC DIC. INDICATOR CODE.

6900 TMG-PIC-DIC-TMFR-TOT DLSC-SBA F 8  
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL  
THE TOTAL QUANTITY OF DICS THAT PROCESSED WITHIN A SPECIFIED TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6901	TMG-PIC-DIC-TMFR-TOT-PCT	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT				
THE PERCENT OF ALL DICS THAT PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.				
6902	TMG-PIC-TOT	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE TOTAL				
THE TOTAL QUANTITY OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6903	TMG-PIC-TOT-PCT	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE TOTAL PERCENT				
THE PERCENT OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6904	TMG-PIC-DIC-ALL	DLSC-S	F	8
TIMING PRIORITY INDICATOR CODE DIC ALL				
THE TOTAL QUANTITY OF DICS PROCESSED FOR ALL PRIORITY INDICATOR CODES.				
6905	TMG-PIC-ALL-AVG-TIME	DLSC-S	F	8
TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME				
THE AVERAGE PROCESSING TIME FOR ALL DICS WITH A SPECIFIC PRIORITY INDICATOR CODE.				
6906	TMG-PIC-DIC-ALL-AVG-TIME	DLSC-S	F	8
TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME				
THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES.				
6907	TMG-DIC-TMFR-ALL	DLSC-S	F	8
TIMING DIC TIMEFRAME ALL				
THE TOTAL QUANTITY OF DICS PROCESSED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.				
6908	TMG-DIC-TMFR-ALL-PCT	DLSC-SBA	F	8
TIMING DIC TIMEFRAME ALL PERCENT				
THE PERCENT OF THE TOTAL TRANSACTIONS THAT PREOCESED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.				
6909	TMG-PIC-QUEUE	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE QUEUE				
THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH SPECIFIC QUEUE IDENTIFICATION.				
6910	TMG-PIC-QUEUE-AVG-TIME	DLSC-SBA	F	8
TIMING PIC QUEUE AVERAGE TIME				
THE AVERAGE TIME IN THE SYSTEM OF TRANSACTIONS WITH A SPECIFIC QUEUE IDENTIFICATION.				
6911	TMG-PIC-TMFR-PRC	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED				
THE QUANTITY OF TRANSACTIONS BY DIC, RECEIVED AND PROCESSED WITHIN A SPECIFIC TIMEFRAME.				
6912	TMG-PIC-TMFR-ONTIME	DLSC-SBA	F	8
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME				
THE QUANTITY OF TRANSACTIONS BY DIC THAT PROCESSED ON TIME BASED ON THE GOAL OF THE PRIORITY INDICATOR CODE.				

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6913	TMG-PIC-TMFR-ONTIME-PCT	DLSC-SBA	F	8
	TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT			
	THE PERCENT OF TRANSACTIONS BY DIC THAT PROCESSED WITHIN THE TIMEFRMAE GOAL OF THE PRIORITY INDICATOR CODE.			
6914	TMG-PIC-TMFR-NOT-ONTIME	DLSC-SBA	F	8
	TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME			
	THE QUANTITY OF TRANSACTIONS BY DIC THAT WERE NOT PROCESSED WITHIN THE TIMEFRAME OF THE PRIORITY INDICATOR CODE GOAL.			
6915	12-48-HOURS-4	DLSC-SBA	F	8
	12-18 HOURS			
	12-48 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6916	48-72-HOURS-4	DLSC-SBA	F	8
	48-72 HOURS			
	48-72 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6917	72-96-HOURS-4	DLSC-SBA	F	8
	72-96 HOURS			
	72-96 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6918	96-120-HOURS-4	DLSC-SBA	F	8
	96-120 HOURS			
	96-120 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6919	120-144-HOURS-4	DLSC-SBA	F	8
	120-144 HOURS			
	120-144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6920	OVER-144-HOURS-4	DLSC-SBA	F	8
	OVER 144 HOURS			
	OVER 144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.			
6921	PIC-TOT-PROCESSED-72-HRS	DLSC-SBA	F	8
	PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS			
	THE SUMMARY OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY INDICATOR CODE. PRIORITY INDICATOR CODES ARE 1, 2, 3 AND 4.			
6922	PIC-PROCESSED-72-HRS-PCT	DLSC-SBA	F	8
	PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT			
	THE PERCENT OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY. PRIORITY INDICATOR CODESF ARE 1, 2, 3 AND 4.			
6923	PIC-TOTAL-PROCESSED	DLSC-SBA	F	8
	PRIORITY INDICATOR CODE TOTAL PROCESSED			
	THE TOTAL NUMBER OF TRANSACTIONS PROCESSED WITHIN A SPECIFIED PRIORITY, (PRIORITY INDICATOR CODE 1, 2, 3, 4).			
6924	DAAS-DLSC-DISCREP	DLSC-SBA	F	8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

## DAAS/DLSC DISCREPANCIES QUANTITY

THE NUMBER OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLSC FILES.

6925 DAAS-DLSC-FILES-COMP DLSC-SBA F 8  
DAAS/DLSC FILES COMPATIBILITY  
THE NUMBER OF DAAS/DLSC FILES COMPARED FOR COMPATIBILITY.

6926 DAAS-DLSC-DISCREP-PCT DLSC-SBA F 8  
DAAS/DLSC DISCREPANCIES PERCENT  
THE PERCENT OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLSC FILES.

6927 ICMS-LA-ALL-LC-MS-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6928 ICMS-LA-ALL-LC-MS-MM ICMS\_STAT\_CNT\_6928 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6929 ICMS-LA-ALL-MC-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6930 ICMS-LA-ALL-MC-MM ICMS\_STAT\_CNT\_6930 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6931 ICMS-LA-ALL-AF-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGED IN COMMON WITH OTHER MILITARY SERVICES.

6932 ICMS-LA-ALL-AF-MM ICMS\_STAT\_CNT\_6932 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6933 FCS-DP-GLOA-TYII-PCT DLSC-SBA F 8  
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT  
PERCENT OF NSN MANAGED BY A DEPARTMENT AT THE WHOLESALE (PICA) LEVEL BROKEN DOWN BY TYPE ITEM IDENTIFICATION.

6934 QDIC-GP-DP-TRNS-PRCSD QDIC\_STAT\_CNT\_6934 DLSC-SBA F INTEGER 8  
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED  
QUANTITY OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP BROKEN OUT BY SUBMITTING DEPARTMENT.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6935 QDIC-GP-DP-TRNS-RTD-PCT QDIC\_STAT\_CNT\_6935 DLSC-SBA F INTEGER 8  
 QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT  
 PERCENT OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP THAT WERE  
 RETURNED (REJECTED) BROKEN OUT BY SUBMITTING DEPARTMENT.

6936 8-PART-NO-PCT-6 DLSC-SBA F 8  
 8 PART NUMBER PERCENT  
 8 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6937 9-PART-NO-PCT-6 DLSC-SBA F 8  
 9 PART NUMBER PERCENT  
 9 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6938 10-PART-NO-PCT-6 DLSC-SBA F 8  
 10 PART NUMBER PERCENT  
 10 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6939 11-20-PART-NO-PCT-6 DLSC-SBA F 8  
 11-20 PART NUMBER PERCENT  
 11-20 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6940 21-30-PART-NO-PCT-6 DLSC-SBA F 8  
 21-30 PART NUMBER PERCENT  
 21-30 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6941 31-40-PART-NO-PCT-6 DLSC-SBA F 8  
 31-40 PART NUMBER PERCENT  
 31-40 PART NUMBERS PRECENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6942 41-50-PART-NO-PCT-6 DLSC-SBA F 8  
 41-50 PART NUMBER PERCENT  
 41-50 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6943 51-60-PART-NO-PCT-6 DLSC-SBA F 8  
 51-60 PART NUMBER PERCENT  
 51-60 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6944 61-70-PART-NO-PCT-6 DLSC-SBA F 8  
 61-70 PART NUMBER PRCENT  
 61-70 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6945 71-80-PART-NO-PCT-6 DLSC-SBA F 8  
 71-80 PART NUMBER PERCENT  
 71-80 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6946 81-90-PART-NO-PCT-6 DLSC-SBA F 8  
 81-90 PART NUMBER PERCENT  
 81-90 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6947	91-100-PART-NO-PCT-6	DLSC-SBA	F	8
	91-100 PART NUMBER PERCENT			
	91-100 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6948	101-200-PART-NO-PCT-6	DLSC-SBA	F	8
	101-200 PART NUMBER PERCENT			
	101-200 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6949	201-300-PART-NO-PCT-6	DLSC-SBA	F	8
	201-300 PART NUMBER PERCENT			
	201-300 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6950	301-400-PART-NO-PCT-6	DLSC-SBA	F	8
	301-400 PART NUMBER PERCENT			
	301-400 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6951	401-500-PART-NO-PCT-6	DLSC-SBA	F	8
	401-500 PART NUMBER PERCENT			
	401-500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6952	501-600-PART-NO-PCT-6	DLSC-SBA	F	8
	501-600 PART NUMBER PERCENT			
	501-600 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6953	601-700-PART-NO-PCT-6	DLSC-SBA	F	8
	601-700 PART NUMBER PERCENT			
	601-700 PART NUMBER PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6954	701-800-PART-NO-PCT-6	DLSC-SBA	F	8
	701-800 PART NUMBER PERCENT			
	701-800 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6955	801-900-PART-NO-PCT-6	DLSC-SBA	F	8
	801-900 PART NUMBER PERCENT			
	801-900 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6956	901-1000-PART-NO-PCT-6	DLSC-SBA	F	8
	901-1000 PART NUMBER PERCENT			
	901-1000 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6957	1001-1500-PART-NO-PCT-6	DLSC-SBA	F	8
	1001-1500 PART NUMBER PERCENT			
	1001-1500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.			
6958	ICMS-LA-ALL-LC-AR-MM	ICMS_STAT_CNT_6958	DLSC-SBA	F INTEGER
	ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN			

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6959 ICMS-LA-ALL-LC-AR-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6960 ICMS-LA-ALL-LC-NA-MM ICMS\_STAT\_CNT\_6960 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN  
THE TOTAL NUMBER OF NSNS SITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6961 ICMS-LA-ALL-LC-NA-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6962 ICMS-LA-ALL-LC-AF-MM ICMS\_STAT\_CNT\_6962 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6963 ICMS-LA-ALL-LC-AF-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6964 ICMS-LA-ALL-LC-MC-MM ICMS\_STAT\_CNT\_6964 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6965 ICMS-LA-ALL-LC-MC-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE  
THE PERCENT OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT THA MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6966 ICMS-LA-FSC-ALL-MS-MM ICMS\_STAT\_CNT\_6966 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6967 ICMS-LA-FSC-ALL-MS-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6968 ICMS-LA-FSC-ALL-AR-MM ICMS\_STAT\_CNT\_6968 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6969 ICMS-LA-FSC-ALL-AR-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6970 ICMS-LA-FSC-ALL-NA-MM ICMS\_STAT\_CNT\_6970 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6971 ICMS-LA-FSC-ALL-NA-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6972 ICMS-LA-FSC-ALL-AF-MM ICMS\_STAT\_CNT\_6972 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6973 ICMS-LA-FSC-ALL-AF-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6974 ICMS-LA-FSC-ALL-MC-MM ICMS\_STAT\_CNT\_6974 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMETN FOR A SPECIFIC FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6975 ICMS-LA-FSC-ALL-MC-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6976 ICMS-LA-FSC-LC-MS-MM ICMS\_STAT\_CNT\_6976 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICE.

6977 ICMS-LA-FSC-LC-MS-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6978 ICMS-LA-FSC-LC-AR-MM ICMS\_STAT\_CNT\_6978 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6979 ICMS-LA-FSC-LC-AR-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6998 NSN-CANC-PPSL-CD DLSC-SD F CHAR 1  
NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE  
A CODE ASSIGNED TO NSN CANCELLATION PROPOSALS SUBMITTED ON L23 INPUT AND TO INDICATE THE REASON FOR NONCONCURRENCE TO A CANCELLATION PROPOSAL (FOR NATO USE ONLY).

6999 RPLY-CANC-PPSL-TX DLSC-SD V VARCHAR 9999  
REPLY CANCELLATION PROPOSAL TEXT  
A CLEAR TEXT EXPLANATION FOR PROPOSED CANCELLATION OF NATO STOCK NUMBER WHEN A CODE 'F' REPLY IS MADE TO DRN 6998 ON L23 AND FOR NONCONCURRENCE OF A CANCELLATION PROPOSAL WHEN A CODE 'Z' REPLY IS MADE TO DRN 6998 ON K23 (FOR NATO USE ONLY).

7075 DLR-VAL-UNIT-PR UNIT\_PR\_7075 DLSC-SBA F DECIMAL 9  
DOLLAR VALUE, UNIT PRICE  
THE STANDARD PRICE OF THE UNIT OF ISSUE AS ESTABLISHED BY THE MANAGING ACTIVITY. IT IS CONSTRUCTED AS FOLLOWS:  
A) FOR UNIT PRICES BELOW TEN MILLION DOLLARS, THE FIELD IS RIGHT JUSTIFIED AND ZERO FILLED. THE LAST TWO DIGITS ARE CENTS, NO DECIMAL POINT PROVIDED. B) FOR UNIT PRICES TEN MILLION DOLLARS AND ABOVE, A LETTER (D) IS INSERTED IN THE LOW ORDER (UNIT) POSITION: NO CENTS VALUE IS ENTERED. THE LETTER IS MACHINE CONVERTED TO TWO ZEROS FOR PRINTING IN ALL PUBLICATIONS, SHORT TITLE U.P. SEE VOLUME 10, TABLE 97 AND QUICK INFO ON-LINE.

7080 DLR-VAL-STD-UNIT-PR DLSC-SBA F 7  
DOLLAR VALUE, STANDARD UNIT PRICE  
THE DOLLAR AMOUNT OF EACH UNIT OF AN ITEM AS IT IS RECORDED IN THE FINANCIAL AND ACCOUNTING RECORDS OF THE HOLDING MILITARY SERVICE. SEE VOLUME 10, TABLE 143 AND QUICK INFO ON-LINE.

7081 ICMS-LA-FSC-LC-NA-MM ICMS\_STAT\_CNT\_7081 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7082 ICMS-LA-FSC-LC-NA-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7083 ICMS-LA-FSC-LC-AF-MM ICMS\_STAT\_CNT\_7083 DLSC-SBA F INTEGER 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT  
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

7084 ICMS-LA-FSC-LC-AF-MMPC DLSC-SBA F 8  
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE  
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7085	ICMS-LA-FSC-LC-MC-MM	ICMS_STAT_CNT_7085	DLSC-SBA	F	INTEGER	8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M						
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.						
7086	ICMS-LA-FSC-LC-MC-MMPC		DLSC-SBA	F		8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE						
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.						
7087	ICMD-FSC-ALL-ANFM	ICMD_STAT_CNT_7087	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.						
7088	ICMD-FSC-ALL-ANF	ICMD_STAT_CNT_7088	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY NAVY AIR FORCE						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.						
7089	ICMD-FSC-ALL-ANM	ICMD_STAT_CNT_7089	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY NAVY MARINE CORPS						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.						
7090	ICMD-FSC-ALL-AN	ICMD_STAT_CNT_7090	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY NAVY						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.						
7091	ICMD-FSC-ALL-AFM	ICMD_STAT_CNT_7091	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY AIR FORCE MARINE CORPS						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.						
7092	ICMD-FSC-ALL-AF	ICMD_STAT_CNT_7092	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY AIR FORCE						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.						
7093	ICMD-FSC-ALL-AM	ICMD_STAT_CNT_7093	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY MARINE CORPS						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.						
7094	ICMD-FSC-ALL-A	ICMD_STAT_CNT_7094	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL ARMY						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY THE ARMY ONLY.						
7095	ICMD-FSC-ALL-NFM	ICMD_STAT_CNT_7095	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL NAVY AIR FORCE MARINE CORPS						
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.						
7096	ICMD-FSC-ALL-NF	ICMD_STAT_CNT_7096	DLSC-SBA	F	INTEGER	8
ICMD FSC ALL NAVY AIR FORCE						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7097 ICMD-FSC-ALL-NM ICMD\_STAT\_CNT\_7097 DLSC-SB F INTEGER 8  
ICMD FSC ALL NAVY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7098 ICMD-FSC-ALL-N ICMD\_STAT\_CNT\_7098 DLSC-SB F INTEGER 8  
ICMD FSC ALL NAVY

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.

7099 ICMD-FSC-ALL-FM ICMD\_STAT\_CNT\_7099 DLSC-SB F INTEGER 8  
ICMD FSC ALL AIR FORCE MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7100 ICMD-FSC-ALL-F ICMD\_STAT\_CNT\_7100 DLSC-SB F INTEGER 8  
ICMD FSC ALL AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE ONLY.

7101 ICMD-FSC-ALL-M ICMD\_STAT\_CNT\_7101 DLSC-SB F INTEGER 8  
ICMD FSC ALL MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS ONLY.

7102 ICMD-FSC-ALL-LC-ANFM ICMD\_STAT\_CNT\_7102 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7103 ICMD-FSC-ALL-LC-ANF ICMD\_STAT\_CNT\_7103 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7104 ICMD-FSC-ALL-LC-ANM ICMD\_STAT\_CNT\_7104 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7105 ICMD-FSC-ALL-LC-AN ICMD\_STAT\_CNT\_7105 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7106 ICMD-FSC-ALL-LC-AFM ICMD\_STAT\_CNT\_7106 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7107 ICMD-FSC-ALL-LC-AF ICMD\_STAT\_CNT\_7107 DLSC-SB F INTEGER 8  
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7108 ICMD-FSC-ALL-LC-AM ICMD\_STAT\_CNT\_7108 DLSC-SB F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7109	ICMD-FSC-ALL-LC-A	ICMD_STAT_CNT_7109	DLSC-SB	F	INTEGER	8
------	-------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION ARMY  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY ARMY ONLY.

7110	ICMD-FSC-ALL-LC-NFM	ICMD_STAT_CNT_7110	DLSC-SB	F	INTEGER	8
------	---------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7111	ICMD-FSC-ALL-LC-NF	ICMD_STAT_CNT_7111	DLSC-SB	F	INTEGER	8
------	--------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7112	ICMD-FSC-ALL-LC-NM	ICMD_STAT_CNT_7112	DLSC-SB	F	INTEGER	8
------	--------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7113	ICMD-FSC-ALL-LC-N	ICMD_STAT_CNT_7113	DLSC-SB	F	INTEGER	8
------	-------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION NAVY  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.

7114	ICMD-FSC-ALL-LC-FM	ICMD_STAT_CNT_7114	DLSC-SB	F	INTEGER	8
------	--------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7115	ICMD-FSC-ALL-LC-F	ICMD_STAT_CNT_7115	DLSC-SB	F	INTEGER	8
------	-------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE.

7116	ICMD-FSC-ALL-LC-M	ICMD_STAT_CNT_7116	DLSC-SB	F	INTEGER	8
------	-------------------	--------------------	---------	---	---------	---

ICMD FSC ALL LOA COMBINATION MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS.

7117	ICMD-IM-ALL-ANFM	ICMD_STAT_CNT_7117	DLSC-SB	F	INTEGER	8
------	------------------	--------------------	---------	---	---------	---

ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7118	ICMD-IM-ALL-ANF	ICMD_STAT_CNT_7118	DLSC-SB	F	INTEGER	8
------	-----------------	--------------------	---------	---	---------	---

ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7119	ICMD-IM-ALL-ANM	ICMD_STAT_CNT_7119	DLSC-SB	F	INTEGER	8
------	-----------------	--------------------	---------	---	---------	---

ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7120 ICMD-IM-ALL-AN ICMD\_STAT\_CNT\_7120 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL ARMY NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7121 ICMD-IM-ALL-AFM ICMD\_STAT\_CNT\_7121 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7122 ICMD-IM-ALL-AF ICMD\_STAT\_CNT\_7122 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7123 ICMD-IM-ALL-AM ICMD\_STAT\_CNT\_7123 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7124 ICMD-IM-ALL-A ICMD\_STAT\_CNT\_7124 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL ARMY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE ARMY ONLY.

7125 ICMD-IM-ALL-NFM ICMD\_STAT\_CNT\_7125 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY, AIR FORCE AND MARINE CORPS.

7126 ICMD-IM-ALL-NF ICMD\_STAT\_CNT\_7126 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND AIR FORCE.

7127 ICMD-IM-ALL-NM ICMD\_STAT\_CNT\_7127 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND MARINE CORPS.

7128 ICMD-IM-ALL-N ICMD\_STAT\_CNT\_7128 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE NAVY ONLY.

7129 ICMD-IM-ALL-FM ICMD\_STAT\_CNT\_7129 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE AIR FORCE AND MARINE CORPS.

7130 ICMD-IM-ALL-F ICMD\_STAT\_CNT\_7130 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL AIR FORCE

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE AIR FORCE

7131 ICMD-IM-ALL-M ICMD\_STAT\_CNT\_7131 DLSC-SB F INTEGER 8  
ICMD INTEGRATED MANAGER ALL MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7132 ICMD-IM-ALL-LC-ANFM ICMD\_STAT\_CNT\_7132 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

7133 ICMD-IM-ALL-LC-ANF ICMD\_STAT\_CNT\_7133 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BY LOA CODE COMBINATION.

7134 ICMD-IM-ALL-LC-ANM ICMD\_STAT\_CNT\_7134 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7135 ICMD-IM-ALL-LC-AN ICMD\_STAT\_CNT\_7135 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7136 ICMD-IM-ALL-LC-AFM ICMD\_STAT\_CNT\_7136 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7137 ICMD-IM-ALL-LC-AF ICMD\_STAT\_CNT\_7137 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BY LOA CODE COMBINATION.

7138 ICMD-IM-ALL-LC-AM ICMD\_STAT\_CNT\_7138 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BY LOA CODE COMBINATION.

7139 ICMD-IM-ALL-LC-A ICMD\_STAT\_CNT\_7139 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY ARMY BROKEN OUT BY LOA CODE COMBINATIONS.

7140 ICMD-IM-ALL-LC-NFM ICMD\_STAT\_CNT\_7140 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7141 ICMD-IM-ALL-LC-NF ICMD\_STAT\_CNT\_7141 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7142 ICMD-IM-ALL-LC-NM ICMD\_STAT\_CNT\_7142 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7143 ICMD-IM-ALL-LC-N ICMD\_STAT\_CNT\_7143 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY NAVY BROKEN OUT BY LOA CODE COMBINATION.

7144 ICMD-IM-ALL-LC-FM ICMD\_STAT\_CNT\_7144 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MC  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7145 ICMD-IM-ALL-LC-F ICMD\_STAT\_CNT\_7145 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7146 ICMD-IM-ALL-LC-M ICMD\_STAT\_CNT\_7146 DLSC-SBA F INTEGER 8  
ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7147 ICMD-LA-ALL-ANFM ICMD\_STAT\_CNT\_7147 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7148 ICMD-LA-ALL-ANF ICMD\_STAT\_CNT\_7148 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7149 ICMD-LA-ALL-ANM ICMD\_STAT\_CNT\_7149 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7150 ICMD-LA-ALL-AN ICMD\_STAT\_CNT\_7150 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7151 ICMD-LA-ALL-AFM ICMD\_STAT\_CNT\_7151 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7152 ICMD-LA-ALL-AF ICMD\_STAT\_CNT\_7152 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7153 ICMD-LA-ALL-AM ICMD\_STAT\_CNT\_7153 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7154 ICMD-LA-ALL-A ICMD\_STAT\_CNT\_7154 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL ARMY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY.

7155 ICMD-LA-ALL-NFM ICMD\_STAT\_CNT\_7155 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7156 ICMD-LA-ALL-NF ICMD\_STAT\_CNT\_7156 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7157 ICMD-LA-ALL-NM ICMD\_STAT\_CNT\_7157 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7158 ICMD-LA-ALL-N ICMD\_STAT\_CNT\_7158 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL NAVY  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY.

7159 ICMD-LA-ALL-FM ICMD\_STAT\_CNT\_7159 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7160 ICMD-LA-ALL-F ICMD\_STAT\_CNT\_7160 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE  
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY.

7161 ICMD-LA-ALL-M ICMD\_STAT\_CNT\_7161 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7162 ICMD-LA-ALL-LC-ANFM ICMD\_STAT\_CNT\_7162 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7163 ICMD-LA-ALL-LC-ANF ICMD\_STAT\_CNT\_7163 DLSC-SBA F INTEGER 8  
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7164 IN-DP-AT-TOT-NR-CQ-NSN DLSC-SBA F 8  
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN  
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE ACTIVITY.

7165 IN-DP-AT-NAIN-NR-CQ-NSN DLSC-SBA F 8  
ITEM NAME DEPT ACTY NONAPPVD ITEM NAME REINSTD CUR QTR NSN  
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

7166 IN-DP-TOT-NR-CQ-NSN DLSC-SBA F 8  
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN  
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE DEPARTMENT.

7167 IN-DP-NAIN-NR-CQ-NSN DLSC-SBA F 8  
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN  
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER WITH A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

7168 IN-DP-NAIN-NR-PCT-2-Q DLSC-SBA F 8  
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE SECOND QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7169 IN-DP-NAIN-NR-PCT-3-Q DLSC-SBA F 8  
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7170 IN-DP-NAIN-NR-PCT-4-Q DLSC-SBA F 8  
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR  
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7171 AMC-AT-ACC-MVMT-TOT-NSN DLSC-SBA F 8  
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN  
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
7172	POP-FIIG-AIN-FSC-MG-RE	POP_STAT_CNT_7172	DLSC-SBA	F INTEGER	8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE					
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.					
7173	T-TRML-OL-NIIN-IQY-QTY		DLSC-SBA	F	8
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY					
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.					
7174	T-TRML-OL-NIIN-IMTCHD-QT		DLSC-SBA	F	8
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY					
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.					
7175	TRML-OL-NIIN-OFRD-QTY		DLSC-SBA	F	8
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY					
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.					
7176	TRML-OL-NIIN-AVG-OFRD		DLSC-SBA	F	8
TERMINAL ON-LINE NIIN AVERAGE OFFERED					
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".					
7177	T-TRML-OL-NIIN-NMTCH-QTY		DLSC-SBA	F	8
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY					
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.					
7178	TRML-OL-NIIN-IQY-PCT-MTH		DLSC-SBA	F	8
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH					
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.					
7179	T-TRML-OL-DAI-IQY-QTY		DLSC-SBA	F	8
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY					
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.					
7180	TRML-OL-DAI-IMTCHD-QTY		DLSC-SBA	F	8
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY					
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.					
7181	TRML-OL-DAI-OFRD-QTY		DLSC-SBA	F	8
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY					
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.					
7182	TRML-OL-DAI-AVG-OFRD		DLSC-SBA	F	8
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7183 T-TRML-OL-DAI-NMTCH-QTY DLSC-SBA F 8  
 TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY  
 THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7184 TRML-OL-DAI-IQY-PCT-MTH DLSC-SBA F 8  
 TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH  
 THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7185 MDLS-TOT-BAT-INQ DLSC-VO F 10  
 MEDALS TOTAL BATCH INQUIRIES  
 THE TOTAL NUMBER OF MEDALS INQUIRIES IN ONE BATCH.

7186 MDLS-TOT-BAT-INQ-MATCHED DLSC-VO F 9  
 MEDALS TOTAL BATCH INQUIRIES MATCHED  
 THE TOTAL NUMBER OF MEDALS BATCH INQUIRIES THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7187 MDLS-TOT-BAT-INQ-OFFERED DLSC-VO F 9  
 MEDALS TOTAL BATCH INQUIRIES OFFERED  
 THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A MATCH RESULTING FROM VARIOUS TYPES OF INQUIRIES.

7188 MDLS-TOT-BAT-AVG-OFFERED DLSC-VO F 9  
 MEDALS TOTAL BATCH AVERAGE OFFERED  
 THE AVERAGE NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A MATCH RESULTING FROM VARIOUS TYPES OF INQUIRIES.

7189 MDLS-TOT-BAT-INQ-NO-MTCH DLSC-VO F 9  
 MEDALS TOTAL BATCH INQUIRIES NOT MATCHED  
 THE NUMBER OF BATCH INQUIRIES THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7190 MDLS-TOT-BAT-INQ-PT-MTCH DLSC-VO F 5  
 MEDALS TOTAL BATCH INQUIRIES PERCENT OF MATCH  
 THE PERCENT OF MEDALS BATCH INQUIRIES THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7191 MDLS-TOT-INQ-D1 MDLS\_STAT\_CNT\_7191 DLSC-VO F INTEGER 9  
 MEDALS TOTAL INQUIRIES D1  
 THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1).

7192 MDLS-INPUT-MATCH-D1 MDLS\_STAT\_CNT\_7192 DLSC-VO F INTEGER 9  
 MEDALS INPUTS MATCHED D1  
 THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7193	MDLS-TOT-OFFERED-D1 MEDALS TOTAL OFFERED D1 THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1).	MDLS_STAT_CNT_7193	DLSC-VO	F	INTEGER	9
7194	MDLS-AVG-OFFERED-D1 MEDALS AVERAGE OFFERED D1 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1).		DLSC-VO	F		9
7195	MDLS-NOT-MATCHED-D1 MEDALS INPUTS NOT MATCHED D1 THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.		DLSC-VO	F		9
7196	MDLS-PCT-MATCH-D1 MEDALS PERCENT OF MATCH D1 THE PERCENT OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.		DLSC-VO	F		5
7197	MDLS-TOT-INQ-D2 MEDALS TOTAL INQUIRIES D2 THE NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).	MDLS_STAT_CNT_7197	DLSC-VO	F	INTEGER	9
7198	MDLS-INPUT-MATCH-D2 MEDALS INPUTS MATCHED D2 THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.	MDLS_STAT_CNT_7198	DLSC-VO	F	INTEGER	9
7199	MDLS-TOT-OFFERED-D2 MEDALS TOTAL OFFERED D2 THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).	MDLS_STAT_CNT_7199	DLSC-VO	F	INTEGER	9
7200	MDLS-AVG-OFFERED-D2 MEDALS AVERAGE OFFERED D2 THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS RESULT OF INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).		DLSC-VO	F		9
7201	MDLS-PCT-MATCH-D2 MEDALS PERCENT OF MATTCH D2 THE PERCENT OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.		DLSC-VO	F		5
7202	MDLS-TOT-INQ-P1 MEDALS TOTAL INQUIRIES P1 THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1).	MDLS_STAT_CNT_7202	DLSC-VO	F	INTEGER	9
7203	MDLS-INPUT-MATCH-P1 MEDALS INPUTS MATCHED P1 THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.	MDLS_STAT_CNT_7203	DLSC-VO	F	INTEGER	9

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7204 MDLS-TOT-OFFERED-P1 MDLS\_STAT\_CNT\_7204 DLSC-VO F INTEGER 9  
MEDALS TOTAL OFFERED P1  
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER (P1).

7205 MDLS-AVG-OFFERED-P1 DLSC-VO F 9  
MEDALS AVERAGE OFFERED P1  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER (P1).

7206 MDLS-NOT-MATCHED-P1 DLSC-VO F 9  
MEDALS INPUTS NOT MATCHED P1  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7207 MDLS-PCT-MATCH-P1 DLSC-VO F 5  
MEDALS PERCENT OF MATCH P1  
THE PERCENTAGE OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7208 MDLS-TOT-INQ-P2 MDLS\_STAT\_CNT\_7208 DLSC-VO F INTEGER 9  
MEDALS TOTAL INQUIRIES P2  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2).

7209 MDLS-INPUT-MATCH-P2 MDLS\_STAT\_CNT\_7209 DLSC-VO F INTEGER 9  
MEDALS INPUTS MATCHED P2  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7210 MDLS-TOT-OFFERED-P2 MDLS\_STAT\_CNT\_7210 DLSC-VO F INTEGER 9  
MEDALS TOTAL OFFERED P2  
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER/CAGE (P2).

7211 MDLS-AVG-OFFERED-P2 DLSC-VO F 9  
MEDALS AVERAGE OFFERED P2  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER/CAGE (P2).

7212 MDLS-NOT-MATCHED-P2 DLSC-VO F 9  
MEDALS INPUTS NOT MATCHED P2  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7213 MDLS-PCT-MATCH-P2 DLSC-VO F 5  
MEDALS PERCENT OF MATCH P2  
THE PERCENTAGE OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7214 MDLS-TOT-INQ-NN MDLS\_STAT\_CNT\_7214 DLSC-VO F INTEGER 9  
MEDALS TOTAL INQUIRIES NN  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN).

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7215 MDLS-INPUT-MATCH-NN MDLS\_STAT\_CNT\_7215 DLSC-VO F INTEGER 9  
MEDALS INPUTS MATCHED NN  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7216 MDLS-TOT-OFFERED-NN MDLS\_STAT\_CNT\_7216 DLSC-VO F INTEGER 9  
MEDALS TOTAL OFFERED NN  
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY NIIN (NN).

7217 MDLS-AVG-OFFERED-NN DLSC-VO F 9  
MEDALS AVERAGE OFFERED NN  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY NIIN (NN).

7218 MDLS-NOT-MATCHED-NN DLSC-VO F 9  
MEDALS INPUTS NOT MATCHED NN  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7219 MDLS-PCT-MATCH-NN DLSC-VO F 5  
MEDALS PERCENT OF MATCH NN  
THE PERCENTAGE OF MEDALS INQUIRIES BY NIIN (NN) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7220 MDLS-TOT-INQ-D3 MDLS\_STAT\_CNT\_7220 DLSC-VO F INTEGER 9  
MEDALS TOTAL INQUIRIES D3  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7221 MDLS-INPUT-MATCH-D3 MDLS\_STAT\_CNT\_7221 DLSC-VO F INTEGER 9  
MEDALS INPUTS MATCHED D3  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT RESULTED IN DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7222 MDLS-TOT-OFFERED-D3 MDLS\_STAT\_CNT\_7222 DLSC-VO F INTEGER 9  
MEDALS TOTAL OFFERED D3  
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7223 MDLS-AVG-OFFERED-D3 DLSC-VO F 9  
MEDALS AVERAGE OFFERED D3  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7224 MDLS-NOT-MATCHED-D3 DLSC-VO F 9  
MEDALS INPUTS NOT MATCHED D3  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7225 MDLS-PCT-MATCH-D3 DLSC-VO F 5  
MEDALS PERCENT OF MATCH D3  
THE PERCENTAGE OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7228 SA-BCH-TOT-OFRD DLSC-SB F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## SERVICE AGENCY BATCH TOTAL OFFERED

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY SERVICE/AGENCY.

7229 SA-BCH-AVG-OFRD DLSC-SB F 8

## SERVICE/AGENCY BATCH AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY THE "INPUTS MATCHED".

7231 SA-BCH-IQY-PCT-MTH DLSC-SB F 8

## SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY SERVICE/AGENCY.

7235 SA-BCH-DOC-NO-AVG-OFRD DLSC-SB F 8

## SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7237 SA-BCH-DN-IQY-PCT-MTH DLSC-SB F 8

## SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH

THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7240 SA-BCH-DOCG-OFRD-QTY DLSC-SB F 8

## SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7241 SA-BCH-DOCG-AVG-OFRD DLSC-SB F 8

## SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7243 SA-BCH-DNCG-IQY-PCT-MTH DLSC-SB F 8

## SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH

THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7246 SA-BCH-PN-OFRD-QTY DLSC-SB F 8

## SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7248 SA-BCH-PN-AVG-OFRD DLSC-SB F 8

## SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7250 SA-BCH-PN-IQY-PCT-MTH DLSC-SB F 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7253 SA-BCH-PNCG-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/CAGE

7254 SA-BCH-PNCG-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7256 SA-BCH-PNCG-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7259 SA-BCH-NIIN-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7260 SA-BCH-NIIN-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7262 SA-BCH-NIIN-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7265 SA-BCH-DAI-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7266 SA-BCH-DAI-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7268 SA-BCH-DAI-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH  
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7271 REPT-BCH-T-OFRD-QTY DLSC-SB F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPOSITORY BATCH TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY REPOSITORY.

7272 REPT-BCH-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7274 REPT-BCH-IQY-PCT-MTCH DLSC-SB F 8

REPOSITORY BATCH INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7277 REPT-BCH-DN-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER.

7278 REPT-BCH-DN-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7280 REPT-BCH-DN-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7283 REPT-BCH-DNCG-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7284 REPT-BCH-DNCG-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7286 RPT-BCH-DNCG-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH

THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7289 REPT-BCH-PN-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7290 REPT-BCH-PN-AVG-OFRD DLSC-SB F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## REPOSITORY BATCH PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7292 REPT-BCH-PN-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7295 REPT-BCH-PNCG-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/CAGE.

7296 REPT-BCH-PNCG-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7298 REPT-BCH-PNCG-IQY-PCT-MT DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7301 REPT-BCH-NIIN-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE NIIN.

7302 REPT-BCH-NIIN-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH NIIN AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7304 REPT-BCH-NIIN-IQY-PCT-MT DLSC-SB F 8

REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7307 REPT-BCH-DAI-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7308 REPT-BCH-DAI-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7310 REPT-BCH-DAI-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF BATCH REPOSITORY DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7311 T-TRML-IQY-BCH-QTY DLSC-SB F 8  
TOTAL TERMINAL INQUIRIES BATCH QUANTITY  
THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7312 TRML-BCH-I-MTCHD-QTY DLSC-SBA F 8  
TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7313 TRML-BCH-T-OFRD-QTY DLSC-SB F 8  
TERMINAL BATCH TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USERS AS A POTENTIAL MATCH BROKEN OUT BY TERMINAL.

7314 TRML-BCH-AVG-OFRD DLSC-SB F 8  
TERMINAL BATCH AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY TERMINAL. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7315 T-TRML-BCH-NMTCH-QTY DLSC-SB F 8  
TOTAL TERMINAL BATCH NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF BATCH INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY TERMINAL.

7316 TRML-BCH-IQY-PCT-MTCH DLSC-SB F 8  
TERMINAL BATCH INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY TERMINAL.

7317 T-TRML-BCH-DN-IQY-QTY DLSC-SB F 8  
TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT PROCESSED SUCCESSFULLY.

7318 T-TRML-BCH-DN-IMTCHD-QT DLSC-SB F 8  
TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7319 TRML-BCH-DN-OFRD-QTY DLSC-SB F 8  
TERMINAL BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER.

7320 TRML-BCH-DN-AVG-OFRD DLSC-SB F 8  
TERMINAL BATCH DOCUMENT NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7321 T-TRML-BCH-DN-NMTCH-Q DLSC-SB F 8  
TOTAL TERMINAL BATCH DOCUMENT NUMBER NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7322 TRML-BCH-DN-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7323 T-TRML-BCH-DNCG-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7324 T-TML-BCH-DNC-IMTCHD-QT DLSC-SBA F 8  
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INPUTS MATCHED  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7325 RSN-FOR-RTN-NOTI-CD DLSC-SD V 72  
REASON FOR RETURN/NOTIFICATION CODE  
FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. A THREE POSITION NUMERIC CODE WHICH INDICATES THE REASON A DOCUMENT IDENTIFIER CODE LSA WAS RETURNED OR THE REASON A REVISION TO A DOCUMENT IDENTIFIER CODE LSA WAS REQUIRED TO CONTINUE PROCESSING. THIS CODE IS MANDATORY ON DOCUMENT IDENTIFIER CODE K27 OUTPUT AND MAY BE FOLLOWED BY RELATED VARIABLE LENGTH DATA.

7326 TRML-BCH-DNCG-AVG-OFRD DLSC-SBA F 8  
TERMINAL BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7327 T-TRML-BCH-DNCG-NMTCH-Q DLSC-SBA F 8  
TERMINAL BATCH DOCUMENT NUMBER/CAGE NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7328 TRML-BCH-DNCG-IQY-P-MTH DLSC-SBA F 8  
TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7329 T-TRML-BCH-PN-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7330 T-TRML-BCH-PN-IMTCHD-QT DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7331 TRML-BCH-PN-OFRD-QTY DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7332 TRML-BCH-PN-AVG-OFRD DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7333 T-TRML-BCH-PN-NMTCH-Q DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7334 TRML-BCH-PN-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH TERMINAL PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7335 T-TRML-BCH-PNCG-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7336 T-TRML-BCH-PNCG-IMTH-QT DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USERS.

7337 TRML-BCH-PNCG-OFRD-QTY DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/ CAGE.

7338 TRML-BCH-PNCG-AVG-OFRD DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7339 T-TRML-BCH-PNCG-NMTCH-Q DLSC-SBA F 8  
TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY  
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7340 TRML-BCH-PNCG-IQ-P-MTH DLSC-SBA F 8  
TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF BATCH TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7341 T-TRML-BH-NIIN-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7342 T-TRML-BH-NIIN-IMTCHD-QT DLSC-SBA F 8  
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7343 TRML-BH-NIIN-OFRD-QTY DLSC-SB F 8  
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7344 TRML-BH-NIIN-AVG-OFRD DLSC-SB F 8  
TERMINAL BATCH NIIN AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7345 T-TRML-BH-NIIN-NMTCH-QTY DLSC-SB F 8  
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7346 TRML-BH-NIIN-IQY-PCT-MTH DLSC-SB F 8  
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7347 T-TRML-BH-DAI-IQY-QTY DLSC-SB F 8  
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.

7348 TRML-BH-DAI-IMTCHD-QTY DLSC-SB F 8  
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7349 TRML-BH-DAI-OFRD-QTY DLSC-SB F 8  
TERMINAL BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7350 TRML-BH-DAI-AVG-OFRD DLSC-SB F 8  
TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7351 T-TRML-BH-DAI-NMTCH-QTY DLSC-SB F 8  
TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7352 TRML-BH-DAI-IQY-PCT-MTH DLSC-SB F 8  
TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7355 REPT-OL-T-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY REPOSITORY.

7356 REPT-OL-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7358 REPT-OL-IQY-PCT-MTCH DLSC-SBA F 8  
REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7359 MEDALS-TOT-TRANS-QTY DLSC-SB F 8  
MEDALS TOTAL TRANSACTION QUANTITY  
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS INPUT TO MEDALS.

7360 MEDALS-T-ERROR-TRANS-QTY DLSC-SB F 8  
MEDALS TOTAL ERROR TRANSACTION QUANTITY  
THE TOTAL NUMBER OF TRANSACTIONS THAT THE SYSTEM REJECTED AS ERRORS.

7361 MEDALS-T-ADD-TRANS-QTY DLSC-SB F 8  
MEDALS TOTAL ADD TRANSACTION QUANTITY  
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT ADD DATA TO THE DATA BASE.

7362 MEDALS-T-DEL-TRANS-QTY DLSC-SB F 8  
MEDALS TOTAL DELETE TRANSACTION QUANTITY  
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT DELETE DATA FROM THE DATA BASE.

7363 MEDALS-T-CHG-TRANS-QTY DLSC-SB F 8  
MEDALS TOTAL CHANGE TRANSACTION QUANTITY  
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT CHANGE DATA IN THE DATA BASE.

7364 MEDALS-DA-TRANS-QTY DLSC-SB F 8  
MEDALS DATA ASSETS TRANSACTIONS QUANTITY  
THE NUMBER OF MAINTENANCE ACTION DATA ASSET TRANSACTIONS.

7365 MEDALS-DA-ERR-TRANS-QTY DLSC-SB F 8  
MEDALS DATA ASSET ERROR TRANSACTION QUANTITY



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF MEDALS DATA ASSET TRANSACTIONS THAT REJECTED AS ERRORS.

7366 MEDALS-DA-ADD-TRANS-QTY DLSC-SB F 8  
MEDALS DATA ASSET ADD TRANSACTION QUANTITY  
THE NUMBER OF MEDALS DATA ASSET ADD TRANSACTIONS.

7367 MEDALS-DA-DEL-TRANS-QTY DLSC-SB F 8  
MEDALS DATA ASSET DELETE TRANSACTION QUANTITY  
THE NUMBER OF MEDALS DATA ASSET DELETE TRANSACTIONS.

7368 MEDALS-DA-CHG-TRANS-QTY DLSC-SB F 8  
MEDALS DATA ASSET CHANGE TRANSACTIONS QUANTITY  
THE NUMBER OF MEDALS DATA ASSET CHANGE TRANSACTIONS.

7369 MEDALS-DA-PREV-QTY DLSC-SB F 8  
MEDALS DATA ASSETS PREVIOUS QUANTITY  
THE NUMBER OF MEDALS DATA ASSETS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7370 MEDALS-DA-CUR-QTY DLSC-SB F 8  
MEDALS DATA ASSET CURRENT QUANTITY  
THE NUMBER OF DATA ASSETS THAT RESIDE IN THE FILE TO DATE.

7371 MEDALS-DA-PCT-OF-CHG DLSC-SB F 8  
MEDALS DATA ASSET PERCENT OF CHANGE  
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT DATA ASSET COUNT VERSUS THE PREVIOUS COUNT.

7372 MEDALS-PN-TRANS-QTY DLSC-SB F 8  
MEDALS PART NUMBER TRANSACTIONS QUANTITY  
THE NUMBER OF MAINTENANCE ACTION PART NUMBER TRANSACTIONS.

7373 MEDALS-PN-ERR-TRANS-QTY DLSC-SB F 8  
MEDALS PART NUMBER ERROR TRANSACTION QUANTITY  
THE NUMBER OF MEDALS PART NUMBER TRANSACTIONS THAT REJECTED AS ERRORS.

7374 MEDALS-PN-ADD-TRANS-QTY DLSC-SB F 8  
MEDALS PART NUMBER ADD TRANSACTION QUANTITY  
THE NUMBER OF MEDALS PART NUMBER ADD TRANSACTIONS.

7375 MEDALS-PN-DEL-TRANS-QTY DLSC-SB F 8  
MEDALS PART NUMBER DELETE TRANSACTION QUANTITY  
THE NUMBER OF MEDALS PART NUMBER DELETE TRANSACTIONS.

7376 MEDALS-PN-CUR-QTY DLSC-SB F 8  
MEDALS PART NUMBER CURRENT QUANTITY  
THE NUMBER OF PART NUMBERS THAT RESIDE IN THE FILE TO DATE.

7377 MEDALS-PN-PREV-QTY DLSC-SB F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MEDALS PART NUMBER PREVIOUS QUANTITY

THE NUMBER OF MEDALS PART NUMBERS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7378 MEDALS-PN-PCT-OF-CHG DLSC-SB F 8

MEDALS PART NUMBER PERCENT OF CHANGE

THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT PART NUMBER COUNT VERSUS THE PREVIOUS COUNT.

7379 MEDALS-NIIN-TRANS-QTY DLSC-SB F 8

MEDALS NIIN TRANSACTION QUANTITY

THE NUMBER OF MAINTENANCE ACTION NIIN TRANSACTIONS.

7380 MEDALS-NIIN-ERR-TRANS-QT DLSC-SB F 8

MEDALS NIIN ERROR TRANSACTION QUANTITY

THE NUMBER OF MEDALS NIIN TRANSACTIONS THAT REJECTED AS ERRORS.

7381 MEDALS-NIIN-ADD-TRANS-QT DLSC-SB F 8

MEDALS NIIN ADD TRANSACTION QUANTITY

THE NUMBER OF MEDALS NIIN ADD TRANSACTIONS.

7382 MEDALS-NIIN-DEL-TRANS-QT DLSC-SB F 8

MEDALS NIIN DELETE TRANSACTION QUANTITY

THE NUMBER OF MEDALS NIIN DELETE TRANSACTIONS.

7383 MEDALS-NIIN-PREV-QTY MDLS\_STAT\_CNT\_7383 DLSC-SB F INTEGER 8

MEDALS NIIN PREVIOUS QUANTITY

THE NUMBER OF MEDALS NIINS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7384 MEDALS-NIIN-CUR-QTY DLSC-SB F 8

MEDALS NIIN CURRENT QUANTITY

THE NUMBER OF NIINS THAT RESIDE IN THE FILE TO DATE.

7385 MEDALS-NIIN-PCT-OF-CHG DLSC-SB F 8

MEDALS NIIN PERCENT OF CHANGE

THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT NIIN COUNT VERSUS THE PREVIOUS COUNT.

7386 MEDALS-TITLE-TRANS-QTY DLSC-SB F 8

MEDALS TITLE TRANSACTION QUANTITY

THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS.

7387 MEDALS-TITLE-ERR-TRANS-Q DLSC-SB F 8

MEDALS TITLE ERROR TRANSACTION QUANTITY

THE NUMBER OF MEDALS TITLE TRANSACTIONS THAT REJECTED AS ERRORS.

7388 MEDALS-TITLE-ADD-TRANS-Q DLSC-SB F 8

MEDALS TITLE ADD TRANSACTION QUANTITY

THE NUMBER OF MEDALS TITLE ADD TRANSACTIONS.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7389	MEDALS-TITLE-DEL-TRANS-Q MEDALS TITLE DELETE TRANSACTION QUANTITY THE NUMBER OF MEDALS TITLE DELETE TRANSACTIONS.	DLSC-SB	F	8
7390	MEDALS-TITLE-PREV-QTY MEDALS TITLE PREVIOUS QUANTITY THE NUMBER OF MEDALS TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.	DLSC-SB	F	8
7391	MEDALS-TITLE-CUR-QTY MEDALS TITLE CURRENT QUANTITY THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE.	DLSC-SB	F	8
7392	MEDALS-TITLE-PCT-OF-CHG MEDALS TITLE PERCENT OF CHANGE THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.	DLSC-SB	F	8
7393	MEDALS-UNDEFN-MAINT-QTY MEDALS UNDEFINED MAINTENANCE TRANSACTION QUANTITY THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART NUMBER, NIIN AND TITLE.	DLSC-SB	F	8
7394	SA-TOT-TRANS-QTY SERVICE/AGENCY TOTAL TRANSACTION QUANTITY THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS INPUT BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7395	SA-T-ERROR-TRANS-QTY SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY THE TOTAL NUMBER OF TRANSACTIONS THAT THE SYSTEM REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7396	SA-T-ADD-TRANS-QTY SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY THE TOTAL NUMBER OF TRANSACTIONS THAT ADD DATA TO THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7397	SA-T-DEL-TRANS-QTY SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY THE TOTAL NUMBER OF TRANSACTIONS THAT DELETE DATA FROM THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7398	SA-T-CHGE-TRANS-QTY SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY THE TOTAL NUMBER OF TRANSACTIONS THAT CHANGE DATA IN THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7399	SA-DA-ERR-TRANS-QTY SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY THE NUMBER OF DATA ASSET TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8
7400	SA-DA-ADD-TRANS-QTY SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY THE NUMBER OF DATA ASSET ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.	DLSC-SB	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7401	SA-DA-DEL-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY				
THE NUMBER OF DATA ASSET DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.				
7402	SA-DA-CHG-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY				
THE NUMBER OF DATA ASSET CHANGE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.				
7403	SA-DA-PREV-QTY	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY				
THE NUMBER OF REPOSITORY DATA ASSETS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.				
7404	SA-DA-TRANS-CUR-QTY	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY				
THE NUMBER OF DATA ASSETS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.				
7405	SA-DA-PCT-OF-CHG	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE				
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT DATA ASSET COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.				
7406	SA-DA-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY				
THE NUMBER OF MAINTENANCE ACTION DATA ASSET TRANSACTION BROKEN OUT BY SERVICE/AGENCY.				
7407	SA-PN-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY				
THE NUMBER OF MAINTENANCE ACTION PART NUMBER TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.				
7408	SA-PN-ERR-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY				
THE NUMBER OF PART NUMBER TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.				
7409	SA-PN-ADD-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY				
THE NUMBER OF PART NUMBER ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.				
7410	SA-PN-DEL-TRANS-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY				
THE NUMBER OF PART NUMBER DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.				
7411	SA-PN-PREV-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY				
THE NUMBER OF PART NUMBERS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.				
7412	SA-PN-TRANS-CUR-QTY	DLSC-SB	F	8
SERVICE/AGENCY PART NUMBER CURRENT QUANTITY				

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF PART NUMBERS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7413	SA-PN-PCT-OF-CHG	DLSC-SB	F	8
	SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE			
	THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT PART NUMBER COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.			
7414	SA-NIIN-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN TRANSACTION QUANTITY			
	THE NUMBER OF MAINTENANCE ACTION NIIN TRANSACTIONS			
7415	SA-NIIN-ERR-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY			
	THE NUMBER OF SERVICE/AGENCY NIIN TRANSACTIONS THAT REJECTED AS ERRORS.			
7416	SA-NIIN-ADD-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY			
	THE NUMBER OF SERVICE/AGENCY NIIN ADD TRANSACTIONS.			
7417	SA-NIIN-DEL-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY			
	THE NUMBER OF SERVICE/AGENCY NIIN DELETE TRANSACTIONS.			
7418	SA-NIIN-PREV-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN PREVIOUS QUANTITY			
	THE NUMBER OF NIINS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.			
7419	SA-NIIN-CUR-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN CURRENT QUANTITY			
	THE NUMBER OF NIINS THAT RESIDE IN THE FILE TO DATE BY SERVICE/AGENCY.			
7420	SA-NIIN-PCT-OF-CHG	DLSC-SBA	F	8
	SERVICE/AGENCY NIIN PERCENT OF CHANGE			
	THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT NIIN COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.			
7421	SA-TITLE-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY TITLE TRANSACTION QUANTITY			
	THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.			
7422	SA-TITLE-ERR-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY			
	THE NUMBER OF TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.			
7423	SA-TITLE-ADD-TRANS-QTY	DLSC-SBA	F	8
	SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY			
	THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.			
7424	SA-TITLE-DEL-TRANS-QTY	DLSC-SBA	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY

THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7425 SA-TITLE-PREV-QTY DLSC-SBA F 8

SERVICE/AGENCY TITLE PREVIOUS QUANTITY

THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7426 SA-TITLE-CUR-QTY DLSC-SBA F 8

SERVICE/AGENCY TITLE CURRENT QUANTITY

THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7427 SA-TITLE-PCT-OF-CHG DLSC-SBA F 8

SERVICE/AGENCY TITLE PERCENT OF CHANGE

THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.  
THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7428 SA-UNDEFN-MAINT-QTY DLSC-SBA F 8

SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY

THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS,  
PART NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7429 MDLS-TOT-BAT-UP-TRANS DLSC-VO F 10

MEDALS-TOTAL BATCH UPDATE TRANSACTIONS

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS.

7430 MDLS-TOT-BAT-UP-ERRS DLSC-VO F 9

MEDALS TOTAL BATCH UPDATE ERRORS

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT CONTAINED ERRORS.

7431 MDLS-TOT-BAT-UP-ADDS DLSC-VO F 9

MEDALS TOTAL BATCH UPDATE ADDS

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT ADD DATA TO THE MEDALS DATA BASE.

7432 MDLS-TOT-BAT-UP-DELETES DLSC-VO F 9

MEDALS TOTAL BATCH UPDATE DELETES

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT DELETE DATA FROM THE MEDALS DATA BASE.

7433 MDLS-CHANGE-DAI-CT MDLS\_STAT\_CNT\_7433 DLSC-VO F INTEGER 9

MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT CHANGE DATA ASSET IDENTIFIER INFORMATION ON THE  
MEDALS DATA BASE.

7434 MDLS-TOT-DAI-TRANS DLSC-VO F 9

MEDALS TOTAL DATA ASSET IDENTIFIER TRANSACTIONS

THE TOTAL NUMBER OF MEDALS BATCH DATA ASSET IDENTIFIER UPDATE TRANSACTIONS.

7435 MDLS-DAI-ERR-CT MDLS\_STAT\_CNT\_7435 DLSC-VO F INTEGER 8

MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS

THE TOTAL NUMBER OF MEDALS BATCH DATA ASSET IDENTIFIER UPDATE TRANSACTIONS THAT CONTAINED ERRORS

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7436	MDLS-ADD-DAI-CT	MDLS_STAT_CNT_7436	DLSC-VO	F	INTEGER	9
MEDALS ADD DATA ASSET IDENTIFIER COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT ADD DATA ASSET IDENTIFIERS TO THE MEDALS DATA BASE.						
7437	MDLS-DEL-DAI-CT	MDLS_STAT_CNT_7437	DLSC-VO	F	INTEGER	8
MEDALS DELETE DATA ASSET IDENTIFIER COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT DELETE DATA ASSET IDENTIFIERS FROM THE MEDALS DATA BASE.						
7438	MDLS-TOT-REF-NBR-TRANS		DLSC-VO	F		9
MEDALS TOTAL REFERENCE NUMBER TRANSACTIONS						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS.						
7439	MDLS-REF-NBR-ERR-CT	MDLS_STAT_CNT_7439	DLSC-VO	F	INTEGER	8
MEDALS REFERENCE NUMBER ERROR COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS THAT CONTAINED ERRORS.						
7440	MDLS-ADD-REF-NBR-CT	MDLS_STAT_CNT_7440	DLSC-VO	F	INTEGER	9
MEDALS ADD REFERENCE NUMBER COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) ADD TRANSACTIONS.						
7441	MDLS-DEL-REF-NBR-CT	MDLS_STAT_CNT_7441	DLSC-VO	F	INTEGER	8
MEDALS DELETE REFERENCE NUMBER COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) DELETE TRANSACTIONS.						
7442	MDLS-TOT-NIIN-TRANS		DLSC-VO	F		9
MEDALS TOTAL NIIN TRANSACTIONS						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE NIIN TRANSACTIONS.						
7443	MDLS-NIIN-ERR-CT	MDLS_STAT_CNT_7443	DLSC-VO	F	INTEGER	8
MEDALS NIIN ERROR COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE NIIN TRANSACTIONS THAT CONTAINED ERRORS.						
7444	MDLS-ADD-NIIN-CT	MDLS_STAT_CNT_7444	DLSC-VO	F	INTEGER	9
MEDALS ADD NIIN COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS.						
7445	MDLS-DEL-NIIN-CT	MDLS_STAT_CNT_7445	DLSC-VO	F	INTEGER	8
MEDALS DEL NIIN COUNT						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS.						
7446	MDLS-TOT-TI-TRANS		DLSC-VO	F		9
MEDALS TOTAL TITLE TRANSACTIONS						
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TITLE TRANSACTIONS.						
7447	MDLS-TI-ERR-CT	MDLS_STAT_CNT_7447	DLSC-VO	F	INTEGER	8
MEDALS TITLE ERROR COUNT						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TITLE TRANSACTIONS THAT CONTAINED ERRORS.

7448 MDLS-ADD-TI-CT MDLS\_STAT\_CNT\_7448 DLSC-VO F INTEGER 9  
MEDALS ADD TITLE COUNT

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS.

7449 MDLS-DEL-TI-CT MDLS\_STAT\_CNT\_7449 DLSC-VO F INTEGER 8  
MEDALS DEL TITLE COUNT

THE TOTAL NUMBER OF BATCH UPDATE DELETE TITLE TRANSACTIONS.

7450 MDLS-INVALID-TYPE-ERR-CT MDLS\_STAT\_CNT\_7450 DLSC-VO F INTEGER 9  
MEDALS INVALID TYPE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS WHICH HAD AN INVALID TYPE UPDATE AND SO THE ERROR COULD NOT BE COUNTED FOR ANY PARTICULAR TYPE OF TRANSACTION.

7451 MDLS-DEL-DAI-UP-ERR-CNT DLSC-VO F 8  
MEDALS DELETE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE DATA-ASSET-IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7452 MDLS-DEL-TI-UP-ERR-CNT DLSC-VO F 8  
MEDALS DELETE TITLE UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE TITLE TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7453 MDLS-DEL-NIIN-UP-ERR-CNT DLSC-VO F 8  
MEDALS DELETE NIIN UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7454 MDLS-D-RF-NBR-UP-ERR-CNT DLSC-VO F 8  
MEDALS DELETE REFERENCE NUMBER UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7455 MDLS-ADD-DAI-UP-ERR-CNT DLSC-VO F 8  
MEDALS ADD DATA ASSET IDENTIFIER UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR

7456 MDLS-ADD-TI-UP-ERR-CNT DLSC-VO F 8  
MEDALS ADD TITLE UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7457 MDLS-ADD-NIIN-UP-ER-CNT DLSC-VO F 8  
MEDALS ADD NIIN UPDATE ERROR COUNTER

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7458 MDLS-A-RF-NBR-UP-ERR-CNT DLSC-VO F 8  
MDEALS ADD REFERENCE NUMBER UPDATE ERROR COUNTER



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7459 MDLS-CHNG-DAI-UP-ERR-CNT DLSC-VO F 8  
MEDALS CHANGE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE CHANGE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7460 MDLS-D-DAI-ED-ERR-CNT DLSC-VO F 8  
MEDALS DEL DATA ASSET IDENTIFIER EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7461 MDLS-D-TI-ED-ERR-CNT DLSC-VO F 8  
MEDALS DELETE TITLE EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE TITLE TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7462 MDLS-D-NIIN-ED-ERR-CNT DLSC-VO F 8  
MEDALS DELETE NIIN EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7463 MDLS-D-RF-NBR-ED-ERR-CNT DLSC-VO F 8  
MEDALS DELETE REFERENCE NUMBER EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE REFERENCE NUMBER LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7464 MDLS-ADD-DAI-ED-ERR-CNT DLSC-VO F 8  
MEDALS ADD DATA ASSET IDENTIFIER EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7465 MDLS-ADD-TI-ED-ERR-CNT DLSC-VO F 8  
MEDALS ADD TITLE EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7466 MDLS-ADD-NIIN-ED-ERR-CNT DLSC-VO F 8  
MEDALS ADD NIIN EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7467 MDLS-A-RF-NBR-ED-ERR-CNT DLSC-VO F 8  
MEDALS ADD REFERENCE NUMBER EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7468 MDLS-CHNG-DAI-ED-ERR-CNT DLSC-VO F 8  
MEDALS CHANGE DATA ASSET IDENTIFIER EDIT ERROR COUNTER  
THE TOTAL NUMBER OF MEDALS BATCH UPDATE CHANGE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7469	TIME-RANGE-1-10-A1B	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A1B			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.			
7470	TIME-RANGE-11-30-A1B	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A1B			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.			
7471	TIME-RNG-OVR-30-A1B	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A1B			
	THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.			
7475	TIME-RANGE-1-10-A1C	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A1C			
	THE RANGE FROM 1 TO 10 FOR DRN 7474, TOTAL MEDALS PART NUMBER/ CAGE INQUIRY RESPONSE TIME.			
7476	TIME-RANGE-11-30-A1C	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A1C			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.			
7477	TIME-RANGE-OVER-30-A1C	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A1C			
	THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.			
7481	TIME-RANGE-1-10-A1D	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A1D			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.			
7482	TIME-RANGE-11-30-A1D	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A1D			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.			
7483	TIME-RANGE-OVER-30-A1D	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A1D			
	THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.			
7487	TIME-RANGE-1-10-A1E	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A1E			
	THE TOTAL RANGE FROM 1 TO 10 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.			
7488	TIME-RANGE-11-30-A1E	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A1E			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.			
7489	TIME-RANGE-OVER-30-A1E	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A1E			
	THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.			

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7493	TIME-RANGE-1-10-A1F TIME RANGE 1 TO 10 SECONDS A1F ONE TO TEN SECONDS FOR DRN 7492, TOTAL MEDALS RECIEVED HOUR INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7494	TIME-RANGE-11-30-SEC-A1F TIME RANGE 11 TO 30 SECONDS A1F ELEVEN TO THIRTY SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7495	TIME-RANGE-OVER-30-A1F TIME RANGE OVER 30 SECONDS A1F OVER 30 SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7499	TIME-RANGE-1-10-A2 TIME RANGE 1 TO 10 SECONDS A2 THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7500	TIME-RANGE-11-30-A2 TIME RANGE 11 TO 30 SECONDS A2 THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7501	TIME-RNG-OVR-30-A2 TIME RANGE OVER 30 SECONDS A2 THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7505	TIME-RANGE-1-10-A2A TIME RANGE 1 TO 10 SECONDS A1A THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7506	TIME-RANGE-11-30-A2A TIME RANGE 11 TO 30 SECONDS A2A THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7507	TIME-RNG-OVR-30-A2A TIME RANGE OVER 30 SECONDS A2A THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7504, TOTAL SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7510	T-SA-PN-INQY-RETM-A2B TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.	DLSC-SBA	F	8
7511	TIME-RANGE-1-10-A2B TIME RANGE 1 TO 10 SECONDS A2B THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7510, TOTAL SERVICE/ AGENCY PART NUMBER INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7512	TIME-RANGE-11-30-A2B	DLSC-SBA	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME RANGE 11 TO 30 SECONDS A2B

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7513 TIME-RNG-OVR-30-A2B DLSC-SBA F 8

TIME RANGE OVER 30 SECONDS A2B

THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7514 T-SA-PN-AVG-INQY-RETM DLSC-SBA F 8

TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7515 T-SA-PN-INQUIRIES DLSC-SBA F 8

TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES

THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7516 T-SA-PN-CG-INQY-RETM-A2C DLSC-SBA F 8

TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C

THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7517 TIME-RANGE-1-10-A2C DLSC-SBA F 8

TIME RANGE 1 TO 10 SECONDS A2C

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7518 TIME-RANGE-11-30-A2C DLSC-SBA F 8

TIME RANGE 11 TO 30 SECONDS A2C

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7519 TIME-RANGE-OVER-30-A2C DLSC-SBA F 8

TIME RANGE OVER 30 SECONDS A2C

THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7520 T-SA-PN-CG-AVG-INQY-RETM DLSC-SBA F 8

TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7521 T-SA-PN-CG-INQUIRIES DLSC-SBA F 8

TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES

THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY SERVICE/AGENCY.

7523 TIME-RANGE-1-10-A2D DLSC-SBA F 8

TIME RANGE 1 TO 10 SECONDS A2D

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7522, TOTAL SERVICE/ AGENCY NIIN INQUIRY RESPONSE TIME.

7524 TIME-RANGE-11-30-A2D DLSC-SBA F 8

TIME RANGE 11 TO 30 SECONDS A2D

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7525 TIME-RNG-OVR-30-A2D DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS A2D  
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

7529 TIME-RANGE-1-10-A2E DLSC-SB F 8  
TIME RANGE 1 TO 10 SECONDS A2E  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7530 TIME-RANGE-11-30-A2E DLSC-SB F 8  
TIME RANGE 11 TO 30 SECONDS A2E  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7531 TIME-RANGE-OVER-30-A2E DLSC-SB F 8  
TIME RANGE OVER 30 SECONDS A2E  
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7528, TOTAL SERVICE/AGENCY DAI INQUIRY RESPONSE TIME.

7534 T-SA-RCT-HR-IQY-RTM-A2F DLSC-SB F 8  
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F  
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE  
BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7535 TIME-RANGE-1-10-SEC-A2F DLSC-SB F 8  
TIME RANGE 1 TO 10 SECONDS A2F  
ONE TO TEN SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7536 TIME-RANGE-11-30-SEC-A2F DLSC-SB F 8  
TIME RANGE 11 TO 30 SECONDS A2F  
ELEVEN TO THIRTY SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7537 TIME-RNG-OVER-30-SEC-A2F DLSC-SB F 8  
TIME RANGE OVER 30 SECONDS A2F  
OVER 30 SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7538 T-SA-RHR-AVG-IQY-RTM DLSC-SB F 8  
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME  
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7539 T-SA-RHR-INQUIRIES DLSC-SB F 8  
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES  
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7541 TIME-RANGE-1-10-A3 DLSC-SB F 8  
TIME RANGE 1 TO 10 SECONDS A3  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7542 TIME-RANGE-11-30-A3 DLSC-SB F 8  
TIME RANGE 11 TO 30 SECONDS A3  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7543	TIME-RANGE-OVER-30-A3	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A3			
	THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.			
7545	TOTAL-REPT-DOCNO-INQY	DLSC-SB	F	8
	TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES			
	THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY REPOSITORY.			
7547	TIME-RANGE-1-10-A3A	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A3A			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.			
7548	TIME-RANGE-11-30-A3A	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A3A			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME A3A.			
7549	TIME-RANGE-OVER-30-A3A	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A3A			
	THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.			
7553	TIME-RANGE-1-10-A3B	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A3B			
	THE TIME RANGE FROM 1 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.			
7554	TIME-RANGE-11-30-A3B	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A3B			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.			
7555	TIME-RANGE-OVER-30-A3B	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A3B			
	THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.			
7556	TOT-PN-AVG-INQY-RETM	DLSC-SB	F	8
	TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME			
	THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY REPOSITORY.			
7559	TIME-RANGE-1-10-A3C	DLSC-SB	F	8
	TIME RANGE 1 TO 10 SECONDS A3C			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.			
7560	TIME-RANGE-11-30-A3C	DLSC-SB	F	8
	TIME RANGE 11 TO 30 SECONDS A3C			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.			
7561	TIME-RANGE-OVER-30-A3C	DLSC-SB	F	8
	TIME RANGE OVER 30 SECONDS A3C			

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7565 TIME-RNG-1-10-A3D DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS A3D  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7566 TIME-RNG-11-30-A3D DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS A3D  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7567 TIME-RNG-OVR-30-A3D DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS A3D  
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7571 TIME-RANGE-1-10-A3E DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS A3E  
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7572 TIME-RANGE-11-30-A3E DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS A3E  
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7573 TIME-RANGE-OVER-30-A3E DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS A3E  
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7576 TIME-RANGE-1-10-A3F DLSC-SBA F 8  
TIME RANGE 1 TO 10 SECONDS A3F  
ONE TO TEN SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7577 TIME-RANGE-11-30-A3F DLSC-SBA F 8  
TIME RANGE 11 TO 30 SECONDS A3F  
ELEVEN TO THIRTY SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7578 TIME-RANGE-OVER-30-A3F DLSC-SBA F 8  
TIME RANGE OVER 30 SECONDS A3F  
OVER 30 SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7579 TOTAL-REPT-DAI-INQUIRIES DLSC-SBA F 8  
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES  
THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY REPOSITORY.

7582 T-TRML-DOCNO-IQY-RETM-A4 DLSC-SBA F 8  
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4  
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE  
BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7583 TIME-RANGE-1-10-A4 DLSC-SBA F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME RANGE 1 TO 10 SECONDS A4

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7584 TIME-RANGE-11-30-A4

DLSC-SBA

F

8

TIME RANGE 11-30 SECONDS A4

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7585 TIME-RANGE-OVER-30-A4

DLSC-SBA

F

8

TIME RANGE OVER 30 SECONDS A4

THE TIME RANGE FROM OVER 30 SECONDS FRO DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7586 T-TRML-DOCN-AVG-IQY-RETM

DLSC-SBA

F

8

TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR ALL INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7587 T-TRML-DOCNO-INQUIRIES

DLSC-SBA

F

8

TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES

THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7588 T-TRML-DOCG-IQY-RETM-A4A

DLSC-SBA

F

8

TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A

THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NO/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7589 TIME-RANGE-1-10-A4A

DLSC-SBA

F

8

TIME RANGE 1 TO 10 SECONDS A4A

THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7590 TIME-RANGE-11-30-A4A

DLSC-SBA

F

8

TIME RANGE 11 TO 30 SECONDS A4A

THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY RESPONSE TIME.

7591 TIME-RANGE-OVER-30-A4A

DLSC-SBA

F

8

TIME RANGE OVER 30 SECONDS A4A

THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7592 T-TRML-DOCG-AVG-IQY-RETM

DLSC-SBA

F

8

TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME

THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7593 TOT-TRML-DOCNO-CAGE-INQY

DLSC-SBA

F

8

TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY

THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7594 T-TRML-PN-IQY-RETM-A4B

DLSC-SBA

F

8

TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B

THE TOTAL NUMBER OF INQUIRIES AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7595	TIME-RANGE-1-10-A4B TIME RANGE 1 TO 10 SECONDS A4B THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7596	TIME-RANGE-11-30-A4B TIME RANGE 11 TO 30 SECONDS A4B THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7597	TIME-RANGE-OVER-30-A4B TIME RANGE OVER 30 SECONDS A4B THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7598	T-TRML-PN-AVG-IQY-RETM TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY TERMINAL.	DLSC-SBA	F	8
7599	T-TRML-PN-INQUIRIES TOTAL TERMINAL PART NUMBER INQUIRIES THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY TERMINAL.	DLSC-SBA	F	8
7600	T-TRML-PNCG-IQY-RETM-A4C TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME A TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.	DLSC-SBA	F	8
7601	TIME-RANGE-1-10-A4C TIME RANGE 1 TO 10 SECONDS A4C THE TIME RANGE FROM 1 TO 10 FOR DRN 7600, TOTAL TERMINAL PART NUMBER/ CAGE INQUIRY RESPONSE TIME.	DLSC-SB	F	8
7602	TIME-RANGE-11-30-A4C TIME RANGE 11 TO 30 SECONDS A4C THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7603	TIME-RANGE-OVER-30-A4C TIME RANGE OVER 30 SECONDS A4C THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.	DLSC-SBA	F	8
7604	T-TRML-PNCG-AVG-IQY-RETM TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.	DLSC-SBA	F	8
7605	T-TRML-PN-CAGE-INQUIRIES TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.	DLSC-SBA	F	8
7606	T-TRML-NIIN-IQY-RETM-A4D TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A NIIN THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.	DLSC-SBA	F	8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7607	TIME-RANGE-1-10-A4D	DLSC-SBA	F	8
	TIME RANGE 1 TO 10 SECONDS A4D			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.			
7608	TIME-RANGE-11-30-A4D	DLSC-SBA	F	8
	TIME RANGE 11 TO 30 SECONDS A4D			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.			
7609	TIME-RANGE-OVER-30-A4D	DLSC-SBA	F	8
	TIME RANGE OVER 30 SECONDS A4D			
	THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.			
7610	T-TRML-NIIN-AVG-IQY-RETM	DLSC-SBA	F	8
	TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME			
	THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY NIIN BROKEN OUT BY TERMINAL.			
7611	T-TRML-NIIN-INQUIRIES	DLSC-SBA	F	8
	TOTAL TERMINAL NIIN INQUIRIES			
	THE TOTAL NUMBER OF INQUIRIES BY NIIN BROKEN OUT BY TERMINAL.			
7612	T-TRML-DAI-INQY-RETM-A4E	DLSC-SBA	F	8
	TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E			
	THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DATA ASSET IDENTIFIER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.			
7613	TIME-TERM-RANGE-1-10-A4E	DLSC-SBA	F	8
	TIME TERMINAL RANGE 1 TO 10 SECONDS A4E			
	THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFER INQUIRY RESPONSE TIME.			
7614	TIME-RANGE-11-30-A4E	DLSC-SBA	F	8
	TIME RANGE 11 TO 30 SECONDS A4E			
	THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.			
7615	TIME-RANGE-OVER-30-A4E	DLSC-SBA	F	8
	TIME RANGE OVER 30 SECONDS A4E			
	THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.			
7616	T-TRML-DAI-AVG-IQY-RETM	DLSC-SBA	F	8
	TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME			
	THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.			
7617	T-TRML-DAI-INQUIRIES	DLSC-SBA	F	8
	TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES			
	THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.			
7618	T-TRML-RHR-IQY-RTM-A4F	DLSC-SBA	F	8
	TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F			

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF INQUIRIES RECEIVED IN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE  
BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, OR OVER 30 SECONDS.

7619	TIME-RANGE-1-10-A4F TIME RANGE 1 TO 10 SECONDS A4F ONE TO TEN SECONDS FOR DRN 7618, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.	DLSC-SBA	F		8
7620	TIME-RANGE-11-30-A4F TIME RANGE 11 TO 30 SECONDS A4F ELEVEN TO THIRTY SECONDS FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.	DLSC-SBA	F		8
7621	TIME-RANGE-OVER-30-A4F TIME RANGE OVER 30 SECONDS A4F OVER 30 SECOND FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.	DLSC-SBA	F		8
7622	T-TRML-RHR-AVG-IQY-RTM TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPONSE TIME THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.	DLSC-SBA	F		8
7624	T-TRML-RHR-INQUIRIES TOTAL TERMINAL RECEIVED HOUR INQUIRIES THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.	DLSC-SBA	F		8
7625	MDLS-EDIT-ERR-D1 MEDALS EDIT ERRORS D1 THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER (D1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7625	DLSC-VO	F INTEGER	8
7626	MDLS-EDIT-ERR-D2 MEDALS EDIT ERRORS D2 THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER/CAGE (D2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7626	DLSC-VO	F INTEGER	8
7627	MDLS-EDIT-ERR-D3 MEDALS EDIT ERRORS D3 THE TOTAL NUMBER OF MEDALS DATA ASSET IDENTIFIER (D3) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7627	DLSC-VO	F INTEGER	8
7628	MDLS-EDIT-ERR-P1 MEDALS EDIT ERRORS P1 THE TOTAL NUMBER OF MEDALS PART NUMBER (P1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7628	DLSC-VO	F INTEGER	8
7629	MDLS-EDIT-ERR-P2 MEDALS EDIT ERRORS P2 THE TOTAL NUMBER OF MEDALS PART NUMBER/CAGE (P2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7629	DLSC-VO	F INTEGER	8
7630	MDLS-EDIT-ERR-NN MEDALS EDIT ERRORS NN THE TOTAL NUMBER OF MEDALS NIIN (NN) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.	MDLS_STAT_CNT_7630	DLSC-VO	F INTEGER	8
7631	MDLS-EDIT-ERR-UNDEF		DLSC-VO	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## MEDALS EDIT ERRORS UNDEF

THE TOTAL NUMBER OF MEDALS INQUIRY TRANSACTIONS THAT CONTAINED AN INVALID FORMAT OR TYPE INQUIRY CODE, SO THE TYPE OF TRANSACTION COULD NOT BE DETERMINED.

7632 MDLS-TOT-INQ-UNDEF MDLS\_STAT\_CNT\_7632 DLSC-VO F INTEGER 9  
MEDALS TOTAL INQUIRIES UNDEF  
THE TOTAL NUMBER OF UNDEFINED MEDALS INQUIRIES. ALL OF THESE ARE ERROR TRANSACTIONS.

7633 MDLS-TOT-BAT-INQ-ERR DLSC-VO F 9  
MEDALS TOTAL BATCH INQUIRIES ERRORS  
THE TOTAL NUMBER OF MEDALS BATCH INQUIRY ERRORS.

7634 MDLS-TOT-ORDERS DLSC-VO F 9  
MEDALS TOTAL ORDERS  
THE TOTAL NUMBER OF MEDALS ORDER TRANSACTIONS (SUM OF 7635-MDLS ORDER-ERRORS AND 7636-MDLS-ASSETS-ORDERED).

7635 MDLS-ORDER-ERRS MDLS\_STAT\_CNT\_7635 DLSC-VO F INTEGER 8  
MEDALS ORDER ERRORS  
THE NUMBER OF MEDALS ORDER TRANSACTIONS WITH ERRORS.

7636 MDLS-ASSETS-ORDERED MDLS\_STAT\_CNT\_7636 DLSC-VO F INTEGER 8  
MEDALS ASSETS ORDERED  
THE NUMBER OF VALID MEDALS ORDER TRANSACTIONS.

7637 MDLS-COPIES-ORDERED MDLS\_STAT\_CNT\_7637 DLSC-VO F INTEGER 8  
MEDALS COPIES ORDERED  
THE NUMBER OF COPIES OF MEDALS DATA ASSETS ORDERED.

7638 MDLS-TOT-OL-INQ DLSC-VO F 10  
MEDALS TOTAL ON LINE INQUIRIES  
THE TOTAL NUMBER OF MEDALS ONLINE INQUIRIES. THIS TOTAL IS THE SUM OF 7191(MDLS-TOT-INQ-D1), 7197(MDLS-TOT-INQ-D2), 7220(MDLS-TOT-INQ-D3), 7202(MDLS-TOT-INQ-P1), 7208(MDLS-TOT-INQ-P2) AND 7214(MDLS-TOT-INQ-NN).

7639 MDLS-TOT-OL-ERRS DLSC-VO F 9  
MEDALS TOTAL ON LINE ERRORS  
THE TOTAL NUMBER OF MEDALS ON LINE ERRORS. THIS TOTAL IS THE SUM OF 7625(MDLS-EDIT-ERR-D1), 7626(MDLS-EDIT-ERR-D2), 7627(MDLS-EDIT-ERR-D3), 7628(MDLS-EDIT-ERR-P1), 7629(MDLS-EDIT-ERR-P2), AND 7630(MDLS-EDIT-ERR-NN).

7640 MDLS-TOT-OL-INQ-MATCHED DLSC-VO F 9  
MEDALS TOTAL ON LINE INQUIRIES MATCHED  
THE TOTAL NUMBER OF MEDALS ON-LINE INQUIRIES THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER. THIS TOTAL IS THE SUM OF 7192(MDLS-INPUT-MATCH-D1), 7198(MDLS-INPUT-MATCH-D2), 7221(MDLS-INPUT-MATCH-D3), 7203(MDLS-INPUT-MATCH-P1), 7209(MDLS-INPUT-MATCH-P2), AND 7215(MDLS-INPUT-MATCH-NN).

7641 MDLS-TOT-OL-INQ-OFFERED DLSC-VO F 9  
MEDALS TOTAL ON LINE INQUIRIES OFFERED  
THE TOTAL NUMBER OF MEDALS DATA ASSETS OFFERED AS MATCHES AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1), DOCUMENT NUMBER/CAGE (D2), DATA ASSET IDENTIFIER (D3), PART NUMBER (P1), PART NUMBER/CAGE (P2), OR BY NIIN (NN). THIS TOTAL IS THE SUM OF 7193(MDLS-TOT-OFFERED-D1), 7199(MDLS-TOT-OFFERED-D2), 7222(MDLS-TOT-OFFERED-D3), 7204(MDLS-TOT-OFFERED-P1), 7210(MDLS-TOT-OFFERED-P2), AND 7216(MDLS-TOT-OFFERED-NN).

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7642	MDLS-TOT-OL-AVG-OFFERED		DLSC-VO	F		9
MEDALS TOTAL ON LINE AVERAGE OFFERED						
THE AVERAGE NUMBER OF MEDALS DATA ASSETS OFFERED AS MATCHES AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1), DOCUMENT NUMBER/CAGE (D2), DATA ASSET IDENTIFIER (D3), PART NUMBER (P1), PART NUMBER/CAGE (P2), OR BY NIIN (NN). THIS AVERAGE IS DERIVED FROM DIVIDING 7641(MDLS-TOT-OL-INQ-OFFERED) BY 7640(MDLS-TOT-OL-INQ-MATCHED).						
7643	MDLS-TOT-OL-INQ-NO-MTCH		DLSC-VO	F		9
MEDALS TOTAL ON LINE INQUIRIES NOT MATCHED						
THE NUMBER OF ON-LINE INQUIRIES THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.						
7644	MDLS-TOT-OL-INQ-PT-MTCH		DLSC-VO	F		5
MEDALS TOTAL ON LINE INQUIRIES PERCENT OF MATCH						
THE PERCENT OF MEDALS ON-LINE INQUIRIES THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.						
7645	11-TO-30-SEC-PCT-B3		DLSC-SBA	F		8
ELEVEN TO THIRTY SECONDS PERCENT B3						
THE ELEVEN TO THIRTY SECONDS PERCENT FOR DRN 7643, MEDALS YEAR INQUIRY RESPONSE TIME PERCENT B3.						
7646	STATS-JULIAN-DATE	STATS_JUL_DT_7646	DLSC-SBA	F	DATE	5
STATISTICS JULIAN DATE						
THE JULIAN DATE THAT THE STATISTICS DATA WAS CREATED ON.						
7647	DIC-ALL-SAC-DEPT-RECVD	DIC_STAT_CNT_7647	DLSC-SBA	F	INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED						
THE COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.						
7648	DIC-ALL-SAC-DEPT-PRCSD		DLSC-SBA	F		8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED						
THE COUNT OF ALL TRANSACTIONS PROCESSED BY SUMITTING ACTIVITY FOR DEPARTMENT.						
7649	DIC-ALL-SAC-DEPT-APRVD	DIC_STAT_CNT_7649	DLSC-SBA	F	INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED						
THE COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.						
7650	DIC-ALL-SAC-DEPT-RETRND		DLSC-SBA	F		8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED						
THE COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.						
7651	DIC-ALL-SAC-DEPT-ADUPS	DIC_STAT_CNT_7651	DLSC-SBA	F	INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC						
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.						
7652	DIC-ALL-SAC-DEPT-PDUPS	DIC_STAT_CNT_7652	DLSC-SBA	F	INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS						
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.						
7653	DIC-ALL-SAC-DEPT-CLRCL	DIC_STAT_CNT_7653	DLSC-SBA	F	INTEGER	8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7654 DIC-ALL-SAC-DEPT-RULES                      DIC\_STAT\_CNT\_7654                      DLSC-SBA                      F    INTEGER                      8  
DIC ALL SUBMITTING CODE DEPARTMENT RULES  
THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7657 MEDALS-OL-T-OFRD-QTY    DLSC-SBA                      F    8  
MEDALS ON-LINE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES TO MEDALS.

7658 MEDALS-OL-AVG-OFRD    DLSC-SBA                      F    8  
MEDALS ON-LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES TO MEDALS. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7660 MEDALS-OL-IQY-PCT-MTCH    DLSC-SBA                      F    8  
MEDALS ON-LINE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE MEDALS INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7663 MEDALS-OL-DN-OFRD-QTY    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7664 MEDALS-OL-DN-AVG-OFRD    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7666 MEDALS-OL-DN-IQY-PCT-MTH    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE MEDALS DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7669 MEDALS-OL-DNCG-OFRD-QTY    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/ CAGE.

7670 MEDALS-OL-DNCG-AVG-OFRD    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7672 MEDALS-OL-DNCG-IQY-P-MTH    DLSC-SBA                      F    8  
MEDALS ON-LINE DOCUMENT NUMBER/CAGE INQUIRY PCT. OF MATCH  
THE PERCENT OF ON-LINE MEDALS DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7675 MEDALS-OL-PN-OFRD-QTY DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7676 MEDALS-OL-PN-AVG-OFRD DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7678 MEDALS-OL-PN-IQY-PCT-MTH DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE MEDALS PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7681 MEDALS-OL-PNCG-OFRD-QTY DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/ CAGE.

7682 MEDALS-OL-PNCG-AVG-OFRD DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7684 MEDALS-OL-PNCG-IQY-P-MTH DLSC-SBA F 8  
MEDALS ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE MEDALS PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7686 MEDALS-OL-NIIN-OFRD-QTY DLSC-SBA F 8  
MEDALS ON-LINE NIIN TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7687 MEDALS-OL-NIIN-AVG-OFRD DLSC-SBA F 8  
MEDALS ON-LINE NIIN AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7689 MEDALS-OL-NIIN-IQY-P-MTH DLSC-SBA F 8  
MEDALS ON-LINE NIIN INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE MEDALS NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7693 MEDALS-OL-DAI-OFRD-QTY DLSC-SB F 8  
MEDALS ON-LINE DATE ASSET IDENTIFIER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7694 MEDALS-OL-DAI-AVG-OFRD DLSC-SB F 8  
MEDALS ON-LINE DATA ASSET IDENTIFIER AVERAGE QUANTITY  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7696 MDLS-OL-DAI-IQY-PCT-MTH DLSC-SB F 8  
MEDALS ON-LINE DATA ASSET IDENTIFIER INQUIRY PCT OF MATCH  
THE PERCENT OF ON-LINE MEDALS DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7697 MEDALS-HLP-SCN-ACCESS-Q DLSC-SB F 8  
MEDALS HELP SCREEN ACCESS QUANTITY  
THE TOTAL NUMBER OF TIMES ANY HELP SCREEN WAS ACCESSED FOR ON-LINE INQUIRIES IN THE TIME PERIOD OF THE REPORT.

7698 MEDALS-DEC-SCN-ACCESS-Q DLSC-SB F 8  
MEDALS DECODE SCREEN ACCESS QUANTITY  
THE TOTAL NUMBER OF TIMES ANY DECODE SCREEN WAS ACCESSED FOR ON-LINE INQUIRIES DURING THE TIME PERIOD OF THE REPORT.

7700 T-SA-OL-IMTCHD-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY SERVICE/AGENCY.

7701 SA-OL-T-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY SERVICE/AGENCY.

7702 SA-TOT-AVG-OFRD DLSC-SB F 8  
SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF TOTAL DATA ASSETS OFFERED AS A MATCH. BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7703 T-SA-OL-NMTCH-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY SERVICE/AGENCY.

7704 SA-OL-IQY-PCT-MTCH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY SERVICE/AGENCY.

7708 SA-OL-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7710 SA-OL-DN-IQY-PCT-MTH DLSC-SB F 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7711 T-SA-OL-DOCG-IQY-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7712 SA-OL-DOCG-IMTCHD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY  
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/ CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7713 SA-OL-DOCG-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7714 SA-OL-DOCG-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7715 T-SA-OL-DNCG-NMTCHD-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7716 SA-OL-DNCG-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7717 T-SA-OL-PN-IQY-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7718 T-SA-OL-PN-IMTCHD-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY  
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7719 SA-OL-PN-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBERS.

7720 SA-OL-PN-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7721 T-SA-OL-PN-NMTCH-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7722 SA-OL-PN-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7723 T-SA-OL-PNCG-IQY-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7724 T-SA-OL-PNCG-IMTCHD-QTY DLSC-SB F 8  
TOT SVC/AGNCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY  
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7725 SA-OL-PNCG-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/ CAGE.

7726 SA-OL-PNCG-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7727 T-SA-OL-PNCG-NMTCH-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7728 SA-OL-PNCG-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7729 T-SA-OL-NIIN-IQY-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7730 T-SA-OL-NIIN-IMTCHD-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7731 SA-OL-NIIN-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7732 SA-OL-NIIN-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7733 T-SA-OL-NIIN-NMTCH-QTY DLSC-SB F 8  
TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7734 SA-OL-NIIN-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7737 SA-OL-DAI-OFRD-QTY DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSETS IDENTIFIER.

7738 SA-OL-DAI-AVG-OFRD DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7740 SA-OL-DAI-IQY-PCT-MTH DLSC-SB F 8  
SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH  
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7743 REPT-OL-DN-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7745 REPT-OL-DN-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED

7747 REPT-OL-DNCG-IMTCHD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY  
THE TOTAL NUMBER OF REPOSITORY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7748 REPT-OL-DNCG-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/ CAGE.

7749 REPT-OL-DNCG-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7751 REPT-OL-DNCG-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7754 REPT-OL-NIIN-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7755 REPT-OL-NIIN-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE NIIN AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7757 REPT-OL-NIIN-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7760 REPT-OL-DAI-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7761 REPT-OL-DAI-AVG-OFRD DLSC-SBA F INTEGER 8  
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7765 REPT-OL-PNCG-OFRD-QTY DLSC-SBA F 8  
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7766 REPT-OL-PNCG-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS COMPUTED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7768 REPT-OL-PNCG-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7771 REPT-OL-PN-OFRD-QTY DLSC-SB F 8  
REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER.

7772 REPT-OL-PN-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7774 REPT-OL-PN-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7775 REPT-OL-DN-AVG-OFRD DLSC-SBA F 8  
REPOSITORY ON-LINE DOCUMENT NUMBER AVERAGE OFFERED QUANTITY  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7776 REPT-OL-DAI-IQY-PCT-MTH DLSC-SBA F 8  
REPOSITORY ON-LINE DATA ASSET INDENT INQUIRY PCT OF MATCH  
THE PERCENT OF ON-LINE REPOSITORY DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7777 T-TRML-IQY-OL-QTY DLSC-SBA F 8  
TOTAL TERMINAL INQUIRIES ON-LINE QUANTITY  
THE TOTAL NUMBER OF INQUIRIES ON-LINE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7778 T-TRML-OL-IMTCHD-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7779 TRML-OL-T-OFRD-QTY DLSC-SBA F 8  
TERMINAL ON-LINE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY TERMINAL.

7780 TRML-OL-AVG-OFRD DLSC-SBA F 8  
TERMINAL ON-LINE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY TERMINAL. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7781 T-TRML-OL-NMTCH-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY TERMINAL.

7782 TRML-OL-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL ON-LINE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY TERMINAL.

7783 T-TRML-OL-DN-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT PROCESSED SUCCESSFULLY.

7784 T-TRML-OL-DN-IMTCHD-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INPUTS MATCHED QTY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7785 TRML-OL-DN-OFRD-QTY DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7786 TRML-OL-DN-AVG-OFRD DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7787 T-TRML-OL-DN-NMTCH-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7788 TRML-OL-DN-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7789 T-TRML-OL-DNCG-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7790 T-TRML-OL-DNCG-IMTCHD-Q DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7791 TRML-OL-DNCG-OFRD-QTY DLSC-SBA F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7792 TRML-OL-DNCG-AVG-OFRD DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7793 T-TRML-OL-DNCG-NMTCH-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7794 TRML-OL-DNCG-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7795 T-TRML-OL-PN-IQY-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7796 T-TRML-OL-PN-IMTCHD-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7797 TRML-OL-PN-OFRD-QTY DLSC-SBA F 8  
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7798 TRML-OL-PN-AVG-OFRD DLSC-SBA F 8  
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS RETURNED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7799 T-TRML-OL-PN-MATCH-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY  
THE TOTAL OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7800 M6B3-CLM-DP-LOA-FULL-PCT DLSC-SBA F 8  
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7801 M6B3-CLM-DP-LOA-PART-PCT DLSC-SBA F 8  
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7802 T-TRML-OL-PNCG-IMTCHD-QT DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY  
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7803 TRML-OL-PNCG-OFRD-QTY DLSC-SBA F 8  
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY  
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7804 TRML-OL-PNCG-AVG-OFRD DLSC-SBA F 8  
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED  
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THE COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7805 T-TRML-OL-PNCG-NMTCH-QTY DLSC-SBA F 8  
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY  
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER/ CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7806 TRML-OL-PNCG-IQY-PCT-MTH DLSC-SBA F 8  
TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH  
THE PERCENT OF ON-LINE TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7808 MDLS-NOT-MATCHED-D2 DLSC-VO F 9  
MEDALS INPUTS NOT MATCHED D2  
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7810 ICFS-GSA-ALL-MM ICFS\_STAT\_CNT\_7810 DLSC-SBA F INTEGER 8  
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED  
THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGED IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7811 ICFS-GSA-ALL-MMPC DLSC-SBA F 8  
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE  
THE PERCENT OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7812 MOE-NSN MOE\_STAT\_CNT\_7812 DLSC-SBA F INTEGER 8  
MOE NSN  
THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED.

7813 MOE-EFFDTE-DEL-NSN MOE\_STAT\_CNT\_7813 DLSC-SBA F INTEGER 8  
MOE EFFECTIVE DATED DELETE NSN  
THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOR RULE NUMBER.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7814	MOE-EFFDTD-ADD-NSN	MOE_STAT_CNT_7814	DLSC-SBA	F	INTEGER	8
MOE EFFECTIVE DATED ADD NSN						
THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTIONS FOR A SPECIFIC MOE RULE NUMBER.						
7815	MOE-NSN-POS1		DLSC-SBA	F		8
MOE NSN POSITION 1						
THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED BY FIRST POSITION OF THE MOE RULE.						
7816	MOE-EFFDTD-DEL-NSN-POS1		DLSC-SBA	F		8
MOE EFFECTIVE DATED DELETE NSN POSITION 1						
THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.						
7817	MOE-EFFDTD-ADD-NSN-POS1		DLSC-SBA	F		8
MOE EFFECTIVE DATED ADD NSN POSITION 1						
THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTION FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.						
7818	MOE-UNSG-RSRV-POS1		DLSC-SBA	F		8
MOE UNASSIGNED RESERVED POSITION 1						
THE UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE NUMBER.						
7819	MOE-UNSG-RSRV-TOT-POS1		DLSC-SBA	F		8
MOE ASSIGNED RESERVED TOTAL POSITION 1						
THE TOTAL NUMBER OF UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE.						
7820	MOE-RGSTRN-CLBR-AT	MOE_STAT_CNT_7820	DLSC-SBA	F	INTEGER	8
MOE REGISTRATION COLLABORATOR ACTIVITY						
THE TOTAL NUMBER OF SUPPLEMENTARY COLLABORATOR REGISTRATIONS BY ACTIVITY						
7821	MOE-RGSTRN-RCVR-AT	MOE_STAT_CNT_7821	DLSC-SBA	F	INTEGER	8
MOE REGISTRATION RECEIVER ACTIVITY						
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER REGISTRATIONS BY ACTIVITY.						
7822	MOE-RGSTRN-CLBR-RCVR-AT		DLSC-SBA	F		8
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY						
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS BY ACTIVITY.						
7823	MOE-RGSTRN-CLBR-RCVR-TOT		DLSC-SBA	F		8
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL						
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS.						
7824	ITEM-NAME-NSN	INAM_STAT_CNT_7824	DLSC-SBA	F	INTEGER	8
ITEM NAME NSN						
THE TOTAL NUMBER OF NSNS BY ITEM NAME.						
7826	PMIC-2		DLSC-SBA	F		8
PRECIOUS METAL INDICATOR CODE 2						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRECIOUS METAL INDICATOR CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG MANAGEMENT DATA CHANGE QUANTITY 2.

7827 ADPEC-2 DLSC-SBA F 8

AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2

AUTOMATIC DATA PROCESSING EQUIPMENT CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG - MANAGEMENT DATA CHANGE QUANTITY 2.

7828 POP-FIIG-AIN-FSC-NMG-FU POP\_STAT\_CNT\_7828 DLSC-SB F INTEGER 8

POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL

THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7829 POP-FIIG-AIN-FSC-NMG-PA POP\_STAT\_CNT\_7829 DLSC-SB F INTEGER 8

POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL

THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7830 POP-FIIG-AIN-FSC-NMG-RE POP\_STAT\_CNT\_7830 DLSC-SB F INTEGER 8

POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE

THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7831 POP-FSC-AAIN-MG POP\_STAT\_CNT\_7831 DLSC-SB F INTEGER 8

POPULATION FSC ALL APPROVED ITEM NAME MANAGED

THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

7832 M6A1-DP-LOA-T1-NSN M6A1\_STAT\_CNT\_7832 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA TYPE T1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY LOA.

7833 M6A1-DP-LOA-T1A-NSN M6A1\_STAT\_CNT\_7833 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY LOA.

7834 M6A1-DP-LOA-T1B-NSN M6A1\_STAT\_CNT\_7834 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY LOA.

7835 M6A1-DP-LOA-T4-NSN M6A1\_STAT\_CNT\_7835 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY LOA.

7836 M6A1-DP-LOA-T4A-NSN M6A1\_STAT\_CNT\_7836 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY LOA.

7837 M6A1-DP-LOA-T4B-NSN M6A1\_STAT\_CNT\_7837 DLSC-SBA F INTEGER 8

M6A1 DEPARTMENT LOA T4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY LOA.

7838 M6A1-DP-LOA-T2-NSN M6A1\_STAT\_CNT\_7838 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6A1 DEPARTMENT LOA TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY LOA.

7839	M6A1-DP-LOA-FULL-PCT	DLSC-SBA	F	8
------	----------------------	----------	---	---

M6A1 DEPARTMENT LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY LOA.

7840	M6A1-DP-LOA-PART-PCT	DLSC-SBA	F	8
------	----------------------	----------	---	---

M6A1 DEPARTMENT LOA PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY LOA.

7841	M6A1-DP-LOA-REF-PCT	DLSC-SBA	F	8
------	---------------------	----------	---	---

M6A1 DEPARTMENT LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY LOA .

7842	M6A1-DP-T1-NSN	M6A1_STAT_CNT_7842	DLSC-SBA	F INTEGER	8
------	----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT.

7843	M6A1-DP-T1A-NSN	M6A1_STAT_CNT_7843	DLSC-SBA	F INTEGER	8
------	-----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT.

7844	M6A1-DP-T1B-NSN	M6A1_STAT_CNT_7844	DLSC-SBA	F INTEGER	8
------	-----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT.

7845	M6A1-DP-T4-NSN	M6A1_STAT_CNT_7845	DLSC-SBA	F INTEGER	8
------	----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT.

7846	M6A1-DP-T4A-NSN	M6A1_STAT_CNT_7846	DLSC-SBA	F INTEGER	8
------	-----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT.

7847	M6A1-DP-T4B-NSN	M6A1_STAT_CNT_7847	DLSC-SBA	F INTEGER	8
------	-----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT.

7848	M6A1-DP-T2-NSN	M6A1_STAT_CNT_7848	DLSC-SBA	F INTEGER	8
------	----------------	--------------------	----------	-----------	---

M6A1 DEPARTMENT TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT.

7849	M6A1-DP-FULL-PCT	DLSC-SBA	F	8
------	------------------	----------	---	---

M6A1 DEPARTMENT FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT.

7850	M6A1-DP-PART-PCT	DLSC-SBA	F	8
------	------------------	----------	---	---

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6A1 DEPARTMENT PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT.

7851 M6A1-DP-REF-PCT DLSC-SBA F 8

M6A1 DEPARTMENT REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT.

7852 M6C1-AT-LOA-T1-NSN M6C1\_STAT\_CNT\_7852 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1 NSNS

THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7853 M6C1-AT-LOA-T1A-NSN M6C1\_STAT\_CNT\_7853 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7854 M6C1-AT-LOA-T1B-NSN M6C1\_STAT\_CNT\_7854 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7855 M6C1-AT-LOA-T4-NSN M6C1\_STAT\_CNT\_7855 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7856 M6C1-AT-LOA-T4A-NSN M6C1\_STAT\_CNT\_7856 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7857 M6C1-AT-LOA-T4B-NSN M6C1\_STAT\_CNT\_7857 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7858 M6C1-AT-LOA-T2-NSN M6C1\_STAT\_CNT\_7858 DLSC-SBA F INTEGER 8

M6C1 ACTIVITY LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7859 M6C1-AT-LOA-FULL-PCT DLSC-SBA F 8

M6C1 ACTIVITY LOA FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7860 M6C1-AT-LOA-PART-PCT DLSC-SBA F 8

M6C1 ACTIVITY LOA PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7861 M6C1-AT-LOA-REF-PCT DLSC-SBA F 8

M6C1 ACTIVITY LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY BY LOA.

7862 M6C1-AT-T1-NSN M6C1\_STAT\_CNT\_7862 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6C1 ACTIVITY TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7863	M6C1-AT-T1A-NSN	M6C1_STAT_CNT_7863	DLSC-SBA	F	INTEGER	8
------	-----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7864	M6C1-AT-T1B-NSN	M6C1_STAT_CNT_7864	DLSC-SBA	F	INTEGER	8
------	-----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7865	M6C1-AT-T4-NSN	M6C1_STAT_CNT_7865	DLSC-SBA	F	INTEGER	8
------	----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7866	M6C1-AT-T4A-NSN	M6C1_STAT_CNT_7866	DLSC-SBA	F	INTEGER	8
------	-----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7867	M6C1-AT-T4B-NSN	M6C1_STAT_CNT_7867	DLSC-SBA	F	INTEGER	8
------	-----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7868	M6C1-AT-T2-NSN	M6C1_STAT_CNT_7868	DLSC-SBA	F	INTEGER	8
------	----------------	--------------------	----------	---	---------	---

M6C1 ACTIVITY TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7870	M6C1-AT-FULL-PCT		DLSC-SBA	F		8
------	------------------	--	----------	---	--	---

M6C1 ACTIVITY FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7871	M6C1-AT-PART-PCT		DLSC-SBA	F		8
------	------------------	--	----------	---	--	---

M6C1 ACTIVITY PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7872	M6C1-AT-REF-PCT		DLSC-SBA	F		8
------	-----------------	--	----------	---	--	---

M6C1 ACTIVITY REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY.

7873	M6B1-IM-DP-LOA-T1-NSN	M6B1_STAT_CNT_7873	DLSC-SBA	F	INTEGER	8
------	-----------------------	--------------------	----------	---	---------	---

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1  
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7874	M6B1-IM-DP-LOA-T1A-NSN	M6B1_STAT_CNT_7874	DLSC-SBA	F	INTEGER	8
------	------------------------	--------------------	----------	---	---------	---

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A  
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7875	M6B1-IM-DP-LOA-T1B-NSN	M6B1_STAT_CNT_7875	DLSC-SBA	F	INTEGER	8
------	------------------------	--------------------	----------	---	---------	---

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7876 M6B1-IM-DP-LOA-T4-NSN M6B1\_STAT\_CNT\_7876 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7877 M6B1-IM-DP-LOA-T4A-NSN M6B1\_STAT\_CNT\_7877 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7878 M6B1-IM-DP-LOA-T4B-NSN M6B1\_STAT\_CNT\_7878 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7879 M6B1-IM-DP-LOA-T2-NSN M6B1\_STAT\_CNT\_7879 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7880 M6B1-IM-DP-LOA-FULL-PCT DLSC-S F 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7881 M6B1-IM-DP-LOA-PART-PCT DLSC-SBA F 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7882 M6B1-IM-DP-LOA-REF-PCT DLSC-SBA F 8  
M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7883 M6B1-IM-DP-T1-NSN M6B1\_STAT\_CNT\_7883 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENTS.

7884 M6B1-IM-DP-T1A-NSN M6B1\_STAT\_CNT\_7884 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7885 M6B1-IM-DP-T1B-NSN M6B1\_STAT\_CNT\_7885 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7886 M6B1-IM-DP-T4-NSN M6B1\_STAT\_CNT\_7886 DLSC-SBA F INTEGER 8  
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7887 M6B1-IM-DP-T4A-NSN M6B1\_STAT\_CNT\_7887 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7888	M6B1-IM-DP-T4B-NSN	M6B1_STAT_CNT_7888	DLSC-SBA	F	INTEGER	8
------	--------------------	--------------------	----------	---	---------	---

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7889	M6B1-IM-DP-T2-NSN	M6B1_STAT_CNT_7889	DLSC-SBA	F	INTEGER	8
------	-------------------	--------------------	----------	---	---------	---

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7890	M6B1-IM-DP-FULL-PCT		DLSC-SBA	F		8
------	---------------------	--	----------	---	--	---

M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7891	M6B1-IM-DP-PART-PCT		DLSC-SBA	F		8
------	---------------------	--	----------	---	--	---

M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7892	M6B1-IM-DP-REF-PCT		DLSC-SBA	F		8
------	--------------------	--	----------	---	--	---

M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT.

7893	M6B3-CLM-DP-LOA-T1-NSN	M6B3_STAT_CNT_7893	DLSC-SBA	F	INTEGER	8
------	------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7894	M6B3-CLM-DP-LOA-T1A-NSN	M6B3_STAT_CNT_7894	DLSC-SBA	F	INTEGER	8
------	-------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7895	M6B3-CLM-DP-LOA-T1B-NSN	M6B3_STAT_CNT_7895	DLSC-SBA	F	INTEGER	8
------	-------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7896	M6B3-CLM-DP-LOA-T4-NSN	M6B3_STAT_CNT_7896	DLSC-SBA	F	INTEGER	8
------	------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7897	M6B3-CLM-DP-LOA-T4A-NSN	M6B3_STAT_CNT_7897	DLSC-SBA	F	INTEGER	8
------	-------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7898	M6B3-CLM-DP-LOA-T4B-NSN	M6B3_STAT_CNT_7898	DLSC-SBA	F	INTEGER	8
------	-------------------------	--------------------	----------	---	---------	---

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT LOA.

7899	M6B3-CLM-DP-LOA-T2-NSN	M6B3_STAT_CNT_7899	DLSC-SBA	F	INTEGER	8
------	------------------------	--------------------	----------	---	---------	---

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7902 M6B3-CLM-DP-T1-NSN M6B3\_STAT\_CNT\_7902 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7903 M6B3-CLM-DP-T1A-NSN M6B3\_STAT\_CNT\_7903 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7904 M6B3-CLM-DP-T1B-NSN M6B3\_STAT\_CNT\_7904 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS FOR MANAGING DEPARTMENT.

7905 M6B3-CLM-DP-T4-NSN M6B3\_STAT\_CNT\_7905 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7906 M6B3-CLM-DP-T4A-NSN M6B3\_STAT\_CNT\_7906 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7907 M6B3-CLM-DP-T4B-NSN M6B3\_STAT\_CNT\_7907 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7908 M6B3-CLM-DP-T2-NSN M6B3\_STAT\_CNT\_7908 DLSC-SBA F INTEGER 8

M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7909 M6B3-CLM-DP-FULL-PCT DLSC-SBA F 8

M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7910 M6B3-CLM-DP-PART-PCT DLSC-SBA F 8

M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT

THE PERCENT OF MANAGER NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7911 M6B3-CLM-DP-REF-PCT DLSC-SBA F 8

M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7912 M6B2-IM-AT-LOA-T1-NSN M6B2\_STAT\_CNT\_7912 DLSC-SBA F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7913 M6B2-IM-AT-LOA-T1A-NSN M6B2\_STAT\_CNT\_7913 DLSC-SBA F INTEGER 8



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7914 M6B2-IM-AT-LOA-T1B-NSN M6B2\_STAT\_CNT\_7914 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7915 M6B2-IM-AT-LOA-T4-NSN M6B2\_STAT\_CNT\_7915 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7916 M6B2-IM-AT-LOA-T4A-NSN M6B2\_STAT\_CNT\_7916 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7917 M6B2-IM-AT-LOA-T4B-NSN M6B2\_STAT\_CNT\_7917 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7918 M6B2-IM-AT-LOA-T2-NSN M6B2\_STAT\_CNT\_7918 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7919 M6B2-IM-AT-LOA-FULL-PCT DLSC-SBA F 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7920 M6B2-IM-AT-LOA-PART-PCT DLSC-SBA F 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7921 M6B2-IM-AT-LOA-REF-PCT DLSC-SBA F 8  
M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7922 M6B2-IM-AT-T1-NSN M6B2\_STAT\_CNT\_7922 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7923 M6B2-IM-AT-T1A-NSN M6B2\_STAT\_CNT\_7923 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7924 M6B2-IM-AT-T1B-NSN M6B2\_STAT\_CNT\_7924 DLSC-SBA F INTEGER 8  
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7925 M6B2-IM-AT-T4-NSN M6B2\_STAT\_CNT\_7925 DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7926 M6B2-IM-AT-T4A-NSN M6B2\_STAT\_CNT\_7926 DLSC-SBA F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7927 M6B2-IM-AT-T4B-NSN M6B2\_STAT\_CNT\_7927 DLSC-SBA F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN

THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7928 M6B2-IM-AT-T2-NSN M6B2\_STAT\_CNT\_7928 DLSC-SBA F INTEGER 8

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7929 M6B2-IM-AT-FULL-PCT DLSC-SBA F 8

M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7930 M6B2-IM-AT-PART-PCT DLSC-SBA F 8

M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7931 M6B2-IM-AT-REF-PCT DLSC-SBA F 8

M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7932 M6B4-CLM-AT-LOA-T1-NSN M6B4\_STAT\_CNT\_7932 DLSC-SBA F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7933 M6B4-CLM-AT-LOA-T1A-NSN M6B4\_STAT\_CNT\_7933 DLSC-SBA F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7934 M6B4-CLM-AT-LOA-T1B-NSN M6B4\_STAT\_CNT\_7934 DLSC-SBA F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7935 M6B4-CLM-AT-LOA-T4-NSN M6B4\_STAT\_CNT\_7935 DLSC-SBA F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7936 M6B4-CLM-AT-LOA-T4A-NSN M6B4\_STAT\_CNT\_7936 DLSC-SBA F INTEGER 8

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7937 M6B4-CLM-AT-LOA-T4B-NSN M6B4\_STAT\_CNT\_7937 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7938 M6B4-CLM-AT-LOA-T2-NSN M6B4\_STAT\_CNT\_7938 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN

THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7939 M6B4-CLM-AT-LOA-FULL-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT  
THE PERCENT MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7940 M6B4-CLM-AT-LOA-PART-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7941 M6B4-CLM-AT-LOA-REF-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7942 M6B4-CLM-AT-T1-NSN M6B4\_STAT\_CNT\_7942 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7943 M6B4-CLM-AT-T1A-NSN M6B4\_STAT\_CNT\_7943 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7944 M6B4-CLM-AT-T1B-NSN M6B4\_STAT\_CNT\_7944 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7945 M6B4-CLM-AT-T4-NSN M6B4\_STAT\_CNT\_7945 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7946 M6B4-CLM-AT-T4A-NSN M6B4\_STAT\_CNT\_7946 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7947 M6B4-CLM-AT-T4B-NSN M6B4\_STAT\_CNT\_7947 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER OF MANAGING DEPARTMENT BY ACTIVITY.

7948 M6B4-CLM-AT-T2-NSN M6B4\_STAT\_CNT\_7948 DLSC-SBA F INTEGER 8  
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7949 M6B4-CLM-AT-FULL-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7950 M6B4-CLM-AT-PART-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7951 M6B4-CLM-AT-REF-PCT DLSC-SBA F 8  
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7952 M6B5-FSC-DP-LOA-T1-NSN M6B5\_STAT\_CNT\_7952 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7953 M6B5-FSC-DP-LOA-T1A-NSN M6B5\_STAT\_CNT\_7953 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7954 M6B5-FSC-DP-LOA-T1B-NSN M6B5\_STAT\_CNT\_7954 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7955 M6B5-FSC-DP-LOA-T4-NSN M6B5\_STAT\_CNT\_7955 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7956 M6B5-FSC-DP-LOA-T4A-NSN M6B5\_STAT\_CNT\_7956 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7957 M6B5-FSC-DP-LOA-T4B-NSN M6B5\_STAT\_CNT\_7957 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7958 M6B5-FSC-DP-LOA-T2-NSN M6B5\_STAT\_CNT\_7958 DLSC-SBA F INTEGER 8  
M6B5 FSC DEPARTMENT LOA TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7959 M6B5-FSC-DP-LOA-FULL-PCT DLSC-SBA F 8  
M6B5 FSC DEPARTMENT LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7960 M6B5-FSC-DP-LOA-PART-PCT DLSC-SBA F 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL CLASS BY DEPARTMENT BY LOA.

7961	M6B5-FSC-DP-LOA-REF-PCT	DLSC-SBA	F	8
------	-------------------------	----------	---	---

M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7962	M6B5-FSC-DP-T1-NSN	M6B5_STAT_CNT_7962	DLSC-SBA	F	INTEGER	8
------	--------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7963	M6B5-FSC-DP-T1A-NSN	M6B5_STAT_CNT_7963	DLSC-SBA	F	INTEGER	8
------	---------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7964	M6B5-FSC-DP-T1B-NSN	M6B5_STAT_CNT_7964	DLSC-SBA	F	INTEGER	8
------	---------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7965	M6B5-FSC-DP-T4-NSN	M6B5_STAT_CNT_7965	DLSC-SBA	F	INTEGER	8
------	--------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7966	M6B5-FSC-DP-T4A-NSN	M6B5_STAT_CNT_7966	DLSC-SBA	F	INTEGER	8
------	---------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7967	M6B5-FSC-DP-T4B-NSN	M6B5_STAT_CNT_7967	DLSC-SBA	F	INTEGER	8
------	---------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7968	M6B5-FSC-DP-T2-NSN	M6B5_STAT_CNT_7968	DLSC-SBA	F	INTEGER	8
------	--------------------	--------------------	----------	---	---------	---

M6B5 FSC DEPARTMENT TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7969	M6B5-FSC-DP-FULL-PCT	DLSC-SBA	F	8
------	----------------------	----------	---	---

M6B5 FSC DEPARTMENT FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7970	M6B5-FSC-DP-PART-PCT	DLSC-SBA	F	8
------	----------------------	----------	---	---

M6B5 FSC DEPARTMENT PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7971	M6B5-FSC-DP-REF-PCT	DLSC-SBA	F	8
------	---------------------	----------	---	---

M6B5 FSC DEPARTMENT REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7972	FRST-INSP-PED	DLSC-V	F	1
------	---------------	--------	---	---

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FIRST INSPECTION PERIOD (IIM)

A NUMERIC CODE THAT INDICATES WHEN THE FIRST INSPECTION ON AN ITEM IS TO BE CONDUCTED.

7973 ADDNL-RQM-CD ADDNL\_RQM\_CD\_7973 DLSC-V F CHAR 2

ADDITIONAL REQUIREMENTS CODE (AC)

A CODE TO PROVIDE ADDITIONAL INFORMATION THAT WILL BE OF ASSISTANCE TO THE STORAGE ACTIVITIES IN THE STORAGE QUALITY CONTROL.

7975 IDEN-MKG-CD DLSC-V V 11

IDENTIFICATION MARKING CODES (ITEM MARK)

AN ALPHANUMERIC CODE TO CERTIFY THE COMPOSITION, MANUFACTURING DATES, MANUFACTURER AND EXPIRATION DATES.

7976 INSP-CD DLSC-V F 2

INSPECTION CODE (IC)

A CODE TO DEPICT CRITICAL AND MAJOR DEFECTS. IT ALERTS INSPECTION PERSONNEL TO KEY ELEMENTS REQUIRING SPECIAL ATTENTION.

7977 INSP-LVL DLSC-V F 2

INSPECTION LEVEL (IL)

A CODE IDENTIFYING SAMPLING PROCEDURES FOR STORAGE SURVEILLANCE IN ORDER TO PROVIDE THE WIDEST RANGE OF COVERAGE AND DESIRED LEVEL OF QUALITY ASSURANCE.

7978 PKG-CODE DLSC-V F 2

PACKAGING CODE (PKG)

AN ALPHANUMERIC CODE TO IDENTIFY LEVELS OF PROTECTION FOR THE STORAGE CONDITION CITED.

7979 PK-CD DLSC-V F 2

PACKING CODE (PNG)

AN ALPHANUMERIC CODE THAT SERVES AS A GUIDELINE FOR PACKAGING OF MATERIAL.

7980 REINSP-LMT DLSC-V F 1

REINSPECTION LIMIT (RL)

A CODE TO INDICATE THE NUMBER OF REINSPECTIONS PERMITTED IN ORDER TO EXTEND THE SHELF LIFE.

7981 REINSP-PED DLSC-V F 2

REINSPECTION PERIOD (RM)

A CODE TO INDICATE IN MONTHS WHEN ITEMS ARE TO BE SCHEDULED FOR REINSPECTION.

7982 SHLF-LIF-MO DLSC-V F 2

SHELF LIFE MONTH (SL)

A CODE TO INDICATE, IN MONTHS, THE LIFE OF AN ITEM.

7983 SP-RQMT-CD DLSC-V F 2

SPECIAL REQUIREMENT CODE (SRC)

A CODE TO REFLECT SPECIAL CHARACTERISTICS OF AN ITEM TO BE USED DURING RECEIPT, STORAGE AND SHIPMENT. THE CODE INDICATES SPECIAL LABELING REQUIREMENTS, HAZARDOUS/DANGEROUS OR SENSITIVE CHARACTERISTICS OF AN ITEM.

7984 STOR-CODE DLSC-V F 2

STORAGE CODE (SC)

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO INDICATE THE TYPE OF STORAGE REQUIRED.

7985 SVC-QLTY-LVL DLSC-V F 3  
SERVICE QUALITY LEVEL (SQL)

A CODE TO INDICATE THE NUMERICAL VALUE IN TERMS OF PERCENT-DEFECTIVE.

7986 TES-RQMT-CD DLSC-V F 2  
TEST REQUIREMENTS CODE (TC)

A CODE TO INDICATE THE AMOUNT OF SAMPLES NORMALLY REQUIRED FOR A LABORATORY TEST.

7987 M6B6-FSC-AT-LOA-T1-NSN M6B6\_STAT\_CNT\_7987 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 1 NSN  
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7988 M6B6-FSC-AT-LOA-T1A-NSN M6B6\_STAT\_CNT\_7988 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 1A NSN  
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7989 M6B6-FSC-AT-LOA-T1B-NSN M6B6\_STAT\_CNT\_7989 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 1B NSN  
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7990 M6B6-FSC-AT-LOA-T4-NSN M6B6\_STAT\_CNT\_7990 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 4 NSN  
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7991 M6B6-FSC-AT-LOA-T4A-NSN M6B6\_STAT\_CNT\_7991 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 4A NSN  
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7992 M6B6-FSC-AT-LOA-T4B-NSN M6B6\_STAT\_CNT\_7992 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7993 M6B6-FSC-AT-LOA-T2-NSN M6B6\_STAT\_CNT\_7993 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY LOA TYPE 2 NSN  
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7994 M6B6-FSC-AT-LOA-FULL-PCT DLSC-SBA F 8  
M6B6 FSC ACTIVITY LOA FULL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7996 M6B6-FSC-AT-LOA-PART-PCT DLSC-SBA F 8  
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7997 M6B6-FSC-AT-LOA-REF-PCT DLSC-SBA F 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B6 FSC ACTIVITY LOA REFERENCE PERCENT

THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7998 M6B6-FSC-AT-T1-NSN M6B6\_STAT\_CNT\_7998 DLSC-SBA F INTEGER 8

M6B6 FSC ACTIVITY TYPE 1 NSN

THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

7999 M6B6-FSC-AT-T1A-NSN M6B6\_STAT\_CNT\_7999 DLSC-SBA F INTEGER 8

M6B6 FSC ACTIVITY TYPE 1A NSN

THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8000 M6B6-FSC-AT-T1B-NSN M6B6\_STAT\_CNT\_8000 DLSC-SBA F INTEGER 8

M6B6 FSC ACTIVITY TYPE 1B NSN

THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8001 M6B6-FSC-AT-T4-NSN M6B6\_STAT\_CNT\_8001 DLSC-SBA F INTEGER 8

M6B6 FSC ACTIVITY TYPE 4 NSN

THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8002 M6B6-FSC-AT-T4A-NSN M6B6\_STAT\_CNT\_8002 DLSC-SBA F INTEGER 8

M6B6 FSC ACTIVITY TYPE 4A NSN

THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8003 TOT-REC-IDIC-ACT-DEPT-QT DLSC-SB F 8

TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY

THE TOTAL NUMBER OF TRANSACTIONS RECEIVED BY INPUT DOCUMENT INDICATOR CODES BY ACTIVITY, BY DEPARTMENT.

8009 AMSC-AMC-VLD-COMBS-CD AMSC\_AMC\_VC\_8009 DLSC-SBA F CHAR 1

AMSC AMC VALID COMBINATIONS CODE

AN INDICATOR CODE THAT SPECIFIES VALID COMBINATIONS OF ACQUISITION METHOD (DRN 2871) AND ACQUISITION METHOD SUFFIX CODE (DRN 2876). VALID VALUES ARE 0 = VALID, X = INVALID. REFERENCE DOD 4100.39-M, VOLUME 10, CHAPTER 4, TABLE 70.

8011 MEDALS-DOC-SEC-CD DOC\_SEC\_8011 F CHAR 1

MEDALS DOCUMENT SECURITY CODE

A ONE CHARACTER CODE FIELD REPRESENTING THE SECURITY CLASSIFICATION OF THE DRAWING OR DOCUMENT. CODES IDENTIFIED IN MIL-STD-804: N -- UNCLASSIFIED, F -- SECRET RESTRICTED, C -- CONFIDENTIAL, G -- TOP SECRET RESTRICTED, M -- CONF. MOD. HNDL, H -- CONF-FORMERLY RESTRICTED, S -- SECRET, J -- SECRET - FORMERLY RESTRICTED, T -- TOP SECRET, K -- TOP SECRET - FORMERLY RESTRICTED, E -- CONFIDENTIAL RESTRICTED DATA.

8012 MEDALS-DOC-NUC-CD DOC\_NUC\_8012 F CHAR 1

MEDALS DOCUMENT NUCLEAR CODE

A ONE CHARACTER CODE ALPHA FIELD TO INDICATE WHETHER THE USER IS ALLOWED ACCESS TO DRAWINGS WITH NUCLEAR COMPONENTS. VALUES ARE 'Y' FOR YES AND 'N' FOR NO. DEFAULT IN MEDALS IS 'N'.

8013 MEDALS-DOC-DIST-STMT-CD DOC\_DIST\_STMT\_8013 DLSC-VP F CHAR 1

MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE

A ONE CHARACTER CODE ALPHA FIELD REPRESENTING THE LEVEL OF DISTRIBUTION FOR A DOCUMENT PER MIL-STD-1806. CODES IDENTIFIED IN MIL-STD-1806: A -- UNLIMITED, B -- US GOVERNMENT, C -- US GOVT AND CONTRACTORS, D -- DOD ONLY, E -- DIRECT MILITARY SUPPORT, F -- BY REQUEST/APPROVAL OF COMMANDER, NAVAL SEA SYSTEMS COMMAND, X -- CERTIFIED CONTRACTORS



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8014	MEDALS-EDRS-CTL-ACTY-CD	EDRS_8014		F CHAR	2
MEDALS EDRS CONTROLLING ACTIVITY CODE					
A TWO CHARACTER CODE USED TO IDENTIFY ENGINEERING DATA REPOSITORIES THAT MAINTAIN THE OFFICIAL RECORD COPY OF DATA. THESE REPOSITORIES ARE RESPONSIBLE FOR PROCESSING REQUESTS FOR COPIES OF MASTER DATA. THE CODES ARE IDENTICAL TO THE ACTIVITY CODES IDENTIFIED IN THE DIDS MANUAL DOD 4100.39-M, VOLUME 10, TABLE 104, PART 4. THIS CODE WILL BE THE PRIMARY CONTROL FOR THE DOCUMENT RIGHTS CODE, DOCUMENT NUCLEAR CODE, DISTRIBUTION STATEMENT CODE AND THE DOCUMENT SECURITY CODE.					
8015	MEDALS-DOC-SEC-DESC-TX	DOC_SEC_DESC_8015		F CHAR	40
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT					
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-SEC-CD (DRN 8011).					
8016	MEDALS-DOC-DIST-DESC-TX	DOC_DIST_DESC_8016	DLSC-VP	F CHAR	40
MEDALS-DOC-DIST-DESC-TX					
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-DIST-STMT-CD (DRN 8013).					
8017	MDLS-JEDMICS-MED-CD	JED_MED_CD_8017	DLSC-VP	F CHAR	5
MEDALS JEDMICS MEDIA CODE					
THE CODE THAT REPRESENTS THE JEDMICS MEDIA TYPE.					
8018	MDLS-JEDMICS-MED-DEF-TX	JED_MED_DEF_8018	DLSC-VP	F CHAR	25
MEDALS JEDMICS MEDIA DEFINITION TEXT					
THE TEXT DEFINING THE MEDALS JEDMICS MEDIA CODE (DRN 8017).					
8019	MDLS-DGTZD-MED-ABR-TX	DGTZD_MED_ABR_8019	DLSC-VP	F CHAR	4
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT					
THE SHORT ABBREVIATION OF THE DIGITIZED MEDIA TYPE.					
8071	ICMS-LA-ALL-AR-MM	ICMS_STAT_CNT_8071	DLSC-SBA	F INTEGER	8
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED					
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.					
8072	LRN-PROC-PRD-SVC-DEPT-D		DLSC-SB	F	6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY					
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.					
8073	LRN-PROC-PRD-SVC-DEPT-W		DLSC-SB	F	6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY					
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.					
8074	LRN-PROC-PRD-SVC-DEPT-M		DLSC-V	F	6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY					
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.					
8075	LRN-PROC-PRD-SVC-DEPT-Q		DLSC-SB	F	6

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8076 LRN-PROC-PRD-SVC-DEPT-Y DLSC-SB F 6

LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8077 LRN-PROC-PROD-SVC-TOT-D DLSC-SB F 6

LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8078 LRN-PROC-PROD-SVC-TOT-W DLSC-SB F 6

LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8079 LRN-PROC-PROD-SVC-TOT-M DLSC-V F 6

LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8080 LRN-PROC-PROD-SVC-TOT-Q DLSC-SB F 6

LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8081 LRN-PROC-PROD-SVC-TOT-Y DLSC-SB F 6

LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8082 LRN-PROC-STAT-INFO-CAN-D DLSC-SB F 6

LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8083 LRN-PROC-STAT-INFO-CAN-W DLSC-SB F 6

LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8084 LRN-PROC-STAT-INFO-CAN-M DLSC-SB F 6

LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8085 LRN-PROC-STAT-INFO-CAN-Q DLSC-SB F 6

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8086 LRN-PROC-STAT-INFO-CAN-Y DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8087 LRN-PROC-STAT-INFO-ACT-D LRN\_STAT\_CNT\_8087 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY ACTIVITY.

8088 LRN-PROC-STAT-INFO-ACT-W DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY ACTIVITY.

8089 LRN-PROC-STAT-INFO-ACT-M DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY ACTIVITY.

8090 LRN-PROC-STAT-INFO-ACT-Q DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY ACTIVITY.

8091 LRN-PROC-STAT-INFO-ACT-Y DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY ACTIVITY.

8092 LRN-PROC-STAT-INF-DEPT-D DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT.

8093 LRN-PROC-STAT-INF-DEPT-W DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8094 LRN-PROC-STAT-INF-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8095 LRN-PROC-STAT-INF-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8096 LRN-PROC-STAT-INF-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8097 LRN-PROC-STAT-INF-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT,  
ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8098 LRN-PROC-STAT-INF-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT,  
ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8099 LRN-PROC-STAT-INF-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT,  
ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8100 LRN-PROC-STAT-INF-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPART-  
MENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8101 LRN-PROC-STAT-INF-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES STAT INFO TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT,  
ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8102 LRN-PROC-BB-CAN-D DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT  
NUMBER.

8103 LRN-PROC-BB-CAN-W DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY CUSTOMER  
ACCOUNT NUMBER.

8104 LRN-PROC-BB-CAN-M DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY CUSTOMER  
ACCOUNT NUMBER.

8105 LRN-PROC-BB-CAN-Q DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY CUSTOMER  
ACCOUNT NUMBER.

8106 LRN-PROC-BB-CAN-Y DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY CUSTOMER  
ACCOUNT NUMBER.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8107	LRN-PROC-BB-ACTY-D	LRN_STAT_CNT_8107	DLSC-SB	F	INTEGER	6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY ACTIVITY.						
8108	LRN-PROC-BB-ACTY-W		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY ACTIVITY.						
8109	LRN-PROC-BB-ACTY-M		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY ACTIVITY.						
8110	LRN-PROC-BB-ACTY-Q		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY ACTIVITY.						
8111	LRN-PROC-BB-ACTY-Y		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY ACTIVITY.						
8112	LRN-PROC-BB-DEPT-D		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT.						
8113	LRN-PROC-BB-DEPT-W		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT.						
8114	LRN-PROC-BB-DEPT-M		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT.						
8115	LRN-PROC-BB-DEPT-Q		DLSC-SB	F		6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY						
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT.						
8116	50-NSN-FMY-1		DLSC-SBA	F		8
50 NSN FAMILY 1						
THE NUMBER OF FAMILIES HAVING 50 NSNS FOR DRN 6873, DEPARTMENT NSN FAMILY RANGE QUANTITY.						
8117	IANDS-ACTY-GRP-NSN		DLSC-SBA	F		8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN						
THE QUANTITY OF NSNS IN I AND S FAMILIES FOR ACTIVITIES WITHIN DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, AND 26-50 NSNS FOR FAMILY.						
8118	IANDS-DEPT-NSN	IANSTAT_CNT_8118	DLSC-SBA	F	INTEGER	8
INTERCHANGEABILITY AND SUBSTITUTABILITY						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF PICA MANAGED NSNS FOR I AND S FAMILIES FOR DEPARTMENT.

8119	IANDS-GTOT-GRP-NSN		DLSC-SBA	F		8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N					
	THE GRAND TOTAL OF NSNS IN I AND S FAMILIES BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, 26-50 NSNS PER FAMILY.					
8120	IANDS-GTOT-AVG-NSN		DLSC-SBA	F		8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N					
	THE GRAND TOTAL AVERAGE OF NSNS PER I AND S FAMILY.					
8121	IANDS-GTOT-NSN	IANSTAT_CNT_8121	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND					
	THE GRAND TOTAL OF NSNS IN I AND S FAMILIES.					
8122	IANDS-GTOT-TOT-FAMILIES		DLSC-SBA	F		8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM					
	THE GRAND TOTAL OF I AND S FAMILIES.					
8123	IANDS-GTOT-REL-SICA	IANSTAT_CNT_8123	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRANT TOT REL SIC					
	THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.					
8124	IANDS-GTOT-MTR-SICA	IANSTAT_CNT_8124	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR SIC					
	THE GRAND TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.					
8125	IANDS-GTOT-REL-PICA	IANSTAT_CNT_8125	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC					
	THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.					
8126	IANDS-GTOT-MTR-PICA	IANSTAT_CNT_8126	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC					
	THE GRAND TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.					
8127	IANDS-GTOT-MTR-P-S-FAM	IANSTAT_CNT_8127	DLSC-SBA	F	INTEGER	8
	INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI					
	THE GRAND TOTAL OF I AND S FAMILIES ANY DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.					
8128	LRN-PROC-BB-DEPT-Y		DLSC-SB	F		6
	LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY					
	THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT.					
8129	CON-INCREMENT	CON_INCREMENT_8129	DLSC-SBA	F	INTEGER	8
	CONSUMABLES INCREMENT					
	A SERIES OF REGULAR CONSECUTIVE ADDITIONS OF PREDETERMINED NSNS FOR A SPECIAL PROJECT.					
8130	CON-SNS-SLCT		DLSC-SBA	F		8
	CONSUMABLES NSN SELECTED					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF NSNS SELECTED BY AN ITEM MANAGEMENT CODEING ACTIVITY FOR A SPECIFIC PROJECT INCREMENT.

8131 LRN-PROC-BB-TOT-D DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8132 LRN-PROC-BB-TOT-W DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8133 LRN-PROC-BB-TOT-M DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8134 LRN-PROC-BB-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8135 LRN-PROC-BB-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8136 20-NSN-FMY DLSC-SBA F 8  
20 NSN FAMILY  
THE NUMBER OF FAMILIES HAVING 20 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8137 LRN-PROC-ADD-UPDT-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8138 LRN-PROC-DEL-UPDT-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8139 LRN-PROC-BB-UPDT-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACTIVITY NUMBER ON A QUARTERLY BASIS.

8140 LRN-PROC-CHG-UPDT-TOT-Q DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QRTLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8141	LRN-PROC-ADD-UPDT-TOT-Q	DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY				
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.				
8142	LRN-PROC-DEL-UPDT-TOT-Q	DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY				
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.				
8143	LRN-PROC-BB-UPDT-CAN-Y	DLSC-SB	F	6
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY				
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.				
8144	LRN-PROC-CHG-UPDT-CAN-Y	DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY				
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.				
8145	LRN-PROC-ADD-UPDT-CAN-Y	DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY				
THE TOTAL NUMERB OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.				
8146	LRN-PROC-DEL-UPDT-CAN-Y	DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY				
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.				
8147	LRN-PROC-BB-UPDT-ACTY-Y	DLSC-SB	F	6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY				
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.				
8148	LRN-PROC-CHG-UPDT-ACTY-Y	DLSC-SB	F	6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY				
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.				
8149	LRN-PROC-ADD-UPDT-ACTY-Y	DLSC-SB	F	6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY				
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.				
8150	LRN-PROC-DEL-UPDT-ACTY-Y	DLSC-SB	F	6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY				
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.				
8151	LRN-PROC-BB-UPDT-DEPT-Y	DLSC-SB	F	6



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8152 LRN-PROC-CHG-UPDT-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8153 LRN-PROC-ADD-UPDT-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8154 LRN-PROC-DEL-UPDT-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8155 LRN-PROC-BB-UPDT-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY  
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8156 LRN-PROC-CHG-UPDT-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY  
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8157 LRN-PROC-ADD-UPDT-TOT-Y DLSC-SB F 6  
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY  
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8158 LRN-PROC-DEL-UPDT-TOT-Y DLSC-SBA F 6  
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY  
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8159 STAT-LIMITED-RIGHTS-GRP STAT\_LMD\_RT\_G\_8159 DLSC-SBA F CHAR 2  
STATISTICS LIMITED RIGHTS GROUP  
THIS DATA ELEMENT REPRESENTS THE COUNT OF INDIVIDUAL DOCUMENT AVAILABILITY CODES (DAC) OR CAN REPRESENT A SUMMARY OF DACS B, D, F, H.

8161 45-NSN-FMY DLSC-SBA F 8  
45 NSN FAMILY  
THE NUMBER OF FAMILIES HAVING 45 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8162 FCS-REF-SAC-TII-1-NSN FCS\_STAT\_CNT\_8162 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8163 FCS-REF-SAC-TII-2-NSN FCS\_STAT\_CNT\_8163 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8164 FCS-REF-SAC-TII-4-NSN FCS\_STAT\_CNT\_8164 DLSC-SBA F INTEGER 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN  
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8165 FCS-REF-SAC-TII-1-PCT DLSC-SBA F 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8166 FCS-REF-SAC-TII-2-PCT DLSC-SBA F 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8167 IANDS-ACTY-AVG-NSN DLSC-SBA F 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE  
THE AVERAGE NUMBER OF PICA MANAGED NSNS PER I AND S FAMILY BY ACTIVITY WITHIN DEPARTMENT.

8168 FCS-REF-SAC-TII-4-PCT DLSC-SBA F 8  
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT  
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8169 6-10-NSN-FMY DLSC-SBA F 8  
6-10 NSN FAMILY  
THE CUMULATIVE NUMBER OF FAMILIES HAVING 6-10 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8170 FCS-C-REF-SAC-TII-1-NSN FCS\_STAT\_CNT\_8170 DLSC-SBA F INTEGER 8  
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN  
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8171 FCS-C-REF-SAC-TII-2-NSN FCS\_STAT\_CNT\_8171 DLSC-SBA F INTEGER 8  
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN  
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8172 FCS-C-REF-SAC-TII-4-NSN FCS\_STAT\_CNT\_8172 DLSC-SBA F INTEGER 8  
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN  
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8173 FCS-C-REF-SDP-TII-1-NSN FCS\_STAT\_CNT\_8173 DLSC-SBA F INTEGER 8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8174 FCS-C-REF-SDP-TII-2-NSN FCS\_STAT\_CNT\_8174 DLSC-SBA F INTEGER 8

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8175 FCS-C-REF-SDP-TII-4-NSN FCS\_STAT\_CNT\_8175 DLSC-SBA F INTEGER 8

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8176 FCS-C-REF-SDP-TII-1-PCT DLSC-SB F 8

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8177 FCS-C-REF-SDP-TII-2-PCT DLSC-SBA F 8

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8178 FCS-C-REF-SDP-TII-4-PCT DLSC-SBA F 8

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8179 LRN-PROC-TRN-PRCS-CAN-M DLSC-SB F 6

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8180 AAC-IM-DEPT-LOA-AAC-NSN AAC\_STAT\_CNT\_8180 DLSC-SBA F INTEGER 8

ACQUISITION ADVICE CODE IM DEPARTMENT LOA AAC NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8181 AAC-IM-DEPT-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE IM DEPARTMENT NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8182 AAC-IM-DEPT-GP-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8183 AAC-IM-DEPT-AAC-NSN AAC\_STAT\_CNT\_8183 DLSC-SBA F INTEGER 8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT AAC NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8184 AAC-LA-ACTY-LOA-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8185 AAC-LA-ACTY-LOA-GP-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8186 AAC-LA-ACTY-LOA-AAC-NSN AAC\_STAT\_CNT\_8186 DLSC-SBA F INTEGER 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY LOA AAC NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8187 AAC-LA-ACTY-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8188 AAC-LA-ACTY-GP-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8189 AAC-LA-ACTY-AAC-NSN AAC\_STAT\_CNT\_8189 DLSC-SBA F INTEGER 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY AAC NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8190 AAC-LA-DEPT-LOA-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8191 AAC-LA-DEPT-LOA-GP-NSN DLSC-SBA F 8

ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN

TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8192 LRN-PROC-TRN-PRCS-CAN-Q DLSC-SB F 6

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTL

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8193 LRN-PROC-TRN-PRCS-CAN-Y DLSC-SB F 6

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACCOUNT NUMBER.

8194 LRN-PROC-TRN-PRCS-ACTY-D LRN\_STAT\_CNT\_8194 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY ACTIVITY.

8195 LRN-PROC-TRN-PRCS-ACTY-W DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY  
THE TOTAL NMBR OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8196 LRN-PROC-TRN-PRCS-ACTY-M DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8197 LRN-PROC-TRN-PRCS-ACTY-Q DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8198 LRN-PROC-TRN-PRCS-ACTY-Y DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8199 LRN-PROC-TRN-PRCS-DEPT-D DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8200 LRN-PROC-TRN-PRCS-DEPT-W DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8201 LRN-PROC-TRN-PRCS-DEPT-M DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8202 LRN-PROC-TRN-PRCS-DEPT-Q DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8203 LRN-PROC-TRN-PRCS-DEPT-Y DLSC-SB F 6  
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY  
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8204 M6B6-FSC-AT-T4B-NSN M6B6\_STAT\_CNT\_8204 DLSC-SBA F INTEGER 8  
M6B6 FSC ACTIVITY TYPE 4B NSN  
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8205	M6B6-FSC-AT-T2-NSN	M6B6_STAT_CNT_8205	DLSC-SBA	F	INTEGER	8
M6B6 FSC ACTIVITY TYPE 2 NSN						
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.						
8206	M6B6-FSC-AT-FULL-PCT		DLSC-SBA	F		8
M6B6 FSC ACTIVITY FULL PERCENT						
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.						
8207	M6B6-FSC-AT-PART-PCT		DLSC-SBA	F		8
M6B6 FSC ACTIVITY PARTIAL PERCENT						
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.						
8208	FCS-C-SAC-NSN		DLSC-SBA	F		8
FCS CURRENT SUBMITTING ACTIVITY CODE NSN						
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.						
8209	AMSC-DP-AT-TOT-NSN		DLSC-SBA	F		8
AMSC DEPARTMENT ACTIVITY TOTAL NSN						
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.						
8210	AMC-AT-ACC-CD-FR-NSN		DLSC-SBA	F		8
AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN						
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.						
8211	AAC-LA-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_8211	DLSC-SBA	F	INTEGER	8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA AAC						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.						
8212	AAC-LA-DEPT-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT NSN						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.						
8213	AAC-LA-DEPT-GP-NSN		DLSC-SBA	F		8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT GRP NSN						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACs WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.						
8214	AAC-LA-DEPT-AAC-NSN	AAC_STAT_CNT_8214	DLSC-SBA	F	INTEGER	8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT AAC NSN						
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.						
8215	DS1-DEML-NSC-NSN	DS1_STAT_CNT_8215	DLSC-SBA	F	INTEGER	8

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DS1 DEMIL NIIN STATUS CODE NSN

THE NUMBER OF NSNS IN THE DLSC DATA BASE WITH A SPECIFIC NIIN STATUS CODE ASSOCIATED WITH A SPECIFIC DEMIL CODE.

8216 DS1-DEML-NSC-NSN-T DLSC-SBA F 8  
DS1 DEMIL NIIN STATUS CODE NSN TOTAL  
THE SUM OF NSNS WITH A SPECIFIC NIIN STATUS CODE.

8217 DS2-DPT-DEML-NSC-0-NSN DS2\_STAT\_CNT\_8217 DLSC-SBA F INTEGER 8  
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN  
THE NUMBER OF NSNS WITH A NIIN STATUS CODE OF 0 ASSOCIATED WITH A SPECIFIC DEMIL CODE BROKEN OUT BY DEPARTMENT.

8218 DS2-DPT-DEML-NSC-0-NSN-T DLSC-SBA F 8  
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN TOTAL  
THE SUM OF NSNS WITH A NIIN STATUS CODE OF 0 COMBINATION ACROSS ALL DEMIL CODES, INCLUDING BLANK, FOR A SPECIFIC DEPARTMENT/AGENCY

8219 DS3-DOD-SS-NSC-0-MGD-NSN DS3\_STAT\_CNT\_8219 DLSC-SBA F INTEGER 8  
DS3 DOD SOURCE OF SUPPLY NIIN STATUS CODE 0 MANAGED NSNS  
THE NUMBER OF DOD MANAGED NSNS WITH A NIIN STATUS CODE OF 0, BROKEN OUT BY SOURCE OF SUPPLY (SOS) ITEM MANAGER.

8220 DS3-DOD-NSC-0-MGD-NSN-T DLSC-SBA F 8  
DS3 DOD NIIN STATUS CODE 0 MANAGED NSN TOTAL  
THE NET COUNT OF ALL DOD MANAGED ITEMS WITH A NIIN STATUS CODE OF 0 AND A SOS ITEM MANAGER.

8221 DS4-ML-SS-NSC-0-DEML-NSN DS4\_STAT\_CNT\_8221 DLSC-SBA F INTEGER 8  
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL NSN  
THE NUMBER OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF 0 ASSOCIATED WITH A SPECIFIC OR BLANK DEMIL CODE, BROKEN OUT BY THE SOS ITEM MANAGER.

8222 DS4-ML-SS-NSC-0-DEML-T DLSC-SBA F 8  
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL TOTAL  
THE SUM OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF 0 COMBINATION ACROSS ALL DEMIL CODES, INCLUDING BLANK, FOR A SPECIFIC SOS ITEM MANAGER.

8223 DS4-ML-NSC-0-DEML-NSN-T DLSC-SBA F 8  
DS4 MILITARY NIIN STATUS CODE 0 DEMIL NSN TOTAL  
THE SUM OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF 0 IN COMBINATION WITH A SPECIFIC DEMIL CODE OR A BLANK DEMIL CODE.

8224 ABV-MRC-FIIG-INC-NSN AMRC\_STAT\_CNT\_8224 DLSC-SBA F INTEGER 8  
ABBREVIATED MRC FIIG ITEM NAME CODE NSN  
THE NUMBER OF NSNS WITH A SPECIFIC MASTER REPLY CODE, WITHIN A SPECIFIC FIIG FOR A SPECIFIC ITEM NAME CODE.

8225 TO-AMC-5-13 DLSC-SBA F 8  
TO ACQUISITION METHOD CODE 5  
TO AMC 5 FOR DRN 8221, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.

8226 D-ACT-CC-CHGFRM-AMC-3-QT DLSC-SBA F 8  
DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 3 BY COMMODITY CATEGORY CODE BY DEPARTMENT BY ACTIVITY TO AMC 1, 2, 4 OR 5.

8228 ABV-MRC-FIIG-INC-NSN-PCT DLSC-SBA F 8  
ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT  
THE PERCENT OF NSNS WITH A SPECIFIC MASTER REPLY CODE WITHIN A SPECIFIC FIIG FOR SPECIFIC ITEM NAME CODE.

8229 M6B6-FSC-AT-REF-PCT DLSC-SBA F 8  
M6B6 FSC ACTIVITY REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8230 M6B3-CLM-DP-LOA-REF-PCT DLSC-SBA F 8  
M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT  
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

8231 LRN-PROC-CAN-YRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

8232 LRN-PROC-ACTY-DLY LRN\_STAT\_CNT\_8232 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND ACTIVITY.

8233 LRN-PROC-ACTY-WKLY DLSC-SB F 6  
LOGRUN PROCEDURES ACTIVITY WEEKLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND ACTIVITY.

8234 LRN-PROC-ACTY-MTHLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND ACTIVITY.

8235 LRN-PROC-ACTY-QTRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND ACTIVITY.

8236 LRN-PROC-ACTY-YRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND ACTIVITY.

8237 LRN-PROC-DEPT-DLY LRN\_STAT\_CNT\_8237 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND DEPARTMENT.

8238 LRN-PROC-DEPT-WKLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND DEPARTMENT.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8239 LRN-PROC-DEPT-MTHLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8240 LRN-PROC-DEPT-QTRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8241 LRN-PROC-DEPT-YRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8242 LRN-PROC-TOT-DLY LRN\_STAT\_CNT\_8242 DLSC-SB F INTEGER 6  
LOGRUN PROCEDURES APPLICATION TOTAL DAILY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8243 LRN-PROC-TOT-WKLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8244 LRN-PROC-TOT-MTHLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8245 LRN-PROC-TOT-QTRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8246 LRN-PROC-TOT-YRLY DLSC-SB F 6  
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY  
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8247 LRN-COMB-CAN-DLY DLSC-V F 8  
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY CUSTOMER ACCOUNT NUMBER.

8248 LRN-COMB-CAN-WKLY DLSC-V F 8  
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY  
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY CUSTOMER ACCOUNT NUMBER.

8249 TYPE-II-4B-B-14 DLSC-SBA F 8  
TYPE ITEM IDENTIFICATION 4B-B14

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TYPE II 4B FOR DRN 8243, QUANTITY NSNS ASSIGNED CLASSES TYPE II-B14.

8252 ASSOC-PSN DLSC-SB F 3  
ASSOCIATION PACKAGE SEQUENCE NUMBER  
THE OUTPUT PACKAGE SEQUENCE NUMBER /PSN/ OF THE REFERENCE NUMBER WHICH CREATED A MATCH THROUGH ASSOCIATION CODE SCREENING.

8254 RPLY-TBL-CD-MRD RPLY\_TBL\_MRD\_8254 DLSC-SC F CHAR 4  
REPLY TABLE CODE, MASTER REQUIREMENTS DIRECTORY (MRD)  
A CODE ASSIGNED TO EACH REPLY TABLE IN THE MASTER REQUIREMENTS DIRECTORY (MRD) FOR IDENTIFICATION PURPOSES. EACH TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE. THE FORMAT OF THIS CODE IS TWO ALPHA POSITIONS FOLLOWED BY TWO NUMERIC POSITIONS.

8255 CTL-CHAR-CD DLSC-SB F 1  
CONTROL CHARACTER CODE  
A FORMAT CONTROL CHARACTER REQUIRED TO REFORMAT THE WIRE TRANSMITTAL OR EAM CARD COMPRESSED VERSION OF CLEAR TEXT CHARACTERISTICS INTO THE PROPER PRINTING FORMAT.

8256 LI-NBR DLSC-V F 1  
LINE NUMBER  
A CODE USED TO IDENTIFY THE PORTIONS OF THE MASTER REQUIREMENTS CODE COLUMN HEADER WHICH IS SUBJECT TO TABULAR DISPLAY FOR A GIVEN ITEM NAME CODE. FOUR LINE NUMBER LEVELS ARE THE MAXIMUM ALLOWED.

8257 COL-NBR-IL-TBL DLSC-V F 2  
COLUMN NUMBER IDENTIFICATION LISTING TABULAR  
A NUMBER IDENTIFYING A COLUMN OF TABULAR PRINT OUT USED IN THE COLUMNAR DISPLAY FOR AN IDENTIFICATION LISTING.

8258 COL-WIDTH-IL-TBLR DLSC-V F 2  
COLUMN WIDTH IDENTIFICATION LISTING TABULAR  
A NUMBER THAT REPRESENTS THE MAXIMUM WIDTH OF REPLIES TO BE ENTERED IN CITING THE COLUMNAR DISPLAY CRITERIA FOR AN IDENTIFICATION LIST.

8261 PRT-DWG-SUPRSN-IND-CD PRT\_DWG\_SUPR\_8261 DLSC-VPE F CHAR 1  
PRINT/DRAWING SUPPRESSION INDICATOR CODE  
A CODE USED TO SUPPRESS THE PRINTING OF A MRC AND THE REQUIREMENT STATEMENT/REPLY FOR DECODE PRINT PRODUCTION OR THAT A SPECIFIC DIGITIZED DRAWING WILL BE SUPPRESSED FOR IDENTIFICATION LIST PRODUCTION. CODE X IS ENTERED IF SUPPRESSION IS REQUIRED, OTHERWISE THE POSITION IS LEFT BLANK.

8263 LI-CONTI-CD DLSC-SB F 1  
LINE CONTINUATION CODE  
A CODE USED, IF MORE THAN ONE RECORD/LINE IS REQUIRED, TO SEQUENCE THE RECORD/LINES REQUIRED FOR THE CONVERTED PRINT EXPRESSION OF THE REPLY FOR OUTPUT DISPLAY.

8264 CRD-SEQ-CD CRD\_SEQ\_CD\_8264 DLSC-SB F CHAR 4  
CARD/SEQUENCE CODE  
A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH INPUT ACTIONS WILL OCCUR WITHIN A GIVEN DOCUMENT IDENTIFICATION CODE PACKAGE OR SEGMENT THEREOF. THIS CODE MAY ALSO BE ADDRESSED WHEN MAKING FILE CHANGES TO INSURE THAT THE APPLICABLE LINE OF THIS AUTOMATIC DATA PROCESSING GUIDE IS CHANGED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8265 COMN-VAL-GP-NBR CVAL\_GP\_NBR\_8265 DLSC-V F CHAR 2  
COMMON VALUE GROUP NUMBER  
A NUMBER THAT REPRESENTS THE COMMON VALUE GROUPING AND THE SEQUENCE IN WHICH THE GROUPING WILL BE PUBLISHED.

8268 DE-TRMNR-CD DLSC-SB F 1  
DATA ELEMENT TERMINATOR CODE  
A SPECIAL CHARACTER USED TO INDICATE THE TERMINATION OF A VARIABLE AND/ OR FIXED LENGTH DATA ELEMENT.

8269 TM-DSPL-ORDR-ID DSPL\_ORDR\_8269 DLSC-S F CHAR 3  
TRANSACTION MANAGEMENT DISPLAY ORDER IDENTIFIER  
THE IDENTIFIER THAT IS USED TO ORDER THE DISPLAY OF DICs ON THE LIST ALL SCREEN FOR MANAGE BY DIC. VALID VALUES: ANY COMBINATION OF NUMBERS OR LETTERS (NO SPECIAL CHARACTERS).

8270 DSPL-MTHD-LOC-NAR DLSC-V F 1  
DISPLAY METHOD LOCATION CODE NARRATIVE  
A CODE THAT SPECIFIES THE LOCATION OF A CHARACTERISTICS NARRATIVE AS DISPLAYED IN THE NARRATIVE LISTING OF AN IDENTIFICATION LISTING

8280 FMR-MOE-RULE-NBR FMR\_MOE\_RULE\_8280 DLSC-SB F CHAR 4  
FORMER MAJOR ORGANIZATIONAL ENTITY RULE NUMBER  
A CODE WHICH REPRESENTS A SPECIFIC MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE THAT FORMERLY APPLIED TO THE MANAGEMENT OF AN ITEM OR A GROUP OF ITEMS OF SUPPLY.

8290 MOE-RULE-NBR MOE\_RULE\_NBR\_8290 DLSC-SBA F CHAR 4  
MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER  
A CODE WHICH REPRESENTS A SPECIFIC MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE THAT APPLIES TO THE MANAGEMENT OF AN ITEM OR A GROUP OF ITEMS OF SUPPLY. THE FIRST POSITION IDENTIFIES THE SERVICE/AGENCY RESPONSIBLE FOR ESTABLISHING AND MAINTAINING THE MOE RULES. THE REMAINING THREE POSITIONS ARE NON-SIGNIFICANT AND ARE USED FOR SEQUENCING PURPOSES ONLY. SEE VOLUME 10, TABLES 156 AND 174, AND VOLUME 13.

8295 DISPL-MTHD-LOC-CD-TBLR DLSC-V F 1  
DISPLAY METHOD LOCATION CODE TABULAR  
A CODE THAT SPECIFIES THE LOCATION OF A CHARACTERISTIC AS IT WILL BE DISPLAYED IN THE TABULAR LISTING OF AN IDENTIFICATION LISTING.

8306 GRPHS-RQMT-IND-CD DLSC-V F 1  
GRAPHICS REQUIREMENT INDICATOR CODE  
AN /X/ CODE THAT INDICATES THAT GRAPHICS, E.G., A REFERENCE DRAWING GROUP DRAWING STYLE IS APPLICABLE TO THE REQUIREMENT.

8311 MRC-ABRG-ASSOD-TXT-TBL DLSC-V F 4  
MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER  
THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED FOR INCLUSION WITH THE PRINT OUT FOR PUBLICATIONS.

8326 RPLY-CONV-IND DLSC-V F 1  
REPLY CONVERSION INDICATOR  
A (X) CODE USED TO INDICATE WHEN MULTIPLE METHODS OF MEASUREMENT ARE BEING INPUT IN REPLY TO REQUIREMENTS. THESE MUST BE CONVERTED TO ONE OUTPUT EXPRESSION IN PUBLICATIONS.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8327 RPLY-FLD-DSPL-CRITE-D146 DLSC-SC V 99  
REPLY FIELD DISPLAY CRITERIA, DD FORM 146  
A DATA FIELD FOR THE SYMBOLOGY WHICH DESIGNATES THE RECORD/LINE SEQUENCE FOR THE CONVERTED PRINT EXPRESSION OF THE REPLY AND WHERE TO PUT THE CLEAR TEXT PORTION OF THE REPLY.

8328 SUBMTD-PKG-SEQ-NBR DLSC-SB F 3  
SUBMITTED PACKAGE SEQUENCE NUMBER  
THE PACKAGE SEQUENCE NUMBER PERPETUATED FROM THE ORIGINAL SUBMITTAL WHICH CONTAINED SOME TYPE OF ERROR OR DISCREPANCY WITHIN THE RANGE OF DATA IDENTIFIED BY THIS PACKAGE SEQUENCE NUMBER. WHEN UTILIZED AS A RESULT OF A SYSTEM ERROR, A FILLER WILL BE USED IN LIEU OF THE PACKAGE SEQUENCE NUMBER.

8329 DEPT-CD DEPT\_CD\_8329 DLSC-S F CHAR 2  
DEPARTMENT CODE  
THIS FIELD CONTAINS A 2 CHARACTER CODE FOR EACH DEPARTMENT. VALID CODES ARE: AR = ARMY, AF = AIR FORCE, MC = MARINE CORPS, NA = NAVY, AND NT = NATO.

8330 SAC-ABRG-ASSO-TEXT-TBL DLSC-V F 4  
SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER  
THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATION FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8335 SRTG-PRI-CD-IL-DATA DLSC-V F 1  
SORTING PRIORITY CODE IDENTIFICATION LIST DATA  
A CODE THAT SPECIFIES THE PRIORITY OF A REQUIREMENT USED IN THE SORTING OF ITEM IDENTIFICATIONS TO BE CONTAINED IN AN IDENTIFICATION LIST.

8337 SAC-UNABRG-ASSOC-TXT-TBL DLSC-SC F 4  
SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER  
THE TABLE NUMBER UNDER WHICH IS STORED THE UNABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATIONS FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8351 MDLS-BUL-BRD-MSG-ID BB\_MSG\_ID\_8351 DLSC-VP F CHAR 6  
MEDALS BULLETIN BOARD MESSAGE IDENTIFIER  
THE IDENTIFIER THAT INDICATES A BB MESSAGE. FIRST FIVE POSITIONS INDICATE YEAR/JULIAN DATE, SIXTH POSITION IS AN ALPHA REPRESENTING BB MESSAGE FOR THAT DAY. EXAMPLE, 96135A.

8352 MDLS-BUL-BRD-LI-SEQ-ID BB\_LI\_SEQ\_8352 DLSC-VP F CHAR 2  
MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER  
THE IDENTIFIER THAT REPRESENTS A LINE OF TEXT. VALID VALUES: 01-99

8353 MDLS-BUL-BRD-MSG-TX MDLS\_BB\_MSG\_8353 DLSC-VP F CHAR 79  
MEDALS BULLETIN BOARD MESSAGE TEXT  
THE CLEAR TEXT MESSAGE OF A MEDALS BULLETIN BOARD. VALID VALUES: 01-99 LINES

8354 MDLS-BUL-BRD-CMNT-TX MDLS\_BB\_CMNT\_8354 DLSC-VP F CHAR 237  
MEDALS BULLETIN BOARD COMMENTS TEXT  
THE CLEAR TEXT THAT CONTAINS USER MEDALS BULLETIN BOARD COMMENTS.

8375 NBR-DATA-COLLBR NBR\_COLLBR\_8375 DLSC-SB F CHAR 1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## NUMBER OF DATA COLLABORATORS

USED TO IDENTIFY THE NUMBER OF SUPPLEMENTARY DATA COLLABORATORS WITHIN A GIVEN SEGMENT.

8380 NBR-DATA-RCVR NBR\_RCVR\_8380 DLSC-SB F CHAR 1  
NUMBER OF DATA RECEIVERS  
USED TO IDENTIFY THE NUMBER OF SUPPLEMENTARY DATA RECEIVERS WITHIN A GIVEN SEGMENT.

8450 OPTNL-MAND-MRC-IND-CD MRC\_IND\_CD\_8450 DLSC-SC F CHAR 1  
OPTIONAL/MANDATORY MRC INDICATOR CODE  
A CODE THAT DESIGNATES IF A REPLY TO A MASTER REQUIREMENT CODE/ REQUIREMENT IS MANDATORY OR OPTIONAL. CODE 1 SIGNIFIES A REPLY IS MANDATORY, CODE 9 SIGNIFIES THAT A REPLY IS OPTIONAL.

8451 TYP-SCRNG-CRITE-CD DLSC-SB F 1  
TYPE OF SCREENING CODE  
A CODE USED IN PROVISIONING AND OTHER PREPROCUREMENT SCREENING FOR SEARCHES BY REFERENCE NUMBER OR CHARACTERISTICS DATA. THE CODE INDICATES ITEM OF SUPPLY OR FILE MATCH SEARCH. SEE VOLUME 10, TABLE 33 AND QUICK INFO ON-LINE.

8452 TECH-EDIT-CRITE-STMT TECH\_ED\_STMT\_8452 DLSC-SC V VARCHAR 9999  
TECHNICAL EDIT CRITERIA STATEMENT  
THE TECHNICAL EDIT CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN MASTER REQUIREMENTS CODE TO EDIT THE STRUCTURE OF THE MASTER REQUIREMENTS CODE REPLY.

8453 RPLY-CONV-CRITE-STMT RPLY\_CONV\_STM\_8453 DLSC-S F VARCHAR 9999  
REPLY CONVERSION CRITERIA STATEMENT  
THE INPUT CONVERSION CRITERIA STATEMENT SYMBOLOGY USED FOR SCREENING AND TO FORMAT THE CONVERTED PRINT EXPRESSION FOR OUTPUT DISPLAY.

8454 RL-EDIT-CRITE-STMT RL\_EDIT\_STMT\_8454 DLSC-SC V VARCHAR 9999  
RELATIONSHIP EDIT CRITERIA STATEMENT  
THE RELATIONSHIP EDIT CRITERIA STATEMENT SYMBOLOGY USED TO INDICATE THE RELATIONSHIP BETWEEN MASTER REQUIREMENTS CODES AND/OR MASTER REQUIREMENTS CODE REPLIES.

8456 SCRNG-CRITE SCRNG\_CRITE\_8456 DLSC-SC V VARCHAR 9999  
SCREENING CRITERIA  
THE SCREENING CRITERIA STATEMENT SYMBOLOGY USED TO ESTABLISH THE LIMITS AND PARAMETERS WITHIN WHICH ONE ITEM MAY BE CONSIDERED INTERCHANGEABLE WITH ANOTHER, SUBSTITUTABLE FOR ANOTHER, OR PREFERRED OVER ANOTHER, FOR THE PURPOSE OF STOCKING, STORING, AND ISSUING.

8458 MOE-RULE-STAT-CD M\_RL\_STAT\_CD\_8458 DLSC-SBA F CHAR 1  
MAJOR ORGANIZATIONAL ENTITY RULE STATUS CODE  
A CODE DESIGNATING THE STATUS OF A MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE. STATUS CODE 0 RULE IS ACTIVE AUTH FOR USE, CODE 1 RULE IS CANCEL W/O REPLACEMENT, CODE 2 IS CANCEL W/SINGLE RULE REPLACEMENT, CODE 3 IS CANCEL W/MULTIPLE RULE REPLACEMENT, CODE 4 NEW MOE RULE NOT AUTH FOR USE UNTIL EFFECTIVE DATE IS REACHED, CODE 5 RESERVED MOE RULE REPRESENTS PENDING RELATIONSHIP ACTIVATED AS REQUIRED, CODE 6 INDICATES A CANCEL/REPLACEMENT ACTION PENDING AGAINST A GIVEN MOE RULE. CODE 7 INDICATES A CHANGE PENDING AGAINST THE MOE RULE. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

8470 NM-CD-NON-APRVD DLSC-SCA F 5  
NAME CODE, NONAPPROVED

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A FIVE POSITION NUMERIC CODE WITH 7 IN THE FIRST POSITION, (EXCLUDING 7777) IS INDEXED TO BASIC CONCEPT NAMES, A FIVE POSITION ALPHA NUMERIC CODE G0001 - Z9998 AND IS INDEXED TO COLLOQUIAL NAMES. A FIVE POSITION ALPHA NUMERIC CODE (A0001 - F9999) WHICH IS INDEXED TO THE FEDERAL SUPPLY CLASS (FSC) INDEX ENTRIES. ALL CODES ARE FOR DEFENSE LOGISTICS SERVICES CENTER PUBLICATIONS USE ONLY. NOTE: FOR NON-APPROVED ITEM NAMES WHICH HAVE BEEN ASSIGNED A NATIONAL ITEM IDENTIFICATION NUMBER INC 7777 WILL BE ASSIGNED (SEE DRN 4080).

8472 FMR-UI DLSC-SBA F CHAR 2  
FORMER UNIT OF ISSUE  
A UNIT OF ISSUE CODE THAT FORMERLY APPLIED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLES 53 AND 79 AND QUICK INFO ON-LINE.

8525 REP-ITM-STDZN-CD REP\_ISC\_8525 DLSC-SB F CHAR 1  
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER  
THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS NOT AUTHORIZED FOR FUTURE PROCUREMENT.

8555 CONTI-IND-CD CONTI\_IND\_CD\_8555 DLSC-SBA F CHAR 1  
CONTINUATION INDICATOR CODE  
A ONE POSITION CODE TO INDICATE THAT THERE ARE ADDITIONAL CARDS REQUIRED TO FULLY PORTRAY AN INDIVIDUAL SEGMENT. IN ADDITION, IN THOSE EAM SEGMENTS CONSTRUCTED IN MULTIPLE FIXED FORMATS, THIS CODE IDENTIFIES EACH INDIVIDUAL FORMAT IN THE SEGMENT.

8575 QNTV-EXPRSN QNTV\_EXPRSN\_8575 DLSC-SBA F CHAR 13  
QUANTITATIVE EXPRESSION  
AN EXPRESSION WHICH SPECIFIES THE CONTENT (DECIMAL LOCATOR, QUANTITY AND UNIT OF MEASUREMENT) OF THE NONDEFINITIVE UNIT OF ISSUE ASSIGNED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 81 AND QUICK INFO ON-LINE.

8581 SKO-I-I-NBR SKO\_I\_I\_NBR\_8581 DLSC-VPE F CHAR 7  
SETS KITS OUTFITS NIIN ITEM IDENTIFICATION NUMBER  
THE LAST SEVEN POSITIONS OF THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.

8582 SKO-NCB-CD SKO\_NCB\_CD\_8582 DLSC-SD F CHAR 2  
SETS KITS OUTFITS NATIONAL CODIFICATION BUREAU CODE  
A TWO-DIGIT CODE NUMBER INDICATING THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.

8583 CMP-I-I-NBR CMP\_I\_I\_NBR\_8583 DLSC-VPE F CHAR 7  
COMPONENT NIIN ITEM IDENTIFICATION NUMBER  
THE LAST SEVEN POSITIONS OF THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.

8584 CMP-NCB-CD CMP\_NCB\_CD\_8584 DLSC-SD F CHAR 2  
COMPONENT NIIN NATIONAL CODIFICATION BUREAU CODE  
A TWO-DIGIT CODE NUMBER INDICATING THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.

8585 SECT-RULE-TBL-NBR RUL\_TBL\_NBR\_8585 DLSC-SCA F CHAR 4  
SECTION RULE TABLE NUMBER  
USED ON THE SECTION II GUIDE TO IDENTIFY TO THE SECTION II APPLICATION MODULE THE EXCEPTION PROCESSING ROUTINES THAT ARE TO BE APPLIED TO THE CHARACTERISTICS INPUT DATA.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
8589	HMIC-FSC-TBL-NBR	HMIC_FSC_TB_N_8589	DLSC-SB	F CHAR	1
HAZARDOUS MATERIALS INDICATOR CODE FED SUPPLY CLASS TBL THIS FIELD CONTAINS A NUMBER THAT ALLOWS A FEDERAL SUPPLY GROUP AND CLASS, COMMONLY REFERRED TO AS FSC, TO BE ASSOCIATED WITH ONE OR MORE TABLES AS PRESCRIBED BY FEDERAL STANDARD 313.					
8591	SKO-NIIN	SKO_NIIN_8591	DLSC-VPE	F CHAR	9
SETS KITS OUTFITS NIIN THIS IS THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.					
8592	CMP-NIIN	CMP_NIIN_8592	DLSC-VPE	F CHAR	9
COMPONENT NIIN THIS IS THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.					
8593	SKO-QTY	SKO_QTY_8593	DLSC-VPE	F CHAR	4
SETS KITS AND OUTFITS QUANTITY THE NUMBER OF EACH SET, KIT, OR OUTFIT CURRENTLY AVAILABLE.					
8594	SKO-FSC	SKO_FSC_8594	DLSC-VPE	F CHAR	4
SETS KITS AND OUTFITS FEDERAL SUPPLY CLASS THE FEDERAL SUPPLY CLASS TO WHICH EACH SET, KIT, OR OUTFIT IS ASSIGNED.					
8595	CMP-FSC	CMP_FSC_8595	DLSC-VPE	F CHAR	4
COMPONENTS FEDERAL SUPPLY CLASS THE FEDERAL SUPPLY CLASS TO WHICH EACH COMPONENT OF EACH SET, KIT, OR OUTFIT IS ASSIGNED.					
8596	SKO-ITEM-NAME	SKO_ITEM_NAME_8596	DLSC-VPE	F CHAR	19
SETS KITS AND OUTFITS ITEM NAME THE ITEM NAME GIVEN TO EACH SET, KIT, OR OUTFIT.					
8597	CMP-ITEM-NAME	CMP_ITEM_NAME_8597	DLSC-VPE	F CHAR	19
COMPONENT ITEM NAME THE ITEM NAME GIVEN TO EACH COMPONENT OF EACH SET, KIT, OR OUTFIT.					
8598	IDEN-MKG-CD2	IDEN_MKG_CD2_8598	DLSC-VPE	F CHAR	8
IDENTIFICATION MARKING CODES TWO THE SECOND OCCURRENCE OF IDEN-MKG-CD, IDENTIFICATION MARKING CODES, DRN 7975.					
8599	INSP-CD-STNG	INSP_CD_STNG_8599	DLSC-V	F CHAR	20
INSPECTION CODE STRING A GROUP OF 10 INSPECTION CODES. SEE DRN 7976. INSP-CD.					
8601	IDS-GRP-NBR	GRP_NBR_8601	DLSC-VPE	F SMALLINT	4
IDS GROUP NUMBER SEQUENTIAL NUMBER OF GROUPING DEFINITION. VALID ENTRIES ARE 1 THROUGH MAXIMUM DEFINED GROUP NUMBER.					
8602	IDS-START-RCD-TYP-CD	START_RCD_TYP_8602	DLSC-VPE	F SMALLINT	4
IDS START RECORD TYPE CODE THE RECORD TYPE WHICH STARTS THIS DATA GROUP. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO 3 IS VALID HERE.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8603 IDS-START-ACCS-NBR START\_ACCS\_8603 DLSC-VPE F SMALLINT 4  
IDS START ACCESS NUMBER

THE ACCESS WHICH STARTS THIS DATA GROUP. ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE IS VALID.

8604 IDS-START-CMP-NBR START\_CMP\_8604 DLSC-VPE F SMALLINT 4  
IDS START COMPONENT NUMBER

THE COMPONENT WHICH STARTS THIS DATA GROUP. ANY DEFINED COMPONENT WITHIN THE SPECIFIED RECORD TYPE AND ACCESS IS VALID.

8605 IDS-END-RCD-TYP-CD END\_RCD\_TYP\_8605 DLSC-VPE F SMALLINT 4  
IDS END RECORD TYPE CODE

THE RECORD TYPE WHICH ENDS THIS DATA GROUP. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO THE START\_REC-\_TYP SPECIFIED FOR THIS DATA GROUP IS VALID.

8606 IDS-END-ACCS-NBR END\_ACCS\_NBR\_8606 DLSC-VPE F SMALLINT 4  
IDS END ACCESS NUMBER

AN ACCESS WHICH ENDS THE DATA GROUP. A VALID ENTRY IS ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-ACCS-NBR (8603) IF IDS-START-RCD-TYP-CD AND IDS-END-RCD-TYP-CD ARE THE SAME, OR ANY DEFINED ACCESS WITHIN IDS-END-RCD-TYP-CD (8605) IF THE IDS-END-RCD-TYP-CD IS GREATER THAN THE IDS-START-RCD-TYP-CD (8602).

8607 IDS-END-CMP-NBR END\_CMP\_8607 DLSC-VPE F SMALLINT 4  
IDS END COMPONENT NUMBER

THE COMPONENT WHICH ENDS THIS DATA GROUP. A VALID ENTRY IS ANY DEFINED COMPONENT WITHIN THE SPECIFIED ACCESS WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-CMP-NBR (8604) IF IDS-START-ACCS-NBR AND IDS-END-ACCS-NBR ARE THE SAME OR ANY DEFINED ACCESS WITHIN THE IDS-END-ACCS-NBR (8606) IF THE IDS-END-ACCS-NBR IS GREATER THAN THE IDS-START-ACCS-NBR (8603).

8608 IDS-PRE-BRK-RCD-TYP-CD PRE\_BRK\_RCD\_8608 DLSC-VPE F SMALLINT 4  
IDS PRE BREAK RECORD TYPE CODE

RECORD TYPE AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED RECORD TYPE WITHIN THE GROUP IS VALID.

8609 IDS-PRE-BRK-ACCS-NBR PRE\_BRK\_ACCS\_8609 DLSC-VPE F SMALLINT 4  
IDS PRE BREAK ACCESS NUMBER

THE ACCESS AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED ACCESS WITHIN THE GROUP IS VALID.

8610 IDS-PRE-BRK-CMP-NBR PRE\_BRK\_CMP\_8610 DLSC-VPE F SMALLINT 4  
IDS PRE BREAK COMPONENT NUMBER

COMPONENT AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED COMPONENT WITHIN THE GROUP IS VALID.

8611 IDS-POST-BRK-RCD-TYP-CD POST\_BRK\_RCD\_8611 DLSC-VPE F SMALLINT 4  
IDS POST BREAK RECORD TYPE CODE

THE RECORD TYPE AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO IDS-PRE-BRK-RCD-TYP-CD (8608) AND WITHIN THE GROUP IS VALID.

8612 IDS-POST-BRK-ACCS-NBR POST\_BRK\_ACCS\_8612 DLSC-VPE F SMALLINT 4  
IDS POST BREAK ACCESS NUMBER



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACCESS AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED ACCESS GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS EQUAL TO THE IDS-PRE-BRK-RCD-TYP-CD (8608), OR ANY DEFINED ACCESS WITHIN THE IDS-POST-BRK-RCD-TYP-CD (8611) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS GREATER THAN IDS-PRE-BRK-RCD-TYP-CD (8608).

8613 IDS-POST-BRK-CMP-NBR POST\_BRK\_CMP\_8613 DLSC-VPE F SMALLINT 4  
IDS POST BREAK COMPONENT NUMBER

THE COMPONENT AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED COMPONENT GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-CMP-NBR (8610) IF THE IDS-POST-BRK-ACCS-NBR (8612) IS EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609), OR ANY DEFINED COMPONENT WITHIN THE IDS-POST-BRK-ACCS-NBR (8612) IF IDS-POST-BRK-ACCS-NBR (8612) IS GREATER THAN IDS-PRE-BRK-ACCS-NBR (8609).

8614 IDS-POST-BRK-POS-CD POST\_BRK\_POS\_8614 DLSC-VPE F CHAR 1  
IDS POST BREAK POSITION CODE  
THIS INDICATES WHETHER THE POST BREAK IS TO COME AFTER THE FIRST OR LAST OCCURRENCE OF THE GROUP. VALID VALUES ARE 'L' OR 'F', LAST OR FIRST.

8615 IDS-FORCED-WRITE-IND FORCED\_WRITE\_8615 DLSC-VPE F CHAR 1  
IDS FORCED WRITE INDICATOR  
AN INDICATOR TO SPECIFY THAT A PHYSICAL RECORD BE WRITTEN FOLLOWING THE COMPLETION OF PROCESSING FOR THIS GROUP. VALID OPTIONS ARE 'Y' FOR YES AND 'N' FOR NO.

8616 IDS-CTR-ATTR-ID CTR\_ATTR\_8616 DLSC-VPE F CHAR 2  
IDS COUNTER ATTRIBUTE IDENTIFIER  
SPECIFIES THE TYPE OF THE COUNTER TO BE PREPENDED TO THIS REPEATING DATA GROUP. OPTIONS ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) INDICATING THE TYPE OF COUNTER AND THE SIZE OF THE COUNTER RESPECTIVELY. SUPPORTED COMBINATIONS ARE: I1, I2, I4, C2, C3, C4, AND C5.

8617 IDS-ZER-SUPRSN-IND ZER\_SUPRSN\_8617 DLSC-VPE F CHAR 1  
IDS ZERO SUPPRESSION INDICATOR  
SPECIFIES WHETHER A DATA LENGTH ATTRIBUTE/COUNTER SHOULD BE PLACED INTO A DATA STREAM WHEN ITS VALUE IS ZERO (INDICATING NO DATA FOUND). OPTIONS ARE Y FOR YES AND N FOR NO.

8618 IDS-GRP-TYP-ID GRP\_TYP\_8618 DLSC-VPE F CHAR 1  
IDS GROUP TYPE IDENTIFIER  
SPECIFIES WHETHER THIS GROUP IS A 'DATA' GROUP OR A 'BREAK' GROUP. VALID ENTRIES ARE 'D' OR 'B'.

8619 IDS-START-CMP-SEQ-NBR START\_CMP\_SEQ\_8619 DLSC-VPE F SMALLINT 4  
IDS START COMPONENT SEQUENCE NUMBER  
SPECIFIES THE STARTING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8620 IDS-END-CMP-SEQ-NBR END\_CMP\_SEQ\_8620 DLSC-VPE F SMALLINT 4  
IDS END COMPONENT SEQUENCE NUMBER  
SPECIFIES THE ENDING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8621 IDS-DAT-LGTH-ATTR-ID DAT\_LGTH\_ATTR\_8621 DLSC-VPE F CHAR 2  
IDS DATA LENGTH ATTRIBUTE IDENTIFIER

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS SPECIFIES THE TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO EACH PHYSICAL RECORD WRITTEN OR SPECIFIED DATA FIELD. OPTIONS: COMBINATION OF ONE LETTER ('C' FOR CHARACTER AND 'I' FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND THE SIZE OF THE LENGTH ATTRIBUTE RESPECTIVELY. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5.

8622 IDS-RCD-LGTH-ATTR-ID RCD\_LGTH\_ATTR\_8622 DLSC-VPE V VARCHAR 30  
IDS RECORD LENGTH ATTRIBUTE IDENTIFIER

SPECIFIES A TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO A PHYSICAL RECORD FOR EACH PUBLICATION PART THAT IS DEFINED. ALSO IT SPECIFIES THE ZERO SUPPRESSION INDICATOR FOR EACH DATA LENGTH ATTRIBUTE. THE THIRTY CHARACTERS ARE DIVIDED INTO 10 SECTIONS, EACH OF WHICH CONTAINS THE TWO-CHARACTER LENGTH ATTRIBUTE TYPE AND A ONE-CHARACTER ZERO-SUPPRESSION INDICATOR. OPTIONS FOR EACH SECTION ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER(1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND SIZE OF LENGTH ATTRIBUTE RESPECTIVELY, FOLLOWED BY A Y OR N FOR ZERO-SUPPRESSION. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5 WITH Y OR N IN THE THIRD POSITION.

8623 IDS-CTR-FUNC-CD CTR\_FUNC\_8623 DLSC-VPE F CHAR 1  
IDS COUNTER FUNCTION CODE

SET BY BUILD (LPDV740B), INDICATES TO MARKUP (LPDV950B) THE FUNCTION OF A USER SPECIFIED COUNTER ASSOCIATED WITH A GROUP. VALID ENTRIES ARE: R (RECORD TYPE INSTANCE COUNTER), A (ACCESS REPEAT COUNTER), C (COMPONENT INSTANCE COUNTER).

8624 IDS-EXTR-UPDT-CD EXTR\_UPDT\_8624 DLSC-VPE F CHAR 1  
IDS EXTRACT UPDATE CODE

SPECIFIES THE MODE IN WHICH THE EXTRACT IS TO BE PROCESSED, VALID VALUES ARE 'U' (UPDATE ONLY), 'N' (NEW MASTER) OR BLANK (NOT AN UPDATE PUB).

8625 IDS-FMT-OP-CD FMT\_OP\_8625 DLSC-VPE F CHAR 1  
IDS FORMAT OUTPUT CODE

SPECIFIES WHAT CUSTOMER OUTPUT WILL BE PRODUCED. VALID VALUES INCLUDE U (UPDATE), M (ALL RECORDS WHICH WERE WRITTEN TO THE NEW MASTER) OR BLANK (NO CUSTOMER OUTPUT IS DESIRED).

8626 IDS-UPDT-KEY-LGTH-QY UPDT\_KEY\_LGTH\_8626 DLSC-VPE F SMALLINT 4  
IDS UPDATE KEY LENGTH QUANTITY

THIS FIELD CONTAINS THE LENGTH OF THE UPDATE KEY WHICH IS USED TO MERGE AN UPDATE WITH THE PUBLICATION MASTER. IF THE UPDATE MODE (DRN 8624) IS BLANK, THE VALUE IN THIS FIELD WILL BE ZERO. RANGE 0 TO 100.

8627 IDS-DYN-ALLOC-IND DYN\_ALLOC\_8627 DLSC-VPE F CHAR 1  
IDS DYNAMIC ALLOCATION INDICATOR

INDICATES WHETHER DYNAMIC ALLOCATION IS USED FOR FILE ALLOCATION. VALID VALUES ARE 'Y' OR 'N'.

8628 IDS-FILE-NM-HLQ-ID FILE\_NM\_HLQ\_8628 DLSC-VPE F CHAR 8  
IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER

IDENTIFIER SPECIFYING WHAT HIGH LEVEL QUALIFIER IS TO BE USED DURING THE DYNAMIC ALLOCATION OF FILES. THE VALID VALUES ARE ANY VALID HIGH LEVEL QUALIFIER.

8655 DT-OE-SEG-ADD DT\_OE\_SEG\_ADD\_8655 DLSC-SC F DATE 5  
DATE, ORGANIZATIONAL ENTITY LINE SEGMENT ADDED

THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS ADDED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8656 DT-OE-LI-SEG-CHNGD DT\_OE\_LI\_CHG\_8656 DLSC-SC F INTEGER 5

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATE, ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED

THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS CHANGED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8657 DT-OE-RCD-DELD DT\_OE\_RCD\_DEL\_8657 DLSC-SC F INTEGER 7  
DATE, ORGANIZATIONAL ENTITY RECORD DELETED

THE YEAR AND JULIAN DAY THAT THE ORGANIZATIONAL ENTITY RECORD WAS DELETED FROM THE ACTIVE/OBSOLETE SEGMENT OF THE SYSTEM SUPPORT /SSR/, E.G., 71011. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

8680 DT-SUSP-PURG DLSC-SB F 5  
DATE, SUSPENSE PURGE

THE YEAR AND JULIAN DAY ESTABLISHED BY THE DEFENSE LOGISTICS SERVICES CENTER FOR PURGING SUSPENDED RECORDS IF CORRECTED DATA IS NOT RECEIVED.

8805 AMMO-CD AMMO\_CD\_8805 DLSC-SC F CHAR 4  
AMMUNITION CODE

A CODE CONSISTING OF ONE, TWO OR THREE POSITION ALPHA'S FOLLOWED BY NUMERIC(S) OR FOUR ALPHA'S ASSIGNED TO A GENERIC DESCRIPTION OF AN ITEM OF SUPPLY IN FEDERAL SUPPLY GROUPS (FSG) 13 (AMMUNITION AND EXPLOSIVES) AND 14 (GUIDED MISSILES). THIS CODE WHEN PREFACED BY THE FEDERAL SUPPLY CLASS (FSC) OF THE ITEM CONSTITUTES THE DEPARTMENT OF DEFENSE AMMUNITION CODE, DRN 3767.

8807 FSC-AMMO-DESC-TX FSC\_AMMO\_DESC\_8807 DLSC-SC F CHAR 100  
FSC AMMUNITION DESCRIPTION TEXT

A GENERIC TEXT DESCRIPTION OF AN ASSIGNED FSC AND AMMO CODE COMBINATION (DODAC).

8809 AMMO-CD-PRFX-ID AMMO\_CD\_PRFX\_8809 DLSC-SC F CHAR 3  
AMMO CODE PREFIX IDENTIFIER

SUB-CATEGORIZATION OF AN FSC AND AMMO CODE COMBINATION (E.G. 1305 A,B(PREFIX) AMMUNITION THROUGH 30MM.) CORRELATION OF CATEGORY OF AMMO CODE TO FSC. EXAMPLE: A\_, AA\_, AAB. NEW TABLE

8815 RPLD-AMMO-CD RPLD\_AMMO\_8815 DLSC-SC F CHAR 4  
REPLACED AMMUNITION CODE

AN AMMO CODE CONSISTING OF ONE, TWO, OR THREE POSITION ALPHA'S FOLLOWED BY NUMERIC(S) ASSIGNED TO A GENERIC DESCRIPTION OF AN ITEM OF SUPPLY IN FSG'S 13 AND 14, WHICH REPLACES A CANCELLED AMMO CODE.

8831 AR-FSC-MGR AR\_FSC\_MGR\_8831 DLSC-SB F CHAR 2  
ARMY FEDERAL SUPPLY CLASS MANAGER

THE INVENTORY CONTROL POINT DESIGNATED TO PERFORM ASSIGNED MATERIEL MANAGEMENT FUNCTIONS WITHIN THE U.S. ARMY ON A FEDERAL SUPPLY CLASS/FSC/BASIS FOR THOSE FEDERAL SUPPLY CLASSES NOT ASSIGNED TO THE DEFENSE LOGISTICS AGENCY.

8832 MASS-CHNG-REVW-CD DLSC-SB F 1  
MASS CHANGE REVIEW CODE

A CODE THAT SIGNIFIES WHETHER AN INPUT TRANSACTION THAT EFFECTS A MASS CHANGE ACTION INTO THE SYSTEM SUPPORT RECORD (SSR) AND/OR THE TOTAL ITEM RECORD SECTOR (TIR) HAS BEEN APPROVED OR REJECTED FOLLOWING A REVIEW BY THE DEFENSE LOGISTICS SERVICES CENTER PROGRAM MANAGER. NUMERIC CODE 1 DENOTES THE TRANSACTION HAS BEEN APPROVED, NUMERIC CODE 2 DENOTES THE TRANSACTION HAS BEEN REJECTED.

8835 ADP-PNT-CD ADP\_PNT\_CD\_8835 DLSC-SC F CHAR 6  
AUTOMATIC DATA PROCESSING (ADP) POINT CODE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS AN AUTOMATIC DATA PROCESSING /ADP/ POINT CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF THE ADP SERVICE ORGANIZATION RESPONSIBLE FOR PROCESSING THE APPLICABLE DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE ADP REQUIREMENTS FOR MILITARY STANDARD CONTRACT ADMINISTRATION PROCEDURE /MILSCAP/. SEE VOLUME 10, TABLE 133 AND QUICK INFO ON-LINE.

8850 FILE-MAINT-ACTN-CD FILE\_MAINT\_CD\_8850 DLSC-SB F CHAR 1  
FILE MAINTENANCE ACTION CODE

A ONE POSITION ALPHA CODE USED TO IDENTIFY THE FILE MAINTENANCE ACTION TO BE TAKEN FOR EACH LINE OF DATA IN AN AUTOMATIC DATA PROCESSING GUIDE INPUT. SEE VOLUME 10, TABLE 118 AND QUICK INFO ON-LINE.

8855 ASSOC-CD-CAGE-NSCM-CD ASSOC\_CD\_CAGE\_8855 DLSC-SC F CHAR 5  
ASSOCIATION CODE, CAGE/NSCM CODE

A CODE ASSIGNED BY THE PROGRAM MANAGER TO IDENTIFY THE CORPORATE COMPLEX ENTITY AND ALL RELATED SUB-ENTITIES THAT COMPRISE A CORPORATE COMPLEX. THE ASSOCIATION CODE IS USED IN ITEM IDENTIFICATION SCREENING OPERATIONS TO DETERMINE ACTUAL OR POSSIBLE DUPLICATE ITEMS WHEN THE REFERENCE NUMBER IS THE SAME BUT THE CAGE/NSCM CODE IS DIFFERENT.

8860 AF-FSC-MGR AF\_FSC\_MGR\_8860 DLSC-SB F CHAR 2  
AIR FORCE FEDERAL SUPPLY CLASS MANAGER

THE AIR FORCE ACTIVITY (AF) DESIGNATED TO PERFORM, ON A FEDERAL CLASS MANAGEMENT BASIS, A GROUP OF LOGISTICS FUNCTIONS WHICH INCLUDES ITEM CATALOGING, PREPARATION OF ALL CATALOGS AND CATALOG SUPPLEMENTS, SIMPLIFICATION, CHARACTERISTICS SCREENING, STANDARDIZATION, INTERCHANGEABILITY AND SUBSTITUTION FAMILY GROUPING. SPECIFICATION, MANAGEMENT, AND ENGINEERING SUPPORT RELATED TO THESE ACTIVITIES.

8863 ASGND-PSCN DLSC-SB F 13  
ASSIGNED PERMANENT SYSTEM CONTROL NUMBER

A NUMBER ASSIGNED FOR CONTROL PURPOSES TO IDENTIFY ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) ASSIGNMENT FOR STANDARD ITEMS AND ITEMS DESCRIBED FOR MARKETING AND UTILIZATION PURPOSES. THE PSCN CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC), DRN 3990 AND THE PSCN (DRN 4250) WHICH INCLUDES THE TWO DIGIT NATIONAL CODIFICATION BUREAU CODE (DRN 4130) FOR THE UNITED STATES.

8866 CANC-PSCN DLSC-SB F 13  
CANCELED PERMANENT SYSTEM CONTROL NUMBER

A PERMANENT SYSTEM CONTROL NUMBER WHICH IS NO LONGER AUTHORIZED FOR IDENTIFYING ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD /TIR/ PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER ASSIGNMENT FOR STANDARD ITEMS AND ITEMS DESCRIBED FOR MARKETING AND UTILIZATION PURPOSES.

8868 CAO-ADP-EXCP-PROC-CD CAO\_EX\_PR\_CD\_8868 DLSC-SB F CHAR 1  
CAO/ADP EXCEPTION PROCESSING CODE

A CODE WHICH SIGNIFIES AN EXCEPTION TO THE NORMAL PROCEDURE AND RULE FOR RELATING CONTRACT ADMINISTRATION OFFICE (CAO) CODES AND AUTOMATIC DATA PROCESSING (ADP) POINT CODES TO ADD/CHANGE O.E. TRANSACTIONS AFFECTING THE MANUFACTURERS/NONMANUFACTURERS ORGANIZATIONAL ENTITY RECORDS. SEE VOLUME 10, TABLE 132 AND QUICK INFO ON-LINE.

8870 CAO-CD CAO\_CD\_8870 DLSC-SBB F CHAR 6  
CONTRACT ADMINISTRATION OFFICE (CAO) CODE

A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS A CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF A DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE. SEE VOLUME 10, TABLE 133 AND QUICK INFO ON-LINE.

8875 RPLM-NSN-CANC RPLM\_NSN\_CANC\_8875 DLSC-SB F CHAR 13

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPLACEMENT NATIONAL STOCK NUMBER, CANCELLATION

AN EXISTING NATIONAL STOCK NUMBER THAT HAS BEEN DETERMINED THROUGH THE CANCELLATION PRIORITY TABLE TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL STOCK NUMBER OR PERMANENT SYSTEM CONTROL NUMBER.

8878 RPLM-NSN-FOR-PSCN DLSC-SB F 13

REPLACEMENT NATIONAL STOCK NUMBER, FOR A PSCN

A NATIONAL STOCK NUMBER USED TO REPLACE A PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WHEN IT HAS BEEN DETERMINED THAT THE PSCN ITEM IS REQUIRED AS AN ITEM OF SUPPLY.

8905 FILE-MAINT-RCVR-CD FILE\_MNT\_RCVR\_8905 DLSC-SB F CHAR 2

FILE MAINTENANCE RECEIVER CODE

THE ACTIVITY CODE OF AN ACTIVITY RECEIVING FILE MAINTENANCE DATA BY FEDERAL SUPPLY CLASSIFICATION (FSC).

8925 MGMT-CTL-DATA-AF DLSC-SB F 7

MANAGEMENT CONTROL DATA, AIR FORCE

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES AIR FORCE TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF AIR FORCE-PECULIAR SYSTEMS

8930 MGMT-CTL-DATA-AR DLSC-SB F 7

MANAGEMENT CONTROL DATA, ARMY

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES ARMY TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF ARMY-PECULIAR SYSTEMS

8935 MGMT-CTL-DATA-MC DLSC-SB F 7

MANAGEMENT CONTROL DATA, MARINE CORPS

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES MARINE CORPS TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF MARINE CORPS PECULIAR SYSTEMS.

8940 MGMT-CTL-DATA-NVY DLSC-SB F 7

MANAGEMENT CONTROL DATA, NAVY

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES NAVY TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF NAVY-PECULIAR SYSTEMS

8950 AND-SYM DLSC-SC F 2

AND SYMBOL

TWO SPECIAL CHARACTERS USED IN THE CHARACTERISTICS DATA GROUP TO IDENTIFY A COMBINATION OF VALUES TO A CHARACTERISTIC SUCH AS MATERIAL (METAL AND WOOD). THE SYMBOLS WILL SEPARATE THE VALUES IN A CODED CHARACTERISTIC AND WILL PRECEDE THE MODE CODE OF THE SECOND AND SUBSEQUENT REPLIES. THE SYMBOLS WILL BE USED, WHEN APPLICABLE, AS AN ELEMENT OF THE CHARACTERISTICS DATA GROUP FOR INPUT, PROCESSING AND STORAGE AND WILL BE DECODED ON OUTPUT TO READ AND AS AN ELEMENT OF THE CHARACTERISTICS DATA.

8951 OR-SYM DLSC-SC F 1

OR SYMBOL

A SPECIAL CHARACTER USED IN THE CHARACTERISTICS DATA GROUP TO IDENTIFY ALTERNATE VALUES TO CHARACTERISTIC SUCH AS DRIVE STYLE (CROSS RECESS DRIVE TYPE 1 OR TYPE 2). THE SYMBOL WILL SEPARATE EACH VALUE IN A CODED CHARACTERISTIC AND WILL PRECEDE THE MODE CODE OF THE SECOND AND SUBSEQUENT REPLIES. THE SYMBOL WILL BE USED, WHEN APPLICABLE, AS AN ELEMENT OF THE CHARACTERISTICS DATA GROUP FOR INPUTS, PROCESSING AND STORAGE AND WILL BE DECODED ON OUTPUT TO READ OR AS AN ELEMENT OF THE CHARACTERISTICS DATA.

8971 NATO-RPLM-NSN-CANCL-ID NATO\_RPLM\_NSN\_8971 DLSC-SB F CHAR 16

NATO REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION IDENTIFIER

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE IDENTIFIER THAT REPRESENTS AN EXISTING NATO NATIONAL STOCK NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING NATO NATIONAL STOCK NUMBER. THE FORMAT IS THE 13-POSITION NSN WITH DASHES (XXXX-XX-XXX-XXXX).

8972 NATO-MFR-NM NATO\_MFR\_NM\_8972 DLSC-SD F CHAR 195

NATO MANUFACTURER NAME

THE IDENTIFIER THAT REPRESENTS THE CLEAR TEXT MANUFACTURER'S NAME FROM KHN INPUT. CONSISTS OF NATO MANUFACTURER DATA SEGMENT LINE NUMBERS 01 THRU 05, WITH DATA TRUNCATED AND DELIMITER AFTER EACH LINE NUMBER.

8973 NATO-MFR-ADRS-TX NATO\_MFR\_ADRS\_8973 DLSC-SD F CHAR 156

NATO MANUFACTURER ADDRESS TEXT

THE IDENTIFIER THAT REPRESENTS THE CLEAR TEXT MANUFACTURER'S PO BOX, STREET, CITY, STATE OR COUNTRY FROM KHN INPUT. CONSISTS OF NATO MANUFACTURER DATA SEGMENT LINE NUMBERS 06 THRU 09, WITH DATA TRUNCATED AND DELIMITER AFTER EACH LINE NUMBER.

8974 NATO-MFR-TEL-NBR-ID NATO\_MFR\_TEL\_8974 DLSC-SD F CHAR 38

NATO MANUFACTURER TELEPHONE NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE NATO TELEPHONE NUMBER FROM KHN INPUT. TELEPHONE NUMBER IS FOUND IN NATO MANUFACTURER DATA SEGMENT LINE NUMBERS 10 THRU 13, PREFIXED WITH TEL AND ENDING WITH DATA ELEMENT TERMINATOR CODE (#).

8975 NATO-MFR-FAX-NBR-ID NATO\_MFR\_FAX\_8975 DLSC-SD F CHAR 38

NATO MANUFACTURERS DATA PREFIX CODE

CODE THAT SPECIFIES THE TYPE OF DATA TO FOLLOW. TO BE USED IN CONJUNCTION WITH DIC KHN. (SEE SUB-SECTION 553, TABLE 23). NATO USE ONLY.

8976 NATO-CDFN-CTL-CMNT-TX NCC\_CMNT\_8976 DLSC-SD V VARCHAR 500

NATO CODIFICATION CONTROL COMMENT TEXT

THE TEXT OF COMMENTS AND/OR RETURN TO COUNTRY (K27) DATA ASSOCIATED WITH A NATO TRANSACTION.

8977 RPLD-NSN-STDZN-RL RP\_NSN\_STD\_RL\_8977 DLSC-SB F CHAR 13

REPLACED NATIONAL STOCK NUMBER, STANDARDIZATION RELATIONSHIP

THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP NOT AUTHORIZED FOR PROCUREMENT THAT IS REPLACED BY A NATIONAL STOCK NUMBER OR PERMANENT SYSTEM CONTROL NUMBER AUTHORIZED FOR PROCUREMENT.

8978 OTH-STA-PRVNC-NM OTH\_STA\_PRVNC\_8978 DLSC-SD F CHAR 36

OTHER STATE PROVINCE NAME

THE CLEAR TEXT NAME OF A STATE OR PROVINCE FOR COUNTRIES OTHER THAN THE U.S. AND CANADA.

8979 RPLD-PSCN-STDZN-RL DLSC-SB F 13

REPLACED PSCN, STANDARDIZATION RELATIONSHIP

THE PERMANENT SYSTEM CONTROL NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP THAT IS REPLACED BY ANOTHER PERMANENT SYSTEM CONTROL NUMBER OF NATIONAL STOCK NUMBER.

8981 MTCH-PSCN DLSC-SB F 13

MATCHED PERMANENT SYSTEM CONTROL NUMBER

THE EXISTING PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WHICH IS FOUND TO BE AN ACTUAL OR POSSIBLE DUPLICATE OF A SUBMITTED PROPOSAL WHEN A MATCH IS REVEALED CHARACTERISTICALLY OR BY REFERENCE NUMBER. THE SUBMITTER IS NOTIFIED OF THE MATCH THROUGH THE USE OF THIS PSCN AND THE APPROPRIATE OUTPUT NOTIFICATION.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8985	RPLM-PSCN-CANCL		DLSC-SB	F		13
REPLACEMENT PERMANENT SYSTEM CONTROL NUMBER, CANCELLATION						
AN EXISTING PERMANENT SYSTEM CONTROL NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING PERMANENT SYSTEM CONTROL NUMBER.						
8990	SAC	SAC_8990	DLSC-SC	V	CHAR	3
SECONDARY ADDRESS CODE						
A VARIABLE LENGTH CODE USED TO EXTEND/MODIFY THE MASTER REQUIREMENT CODE(MRC). THE SECONDARY ADDRESS CODE MAY BE UP TO THREE POSITIONS LONG USING ALPHA A THRU Z EXCLUDING I AND O. IT IS ALWAYS USED WITH A SECONDARY ADDRESS INDICATOR CODE (DRN 9485).						
8999	FLIS-SEG-CD	DIDS_SEG_CD_8999	DLSC-SBA	F	CHAR	1
FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE						
A CODE TO IDENTIFY A SPECIFIC GROUP OF DATA ELEMENTS FOR A GIVEN SEGMENT. SEE VOLUME 10, TABLE 120 AND QUICK INFO ON-LINE.						
9031	CRTFN-APRV-DT	CRTFN_APRV_DT_9031	DLSC-SB	F	INTEGER	7
CERTIFIED CONTRACTOR CERTIFICATION APPROVAL DATE						
THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS APPROVED. DISPLAY FORMAT IS MMDDDDYYYY. DB2 FORMAT IS CCYYDDD.						
9032	CRTFN-EXPD-DT	CRTFN_EXPD_DT_9032	DLSC-SB	F	INTEGER	7
CERTIFIED CONTRACTOR CERTIFICATION EXPIRED DATE						
THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS EXPIRED. DISPLAY FORMAT IS MMDDDDYYYY. DB2 FORMAT IS CCYYDDD.						
9033	CRTFN-RVKD-DT	CRTFN_RVKD_DT_9033	DLSC-SB	F	INTEGER	7
CERTIFIED CONTRACTOR CERTIFICATION REVOKED DATE						
THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS APPROVED.						
9034	CRTFD-CONTR-DIV-NM	CRTFD_DIV_NM_9034	DLSC-SB	F	CHAR	72
CERTIFIED CONTRACTOR DIVISION NAME						
A FIELD CONTAINING THE CERTIFIED CONTRACTOR DIVISION OR SUBSIDIARY NAME FOR THE CONTRACTOR CERTIFICATION SYSTEM.						
9035	CRTFD-CONTR-CTY-ADRS-TX	CRTFD_CTY_ADR_9035	DLSC-SB	F	CHAR	30
CERTIFIED CONTRACTOR CITY ADDRESS TEXT						
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S CITY ADDRESS FIELD FOR THE CONTRACTOR CERTIFICATION SYSTEM.						
9036	STA-PRVNCL-CD	CRTFD_STA_CD_9036	DLSC-SB	F	CHAR	2
CERTIFIED CONTRACTOR STATE PROVINCIAL CODE						
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S STATE/PROVINCIAL CODE FOR THE CONTRACTOR CERTIFICATION SYSTEM.						
9037	CRTFD-CONTR-CANAD-POS-CD	CANAD_POS_CD_9037	DLSC-SB	F	CHAR	6
CERTIFIED CONTRACTOR CANADIAN POSTAL CODE						
A FIELD CONTAINING THE CANADIAN POSTAL CODE OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.						
9038	CRTFD-CONTR-CSTDN-NM	CRTFD_CSTN_NM_9038	DLSC-SB	F	CHAR	72
CERTIFIED CONTRACTOR CUSTODIAN NAME						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME OF THE CUSTODIAN ASSIGNED BY THE CERTIFIED CONTRACTOR.

9039	DATA-CSTDN-TI-ID	CRTFD_CSTN_TI_9039	DLSC-SB	F CHAR	72
CERTIFIED CONTRACTOR DATA CUSTODIAN TITLE IDENTIFIER					
A FIELD CONTAINING THE DATA CUSTODIAN JOB TITLE FIELD FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9040	MLG-ST-ADRS-TX	MLG_ST_ADRS_9040	DLSC-SB	F CHAR	36
CERTIFIED CONTRACTOR MAILING STREET ADDRESS TEXT					
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING STREET ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9041	MLG-POBOX-ADRS-TX	MLG_POBOX_ADR_9041	DLSC-SB	F CHAR	36
CERTIFIED CONTRACTOR MAILING POST OFFICE BOX ADDRESS TEXT					
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING P.O. BOX ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9042	MLG-CTY-ADRS-TX	MLG_CTY_ADRS_9042	DLSC-SB	F CHAR	30
CERTIFIED CONTRACTOR MAILING CITY ADDRESS TEXT					
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING CITY ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9043	MLG-STA-PRVNCL-CD	MLG_STA_CD_9043	DLSC-SB	F CHAR	2
CERTIFIED CONTRACTOR MAILING STATE PROVINCIAL CODE					
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING STATE/PROVINCIAL CODE FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9044	CRTFD-CONTR-MLG-ZIP-CD	MLG_ZIP_CD_9044	DLSC-SB	F CHAR	5
CERTIFIED CONTRACTOR MAILING ZIP CODE					
A POST OFFICE ASSIGNED CERTIFIED CONTRACTOR MAILING CODE WHICH IS USED FOR ADDRESSING MAIL TO A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF.					
9045	MLG-ZIP-ADD-ON-CD	MLG_ZIP_ADD_9045	DLSC-SB	F CHAR	4
CERTIFIED CONTRACTOR MAILING ZIP ADD-ON CODE					
A POST OFFICE ASSIGNED CERTIFIED CONTRACTOR MAILING CODE WHICH FURTHER SUBDIVIDES THE MAILING ZIP CODE. THIS CODE FOLLOWS THE MAILING ZIP CODE.					
9046	MLG-CANAD-POS-CD	MLG_CANAD_POS_9046	DLSC-SB	F CHAR	6
CERTIFIED CONTRACTOR MAILING CANADIAN POSTAL CODE					
A FIELD CONTAINING THE MAILING CANADIAN POSTAL CODE OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9047	DATA-CSTDN-PHN-NBR	DATA_CSTN_PHN_9047	DLSC-SB	F CHAR	10
CERTIFIED CONTRACTOR DATA CUSTODIAN PHONE NUMBER					
A FIELD CONTAINING THE TELEPHONE NUMBER OF THE DATA CUSTODIAN FOR THE CONTRACTOR CERTIFICATION SYSTEM.					
9048	INCRP-CRTFCT-IND-CD	INCRP_CRTFCT_9048	DLSC-SB	F CHAR	1
CERTIFIED CONTRACTOR INCORPORATION CERTIFICATE INDICATOR CODE					
A CODE INDICATING WHETHER THE INCORPORATION CERTIFICATE OF THE CERTIFIED COMPANY HAS BEEN RECEIVED. VALID ENTRIES ARE Y=YES, N=NO.					
9049	BUS-ACTY-DESC-TX	BUS_ACTY_DESC_9049	DLSC-SB	F CHAR	1360
CERTIFIED CONTRACTOR BUSINESS ACTIVITY DESCRIPTION TEXT					



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A FIELD RELATING TO THE DESCRIPTION OF THE RELEVANT BUSINESS ACTIVITY OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9050	NEW-CRT-NBR-LOCK-STAT-CD NEW CERTIFICATION NUMBER LOCKED STATUS CODE THE STATUS OF A NEW CERTIFICATION NUMBER. VALID VALUES: BLANK = AVAILABLE, L = LOCKED, N = LAST RECORD.	CRT_LOCK_STAT_9050	DLSC-SB	F CHAR	1
9051	CRTFD-CONTR-LST-ACTN-CD CERTIFIED CONTRACTOR LAST ACTION CODE A CODE INDICATING THE LAST ACTION OF A CERTIFIED CONTRACTOR. VALID VALUES ARE: A=ADD, C=CHANGE, R=REVISION, D=DEBARRED, AND I=INQUIRY.	CRTFD_LST_ACT_9051	DLSC-SB	F CHAR	1
9052	CRTFD-CONTR-ORG-LOC-CD CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE A CODE INDICATING THE ORGANIZATION LOCATION OF A CERTIFIED CONTRACTOR. VALID VALUES ARE: 1=US AND 2=CANADA.	CRTFD_ORG_LOC_9052	DLSC-SB	F CHAR	1
9061	NO-LBL-SETS NO LABEL SETS THE NUMBER OF LABEL SETS REQUESTED PASSED BY DATA RETRIEVAL IN THE COMMAREA.	NO_LBL_SETS_9061	DLSC-SBA	F CHAR	2
9062	OP-TRACK-INFO OUTPUT TRACK INFO AN INFORMATION FIELD TO PASS OUTPUT LOCATION INFORMATION.	OP_TRACK_INFO_9062	DLSC-SBA	F CHAR	48
9063	PARAM-CD PARAMETER CODE A PARAMETER CODE USED BY THE TM TOLA SYSTEM (CODE FOR THE DATABASE OWNER).	PARAM_CD_9063	DLSC-SBA	F CHAR	4
9064	PARAM-VALUE PARAMETER VALUE CONTAINS TM TOLA SYSTEM PARAMETER USED FOR INITIAL VALUES AND PROGRAM PARAMETERS (VALUE FOR THE DATABASE OWNER).	PARAM_VALUE_9064	DLSC-SBA	F CHAR	26
9065	RELEASE-CNT-CICS RELEASE COUNT TO CICS THIS FIELD REPRESENTS THE NUMBER OF TIMES THAT TM ATTEMPTED TO RELEASE THIS TRANSACTION PRIOR TO THIS TIME THAT THE APPLICATION RAN.	RELE_CNT_CICS_9065	DLSC-SBA	F CHAR	2
9066	RESTORE-FLAG RESTORE FLAG A FLAG THAT INDICATES WHETHER A DATASET THAT IS LOGGED TO THE ARCHIVE LOG FILE HAS ALREADY BEEN RESTORED.	RESTORE_FLAG_9066	DLSC-SBA	F CHAR	1
9069	CICS-PASS-KEY-TX CICS PASS KEY TEXT THE TEXT OF A DATA ELEMENT USED AS A KEY TO DISTINGUISH INFORMATION THAT IS BEING PASSED TO CICS PROGRAMS.	CICS_PASS_KEY_9069		F CHAR	30
9070	CICS-PASS-TX CICS PASS TEXT THE TEXT OF A DATA ELEMENT CONTAINING INFORMATION THAT WILL BE PASSED TO CICS PROGRAMS.	CICS_PASS_TX_9070		F CHAR	50

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9075 SUBMTD-FSC DLSC-SB F 4  
SUBMITTED FEDERAL SUPPLY CLASS  
THE FEDERAL SUPPLY CLASS /FSC/ THAT WAS SUBMITTED WITH THE TRANSACTION BUT IS DIFFERENT FROM THE FSC RECORDED AGAINST THE ITEM IN THE TOTAL ITEM RECORD.

9076 MSDS-ID MSDS\_ID\_9076 DLSC-SBA F CHAR 5  
MATERIAL SAFETY DATA SHEET IDENTIFIER  
THE MATERIAL SAFETY DATA SHEET (MSDS) SERIAL NUMBER IS A UNIQUE COMPUTER GENERATED FIVE POSITION ALPHANUMERIC DESIGNATOR ASSIGNED TO EACH MSDS ENTRY IN THE HAZARDOUS MATERIALS INFORMATION SYSTEM (HMIS). USER SHOULD USE THIS NUMBER TO INTERROGATE HMIS FOR TECHNICAL INFORMATION FOR THE ITEM.

9077 HCC-ABRV-DEF-TX HCC\_ABRV\_DEF\_9077 DLSC-SBA F CHAR 40  
HCC ABBREVIATED DEFINITION TEXT  
AN ABBREVIATED DEFINITION OF HCC GROUP (DRN 9079).

9079 HCC-GP-TX HCC\_GP\_9079 DLSC-SBA F CHAR 60  
HCC GROUP TEXT  
A DESCRIPTIVE NAME OF THE HCC HAZARD.

9080 OE-DUP-NON-DUP-CRTFN-CD DLSC-SC F 1  
ORGANIZATIONAL ENTITY DUPLICATE/NON DUP CERTIFICATION CODE  
A CODE INSERTED BY THE PROGRAM MANAGER THAT CERTIFIES WHETHER A SUBMITTED INPUT TRANSACTION, TO ADD A PROPOSED NEW ORGANIZATIONAL ENTITY /O.E./ RECORD TO THE SYSTEM SUPPORT RECORD /SSR/, IS A DUPLICATION OR NON-DUPLICATION TO AN EXISTING O.E. RECORD, NUMERIC CODE 1 INDICATES A NON-DUPLICATION, NUMERIC CODE 2 INDICATES A DUPLICATION.

9090 IMM IMM\_9090 DLSC-SB F CHAR 2  
INTEGRATED MATERIEL MANAGER  
THE MATERIEL MANAGER RESPONSIBLE FOR THE EXECUTION OF ASSIGNED MATERIEL MANAGEMENT FUNCTIONS FOR SELECTED ITEMS OR SELECTED FEDERAL SUPPLY CLASSES/FSC/CLASSES.

9094 DIDS-IP-HDR DLSC-SB V 10  
DEFENSE INTEGRATED DATA SYSTEM INPUT HEADER  
A GROUP OF INPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL, SUSPEND AND PROCESS DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9098 DIDS-OP-HDR DLSC-SB V 10  
DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER  
A GROUP OF OUTPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL AND DISTRIBUTE PROCESSED DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9099 DIDS-INTRO DIDS\_INTRO\_9099 DLSC-V V VARCHAR 1300  
DIDS INTRODUCTION  
THIS FIELD CONTAINS THE CLEAR TEXT INTRODUCTION FOR TABLES LOCATED IN FLIS PROCEDURES (DOD 4100.39) VOLUME 10 CHAPTER 4, VOLUME 8 CHAPTER 3, AND VOLUME 9 CHAPTER 3.

9100 IDEN-DATA-SEG DLSC-SB V 47

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## IDENTIFICATION DATA SEGMENT

A DATA GROUP CONSISTING OF HOMOGENOUS DATA ELEMENTS COMMON TO THE ITEM IDENTIFICATION FUNCTION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9101 MOE-RULE-DATA-SEG DLSC-SB V 69

## MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO MOE RULES AND RELATED ITEM STATUS DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9102 REF-NBR-DATA-SEG DLSC-SB V 55

## REFERENCE NUMBER DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE REFERENCE NUMBER. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9104 STDZN-DEC-DATA-SEG DLSC-SB V 4496

## STANDARDIZATION DECISION DATA SEGMENT

A GROUP OF DATA IDENTIFYING THE ORIGINATOR, DATE AND ITEM STANDARDIZATION CODE OF STANDARDIZATION DECISIONS FOR ITEMS EITHER INCLUDED OR NOT INCLUDED IN AN OFFICIAL DEPARTMENT OF DEFENSE STANDARDIZATION REPLACEMENT RELATIONSHIP. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9106 FLIS-I-S-RL-DATA-SEG DLSC-SB V 1140

## FLIS I&S RELATIONSHIP DATA SEGMENT

A GROUP OF DATA IDENTIFYING A FEDERAL LOGISTICS INFORMATION SYSTEM INTERCHANGEABILITY AND SUBSTITUTABILITY RELATIONSHIP BETWEEN NATIONAL STOCK NUMBERS (NSN) AND/OR PERMANENT SYSTEM CONTROL NUMBERS (PSCN) SHOWING WHICH NSN/PSCN IS THE PREFERRED ITEM, SHOWING THE I AND S RELATIONSHIP BETWEEN NSN/PSCN (INTERCHANGEABLE, SUBSTITUTABLE OR GENERIC), SHOWING THE APPLICABLE PHRASE CODE FOR THE NSN/PSCN, AND WHICH MOE ORIGINATED THE RELATIONSHIP. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9107 FRT-CLAS-DATA-SEG DLSC-SB V 71

## FREIGHT CLASSIFICATION DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO FREIGHT CLASSIFICATION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9108 CAT-MGMT-DATA-SEG DLSC-SB V CHAR 1722

## CATALOG MANAGEMENT DATA (CMD) SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO CATALOG MANAGEMENT DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9109 NIIN-PSCN-STAT-CANC-SEG DLSC-SB V 47

## NIIN/PSCN STATUS-CANC DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS TO PROVIDE THE NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (PSCN) STATUS CODE AND, IF APPLICABLE, THE REPLACEMENT NATIONAL STOCK NUMBER OR REPLACEMENT PSCN. THE FLIS PROCEDURES MANUAL VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9110 OP-FILE-DATA-HDR-SEG DLSC-SB V 31

## OUTPUT FILE DATA HEADER SEGMENT

A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE OUTPUT FILE DATA HEADER. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9111 CLRTXT-CHARAS-SEG DLSC-SB V 1127  
CLEAR TEXT CHARACTERISTICS SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN DECODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9112 NAR-FM-CHARAS-SEG DLSC-SB V 5055  
NARRATIVE FORM CHARACTERISTICS SEG.

A GROUP OF DATA CONSISTING OF DATA ELEMENTS (IN DECODED FORMAT) THAT ARE REQUIRED TO DEVELOP (PRINT) NARRATIVE CHARACTERISTICS IN SUPPORT OF OTHER LOGISTICS FUNCTIONS. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9113 DE-ORI-WO-VAL-SEG DLSC-SB V 907  
DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR OR CONFLICT. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9114 DE-ORI-W-VAL-RET-ACT-SEG DLSC-SB V 9999  
DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT

A GROUP OF ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR/CONFLICT AND TO IDENTIFY THE VALUES OF THE NUMBERS/CODES WHICH ARE RECORDED ON THE DATA BASE AND/OR SHOULD HAVE BEEN SUBMITTED. THE FLIS PROCEDURES, VOLUME 8 AND 9, CHAPTER 3, SPECIFY FORMAT OF DATA ELEMENTS WHICH MAKE UP THIS GROUP. SEGMENT Q STATES THAT THE MINIMUM PICTURE LENGTH = 22, MAXIMUM LENGTH = 524, MAX OCCUR 99 TIMES, RESULTING IN A TOTAL CHARACTER COUNT OF 51,876.

9115 DE-ORI-W-VAL-SEG DLSC-SB V 50  
DATA ELEMENT ORIENTED WITH VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA RECORD NUMBERS AND THEIR VALUES. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9 CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9116 REL-SCRNG-DATA-SEG DLSC-SC V 33  
RELATED SCREENING DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO SCREENING REQUIRED FOR PROVISIONING ON OTHER SERVICES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9117 CANC-DEL-MOE-RULE-SEG DLSC-SB V 29  
CANCELLATION/DELETE MOE RULE SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE CANCELLATION OF NATIONAL STOCK NUMBERS/PERMANENT SYSTEM CONTROL NUMBERS, OR TO THE DELETION OF MOE RULE(S). THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9118 CDD-ITM-CHARAS-DATA-SEG DLSC-SB V 5011  
CODED ITEM CHARACTERISTICS DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN CODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9119 FUT-DATA-SEG DLSC-SB V 5033

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## FUTURE DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS WHICH WILL BE EFFECTIVE ON A DATE IN THE FUTURE. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9121	NOTI-DLSC-CHNG-DATA-SEG		DLSC-SB	V	21
NOTIFICATION OF DLSC CHANGE DATA SEGMENT					
A GROUP OF DATA THAT REFLECTS THE DATA ELEMENT(S) AS IT WAS SUBMITTED AND THE DATA ELEMENT(S) AS IT WAS CHANGED MECHANICALLY BY THE DEFENSE LOGISTICS SERVICE CENTER. E.G., FEDERAL SUPPLY CLASS, ITEM NAME CODE, COMMERCIAL AND GOVERNMENT ENTITY CODE, PRIORITY INDICATOR CODE. DATA RECIPIENTS ARE NOTIFIED OF THE CHANGE BY THE PRESENCE OF THIS GROUP IN THE MAINTENANCE PACKAGE. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.					
9122	SCRNG-RSP-HDR-SEG		DLSC-SB	V	24
SCREENING RESPONSE HEADER SEGMENT					
A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE SCREENING RESPONSE HEADER SEGMENT. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 160 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.					
9124	SCRNG-RQST-NIIN-DATA-SEG		DLSC-SB	V	20
SCREENING REQUEST, NIIN DATA SEGMENT					
A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH NATIONAL STOCK NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.					
9125	SCRNG-RQST-REF-NBR-DA-SG		DLSC-SB	V	34
SCREENING REQUEST, REFERENCE NUMBER DATA SEGMENT					
A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH REFERENCE NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IS 160 CHARACTERS IN CARD FORMAT. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.					
9126	DAAS-SCRNG-REF-NBR-SEG		DLSC-SB	F	80
DAAS SCREENING, REFERENCE NUMBER SEGMENT					
A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO REFERENCE NUMBER SCREENING REQUIRED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.					
9127	PKG-DATA-SEG	PKG_DATA_SEG_9127	DLSC-SB	V VARCHAR	168
PACKAGING DATA SEGMENT					
A GROUP OF DATA CONSISTING OF HOMOGENOUS DATA ELEMENTS PERTINENT TO PACKAGING. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.					
9128	DT-MOE-RULE-ASGND-NIIN	DT_MR_ASGND_9128	DLSC-SB	F INTEGER	5
DATE, MAJOR ORGANIZATIONAL ENTITY RULE, ASSIGNED TO NIIN					
THE JULIAN DATE THAT A SUBMITTED MOE RULE IS RECORDED ON A NIIN IN THE FLIS DATA BASE. WHEN A ZERO EFFECTIVE DATED MOE RULE TRANSACTION IS SUBMITTED, DLSC WILL LOAD THIS FIELD WITH A JULIAN DATE EQUAL TO THE FIRST DAY OF THE MONTH WHEN THE TRANSACTION PROCESSED. WHEN A FUTURE EFFECTIVE DATED MOE RULE TRANSACTION IS SUBMITTED, DLSC WILL LOAD THIS FIELD WITH THE SUBMITTED EFFECTIVE DATE VALUE.					
9129	NATO-KRP-DIC-CT	NATO_KRP_DIC_9129	DLSC-SD	F SMALLINT	4
NATO KRP DOCUMENT IDENTIFIER CODE COUNT					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

COUNT OF KRP DICS FOR NATO SUBMITTERS.

9131 ACTIVITY-FLAG                      ACTIVITY\_FLAG\_9131                      DLSC-S                      F CHAR                      1  
ACTIVITY FLAG

A FLAG REFLECTING THE TYPE OF ACTIVITY SUBMITTING THE TRANSACTION (CATALOGING OR PROVISIONING SCREENING). USED TO INTERPRET THE WAY TO READ THE CONTROL NUMBER (DOCUMENT CONTROL NUMBER OR SUBMITTER CONTROL NUMBER).

9133 ACTY-GRP                              ACTY\_GRP\_9133                      DLSC-S                      F CHAR                      12  
ACTIVITY GROUP

A COMPLEX FIELD WHICH MAY CONTAIN THE ACTIVITY CODE, DESTINATION CODE SCREENING, AND ADDRESS SEQUENCE CODE OR REDEFINED CONTAINING THE REPOSITORY IDENTIFICATION. USED TO GROUP TRANSACTIONS DESTINED TO THE SAME ACTIVITY OVER A PERIOD OF TIME.

9134 ACTY-TYPE                              ACTY\_TYPE\_9134                      DLSC-S                      F CHAR                      4  
ACTIVITY TYPE

INDICATES WHAT CATEGORY AN ACTIVITY BELONGS TO (CATALOGING, NATO, MEDALS, PSMAT, ETC.).

9135 ALLOWED-DIC                              ALLOWED\_DIC\_9135                      DLSC-S                      F CHAR                      3  
ALLOWED DIC

VALID DIC WHICH CAN BE INCLUDED IN A LMX OR LMD TRANSACTION.

9136 APPL-OP-REC                              APPL\_OP\_REC\_9136                      DLSC-S                      V VARCHAR                      1132  
APPLICATION OUTPUT RECORD

CONTAINS AN OUTPUT SEGMENT IN ITS INTERNAL FORMAT GENERATED BY A BATCH APPLICATION.

9137 ARCHIVE-TS                              ARCHIVE\_TS\_9137                      DLSC-S                      F TIMESTMP                      26  
ARCHIVE TIMESTAMP

SYSTEM TIMESTAMP OF WHEN TRANSACTIONS WERE ARCHIVED TO A DATASET.

9138 ARCVD-BY-USER                              ARCHVNG\_USER\_9138                      DLSC-S                      F CHAR                      8  
ARCHIVED BY USER

USERID OF INDIVIDUAL WHO ARCHIVED A SET OF TRANSACTIONS.

9139 ASCII-EBCDIC                              ASCII\_EBCDIC\_9139                      DLSC-S                      F CHAR                      1  
ASCII EBCDIC

INDICATES IF A TAPE IS IN ASCII OR EBCDIC FORMAT. USED FOR INPUT AND OUTPUT OF TRANSACTIONS.

9140 AUTODIN-IO                              AUTODIN\_IO\_9140                      DLSC-S                      F CHAR                      1  
AUTODIN INPUT OUTPUT

INDICATES WHETHER THE RECORD PERTAINS TO AN INPUT AUTODIN MESSAGE OR AN OUTPUT AUTODIN MESSAGE. VALUES ARE I OR O.

9141 BLOCK-SIZE                              BLOCK\_SIZE\_9141                      DLSC-S                      F CHAR                      4  
BLOCK SIZE

USED IN MEDIA TYPE TABLE. THE BLOCK SIZE OF THE INPUT OUTPUT TAPE.

9142 COMM-RI                                      COMM\_RI\_9142                      DLSC-S                      F CHAR                      7  
COMMUNICATIONS ROUTING INDICATOR

FIELD WITHIN THE AUTODIN MESSAGE HEADER.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9143 CPU-ROUTED-TO CPU\_ROUTED\_TO\_9143 DLSC-S F CHAR 10  
CPU ROUTED TO  
THE CPU WHERE A TRANSACTION HAS BEEN REROUTED TO (FUTURE USE).

9144 DATASET-NAME DATASET\_NAME\_9144 DLSC-S F CHAR 18  
DATASET NAME  
NAME OF DATASET WHICH CONTAINS ARCHIVED TRANSACTIONS. THE DATASET NAME IS THE DATE WHEN THE TRANSACTIONS WERE RECEIVED.

9145 DIC-ID DIC\_ID\_9145 DLSC-S F CHAR 5  
DIC IDENTIFIER  
COMPLEX FIELD CONTAINING THE DIC AND THE DIC\_SEQ.

9146 DIC-SEQ DIC\_SEQ\_9146 DLSC-S F SMALLINT 2  
DIC SEQUENCER  
DIC SEQUENCE NUMBER FOR MULTIPLE OCCURRENCES OF DICS.

9147 DLSC-DATE DLSC\_DATE\_9147 DLSC-S F CHAR 9  
DLSC DATE  
DATE FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.

9148 DLSC-TIME DLSC\_TIME\_9148 DLSC-S F CHAR 8  
DLSC TIME  
TIME FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.

9151 ERROR-SEQ ERROR\_SEQ\_9151 DLSC-S F SMALLINT 2  
ERROR SEQUENCER  
TM ERROR SEQUENCE NUMBER. INDICATES THE NUMBER OF TIMES THE TRANSACTION WAS DETECTED AS BEING IN ERROR.

9152 ERROR-TS ERROR\_TS\_9152 DLSC-S F TIMESTMP 26  
ERROR TIMESTAMP  
TRANSACTION ERROR TIME STAMP. INDICATES THE DATE AND TIME WHEN TM WAS INTERRUPTED BECAUSE OF AN ERROR CONDITION.

9153 EXEC-COUNT EXEC\_COUNT\_9153 DLSC-S F SMALLINT 2  
EXECUTION COUNT  
TRANSACTION EXECUTION COUNT. INDICATES THE NUMBER OF TIMES A TRANSACTION WAS SUBMITTED TO THE BATCH APPLICATION BY TM.

9154 EXT-SEG-DATA EXT\_SEG\_DATA\_9154 DLSC-S V VARCHAR 1131  
EXTENDED SEGMENT DATA  
EXTENDED SEGMENT VALUE. STORES THE REMAINING CHARACTERS OF A SEGMENT WHICH EXCEEDED THE MAXIMUM LENGTH OF 1124 AS SPECIFIED IN THE TRANS-HOLD-SEGMENT FILE, TRANS-ACTIVE-SEG FILE, OR TRANS-HIST-SEGMENT FILE.

9155 EXT-SEG-SEQ EXT\_SEG\_SEQ\_9155 DLSC-S F SMALLINT 2  
EXTENDED SEGMENT SEQUENCER  
EXTENDED SEGMENT SEQUENCE NUMBER. INDICATES THE SEQUENCE OF EXTENDED SEGMENT RECORDS REQUIRED TO STORE THE INPUT SEGMENT IF THE SEGMENT EXCEEDS THE MAXIMUM LENGTH OF 1124.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9156	EXTEND-FLAG EXTENDED SEGMENT FLAG EXTENDED VALUE FLAG. INDICATES IF THE SEGMENT DATA EXCEEDED 1124 CHARACTERS. SINCE THIS IS A RARE CASE FOR INPUT SEGMENTS, THE REMAINING CHARACTERS OF THE SEGMENT ARE STORED IN ANOTHER FILE.	EXTEND_FLAG_9156	DLSC-S	F CHAR	1
9157	FILE-CHAR-CNT FILE CHARACTER COUNT THE NUMBER OF CHARACTERS IN AN AUTODIN MESSAGE CONTAINING FORMATTED OUTPUT TRANSACTIONS.	FILE_CHAR_CNT_9157	DLSC-S	F INTEGER	4
9158	FILE-REC-CNT FILE RECORD COUNT FILE RECORD COUNT OR VOLUME OF AN ACTIVITYs OUTPUT DISTRIBUTION FILE.	FILE_REC_CNT_9158	DLSC-S	F INTEGER	4
9159	FILE-TRNS-CNT FILE TRANSACTION COUNT THE NUMBER OF TRANSACTIONS IN THE ACTIVITYs HOLDING FILE AT THE PRESENT TIME.	FILE_TRNS_CNT_9159	DLSC-S	F SMALLINT	2
9160	FIRST-INIT FIRST INITIAL FIRST NAME INITIAL. FIELD WITHIN MEDALS OUTPUT TRANSACTION.	FIRST_INIT_9160	DLSC-S	F CHAR	2
9161	FOOTPRNT-DATE FOOTPRINT DATE DATE-TIME STAMP WHEN THE TRANSACTIONS WERE RECEIVED.	FOOTPRNT_DATE_9161	DLSC-S	F CHAR	7
9162	FORMAT-NAME FORMAT NAME THE FORMAT NAME SPECIFIED BY AN ACTIVITY. USED TO REFORMAT INPUT TRANSACTIONS INTO AN INTERNAL STANDARD FORMAT OR FORMAT OUTPUT TRANSACTIONS INTO THE ACTIVITYs OUTPUT FORMAT.	FORMAT_NAME_9162	DLSC-S	F CHAR	8
9164	FORMATTED-TS FORMATTED TIMESTAMP INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION SUBMITTED THROUGH TM WAS REFORMATTED INTO THE INTERNAL STANDARD FORMAT.	FORMATTED_TS_9164	DLSC-S	F TIMESTMP	26
9165	GIRDER-SET GIRDER INPUT SET INDICATES WHICH OF THE TWO GIRDER INPUT TAPES THE TRANSACTION WAS RECEIVED ON. VALUES ARE A AND B.	GIRDER_SET_9165	DLSC-S	F CHAR	1
9166	HDR-REJ HEADER REJECT FIELD NAIN UPDATE FIELD WITHIN THE INTERNAL INPUT HEADER RECORD.	HDR_REJ_9166	DLSC-S	F CHAR	2
9167	I-O-TYPE INPUT OUTPUT DIC TYPE INDICATES IF THE DIC IS OF INPUT OR OUTPUT TYPE.	I_O_TYPE_9167	DLSC-S	F CHAR	1
9168	IN-USE-FLAG	IN_USE_FLAG_9168	DLSC-S	F CHAR	1



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## IN USE FLAG

INDICATES IF THE ACTIVITY'S HOLDING FILE IS BEING UPDATED AT THE MOMENT. IF THE VALUE IS Y, THE OUTPUT-CONTROL MODULE IS WRITING FORMATTED OUTPUT TRANSACTIONS TO IT.

9169 INPUT-FORMAT INPUT\_FORMAT\_9169 DLSC-S F CHAR 8  
INPUT FORMAT NAME  
THE INPUT FORMAT NAME SPECIFIED BY AN ACTIVITY AND USED TO REFORMAT THE INPUT TRANSACTION INTO AN INTERNAL STANDARD FORMAT.

9170 INPUT-MEDIA INPUT\_MEDIA\_9170 DLSC-S F CHAR 2  
INPUT MEDIA  
THE MEDIA TYPE THE INPUT TRANSACTIONS WERE RECEIVED ON. INPUT MEDIA TYPE VALID VALUES: AU=AUTODIN, TP=TAPE, CG=COMPUTER GENERATED, MD=MADS, DK=DISK

9171 INPUT-RECORD INPUT\_RECORD\_9171 DLSC-S V VARCHAR 1132  
INPUT TRANSACTION RECORD  
STORES A SEGMENT OF A TRANSACTION IN THE FORMAT IT WAS SUBMITTED TO TM.

9172 LAST-NAME LAST\_NAME\_9172 DLSC-S F CHAR 17  
LASTNAME  
FIELD WITHIN MEDALS OUTPUT TRANSACTION.

9173 LOGGED-TS LOGGED\_TS\_9173 DLSC-S F TIMESTMP 26  
LOGGED TIMESTAMP  
TIMESTAMP USED TO LOG UNDEFINABLE TRANSACTIONS.

9174 LSR-SEG-2-IN LSR\_SEG\_2\_IN\_9174 DLSC-S F CHAR 84  
LSR SEGMENT 2 INPUT  
LSR INPUT SEGMENT 2 RECORD.

9175 LSR-SEG-2-OUT LSR\_SEG\_2\_OUT\_9175 DLSC-S F CHAR 84  
LSR SEGMENT 2 OUTPUT  
LSR OUTPUT SEGMENT 2 RECORD.

9176 MAX-REC-LGTH MAX\_REC\_LGTH\_9176 DLSC-S F CHAR 4  
MAXIMUM RECORD LENGTH  
MAXIMUM RECORD LENGTH FOR A VARIABLE LENGTH RECORD.

9177 MEDALS-IP-REC MEDALS\_IP\_REC\_9177 DLSC-S F CHAR 80  
MEDALS INPUT RECORD  
INPUT TRANSACTION AS IT IS RECEIVED BY TM.

9178 MEDIA-HEADER MEDIA\_HEADER\_9178 DLSC-S F CHAR 80  
MEDIA HEADER  
IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE HEADER RECORD. IN THE CASE OF OTHER MEDIA INPUT, THE TYPE OF MEDIA AND RELATED INFORMATION NEEDED BY TM.

9179 MESSAGE-LGTH MESSAGE\_LGTH\_9179 DLSC-S F INTEGER 4  
MESSAGE LENGTH

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE LENGTH OF AN AUTODIN MESSAGE SUBMITTED THROUGH TM.

9180	MIN-ALT-MED MINIMIZE ALTERNATE MODE MEDIA MINIMIZE ALTERNATE MODE MEDIA.	MIN_ALT_MED_9180	DLSC-S	F CHAR	2
9181	MINIMIZE-FLAG MINIMIZE FLAG A YES NO FIELD USED TO DETERMINE IF MINIMIZING CONDITIONS ARE IN EFFECT.	MINIMIZE_FLAG_9181	DLSC-S	F CHAR	1
9182	MIN-REC-LGTH MINIMUM RECORD LENGTH MINIMUM RECORD LENGTH OF A VARIABLE LENGTH RECORD.	MIN_REC_LGTH_9182	DLSC-S	F CHAR	4
9184	MOP-OP-REC MOP OUTPUT RECORD FIELD CONTAINING MEDALS OUTPUT TRANSACTION (WITHOUT INPUT TRANSACTION) GENERATED BY APPLICATION.	MOP_OP_REC_9184	DLSC-S	F CHAR	1132
9185	NATO-FLAG NATO TRANSACTION FLAG INDICATES IF THE DIC ODRC COMBINATION IS FOR A NATO-TYPE TRANSACTION.	NATO_FLAG_9185	DLSC-S	F CHAR	1
9186	NATO-PIC NATO TRANSACTION PRIORITY INDICATOR CODE INDICATES PRIORITY INDICATOR CODE VALUE FOR A NATO INPUT TRANSACTION.	NATO_PIC_9186	DLSC-S	F CHAR	1
9187	NATO-PIC-VAL NATO PRIORITY INDICATOR VALUE IDENTIFIER INDICATES IF THE PRIORITY INDICATOR CODE IS FOR A NATO-TYPE TRANSACTION.	NATO_PIC_VAL_9187	DLSC-S	F CHAR	1
9188	NBR-OF-SEG NUMBER OF SEGMENTS NUMBER OF SEGMENTS WITHIN A SPECIAL INPUT TRANSACTION, E.G. DOP, LOP, ETC.	NBR_OF_SEG_9188	DLSC-S	F CHAR	4
9189	ODRC-SEQ OUTPUT DATA REQUEST CODE SEQUENCER OUTPUT DATA REQUEST CODE SEQUENCE NUMBER. THERE MAY BE UP TO TWO ODRCs FOR A SINGLE DIC.	ODRC_SEQ_9189	DLSC-S	F CHAR	1
9190	ON-HOLD-TS ON HOLD TIMESTAMP INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS PLACED IN THE FOOTPRINTs HOLD DATASET.	ON_HOLD_TS_9190	DLSC-S	F TIMESTMP	26
9191	ROW-HLD-FLG-ID ROW HOLD FLAG IDENTIFIER THE IDENTIFIER THAT IS USED AS A FLAG TO NOTE THAT A HOLD STATUS EXISTS ON USAGE OF THE INFORMATION IN THIS ROW OF A DB2 TABLE. VALID VALUES INCLUDE H, Q, AND SPACE.	ROW_HLD_FLG_9191	DLSC-SBA	F CHAR	1
9192	OP-PARTITION	OP_PARTITION_9192	DLSC-S	F CHAR	2

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## OUTPUT LOCATION PARTITION

DATASET PARTITION PROVIDED BY DOP, LOP TRANSACTIONS CONTAINING OUTPUT GENERATED BY THE BATCH LOLA APPLICATION.

9193 OP-TIMESTAMP                      OP\_TIMESTAMP\_9193                      DLSC-S                      F    TIMESTMP                      26  
OUTPUT TIMESTAMP  
VALUE ASSIGNED BY BATCH APPLICATIONS AS PART OF THE KEY WHEN WRITING OUTPUT TRANSACTIONS ASSOCIATED WITH SPECIAL DICs LOP, DOP AND MOP.

9195 OUTPUT-FORMAT                      OUTPUT\_FORMAT\_9195                      DLSC-S                      F    CHAR                      8  
OUTPUT FORMAT NAME  
THE OUTPUT FORMAT NAME SPECIFIED BY AN ACTIVITY AND USED TO REFORMAT THE APPLICATIONs OUTPUT TRANSACTION INTO THE ACTIVITYs OUTPUT FORMAT.

9196 OUTPUT-RECORD                      OUTPUT\_RECORD\_9196                      DLSC-S                      V    VARCHAR                      1132  
OUTPUT TRANSACTION RECORD  
STORES A SEGMENT OF A TRANSACTION IN THE ACTIVITYs OUTPUT FORMAT.

9197 PARTITION                      PARTITION\_9197                      DLSC-S                      F    CHAR                      8  
LOCATION PARTITION  
DISK PARTITION ON WHICH OUTPUT FILE RESIDES.

9198 PGM-NAME                      PGM\_NAME\_9198                      DLSC-S                      F    CHAR                      18  
PROGRAM NAME  
PROGRAM NAME.

9199 PGM-TRANSID                      PGM\_TRANSID\_9199                      DLSC-S                      F    CHAR                      4  
PROGRAM CICS TRANSACTION IDENTIFIER  
PROGRAM CICS TRANSACTION IDENTIFIER.

9200 PIC-DESC                      PIC\_DESC\_9200                      DLSC-S                      F    CHAR                      25  
PRIORITY INDICATOR CODE DESCRIPTION  
CLEAR TEXT DESCRIPTION.

9201 PROCESSED-TS                      PROCESSED\_TS\_9201                      DLSC-S                      F    TIMESTMP                      26  
PROCESSED TIMESTAMP  
PROCESS TIME STAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION COMPLETED BATCH APPLICATION PROCESSING.

9202 RCVD-SND-STMP                      RCVD\_SND\_STMP\_9202                      DLSC-S                      F    TIMESTMP                      26  
RECEIVED SEND TIMESTAMP  
RECEIVED OR SENT DATE-TIME STAMP OF AN INPUT OUTPUT AUTODIN MESSAGE.

9203 RE-PROCESS-TS                      RE\_PROCESS\_TS\_9203                      DLSC-S                      F    TIMESTMP                      26  
REPROCESSED TIMESTAMP  
RE-PROCESSED TIMESTAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION SUBMITTED THROUGH TM WAS RE-PROCESSED DUE TO AN ERROR CONDITION.

9204 RECVD-STAMP                      RECVD\_STAMP\_9204                      DLSC-S                      F    TIMESTMP                      26

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## RECEIVED TIMESTAMP

RECEIVED TIME STAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS RECEIVED BY TM.

9205	REJECT-FLAG	REJECT_FLAG_9205	DLSC-S	F CHAR	1
REJECTED TRANSACTION FLAG					
INDICATES IF THE INPUT TRANSACTION WAS REJECTED BY TM BECAUSE OF VALIDATION ERRORS.					
9206	REJECTED-TS	REJECTED_TS_9206	DLSC-S	F TIMESTMP	26
REJECTED TRANSACTION TIMESTAMP					
INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS REJECTED BY TM.					
9207	RELEASED-CNT	RELEASED_CNT_9207	DLSC-S	F CHAR	6
RELEASED TRANSACTION COUNT					
NUMBER OF TRANSACTIONS RELEASED FOR IMMEDIATE PROCESSING DUE TO REORDERING OF THE PRIORITY QUEUES (OUT-OF-SEQUENCE PROCESSING).					
9208	RELEASED-TS	RELEASED_TS_9208	DLSC-S	F TIMESTMP	26
RELEASED TRANSACTION TIMESTAMP					
SYSTEM TIMESTAMP WHEN A TRANSACTION HAS BEEN RELEASED FOR PROCESSING.					
9209	REORDER-TS	REORDER_TS_9209	DLSC-S	F TIMESTMP	26
REORDER TRANSACTION TIMESTAMP					
DATE AND TIME STAMP WHEN THE RELEASE TDQs WERE REORDERED.					
9210	REROUTED-TIME	REROUTED_TIME_9210	DLSC-S	F TIMESTMP	26
REROUTED TRANSACTION TIMESTAMP					
REROUTED TIME STAMP. SYSTEM TIME STAMP WHEN THE TRANSACTION IS REROUTED TO THE BURROUGHS.					
9211	LN-2780-IDEN	LN_2780_IDEN_9211	DLSC-SBA	F CHAR	4
LINE 2780 IDENTIFIER					
THIS FIELD IDENTIFIES THE 2780 LINE FROM PASSTHROUGH ACTIVITY CONNECTED TO THE INPUT SIDE OF THE 3090.					
9212	LN-2780-DESC	LN_2780_DESC_9212	DLSC-SBA	F CHAR	2
LINE 2780 DESCRIPTION					
THIS FIELD IDENTIFIES THE PASSTHROUGH ACTIVITY USING THE IDENTIFIED LINE.					
9213	PORT-NBR	PORT_NBR_9213	DLSC-SBA	F CHAR	20
PORT NUMBER					
THIS FIELD IDENTIFIES THE PORT ON THE INPUT SIDE OF THE 3090 THAT THE IDENTIFIED 2780 LINE WILL BE CONNECTED.					
9214	PRIM-COMM-RI-IND	PRIM_COMM_RI_9214	DLSC-SBA	F CHAR	1
PRIMARY COMMUNICATIONS ROUTING INDICATOR INDICATOR					
AN INDICATOR USED BY TRANSACTION MANAGEMENT (TM) FOR SELECTING THE PRIMARY COMMRI CODE TO BE USED IN THE OUTPUT AUTODIN MESSAGE HEADER FOR ROUTING PURPOSES. VALID VALUES: X = OUTPUT FOR DATA ROUTING, BLANK = NOT USED FOR OUTPUT ROUTING.					
9215	AIR-CMDTY-SP-HDLG-CD	AIR_CMTY_HDLG_9215	DLSC-SBA	F CHAR	2
AIR COMMODITY SPECIAL HANDLING CODE					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED FOR ALL SHIPMENTS VIA AIR, TO IDENTIFY MATERIAL FOR MANIFESTING AND CUSTOMS REQUIREMENTS. THE FIRST POSITION IS THE AIR COMMODITY CODE. THE SECOND POSITION IS THE AIR SPECIAL HANDLING CODE. SEE VOLUME 10, TABLE 85 AND QUICK INFO ON-LINE.

9216 TM-MEDALS-FLG MEDALS\_FLG\_9216 DLSC-SBA F CHAR 1  
TRANSACTION MANAGEMENT MEDALS FLAG  
ONE BYTE FIELD THAT WILL BE USED BY THE T.M. SYSTEM TO INDICATE THAT THE TRANSACTION IS AN INPUT FROM THE MEDALS PROCESS WITHIN T.M.. THE VALUE WITHIN THIS FIELD WILL BE AN 'X' IF THE DATA IS MEDALS AND A BLANK FOR ALL OTHER DATA INPUT.

9217 TM-ACTY-OP ACTY\_OP\_9217 DLSC-SBA V VARCHAR 20  
TRANSACTION MANAGEMENT ACTIVITY OUTPUT  
WILL CONTAIN AN ACTIVITY CODED OF THE FIRST TEN ACTIVITY CODES WITHIN AN OUTPUT TRANSACTION PACKAGE PASSED TO T.M. FOR OUTPUT DISTRIBUTION.

9220 AIR-DIM-CD AIR\_DIM\_CD\_9220 DLSC-SBA F CHAR 1  
AIR DIMENSION CODE  
A CODE THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. E.G., A-SHIPMENT DOES NOT EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT), Z- SHIPMENT DOES EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT). SEE VOLUME 10, TABLE 84 AND QUICK INFO ON-LINE.

9221 TM-IP-TRK-ID IP\_TRK\_9221 DLSC-S F CHAR 15  
TM INPUT TRACKING IDENTIFIER  
THE VALUES PLACED WITHIN THIS PERTAINS TO THE BASIC TRACKING OF AN INPUT TRANSACTION. IF THE DATA WAS INPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS INPUT VIA TAPETHIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK INPUT.

9222 TM-OP-TRK-ID OP\_TRK\_9222 DLSC-S F CHAR 15  
TM OUTPUT TRACKING IDENTIFIER  
THE VALUES PLACED WITHIN THIS PERTAIN TO THE BASIC TRACKING OF AN OUTPUT TRANSACTION. IF THE DATA WAS OUTPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS OUTPUT VIA TAPE THIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK OUTPUT.

9223 TM-SP-PROJ-ID SP\_PROJ\_9223 DLSC-S F CHAR 4  
TM SPECIAL PROJECT IDENTIFIER  
A VALUE WITHIN THIS FIELD INDICATES THAT THIS DATA IS A SPECIAL PROJECT AND MAY BE PROCESSED AND OUTPUT BY T.M. IN A SPECIAL MANNER.

9224 TM-APP-ARCH-KEY-ID APP\_ARCH\_KEY\_9224 DLSC-S F INTEGER 8  
TM APPLICATION ARCHIVE KEY IDENTIFIER  
THIS DATA ELEMENT IS TO BE USED AS A KEY TO THE ARCHIVE LOG TABLE WITHIN TM TO RETRIEVE DATA FROM THE BACKUP OF THE APPL\_OP\_HOLD TABLE.

9225 TM-ARCH-DATA-TYP-ID ARCH\_DATA\_TYP\_9225 DLSC-S F CHAR 3  
TM ARCHIVE DATA TYPE IDENTIFIER  
THIS FIELD WILL CARRY THE VALUE OF THE TYPE OF DATA IN ARCHIVE. THIS MAY BE FOR ORIGINAL IMAGE, FORMATTED SEGMENT DATA, APPLICATION OUTPUT OR VARIOUS HISTORY TABLES.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9226 TM-TAPE-LOG-IP-TM TAPE\_LOG\_IP\_9226 DLSC-S F TIMESTMP 26  
TM TAPE LOGGED INPUT TIME  
INDICATES THE DATE AND TIME A TAPE RECEIVED BY DLSC FOR PROCESSING WAS LOGGED INTO THE TM SYSTEM VIA THE TOLA SUB-SYSTEM.

9227 TM-TAPE-VOL-SER-NBR-ID TAPE\_VOL\_SER\_9227 DLSC-S F CHAR 8  
TM TAPE VOLUME SERIAL NUMBER IDENTIFIER  
THIS WILL CONTAIN THE VALUE OF THE TAPE VOLUME SERIAL NUMBER ENTERED VIA THE TOLA SUB-SYSTEM.

9228 TM-TAPE-IP-TM TAPE\_IP\_TM\_9228 DLSC-S F TIMESTMP 26  
TM TAPE INPUT TIME  
INDICATES THE DATE AND TIME A TAPE WAS ENTERED INTO TM BY OPERATIONS VIA THE TOLA SUB-SYSTEM FOR PROCESSING BY TM.

9229 TM-TRAN-PROC-FLG-ID TRAN\_PROC\_FLG\_9229 DLSC-S F CHAR 1  
TM TRANSACTION PROCESS FLAG IDENTIFIER  
THE VALUE OF THIS IS USED TO INDICATE WHETHER OR NOT THE TRANSACTION PROCESSED. THE VALUE MAY MEAN THE TRANSACTION REJECTED OR PROCESSED SUCCESSFULLY.

9230 LFU-PROC-STAT-CD LFU\_PROC\_STAT\_9230 DLSC-S F CHAR 1  
LFU PROCESS STATUS CODE  
THIS WILL CONTAIN THE STATUS OF A FOLLOW UP DIC THAT IS BEING PROCESSED BY TRANSACTION MANAGEMENT.

9240 SP-HDLG-CD SP\_HDLG\_CD\_9240 DLSC-SBA F CHAR 1  
SPECIAL HANDLING CODE  
A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE EXCEPTION HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT UNIT. NUMERIC CODE DENOTES SINGLE HANDLING CONDITION, ALPHA CODE DENOTES MIXED HANDLING REQUIREMENTS. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

9241 MADS-DB2-PARTITION-QY MADS\_DB2\_PART\_9241 DLSC-SBA F SMALLINT 4  
MADS DB2 PARTITION QUANTITY  
THE NUMERIC VALUE OF A DB2 PARTITION BASED ON CURRENT TRAFFIC FROM 1 TRU 20.

9242 FILE-REC-MIN-QY FILE\_REC\_MIN\_9242 DLSC-SBA F INTEGER 8  
FILE RECORD MINIMUM QUANTITY  
THE RECORD COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.

9243 FILE-CHAR-MIN-QY FILE\_CHAR\_MIN\_9243 DLSC-SBA F INTEGER 8  
FILE CHARACTER MINIMUM QUANTITY  
THE CHARACTER COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.

9250 CAGE-CD CAGE\_CD\_9250 DLSC-SBB F CHAR 5  
COMMERCIAL AND GOVERNMENT ENTITY CODE  
CODE ASSIGNED TO ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT, OR TO IDENTIFY CERTAIN MILITARY SPECIFICATIONS OR STANDARDS, AND CERTAIN NUMBERING SYSTEMS DEVELOPED BY GOVERNMENT AGENCIES, PANELS OR COMMITTEES. USED IN THE IDENTIFICATION OF CATALOG DATA IN FEDERAL CATALOG SYSTEM AND ALSO FOR IDENTIFYING CONTRACTORS FOR THE MECHANICAL INTERCHANGE OF DATA REQUIRED BY MILSCAP & SERVICE/AGENCIES ADP SYSTEMS. SEE VOLUME 10, TABLES 20, 21, 40, AND 94.

9255 SIN-SUBMG-ACTY-CD SIN\_SUBM\_ACTY\_9255 DLSC-SB F CHAR 2

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## SINGLE SUBMITTING ACTIVITY CODE

AN ACTIVITY HAVING SOLE RESPONSIBILITY FOR SUBMITTAL OF CATALOG DATA PROPOSALS TO THE DEFENSE LOGISTICS SERVICES CENTER WHERE MANAGEMENT RESPONSIBILITY INCLUDES ALL ITEMS OF SUPPLY IN A GIVEN FSC CLASS (CATEGORY A SINGLE SUBMITTER) OR WHERE MANAGEMENT RESPONSIBILITY IS DETERMINED ON A BY-ITEM BASIS WITHIN A GIVEN FSC CLASS (CATEGORY B).

9256 MAJ-MCC-AR MAJ\_MCC\_AR\_9256 DLSC-SBA F CHAR 1

MAJOR MATERIEL CATEGORY CODE, ARMY

A CODE WHICH WILL IDENTIFY THE MAJOR MATERIEL CATEGORIES OF PRINCIPAL AND SECONDARY MANAGER, NATIONAL INVENTORY CONTROL POINT, OR ARMY CLASS MANAGER ACTIVITY WHICH EXERCISES WORLDWIDE MANAGERIAL RESPONSIBILITY. SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.

9257 MAT-MGMT-CD-MC MAT\_MGMT\_MC\_9257 DLSC-SBA F CHAR 1

MATERIEL MANAGEMENT CODE, MARINE CORPS

A CODE EMPLOYED BY THE MARINE CORPS IN CLASSIFYING ITEMS INTO MATERIEL CATEGORIES. AN ALPHA CODE DESIGNATES THE AGENCY WITHIN THE DOD WHICH HAS BEEN ASSIGNED RESPONSIBILITY FOR INTEGRATED MATERIEL MANAGEMENT CONTROL, OR A NUMERIC CODE DESIGNATES INTERNAL MARINE CORPS MATERIEL MANAGEMENT RESPONSIBILITY FOR ITEMS NOT ASSIGNED TO ANOTHER SERVICE. SEE VOLUME 10, TABLE 54 AND QUICK INFO ON-LINE.

9260 TYP-CGO-CD TYPE\_CGO\_CD\_9260 DLSC-SBA F CHAR 1

TYPE OF CARGO CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY THE TYPE OF CARGO INCLUDED WITHIN THE SHIPMENT UNIT. E.G., A-RADIOACTIVE, H-SUBJECT TO DAMAGE FROM HEAT, P-POISON, ETC. SEE VOLUME 10, TABLE 82 AND QUICK INFO ON-LINE.

9275 WTR-CMDTY-CD WTR\_CMDTY\_CD\_9275 DLSC-SB F CHAR 3

WATER COMMODITY CODE

A SERIES OF CODES USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY COMMODITIES FOR OCEAN MANIFESTING, MILITARY SEA TRANSPORTATION SERVICE /MSTS/ BILLING, COST ACCOUNTING AND CONTRACTOR PAYMENT, FIRST POSITION /NUMERIC/ MAJOR COMMODITY CATEGORY, SECOND POSITION /NUMERIC/ MINOR COMMODITY CATEGORY, THIRD POSITION /ALPHANUMERIC/ SPECIFIC COMMODITY. E.G., CODE 515 OR 51E FROM 500-799 SERIES.

9290 IP-DATA-DSK-CD DLSC-S F 4

INPUT DATA DESK CODE

A CODE WHICH IDENTIFIES THE INDIVIDUAL RESPONSIBLE FOR ORIGINATING INPUT TO THE FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) DATA BANK.

9292 RPLM-NSCM-CD DLSC-SC F 5

REPLACEMENT NATO SUPPLY CODE FOR MANUFACTURERS

A NATO SUPPLY CODE FOR MANUFACTURERS (NSCM) WHICH REPLACES A CANCELLED NSCM OR A COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE.

9305 UPC-SER-NBR-ID UPC\_SER\_NBR\_9305 DLSC-SB F CHAR 24

UNIVERSAL PRODUCT CODE SERIAL NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE SERIAL NUMBER ASSOCIATED WITH A UPC CODE. USUALLY ONE SERIAL NUMBER WILL REPRESENT A CASE OF ITEMS WHERE EACH ITEM HAS THE SAME UPC. EXAMPLES: MULTIPLE BOXES OF THE SAME ITEM (UPC) BUT EACH BOX HAS A UNIQUE SERIAL NUMBER.

9306 AUTODIN-CONT-IND-CD AUTODIN\_CIC\_9306 DLSC-S F CHAR 4

AUTODIN CONTENT INDICATOR CODE

AUTODIN HEADER ROUTES MESSAGE

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9307 COND-CD DLSC-SC F 2  
CONDITION CODE  
A CODE USED TO INDICATE THE INPUT REPLY MAY BE PRINTED AS THE OUTPUT REPLY AND DOES NOT REQUIRE DECODING OR STORED TEXT TO BE ADDED. CODE 00 IS ENTERED FOR ALL A AND B MODE CODES. IF CODE IS NOT REQUIRED, THE POSITIONS ARE LEFT BLANK.

9308 SNF-END-DT SNF\_END\_DT\_9308 DLSC-S F INTEGER 4  
SEQUENTIAL NIIN FILE END DATE  
DATE WHICH INDICATES THE FIRST OF THE FOLLOWING MONTH FOR THE EXTRACT OF THE SNF FOR THE NIINS THAT WERE CHANGED IN THE PRECEDING MONTH. FORMAT: CCYYDDD.

9309 SNF-TYP-UPDT SNF\_TYP\_UPDT\_9309 DLSC-S F CHAR 1  
SEQUENTIAL NIIN FILE TYPE UPDATE  
DETERMINES THE TYPE OF NIIN PACKAGE TO BE BUILT. VALID VALUES: I - IIM UPDATE ONLY, C - CHARACTERS UPDATE ONLY, B - IIM AND CHARACTERS UPDATE.

9310 AUTODIN-MSG AUTODIN\_MSG\_9310 DLSC-SBA V VARCHAR 22000  
AUTODIN MESSAGE  
FIELD CONTAINS CONTENTS OF DATA WITHIN AN AUTODIN MESSAGE. DATA CAN CONSIST OF CATALOGING, PROVISIONING SCREENING, MEDALS, ETC.

9311 ARCHIVE-BEGIN-DATE ARCH\_BEG\_DT\_9311 DLSC-SBA F CHAR 6  
ARCHIVE BEGIN DATE  
FOR THE ARCHIVE SUBSYSTEM, TO DEPICT WHEN A DB2 TABLE BEGAN TO BE ARCHIVED. TO DETERMINE WHETHER OR NOT TO ATTEMPT TO RESTORE FROM ARCHIVE IF REQUESTED BY USER.

9312 ARCHIVE-END-DATE ARCH\_END\_DT\_9312 DLSC-SBA F CHAR 6  
ARCHIVE END DATE  
FOR THE ARCHIVE SUBSYSTEM, TO DEPICT WHEN A DB2 TABLE CEASED BEING ARCHIVED. TO DETERMINE WHETHER OR NOT TO ATTEMPT TO RESTORE FROM ARCHIVE IF REQUESTED BY USER.

9313 SPACE-ALLOC SPACE\_ALLOC\_9313 DLSC-SBA F CHAR 9  
SPACE ALLOCATION  
FOR ARCHIVE SUBSYSTEM, TO STORE APPROXIMATE SPACE NEEDED TO STORE 1 MONTH OF DATA. TO KEEP TRACK OF SPACE UTILIZED AND SPACE AVAILABLE WHEN RESTORING FROM ARCHIVE TO FULFILL USERS REQUESTS.

9314 RESTORE-STATUS-FLAG RSTR\_STAT\_FLG\_9314 DLSC-SBA F CHAR 1  
RESTORE STATUS FLAG  
FOR ARCHIVE SUBSYSTEM, TO INDICATE WHETHER OR NOT TABLE CONTAINS DATA RESTORED FROM PREVIOUS NIGHTS REQUESTS. TO DETERMINE WHETHER TABLE SHOULD BE CLEARED OUT TO FILL NEXT DAYS REQUESTS.

9315 ACTN-CD DLSC-SB F 2  
ACTION CODE  
A CODE USED BY A SUBMITTING ACTIVITY TO ADVISE THE DEFENSE LOGISTICS SERVICES CENTER OF WHAT ACTION TO TAKE WITH SUBMITTED CORRECTIVE DATA ELEMENTS. THE DATA ELEMENTS ARE IDENTIFIED BY A DATA RECORD NUMBER (DRN) OR A MASTER REQUIREMENT CODE (MRC).

9325 ORIG-STDZN-DEC ORG\_STDZN\_DEC\_9325 DLSC-SB F CHAR 2  
ORIGINATOR OF STANDARDIZATION DECISION



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDENTIFIES THE ACTIVITY THAT IS RESPONSIBLE FOR THE ASSIGNMENT OF ITEM STANDARDIZATION CODES TO RECORD STANDARDIZATION DECISIONS. COMPUTER GENERATED FROM THE ORIGINATING ACTIVITY CODE /DRN 4210/ WHICH IS INCLUDED IN THE INPUT HEADER.

9336	UPC-MFR-ID	MFR_ID_9336	F CHAR	7
UNIVERSAL PRODUCT CODE MANUFACTURER IDENTIFIER				
THE IDENTIFIER THAT REPRESENTS A COUNTRY CODE, NUMBER SYSTEM CHARACTER IDENTIFIER, AND MANUFACTURER IDENTIFIER NUMBER WITHIN THE UNIVERSAL PRODUCT CODE. VALID VALUES FOR THE COUNTRY CODE: 0-9, DEFAULT = 0.				
9337	UPC-MFR-ITM-ID	MFR_ITM_9337	F CHAR	5
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM IDENTIFIER				
9338	UPC-CK-CHAR-QY	CK_CHAR_9338	F CHAR	1
UNIVERSAL PRODUCT CODE CHECK CHARACTER QUANTITY				
9339	UPC-MFR-ITM-NM	MFR_ITM_NM_9339	F CHAR	3
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM NAME				
9340	UCC-MBR-NM	MBR_NM_9340	F CHAR	40
UNIFORM CODE COUNCIL MEMBER NAME				
9341	UCC-FRST-ADRS-LI-TX	UCC_FRST_ADRS_9341	F CHAR	30
UNIFORM CODE COUNCIL FIRST ADDRESS LINE TEXT				
9342	UCC-SECN-ADRS-LI-TX	UCC_SECN_ADRS_9342	F CHAR	30
UNIFORM CODE COUNCIL SECOND ADDRESS LINE TEXT				
9343	UCC-THRD-ADRS-LI-TX	UCC_THRD_ADRS_9343	F CHAR	30
UNIFORM CODE COUNCIL THIRD ADDRESS LINE TEXT				
9344	UCC-CTY-NM	UCC_CTY_NM_9344	F CHAR	20
UNIFORM CODE COUNCIL CITY NAME				
9345	UCC-STA-CD	UCC_STA_CD_9345	F CHAR	4
UNIFORM CODE COUNCIL STATE CODE				
9346	UCC-ZIP-CD	UCC_ZIP_CD_9346	F CHAR	10
UNIFORM CODE COUNCIL ZIP CODE				

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9347	UCC-CTRY-NM UNIFORM CODE COUNCIL COUNTRY NAME	UCC_CTRY_NM_9347		F CHAR	30
9348	UCC-CNTCT-NM UNIFORM CODE COUNCIL CONTACT NAME	UCC_CNTCT_NM_9348		F CHAR	30
9349	UCC-CNTCT-NM-TI UNIFORM CODE COUNCIL CONTACT NAME TITLE	UCC_CNTCT_TI_9349		F CHAR	30
9350	UCC-CNTCT-TEL-ID UNIFORM CODE COUNCIL CONTACT TELEPHONE IDENTIFIER	UCC_CNTCT_TEL_9350		F CHAR	16
9351	UCC-BAD-ML-FLG-ID UNIFORM CODE COUNCIL BAD MAIL FLAG IDENTIFIER	UCC_BAD_ML_9351		F CHAR	1
9368	SIC-CD-SQ-IND STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO A ONE (1) POSITION INDICATOR WHICH IDENTIFIES THE ORDER OF IMPORTANCE ON MULTIPLE OCCURENCES OF SIC CODES.	SIC_CD_SQ_IND_9368	DLSC-SC	F CHAR	1
9374	DBL-TAB-IND-CD DOUBLE TABLE INDICATOR CODE TWO SPECIAL CHARACTERS WHICH ARE USED IN CONJUNCTION WITH THE DECODED NARRATIVE FORM CHARACTERISTICS, AFTER THE ITEM NAME, TO PERMIT A PRINT FORMAT CONTROL BREAK AFTER THIS ELEMENT.		DLSC-V	F	2
9381	LOG-MSG-TMSTMP LOGGED MESSAGE TIMESTAMP TIMESTAMP DATE AND TIME MESSAGE WAS LOGGED	LOG_MSG_TS_9381	DLSC-SBA	F TIMESTMP	26
9382	EDIT-STAT-CD EDIT STATUS CODE STATUS OF EDITS, VALID VALUES: P = PASSED EDITS, F = FAILED EDITS	EDIT_STAT_9382	DLSC-SBA	F CHAR	1
9383	EDIT-CMPLTD-TS EDIT COMPLETED TIMESTAMP DATE AND TIME EDIT WAS COMPLETED	EDIT_CMPLT_TS_9383	DLSC-SBA	F TIMESTMP	26
9384	EDIT-RESULTS-TX EDIT RESULTS TEXT RESULT CODES OF EDITS	EDIT_RESULTS_9384	DLSC-SBA	F CHAR	20
9385	TM-RELED-MSG-TS TM RELEASED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RELEASED TO TM (VIA RCV* TD QUEUES)	RELED_MSG_TS_9385	DLSC-SBA	F TIMESTMP	26

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9386	TM-RECVD-MSG-TS TM RECEIVED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RECEIVED BY TM (PULLED FROM RCV* TD QUEUES)	RECVD_MSG_TS_9386	DLSC-SBA	F	TIMESTAMP	26
9387	TM-MED-TRAIL-TX TM MEDIA TRAILER TEXT TRAILER FROM INPUT MESSAGE	MED_TRAIL_9387	DLSC-SBA	F	CHAR	80
9388	TM-RECVD-TD-QUE-TX TM RECEIVED TD QUEUE TEXT TM RECEIVE TD QUEUE THAT THE MESSAGE WAS WRITTEN TO	RECVD_TD_QUE_9388	DLSC-SBA	F	CHAR	4
9389	TM-MSG-TX TM MESSAGE TEXT TM MESSAGE TEXT	MSG_TX_9389	DLSC-SBA	V	VARCHAR	22000
9390	DB2-SQL-ERR-CD DB2 SQL ERROR CODE DB2 SQL ERROR CODE IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.	DB2_SQL_ERR_9390	DLSC-SBA	F	INTEGER	8
9391	DB2-SQL-STA-ERR-CD DB2 SQL STATE ERROR CODE DB2 SQL STATE ERROR IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.	DB2_SQL_STA_9391	DLSC-SBA	F	CHAR	5
9392	CICS-ERR-CD CICS ERROR CODE CICS ERROR CODE IF LOG ENTRY WAS CAUSED BY A CICS ERROR.	CICS_ERR_9392	DLSC-SBA	F	CHAR	4
9393	ERR-MSG-TX ERROR MESSAGE TEXT CONTENTS OF MADS/AUTODIN INPUT MESSAGE.	ERR_MSG_9393	DLSC-SBA	V	VARCHAR	256
9394	TM-RE-PRCSD-MSG-TS TM REPROCESSED MESSAGE TIMESTAMP DATE AND TIME MESSAGE WAS RE-RELEASED TO TM (PUT BACK INTO THE RCV* TD QUEUES)	RE_PRCSD_TS_9394	DLSC-SBA	F	TIMESTAMP	26
9401	IMM-SOS INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE INTEGRATED MATERIAL MANAGER.	IMM_SOS_9401	DLSC-SB	F	CHAR	3
9402	AR-SOS ARMY SOURCE OF SUPPLY CODE A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE ARMY.	AR_SOS_9402	DLSC-SB	F	CHAR	3
9403	AF-SOS AIR FORCE SOURCE OF SUPPLY CODE	AF_SOS_9403	DLSC-SB	F	CHAR	3

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE AIR FORCE.

9404 NVY-SOS NVY\_SOS\_9404 DLSC-SB F CHAR 3  
NAVY SOURCE OF SUPPLY CODE  
A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE NAVY.

9407 DRPD-DRN-SEG-ID DRPD\_DRN\_SEG\_9407 DLSC-SB F CHAR 1  
DROPPED DRN SEGMENT IDENTIFIER  
CONTROL CHARACTER PASSED BY AN APPLICATION TO TRANSACTION MANAGEMENT. THIS DATA ELEMENT WILL RESIDE IN THE SEVENTH POSITION OF RECORDS WHICH CONTAIN (A) DATA ELEMENT(S) IDENTIFIED BY DRN AND NOT BY DIDS-SEG-CD.

9408 TSQ-NAME TSQ\_NAME\_9408 DLSC-S F CHAR 8  
TEMPORARY STORAGE QUEUE NAME  
THE EIGHT POSITION, UNIQUE NAME OF THE TEMPORARY STORAGE QUEUE (TSQ) BUILT BY MIOS. THE FIRST FIVE POSITIONS OF THE TSQ NAME WILL EQUAL THE LAST FIVE POSITIONS OF THE TASK NUMBER AND THE LAST THREE NUMBERS OF THETSQ NAME WILL REPRESENT THE TOTAL NUMBER OF TSQS WRITTEN.

9409 TSQ-UPDT-CMPLT-IND TSQ\_UPD\_CMPLT\_9409 DLSC-S F CHAR 1  
TSQ UPDATE COMPLETE INDICATOR  
A ONE POSITION CODE INDICATING THAT THE TSQ HAS BEEN PROCESSED THROUGH THE MIOS DATABASE UPDATE PROCESS.

9410 MIOS-TRAN-KEY MIOS\_TRAN\_KEY\_9410 DLSC-SB F CHAR 26  
MAINTAIN ITEM OF SUPPLY TRANSACTION KEY  
A TRANSACTION KEY ASSIGNED TO THE MAINTAIN ITEM OF SUPPLY (MIOS) TRANSACTION TO BE USED BY THE DATA BASE ACCESS AND OUTPUT NOTIFICATION MODULES. THIS KEY WILL UNIQUELY IDENTIFY THE MIOS TRANSACTION AND IS USED IN THE GATEKEEPER TABLE.

9411 RESOLUTION RESOLUTION\_9411 DLSC-S F CHAR 40  
PROCESSING ERROR RESOLUTION  
AN EXPLANATION OF HOW A TRANSACTION PROCESSING ERROR WAS RESOLVED.

9412 RESPONSE-HRS RESPONSE\_HRS\_9412 DLSC-S F SMALLINT 2  
PIC RESPONSE HOURS  
RESPONSE HOURS FOR PRIORITY INDICATOR CODE.

9413 RTN-TYPE RTN\_TYPE\_9413 DLSC-S F CHAR 4  
TRANSACTION RETURN TYPE  
FIELD PASSED TO TM PROCESSING COMPLETE SUBMODULE BY THE BATCH APPLICATION. INDICATES WHAT TYPE OF TRANSACTION WAS PROCESSED, E.G. NANC, NAIN, ETC.

9414 SEG-SEQ SEG\_SEQ\_9414 DLSC-S F SMALLINT 2  
SEGMENT SEQUENCER  
SEGMENT SEQUENCE NUMBER TO SUPPORT OCCURRENCES OF MULTIPLE SEGMENTS.

9415 SEGMENT-CD SEGMENT\_CD\_9415 DLSC-S F CHAR 3  
TRANSACTION SEGMENT CODE  
THE FIELD WILL CONTAIN THE SEGMENT CODE AND CARD IMAGE NUMBER TO ALLOW FOR MULTIPLE FORMATS OF THE SAME SEGMENT.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
	CLEAR TEXT HOST/COBOL NAME			
	DRN DEFINITION			

9416	SEGMENT-DATA TRANSACTION SEGMENT DATA THE SEGMENT IN ITS INTERNAL STANDARD FORMAT LOGGED TO THE FOOTPRINT.	SEGMENT_DATA_9416	DLSC-S	V VARCHAR	1360
9417	SEGMENT-ID TRANSACTION SEGMENT IDENTIFIER COMPLEX FIELD CONTAINING THE SEGMENT_CD AND SEG_SEQ.	SEGMENT_ID_9417	DLSC-S	F CHAR	5
9418	SEGMENT-FLAG TRANSACTION SEGMENT FLAG FLAG TO SIGNIFY IF THE SEGMENT IS MANDATORY (M) OR OPTIONAL (O) WITHIN A TRANSACTION.	SEGMENT_FLAG_9418	DLSC-S	F CHAR	1
9419	SEGMENT-POS TRANSACTION SEGMENT POSITION INDICATES THE POSITION OF A SEGMENT WITHIN A TRANSACTION.	SEGMENT_POS_9419	DLSC-S	F CHAR	2
9420	SEGMENT-STATS TRANSACTION SEGMENT STATUS INDICATES WHEN AN LMD TRANSACTION IS WITHIN AN LMX TRANSACTION.	SEGMENT_STATS_9420	DLSC-S	F CHAR	1
9424	TM-BATCH-NBR TM BATCH NUMBER INDICATES THE BATCH NUMBER OF THE INPUT MEDALS TRANSACTIONS IN ONE FILE. THE NUMBER IS INCREMENTED FOR EACH BATCH OF MEDALS INPUT TRANSACTIONS RECEIVED. ONE FILE MAY BE ONE OR MORE TAPES RECEIVED AT ONE TIME.	TM_BATCH_NBR_9424	DLSC-S	F SMALLINT	4
9425	TM-BATCH-SEQ-NBR TM BATCH SEQUENCE NUMBER INCREMENTED FOR EACH RECORD TRANSACTION IN ONE MEDALS INPUT BATCH FILE.	TM_BATCH_SEQ_9425	DLSC-S	F CHAR	4
9426	TM-BATCH-TRNS TM BATCH TRANSACTION INPUT MEDALS TRANSACTION IN ITS SUBMITTED FORMAT PENDING RELEASE UNTIL THE LAST TRANSACTION OF A BATCH IS RECEIVED.	TM_BATCH_TRNS_9426	DLSC-S	F CHAR	80
9427	TM-COMPLT-TS TRANSACTION MGMT COMPLETED TIMESTAMP TM COMPLETE TIMESTAMP. INDICATES THE DATE AND TIME WHEN THE OUTPUT TRANSACTION HAS BEEN FORMATTED FOR ALL DESTINATION ACTIVITIES AND IS READY FOR DISTRIBUTION.	TM_COMPLT_TS_9427	DLSC-S	F TIMESTMP	26
9429	TM-FILE-NAME TM FILE NAME NAME GIVEN TO A DYNAMICALLY ALLOCATED FILE.	TM_FILE_NAME_9429	DLSC-S	F CHAR	18
9430	TM-REC-NBR TM RECORD NUMBER THE RECORD NUMBER OF A TRANSACTION WITHIN AN OUTPUT TRANSACTION PACKAGE.	TM_REC_NBR_9430	DLSC-S	F INTEGER	4
9432	TRAILER	TRAILER_9432	DLSC-S	F CHAR	80

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## AUTODIN TRAILER

IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE TRAILER RECORD. IT IS THE LAST EIGHTY (80) CHARACTERS OF AN AUTODIN MESSAGE.

9433	TRANS-COUNT TRANSACTION COUNT NUMBER OF TRANSACTIONS WITHIN AN INPUT AUTODIN MESSAGE.	TRANS_COUNT_9433	DLSC-S	F SMALLINT	2
9434	TRANS-ERR-FLG TRANSACTION ERROR FLAG INDICATES IF THE MEDALS INPUT TRANSACTION PASSED TM EDITS FOR RPTY_ID AND DIC.	TRANS_ERR_FLG_9434	DLSC-S	F CHAR	1
9435	TRANS-KEY FOOTPRINT TRANSACTION KEY THE UNIQUE IDENTIFIER OF A TRANSACTION WITHIN THE FOOTPRINT OF THE TM SYSTEM. THIS KEY IS PASSED TO THE BATCH APPLICATIONS.	TRANS_KEY_9435	DLSC-S	F CHAR	21
9436	LOLA-UPDT-STAT-KEY-CD LOLA UPDATE STATUS KEY CODE A CODE USED BY THE LOLA_UPDATE PROGRAM TO DETERMINE STATUS OF TRANS_KEY_9435. VALID VALUES INCLUDE: D = DELETE AND T = TEMPLATE.	UPDT_STAT_KEY_9436	DLSC-VPO	F CHAR	1
9437	TRANS-NBR TRANSACTION NUMBER THE TRANSACTION SEQUENCE NUMBER WITHIN AN AUTODIN MESSAGE.	TRANS_NBR_9437	DLSC-S	F SMALLINT	2
9438	TRANS-REF-KEY FOOTPRINT TRANSACTION REFERENCE KEY TRANSACTION REFERENCE KEY.	TRANS_REF_KEY_9438	DLSC-S	F CHAR	37
9439	TRANS-SEQ-NBR FOOTPRINT TRANSACTION SEQUENCE NUMBER USED IN CONJUNCTION WITH THE SYS_CTL_NBR TO UNIQUELY IDENTIFY A TRANSACTION. THE MAIN PURPOSE OF THIS FIELD IS FOR LMD AND LMX TYPE TRANSACTIONS (MULTIPLE DIC INPUTS).	TRANS_SEQ_NBR_9439	DLSC-S	F SMALLINT	2
9440	TRANS-TYP-FLG TRANSACTION TYPE FLAG FLAG WHICH INDICATES IF THE DIC IS A PROVISIONING SCREENING TRANSACTION OR A CATALOGING (MAINTENANCE) TRANSACTION.	TRANS_TYP_FLG_9440	DLSC-S	F CHAR	4
9441	TYPE-OF-TRNS TYPE OF TRANSACTION TYPE OF REFERENCE FOR AN INPUT TRANSACTION LOGGED TO THE FOOTPRINT, E.G. HELD, NAIN, ETC.	TYPE_OF_TRNS_9441	DLSC-S	F CHAR	4
9442	UNDEFINED-SEG UNDEFINED SEGMENT STORES A SEGMENT OF AN UNDEFINABLE TRANSACTION.	UNDEF_SEGMENT_9442	DLSC-S	V VARCHAR	132
9443	VALID-HX-DIC	VALID_HX_DIC_9443	DLSC-S	F CHAR	1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

VALID FOLLOW UP HX CODE FOR DIC

INDICATES IF AN HX STATUS CODE IS VALID FOR THE INPUT DIC BEING FOLLOWED UP ON IN THE CASE OF AN LFU TRANSACTION.

9444 VALID-LFU-DIC                      VALID\_LFU\_DIC\_9444                      DLSC-S                      F CHAR                      1  
VALID DIC FOR LFU TYPE TRANSACTION  
INDICATES IF THE DIC\_IP FIELD IN THE LFU TRANSACTION IS VALID FOR A FOLLOW-UP.

9445 LFU-TRANS-KEY                      LFU\_TRANS\_KEY\_9445                      DLSC-S                      F CHAR                      21  
LFU FOOTPRINT TRANSACTION KEY  
THE TRANS\_KEY OF THE LFU TRANSACTION THAT GENERATED THE TABLE ENTRY. SEE TRANS\_KEY\_9435.

9446 TM-TRANS-TS-STAT-CD                      TRANS\_TS\_STAT\_9446                      DLSC-S                      F CHAR                      2  
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE  
DEFINES THE MEANING OF TMSTMP\_3059 FOR ITS RELATED TM TRANSACTION. VALID VALUES: 1.) RC = RECEIVED, 2.) FM = FORMATTED, 3.) RL = RELEASED, 4.) PC = PROCESS COMPLETE, 5.) TC = TM COMPLETE, 6.) RJ = REJECTED, 7.) HL = HELD, 8.) RR = REROUTED, AND 9.) FU = FOLLOW UP/MISC FUTURE.

9451 EXTR-RTN-CD                      EXTR\_RTN\_CD\_9451                      DLSC-SBA                      F SMALLINT                      4  
EXTRACT RETURN CODE  
THE RETURN CODE FOR THE MGMT STATS LOGISTICS EXTRACT PROGRAM. VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9452 ACCUM-RTN-CD                      ACCUM\_RTN\_CD\_9452                      DLSC-SBA                      F SMALLINT                      4  
ACCUMULATE RETURN CODE  
THE RETURN CODE FOR THE MGMT STATS ACCUMULATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9453 CARRY-OVR-FLG                      CARRY\_OVR\_FLG\_9453                      DLSC-SBA                      F CHAR                      1  
CARRY OVER FLAG  
A FLAG USED TO DETERMINE WHETHER OR NOT TO PERFORM THE MGMT STATS CARRY OVER PROCESS. VALID VALUES: Y, N.

9454 CARRY-OVR-RTN-CD                      CARRY\_OVR\_RTN\_9454                      DLSC-SBA                      F SMALLINT                      4  
CARRY OVER RETURN CODE  
THE RETURN CODE FOR THE MGMT STATS CARRY OVER PROGRAMS. USED FOR JOB CONTROL. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9455 CARRY-OVR-CNT                      CARRY\_OVR\_CNT\_9455                      DLSC-SBA                      F INTEGER                      8  
CARRY OVER COUNT  
A COUNT USED FOR THE RE-START OF THE MGMT STATS CARRY OVER PROCESS.

9456 UPDT-RTN-CD                      UPDT\_RTN\_CD\_9456                      DLSC-SBA                      F SMALLINT                      4  
UPDATE RETURN CODE  
THE RETURN CODE FOR THE MGMT STATS UPDATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9457 UPDT-CNT                      UPDT\_CNT\_9457                      DLSC-SBA                      F INTEGER                      8  
UPDATE COUNT  
A COUNT USED FOR THE RE-START OF THE MGMT STATS UPDATE PROCESS.

9458 FORCED-FLAG                      FORCED\_FLAG\_9458                      DLSC-SBA                      F CHAR                      1  
FORCED FLAG  
A FLAG USED TO DETERMINE WHETHER OR NOT A JOB HAS BEEN FORCED TO RUN.

# CHAPTER 4

## DATA DICTIONARY

### DRN DEFINITIONS, CUSTODIAN ID

### OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9459	ROLL-UP-DEPT-CD ROLL UP DEPARTMENT CODE THIS FIELD CONTAINS A DEPARTMENT CODE USED IN THE MGMT STATS DEPT ROLLUP PROCESS.	ROLL_UP_DEPT_9459	DLSC-SBA	F CHAR	2
9460	ROLL-UP-CD ROLL UP CODE A CODE USED TO DENOTE THE DIFFERENT LEVELS OF COUNTS FOR A SPECIFIED DEPARTMENT. VALID VALUES: 1, 2, 3.	ROLL_UP_CD_9460	DLSC-SBA	F CHAR	2
9461	JOB-CTL-JUL-DT JOB CONTROL JULIAN DATE THE JULIAN DATE USED FOR JOB CONTROL IN THE MGMT STATS BATCH PROCESS. FORMAT: CCYYDDD.	JOB_CTL_JUL_9461	DLSC-SBA	F INTEGER	8
9462	STORED-JUL-DT STORED JULIAN DATE THE JULIAN DATE USED WHEN THE JOB CONTROL RECORD WAS MOVED TO THE JOB CONTROL HISTORY TABLE. THIS DATE IS NEEDED TO TRACK THE MGMT STATS JOB CONTROL HISTORY. FORMAT: CCYYDDD.	STORED_JUL_DT_9462	DLSC-SBA	F INTEGER	8
9463	MULT-LBLS-IND-CD MULTIPLE LABELS INDICATOR CODE A SWITCH USED FOR AMLS TO DIRECT WHAT KIND OF OUTPUT WILL BE PRODUCED. VALID VALUES ARE: "M" OR "S". M = MULTIPLE COPIES OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL I.E. ONE LABEL TO MANY COPIES. S = A SINGLE COPY OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL FOR EACH PRODUCT I.E. ONE LABEL TO ONE COPY. THE DEFAULT VALUE OF THIS ELEMENT IS "M".	MULT_LBLS_IND_9463	DLSC-VOA	F CHAR	1
9470	MULT-DSPL-IND-IL-DATA MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA A CODE THAT SPECIFIES THE MAXIMUM ENTRIES THAT WILL BE DISPLAYED FOR MULTIPLE REPLIES TO REQUIREMENTS USING SECONDARY ADDRESS CODING OR THRU THE AND/OR REPLY CONDITION.		DLSC-V	F	1
9471	SGML-SRT-VAL1 SGML SORT SELECTION VALUE 1 THE FIRST SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.	SGML_SRT_VAL1_9471	DLSC-V	F CHAR	20
9472	SGML-SRT-VAL2 SGML SORT SELECTION VALUE 2 THE SECOND SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.	SGML_SRT_VAL2_9472	DLSC-V	F CHAR	20
9473	SGML-SRT-VAL3 SGML SORT SELECTION VALUE 3 THE THIRD SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.	SGML_SRT_VAL3_9473	DLSC-V	F CHAR	20
9474	SGML-SRT-VAL4 SGML SORT SELECTION VALUE 4 THE FOURTH SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.	SGML_SRT_VAL4_9474	DLSC-V	F CHAR	20



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9475	SGML-SRT-VALM	SGML_SRT_VALM_9475	DLSC-V	F CHAR	80
SGML SORT SELECTION MAIN VALUE THE SORTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.					
9476	SGML-FRMT-VAL	SGML_FRMT_VAL_9476	DLSC-V	F CHAR	80
SGML FORMATTING KEEP VALUE THE FORMATTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.					
9477	MULT-IND	MULT_IND_9477	DLSC-V	F CHAR	1
MULT INDICATOR THE INDICATOR THAT SPECIFIES INCLUSION OF DATA FOR THE SGML MARKUP ROUTINES.					
9478	TMSTMP7	TMSTMP7_9478	DLSC-SB	F TIMESTMP	26
TIME STAMP 7 THIS TIMESTAMP IS USED TO RECORD YYYY - YEAR THE DATE AND TIME FOR DATA ENTRY MM - MONTH INTO THE SYSTEM PRIMARILY IN DD - DAY SUPPORT OF MEDALS. HH - HOUR MM - MINUTES YYYY-MM-DD-HH.MM.SS.NNNNNN SS - SECONDS EXAMPLE: 1991-10-24-03.30.000000 NNNNNN - MICROSECONDS					
9479	MULTI-INP-FLG	MULTI_INP_FLG_9479	DLSC-S	F CHAR	1
MULTIPLE INPUT FLAG A FLAG TO INDICATE YES (Y) OR NO (N) THAT THE SITE WILL BE USING MULTIPLE INPUT. THIS FIELD PRIMARILY SUPPORTS TRANSACTION MANAGEMENT (PASS THROUGH).					
9480	RTN-CD	RTN_CD_9480	DLSC-SBA	F CHAR	2
RETURN CODE A CODE APPLIED BY THE DEFENSE LOGISTICS SERVICES CENTER TO INDICATE THE REASON A PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER. SEE VOLUME 10, CHAPTER 2 AND QUICK INFO ON-LINE.					
9481	SGML-ELE-NAME	SGML_ELE_NAME_9481	DLSC-VPE	F CHAR	8
SGML ELEMENT NAME HIGHEST LEVEL SGML ELEMENT TYPE NAME WITHIN THE PUBLIC PARAMETER ENTITY WHICH CONTAINS THE SGML DECLARA- TIONS FOR THE DB2 ELEMENTS THAT ARE RETURNED BY THE CALLABLE SUBROUTINE.					
9482	SRT-ALLOWED-IND	SRT_ALLOWED_9482	DLSC-VPE	F CHAR	1
SORT ALLOWED INDICATOR FLAG WHICH INDICATES IF THE ASSOCIATED CALLABLE SUBROUTINE MAY BE USED AS A SORT COMPONENT IN THE IDS EXTRACT PROCESS.					
9483	TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	DLSC-S	F INTEGER	8
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY COUNTS OF THE TRANSACTIONS RECEIVED FOR THE MULTI-MEDIA OUTPUT.					
9484	RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	DLSC-SBA	F TIMESTMP	26
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER THIS IS THE DATE AND TIME WHEN THE OUTPUT AUTODIN MESSAGE THAT HAS BEEN RECOVERED IS RETRANSMITTAL TO AUTODIN INTERFACE APPLICATION.					
9485	SECD-ADRS-IND-CD	SEC_AD_IND_CD_9485	DLSC-SC	F CHAR	1
SECONDARY ADDRESS INDICATOR CODE					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE WHICH SERVES TO INDICATE THE NUMBER OF CHARACTERS IN THE SECONDARY ADDRESS CODE (DRN 8990).

9486	AUTODIN-MSG-DT-TM	AUTODIN_DT_TM_9486	DLSC-SBA	F	TIMESTAMP	7
AUTODIN MESSAGE DATE TIME						
A FIELD CONTAINING THE JULIAN DAY AND GRENWICH MEAN TIME (GMT) FOR DATE AND TIME MESSAGE DELIVERED FOR TRANSMISSION. DDDHHMM.						
9487	JRNL-TMSTMP	JRNL_TMSTMP_9487	DLSC-SBA	F	TIMESTAMP	26
JOURNAL TIMESTAMP						
DATE AND TIME MESSAGE JOURNALIZED IN SYSTEM. YYYY-MM-DD-HH.MM.SS.NNNNNN.						
9500	DFLT-RELE-TDQ-ID	DFLT_RELE_TDQ_9500	DLSC-SBA	F	CHAR	4
DEFAULT RELEASE TDQ IDENTIFIER						
THE TDQ IDENTIFIER USED BY A TRANSACTION MANAGEMENT SUBSYSTEM TO CONTROL RELEASING TRANSACTIONS TO DOWNSTREAM APPLICATIONS.						
9501	TM-HELD-CNT-QY	HELD_CNT_9501	DLSC-SBA	F	INTEGER	8
TRANSACTION MANAGEMENT HELD COUNT QUANTITY						
A TABULATION OF THE NUMBER OF TRANSACTIONS AWAITING PROCESSING BY DOWNSTREAM APPLICATIONS AS DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO DB2 TABLE TM_TRANS_COUNT.)						
9502	TM-RELED-CNT-QY	RELED_CNT_9502	DLSC-SBA	F	INTEGER	8
TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY						
A TABULATION OF THE NUMBER OF TRANSACTIONS RELEASED TO DOWNSTREAM APPLICATIONS, BUT NOT YET RETURNED FROM THEM, AS DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO DB2 TABLE TM_TRANS_COUNT.)						
9503	TM-RELE-DATA	RELE_DATA_9503	DLSC-SBA	F	CHAR	70
TRANSACTION MANAGEMENT RELEASE DATA						
A GROUP OF DATA ELEMENTS AND/OR KEYS IN A SPECIFIC ORDER AS NEEDED BY DOWNSTREAM APPLICATIONS FOR THE CONTINUED PROCESSING OF A TRANSACTION OF THE TYPE DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO SUBSYSTEM SPEC FOR LMIF.)						
9504	REORG-STATUS-FLAG-ID	REORG_FLAG_9504	DLSC-SBA	F	CHAR	1
REORGANIZATION STATUS FLAG IDENTIFIER						
AN INDICATOR AS TO WHETHER OR NOT THIS ROW CAN BE DELETED DURING A TABLE REORGANIZATION. VALID VALUES: A = ACTIVE, I = INACTIVE.						
9506	CIT-ELGBL-IND-CD	CIT_ELGBL_IND_9506	DLSC-SBA	F	CHAR	1
CONSUMABLE ITEM TRANSFER ELIGIBLE INDICATOR CODE						
INDICATES IF THE ACTIVITY AND DIC REPRESENTED BY ITS ROW ARE ELIGIBLE TO PARTICIPATE IN THE CONSUMABLE ITEM TRANSFER PROGRAM. VALUES ARE "Y" = YES OR "N" = NO.						
9507	JCL-JOB-CRD-NM	JCL_JOB_NM_9507	DLSC-SBA	F	CHAR	8
JOB CONTROL LANGUAGE JOB CARD NAME						
THE JOB CONTROL LANGUAGE JOB CARD JOBNAME.						
9508	TM-JOB-STAT-CD	TM_JOB_STAT_9508	DLSC-SBA	F	CHAR	1
TRANSACTION MANAGEMENT JOB STATUS CODE						
STATUS OF THE LAST RUN OF THE JOB. VALID VALUES ARE C = COMPLETED, I = IN PROGRESS.						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					
9509	TM-COMMIT-CKPNT-RT	TM_COMMIT_RT_9509	DLSC-SBA	F SMALLINT	2
TRANSACTION MANAGEMENT COMMIT CHECKPOINT RATE THE FREQUENCY OF COMMITS, I.E. 100, 500, 1000.					
9510	TM-RESTRT-CKPNT-WS-FLD	TM_CKPNT_WS_9510	DLSC-SBA	V VARCHAR	1024
TRANSACTION MANAGEMENT RESTART CHECKPOINT WKG STOR FIELD WORKING STORAGE FIELDS THAT ARE NECESSARY TO THE RESTART OF THE JOB.					
9511	TM-RESTRT-CKPNT-CTR-1-QY	TM_CKPNT_CT_1_9511	DLSC-SBA	F INTEGER	8
TM RESTART CHECKPOINT COUNTER ONE QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.					
9512	TM-RESTRT-CKPNT-CTR-2-QY	TM_CKPNT_CT_2_9512	DLSC-SBA	F INTEGER	8
TM RESTART CHECKPOINT COUNTER TWO QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.					
9513	TM-RESTRT-CKPNT-CTR-3-QY	TM_CKPNT_CT_3_9513	DLSC-SBA	F INTEGER	8
TM RESTART CHECKPOINT COUNTER THREE QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.					
9514	TM-RESTRT-CKPNT-CTR-4-QY	TM_CKPNT_CT_4_9514	DLSC-SBA	F INTEGER	8
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.					
9515	RESTART-COMMIT-ID	RESTRT_COMMIT_9515	DLSC-SBB	F CHAR	8
RESTART COMMIT IDENTIFIER WHEN A ERROR OCCURS IN A BATCH PROCESS THE NEED TO RESTART THE TASK MUST BE AVAILABLE. THIS DATA ELEMENT WILL CONTAIN THE RESTART POINT VALUE. IF THE BATCH PROGRAM FINDS A VALUE GREATER THAN ZERO IN THIS FIELD THEN IT SHOULD USE THIS VALUE IN PLACE OF ANY OTHER VALUE AS THE STARTING POINT OF THE TASK.					
9525	RPLM-NSN-STDZN-RL	RPLM_NSN_STDZ_9525	DLSC-SB	F CHAR	13
REPLACEMENT NSN, STANDARDIZATION RELATIONSHIP THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP AUTHORIZED FOR PROCUREMENT THAT REPLACES THE NATIONAL STOCK NUMBER NOT AUTHORIZED FOR PROCUREMENT.					
9530	RPLM-PSCN-STDZN-RL		DLSC-SB	F	13
REPLACEMENT PSCN, STANDARDIZATION RELATIONSHIP THE PERMANENT SYSTEM CONTROL NUMBER OF A SPECIFICATION/STANDARD IN A STANDARDIZATION REPLACEMENT RELATION- SHIP WHEN A REQUIREMENT EXISTS THAT REPLACES THE NATIONAL STOCK NUMBER NOT AUTHORIZED FOR PROCUREMENT.					
9541	QTY-AUTHZD-II-DATA-SUBMR		DLSC-SB	F	1
QUANTITY, AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER A NUMERIC VALUE EXPRESSING THE QUANTITY OF AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTERS RECORDED AGAINST A PARTICULAR MAJOR ORGANIZATIONAL ENTITY/MOE/RULE.					
9542	MGMT-EXCP-NOTES	MGMT_EXCP_NTS_9542	DLSC-SB	V VARCHAR	500
MANAGEMENT EXCEPTION NOTES A NOTATION ENTERED AGAINST A GIVEN MAJOR ORGANIZATIONAL ENTITY (MOE) RULE DENOTING THE PROPERTIES/MATERIELS/CONDITIONS AND APPLICATION LIMITATION(S) GOVERNED BY THAT SPECIFIC MOE RULE.					

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9544 SUBJ-SIN-SUBMR-PRO SUBJ\_SI\_SUB\_P\_9544 DLSC-SB F CHAR 1  
SUBJECT TO SINGLE SUBMITTER PROCEDURE  
AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO CATALOG DATA SINGLE SUBMITTER PROCEDURES.

9545 SUBJ-INTEG-MAT-MGMT-CD SUBJ\_IMM\_M\_CD\_9545 DLSC-SB F CHAR 1  
SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE  
AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO INTEGRATED MATERIEL MANAGEMENT.

9546 SUBJ-ITM-MGMT-CDNG SUBJ\_IM\_CDNG\_9546 DLSC-SB F CHAR 1  
SUBJECT TO ITEM MANAGEMENT CODING  
AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO ITEM MANAGEMENT CODING.

9547 SICA-LVL-AUTH SICA\_LOA\_9547 DLSC-SBA F CHAR 2  
SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY  
A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A SECONDARY INVENTORY CONTROL ACTIVITY (SICA). THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF RESPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITY ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

9553 CLAS-ASST-MOD-H3 CL\_ASST\_MODH3\_9553 DLSC-SC V VARCHAR 1762  
CLASSIFICATION ASSISTANCE MODIFIER, H3  
THE COMMON CHARACTERISTICS APPLICABLE TO SEVERAL SPECIFIC ITEMS OF SUPPLY HAVING A COMMON NAME. THIS DATA ELEMENT IS USED TO QUALIFY AN ITEM NAME FOR ASSIGNMENT OF A DEPARTMENT OF DEFENSE AMMUNITION CODE AS PUBLISHED IN THE DOD AMMUNITION CODE HANDBOOK, H3.

9554 CLAS-ASST-MOD-H2 CL\_ASST\_MODH2\_9554 DLSC-SC V VARCHAR 1762  
CLASSIFICATION ASSISTANCE MODIFIER, H2  
A MODIFYING WORD OR PHRASE USED TO QUALIFY AN ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDERAL SUPPLY CLASS/ES/ TO BE REFLECTED IN CATALOGING HANDBOOK H2.

9560 COMN-VAL-GP-CRITE DLSC-V F 15  
COMMON VALUE GROUPING CRITERIA  
THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) CODED DATA GROUPS FOR THE CHARACTERISTICS TO BE INCLUDED IN THE COMMON VALUE GROUPING. EACH CODED DATA GROUP CONTAINED IN THE COMMON VALUE GROUPING WILL BE SEQUENCED BASED ON ITS SORTING VALUE, AND INCLUDES THE MASTER REQUIREMENTS CODE (DRN 3445), THE MODE CODE (DRN 4735) AND THE COMMON VALUE CODE (DRN 0046).

9561 BSC-NM DLSC-SC V 1762  
BASIC NAME  
A BASIC NOUN WORD/PHRASE USED AS THE FIRST WORD OR GROUP OF WORDS IN AN ITEM NAME, OR AS AN ITEM NAME BY ITS SELF WHEN IT ESTABLISHES A SINGLE CONCEPT OF AN ITEM OF SUPPLY.

9562 KWA-NO-OP-ACTY-NOTI-IND KWA\_NO\_NOTI\_9562 DLSC-S F CHAR 1  
KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR  
INDICATOR THAT THE ACTIVITY WANTS TO BE NOTIFIED.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

9563 KWA-ACTY-NOTI-IND KWA\_ACTY\_NOTI\_9563 DLSC-S F CHAR 1  
KWA ACTIVITY NOTIFICATION INDICATOR  
INDICATOR THAT THE ACTIVITY WANTS KWA NOTIFICATION.

9564 KWA-NATO-ACTY-ZZ-IND KWA\_NATO\_ZZ\_9564 DLSC-S F CHAR 1  
KWA NATO ACTIVITY ZZ INDICATOR  
INDICATOR THAT THIS IS A NATO ACTIVITY AND THAT TM MUST USE ZZ AS THE ORIGINATING ACTIVITY.

9570 MCFCH-TI-LI DLSC-V F 36  
MICROFICHE TITLE LINE  
A LINE OF DATA THAT SERVES AS A TITLE TO IDENTIFY THE INFORMATION RECORDED ON A MICROFICHE. THE TITLE LINE WILL BE LOCATED ACROSS THE TOP OF THE MICROFICHE AND WILL BE READABLE WITHOUT MAGNIFICATION. EITHER ONE OR TWO LINES ARE PERMISSIBLE, NOT TO EXCEED 36 CHARACTERS PER LINE.

9575 GP-LDIN-NAR-STMT DLSC-V V 52  
GROUP LEAN IN NARRATIVE STATEMENT  
A NARRATIVE CLEAR TEXT VERSION OF THE DATA GROUPS INCLUDED IN THE COMMON VALUE GROUPING, IT INCLUDES PUNCTUATION AND SPACES AS REQUIRED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

9576 M8B6-FSC-AT-LOA-EB-NSN M8B6\_STAT\_CNT\_9576 DLSC-SB F INTEGER 8  
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN  
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

9577 DIC-ALL-SAC-DEPT-NIINST DIC\_STAT\_CNT\_9577 DLSC-SB F INTEGER 8  
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS  
THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.

9578 DIC-ALL-SAC-GTOT-RECVD DLSC-SB F 8  
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED  
THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.

9579 DIC-ALL-SAC-GTOT-PRCSD DLSC-SB F 8  
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED  
THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.

9580 DIC-ALL-SAC-GTOT-APRVD DLSC-SB F 8  
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED  
THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

9581 DIC-ALL-SAC-GTOT-RETRND DLSC-SB F 8  
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

9582 DIC-ALL-SAC-GTOT-ADUPS DLSC-SB F 8  
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS  
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9583	DIC-ALL-SAC-GTOT-PDUPS		DLSC-SB	F		8
	DIC ALL SUBMITTING ACTIVITY GRAND TOTAL POSSIBLE DUPLICATES					
	THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.					
9584	DIC-ALL-SAC-GTOT-CLRCL		DLSC-SB	F		8
	DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL					
	THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.					
9585	DIC-ALL-SAC-GTOT-RULES		DLSC-SB	F		8
	DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES					
	THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.					
9586	DIC-ALL-SAC-GTOT-NIINST		DLSC-SB	F		8
	DIC ALL SUBMITTING ACTIVITY GRAND TOTAL NIIN STATUS					
	THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.					
9587	DIC-SAC-DEPT-TOT-RECVD	DIC_STAT_CNT_9587	DLSC-SB	F	INTEGER	8
	DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED					
	THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9588	DIC-SAC-DEPT-TOT-PRCSD		DLSC-SB	F		8
	DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED					
	THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9589	DIC-SAC-DEPT-TOT-APRVD	DIC_STAT_CNT_9589	DLSC-SB	F	INTEGER	8
	DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED					
	THE COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9590	DIC-SAC-DEPT-TOT-RETRND		DLSC-SB	F		8
	DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED					
	THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9591	DIC-SAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_9591	DLSC-SB	F	INTEGER	8
	DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS					
	THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9592	DIC-SAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_9592	DLSC-SB	F	INTEGER	8
	DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES					
	THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					
9593	DIC-SAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_9593	DLSC-SB	F	INTEGER	8
	DIC SAC DEPARTMENT TOTAL CLERICAL					
	THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.					

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9594	DIC-SAC-DEPT-TOT-RULES DIC SAC DEPARTMENT TOTAL RULES THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.	DIC_STAT_CNT_9594	DLSC-SB	F	INTEGER	8
9595	DIC-ALL-OAC-GTOT-ADUPS DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.		DLSC-SB	F		8
9596	IANDS-ACTY-NSN INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY THE TOTAL NUMBER OF PICA MANAGED NSNS IN I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.	IANS_STAT_CNT_9596	DLSC-SBA	F	INTEGER	8
9597	IANDS-ACTY-TOT-FAMILIES INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA THE TOTAL NUMBER OF I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.		DLSC-SBA	F		8
9598	IANDS-DEPT-TOT-FAMILIES INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT.		DLSC-SBA	F		8
9599	IANDS-DEPT-FSC-REL-SICA INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.	IANS_STAT_CNT_9599	DLSC-SB	F	INTEGER	8
9600	IANDS-DEPT-FSC-MTR-SICA INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.	IANS_STAT_CNT_9600	DLSC-SB	F	INTEGER	8
9601	IANDS-DEPT-FSC-REL-PICA INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC RELATED P THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSC.	IANS_STAT_CNT_9601	DLSC-SBA	F	INTEGER	8
9602	IANDS-DEPT-FSC-MTR-PICA INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSC.	IANS_STAT_CNT_9602	DLSC-SBA	F	INTEGER	8
9603	IANDS-DEPT-FSC-TOT-FAM INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSC.	IANS_STAT_CNT_9603	DLSC-SB	F	INTEGER	8
9604	IANDS-DEPT-FSG-REL-SICA INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.	IANS_STAT_CNT_9604	DLSC-SBA	F	INTEGER	8
9605	IANDS-DEPT-FSG-MTR-SICA INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.	IANS_STAT_CNT_9605	DLSC-SBA	F	INTEGER	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9606 IANDS-DEPT-FSG-REL-PICA IANS\_STAT\_CNT\_9606 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA  
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSG.

9607 IANDS-DEPT-REL-SICA IANS\_STAT\_CNT\_9607 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA  
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

9608 IANDS-DEPT-MTR-SICA IANS\_STAT\_CNT\_9608 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA  
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

9609 IANDS-DEPT-REL-PICA IANS\_STAT\_CNT\_9609 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA  
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

9610 IANDS-DEPT-MTR-PICA IANS\_STAT\_CNT\_9610 DLSC-SBA F INTEGER 8  
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA  
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

9611 CON-SLCT-NSN CON\_STAT\_CNT\_9611 DLSC-SB F INTEGER 8  
CONSUMABLE SELECTED NSN  
THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9612 CON-KVI-OUTPUT-NSN CON\_STAT\_CNT\_9612 DLSC-SB F INTEGER 8  
CONSUMABLE KVI OUTPUT NSN  
THE NUMBER OF DIC KVI, IMC ADVICE NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9613 CON-NOT-SLCT-NSN CON\_STAT\_CNT\_9613 DLSC-SB F INTEGER 8  
CONSUMABLE NOT SELECTED NSN  
THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9614 CON-SLCT-TOT-NSN DLSC-SB F 8  
CONSUMABLE SELECTED TOTAL NSN  
THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT FOR ACTIVITY.

9615 CON-KVI-OUTPUT-TOT-NSN DLSC-SB F 8  
CONSUMABLE KVI OUTPUT TOTAL NSN  
THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATIONS OUTPUT FOR A SPECIAL PROJECT REVIEW FOR DEPARTMENT FOR ACTIVITY.

9616 CON-NOT-SLCT-TOT-NSN DLSC-SB F 8  
CONSUMABLE NOT SELECTED TOTAL NSN  
THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC ADVICE NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY.



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9617	CON-DPT-NOT-SLCT-NSN CONSUMABLE DEPARTMENT NOT SELECTED NSN THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT BY INCREMENT.	DLSC-SB	F	8
9618	CON-DPT-KVI-OUTPUT-NSN CONSUMABLE DEPARTMENT KIV OUTPUT NSN THE NUMBER OF DIC KVI, IMC NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY INCREMENT.	DLSC-SB	F	8
9619	CON-DPT-SLCT-NSN CONSUMABLE DEPARTMENT SELECTED NSN THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY INCREMENT.	DLSC-SB	F	8
9620	CON-DPT-SLCT-TOT-NSN CONSUMABLE DEPARTMENT SELECTED TOTAL NSN THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT.	DLSC-SB	F	8
9621	CON-DPT-KVI-OUT-TOT-NSN CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATION OUTPUT FOR SPECIAL PROJECT REVIEW FOR DEPARTMENT.	DLSC-SB	F	8
9622	CON-DPT-NOT-SLCT-TOT-NSN CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT.	DLSC-SB	F	8
9623	CON-DIC-LVA-NSN CONSUMABLE DIC LVA NSN THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.	CON_STAT_CNT_9623	DLSC-SB	F INTEGER 8
9624	CON-OTH-DIC-NSN CONSUMABLE OTHER DIC NSN THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY ACTIVITY BY INCREMENT.	CON_STAT_CNT_9624	DLSC-SB	F INTEGER 8
9625	CON-DIC-LVA-TOT-NSN CONSUMABLE DIC LVA TOTAL NSN THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY.	DLSC-SB	F	8
9626	CON-DPT-DIC-LVA-NSN CONSUMABLE DEPARTMENT DIC LVA NSN THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT BY INCREMENT.	DLSC-SB	F	8
9627	CON-DPT-OTH-DIC-NSN CONSUMABLE DEPARTMENT OTHER DIC NSN	DLSC-SB	F	8

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY INCREMENT.

9628 CON-DPT-DIC-LVA-TOT-NSN DLSC-SB F 8  
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN  
THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT.

9629 CON-DIC-KIR-NSN CON\_STAT\_CNT\_9629 DLSC-SB F INTEGER 8  
CONSUMABLE DIC KIR NSN  
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA BY INCREMENT.

9630 CON-DIC-KIR-TOT-NSN DLSC-SB F 8  
CONSUMABLE DIC KIR TOTAL NSN  
THE TOTAL NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA.

9631 CON-DPT-DIC-KIR-NSN DLSC-SB F 8  
CONSUMABLE DEPARTMENT DIC KIR NSN  
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT TO DLA CENTER OR GSA BY INCREMENT.

9632 CON-DPT-DIC-KIR-TOT-NSN DLSC-SB F 8  
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN  
THE TOTAL NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT TO DLA CENTERS OR GSA.

9633 CON-GIM-APR-NSN CON\_STAT\_CNT\_9633 DLSC-SB F INTEGER 8  
CONSUMABLE GAINING INVENTORY MANAGER APPROVED NSN  
THE NUMBER OF NSNS (APPROVALS) ACCEPTED FOR MANAGEMENT BY DLA CENTERS AND GSA FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9634 CON-GIM-APR-TOT-NSN DLSC-SB F 8  
CONSUMABLE GAINING INVENTORY MANAGER APPROVED TOTAL NSN  
THE MILITARY SERVICE ACTIVITY LOSING INVENTORY MANAGER (LIM) CUMULATIVE NSNS QUANTITY BROKEN OUT BY THE GAINING INVENTORY MANAGER (GIM). GIM CAN BE DEFENSE CONSTRUCTION SUPPLY CENTER (DCSC), DEFENSE ELECTRONICS SUPPLY CENTER (DESC), DEFENSE GENERAL SUPPLY CENTER (DGSC), DEFENSE INDUSTRIAL SUPPLY CENTER (DISC), OR GENERAL SERVICES ADMINISTRATION (GSA). THIS TRANSFER IS A RESULT OF SPECIAL PROJECT REVIEW.

9635 CON-DPT-GIM-APR-NSN DLSC-SB F 8  
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED NSN  
THE NUMBER OF NSNS (APPROVALS) ACCEPTED FOR MANAGEMENT BY DLA CENTERS AND GSA FOR DEPARTMENT BY INCREMENT.

9636 CON-DPT-GIM-APR-TOT-NSN DLSC-SB F 8  
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED TOTAL NSN  
THE MILITARY SERVICE LOSING INVENTORY MANAGER (LIM) CUMULATIVE NSN QUANTITY BROKEN OUT BY THE GAINING INVENTORY MANAGER (GIM). GIM CAN BE DEFENSE CONSTRUCTION SUPPLY CENTER (DCSC), DEFENSE ELECTRONICS SUPPLY CENTER (DESC), DEFENSE GENERAL SUPPLY CENTER (DGSC), DEFENSE INDUSTRIAL SUPPLY CENTER (DISC), OR GENERAL SERVICES ADMINISTRATION (GSA). THIS TRANSFER IS A RESULT OF SPECIAL PROJECT REVIEW.

9638 TRFR-SAC-CUR-DM-PCT TRFR\_STAT\_CNT\_9638 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY CURRENT DES METHOD PERCENT

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

9639 TRFR-SAC-FYD-TOT-NSN TRFR\_STAT\_CNT\_9639 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY CODE FISCAL YEAR TO DATE TOTAL  
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING DEPARTMENT/ACTIVITY.

9640 TRFR-SDP-CUR-T4-NSN TRFR\_STAT\_CNT\_9640 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 4 NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9641 TRFR-SDP-CUR-TOT-NSN TRFR\_STAT\_CNT\_9641 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT CURRENT TOTAL NSN  
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY SUBMITTING DEPARTMENT.

9642 TRFR-SDP-CUR-DM-PCT TRFR\_STAT\_CNT\_9642 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT CURRENT DES METHOD PERCENT  
PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9643 TRFR-SDP-FYD-T2-NSN TRFR\_STAT\_CNT\_9643 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 2 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9644 TRFR-SDP-FYD-T1-NSN TRFR\_STAT\_CNT\_9644 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 1 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9645 TRFR-SDP-FYD-T4-NSN TRFR\_STAT\_CNT\_9645 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 4 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9646 TRFR-SDP-FYD-TOT-NSN TRFR\_STAT\_CNT\_9646 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TOTAL NSN  
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING ACTIVITY.

9647 TRFR-SDP-FYD-DM-PCT TRFR\_STAT\_CNT\_9647 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT FISCAL YR DATE DES METH PCT  
THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9648 TRFR-FSC-SAC-FYD-T2-NSN TRFR\_STAT\_CNT\_9648 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 2 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9649 TRFR-FSC-SAC-FYD-T1-NSN TRFR\_STAT\_CNT\_9649 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 1 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

9650 TRFR-FSC-SAC-FYD-T4-NSN TRFR\_STAT\_CNT\_9650 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 4 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

9651 TRFR-FSC-SAC-FYD-TOT-NSN TRFR\_STAT\_CNT\_9651 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN  
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY SUBMITTING DEPARTMENT/ACTIVITY.

9653 TRFR-FSC-SAC-FYD-GOAL TRFR\_STAT\_CNT\_9653 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL  
THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

9654 TRFR-FSC-SAC-FYD-GL-DIF TRFR\_STAT\_CNT\_9654 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE  
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

9655 TRFR-FSC-SDP-FYD-T2-NSN TRFR\_STAT\_CNT\_9655 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 2 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9656 TRFR-FSC-SDP-FYD-T1-NSN TRFR\_STAT\_CNT\_9656 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 1 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9657 TRFR-FSC-SDP-FYD-T4-NSN TRFR\_STAT\_CNT\_9657 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 4 NSN  
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9658 TRFR-FSC-SDP-FYD-TOT-NSN TRFR\_STAT\_CNT\_9658 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN  
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING DEPARTMENT.

9659 TRFR-FSC-SDP-FYD-DM-PCT TRFR\_STAT\_CNT\_9659 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT  
THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9660 TRFR-FSC-SDP-FYD-GOAL TRFR\_STAT\_CNT\_9660 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9661 TRFR-FSC-SDP-FYD-GL-DIF TRFR\_STAT\_CNT\_9661 DLSC-SB F INTEGER 8  
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERENCE  
THE FISCAL YEAR-TO-DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9662 TRFR-SAC-T1-2-NSN TRFR\_STAT\_CNT\_9662 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

9663 TRFR-SAC-T1-4-NSN TRFR\_STAT\_CNT\_9663 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

9664 TRFR-SAC-T4-1-NSN TRFR\_STAT\_CNT\_9664 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

9665 TRFR-SAC-T4-2-NSN TRFR\_STAT\_CNT\_9665 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 2 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

9666 TRFR-SAC-TRFR-TOT-NSN TRFR\_STAT\_CNT\_9666 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

9667 TRFR-SDP-T2-4-NSN TRFR\_STAT\_CNT\_9667 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 4 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

9668 TRFR-SDP-T4-1-NSN TRFR\_STAT\_CNT\_9668 DLSC-SB F INTEGER 8  
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 1 NSN  
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

9669 I-O-ACTY-ODIC-TOT DLSC-SB F 8  
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL  
THE TOTAL QUANTITY OF TRANSACTIONS FOR A SUBMITTING ACTIVITY BY A SPECIFIED OUTPUT DIC.

9670 PIC-ACTY-DIC-PRICD-ONE PIC\_STAT\_CNT\_9670 DLSC-SB F INTEGER 8  
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE  
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9671	PIC-ACTY-DIC-PRICD-TWO	PIC_STAT_CNT_9671	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO						
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.						
9672	PIC-ACTY-DIC-PRICD-THREE	PIC_STAT_CNT_9672	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE						
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.						
9673	PIC-ACTY-DIC-PRICD-FOUR	PIC_STAT_CNT_9673	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR						
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.						
9674	PIC-ACTY-DIC-TOT		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9675	PIC-ACTY-DIC-STD-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE						
THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9676	PIC-ACTY-DIC-STD-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO						
THE ESTABLISHED STANDARD PERCENT FOR PIC 2 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9677	PIC-ACTY-DIC-ACL-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE						
THE ACTUAL PERCENT OF PIC 1 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9678	PIC-ACTY-DIC-ACL-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO						
THE ACTUAL PERCENT OF PIC 2 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9679	PIC-ACTY-DIC-DEV-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE						
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9680	PIC-ACTY-DIC-DEV-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO						
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 2 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.						
9681	PIC-ACTY-PRICD-ONE	PIC_STAT_CNT_9681	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC ONE						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE.						
9682	PIC-ACTY-PRICD-TWO	PIC_STAT_CNT_9682	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC TWO						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.						

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9683	PIC-ACTY-PRICD-THREE	PIC_STAT_CNT_9683	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC THREE						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF THREE FOR A SPECIFIC ACTIVITY.						
9684	PIC-ACTY-PRICD-FOUR	PIC_STAT_CNT_9684	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF FOUR FOR A SPECIFIC ACTIVITY.						
9685	PIC-ACTY-TOT		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY TOTAL						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.						
9686	PIC-ACTY-STD-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE						
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.						
9687	PIC-ACTY-STD-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO						
THE ESTABLISHED STANDARD PERCENT FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.						
9688	PIC-ACTY-ACL-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE						
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY.						
9689	PIC-ACTY-ACL-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO						
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.						
9690	PIC-ACTY-DEV-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE						
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.						
9691	PIC-ACTY-DEV-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO						
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.						
9692	PIC-DEPT-PRICD-ONE	PIC_STAT_CNT_9692	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE						
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A DEPARTMENT.						
9693	PIC-DEPT-PRICD-TWO	PIC_STAT_CNT_9693	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO						
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A DEPARTMENT.						

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9694	PIC-DEPT-PRICD-THREE	PIC_STAT_CNT_9694	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT PIC THREE						
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A DEPARTMENT.						
9695	PIC-DEPT-PRICD-FOUR	PIC_STAT_CNT_9695	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR						
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A DEPARTMENT.						
9696	PIC-DEPT-TOT		DLSC-SB	F		8
PRIORITY INDICATOR CODE DEPARTMENT TOTAL						
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A DEPARTMENT.						
9697	PIC-DEPT-STD-PCT-ONE	PIC_STAT_CNT_9697	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE						
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9698	PIC-DEPT-STD-PCT-TWO	PIC_STAT_CNT_9698	DLSC-SB	F	INTEGER	8
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO						
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9699	PIC-DEPT-ACL-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE						
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9700	PIC-DEPT-ACL-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO						
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9701	PIC-DEPT-DEV-PCT-ONE		DLSC-SB	F		8
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE						
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9702	PIC-DEPT-DEV-PCT-TWO		DLSC-SB	F		8
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO						
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.						
9704	STAT-DEPT-NAME	STAT_DEPT_NM_9704	DLSC-SBA	F	CHAR	7
STATISTICS DEPARTMENT NAME						
THIS REPRESENTS THE CLEAR TEXT NAME OF THE STATISTICS DEPARTMENT OF WHICH THE STAT DEPARTMENT CODE HAS CORRESPONDED.						
9705	STATS-ACCESS-DATE	STATS_ACCS_DT_9705	DLSC-S	F	DATE	5
STATISTICS ACCESS DATE						



# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATE ELEMENT REFLECTS THE DATE THAT A NUMBER OF PHYSICAL ACCESSES TO A PARTICULAR TYPE OF STATISTIC OCCURRED.

9711	DRPD-SEG-1-IND DROPPED SEGMENT 1 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 1. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_1_9711	DLSC-S	F CHAR	1
9712	DRPD-SEG-6-IND DROPPED SEGMENT 6 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 6. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_6_9712	DLSC-S	F CHAR	1
9713	DRPD-SEG-7-IND DROPPED SEGMENT 7 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 7. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_7_9713	DLSC-S	F CHAR	1
9714	DRPD-SEG-9-IND DROPPED SEGMENT 9 INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 9. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_9_9714	DLSC-S	F CHAR	1
9715	DRPD-SEG-A-IND DROPPED SEGMENT A INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT A. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_A_9715	DLSC-S	F CHAR	1
9716	DRPD-SEG-B-IND DROPPED SEGMENT B INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT B. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_B_9716	DLSC-S	F CHAR	1
9717	DRPD-SEG-C-IND DROPPED SEGMENT C INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT C. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_C_9717	DLSC-S	F CHAR	1
9718	DRPD-SEG-D-IND DROPPED SEGMENT D INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT D. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_D_9718	DLSC-S	F CHAR	1
9719	DRPD-SEG-E-IND DROPPED SEGMENT E INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT E. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_E_9719	DLSC-S	F CHAR	1
9720	DRPD-SEG-F-IND DROPPED SEGMENT F INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT F. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_F_9720	DLSC-S	F CHAR	1
9721	DRPD-SEG-G-IND DROPPED SEGMENT G INDICATOR AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT G. Y = DROP, OTHERWISE BLANK.	DRPD_SEG_G_9721	DLSC-S	F CHAR	1
9722	DRPD-SEG-H-IND	DRPD_SEG_H_9722	DLSC-S	F CHAR	1

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## DROPPED SEGMENT H INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT H. Y = DROP, OTHERWISE BLANK.

9723 DRPD-SEG-J-IND DRPD\_SEG\_J\_9723 DLSC-S F CHAR 1

## DROPPED SEGMENT J INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT J. Y = DROP, OTHERWISE BLANK.

9724 DRPD-SEG-K-IND DRPD\_SEG\_K\_9724 DLSC-S F CHAR 1

## DROPPED SEGMENT K INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT K. Y = DROP, OTHERWISE BLANK.

9725 DRPD-SEG-L-IND DRPD\_SEG\_L\_9725 DLSC-S F CHAR 1

## DROPPED SEGMENT L INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT L. Y = DROP, OTHERWISE BLANK.

9726 DRPD-SEG-M-IND DRPD\_SEG\_M\_9726 DLSC-S F CHAR 1

## DROPPED SEGMENT M INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT M. Y = DROP, OTHERWISE BLANK.

9727 DRPD-SEG-N-IND DRPD\_SEG\_N\_9727 DLSC-S F CHAR 1

## DROPPED SEGMENT N INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT N. Y = DROP, OTHERWISE BLANK.

9728 DRPD-SEG-P-IND DRPD\_SEG\_P\_9728 DLSC-S F CHAR 1

## DROPPED SEGMENT P INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT P. Y = DROP, OTHERWISE BLANK.

9729 DRPD-SEG-Q-IND DRPD\_SEG\_Q\_9729 DLSC-S F CHAR 1

## DROPPED SEGMENT Q INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Q. Y = DROP, OTHERWISE BLANK.

9730 DRPD-SEG-R-IND DRPD\_SEG\_R\_9730 DLSC-S F CHAR 1

## DROPPED SEGMENT R INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT R. Y = DROP, OTHERWISE BLANK.

9731 DRPD-SEG-V-IND DRPD\_SEG\_V\_9731 DLSC-S F CHAR 1

## DROPPED SEGMENT V INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT V. Y = DROP, OTHERWISE BLANK.

9732 DRPD-SEG-W-IND DRPD\_SEG\_W\_9732 DLSC-S F CHAR 1

## DROPPED SEGMENT W INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT W. Y = DROP, OTHERWISE BLANK.

9733 DRPD-SEG-Y-IND DRPD\_SEG\_Y\_9733 DLSC-S F CHAR 1

## DROPPED SEGMENT Y INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Y. Y = DROP, OTHERWISE BLANK.

9734 DRPD-SEG-Z-IND DRPD\_SEG\_Z\_9734 DLSC-S F CHAR 1

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## DROPPED SEGMENT Z INDICATOR

AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Z. Y = DROP, OTHERWISE BLANK.

9735 ALL-SEGS-DRPD-IND ALL\_SEGS\_DRPD\_9735 DLSC-S F CHAR 1  
ALL SEGMENTS DROPPED INDICATOR  
AN INDICATOR USED BY TM TO DROP ALL OUTPUT SEGMENTS. Y = DROP, OTHERWISE BLANK.

9751 ACTY-CATEGORY ACTY\_CATEGORY\_9751 DLSC-S F CHAR 2  
ACTIVITY CATEGORY  
THE PARTITION NUMBER ASSIGNED TO THE ACTIVITYS CATEGORY UNDER WHICH THE ACTIVITYS FORMATTED OUTPUT IS STORED.

9756 DIC-CATEGORY DIC\_CATEGORY\_9756 DLSC-S F CHAR 2  
DIC CATEGORY  
DETERMINES WHAT GROUPING A DIC BELONGS TO. IT DETERMINES IN WHICH PARTITION AN APPLICATION WRITES ITS OUTPUT.

9759 ORIG-IMAG-KEY ORIG\_IMAG\_KEY\_9759 DLSC-S F CHAR 23  
ORIGINAL IMAGE KEY  
THE UNIQUE IDENTIFIER OF AN INPUT SEGMENT IN THE ORIGINAL IMAGE FILE.

9763 RR-TRANS-KEY RR\_TRANS\_KEY\_9763 DLSC-S F CHAR 23  
REROUTE TRANSACTION KEY  
THE UNIQUE IDENTIFIER OF A REROUTED TRANSACTION.

9764 SELECT-KEY SELECT\_KEY\_9764 DLSC-S F CHAR 5  
SUBMODULE SELECTION KEY  
PROVIDES A MEANS TO DIRECT PROGRAM CONTROL TO THE APPROPRIATE REFORMATTING SUBMODULE.

9765 SSN SSN\_9765 DLSC-S F CHAR 4  
STATION SERIAL NUMBER  
THE STATION SERIAL NUMBER OF THE AUTODIN MESSAGE.

9768 TM-BATCH-KEY TM\_BATCH\_KEY\_9768 DLSC-S F CHAR 6  
TM BATCH KEY  
UNIQUELY IDENTIFIES A TRANSACTION WITHIN A BATCH OF MEDALS TRANSACTIONS.

9769 TM-CLOSE-REQ TM\_CLOSE\_REQ\_9769 DLSC-S F CHAR 1  
TM PARTITION CLOSE REQUEST  
INDICATES WHETHER OR NOT A PARTITION BEING REQUESTED IS IN USE OR NOT.

9771 VALID-POSIT VALID\_POSIT\_9771 DLSC-S F CHAR 1  
VALID POSITION  
THE VALID POSITION OF A CONTI-IND-CD WITH RESPECT TO THE CARD IMAGE POSITION.

9779 DWG-FIIG-TI DWG\_FIIG\_TI\_9779 DLSC-SC V VARCHAR 120  
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE TITLE  
THE TITLE OF THE FIIG PUBLICATION.

9801 TM-OP-SEQ-FLD OP\_SEQ\_FLD\_9801 DLSC-S F CHAR 25

CHAPTER 4  
DATA DICTIONARY  
DRN DEFINITIONS, CUSTODIAN ID  
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## TM OUTPUT SEQUENCE FIELD

ASSIGNED A SINGLE VALUE FOR ALL ROWS IN AN OUTPUT PACKAGE BY TM. USED BY MULTI MEDIA OUTPUT DISTRIBUTION TO SEQUENCE PACKAGES.

9802 TM-OP-DATA-GP OP\_DATA\_GP\_9802 DLSC-S F CHAR 1

## TM OUTPUT DATA GROUP CODE

USED TO GROUP LIKE MULTI MEDIA OUTPUT DISTRIBUTION TRANSACTIONS INTO SEPARATE DATA TYPES TO AID THE CUSTOMER IN SEPARATING OUTPUT FROM DIFFERENT TRANSACTION TYPES. APPLICABLE VALUES INCLUDE: 1) CATALOGING MAINTENANCE, 2) CATALOGING NOTIFICATIONS, 3) DATA RETRIEVAL PROVISIONINGS SCREENING, 4) CATALOG TOOLS MOE RULE NOTIFICATION, 5) CATALOG TOOLS CAGE CODE NOTIFICATION, AND 6) DAAS SOURCE OF SUPPLY.

9803 TM-USER-DEF-FLG USER\_DEF\_FLG\_9803 DLSC-S F CHAR 1

## TM USER DEFINED FLAG CODE

ASSIGNED A SINGLE VALUE FOR ALL ROWS IN OUTPUT PACKAGE BY TM. ASSIGNED BY TM REFORMATTERS TO IDENTIFY TRANSACTIONS WHICH HAVE BEEN REFORMATTED ACCORDING TO USER DEFINED FORMATS. USED BY MULTI MEDIA OUTPUT DISTRIBUTION TO IDENTIFY THOSE TRANSACTIONS WHICH DO NOT REQUIRE A SORT.

9804 TM-OP-DIST-FREQ-CD OP\_DIST\_FREQ\_9804 DLSC-S F CHAR 1

## TM OUTPUT DISTRIBUTION FREQUENCY CODE

FREQUENCY AT WHICH OUTPUT FOR THE RESPECTIVE ACTIVITY WILL BE SELECTED FOR DISTRIBUTION. POSSIBLE VALUES: B BIWEEKLY - EVERY 2 WEEKS, 1ST AND 15TH OF MONTH, D DAILY - END OF DAY, 12 AM, W WEEKLY - LAST WORK DAY OF WEEK, AND M MONTHLY - 1ST DAY OF MONTH.

9919 SUBMTD-RCD-MRC-RPLY DLSC-SCA V 9999

## SUBMITTED RECORDED MRC REPLY

THE VALUE OF THE SUBMITTED MRC REPLY OR A RECORDED MRC REPLY, WHICH HAS BEEN RETURNED BY THE DEFENSE LOGISTICS SERVICES CENTER. THIS MRC AND REPLY WAS FOUND TO BE IN CONFLICT WITH THE SUBMITTED TRANSACTION OR RECORDED DATA.

9975 DRN-VAL DRN\_VAL\_9975 DLSC-V V VARCHAR 254

## DATA RECORD NUMBER VALUE

REPRESENTS THE VALUE FOR THE PRECEDING DATA RECORD NUMBER /DRN/, I.E. IF THE DRN WAS FOR FSC, THIS FIELD COULD BE 5905.

9977 CHNGD-DRN-MRC-VAL-RPLY DLSC-SB F 5

## CHANGED DRN/MRC VALUE/REPLY

THE VALUE OF THE DATA ELEMENT AS IT WAS CHANGED BY THE DEFENSE LOGISTICS SERVICES CENTER.

9979 RCD-SUBMTD-DRN-VAL DLSC-SB V VARCHAR 50

## RECORDED SUBMITTED DRN VALUE

THE RECORDED OR SUBMITTED VALUE OF A DATA ELEMENT THAT HAS BEEN RETURNED BY THE DEFENSE LOGISTICS SERVICES CENTER. THIS DATA ELEMENT AND VALUE WAS FOUND TO BE IN CONFLICT WITH THE SUBMITTED TRANSACTION OR RECORDED DATA.

9989 INT-CD-PAC-SUMRY-INC-FII DLSC-SCA F 4

## INTERROGATION CODE, PAC SUMMARY BY INC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 0116, 3445, 4735, 0114, AND 3960/8863. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9990 INT-CD-PAC-DTL-INC-FIIG DLSC-SCA F 4

# CHAPTER 4 DATA DICTIONARY DRN DEFINITIONS, CUSTODIAN ID OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	-----FORMAT----- FV-----TYPE-----LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

## INTERROGATION CODE, PAC DETAIL BY INC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES MASTER REQUIREMENT GUIDE DATA BY MASTER REQUIREMENT CODE TOTAL. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 0116, 3445, 4735, 3960/8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9992 INT-CD-PAC-SUMRY-PAC-FII DLSC-SCA F 4  
INTERROGATION CODE, PAC SUMMARY BY PAC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE SUMMARY BY PAC WITHIN THE FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 0116, 4735, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9993 INT-CD-PAC-SUMRY-PAC-INC DLSC-SCA F 4  
INTERROGATION CODE, PAC SUMMARY PAC WITHIN ITEM NAME CODE

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE SUMMARY BY PAC WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445, 4735, 0115 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9995 INT-CD-PAC-DTL-MODE-CD DLSC-SCA F 4  
INTERROGATION CODE, PAC DETAIL BY MODE CODE WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4735, 0116, 4080, 3445, 4080, 3960/8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AAT LABEL IDENTIFICATION CODE	3292
AAT USER IDENTIFICATION	3293
AB VALUE	4419
ABBREVIATED MRC FIIG ITEM NAME CODE NSN	8224
ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT	8228
ABBREVIATED REPLY STATEMENT	3615
ABBREVIATED REQUIREMENT STATEMENT	3613
ABBREVIATION	1875
ABBREVIATIONS/TERMS DATA	0317
ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY	3157
ACCOUNTING REQUIREMENTS CODE, ARMY	2665
ACCUMULATE RETURN CODE	9452
ACQUISITION ADVICE CODE (AAC)	2507
ACQUISITION ADVICE CODE ACTIVITY AAC NSN	5540
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN	5539
ACQUISITION ADVICE CODE ACTIVITY LOA AAC NSN	5511
ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN	5486
ACQUISITION ADVICE CODE ACTIVITY LOA NSN	5485
ACQUISITION ADVICE CODE ACTIVITY NSN	5512
ACQUISITION ADVICE CODE DEPARTMENT AAC NSN	5621
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN	5620
ACQUISITION ADVICE CODE DEPARTMENT LOA AAC NSN	5593
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN	5566
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN	5565
ACQUISITION ADVICE CODE DEPARTMENT NSN	5594
ACQUISITION ADVICE CODE EXPLANATION	5250
ACQUISITION ADVICE CODE FSC ACTIVITY AAC NSN	5378
ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN	5377
ACQUISITION ADVICE CODE FSC ACTIVITY LOA AAC NSN	5349
ACQUISITION ADVICE CODE FSC ACTIVITY LOA GROUP NSN	5324
ACQUISITION ADVICE CODE FSC ACTIVITY LOA NSN	5323
ACQUISITION ADVICE CODE FSC ACTIVITY NSN	5350
ACQUISITION ADVICE CODE FSC DEPARTMENT AAC NSN	5458
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN	5457
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA AAC NSN	5431
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN	5404
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN	5403
ACQUISITION ADVICE CODE FSC DEPARTMENT NSN	5432
ACQUISITION ADVICE CODE I4	5413
ACQUISITION ADVICE CODE IM DEPARTMENT LOA AAC NSN	8180
ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN	5729
ACQUISITION ADVICE CODE IM DEPARTMENT NSN	8181
ACQUISITION ADVICE CODE INTEGRATED MANAGED ACTY LOA AAC NSN	5674
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY AAC NSN	5703
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN	5648
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN	5675
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN	5702
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN	5649
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT AAC NSN	8183
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN	8182
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN	5728
ACQUISITION ADVICE CODE LOGISITICS ASSIGNMENT DEPT LOA NSN	8190
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN	8187

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY AAC NSN	8189
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN	8188
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY LOA AAC NSN	8186
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT AAC NSN	8214
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT GRP NSN	8213
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN	8185
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN	8184
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA AAC	8211
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN	8191
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT NSN	8212
ACQUISITION ADVICE CODE N 10	5580
ACQUISITION ADVICE CODE NOTE	5251
ACQUISITION ADVICE CODE Q13	5665
ACQUISITION ADVICE CODE S13	5667
ACQUISITION ADVICE CODE Y 1	5348
ACQUISITION METHOD CODE	2871
ACQUISITION METHOD CODE 4	6427
ACQUISITION METHOD CODE 5	6436
ACQUISITION METHOD CODE EXPLANATION	5204
ACQUISITION METHOD CODE FROM	3086
ACQUISITION METHOD CODE NOTE	5206
ACQUISITION METHOD CODE TO	3085
ACQUISITION METHOD SUFFIX CODE (AMSC)	2876
ACQUISITION METHOD SUFFIX CODE EXPLANATION	5205
ACQUISITION METHOD SUFFIX CODE NOTE	5207
ACTION CODE	9315
ACTION OFFICE	5292
ACTIVE AMMO CODE TOTAL COUNT	1831
ACTIVE APPROVED ITEM NAME TOTAL COUNT	1832
ACTIVE BASIC NAME TOTAL COUNT	1833
ACTIVE COLLOQUIAL NAME TOTAL COUNT	1834
ACTIVE FSC MODIFIER TOTAL COUNT	1836
ACTIVE FSC TOTAL COUNT	1835
ACTIVE INDEX ENTRY TOTAL COUNT	1837
ACTIVE NIIN MOE RULE QUANTITY	6595
ACTIVITY CATEGORY	9751
ACTIVITY CITY	3246
ACTIVITY CODE	2046
ACTIVITY CODE, SCREENING	0177
ACTIVITY DESIGNATOR CODE-DLA/GSA	0511
ACTIVITY FLAG	9131
ACTIVITY GROUP	9133
ACTIVITY NAME LINE - 1	3238
ACTIVITY NAME LINE - 2	3239
ACTIVITY NAME LINE - 3	3240
ACTIVITY NAME LINE - 4	3241
ACTIVITY NAME LINE - 5	3242
ACTIVITY NAME LINE TEXT	3353
ACTIVITY OFFICE SYMBOL	3243
ACTIVITY STATE/U.S. POSSESSION ABBREVIATION	3247
ACTIVITY STREET ADDRESS - 1	3244
ACTIVITY STREET ADDRESS - 2	3245
ACTIVITY TYPE	9134

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ACTIVITY ZIP CODE	3248
ADDITIONAL GRAPHICS INFORMATION	0773
ADDITIONAL IDENTIFICATION	1468
ADDITIONAL R P Q SEGMENTS	3146
ADDITIONAL REQUIREMENTS CODE (AC)	7973
ADDRESS CODE	1081
ADDRESS LINE 1 RELATIVE ROW	3206
ADDRESS LINE 2 RELATIVE ROW	3208
ADDRESS LINE 3 RELATIVE ROW	3209
ADDRESS LINE 4 RELATIVE ROW	3210
ADDRESS LINE 5 RELATIVE ROW	3211
ADDRESS LINE 6 RELATIVE ROW	3212
ADDRESS LINE 7 RELATIVE ROW	3213
ADDRESS LINE 8 RELATIVE ROW	3214
ADDRESS OFFSET IN INCHES	3196
ADDRESS SEQUENCE CODE	0233
ADDRESS TYPE CODE	2137
ADDRESS WIDTH IN INCHES	3197
ADPE IDENTIFICATION CODE DEFINITION	5262
AFFILIATE CAGE CODE COUNT	1460
AIR COMMODITY CODE	2497
AIR COMMODITY CODE EXPLANATION	5232
AIR COMMODITY SPECIAL HANDLING CODE	9215
AIR DIMENSION CODE	9220
AIR DIMENSION CODE EXPLANATION	5231
AIR ELIGIBLE CATEGORY CODE	1470
AIR FORCE BUDGET APPROPRIATION	3160
AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION	3161
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST	3765
AIR FORCE BUDGET PROGRAM	3159
AIR FORCE BUDGET STOCK FUND DIVISION	3162
AIR FORCE FEDERAL SUPPLY CLASS MANAGER	8860
AIR FORCE SOURCE OF SUPPLY CODE	9403
AIR LOGISTICS CENTER PRIME SITE	2073
AIR SPECIAL HANDLING CODE	3169
AIR SPECIAL HANDLING CODE EXPLANATION	3170
AIR SPECIAL HANDLING PART 1	4521
AIR SPECIAL HANDLING PART 2	4524
AIR SPECIAL HANDLING SUB 1	4522
AIR SPECIAL HANDLING SUB 2	4523
AIRLIFT CODE	2064
ALIAS	1876
ALL FSC MOE RULE NIIN QUANTITY	6597
ALL SEGMENTS DROPPED INDICATOR	9735
ALLOWED DIC	9135
ALPHABETIC EXTRACT	1065
ALPHABETIC ITEM NAME SEARCH	1940
ALTERNATE OUTPUT MEDIA CODE	0420
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN	6422
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN	6421
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN	6413
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N	6414
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN	6430



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN	6429
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN	7171
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN	6452
AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN	8210
AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN	6369
AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN	6368
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING	6451
AMC ACTIVITY COMMODITY CATEGORY ADDS NSN	6373
AMC ACTIVITY COMMODITY CATEGORY ADDS TOTAL NSN	6372
AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN	6385
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE NSN	6371
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN	6370
AMC ACTIVITY COMMODITY CATEGORY CODE FROM NSN	6380
AMC ACTIVITY COMMODITY CATEGORY CODE TO TOTAL NSN	6379
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS NSN	6377
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS TOT NSN	6376
AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	6384
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN	6381
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT TOTAL NSN	6378
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADD TOTAL NSN	6374
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADDS NSN	6375
AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN	6406
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN	6367
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS	6366
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN	6383
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN	6382
AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN	6405
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN	6353
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN	6351
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN	6398
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN	6352
AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN	6357
AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN	6356
AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN	6365
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN	6355
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN	6354
AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN	6362
AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN	6361
AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN	6359
AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN	6358
AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	6364
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN	6363
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN	6360
AMLS ACCESS TABLE LABEL ID ACCESS CODE	4513
AMLS LABEL IDENTIFICATION	3291
AMMO CODE ADD COUNT	1838
AMMO CODE CHANGED COUNT	1840
AMMO CODE DELETED COUNT	1839
AMMO CODE PREFIX IDENTIFIER	8809
AMMO-CODE NIIN QUANTITY	1841
AMMUNITION CODE	8805
AMMUNITION GENERIC DESCRIPTION	3769
AMMUNITION GENERIC DESCRIPTION COUNTER	1063

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AMSC AMC VALID COMBINATIONS CODE	8009
AMSC DEPARTMENT ACTIVITY AMC NSN	6387
AMSC DEPARTMENT ACTIVITY AMC TOTAL	6388
AMSC DEPARTMENT ACTIVITY AMSC TOTAL	6386
AMSC DEPARTMENT ACTIVITY TOTAL NSN	8209
AMSC DEPARTMENT AMC NSN	6400
AMSC DEPARTMENT AMC TOTAL NSN	6401
AMSC DEPARTMENT AMSC TOTAL NSN	6399
AMSC DEPARTMENT TOTAL NSN	6389
AND OR	4410
AND OR INDICATOR	3060
AND SYMBOL	8950
APPENDIX	0961
APPLICABILITY KEY CODE DATA	0310
APPLICABILITY KEY CODE FIIG TOTAL COUNT	1842
APPLICABILITY KEY CODE, FEDERAL ITEM IDENTIFICATION GUIDE	0103
APPLICATION CODE	2416
APPLICATION OUTPUT RECORD	9136
APPROVED 6	6662
APPROVED ITEM NAME (AIN)	5010
APPROVED ITEM NAME (AIN) COUNT PER FSC	1461
APPROVED ITEM NAME (AIN) COUNT PER FSG	1458
APPROVED ITEM-NAME DICTIONARY WORD	1538
ARCHIVE BEGIN DATE	9311
ARCHIVE END DATE	9312
ARCHIVE TIMESTAMP	9137
ARCHIVED BY USER	9138
ARMY FEDERAL SUPPLY CLASS MANAGER	8831
ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE	2163
ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT	2162
ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT	2164
ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE	2161
ARMY MATERIEL CATEGORY SUBGROUP	2166
ARMY MATERIEL CATEGORY SUBGROUP CODE	2165
ARMY MATERIEL CATEGORY SUBGROUP CODE ONE	2167
ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE	2168
ARMY SOURCE OF SUPPLY CODE	9402
ASCII EBCDIC	9139
ASSETS AVAILABILITY CODE	4720
ASSIGN ISAC REPLY STATUS INDICATOR	3561
ASSIGNED CAGE CODE COUNT	1459
ASSIGNED CONTROL NUMBER MCRL SERVICE AGENCY DESIGNATOR	5311
ASSIGNED FEDERAL SUPPLY CLASS (FSC)	3990
ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP	3996
ASSIGNED FEDERAL SUPPLY GROUP (FSG)	3994
ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)	4000
ASSIGNED NATIONAL STOCK NUMBER (NSN)	3960
ASSIGNED NATO CODE COUNT	1456
ASSIGNED NIIN FOR MEDALS	2274
ASSIGNED PERMANENT SYSTEM CONTROL NUMBER	8863
ASSOCIATED ADDRESS CODE	0979
ASSOCIATION CODE NATO SUPPLY CODE FOR MANUFACTURERS	5194
ASSOCIATION CODE, CAGE/NSCM CODE	8855

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ASSOCIATION PACKAGE SEQUENCE NUMBER	8252
ATTENTION LINE	3482
AUDIT ISAC REPLY STATUS INDICATOR	3562
AUDIT STYLE REPLY STATUS INDICATOR	3563
AUTHORIZED FILE UPDATE RECEIVERS	4507
AUTHORIZED INPUT DIC	4499
AUTHORIZED INTERROGATION SUBMITTER	4506
AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE	2531
AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE	2532
AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE	2535
AUTHORIZED USER NAME	1357
AUTODIN CONTENT INDICATOR CODE	9306
AUTODIN INPUT OUTPUT	9140
AUTODIN MESSAGE	9310
AUTODIN MESSAGE COUNT	0755
AUTODIN MESSAGE DATE TIME	9486
AUTODIN STATION SERIAL NUMBER	0754
AUTODIN TRAILER	9432
AUTOMATED MAILING LABEL SYSTEM LABEL ID ACCESS CODE	4514
AUTOMATED MAILING LABEL SYSTEM LAST CONTROL IDENTIFIER	3290
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER	3202
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER SEQUENCE NBR	3203
AUTOMATED MAILING LABEL SYSTEM TARGET PROGRAM	3204
AUTOMATED MAILING LABELS PROCESS DATE	3286
AUTOMATED MAILING LABELS PROCESS TIME	3287
AUTOMATED MAILING LABELS SUBMIT DATE	3284
AUTOMATED MAILING LABELS SUBMIT TIME	3285
AUTOMATIC DATA PROCESSING (ADP) POINT CODE	8835
AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2	7827
AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)	0801
AUTOMATIC RETURN ITEM CODE	1469
AUTOMATIC VOICE NETWORK NUMBER	0887
AVERAGE NUMBER OF DAYS IN NATO B BRANCH	2011
AVERAGE NUMBER OF DAYS IN NATO C BRANCH	2012
AVERAGE NUMBER OF DAYS IN NATO TOTAL	2013
BASIC COMBINATION OR INTEGRATED MATERIAL MANAGER INDICATO	4582
BASIC NAME	9561
BASIC OR CHANGE BULLETIN INDICATOR	2316
BATCH DOCUMENT CONTROL NUMBER TOTAL	2016
BATCH DOCUMENT CONTROL NUMBER TOTAL	2017
BATCH DOCUMENT CONTROL NUMBER TOTAL	2175
BATCH FORMAT PARAMETERS	2602
BATCH NAME	2248
BATCH NUMBER TO BATCH CONTROL NUMBER	0998
BATCH PROCESSING STAUS NEGATIVE MESSAGE	2018
BATCH TRANSACTION STATISTICAL TIME FRAME CODE	2604
BATCH-STATISTICS-COUNTER	1107
BEGINNING DATE	0912
BLOCK SIZE	9141
BRANCH CODE	0997
BRANCH LSA TOTAL	1965
BULLETIN BOARD AREA FROM IDENTIFICATION	4554
BULLETIN BOARD AREA TO IDENTIFICATION	4553

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
BULLETIN BOARD GENERATED DATE	4551
BULLETIN BOARD SEQUENCE NUMBER	4552
BULLETIN BOARD SUBJECT NAME	4555
BULLETIN BOARD TEXT	4556
BUSINESS FORM CODE	3406
BUSINESS FORM CODE DEFINITION	3372
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN	6651
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP	6652
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL	6653
CAGE CODE FOR MEDALS	2272
CAGE EXTRACT QUANTITY	1382
CAGE FSC NSN	6657
CAGE ITEM NAME CODE NSN	6656
CAGE KEY WORD	4471
CAGE NSN	6654
CAGE ON LINE 1	6184
CAGE PARENT COMPANY COUNT	1457
CAGE POINT OF CONTACT NAME	3374
CAGE REFERENCE NUMBER	6655
CAGE REQUEST REASON CODE	3407
CAGE REQUEST REASON DEFINITION	3370
CAGE STATUS CODE APPLICABLE ORGANIZATIONAL ENTITY	5294
CAGE STATUS CODE USER INTERPRETATION	5293
CAGE/NSCM DESIGNATOR CODE	2620
CAGE/NSCM STATUS CODE	2694
CAGE/NSCM-TYPE CODE	4238
CALIBRATION MARKER	2311
CANCEL REINSTATE CODE	1947
CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR	2499
CANCELED NATIONAL STOCK NUMBER	3790
CANCELED PERMANENT SYSTEM CONTROL NUMBER	8866
CANCELLATION/DELETE MOE RULE SEGMENT	9117
CANCELLED CAGE CODE CLEARED DATE	1373
CANCELLED CAGE CODE SUSPENSE DATE	1372
CAO/ADP EXCEPTION PROCESSING CODE	8868
CAO/ADP EXCEPTION PROCESSING CODE EXPLANATION	5270
CARD IDENTIFICATION CODE (CIC), ITEM MANAGEMENT CODING	0099
CARD IDENTIFICATION CODE EXPLANATION	5212
CARD IDENTIFICATION CODE TITLE	5211
CARD IDENTIFICATION NUMBER	0227
CARD/SEQUENCE CODE	8264
CARRY OVER COUNT	9455
CARRY OVER FLAG	9453
CARRY OVER RETURN CODE	9454
CASE NUMBER	2544
CATALOG MANAGEMENT DATA (CMD) SEGMENT	9108
CATALOG MANAGEMENT DATA AUTHORIZATION CODE	0759
CATALOG MANAGEMENT DATA AUTHORIZATION CODE EXPLANATION	3458
CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR	2101
CATALOG TOOLS INTERROGATION OUTPUT SEGMENT	0258
CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT	0330
CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT	0331
CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT	0228

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CATALOG TOOLS OUTPUT MEDIA CODE	2094
CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT	0241
CATALOGING ACTIVITY CODE	3738
CATEGORY CODE	0905
CATEGORY CODE ACTIVITY EXPLANATION	2227
CATEGORY DIC COMMENT	4626
CATEGORY OF MATERIAL	2312
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION	4795
CENTRAL CONTRACTOR REGISTRATION AVERAGE NUMBER EMPLOYEES QUANTITY	4364
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE	4367
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER IDENTIFIER	4388
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIER	4386
CENTRAL CONTRACTOR REGISTRATION COMPANY REVENUE AMOUNT	4365
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE	4800
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE	4813
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME	4383
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE	4389
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS4 IDENTIFIER	4361
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME	4794
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME	4827
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME	4792
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY IDENTIFIER	4824
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENTIFIER	4380
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENTIFIER	4797
CENTRAL CONTRACTOR REGISTRATION EFT TRANSACTION BANK ACCOUNT NAME	4798
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TITLE TEXT	4840
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS CODE	4376
CENTRAL CONTRACTOR REGISTRATION INCORPORATION COUNTRY ABBREVIATION CODE	4363
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER IDENTIFIER	4803
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITION TEXT	4836
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME	4809
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDENTIFIER	4822
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME	4807
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER	4806
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER	4811
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTIFIER	4369
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT	4837
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE	4833
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME	4372
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE	4834

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE NAME	4802
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT	4377
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT	4391
CERTIFICATION DATE ESTABLISHED	5296
CERTIFICATION EXPIRATION DATE	5290
CERTIFICATION NUMBER	5295
CERTIFICATION NUMBER COUNT	1455
CERTIFICATION NUMBERS ADDED COUNT	1454
CERTIFICATION NUMBERS DELETED COUNT	1452
CERTIFIED CONTRACTOR ADDRESS	5275
CERTIFIED CONTRACTOR BUSINESS ACTIVITY DESCRIPTION TEXT	9049
CERTIFIED CONTRACTOR CANADIAN POSTAL CODE	9037
CERTIFIED CONTRACTOR CERTIFICATION APPROVAL DATE	9031
CERTIFIED CONTRACTOR CERTIFICATION EXPIRED DATE	9032
CERTIFIED CONTRACTOR CERTIFICATION REVOKED DATE	9033
CERTIFIED CONTRACTOR CERTIFICATION STATUS CODE	5297
CERTIFIED CONTRACTOR CITY ADDRESS TEXT	9035
CERTIFIED CONTRACTOR CITY/STATE	1724
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE	1725
CERTIFIED CONTRACTOR CUSTODIAN NAME	9038
CERTIFIED CONTRACTOR DATA CUSTODIAN PHONE NUMBER	9047
CERTIFIED CONTRACTOR DATA CUSTODIAN TITLE IDENTIFIER	9039
CERTIFIED CONTRACTOR DIVISION NAME	9034
CERTIFIED CONTRACTOR INCORPORATION CERTIFICATE INDICATOR CODE	9048
CERTIFIED CONTRACTOR LAST ACTION CODE	9051
CERTIFIED CONTRACTOR MAILING CANADIAN POSTAL CODE	9046
CERTIFIED CONTRACTOR MAILING CITY ADDRESS TEXT	9042
CERTIFIED CONTRACTOR MAILING POST OFFICE BOX ADDRESS TEXT	9041
CERTIFIED CONTRACTOR MAILING STATE PROVINCIAL CODE	9043
CERTIFIED CONTRACTOR MAILING STREET ADDRESS TEXT	9040
CERTIFIED CONTRACTOR MAILING ZIP ADD-ON CODE	9045
CERTIFIED CONTRACTOR MAILING ZIP CODE	9044
CERTIFIED CONTRACTOR NAME	5273
CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE	9052
CERTIFIED CONTRACTOR PHONE NUMBER	5276
CERTIFIED CONTRACTOR POST OFFICE BOX	1723
CERTIFIED CONTRACTOR STATE PROVINCIAL CODE	9036
CERTIFIED CONTRACTOR STREET ADDRESS TEXT	1722
CERTIFIED CONTRACTOR ZONE IMPROVEMENT PROGRAM CODE	1721
CHANGE REPLY FROM	4413
CHANGE REPLY TO	4414
CHANGED DRN/MRC VALUE/REPLY	9977
CHARACTERISTIC SCREENING INDICATOR	3102
CHARACTERISTICS A MODE REPLY	2237
CHARACTERISTICS B MODE REPLY	2238
CHARACTERISTICS DATA GROUP	3317
CHARACTERISTICS EXCEPTION INDICATOR	2193
CHARACTERISTICS F MODE REPLY	2239
CHARACTERS IN THE ADDRESS LINE	3225
CHARACTERS PER INCH	3235
CICS ERROR CODE	9392
CICS PASS KEY TEXT	9069

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CICS PASS TEXT	9070
CHIC NOTE	3494
CITY	1084
CITY AND STATE LOCATION	1355
CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT	1843
CLASSIFICATION ASSISTANCE MODIFIER, H2	9554
CLASSIFICATION ASSISTANCE MODIFIER, H3	9553
CLEANING AND DRYING PROCEDURE CODE	5161
CLEAR TEXT CHARACTERISTICS SEGMENT	9111
CLEAR TEXT NAME LINE	1086
CLEAR TEXT REPLY	3088
COAST GUARD CLASS	2398
CODE FOR LENGTH OF REPLY	0365
CODED AND OR CLEAR TEXT REPLY	4128
CODED ITEM CHARACTERISTICS DATA SEGMENT	9118
CODED REPLY	3465
CODED REPLY STATEMENT	5185
COGNIZANCE CODE COMMENT NAVY	4558
COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE	5257
COGNIZANCE CODE, NAVY	2608
COGNIZANCE CODE, NAVY DEFINITION	5256
COLLABORATOR ACTIVITY INDICATOR	2144
COLLOQUIAL NAME	4955
COLUMN NUMBER IDENTIFICATION LISTING TABULAR	8257
COLUMN WIDTH IDENTIFICATION LISTING TABULAR	8258
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS	3165
COMBAT ESSENTIALITY CODE, MARINE CORPS	3311
COMMA	0488
COMMERCIAL AND GOVERNMENT ENTITY CODE	9250
COMMODITY CATEGORY EXPLANATION	5301
COMMODITY CATEGORY FSC	5310
COMMODITY CATEGORY NOTE - FSC	5300
COMMODITY CATEGORY NOTE FSG	5318
COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE	3137
COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO	3139
COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	1553
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT	1903
COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR	3138
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE	3134
COMMODITY MATERIAL MANAGEMENT CATEGORY CD DOD IDENTIFICAT	5308
COMMODITY MATERIAL MANAGEMENT CODE DOD NOTE	5309
COMMODITY MATERIEL MANAGEMENT CATEGORY CODE, DOD	2611
COMMON NUMBERING SYSTEM INDICATOR	0845
COMMON NUMBERING SYSTEM INDICATOR EXPLANATION	5271
COMMON VALUE CODES	0046
COMMON VALUE GROUP NUMBER	8265
COMMON VALUE GROUPING CRITERIA	9560
COMMUNICATIONS ROUTING INDICATOR	9142
COMPANY NAME	1358
COMPONENT ITEM NAME	8597
COMPONENT NIIN	8592
COMPONENT NIIN ITEM IDENTIFICATION NUMBER	8583
COMPONENT NIIN NATIONAL CODIFICATION BUREAU CODE	8584

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
COMPONENTS FEDERAL SUPPLY CLASS	8595
COMPUTE CHARACTERISTIC SCREENING KEYS	0489
CONCEPT NUMBER	4488
CONDITION CODE	9307
CONDITION CODE FEDERAL 1	3475
CONDITION CODE FEDERAL 1 DEFINITION	3184
CONDITION CODE FEDERAL 1 TITLE	3183
CONDITION CODE FEDERAL 2	3476
CONDITION CODE FEDERAL 2 BRIEF DEFINITION	3478
CONDITION CODE FEDERAL 2 TITLE	3477
CONDITION CODE, FEDERAL	2835
CONFIDENCE LEVEL RATE	2673
CONFLICT NOTIFICATION CODE	0095
CONFLICT NOTIFICATION CODE EXPLANATION	5110
CONFLICT NOTIFICATION CODE NOTE	5112
CONFLICT NOTIFICATION CODE REMARK	5111
CONGRESSIONAL DISTRICT CODE	3410
CONSUMABLE DEPARTMENT DIC KIR NSN	9631
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN	9632
CONSUMABLE DEPARTMENT DIC LVA NSN	9626
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN	9628
CONSUMABLE DEPARTMENT KIV OUTPUT NSN	9618
CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN	9621
CONSUMABLE DEPARTMENT NOT SELECTED NSN	9617
CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN	9622
CONSUMABLE DEPARTMENT OTHER DIC NSN	9627
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL	1726
CONSUMABLE DEPARTMENT SELECTED NSN	9619
CONSUMABLE DEPARTMENT SELECTED TOTAL NSN	9620
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED NSN	9635
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED TOTAL NSN	9636
CONSUMABLE DIC KIR NSN	9629
CONSUMABLE DIC KIR TOTAL NSN	9630
CONSUMABLE DIC LVA NSN	9623
CONSUMABLE DIC LVA TOTAL NSN	9625
CONSUMABLE GAINING INVENTORY MANAGER APPROVED NSN	9633
CONSUMABLE GAINING INVENTORY MANAGER APPROVED TOTAL NSN	9634
CONSUMABLE ITEM TRANSFER ELIGIBLE INDICATOR CODE	9506
CONSUMABLE KVI OUTPUT NSN	9612
CONSUMABLE KVI OUTPUT TOTAL NSN	9615
CONSUMABLE NOT SELECTED NSN	9613
CONSUMABLE NOT SELECTED TOTAL NSN	9616
CONSUMABLE OTHER DIC NSN	9624
CONSUMABLE OTHER DIC NSN TOTAL	1741
CONSUMABLE SELECTED NSN	9611
CONSUMABLE SELECTED TOTAL NSN	9614
CONSUMABLES INCREMENT	8129
CONSUMABLES NSN SELECTED	8130
CONTAINER NATIONAL STOCK NUMBER (NSN)	5178
CONTINUAL TEST IDENTIFIER	2157
CONTINUAL TEXT	0999
CONTINUATION INDICATOR CODE	8555
CONTRACT ADMINISTRATION OFFICE (CAO) CODE	8870



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CONTRACTOR CERTIFICATION ADD COUNT	1393
CONTRACTOR CERTIFICATION CHANGE COUNT	1394
CONTRACTOR CERTIFICATION DELETE COUNT	1395
CONTRACTOR ESTABLISHMENT CODE	3404
CONTRACTOR IDENTITY CHANGE CODE	3412
CONTRACTOR LABEL CODE EXPLANATION PSMAT	3457
CONTRACTOR LABEL CODE, PSMAT	0893
CONTRACTOR PLANNED PRODUCER CODE	3411
CONTROL CHARACTER CODE	8255
CONTROL CODE	2083
CONTROL NUMBER FOREIGN MILITARY SALES	1027
CONTROLLED INVENTORY ITEM CODE (CIIC)	2863
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE	5255
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE	2495
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN	2496
CONTROLLED INVENTORY ITEM CODE EXPLANATION	5254
CONVERSION CONSTANT CONVERSION TYPE	4415
CONVERSION CONSTANT NUMBER	2254
CONVERSION GUIDE SKELETON BODY	2318
CONVERTED REFERENCE NUMBER	3571
COUNT OF CONTRACTOR CODE 1	1512
COUNT OF CONTRACTOR CODE 2	1513
COUNT OF CONTRACTOR CODE 3	1514
COUNTRY	1085
COUNTRY CODE	3408
COUNTRY NAME	1966
COUNTY-NM	3409
CPU ROUTED TO	9143
CRITICAL ITEM CODE	2068
CRITICAL ITEM CODE EFFECTIVE DATE	2067
CRITICALITY CODE FIIG EXPLANATION	3467
CRITICALITY CODE, FEDERAL ITEM IDENTIFICATION GUIDE	3843
CRYPTOLOGICAL INDICATOR CODE	0857
CURRENT TOTAL ITEM RECORD SEGMENTS	3145
CUSHIONING AND DUNNAGE MATERIAL CODE	5164
CUT-OFF DATE	1712
DAAS CRITICAL SOURCE OF SUPPLY UPDATE	0139
DAAS SCREENING, REFERENCE NUMBER SEGMENT	9126
DAAS/DLSC DISCREPANCIES PERCENT	6926
DAAS/DLSC DISCREPANCIES QUANTITY	6924
DAAS/DLSC FILES COMPATIBILITY	6925
DATA ASSET IDENTIFIER	2631
DATA CHAIN	1877
DATA CHANGE DATE	1713
DATA CONVERSION FORMULA FROM LEFT	4416
DATA CONVERSION FORMULA FROM RIGHT	4417
DATA DEFINITION	1878
DATA ELEMENT IMAGE AFTER CHANGE	1377
DATA ELEMENT LENGTH	1882
DATA ELEMENT NAMES	1704
DATA ELEMENT ORIENTED WITH VALUE SEGMENT	9115
DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT	9114
DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT	9113

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DATA ELEMENT SEPARATOR CODE	0814
DATA ELEMENT START POSITION	1097
DATA ELEMENT TERMINATOR CODE	8268
DATA LINK	1879
DATA OVERRIDE CODE	4538
DATA PROTECT CODE	4539
DATA RECIPIENT ADDRESS	5279
DATA RECIPIENT CITY/STATE	5282
DATA RECIPIENT NAME	5277
DATA RECIPIENT PHONE NUMBER	5285
DATA RECIPIENT POST OFFICE BOX	5281
DATA RECIPIENT STREET	5280
DATA RECIPIENT TITLE	5278
DATA RECIPIENT ZIP CODE	5284
DATA RECORD NUMBER	0950
DATA RECORD NUMBER SEQUENCE NUMBER	5039
DATA RECORD NUMBER VALUE	9975
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 1	4993
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 2	4994
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 3	4995
DATA RETRIEVAL ODRC CODE	4981
DATA RETRIEVAL SEGMENT A CODE	4982
DATA RETRIEVAL SEGMENT B CODE	4983
DATA RETRIEVAL SEGMENT C CODE	4984
DATA RETRIEVAL SEGMENT E CODE	4985
DATA RETRIEVAL SEGMENT F CODE	4986
DATA RETRIEVAL SEGMENT G CODE	4987
DATA RETRIEVAL SEGMENT H CODE	4988
DATA RETRIEVAL SEGMENT M CODE	4989
DATA RETRIEVAL SEGMENT N CODE	4990
DATA RETRIEVAL SEGMENT V CODE	4991
DATA RETRIEVAL SEGMENT W CODE	4996
DATA RETRIEVAL SEGMENT Z CODE	4992
DATA RIGHTS CODE	2634
DATA STORE NAME	1715
DATA TERMINATOR ASSOCIATED WITH INC	0758
DATA TRANSMISSION CONTROL CODE	0756
DATA TRANSMISSION CONTROL CODE EXPLANATION	5135
DATA UNIVERSAL NUMBERING SYSTEM	3405
DATASET NAME	9144
DATE BILLED	1041
DATE DE WAS CREATED/MODIFIED	1886
DATE DEBARRED BIDDER RECORD CHANGED	1375
DATE DEBARRED BIDDER RECORD ESTABLISHED	1374
DATE DELINQUENT	1043
DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO	0091
DATE ELEMENT IMAGE BEFORE CHANGE	1376
DATE ESTABLISHED, CANCELLED RECORD DIDS	0308
DATE ESTABLISHED, PSMAT RECORD	0874
DATE FLAGGED FOR BILLING	1036
DATE FLAGGED FOR PURGE	1042
DATE FLAGGED FOR RETURN TO COUNTRY	1044
DATE INTO SYSTEM	1058

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DATE LAST ACCESSED, PSMAT RECORD	0875
DATE LAST CHANGE	0043
DATE LAST CHANGE DICTIONARY	2117
DATE NEXT IDENTIFICATION LIST BASIC	0347
DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN	0348
DATE OF AUTODIN STATION SERIAL NUMBER	0753
DATE OF CERTIFICATION NUMBER REVOCATION	5291
DATE OUT TO MANUFACTURER	1006
DATE PRICE EFFECTIVE	1967
DATE PRIMARY OUTPUT	1008
DATE PROCESSED	1031
DATE PURGED	1051
DATE REPORTED THRU	0914
DATE RETURN TO COUNTRY	1016
DATE SECONDARY INPUT	1009
DATE SECONDARY OUTPUT	1011
DATE TECHNICAL DATA RECEIVED	1007
DATE TRANSACTION DESK CODE CHANGE	1013
DATE TRANSACTION READ	1019
DATE, CANCELLATION, NATIONAL ITEM IDENTIFICATION NUMBER	2240
DATE, CURRENT PROCESSING PERFORMANCE	2078
DATE, EFFECTIVE, LOGISTICS ACTION	2128
DATE, EFFECTIVE, LOGISTICS ACTION CANCELLED	5150
DATE, EFFECTIVE, STANDARD, FEDERAL SUPPLY CLASS TABLE ENT	0092
DATE, INTERROGATION	0342
DATE, LAST CHANGE TO RECORD, DIDS	2050
DATE, LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	2260
DATE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	0078
DATE, MAJOR ORGANIZATIONAL ENTITY RULE, ASSIGNED TO NIIN	9128
DATE, NIIN/PSCN ASSIGNMENT	2180
DATE, OPERATIONAL NEED	0726
DATE, ORGANIZATIONAL ENTITY LINE SEGMENT ADDED	8655
DATE, ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED	8656
DATE, ORGANIZATIONAL ENTITY RECORD DELETED	8657
DATE, ORGANIZATIONAL ENTITY RECORD ESTABLISHED	2262
DATE, PROCESSING LOGISTICS ACTION	0597
DATE, STANDARDIZATION DECISION	2300
DATE, SUSPENSE PURGE	8680
DATE, TRANSACTION	2310
DB2 ARCHIVE GROUP	2472
DB2 ARCHIVE GROUP NUMBER	2746
DB2 GROUP NUMBER	4492
DB2 SQL ERROR CODE	9390
DB2 SQL STATE ERROR CODE	9391
DB2 TABLE NAME	4465
DB2 TABLE PRIMARY KEY LENGTH	4486
DEBARRED BIDDER STATUS CODE	0866
DEBARRED CONTRACTOR'S END DATE	0867
DEBARRMENT PROPOSAL INITIATORS SYMBOL MEANING	1380
DECIMAL REPLY ZERO SUPPRESSION	2041
DECODE DATA FILE IDENTIFIER	2035
DECODE DESCRIPTION	1719
DECODE ERROR COUNT	1453

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DECODE PARAMETERS	1718
DECODE TABLE REPLY LENGTH	0303
DECODED CHARACTERISTICS DATA	3860
DECODED ISAC REPLY STATEMENT	2308
DECODED REPLY STATEMENT	3864
DECODED STYLE REPLY STATEMENT	2309
DEFAULT OUTPUT FORMAT	2564
DEFAULT RELEASE TDQ IDENTIFIER	9500
DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA	0153
DEFENSE INTEGRATED DATA SYSTEM SEGMENT CODE EXPLANATION	3175
DEFENSE INTEGRATED DATA SYSTEM INPUT HEADER	9094
DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER	9098
DEFENSE LOGISTICS AGENCY CENTER ACTIVITY CODE	3891
DEGREE OF MATCH CODE	0595
DELETED AMMO CODE TOTAL COUNT	1844
DELETED AMMUNITION CODE COUNT	1927
DELETED APPROVED ITEM NAME TOTAL COUNT	1845
DELETED BASIC NAME TOTAL COUNT	1846
DELETED COLLOQUIAL NAME TOTAL COUNT	1847
DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT	1929
DELETED ITEM ENTRY TOTAL COUNT	1848
DELETER RACF USERID	3221
DELETION OF RECORDS DESIGNATOR CODE	0761
DELETION REASON CODE	4540
DELETION REASON CODE EXPLANATION	5132
DELIVERY ADDRESS LINE TEXT	3354
DELIVERY POINT BARCODE IDENTIFIER	3355
DEMAND INDICATOR CODE	0728
DEMAND INDICATOR CODE EXPLANATION	5217
DEMILITARIZATION (DEMIL) CODE	0167
DEMILITARIZATION CODE EXPLANATION	5136
DEMILITARIZATION CODE NOTE	5137
DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE	1696
DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6	6660
DEPARTMENT CODE	8329
DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9	6390
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT	6645
DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT	6666
DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT	6667
DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	6542
DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1	6668
DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT	6673
DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE	2440
DEPARTMENT OF DEFENSE 12	5848
DEPARTMENT OF DEFENSE AMMUNITION CODE	3767
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR	0482
DEPARTMENT OF TRANSPORTATION CLASS	2387
DEPARTMENT OF TRANSPORTATION EXEMPTION NUMBER	2444
DEPARTMENT OF TRANSPORTATION LABEL	2388
DEPARTMENT OF TRANSPORTATION MARKING	2389
DEPARTMENT ORIGINAL NSN PERCENT 2	6674
DEPARTMENT ORIGINAL NSN TOTAL 7	1698
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C	6812

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DEPARTMENT SUBMITTING ACTIVITY TRANSACTONS RETURNED QTY A	6795
DEPARTMENT TOTAL 5	6659
DEPARTMENT TOTAL 6	6665
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74	6678
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR	6679
DEPOT SOURCE OF REPAIR ACTIVITY NAME	3483
DEPOT SOURCE OF REPAIR CODE	0903
DEPOT SOURCE OF REPAIR STATEMENT	3484
DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY	8226
DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	6543
DESCRIPTION AVAILABILITY	0804
DESCRIPTION OF RELEVANT BUSINESS ACTIVITY	5283
DESK CODE, CATALOGING	3870
DESTINATION ACTIVITY CODE FIELD, OUTPUT	0733
DESTINATION ACTIVITY CODE, OUTPUT	3880
DESTINATION CODE, SCREENING	3890
DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	9595
DIC ALL OAC GRAND TOTAL APPROVED	5346
DIC ALL OAC GRAND TOTAL CLERICAL	5352
DIC ALL OAC GRAND TOTAL NIIN STATUS	5354
DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	5351
DIC ALL OAC GRAND TOTAL PROCESSED	5345
DIC ALL OAC GRAND TOTAL RECEIVED	5344
DIC ALL OAC GRAND TOTAL RETURNED	5347
DIC ALL OAC GRAND TOTAL RULES	5353
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	6810
DIC ALL ORIGINATING ACTIVITY CODE APPROVED	6813
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	6808
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED	5337
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL	5341
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS	5343
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED	5336
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED	5335
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED	5338
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES	5342
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES	5339
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE	5340
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	6806
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	6809
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	6814
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	6815
DIC ALL ORIGINATING ACTIVITY CODE RETURNED	6811
DIC ALL ORIGINATING ACTIVITY CODE RULES	6807
DIC ALL SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	6793
DIC ALL SUBMITTING ACTIVITY CODE APPROVED	6796
DIC ALL SUBMITTING ACTIVITY CODE CLERICAL	6791
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC	7651
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED	7649
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL	7653
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS	9577
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS	7652
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED	7648
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED	7647

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED	7650
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS	9582
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED	9580
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL	9584
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED	9579
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED	9578
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED	9581
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES	9585
DIC ALL SUBMITTING ACTIVITY CODE NIIN STATUS	6789
DIC ALL SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	6792
DIC ALL SUBMITTING ACTIVITY CODE PROCESSED	6797
DIC ALL SUBMITTING ACTIVITY CODE RECEIVED	6798
DIC ALL SUBMITTING ACTIVITY CODE RETURNED	6794
DIC ALL SUBMITTING ACTIVITY CODE RULES	6790
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL NIIN STATUS	9586
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL POSSIBLE DUPLICATES	9583
DIC ALL SUBMITTING CODE DEPARTMENT RULES	7654
DIC CATEGORY	9756
DIC CUSTODIAN	2214
DIC CUSTODIAN ALTERNATE	2213
DIC DRN NOTE DEFINITION	2113
DIC DRN NOTES	2111
DIC IDENTIFIER	9145
DIC INPUT OUTPUT TYPE	2052
DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES	5359
DIC OAC DEPARTMENT TOTAL APPROVED	5357
DIC OAC DEPARTMENT TOTAL CLERICAL	5361
DIC OAC DEPARTMENT TOTAL NIIN STATUS	5363
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	5360
DIC OAC DEPARTMENT TOTAL PROCESSED	5356
DIC OAC DEPARTMENT TOTAL RECEIVED	5355
DIC OAC DEPARTMENT TOTAL RETURNED	5358
DIC OAC DEPARTMENT TOTAL RULES	5362
DIC OAC GRAND TOTAL ACTUAL DUPLICATES	5368
DIC OAC GRAND TOTAL APPROVED	5366
DIC OAC GRAND TOTAL CLERICAL	5370
DIC OAC GRAND TOTAL NIIN STATUS	5372
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES	5369
DIC OAC GRAND TOTAL PROCESSED	5365
DIC OAC GRAND TOTAL RECEIVED	5364
DIC OAC GRAND TOTAL RETURNED	5367
DIC OAC GRAND TOTAL RULES	5371
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	6800
DIC ORIGINATING ACTIVITY CODE APPROVED	6803
DIC ORIGINATING ACTIVITY CODE CLERICAL	6838
DIC ORIGINATING ACTIVITY CODE NIIN STATUS	6836
DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	6799
DIC ORIGINATING ACTIVITY CODE PROCESSED	6804
DIC ORIGINATING ACTIVITY CODE RECEIVED	6805
DIC ORIGINATING ACTIVITY CODE RETURNED	6801
DIC ORIGINATING ACTIVITY CODE RULES	6837
DIC OUTPUT	3135
DIC REFERENCE	2211

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DIC RELATED FUNCTIONAL DESCRIPTION	2212
DIC SAC DEPARTMENT TOTAL CLERICAL	9593
DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	9592
DIC SAC DEPARTMENT TOTAL RULES	9594
DIC SAC GRAND TOTAL ACTUAL DUPLICATES	5330
DIC SAC GRAND TOTAL APPROVED	5328
DIC SAC GRAND TOTAL CLERICAL	5332
DIC SAC GRAND TOTAL NIIN STATUS	5334
DIC SAC GRAND TOTAL POSSIBLE DUPLICATES	5331
DIC SAC GRAND TOTAL PROCESSED	5327
DIC SAC GRAND TOTAL RECEIVED	5326
DIC SAC GRAND TOTAL RETURNED	5329
DIC SAC GRAND TOTAL RULES	5333
DIC SEQUENCER	9146
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	6783
DIC SUBMITTING ACTIVITY CODE APPROVED	6786
DIC SUBMITTING ACTIVITY CODE CLERICAL	6781
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS	9591
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED	9589
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL NIIN STATUS	5325
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED	9588
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED	9587
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED	9590
DIC SUBMITTING ACTIVITY CODE NIIN STATUS	6779
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	6782
DIC SUBMITTING ACTIVITY CODE PROCESSED	6787
DIC SUBMITTING ACTIVITY CODE RETURNED	6784
DIC SUBMITTING ACTIVITY CODE RULES	6780
DIC SUBMITTING ACTIVITY RECEIVED	6788
DIDS INTRODUCTION	9099
DIDS NOTE NARRATIVE	1300
DIDS NOTE NUMBER	1288
DIDS SUB-SECTION	4450
DIGITIZED DATE EFFECTIVE LOGISTICS ACTION	5314
DIGITIZED DRAWING IDENTIFICATION NUMBER	0772
DIGITIZED DRAWING NUMBER LIST	0939
DIGITIZED GRAPHICS IDENTIFICATION NUMBER, REPLACEMENT	0775
DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR	0326
DISPLAY METHOD LOCATION CODE NARRATIVE	8270
DISPLAY METHOD LOCATION CODE TABULAR	8295
DISTRIBUTION ACTIVITY CODE (DD FORM 146)	3910
DISTRIBUTION ACTIVITY CODE SEGMENT M	0478
DISTRIBUTION LIST NUMBER	1283
DISTRIBUTION LIST NUMBER RELATIVE ROW	3233
DISTRIBUTION LIST NUMBER SORT SEQUENCE	3198
DL REPLY	4418
DLA CENTER CODE	3886
DLIS PROCEDURES CHAPTER NUMBER	3452
DLIS SEGMENT NOTE NUMBER1	4528
DLIS SEGMENT NOTE NUMBER2	4529
DLN QUANTITY	0953
DLSC ACTION OUTPUT CONDITION	2105
DLSC DATE	9147

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DLSC DRAWING LIST	0918
DLSC ONLY INDICATOR	4621
DLSC PRODUCTS AND SERVICES CODE	2423
DLSC TIME	9148
DMS TRANSACTION CODE	1949
DOCUMENT IDENTIFIER CODE VERTICAL GRAND TOTAL	2006
DOCUMENT AVAILABILITY CODE (DAC)	2640
DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL	5628
DOCUMENT AVAILABILITY CODE DEPARTMENT REFERENCE QUANTITY	5637
DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY	5627
DOCUMENT AVAILABILITY CODE EXPLANATION	5123
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE	3111
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE	3107
DOCUMENT AVAILABILITY CODE NOTE	5124
DOCUMENT AVAILABILITY CODE NSN TOTAL	5636
DOCUMENT AVAILABILITY CODE REFERENCE TOTAL	5638
DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL	5629
DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL	5630
DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL	5631
DOCUMENT AVAILABILITY CODE TYPE II 2 TOTAL	5635
DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL	5632
DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL	5633
DOCUMENT AVAILABILITY CODE TYPE II 4B TOTAL	5634
DOCUMENT CONTROL NUMBER	1015
DOCUMENT CONTROL NUMBER GRAND TOTAL	2028
DOCUMENT CONTROL NUMBER, FOLLOW-UP	0131
DOCUMENT CONTROL NUMBER TOTAL	2009
DOCUMENT CONTROL SERIAL NUMBER	1000
DOCUMENT IDENTIFIER CODE (DIC)	3920
DOCUMENT IDENTIFIER CODE COUNT	1997
DOCUMENT IDENTIFIER CODE GRAND TOTAL	2014
DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL	2003
DOCUMENT IDENTIFIER CODE MONTH TOTAL	2007
DOCUMENT IDENTIFIER CODE OUTPUT	1052
DOCUMENT IDENTIFIER CODE TOTAL	2002
DOCUMENT IDENTIFIER CODE VERTICAL TOTAL	2005
DOCUMENT IDENTIFIER CODE, INPUT	3921
DOCUMENT IDENTIFIER CODE, ORIGINAL INPUT	3922
DOCUMENT NUMBER	3930
DOCUMENT TYPE	2633
DOD A2C	5900
DOD CATALOG ACTION SINGER SUBMITTER	4503
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL	0868
DOD DEBARMENT PROPOSAL INITIATORS	3193
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT	1899
DODAAC DEFENSE PROPERTY DISPOSAL OFFICE	0395
DOLLAR AMOUNT GRAND TOTAL COUNTRY	2027
DOLLAR VALUE, STANDARD UNIT PRICE	7080
DOLLAR VALUE, UNIT PRICE	7075
DOUBLE TABLE INDICATOR CODE	9374
DRAWING AT DLSC	0920
DRAWING AT DLSC COUNTER	0921
DRAWING AT MANUFACTURER	0943



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DRAWING AT THE MANUFACTURER COUNTER	0919
DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE	0954
DRAWING BY ITEM NAME CODE	0956
DRAWING COUNT	1451
DRAWING DETAIL	1242
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)	4069
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE TITLE	9779
DRAWING FIIG INITIATOR IDENTIFIER	4064
DRAWING FINISH DATE	0944
DRAWING IN FILE	0938
DRAWING START DATE	0945
DRAWING STATUS DATE	5073
DRAWING STATUS INDICATOR	5072
DRAWING TEXT DETAIL	0946
DRAWING TO BE DIGITIZED	0940
DRAWING TYPE	5063
DRAWING TYPE 2	0984
DRAWING TYPE 2 COUNTER	0924
DRAWINGS TO BE DIGITIZED COUNTER	0923
DRAWINGS TO BE SENT TO MANUFACTURER	0933
DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER	0926
DRIVE NAME	1450
DRMS CHALLENGE INDICATOR CODE	5315
DRN FULL VALUE	4469
DRN POSITION OUT	1907
DROP INDEX CODE	2225
DROP INDEX CODE MAINTENANCE	2223
DROP INDEX CODE NOTIFICATION	2224
DROP INDEX CODE TYPE	2226
DROP NOTIFICATION OR MAINTENANCE INDICATOR	4505
DROPPED DRN SEGMENT IDENTIFIER	9407
DROPPED SEGMENT 1 INDICATOR	9711
DROPPED SEGMENT 6 INDICATOR	9712
DROPPED SEGMENT 7 INDICATOR	9713
DROPPED SEGMENT 9 INDICATOR	9714
DROPPED SEGMENT A INDICATOR	9715
DROPPED SEGMENT B INDICATOR	9716
DROPPED SEGMENT C INDICATOR	9717
DROPPED SEGMENT D INDICATOR	9718
DROPPED SEGMENT E INDICATOR	9719
DROPPED SEGMENT F INDICATOR	9720
DROPPED SEGMENT G INDICATOR	9721
DROPPED SEGMENT H INDICATOR	9722
DROPPED SEGMENT J INDICATOR	9723
DROPPED SEGMENT K INDICATOR	9724
DROPPED SEGMENT L INDICATOR	9725
DROPPED SEGMENT M INDICATOR	9726
DROPPED SEGMENT N INDICATOR	9727
DROPPED SEGMENT P INDICATOR	9728
DROPPED SEGMENT Q INDICATOR	9729
DROPPED SEGMENT R INDICATOR	9730
DROPPED SEGMENT V INDICATOR	9731
DROPPED SEGMENT W INDICATOR	9732

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DROPPED SEGMENT Y INDICATOR	9733
DROPPED SEGMENT Z INDICATOR	9734
DS1 DEMIL NIIN STATUS CODE NSN	8215
DS1 DEML NIIN STATUS CODE NSN TOTAL	8216
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN	8217
DS2 DEPARTMENT DEMIL NIIN STATUS CODE 0 NSN TOTAL	8218
DS3 DOD NIIN STATUS CODE 0 MANAGED NSN TOTAL	8220
DS3 DOD SOURCE OF SUPPLY NIIN STATUS CODE 0 MANAGED NSNS	8219
DS4 MILITARY NIIN STATUS CODE 0 DEMIL NSN TOTAL	8223
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL NSN	8221
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE 0 DEMIL TOTAL	8222
DSOR COUNTER	4219
E MAIL ADDRESS	2151
E MAIL FUNCTIONAL DATE TIME STAMP	2156
E MAIL MESSAGE IDENTIFIER	2403
E MAIL MESSAGE INDICATOR CODE	2153
E MAIL MESSAGE LINE	2154
E MAIL MESSAGE LINE NUMBER	2155
E MAIL MESSAGE TITLE	2152
E MAIL USER INDICATOR STAT CD	2158
ECHELON ACQUIRING STOCK MARINE CORPS	3151
ECHELON CODE MARINE CORPS	3150
ECHELON REMARKS MARINE CORPS	3152
EDIT COMPLETED TIMESTAMP	9383
EDIT CRITERIA STATEMENT	4129
EDIT INDICATOR KEY	1089
EDIT NARRATIVE DATA	2317
EDIT PRODUCTION COMPLETION DATE	1678
EDIT RESULTS TEXT	9384
EDIT STATUS CODE	9382
EDIT VALIDATION CRITERIA EXPLANATION	4583
EFFECTIVE ADD NIIN MOE RULE QUANTITY	6593
EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION	2102
EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT	0777
EFFECTIVE DATE DOCUMENT IDENTIFIER CODE	2099
EFFECTIVE DATE, MOE RULE TRANSACTIONS	5196
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT	1930
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT	1923
EFFECTIVE DELETE NIIN MOE RULE QUANTITY	6594
ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC	3120
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD	3417
ELECTRONIC MAIL MESSAGE	2149
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA	2508
ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE	2043
ELEVEN TO THIRTY SECONDS PERCENT B3	7645
EMAIL ADDRESS TEXT	3375
END ITEM CODE	1473
ENDING DATE	0913
ENGINE NUMBER	2244
ENGLISH LANGUAGE DICTIONARY WORD	1539
ENVIRONMENTAL ATTRIBUTE CODE	3025
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT	3010
ENVIRONMENTAL DATA CHAIN	2061

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ERROR LISTING NEGATIVE MESSAGE	2021
ERROR MESSAGE 1	2636
ERROR MESSAGE TEXT	9393
ERROR RATE	2674
ERROR SEQUENCER	9151
ERROR TIMESTAMP	9152
ESSENTIALITY CODE	1474
ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT	0441
ESTIMATED OR ACTUAL PRICE CODE	0731
ESTIMATED OR ACTUAL PRICE CODE EXPLANATION	5219
EXCESS REPORT DATE AND SERIAL NUMBER	3341
EXECUTION COUNT	9153
EXPANSION FIELD 1	0443
EXPANSION FIELD 2	0444
EXPANSION FIELD 3	0445
EXPANSION FIELD 5	0781
EXPEND RECOVER REPAR CATEGORY CODE EXPLANATION AIR FORCE	3164
EXPEND RECOVER REPAR CATEGORY CONDEMN LVL AIR FORCE	2841
EXPEND RECOVER REPAR CATEGORY DESIGNATOR AIR FORCE	2842
EXPEND RECOVER REPAR CATEGORY EPEND YES OR NO AIR FORCE	2843
EXPEND RECOVER REPAR CATEGORY REPBL AIR FORCE	2844
EXPENDABILITY-RECOVERABILITY-REPARABILITY CATEGORY CODE-A	2655
EXTENDED FREIGHT DESCRIPTION	0041
EXTENDED SEGMENT DATA	9154
EXTENDED SEGMENT FLAG	9156
EXTENDED SEGMENT SEQUENCER	9155
EXTRACT CHARACTER IMAGE FOR TESTING	0325
EXTRACT RETURN CODE	9451
EXTRACTION DESCRIPTION	1716
EXTRACTION PARAMETERS	1706
F MAXIMUM VALUE	4428
F MINIMUM VALUE	3078
F NOMINAL VALUE	3079
FABRICATED CAGE/NSCM CODE	0074
FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs	3236
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT	6448
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT	6449
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE	6432
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN	6428
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT	6433
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT	6434
FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT	6435
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE	6450
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN	6445
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN	6446
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN	6447
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6456
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN	6454
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6457
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6458
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN	6438
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT	6441
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN	6439

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT	6442
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN	6440
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT	6443
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II	6884
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	6870
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	8171
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN	8173
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT	8176
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	8174
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT	8177
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	8175
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT	8178
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	6883
FCS CURRENT SUBMITTING DEPARTMENT NSN	6418
FCS CURRENT SUBMITTING ACTIVITY CODE NSN	8208
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1	6437
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN	6402
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2	6407
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN	6403
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	6404
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	6408
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN	6419
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6424
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN	6420
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6425
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN	6423
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6426
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	8162
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	8165
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	8163
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	8166
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	8164
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT	8168
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6889
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	6887
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6890
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	6888
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN	6886
FCS SUBMITTING ACTIVITY CODE NSN	6391
FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN	6392
FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT	6395
FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN	6393
FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT	6396
FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN	6394
FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT	6397
FCS SUBMITTING DEPARTMENT NSN	6409
FCS SUBMITTING DEPARTMENT TYPE II 1 NSN	6410
FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6415
FCS SUBMITTING DEPARTMENT TYPE II 2 NSN	6411
FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6416
FCS SUBMITTING DEPARTMENT TYPE II 4 NSN	6412
FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6417
FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN	6431

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FEDERAL AVIATION ADMINISTRATION MANAGEMENT CONTROL DATA	2203
FEDERAL AVIATION ADMINISTRATION REPAIRABILITY CODE	2202
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT	6933
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) CITY CODE	1369
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) COUNTY CODE	1371
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) STATE CODE	1370
FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR	0760
FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT	3661
FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE	8999
FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT	1551
FEDERAL SUPPLY CLASS ADD COUNTS	1544
FEDERAL SUPPLY CLASS CHANGED COUNTS	1545
FEDERAL SUPPLY CLASS COUNT	0350
FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT	1928
FEDERAL SUPPLY CLASS DELETED COUNTS	1543
FEDERAL SUPPLY CLASS DELETED RECORDS COUNT	1552
FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT	1933
FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA	0309
FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE	0376
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA	4968
FEDERAL SUPPLY CLASS INCLUSION NARRATIVE	0375
FEDERAL SUPPLY CLASS ITEM NAME CODE NSN	5751
FEDERAL SUPPLY CLASS NOTE DATA	0315
FEDERAL SUPPLY CLASS NSN	5752
FEDERAL SUPPLY CLASS TOTAL RECORDS COUNT	1547
FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE	0122
FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA	0314
FEDERAL SUPPLY CLASSES APPLICABLE	3970
FEDERAL SUPPLY CLASSIFICATION CONDITION CODE	2607
FEDERAL SUPPLY CLASSIFICATION NOTE	4962
FEDERAL SUPPLY CLASSIFICATION TITLE	4970
FEDERAL SUPPLY GROUP ADD COUNT	1548
FEDERAL SUPPLY GROUP CHANGED COUNTS	1549
FEDERAL SUPPLY GROUP DELETED COUNTS	1546
FEDERAL SUPPLY GROUP NOTE	4965
FEDERAL SUPPLY GROUP NOTE DATA	0313
FEDERAL SUPPLY GROUP TITLE	4972
FEDERAL SUPPLY GROUP TITLE DATA	0312
FEDERAL SUPPLY GROUP TITLES SEARCH	1939
FEDERAL SUPPLY GROUP, FEDERAL SUPPLY CLASS DATA EFF DATE	2032
FEDERAL SUPPLY NUMBER	1447
FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER	0880
FIGREP DRAWINGS COUNTER	0927
FIGREP TO DRAWING IDENTIFICATION LIST	0922
FIIG ALL 9001 USAGE PERCENT	6630
FIIG ALL MAINTENANCE MATCH PERCENT	6629
FIIG ALL NEW ITEM MATCH PERCENT	6628
FIIG DRAWING COUNT	1448
FIIG DRAWING DETAL	0966
FIIG DRAWING NOTE TEXT	5064
FIIG DRAWING SEQUENCE NUMBER	5061
FIIG DRAWING TITLE TEXT	5062
FIIG ERROR COUNT	1449

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FIIG GRAND TOTAL 9001 USAGE	6641
FIIG GRAND TOTAL ACTUAL MATCH	6636
FIIG GRAND TOTAL FIIG SCREENING	6644
FIIG GRAND TOTAL INC SCREENING	6643
FIIG GRAND TOTAL INPUT	6633
FIIG GRAND TOTAL MAINTENANCE INPUT	6639
FIIG GRAND TOTAL MAINTENANCE MATCH	6640
FIIG GRAND TOTAL MATCH	6634
FIIG GRAND TOTAL MATCH PERCENT	6642
FIIG GRAND TOTAL NEW INPUT	6637
FIIG GRAND TOTAL NEW MATCH	6638
FIIG GRAND TOTAL POSSIBLE MATCH	6635
FIIG INC 9001 USAGE	6625
FIIG INC 9001 USAGE WEEK	2299
FIIG INC ACTUAL MATCH	6620
FIIG INC ACTUAL MATCH WEEK	2293
FIIG INC INPUT	6617
FIIG INC INPUT WEEKLY	2291
FIIG INC MAINTENANCE INPUT	6623
FIIG INC MAINTENANCE INPUT WEEK	2297
FIIG INC MAINTENANCE MATCH	6624
FIIG INC MAINTENANCE MATCH WEEK	2298
FIIG INC MATCH	6618
FIIG INC MATCH PERCENT	6626
FIIG INC MATCH WORK	2294
FIIG INC NEW INPUT	6621
FIIG INC NEW INPUT WEEK	2295
FIIG INC NEW MATCH	6622
FIIG INC NEW MATCH WEEK	2296
FIIG INC POSSIBLE MATCH	6619
FIIG INC POSSIBLE MATCH WEEK	2292
FIIG INC SCREENING	6631
FIIG LOCKOUT INDICATOR	0581
FIIG OVERALL MATCH PERCENT	6627
FIIG RECORD COUNT	6632
FIIG SECTION IDENTIFIER	5069
FIIG SECTION TITLE TEXT	5070
FIIG SEQUENCE NUMBER	4404
FIIG SUB SECTION IDENTIFIER	5071
FIIG SUB SECTION TITLE TEXT	5068
FIIG TOTAL 9001 USAGE	6265
FIIG TOTAL ACTUAL MATCH	6260
FIIG TOTAL INPUT	6257
FIIG TOTAL MAINTENANCE INPUT	6263
FIIG TOTAL MAINTENANCE MATCH	6264
FIIG TOTAL MATCH	6258
FIIG TOTAL NEW INPUT	6261
FIIG TOTAL NEW MATCH	6262
FIIG TOTAL POSSIBLE MATCH	6259
FILE CHARACTER COUNT	9157
FILE CHARACTER MINIMUM QUANTITY	9243
FILE COMPATIBILITY ACTIVITY CODE	0735
FILE MAINTENANCE ACTION CODE	8850

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FILE MAINTENANCE ACTION CODES EXPLANATION	3173
FILE MAINTENANCE RECEIVER CODE	8905
FILE MAINTENANCE SEQUENCE NUMBER	1515
FILE RECORD COUNT	9158
FILE RECORD MINIMUM QUANTITY	9242
FILE TRANSACTION COUNT	9159
FILE TRANSFER PROTOCOL STATUS INDICATOR CODE	2576
FILE VALIDATION INDICATOR	4584
FIREFIGHTING GROUP	2437
FIRST FORMER NAME OR LOCATION	1362
FIRST INITIAL	9160
FIRST INSPECTION PERIOD (IIM)	7972
FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4691
FIRST OF THE MONTH JULIAN	2538
FIRST PHRASE CODE	3048
FIRST POSITION MOE RULE	4495
FIRST QUARTER CURRENT FISCAL YEAR 1	6669
FISCAL YEAR TO DATE	4307
FIVE DIGIT SERIAL NUMBER	1872
FIXED OR VARIABLE KEY	1092
FIXED VARIABLE LENGTH MEDIA INDICATOR	3119
FIXED/VARIABLE	1880
FLIS DATA MESSAGE CONTROL SEGMENT	0752
FLIS I&S RELATIONSHIP DATA SEGMENT	9106
FLIS SUBSECTION PART	4467
FOLLOW-UP CONDITION CODE	0155
FOLLOW-UP CONDITION CODE DEFINITION	5104
FOLLOW-UP CONDITION CODE INSTRUCTION	5105
FOLLOW-UP STATUS CODE	0166
FOLLOW-UP STATUS CODE DEFINITION	3141
FOLLOW-UP STATUS CODE INSTRUCTION	3142
FOOTPRINT DATE	9161
FOOTPRINT TRANSACTION KEY	9435
FOOTPRINT TRANSACTION REFERENCE KEY	9438
FOOTPRINT TRANSACTION SEQUENCE NUMBER	9439
FORCED FLAG	9458
FOREIGN/DOMESTIC DESIGNATOR CODE	4235
FOREIGN/DOMESTIC DESIGNATOR CODE EXPLANATION	5289
FORMAT DESCRIPTION	1717
FORMAT EDIT DATA GROUP	3666
FORMAT ERROR COUNT	1446
FORMAT EXAMPLE	3114
FORMAT NAME	9162
FORMAT PARAMETERS	1707
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY	3113
FORMAT REMARKS	4511
FORMATTED TIMESTAMP	9164
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE	0904
FORMER FREIGHT CLASSIFICATION CODE	0255
FORMER MAJOR ORGANIZATIONAL ENTITY RULE NUMBER	8280
FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE	0096
FORMER NMFC SUB-ITEM NUMBER	0862
FORMER PHRASE RELATIONSHIP GROUP	0216

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FORMER RELATED NATIONAL STOCK NUMBER	0126
FORMER SUPPLEMENTARY COLLABORATOR	2931
FORMER SUPPLEMENTARY RECEIVER	2936
FORMER UNIFORM FREIGHT CLASSIFICATION CODE	0097
FORMER UNIT OF ISSUE	8472
FORMER UNIT OF ISSUE CONDITIONAL NOTE	5247
FORMER UNIT OF ISSUE DEFINITION	5246
FORMER UNIT OF ISSUE TERM	5245
FOURTH QUARTER CURRENT FISCAL YEAR 1	6672
FREEDOM OF INFORMATION GIRDER SCHEDULING CODE	0791
FREIGHT CLASSIFICATION CODE	0130
FREIGHT CLASSIFICATION DATA (FCD)	0863
FREIGHT CLASSIFICATION DATA SEGMENT	9107
FREIGHT CODE STATUS CODE	2090
FREIGHT DECODED LAST DATE	1950
FREIGHT DESCRIPTION	4020
FREIGHT EXTENDED DESCRIPTION ADD COUNT	1960
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT	1955
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT	1961
FREIGHT EXTENDED DESCRIPTION CHANGE ERROR COUNT	1532
FREIGHT EXTENDED DESCRIPTION DELETE COUNT	1962
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT	1957
FREIGHT ITEM NAME CODE NSN	6599
FREIGHT ITEM NAME CODE TOTAL NSN	6600
FREIGHT MASTER ADD COUNT	1524
FREIGHT MASTER ADD ERROR COUNT	1517
FREIGHT MASTER CHANGE COUNT	1959
FREIGHT MASTER CHANGE ERROR COUNT	2029
FREIGHT MASTER DELETE COUNT	1954
FREIGHT MASTER DELETE ERROR COUNT	1533
FREIGHT MASTER INQUIRY COUNT	1523
FREIGHT MASTER INQUIRY DATE	1952
FREIGHT MASTER NIIN COUNT	2039
FREIGHT MASTER TIME FRAME	1528
FREIGHT RATE CODE	2091
FROM ZIP CODE	3414
FSC ALPHA ACTIVE ITEM NAME SEARCH	1943
FSC AMMUNITION DESCRIPTION TEXT	8807
FSC CANCELED ITEM NAME SEARCH	1944
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN	6453
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN	6455
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	8170
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	8172
FSC DATE ESTABLISHED, CANCELLED RECORD DIDS	5182
FSC MOE RULE CHANGE INDICATOR CODE TITLE	4504
FSC MOE RULE NIIN QUANTITY	6596
FSC REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6891
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE	2509
FSC/MOE RULE INDICATOR CODE EXPLANATION	5305
FSG DATE ESTABLISHED, CANCELLED RECORD DIDS	5183
FSG FSC DESCRIPTION SEARCH	1941
FSG TOTAL RECORD COUNT	1942
FULL DESCRIPTIVE METHOD 2	6675



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FULL DESCRIPTIVE METHOD 7	1699
FULLY QUALIFIED DB2 TABLE NAME	4455
FUNCTION CODE	1682
FUND CODE ARMY	1490
FUND CODE DEFINITION AIR FORCE	3163
FUND CODE, AIR FORCE	2695
FUTURE CATALOG TOOLS MOE RULE STATUS CODE	0297
FUTURE CATALOG TOOLS MOE RULE STATUS CODE DEFINITION	5306
FUTURE DATA SEGMENT	9119
GENERAL INFORMATION NUMBER	2241
GENERATTE LTI INDICATOR	1909
GENERIC ITEM INDICATOR CODE	0795
GENERIC MASTER NATIONAL STOCK NUMBER	0796
GIRDER CODE	0808
GIRDER CODE EXPLANATION	5100
GIRDER CODE NEW NUMBER 1	4541
GIRDER CODE NEW NUMBER 2	4542
GIRDER DUPLICATE COPY PROTECTED DATA	4547
GIRDER INPUT SET	9165
GIRDER LAR SUBTOTAL	1503
GIRDER LAR TRANS TOTAL	1507
GIRDER LCR SUBTOTAL	1504
GIRDER LCR TRANS TOTAL	1508
GIRDER MANUFACTURER PROTECTED DATA	4548
GIRDER MANUFACTURER SUPPLIED DATA	4546
GIRDER NEW CAGE CODE	4544
GIRDER NEW REFERENCE NUMBER LOGISTICS	4545
GIRDER PICA LAR COUNT	1501
GIRDER PICA TRANS TOTAL	1505
GIRDER RECORD SEQUENCE NUMBER	4543
GIRDER TRANS GRAND TOTAL	1509
GIRDER-TRANS-SUBTOTAL	1506
GLOSSARY ACRONYM	2135
GLOSSARY ACRONYM TITLE	2136
GLOSSARY TERM	2132
GLOSSARY TERM DEFINITION	2133
GLOSSARY TERM VOLUME REFERENCE	2134
GRAND TOTAL ADDRESS DLN DISTRIBUTION	0972
GRAND TOTAL IN PROCESS IN BATCH	1994
GRAND TOTAL PROCESSED BILLED IN BATCH	1993
GRAND TOTAL PRODUCTS ISSUED	0974
GRAND TOTAL PURGED FROM BATCH	1992
GRAND TOTAL RECEIVED IN BATCH	1991
GRAPHICS REQUIREMENT INDICATOR CODE	8306
GROUP LEAN IN NARRATIVE STATEMENT	9575
GUIDE NUMBER FIIG SEARCH	1912
GUIDE NUMBER, FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)	4065
H J TEXT	4437
H TAB1 VALUE	4429
H TAB2 VALUE	4430
H TAB3 VALUE	4431
H TAB4 VALUE	4432
H TAB5 VALUE	4433

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
H TAB6 VALUE	4434
H TAB7 VALUE	4435
H TAB8 VALUE	4436
H TABLE VALUE	3077
H2-H3 PUBLICATIONS IDENTIFIER	1062
H3 NUMERIC EXTRACT	1066
H3 SORTED NUMERIC DATA	1064
HAZARDOUS CHARACTERISTICS CODE	2579
HAZARDOUS CHARACTERISTICS GROUP ABBREVIATED DEFINITION	0865
HAZARDOUS MATERIAL CODE CONDITIONAL NOTE	5223
HAZARDOUS MATERIAL CODE EXPLANATION	5222
HAZARDOUS MATERIAL INDICATOR EXPLANATION	3466
HAZARDOUS MATERIALS INDICATOR CODE FED SUPPLY CLASS TBL	8589
HAZARDOUS MATERIEL CODE	2720
HCC ABBREVIATED DEFINITION TEXT	9077
HCC DEPARTMENT ACTIVITY ALL	3013
HCC DEPARTMENT ACTIVITY HCC NSN TOTAL	3014
HCC DEPARTMENT ACTIVITY LOA HCC NSN TOTAL	3016
HCC DEPARTMENT ACTIVITY LOA NSN TOTAL	3015
HCC DEPARTMENT HCC NSN TOTAL	3012
HCC DEPARTMENT NSN ALL	3011
HCC FEDERAL SUPPLY CLASS NSN ALL	3017
HCC FSC DEPARTMENT ACTIVITY LOA NSN TOTAL	3023
HCC FSC DEPARTMENT ALL	3019
HCC FSC DEPARTMENT HCC TOTAL	3020
HCC FSC DEPT ACTIVITY ALL	3021
HCC FSC DEPT ACTY HCC ALL TOTAL	3022
HCC FSC DEPT ACTY LOA HCC TOTAL	3024
HCC FSC HCC NSN TOTAL	3018
HCC GROUP TEXT	9079
HCC NON US DEPARTMENT ACTIVITY ALL	3028
HCC NON US DEPARTMENT ACTIVITY HCC NSN TOTAL	3029
HCC NON US DEPARTMENT ACTIVITY LOA NSN TOTAL	3030
HCC NON US DEPARTMENT HCC NSN TOTAL	3027
HCC NON US DEPARTMENT NSN ALL	3026
HCC NON US DEPT ACTY LOA HCC TOTAL	3031
HCC NON US FEDERAL SUPPLY CLASS NSN ALL	3032
HCC NON US FSC DEPARTMENT ACTIVITY LOA NSN TOTAL	3038
HCC NON US FSC DEPARTMENT ALL	3034
HCC NON US FSC DEPARTMENT HCC TOTAL	3035
HCC NON US FSC DEPT ACTIVITY ALL	3036
HCC NON US FSC DEPT ACTY HCC TOTAL	3037
HCC NON US FSC DEPT ACTY LOA HCC TOTAL	3039
HCC NON US FSC HCC NSN TOTAL	3033
HEAD NARRATIVE	4453
HEADER REJECT FIELD	9166
HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO	5229
HEAVY LIFT HANDLING REQUIREMENT CODE	5227
HELP PROCEDURE PROGRAM NAME	4491
HI-DOLLAR BREAKOUT COMMODITY CATEGORY	3428
HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT	1902
HISTORY DATE	4470
HOMONYM	1881

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
I & S ACTIVITY NSN FAMILY COUNT	6088
I & S DEPT NSN FAMILY COUNT	6089
I & S GRAND TOTAL NSN FAMILY COUNT	6099
I & S INDICATOR CODE ARMY	4605
I O ACTIVITY INPUT DIC TOTAL	6547
I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC	6591
I O INPUT DIC OUTPUT DIC RETURN CODE	6544
I O INPUT DIC TOTAL	6545
I O OUTPUT DIC RETURN CODE INPUT DIC	6548
I O OUTPUT DIC RETURN CODE TOTAL	6549
I&S FAMILY RELATIONSHIP GROUP	0794
I&S JUMP TO CODE	0792
I&S ORDER OF USE CODE	0793
I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE	6546
ICDD FSC ALL INTEGRATED MANAGER	5954
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD	5953
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD	5956
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER	5961
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE	5959
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR	5957
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD	5958
ICDD FSC ALL LOA COMBINATION OTHER DOD	5962
ICDD FSC ALL MILITARY SERVICE	5952
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER	5950
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD	5949
ICDD FSC ALL MILITARY SERVICE OTHER DOD	5951
ICDD FSC ALL OTHER DOD	5955
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER	5968
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD	5967
ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD	6464
ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR	6465
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM	6461
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE	6463
ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD	6466
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD	5963
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES	5966
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD	5965
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR	5964
ICDD INTEGRATED MANAGER ALL OTHER DOD	5969
ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD	6460
ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD	6462
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD	6474
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER	6475
ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD	6467
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD	6481
ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD	6488
ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR	6489
ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD	6490
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR	6479
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER	6472
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD	6471
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD	6476
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD	6478

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC	6477
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD	6480
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE	6470
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD	6469
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR	6468
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD	6473
ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER	6486
ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD	6485
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE	6484
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM	6482
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD	6483
ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD	6492
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR	6493
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC	6491
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD	6494
ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD	6487
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD	5960
ICDS FSC ALL DOD MULTI-MANAGED	5827
ICDS FSC ALL DOD MULTI-MANAGED PERCENT	5828
ICDS FSC ALL INTEGRATED MANAGED MULTI-MANAGED	5832
ICDS FSC ALL INTEGRATED MANAGER MULTI-MANAGED	5831
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED	5839
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT	5840
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED	5837
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT	5838
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT	5842
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT	5836
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED	5841
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD	5835
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED	5829
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	5830
ICDS FSC ALL OTHER DOD MULTI-MANAGED	5833
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT	5834
ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT	5916
ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED	5915
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	5843
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT	5859
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED	5905
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT	5906
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	5860
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT	5904
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED	5907
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT	5908
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	5909
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT	5910
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD	5911
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD	5913
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT	5914
ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT	5912
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	5925
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT	5926
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG	5929
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT	5930

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED	5927
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	5928
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	5931
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT	5936
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED	5935
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT	5942
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD	5945
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD	5943
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	5944
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	5947
ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT	5948
ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT	5946
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT	5938
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	5917
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	5918
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED	5921
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT	5922
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT	5920
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	5919
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED	5923
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT	5924
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED	5933
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT	5934
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD	5937
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED	5939
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT	5940
ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM	5941
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT	5932
ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT	5764
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED	5898
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT	5899
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED	5901
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT	5902
ICFS FAA ALL MANAGED MULTI-MANAGED	5896
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT	5897
ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED	5895
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED	7810
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE	7811
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL	5903
ICMD FSC ALL AIR FORCE	7100
ICMD FSC ALL AIR FORCE MARINE CORPS	7099
ICMD FSC ALL ARMY	7094
ICMD FSC ALL ARMY AIR FORCE	7092
ICMD FSC ALL ARMY AIR FORCE MARINE CORPS	7091
ICMD FSC ALL ARMY MARINE CORPS	7093
ICMD FSC ALL ARMY NAVY	7090
ICMD FSC ALL ARMY NAVY AIR FORCE	7088
ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS	7087
ICMD FSC ALL ARMY NAVY MARINE CORPS	7089
ICMD FSC ALL LOA COMBINATION AIR FORCE	7115
ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS	7114
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE	7107
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS	7106

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS	7108
ICMD FSC ALL LOA COMBINATION ARMY NAVY	7105
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE	7103
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP	7102
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS	7104
ICMD FSC ALL LOA COMBINATION MARINE CORPS	7116
ICMD FSC ALL LOA COMBINATION NAVY	7113
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE	7111
ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS	7112
ICMD FSC ALL LOA CONBINATION ARMY	7109
ICMD FSC ALL LOA CONBINATION NAVY AIR FORCE MARINE CORPS	7110
ICMD FSC ALL MARINE CORPS	7101
ICMD FSC ALL NAVY	7098
ICMD FSC ALL NAVY AIR FORCE	7096
ICMD FSC ALL NAVY AIR FORCE MARINE CORPS	7095
ICMD FSC ALL NAVY MARINE CORPS	7097
ICMD INTEGRATED MANAGER ALL AIR FORCE	7130
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS	7129
ICMD INTEGRATED MANAGER ALL ARMY	7124
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE	7122
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS	7121
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS	7123
ICMD INTEGRATED MANAGER ALL ARMY NAVY	7120
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE	7118
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS	7117
ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS	7119
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE	7145
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY	7139
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC	7136
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE	7137
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP	7138
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY	7135
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC	7132
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F	7133
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE	7134
ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS	7146
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY	7143
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC	7140
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE	7141
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP	7142
ICMD INTEGRATED MANAGER ALL LOA CONBINATION AIR FORCE MC	7144
ICMD INTEGRATED MANAGER ALL MARINE CORPS	7131
ICMD INTEGRATED MANAGER ALL NAVY	7128
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS	7125
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE	7126
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS	7127
ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP	5869
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE	5885
ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE	5889
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AF MC	5851
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY Nvy AF MC	5880
ICMD LOGISTICS ASSIGNMENT ALL ARMY	7154
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE	7152

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS	7151
ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS	7153
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY	7150
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE	7148
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR	7147
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS	7149
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE	5862
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC	5861
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY	5854
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE	5852
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO	5853
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY	5850
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF	7163
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC	5849
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF MC	7162
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS	5863
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY	5858
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF	5856
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC	5855
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO	5857
ICMD LOGISTICS ASSIGNMENT ALL NAVY	7158
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE	7156
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS	7155
ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS	7157
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE	5878
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS	5877
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY	5872
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE	5870
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS	5871
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY	5867
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC	5864
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE	5865
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS	5866
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS	5879
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY	5876
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE	5874
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C	5873
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS	5875
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC	5882
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE	5893
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC	5892
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY	5887
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC	5884
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO	5886
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY	5883
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF	5881
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY	5891
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC	5888
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO	5890
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS	5894
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE	7160
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS	7159
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS	7161

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMS FSC ALL AIR FORCE MULTI-MANAGED	6501
ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT	6502
ICMS FSC ALL ARMY MULTI-MANAGED	6497
ICMS FSC ALL ARMY MULTI-MANAGED PERCENT	6498
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED	6511
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT	6512
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED	6507
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT	6508
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED	6513
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC	6514
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED	6505
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC	6506
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED	6509
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT	6510
ICMS FSC ALL MARINE CORPS MULTI-MANAGED	6503
ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT	6504
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED	6495
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	6496
ICMS FSC ALL NAVY MULTI-MANAGED	6499
ICMS FSC ALL NAVY MULTI-MANAGED PERCENT	6500
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT	6516
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED	6521
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT	6522
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED	6517
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT	6518
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI	6531
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT	6528
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG	6527
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL	6533
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT	6534
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER	6526
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL	6525
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT	6530
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG	6529
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED	6523
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE	6524
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	6515
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED	6519
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT	6520
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT	6532
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED	6932
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCENT	6931
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED	8071
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT	6537
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE	6963
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT	6962
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER	6959
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN	6958
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M	6964
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE	6965
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M	6928
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P	6927
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC	6961



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED	6930
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER	6929
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT	6536
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	6535
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED	6538
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT	6539
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED	6972
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE	6973
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED	6968
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT	6969
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT	6975
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED	6974
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC	6967
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN	6966
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT	6971
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED	6970
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE	7084
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT	7083
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC	6979
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN	6978
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M	7085
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE	7086
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P	6977
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI	6976
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC	7082
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN	7081
ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN	6960
ICWD ALL CIVIL	5784
ICWD ALL CIVIL OTHER GOVERNMENT	5783
ICWD ALL DEPARTMENT OF DEFENSE	5782
ICWD ALL DOD CIVIL	5780
ICWD ALL DOD CIVIL OTHER GOVERNMENT	5779
ICWD ALL DOD OTHER GOVERNMENT	5781
ICWD ALL OTHER GOVERNMENT	5785
ICWD INTEGRATED MANAGER ALL CIVIL	5791
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT	5790
ICWD INTEGRATED MANAGER ALL DOD	5789
ICWD INTEGRATED MANAGER ALL DOD CIVIL	5787
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT	5786
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT	5788
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT	5792
ICWD LOGISTICS ASSIGNMENT ALL CIVIL	5798
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT	5797
ICWD LOGISTICS ASSIGNMENT ALL DOD	5796
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL	5794
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT	5793
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT	5795
ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT	5799
ICWD LOGISTICS ASSIGNMENT FSC CIVIL	5805
ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT	5804
ICWD LOGISTICS ASSIGNMENT FSC DOD	5803
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL	5801
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT	5800

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT	5802
ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT	5806
ICWS ALL CIVIL MULTI-MANAGED	5759
ICWS ALL CIVIL MULTI-MANAGED PERCENT	5760
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER	5757
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT	5758
ICWS ALL MANAGED MULTI MANAGED	5755
ICWS ALL MANAGED MULTI-MANAGED PERCENT	5756
ICWS ALL OTHER GOVERNMENT MULTI-MANAGED	5761
ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT	5762
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT	5768
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	5765
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT	5766
ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED	5763
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P	5770
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED	5767
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT	5769
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED	5775
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT	5776
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	5773
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	5774
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED	5771
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT	5772
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED	5777
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC	5778
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED	5811
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT	5812
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	5809
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	5810
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	5807
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	5808
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED	5813
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT	5814
IDEN OF PER WHO LAST MODIF DE	1888
IDEN OF PERSON WHO CREATED DE	1887
IDENTIFICATION DATA SEGMENT	9100
IDENTIFICATION LIST COLUMN HEADER DATA	2736
IDENTIFICATION LIST DIGITIZED GRAPHICS DATA SEGMENT	0774
IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE	0344
IDENTIFICATION LIST UPDATE CODE	0349
IDENTIFICATION MARKING CODES (ITEM MARK)	7975
IDENTIFICATION MARKING CODES TWO	8598
IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE	1243
IDENTIFIED SECONDARY ADDRESS CODE (ISAC)	0766
IDS ACCESS COMPONENT BLANK INDICATOR	4162
IDS ACCESS COMPONENT CATENATE INDICATOR	4173
IDS ACCESS COMPONENT DISCARD INDICATOR	4171
IDS ACCESS COMPONENT FAIL INDICATOR	4164
IDS ACCESS COMPONENT FILE NAME	4168
IDS ACCESS COMPONENT LENGTH NUMBER	4174
IDS ACCESS COMPONENT LENGTH NUMBER	4186
IDS ACCESS COMPONENT MANY INDICATOR	4165
IDS ACCESS COMPONENT MARKUP TEXT	4178

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
IDS ACCESS COMPONENT OFFSET NUMBER	4187
IDS ACCESS COMPONENT OMIT INDICATOR	4163
IDS ACCESS COMPONENT SEQUENCE NUMBER	4172
IDS ACCESS COMPONENT SORT ORDER INDICATOR	4177
IDS ACCESS COMPONENT TYPE NUMBER	4175
IDS ACCESS RECORD SEQUENCE NUMBER	4199
IDS ACCESS REPEAT COUNT QUANTITY	4256
IDS ACCESS TYPE CODE	4198
IDS ACTIVE USER INDICATOR	4196
IDS APPENDED DELIMITER	4260
IDS ASCII INDICATOR CODE	4325
IDS CALLABLE ACCESS PARAMETER TEXT	4185
IDS CALLABLE ACCESS PASSED PARAMETER TEXT	4184
IDS CALLABLE ACCESS SUBROUTINE NAME	4183
IDS CANCELLED ITEM INDICATOR CODE	4329
IDS COMPONENT NUMBER	4160
IDS CONDITION TEXT	4206
IDS COUNTER ATTRIBUTE IDENTIFIER	8616
IDS COUNTER FUNCTION CODE	8623
IDS DATA LENGTH ATTRIBUTE IDENTIFIER	8621
IDS DATA REPLACE INDICATOR	4255
IDS DATA STREAM BREAK INDICATOR	4176
IDS DB2 COMPONENT ELEMENT NUMBER	4161
IDS DECODE SERVICE INDICATOR	4157
IDS DEFINITION STATUS CODE	4193
IDS DYNAMIC ALLOCATION INDICATOR	8627
IDS EDIT MEMBER TEXT	4155
IDS END ACCESS NUMBER	8606
IDS END COMPONENT NUMBER	8607
IDS END COMPONENT SEQUENCE NUMBER	8620
IDS END RECORD TYPE CODE	8605
IDS EXTERNAL FILE LENGTH NUMBER	4158
IDS EXTERNAL FILE NAME	4151
IDS EXTERNAL FILE OFFSET NUMBER	4152
IDS EXTERNAL FILE REPEATED DATA NUMBER	4159
IDS EXTRACT DATA ITEM QUANTITY	4209
IDS EXTRACT OUTPUT FILE QUANTITY	4202
IDS EXTRACT RECORD TYPE SEQUENCE NUMBER	4166
IDS EXTRACT UPDATE CODE	8624
IDS FIELD JUSTIFICATION	4257
IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER	8628
IDS FILE RETENTION TIME QUANTITY	4322
IDS FILE TYPE CODE	4316
IDS FILEAID MEMBER NAME	4328
IDS FIXED OUTPUT BLOCK SIZE QUANTITY	4324
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY	4323
IDS FORCED WRITE INDICATOR	8615
IDS FORMAT OUTPUT CODE	8625
IDS FUNCTION MNEMONIC NAME	4195
IDS GROUP NUMBER	8601
IDS GROUP TYPE IDENTIFIER	8618
IDS ITEMS TO PROCESS QUANTITY	4201
IDS JCL TEXT	4315

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
IDS JCL TYPE CODE	4313
IDS JOB JCL IDENTIFIER	4311
IDS LAST PUBLICATION UPDATE DATE	4189
IDS LAST PUBLISHED DATE	4191
IDS LINK PARAMETER STRING TEXT	4208
IDS MARKUP CAPITALIZATION INDICATOR	4182
IDS MARKUP DESCRIPTOR FIELD NUMBER	4179
IDS MARKUP TEXT	4156
IDS NEXT PUBLICATION DATE	4188
IDS PARAMETER STRING TEXT	4153
IDS POST BREAK ACCESS NUMBER	8612
IDS POST BREAK COMPONENT NUMBER	8613
IDS POST BREAK POSITION CODE	8614
IDS POST BREAK RECORD TYPE CODE	8611
IDS POST MARKUP TEXT	4258
IDS PRE BREAK ACCESS NUMBER	8609
IDS PRE BREAK COMPONENT NUMBER	8610
IDS PRE BREAK RECORD TYPE CODE	8608
IDS PREFIX JCL MEMBER NAME	4327
IDS PREPENDED DELIMITER	4259
IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY	4319
IDS PRIMARY SPACE ALLOCATION QUANTITY	4317
IDS PROCESSING ACTION TEXT	4204
IDS PRODUCT DEFINITION	4192
IDS PRODUCT PART NUMBER	4154
IDS PROFILE PREFIX TEXT	4326
IDS PROPRIETARY DECODE INDICATOR	4253
IDS PROPRIETARY NOTICE INDICATOR	4254
IDS PUBLICATION (OR PRODUCT) CYCLE TIME	4194
IDS RECORD LENGTH ATTRIBUTE IDENTIFIER	8622
IDS RECORD TYPE CODE	4197
IDS RECORD TYPE ORDER NUMBER	4169
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY	4320
IDS SECONDARY SPACE ALLOCATION QUANTITY	4318
IDS SORT REPLACE INDICATOR	4252
IDS SORT SEQUENCE TEXT	4167
IDS SQL CONDITIONAL MEMBER STRING TEXT	4203
IDS START ACCESS NUMBER	8603
IDS START COMPONENT NUMBER	8604
IDS START COMPONENT SEQUENCE NUMBER	8619
IDS START RECORD TYPE CODE	8602
IDS STEP JCL IDENTIFIER	4312
IDS STEP SEQUENCE IDENTIFIER	4314
IDS STORAGE UNIT TYPE TEXT	4321
IDS TABLE QUERY STRING TEXT	4207
IDS UPDATE KEY LENGTH QUANTITY	8626
IDS USER PAD CHARACTER	4251
IDS ZERO SUPPRESSION INDICATOR	8617
IL GUIDE TABLE NUMBER	2044
IL SINGLE DRAWING CROSS REFERENCE DATA SEGMENT	0769
ILLUSTRATION ACCEPTANCE INDICATOR	4063
ILLUSTRATION IDENTIFIER	4066
ILLUSTRATION RETURN DATE	4061

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ILLUSTRATION START DATE	4062
IMAGE NUMBER	1908
IN THE CLEAR ADDRESS	0045
IN THE CLEAR MAILING ADDRESS	1282
IN USE FLAG	9168
INACTIVE SOURCE OF SUPPLY INDICATOR CODE	0134
INC APPLICATION INDICATOR	4405
INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA	0311
INC/FSC/MODIFIER/EFFECTIVE DATE DATA	3665
INC/NAME DEFINITION/EFFECTIVE DATE DATA	3663
INC/RELATED INC/EFFECTIVE DATE DATA	3664
INCLUSIVE EXCLUSIVE CODE	4497
INCOMPATIBILITY CODES	1487
INCREMENT NUMBER	2219
INDEX ENTRY	0094
INFO DISSEM AMMO CATALOG CUM CHG QUANTITY	6273
INFO DISSEM AMMO CATALOG CUR CHG QUANTITY	6274
INFO DISSEM AMMO CATALOG PERCENT CHANGE	6275
INFO DISSEM AMMO NSN COUNT	6169
INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE	2189
INFO DISSEM CIVIL AGENCY CATALOG CUM CHG QUANTITY	6267
INFO DISSEM CIVIL AGENCY CATALOG CUR CHG QUANTITY	6268
INFO DISSEM CIVIL AGENCY CATALOG NSN COUNT	6171
INFO DISSEM CIVIL AGENCY CATALOG PERCENT CHANGE	6269
INFO DISSEM COAST GUARD CATALOG CUR CHG QUANTITY	6283
INFO DISSEM COAST GUARD CATALOG NSN COUNT	6164
INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE	6284
INFO DISSEM COAST GUARD CATALOG CUM CHG QUANTITY	6282
INFO DISSEM FAA CATALOG CUM CHG QUANTITY	6279
INFO DISSEM FAA CATALOG CUR CHG QUANTITY	6280
INFO DISSEM FAA CATALOG NSN COUNT	6166
INFO DISSEM FAA CATALOG PERCENT CHANGE	6281
INFO DISSEM IL CUM CHG QUANTITY	6276
INFO DISSEM IL CUR CHG QUANTITY	6277
INFO DISSEM IL NSN COUNT	6168
INFO DISSEM IL PERCENT CHANGE	6278
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUM CHG QUANTITY	2181
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUR CHG QUANTITY	2182
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE	2183
INFO DISSEM MANAGEMENT LIST MARINE CORPS CUM CHG QUANTITY	2195
INFO DISSEM MANAGEMENT LIST MC CUR CHG QUANTITY	2196
INFO DISSEM MANAGEMENT LIST MC PERCENT CHANGE	2197
INFO DISSEM MANAGEMENT LIST NAVY CUM CHG QUANTITY	2184
INFO DISSEM MANAGEMENT LIST NAVY CUR CHG QUANTITY	2185
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE	2186
INFO DISSEM MASTER CROSS REFERENCE LIST CUM CHG QUANTITY	2187
INFO DISSEM MASTER CROSS REFERENCE LIST CUR CHG QUANTITY	2188
INFO DISSEM MCRL NSN COUNT	6137
INFO DISSEM MEDICAL CATALOG CUM CHG QUANTITY	6270
INFO DISSEM MEDICAL CATALOG CUR CHG QUANTITY	6271
INFO DISSEM MEDICAL CATALOG NSN COUNT	6172
INFO DISSEM MEDICAL CATALOG PERCENT CHANGE	6272
INFO DISSEM ML CONSOLIDATED NSN COUNT	6159

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
INFO DISSEM ML MARINE CORP NSN COUNT	6154
INFO DISSEM ML NAVY NSN COUNT	6161
INFO DISSEM PIIL CATALOG CUR CHG QUANTITY	6286
INFO DISSEM PIIL CATALOG NSN COUNT	6162
INFO DISSEM PIIL CATALOG PERCENT CHANGE	6287
INFO DISSEM PIIL CUM CHG QUANTITY	6285
INFO DISSEM PUB INTRODUCTION NUMBER	6289
INFO DISSEM PUB UNIT NUMBER	6288
INFO DISSEM PUBLICATION TITLE	6290
INFORMATION DISSEMINATION DATE	1710
INFORMATION DISSEMINATION IDENTIFICATION NUMBER	1720
INFORMATION DISSEMINATION NAMES	1703
INFORMATION DISSEMINATION NARRATIVE DATA	1708
INITIAL PROCESSING DATE	2315
INPUT DATA DESK CODE	9290
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D	6802
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B	6785
INPUT FORMAT NAME	9169
INPUT MEDIA	9170
INPUT OR OUTPUT INDICATOR	4591
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL	9669
INPUT OUTPUT DIC TYPE	9167
INPUT TRANSACTION RECORD	9171
INQUIRY NUMBER	2246
INQUIRY OUT VIEW	4477
INSPECTION CODE (IC)	7976
INSPECTION CODE STRING	8599
INSPECTION LEVEL (IL)	7977
INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE	9401
INTEGRATED MATERIEL MANAGER	9090
INTEGRITY CODE	0864
INTEGRITY CODE DEFINITION	5220
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR SIC	8124
INTERCHANGEABILITY AND SUBSTITUTABILITY	8118
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY	9596
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE	8167
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN	8117
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA	9597
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN	6872
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P	9602
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA	9599
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM	9603
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P	6885
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S	9605
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA	9606
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA	9604
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI	6882
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN	6873
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F	6871
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA	9610
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA	9608
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA	9609
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA	9607

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI	9598
INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA	9600
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND	8121
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N	8119
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC	8126
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC	8125
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM	8122
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N	8120
INTERCHANGEABILITY AND SUBSTITUTABILITY GRANT TOT REL SIC	8123
INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI	8127
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE	2234
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC RELATED P	9601
INTERESTED FUNCTIONAL AREA	1946
INTERMEDIATE CONTAINER CODE	5167
INTERMEDIATE CONTAINER QUANTITY	5152
INTERNAL DRN POSITION	2036
INTERNAL EXTERNAL INDICATOR	4581
INTERROGATION CODE PAC DETAIL PAC WITHIN FIIG	0162
INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA	0831
INTERROGATION CODE SEGMENT A AND X	2525
INTERROGATION CODE, PAC DETAIL BY INC WITHIN FIIG	9990
INTERROGATION CODE, PAC DETAIL BY MODE CODE PAC FIIG	0159
INTERROGATION CODE, PAC DETAIL BY MODE CODE WITHIN FIIG	9995
INTERROGATION CODE, PAC DETAIL BY REPLY CODE PAC FIIG	0164
INTERROGATION CODE, PAC SUM BY MODE CODE W/IN PAC W/IN FI	0170
INTERROGATION CODE, PAC SUM BY REPLY CODE W/IN PAC W/IN F	0163
INTERROGATION CODE, PAC SUMMARY BY INC WITHIN FIIG	9989
INTERROGATION CODE, PAC SUMMARY BY MODE CODE WITHIN FIIG	0158
INTERROGATION CODE, PAC SUMMARY BY PAC WITHIN FIIG	9992
INTERROGATION CODE, PAC SUMMARY PAC WITHIN ITEM NAME CODE	9993
INTERROGATION CODE, PAC W/IN ITEM NAME CODE W/IN FIIG	0161
INTERROGATION CODE, PRIMARY ADDRESS CODE SUMMARY BY FIIG	0169
INVALID ITEM MANAGEMENT CODE INDICATOR	2747
INVALID PHRASE CODE	1445
INVALID TYPE DATS CODE COUNT	1442
INVENTORY ACCOUNT CODE, COAST GUARD	0708
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION	3179
INVENTORY CATEGORY CODE	1475
ISAC LIMITATION CODE	0825
ISAC PRESENCE CODE	2348
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR	0132
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF	5260
ITEM AVERAGE PER MICROFICHE FRAME	1440
ITEM COUNT	1439
ITEM COUNT PER FSC	1436
ITEM IDENTIFICATION DATA INDICATOR	4622
ITEM IDENTIFICATION GUIDE	0817
ITEM IDENTIFICATION NUMBER	4131
ITEM LONG NAME	2601
ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)	4075
ITEM MANAGEMENT CODE (IMC)	2744
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL	5664
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL	2595

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL	5663
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE	5661
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD	2593
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL	2594
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL	5662
ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL	2586
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD	2584
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL	2587
ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL	2585
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL	5655
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CARD ID CODE	5653
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL	5656
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL	5654
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD	2588
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL	2591
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL	5659
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE	5657
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL	2592
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL	5660
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL	2589
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL	5658
ITEM MANAGEMENT CODE DEFINITION	5209
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE	5647
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD	2559
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL	2582
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL	5651
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL	5652
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL	2581
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL	5650
ITEM MANAGEMENT CODE NEW DEPARTMENT ACTIVITY IMC TOTAL	5640
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL	5646
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC TOTAL	5644
ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL	2553
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD	2551
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL	2554
ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL	2552
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY CARD ID CODE TOTAL	5641
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE	5639
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE TOTL	5642
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL	2557
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL	5645
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE	5643
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD	2555
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL	2558
ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL	2556
ITEM MANAGEMENT CODE TITLE	5208
ITEM MANAGEMENT CODING ACTIVITY (IMCA)	2748
ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT	0154
ITEM MANAGEMENT CODING DATA SEGMENT	0732
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL	2596
ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL	2583
ITEM NAME	5000
ITEM NAME ADD COUNT	1918



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM NAME CHANGED COUNT	1917
ITEM NAME CHARACTER COUNTER	0210
ITEM NAME CODE	4080
ITEM NAME CODE ERROR COUNT	1444
ITEM NAME CODE LOCKOUT INDICATOR	0583
ITEM NAME CODE NSN	5750
ITEM NAME CODE SEARCH	1913
ITEM NAME DATA EFFECTIVE DATE	2031
ITEM NAME DEFINITION ADD COUNT	1924
ITEM NAME DEFINITION CHANGED COUNT	1925
ITEM NAME DEFINITION DELETED COUNT	1926
ITEM NAME DEFINITION DELIMITATION TOTAL COUNT	1849
ITEM NAME DEFINITION/DELIMITATION	5015
ITEM NAME DELETED COUNT	1919
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME	6688
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM	6689
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT	6690
ITEM NAME DEPARTMENT ACTIVITY NSN	2228
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN	6694
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN	6699
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN	6691
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NEW REINSTD NSN	6700
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN	6692
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT	6693
ITEM NAME DEPARTMENT NSN	2229
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN	7166
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN	6698
ITEM NAME DEPARTMENT YEAR TO DATE NEW REINSTATED NSN	6705
ITEM NAME DEPT ACT YTD NONAPPRD ITEM NAME NEW REINSTD PCT	6704
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN	6695
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN	6696
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN	7164
ITEM NAME DEPT ACTIVITY YEAR TO DATE NEW REINSTATED NSN	6702
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 1ST Q	6708
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 4TH Q	6711
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 3RD Q	6710
ITEM NAME DEPT ACTY NONAPPRD NEW REINSTATED PERCENT 2ND Q	6709
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT	6697
ITEM NAME DEPT ACTY NONAPPVVD ITEM NAME REINSTD CUR QTR NSN	7165
ITEM NAME DEPT ACTY YTD NONAPPRD ITEM NAME NEW REINSTD NSN	6703
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN	7167
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 1ST QTR	6712
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR	7168
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	7169
ITEM NAME DEPT NONAPPROVED ITEM NAME NEW REINSTD PERCENT	6701
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTATED PERCENT	6707
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTD NSN	6706
ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH	1916
ITEM NAME INPUT COUNT	1934
ITEM NAME KEY WORD	4401
ITEM NAME KEY WORD SEARCH	1914
ITEM NAME MASTER TOTAL RECORD COUNT	1938
ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT	1932

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM NAME NON APPROVED REMAINDER	2177
ITEM NAME NSN	7824
ITEM NAME OUTPUT COUNT	1935
ITEM NAME TO FIG CORRELATION CONDITION	3485
ITEM NAME TYPE CODE	3308
ITEM NAME, ITEM NAME CODE VALIDATION	0542
ITEM NET EXPLOSIVE WEIGHT	2442
ITEM NUMBER	1045
ITEM STANDARDIZATION CODE (ISC)	2650
ITEM STANDARDIZATION CODE DOD NSN	5733
ITEM STANDARDIZATION CODE EXPLANATION	5134
ITEM STANDARDIZATION CODE FSC DOD NSN	5748
ITEM STANDARDIZATION CODE FSC NSN	5745
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12	5844
ITEM STANDARDIZATION CODE FSC US GOVERNMENT NSN	5747
ITEM STANDARDIZATION CODE FSC WITH MANAGER NSN	5746
ITEM STANDARDIZATION CODE FSC WITHOUT MANAGER NSN	5749
ITEM STANDARDIZATION CODE FSG DOD NSN	5743
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL	5738
ITEM STANDARDIZATION CODE FSG NSN	5740
ITEM STANDARDIZATION CODE FSG NSN TOTAL	5735
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN	5742
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL	5737
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN	5741
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL	5736
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER	5744
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL	5739
ITEM STANDARDIZATION CODE IDENTIFICATION	0803
ITEM STANDARDIZATION CODE NSN	5730
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	5138
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	8525
ITEM STANDARDIZATION CODE US GOVERNMENT NSN	5732
ITEM STANDARDIZATION CODE WITH MANAGER NSN	5731
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN	5734
ITEM TRANSFER REJECT CODE	4213
ITEM TYPE STORAGE CODE	5156
ITEMS ADDED COUNT	1443
ITEMS CANCELLED/DELETED COUNT	1441
ITEMS CHANGED COUNT	1438
ITEMS PER PALLET	2385
ITEMS WITH MANAGERS 12	5846
ITEMS WITHOUT MANAGERS 12	5845
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	7170
J MAX L VALUE	4422
J MAX R VALUE	4427
J MIN L VALUE	4420
J MIN R VALUE	4423
J MODE CODE INDICATOR	0364
J TABLE REPLY	3073
JOB CONTROL JULIAN DATE	9461
JOB CONTROL LANGUAGE JOB CARD NAME	9507
JOURNAL TIMESTAMP	9487
KEY DATA ELEMENT NAME	1714

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
KEY GROUP DESCRIPTION	4448
KEYWORD GROUP CODE	2034
KEYWORD MODIFIER STATEMENT	2033
KEYWORD REQUIREMENT STATEMENT	4975
KEYWORD SEARCH	2401
KHN ACTIVITY INDICATOR	4356
KNA AND RETURN TO COUNTRY PERCENT TOTAL	1979
KNA PERCENT	1968
KNA PERCENT TOTAL	1969
KNA QUANTITY	1970
KNA QUANTITY TOTAL	1971
KRT INDICATOR CODE	2051
KVI DECREMENT COUNTER	4211
KVI ORIGINAL COUNTER	4212
KVI SUSPENSE ESTABLISHED DATE	4214
KWA ACTIVITY NOTIFICATION INDICATOR	9563
KWA NATO ACTIVITY ZZ INDICATOR	9564
KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR	9562
L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL	2008
L DOCUMENT IDENTIFIER CODE TOTAL	2001
L07 TRANSACTIONS RECEIVED QUANTITY	2542
L07 TRANSACTIONS SENT QUANTITY	2541
LABEL FORM CODE	3288
LABEL FORMAT IDENTIFIER	3228
LABEL IDENTIFICATION	2235
LABEL IDENTIFIER DISTRIBUTION LIST NUMBER INDICATOR	3283
LABEL IDENTIFIER MASTER ADDRESS INDICATOR	3282
LABEL IDENTIFIER RELATIVE ROW	3207
LABEL IDENTIFIER SORT SEQUENCE	3230
LABEL IDENTIFIER TEXT	3281
LABEL LENGTH IN INCHES	3227
LABEL NAME	1437
LABEL SET QUANTITY	3289
LABEL WIDTH IN INCHES	3226
LAST KNOWN SOURCE OF SUPPLY	1071
LASTNAME	9172
LESS THAN CARLOAD RATING CODE	2760
LESS THAN CARLOAD RATING CODE EXPLANATION	5233
LESS THAN TRUCKLOAD RATING CODE	2770
LESS THAN TRUCKLOAD RATING CODE EXPLANATION	5234
LEVEL A PACKING REQUIREMENT CODE	5170
LEVEL B PACKING REQUIREMENT CODE	5171
LEVEL C PACKING REQUIREMENT CODE	5172
LEVEL OF PROTECTION CODE	5151
LEVEL OF PROTECTION CODE DEFINITION	5221
LFU FOOTPRINT TRANSACTION KEY	9445
LFU PROCESS STATUS CODE	9230
LIMITED DISTRIBUTION CODE	4645
LIMITED DISTRIBUTION CODE EXPLANATION	5106
LIMITED DISTRIBUTION CODE NOTE	5107
LIMITED RIGHTS DRAWING	0929
LIMITED RIGHTS DRAWING COUNT	1434
LIMITED RIGHTS DRAWING COUNTER	0952

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LINE 2780 DESCRIPTION	9212
LINE 2780 IDENTIFIER	9211
LINE CONTINUATION CODE	8263
LINE ITEM NUMBER	1471
LINE NUMBER	8256
LINE NUMBER FOR CLEAR TEXT NAME INFORMATION	1087
LINES PER INCH	3234
LISTING PART PAPER INDICATOR	3121
LMD COMBINATION NUMBER	2053
LMD COMBINATION TYPE	2054
LMD DATE	4218
LMD OUTPUT DOCUMENT IDENTIFIER CODE	3892
LMX COMBINATION NUMBER	2055
LOAD STOWAGE CODE	2399
LOCALLY ASSIGNED REPORTING CODE (AIR FORCE)	2446
LOCATION PARTITION	9197
LOCATION SHORT TITLE	2639
LOFRUN DEPARTMENT WEEKLY TOTAL	2433
LOGGED MESSAGE TIMESTAMP	9381
LOGGED TIMESTAMP	9173
LOGISTICS CONTROL CODE	1476
LOGRUN ACTIVITY DAILY TOTAL	2410
LOGRUN ACTIVITY MONTHLY TOTAL	2413
LOGRUN ACTIVITY QUARTER 1 TOTAL	2414
LOGRUN ACTIVITY QUARTER 2 TOTAL	2412
LOGRUN ACTIVITY QUARTER 3 TOTAL	2430
LOGRUN ACTIVITY QUARTER 4 TOTAL	2432
LOGRUN ACTIVITY WEEKLY TOTAL	2411
LOGRUN ACTIVITY YEARLY TOTAL	2431
LOGRUN APPLICATION HELP ACTIVITY DAILY	3741
LOGRUN APPLICATION HELP DEPARTMENT DAILY	3742
LOGRUN APPLICATION HELP TOTAL DAILY	3743
LOGRUN CAGE NIIN DEPARTMENT WEEKLY	5984
LOGRUN CAGE NIIN INQ ACTIVITY DAILY	5975
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY	5978
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY	5979
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY	5976
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY	1702
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	5972
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	5973
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	0971
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	5974
LOGRUN CAGE NIIN INQ DAILY TOTAL	5989
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY	5983
LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY	5986
LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY	5987
LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY	5988
LOGRUN CAGE NIIN INQ MONTHLY TOTAL	5991
LOGRUN CAGE NIIN INQ QUARTERLY TOTAL	5992
LOGRUN CAGE NIIN INQ WEEKLY TOTAL	5990
LOGRUN CAGE NIIN INQ YEARLY TOTAL	5993
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY	5994
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY	5977

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY	6202
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY	6204
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY	6205
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY	6203
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY	6206
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	6196
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	6198
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER	6199
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	6197
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	6200
LOGRUN CAGE PTL REF NBR LOG INQ DAILY TOTAL	1657
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY	6207
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT MONTHLY	1654
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	1655
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY	6208
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT YEARLY	1656
LOGRUN CAGE PTL REF NBR LOG INQ MONTHLY TOTAL	1659
LOGRUN CAGE PTL REF NBR LOG INQ QUARTERLY TOTAL	1660
LOGRUN CAGE PTL REF NBR LOG INQ WEEKLY TOTAL	1658
LOGRUN CAGE PTL REF NBR LOG INQ YEARLY TOTAL	1661
LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY	6178
LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY	6180
LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY	6181
LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY	6179
LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY	6182
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	5996
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	5998
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	5999
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	5997
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	6177
LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL	6189
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT WEEKLY	6185
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY	6183
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY	6186
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY	6187
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY	6188
LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL	6192
LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL	6193
LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL	6190
LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL	6194
LOGRUN CHARACTERISTIC HELP ACTIVITY DAILY	1213
LOGRUN CHARACTERISTIC HELP ACTIVITY MONTHLY	1215
LOGRUN CHARACTERISTIC HELP ACTIVITY QUARTERLY	1216
LOGRUN CHARACTERISTIC HELP ACTIVITY WEEKLY	1214
LOGRUN CHARACTERISTIC HELP ACTIVITY YEARLY	1217
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY	1208
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY	1210
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY	1211
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY	1209
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY	1212
LOGRUN CHARACTERISTIC HELP DEPARTMENT DAILY	1218
LOGRUN CHARACTERISTIC HELP DEPARTMENT MONTHLY	1220
LOGRUN CHARACTERISTIC HELP DEPARTMENT QUARTERLY	1221

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT	0986
LOGRUN CHARACTERISTIC HELP DEPARTMENT WEEKLY	1219
LOGRUN CHARACTERISTIC HELP DEPARTMENT YEARLY	1222
LOGRUN CHARACTERISTIC HELP TOTAL DAILY	1223
LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY	1225
LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY	1226
LOGRUN CHARACTERISTIC HELP TOTAL YEARLY	1227
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY	1193
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY	1195
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY	1196
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY	1194
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY	1197
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY	1191
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY	1188
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH	1190
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	1189
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	1192
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT MONTHLY	1200
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY	1198
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY	5982
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY	1201
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY	1199
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY	1202
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY	1203
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY	1205
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY	1206
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY	1204
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY	1207
LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY	1224
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY	5981
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY	5980
LOGRUN COMBINATION ACTIVITY DAILY	1729
LOGRUN COMBINATION ACTIVITY MONTHLY	1731
LOGRUN COMBINATION ACTIVITY QUARTERLY	1732
LOGRUN COMBINATION ACTIVITY WEEKLY	1730
LOGRUN COMBINATION ACTIVITY YEARLY	1733
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY	8247
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY	2171
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY	1727
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY	8248
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY	1728
LOGRUN COMBINATION DEPARTMENT DAILY	1734
LOGRUN COMBINATION DEPARTMENT MONTHLY	1736
LOGRUN COMBINATION DEPARTMENT QUARTERLY	1737
LOGRUN COMBINATION DEPARTMENT WEEKLY	1735
LOGRUN COMBINATION DEPARTMENT YEARLY	1738
LOGRUN COMBINATION TOTAL DAILY	1739
LOGRUN COMBINATION TOTAL MONTHLY	2172
LOGRUN COMBINATION TOTAL QUARTERLY	1742
LOGRUN COMBINATION TOTAL WEEKLY	1740
LOGRUN COMBINATION TOTAL YEARLY	1743
LOGRUN DEPARTMENT DAILY TOTAL	2429
LOGRUN DEPARTMENT MONTHLY TOTAL	2434

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN DEPARTMENT QUARTER 1 TOTAL	2435
LOGRUN DEPARTMENT QUARTER 2 TOTAL	2436
LOGRUN DEPARTMENT QUARTER 3 TOTAL	2047
LOGRUN DEPARTMENT QUARTER 4 TOTAL	2408
LOGRUN DEPARTMENT YEARLY TOTAL	2409
LOGRUN FSG INQUIRY DEPARTMENT ACTIVITY QUANTITY	6175
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY	1233
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY	6856
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY	6857
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY	6855
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY	6858
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY	1128
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR	1231
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY	1229
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY	1230
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY	1232
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY	6860
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY	6862
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY	6863
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY	6861
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY	6864
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY	6865
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY	6867
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY	6868
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY	6869
LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY	6866
LOGRUN GRAND TOTAL DAILY TOTAL	2422
LOGRUN GRAND TOTAL MONTHLY TOTAL	2424
LOGRUN GRAND TOTAL QUARTER 1 TOTAL	2425
LOGRUN GRAND TOTAL QUARTER 2 TOTAL	2426
LOGRUN GRAND TOTAL QUARTER 3 TOTAL	2427
LOGRUN GRAND TOTAL QUARTER 4 TOTAL	2049
LOGRUN GRAND TOTAL WEEKLY TOTAL	2048
LOGRUN GRAND TOTAL YEARLY TOTAL	2402
LOGRUN INQUIRY DEPARTMENT PERCENT	5971
LOGRUN INQUIRY DEPARTMENT QUANTITY	5970
LOGRUN NAME TO NIIN INQ ACTIVITY QUARTERLY	1176
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY	1173
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY	1175
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY	1174
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY	1177
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY	1168
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	1170
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	1171
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	1169
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	1172
LOGRUN NAME TO NIIN INQ DAILY TOTAL	1183
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY	1178
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY	1180
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY	1181
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY	1179
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY	1182
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL	1185

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL	1186
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL	1184
LOGRUN NAME TO NIIN INQ YEARLY TOTAL	1187
LOGRUN NIIN INQUIRY ACTIVITY DAILY	1667
LOGRUN NIIN INQUIRY ACTIVITY MONTHLY	1669
LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY	1670
LOGRUN NIIN INQUIRY ACTIVITY WEEKLY	1668
LOGRUN NIIN INQUIRY ACTIVITY YEARLY	1671
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER	1662
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY	1664
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY	1665
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	1663
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	1666
LOGRUN NIIN INQUIRY DAILY TOTAL	1121
LOGRUN NIIN INQUIRY DEPARTMENT DAILY	1672
LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY	1674
LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY	1675
LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY	2173
LOGRUN NIIN INQUIRY DEPARTMENT YEARLY	1676
LOGRUN NIIN INQUIRY MONTHLY TOTAL	1123
LOGRUN NIIN INQUIRY QUARTERLY TOTAL	1124
LOGRUN NIIN INQUIRY WEEKLY TOTAL	1122
LOGRUN NIIN INQUIRY YEARLY TOTAL	1125
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY	6174
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY	8143
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY	1905
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY	0995
LOGRUN PROCEDURES ACTIVITY WEEKLY	8233
LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY	5682
LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY	5708
LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY	5724
LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY	5690
LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY	8149
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY	5672
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY	8145
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY	0994
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY	5720
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY	5678
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY	5712
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY	8137
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY	5694
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY	8153
LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY	5686
LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY	5716
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY	8141
LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY	5698
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY	8157
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY	1789
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY	1791
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY	1792
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY	1790
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY	1793
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY	1784



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY	1786
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTL	1787
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY	1785
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY	1788
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY	1794
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY	1796
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY	1797
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY	1795
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY	1798
LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY	1799
LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY	1801
LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY	1802
LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY	1800
LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY	1803
LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY	5704
LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY	8232
LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY	8234
LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY	8235
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY	8236
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY	1126
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY	5995
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRL	6195
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY	1147
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY	8231
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY	8237
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY	8239
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY	8240
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY	8238
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY	8241
LOGRUN PROCEDURES APPLICATION TOTAL DAILY	8242
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY	8244
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY	8245
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY	8243
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY	8246
LOGRUN PROCEDURES BLTIN BOARD UPDATE CSTMR ACCNT NMBR MTHLY	5700
LOGRUN PROCEDURES BLTIN BOARD UPDATE CUSTOMER ACCT NMBR QRTL	5718
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY	8107
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY	8109
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY	8110
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY	8108
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY	8111
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY	8104
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRL	8105
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY	8102
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY	8103
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY	8106
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY	8112
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY	8114
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY	8115
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY	8113
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY	8128
LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY	8131
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY	8133

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY	8134
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY	8132
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY	8135
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY	5680
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY	5706
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY	5722
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY	5688
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY	8147
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY	5710
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTL	5726
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY	5692
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY	8151
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY	5684
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY	5714
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY	8139
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY	5696
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY	8155
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL	5670
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY	5676
LOGRUN PROCEDURES CAI ACTIVITY DAILY	1769
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY	1771
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY	1772
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY	1770
LOGRUN PROCEDURES CAI ACTIVITY YEARLY	1773
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY	1764
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY	1766
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY	1767
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY	1765
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY	1768
LOGRUN PROCEDURES CAI DEPARTMENT DAILY	1774
LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY	1776
LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY	1777
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY	1775
LOGRUN PROCEDURES CAI DEPARTMENT YEARLY	1778
LOGRUN PROCEDURES CAI TOTAL DAILY	1779
LOGRUN PROCEDURES CAI TOTAL MONTHLY	1781
LOGRUN PROCEDURES CAI TOTAL QUARTERLY	1782
LOGRUN PROCEDURES CAI TOTAL WEEKLY	1780
LOGRUN PROCEDURES CAI TOTAL YEARLY	1783
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY	5681
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY	5707
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY	5723
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY	5689
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY	8148
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	0993
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	5671
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY	5701
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRL	5719
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY	8144
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY	5677
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY	5711
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY	5727
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY	5693

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY	8152
LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY	5685
LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY	5715
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QTRLY	8140
LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY	5697
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY	8156
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY	5683
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY	5709
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY	5725
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY	5691
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY	8150
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY	5673
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY	5705
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY	5721
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY	8146
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY	5679
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY	5713
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY	5695
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY	8138
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY	8154
LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY	5687
LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY	5717
LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY	8142
LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY	5699
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY	8158
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY	0992
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY	6880
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY	0996
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY	6881
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY	0987
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY	0989
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTLY	0990
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY	0988
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY	0991
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY	8072
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY	8074
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY	8075
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY	8073
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY	8076
LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY	8077
LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY	8079
LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY	8080
LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY	8078
LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY	8081
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER YEARLY	1748
LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY	1749
LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY	1752
LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY	1750
LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY	1753
LOGRUN PROCEDURES QUICK INFO ACTIVITY MONTHLY	1751
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY	1744
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY	1746
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER	1747

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY	1745
LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY	1754
LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY	1756
LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY	1757
LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY	1755
LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY	1758
LOGRUN PROCEDURES QUICK INFO TOTAL DAILY	1759
LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY	1761
LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY	1762
LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY	1760
LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY	1763
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY	8087
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY	8089
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY	8090
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY	8088
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY	8091
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY	8082
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY	8084
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTL	8085
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY	8083
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY	8086
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY	8092
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY	8094
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY	8095
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY	8093
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY	8096
LOGRUN PROCEDURES STAT INFO TOTAL DAILY	8097
LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY	8099
LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY	8100
LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY	8098
LOGRUN PROCEDURES STAT INFO TOTAL YEARLY	8101
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY	8194
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY	8196
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY	8197
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY	8195
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY	8198
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY	1804
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY	8179
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTL	8192
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY	1805
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY	8193
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY	8199
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY	8201
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY	8202
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY	8200
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY	8203
LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY	6874
LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY	6876
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY	6877
LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY	6875
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY	6878
LOGRUN PTL REF NBR LOG INQ ACTIVITY	1156
LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY	1153

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY	1155
LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY	1154
LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY	1157
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	1148
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	1150
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	1151
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	1149
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	1152
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL	1163
LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY	1158
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY	1160
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	1161
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY	1159
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY	1162
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL	1165
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL	1166
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL	1164
LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL	1167
LOGRUN REF NBR LOG INQ ACTIVITY DAILY	1132
LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY	1134
LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY	1135
LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY	1133
LOGRUN REF NBR LOG INQ ACTIVITY YEARLY	1136
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	1127
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	1130
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	1131
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	1129
LOGRUN REF NBR LOG INQ DAILY TOTAL	1142
LOGRUN REF NBR LOG INQ DEPARTMENT DAILY	1137
LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY	1139
LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY	1140
LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY	1138
LOGRUN REF NBR LOG INQ DEPARTMENT YEARLY	1141
LOGRUN REF NBR LOG INQ MONTHLY TOTAL	1144
LOGRUN REF NBR LOG INQ QUARTERLY TOTAL	1145
LOGRUN REF NBR LOG INQ WEEKLY TOTAL	1143
LOGRUN REF NBR LOG INQ YEARLY TOTAL	1146
LOGRUN RPOCEDURES DLSC PROD SVC ACTIVITY MONTHLY	6879
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY	6176
LOGRUN TEST ACCESS DEPARTMENT QUANTITY	5985
LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY	6201
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER	4694
LOLA OVERNIGHT LSN LTI REMAINDER	4696
LOLA OVERNIGHT TRANSACTION DATE	4695
LOLA REQUEST DATE	3306
LOLA STATS SCOPE	3307
LOLA SUBMITTER IDENTIFICATION FIELD	0839
LOLA UPDATE COMMUNICATIONS TEXT	3314
LOLA UPDATE DIC COUNT NUMBER	3324
LOLA UPDATE PROCESSED TIME	3323
LOLA UPDATE STATUS KEY CODE	9436
LOLA UPDATE TRANSACTION HEADER TEXT	3313
LONG SUPPLY/CREDIT INDICATOR	1467

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LSA GRAND TOTAL	1963
LSR SEGMENT 2 INPUT	9174
LSR SEGMENT 2 OUTPUT	9175
LVA DATE	4217
LVA OUTPUT DOCUMENT IDENTIFIER CODE	3893
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER	1610
M3A DEPARTMENT LOA APPROVED ITEM NAME	1606
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE	1609
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL	1607
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT	1608
M3A DEPARTMENT LOA DESCRIPTIVE METHOD	1602
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE	1605
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL	1603
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	1604
M3A DEPARTMENT LOA MANAGED	1601
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE	1613
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL	1611
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO	1612
M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE	1600
M3AC DEPARTMENT APPROVED ITEM NAME	1593
M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE	1596
M3AC DEPARTMENT APPROVED ITEM NAME GOAL	1594
M3AC DEPARTMENT APPROVED ITEM NAME PERCENT	1595
M3AC DEPARTMENT DESCRIPTIVE METHOD	1589
M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	1592
M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL	1590
M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT	1591
M3AC DEPARTMENT MANAGED	1588
M3AC DEPARTMENT REFERENCE NUMBER	1597
M3AC DEPARTMENT REFERENCE NUMBER GOAL	1598
M3AC DEPARTMENT REFERENCE NUMBER RATIO	1599
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	1626
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME	1628
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL	1629
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT	1630
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD	1625
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	1627
M3B FSC DEPARTMENT LOA MANAGED	1624
M3B FSC DEPARTMENT LOA REFERENCE NUMBER	1631
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL	1632
M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO	1633
M3BC FSC DEPARTMENT APPROVED ITEM NAME	1618
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL	1619
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD	1615
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	1616
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	1617
M3BC FSC DEPARTMENT REFERENCE NUMBER	1621
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL	1622
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO	1623
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT	1620
M3C1 DEPARTMENT ACTIVITY AIN	1638
M3C1 DEPARTMENT ACTIVITY AIN GOAL	1639
M3C1 DEPARTMENT ACTIVITY AIN PERCENT	1640

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	1635
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	1636
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	1637
M3C1 DEPARTMENT ACTIVITY MANAGED	1634
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER	1641
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	1642
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	1643
M3C2 FSC DEPARTMENT ACTIVITY AIN	1648
M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL	1649
M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT	6291
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	1645
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	1646
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	1647
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN	6298
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL	6299
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT	6300
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL	6296
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT	6297
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED	6295
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER	6301
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL	6302
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO	6303
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD	6650
M3C2 FSC DEPARTMENT ACTIVITY MANAGED	1644
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER	6292
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	6293
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	6294
M3D DEPARTMENT AIN	6308
M3D DEPARTMENT AIN DIFFERENCE	6311
M3D DEPARTMENT AIN GOAL	6309
M3D DEPARTMENT AIN PERCENT	6310
M3D DEPARTMENT DESCRIPTIVE METHOD	6305
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	6307
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL	6306
M3D DEPARTMENT FSC ACTIVITY AIN	6334
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE	6337
M3D DEPARTMENT FSC ACTIVITY AIN GOAL	6335
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT	6336
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD	6330
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE	6333
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL	6331
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT	6332
M3D DEPARTMENT FSC ACTIVITY MANAGED	6329
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER	6338
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE	6341
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL	6339
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO	6340
M3D DEPARTMENT FSC AIN	6321
M3D DEPARTMENT FSC AIN DIFFERENCE	6324
M3D DEPARTMENT FSC AIN GOAL	6322
M3D DEPARTMENT FSC AIN PERCENT	6323
M3D DEPARTMENT FSC DESCRIPTIVE METHOD	6317
M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE	6320

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL	6318
M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT	6319
M3D DEPARTMENT FSC MANAGED	6316
M3D DEPARTMENT FSC REFERENCE NUMBER	6325
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE	6328
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL	6326
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO	6327
M3D DEPARTMENT MANAGED	6304
M3D DEPARTMENT REFERENCE NUMBER	6312
M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE	6315
M3D DEPARTMENT REFERENCE NUMBER GOAL	6313
M3D DEPARTMENT REFERENCE NUMBER RATIO	6314
M3D FSC DEPARTMENT AIN PERCENT	6348
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT	6648
M3E FSC DEPARTMENT AIN	6346
M3E FSC DEPARTMENT AIN GOAL	6347
M3E FSC DEPARTMENT DESCRIPTIVE METHOD	6343
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	6344
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	6345
M3E FSC DEPARTMENT MANAGED	6342
M3E FSC DEPARTMENT REFERENCE NUMBER	6349
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL	6350
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO	6649
M61A DEPARTMENT LOA TYPE T1 NSN	7832
M6A1 DEPARTMENT FULL PERCENT	7849
M6A1 DEPARTMENT LOA FULL PERCENT	7839
M6A1 DEPARTMENT LOA PARTIAL PERCENT	7840
M6A1 DEPARTMENT LOA REFERENCE PERCENT	7841
M6A1 DEPARTMENT LOA T4B NSN	7837
M6A1 DEPARTMENT LOA TYPE 1A NSN	7833
M6A1 DEPARTMENT LOA TYPE 1B NSN	7834
M6A1 DEPARTMENT LOA TYPE 2 NSN	7838
M6A1 DEPARTMENT LOA TYPE 4 NSN	7835
M6A1 DEPARTMENT LOA TYPE 4A NSN	7836
M6A1 DEPARTMENT PARTIAL PERCENT	7850
M6A1 DEPARTMENT REFERENCE PERCENT	7851
M6A1 DEPARTMENT TYPE 1 NSN	7842
M6A1 DEPARTMENT TYPE 1A NSN	7843
M6A1 DEPARTMENT TYPE 1B NSN	7844
M6A1 DEPARTMENT TYPE 2 NSN	7848
M6A1 DEPARTMENT TYPE 4 NSN	7845
M6A1 DEPARTMENT TYPE 4A NSN	7846
M6A1 DEPARTMENT TYPE 4B NSN	7847
M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT	7890
M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT	7880
M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT	7881
M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT	7882
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1	7873
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A	7874
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN	7875
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN	7879
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN	7876
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN	7877



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN	7878
M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL	7891
M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT	7892
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN	7883
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN	7884
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN	7885
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN	7889
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN	7886
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN	7887
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN	7888
M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT	7929
M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT	7919
M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL	7920
M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT	7921
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN	7912
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN	7913
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN	7914
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN	7918
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN	7915
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN	7916
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN	7917
M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT	7930
M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT	7931
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN	7922
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN	7923
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN	7924
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN	7925
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN	7926
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN	7927
M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT	7909
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT	7800
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT	7801
M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT	8230
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN	7893
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN	7894
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN	7895
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN	7899
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN	7896
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN	7897
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN	7898
M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT	7910
M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT	7911
M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN	7902
M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN	7903
M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN	7904
M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN	7908
M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN	7905
M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN	7906
M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN	7907
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT	7949
M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT	7939
M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT	7940
M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT	7941

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN	7932
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN	7933
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN	7934
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN	7938
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN	7935
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN	7936
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN	7937
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT	7950
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT	7951
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN	7942
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN	7943
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN	7944
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN	7948
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN	7945
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN	7946
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN	7947
M6B5 FSC DEPARTMENT FULL PERCENT	7969
M6B5 FSC DEPARTMENT LOA FULL PERCENT	7959
M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT	7960
M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT	7961
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN	7952
M6B5 FSC DEPARTMENT LOA TYPE 1A NSN	7953
M6B5 FSC DEPARTMENT LOA TYPE 1B NSN	7954
M6B5 FSC DEPARTMENT LOA TYPE 2 NSN	7958
M6B5 FSC DEPARTMENT LOA TYPE 4 NSN	7955
M6B5 FSC DEPARTMENT LOA TYPE 4A NSN	7956
M6B5 FSC DEPARTMENT LOA TYPE 4B NSN	7957
M6B5 FSC DEPARTMENT PARTIAL PERCENT	7970
M6B5 FSC DEPARTMENT REFERENCE PERCENT	7971
M6B5 FSC DEPARTMENT TYPE 1 NSN	7962
M6B5 FSC DEPARTMENT TYPE 1A NSN	7963
M6B5 FSC DEPARTMENT TYPE 1B NSN	7964
M6B5 FSC DEPARTMENT TYPE 2 NSN	7968
M6B5 FSC DEPARTMENT TYPE 4 NSN	7965
M6B5 FSC DEPARTMENT TYPE 4A NSN	7966
M6B5 FSC DEPARTMENT TYPE 4B NSN	7967
M6B6 FSC ACTIVITY FULL PERCENT	8206
M6B6 FSC ACTIVITY LOA FULL PERCENT	7994
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT	7996
M6B6 FSC ACTIVITY LOA REFERENCE PERCENT	7997
M6B6 FSC ACTIVITY LOA TYPE 1 NSN	7987
M6B6 FSC ACTIVITY LOA TYPE 1A NSN	7988
M6B6 FSC ACTIVITY LOA TYPE 1B NSN	7989
M6B6 FSC ACTIVITY LOA TYPE 2 NSN	7993
M6B6 FSC ACTIVITY LOA TYPE 4 NSN	7990
M6B6 FSC ACTIVITY LOA TYPE 4A NSN	7991
M6B6 FSC ACTIVITY LOA TYPE 4B NSN	7992
M6B6 FSC ACTIVITY PARTIAL PERCENT	8207
M6B6 FSC ACTIVITY REFERENCE PERCENT	8229
M6B6 FSC ACTIVITY TYPE 1 NSN	7998
M6B6 FSC ACTIVITY TYPE 1A NSN	7999
M6B6 FSC ACTIVITY TYPE 1B NSN	8000
M6B6 FSC ACTIVITY TYPE 2 NSN	8205

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B6 FSC ACTIVITY TYPE 4 NSN	8001
M6B6 FSC ACTIVITY TYPE 4A NSN	8002
M6B6 FSC ACTIVITY TYPE 4B NSN	8204
M6C1 ACTIVITY FULL PERCENT	7870
M6C1 ACTIVITY LOA FULL PERCENT	7859
M6C1 ACTIVITY LOA PARTIAL PERCENT	7860
M6C1 ACTIVITY LOA REFERENCE PERCENT	7861
M6C1 ACTIVITY LOA TYPE 1 NSNS	7852
M6C1 ACTIVITY LOA TYPE 1A NSN	7853
M6C1 ACTIVITY LOA TYPE 1B NSN	7854
M6C1 ACTIVITY LOA TYPE 2 NSN	7858
M6C1 ACTIVITY LOA TYPE 4 NSN	7855
M6C1 ACTIVITY LOA TYPE 4A NSN	7856
M6C1 ACTIVITY LOA TYPE 4B NSN	7857
M6C1 ACTIVITY PARTIAL PERCENT	7871
M6C1 ACTIVITY REFERENCE PERCENT	7872
M6C1 ACTIVITY TYPE 1 NSN	7862
M6C1 ACTIVITY TYPE 1A NSN	7863
M6C1 ACTIVITY TYPE 1B NSN	7864
M6C1 ACTIVITY TYPE 2 NSN	7868
M6C1 ACTIVITY TYPE 4 NSN	7865
M6C1 ACTIVITY TYPE 4A NSN	7866
M6C1 ACTIVITY TYPE 4B NSN	7867
M8A1 DEPARTMENT ADD NSN	5494
M8A1 DEPARTMENT BEGINNING BALANCE NSN	5493
M8A1 DEPARTMENT DELETE NSN	5495
M8A1 DEPARTMENT ENDING BALANCE NSN	5496
M8A1 DEPARTMENT LOA ADD NSN	5488
M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN	5487
M8A1 DEPARTMENT LOA DELETE NSN	5489
M8A1 DEPARTMENT LOA ENDING BALANCE NSN	5490
M8A1 DEPARTMENT LOA NET CHANGE	5491
M8A1 DEPARTMENT LOA PERCENT	5492
M8A1 DEPARTMENT NET CHANGE	5497
M8A1 DEPARTMENT PERCENT	5498
M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN	5520
M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN	5519
M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN	5521
M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN	5522
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING	5513
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN	5515
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN	5516
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE	5517
M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT	5518
M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE	5523
M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT	5524
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ADD NSN	5514
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN	5532
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN	5531
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN	5533
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN	5534
M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN	5526
M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN	5525

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN	5527
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN	5528
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE	5529
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT	5530
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE	5535
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT	5536
M8B3 CLASS MANAGER DEPARTMENT ADD NSN	5546
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN	5545
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN	5547
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN	5548
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN	5538
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN	5537
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN	5541
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN	5542
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE	5543
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT	5544
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE	5549
M8B3 CLASS MANAGER DEPARTMENT PERCENT	5550
M8B4 CLASS MANAGER ACTIVITY ADD NSN	5558
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN	5557
M8B4 CLASS MANAGER ACTIVITY DELETE NSN	5559
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN	5560
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN	5552
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE	5551
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN	5553
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN	5554
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE	5555
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT	5556
M8B4 CLASS MANAGER ACTIVITY NET CHANGE	5561
M8B4 CLASS MANAGER ACTIVITY PERCENT	5562
M8B5 FSC DEPARTMENT ADD NSN	5572
M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN	5571
M8B5 FSC DEPARTMENT DELETE NSN	5573
M8B5 FSC DEPARTMENT ENDING BALANCE NSN	5574
M8B5 FSC DEPARTMENT LOA ADD NSN	5564
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN	5563
M8B5 FSC DEPARTMENT LOA DELETE NSN	5567
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN	5568
M8B5 FSC DEPARTMENT LOA NET CHANGE	5569
M8B5 FSC DEPARTMENT LOA PERCENT	5570
M8B5 FSC DEPARTMENT NET CHANGE	5575
M8B5 FSC DEPARTMENT PERCENT	5576
M8B6 FSC ACTIVITY ADD NSN	5584
M8B6 FSC ACTIVITY BEGINNING BALANCE NSN	5583
M8B6 FSC ACTIVITY DELETE NSN	5585
M8B6 FSC ACTIVITY ENDING BALANCE NSN	5586
M8B6 FSC ACTIVITY LOA ADD NSN	5578
M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN	5577
M8B6 FSC ACTIVITY LOA DELETE NSN	5579
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN	9576
M8B6 FSC ACTIVITY LOA NET CHANGE	5581
M8B6 FSC ACTIVITY LOA PERCENT	5582
M8B6 FSC ACTIVITY NET CHANGE	5587

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M8B6 FSC ACTIVITY PERCENT	5588
M8C1 DEPARTMENT ACTIVITY ADD NSN	5506
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN	5505
M8C1 DEPARTMENT ACTIVITY DELETE NSN	5507
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN	5508
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN	5500
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN	5499
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN	5501
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN	5502
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE	5503
M8C1 DEPARTMENT ACTIVITY LOA PERCENT	5504
M8C1 DEPARTMENT ACTIVITY NET CHANGE	5509
M8C1 DEPARTMENT ACTIVITY PERCENT	5510
MADS DB2 PARTITION QUANTITY	9241
MAGNETIC TAPE BLOCKING FACTOR INDICATOR	3126
MAGNETIC TAPE DENSITY INDICATOR	3124
MAGNETIC TAPE LABEL INDICATOR	3127
MAGNETIC TAPE PARITY INDICATOR	3125
MAGNETIC TAPE TRACKS ENCODED INDICATOR	3122
MAGNETIC TAPE USAGE NOTE	3123
MAILING PRIORITY INDICATOR CODE SORT SEQUENCE	3232
MAILING PRIORITY INDICATOR CODE	0985
MAILING PRIORITY INDICATOR CODE RELATIVE ROW	3231
MAINTAIN ITEM OF SUPPLY TRANSACTION KEY	9410
MAINTENANCE ACTION CODE	0137
MAINTENANCE CODE, DRAWING CROSS-REFERENCE	1244
MAINTENANCE NUMBER	0265
MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING	0776
MAINTENANCE REPAIR CODE	1478
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED	1348
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED	1349
MAJOR MATERIEL CATEGORY CODE, ARMY	2283
MAJOR MATERIEL CATEGORY CODE, ARMY	9256
MAJOR ORGANIZATIONAL ENTITY (MOE) CODE	2833
MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER	8290
MAJOR ORGANIZATIONAL ENTITY CODE IDENTIFICATION	5299
MAJOR ORGANIZATIONAL ENTITY CODE NOTE	5298
MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT	9101
MAJOR ORGANIZATIONAL ENTITY RULE STATUS CODE	8458
MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS	3149
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP	6846
MANAGEMENT CHANGE ACTIVITY DELETE REASON NSN	6845
MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN	6839
MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN	6844
MANAGEMENT CHANGE ACTIVITY NEW MANAGER NSN	6841
MANAGEMENT CHANGE ACTIVITY NEW NSN	6840
MANAGEMENT CHANGE ACTIVITY REACTIVATION NSN	6843
MANAGEMENT CHANGE ACTIVITY REINSTATEMENT NSN	6842
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP	6854
MANAGEMENT CHANGE DEPARTMENT DELETE REASON NSN	6853
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN	6847
MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN	6852
MANAGEMENT CHANGE DEPARTMENT NEW MANAGER NSN	6849

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MANAGEMENT CHANGE DEPARTMENT NEW NSN	6848
MANAGEMENT CHANGE DEPARTMENT REACTIVATION NSN	6851
MANAGEMENT CHANGE DEPARTMENT REINSTATEMENT NSN	6850
MANAGEMENT CONTROL DATA UNUSED POSITIONS	0418
MANAGEMENT CONTROL DATA, AIR FORCE	8925
MANAGEMENT CONTROL DATA, ARMY	8930
MANAGEMENT CONTROL DATA, ARMY (UNUSED POSITIONS)	0827
MANAGEMENT CONTROL DATA, COAST GUARD	0707
MANAGEMENT CONTROL DATA, COAST GUARD UNUSED POSITIONS	0710
MANAGEMENT CONTROL DATA, MARINE CORPS	8935
MANAGEMENT CONTROL DATA, NAVY	8940
MANAGEMENT ECHELON CODE, MARINE CORPS	2790
MANAGEMENT EXCEPTION NOTES	9542
MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT	1559
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT	1898
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT	1900
MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT	1936
MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT	1931
MANAGEMENT FSC TOTAL COUNT	1850
MANAGEMENT STATISTICS ARCHIVE PROGRAM NAME	2568
MANAGEMENT STATISTICS ROLL OVER PROGRAM NAME	2569
MANAGER ACQUISITION ADVICE CODE OUTPUT ACCESS	0901
MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS	0909
MANAGER ACQUISITION METHOD CODE OUTPUT ACCESS	0902
MANAGER CAGE OUTPUT ACCESSES	6598
MANAGER FREIGHT OUTPUT ACCESSES	6605
MANDATORY SEGMENT STRING	4624
MANUFACTURER INDICATOR	1986
MANUFACTURER PART NUMBER EDIT IDENTIFICATION	4115
MANUFACTURER'S NOTES	0809
MANUFACTURERS CODE COUNT	1433
MANUFACTURES DRAWING LIST	0925
MARK FOR	2087
MASS CHANGE CHARACTERISTICS DATA GROUP	4575
MASS CHANGE CRITERIA STATEMENT	0324
MASS CHANGE CRITICALITY CHANGE	2501
MASS CHANGE DATABASE ITEM NAME CODE	4571
MASS CHANGE DEFENSE LOGISTICS TIME LOG	4573
MASS CHANGE DELETED CDG CODE	3631
MASS CHANGE GUIDE NUMBER	2503
MASS CHANGE GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUID	4574
MASS CHANGE INDICATOR	1356
MASS CHANGE ITEM SEGMENT	2502
MASS CHANGE REVIEW CODE	8832
MASS CHANGE TIME CHARACTERISTICS DATA GROUP	4572
MASS CHANGE TYPE CHANGE	2504
MASTER ADDRESS CODE	0980
MASTER ADDRESS/ASSOCIATED ADDRESS ROW	3194
MASTER ADDRESS/ASSOCIATED ADDRESS SORT SEQUENCE	3195
MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE	1237
MASTER IDENTIFICATION COUNT, DRAWING CROSS-REFERENCE	1238
MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE	1236
MASTER NATIONAL STOCK NUMBER	0797

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MASTER NATIONAL STOCK NUMBER (NSN) COUNT	1431
MASTER NIIN DRAWING CROSS REFERENCE	1239
MASTER REQUIREMENT CODE	3445
MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNT	0214
MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD	0113
MASTER REQUIREMENT CODE SEQUENCE NUMBER	4407
MASTER REQUIREMENT CODE TABLE COUNT	0848
MASTER REQUIREMENT CODE USAGE DESIGNATOR	0847
MASTER REQUIREMENT CODE VALUE COUNT	4439
MASTER REQUIREMENT DIRECTORY (MRD) STATUS INDICATOR CODE	0816
MASTER REQUIREMENT DIRECTORY DATA EXTRACT GROUP	0819
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 1	0818
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 3	0820
MATCHED NATIONAL STOCK NUMBER	4120
MATCHED NIIN COUNT	0896
MATCHED PERMANENT SYSTEM CONTROL NUMBER	8981
MATERIAL CONTROL CODE, NAVY	2832
MATERIAL IDENTIFICATION CODE EXPLANATION	3166
MATERIAL IDENTIFICATION CODE NOTE INDICATOR	3167
MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE	3158
MATERIAL SAFETY DATA SHEET IDENTIFIER	9076
MATERIEL CATEGORY CODE, ARMY	2680
MATERIEL CATEGORY MARINE CORPS	3148
MATERIEL CONTROL CODE DEFINITION NAVY	3156
MATERIEL IDENTIFICATION CODE	4126
MATERIEL MANAGEMENT AGGREGATION CODE (MMAC), AIR FORCE	2836
MATERIEL MANAGEMENT CODE FOR GSA	2349
MATERIEL MANAGEMENT CODE, MARINE CORPS	9257
MAXIMUM LENGTH	4593
MAXIMUM OCCURRENCES	4595
MAXIMUM RECORD LENGTH	9176
MCBC FSC DEPARTMENT MANAGED	1614
MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)	0810
MCRL REFERENCE NUMBER RECORDS COUNTER	0807
MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT	0806
MCRL SERVICE AGENCY DESIGNATOR	0805
MDEALS ADD REFERENCE NUMBER UPDATE ERROR COUNTER	7458
MEASUREMENT QUANTITY	1477
MEDALS ADD DATA ASSET IDENTIFIER COUNT	7436
MEDALS ADD DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7464
MEDALS ADD DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7455
MEDALS ADD NIIN COUNT	7444
MEDALS ADD NIIN EDIT ERROR COUNTER	7466
MEDALS ADD NIIN UPDATE ERROR COUNTER	7457
MEDALS ADD REFERENCE NUMBER COUNT	7440
MEDALS ADD REFERENCE NUMBER EDIT ERROR COUNTER	7467
MEDALS ADD TITLE COUNT	7448
MEDALS ADD TITLE EDIT ERROR COUNTER	7465
MEDALS ADD TITLE UPDATE ERROR COUNTER	7456
MEDALS ALLOWED ERROR PERCENT RATE	3271
MEDALS ALTERNATE MEDIA CODE	3274
MEDALS ASSETS ORDERED	7636
MEDALS AVERAGE INQUIRY RESPONSE TIME	1262

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS AVERAGE OFFERED D1	7194
MEDALS AVERAGE OFFERED D2	7200
MEDALS AVERAGE OFFERED D3	7223
MEDALS AVERAGE OFFERED NN	7217
MEDALS AVERAGE OFFERED P1	7205
MEDALS AVERAGE OFFERED P2	7211
MEDALS BULLETIN BOARD COMMENTS TEXT	8354
MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER	8352
MEDALS BULLETIN BOARD MESSAGE IDENTIFIER	8351
MEDALS BULLETIN BOARD MESSAGE TEXT	8353
MEDALS CAGE CODE FOR PART NUMBER	2287
MEDALS CHANGE DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7468
MEDALS CHANGE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7459
MEDALS COPIES ORDERED	7637
MEDALS DATA ASSET ADD TRANSACTION QUANTITY	7366
MEDALS DATA ASSET CHANGE TRANSACTIONS QUANTITY	7368
MEDALS DATA ASSET CURRENT QUANTITY	7370
MEDALS DATA ASSET DELETE TRANSACTION QUANTITY	7367
MEDALS DATA ASSET ERROR TRANSACTION QUANTITY	7365
MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS	7435
MEDALS DATA ASSET PERCENT OF CHANGE	7371
MEDALS DATA ASSETS PREVIOUS QUANTITY	7369
MEDALS DATA ASSETS TRANSACTIONS QUANTITY	7364
MEDALS DECODE SCREEN ACCESS QUANTITY	7698
MEDALS DEL DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7460
MEDALS DEL NIIN COUNT	7445
MEDALS DEL TITLE COUNT	7449
MEDALS DELETE DATA ASSET IDENTIFIER COUNT	7437
MEDALS DELETE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7451
MEDALS DELETE NIIN EDIT ERROR COUNTER	7462
MEDALS DELETE NIIN UPDATE ERROR COUNTER	7453
MEDALS DELETE REFERENCE NUMBER COUNT	7441
MEDALS DELETE REFERENCE NUMBER EDIT ERROR COUNTER	7463
MEDALS DELETE REFERENCE NUMBER UPDATE ERROR COUNTER	7454
MEDALS DELETE TITLE EDIT ERROR COUNTER	7461
MEDALS DELETE TITLE UPDATE ERROR COUNTER	7452
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT	8019
MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE	8013
MEDALS DOCUMENT NUCLEAR CODE	8012
MEDALS DOCUMENT NUMBER	2632
MEDALS DOCUMENT SECURITY CODE	8011
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT	8015
MEDALS EDIT ERRORS D1	7625
MEDALS EDIT ERRORS D2	7626
MEDALS EDIT ERRORS D3	7627
MEDALS EDIT ERRORS NN	7630
MEDALS EDIT ERRORS P1	7628
MEDALS EDIT ERRORS P2	7629
MEDALS EDIT ERRORS UNDEF	7631
MEDALS EDRS CONTROLLING ACTIVITY CODE	8014
MEDALS FTP COMMAND CAPABILITY CODE	3418
MEDALS FTP TRANSMITTING ACTION CODE	2738
MEDALS HELP SCREEN ACCESS QUANTITY	7697



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS INPUT RECORD	9177
MEDALS INPUTS MATCHED D1	7192
MEDALS INPUTS MATCHED D2	7198
MEDALS INPUTS MATCHED D3	7221
MEDALS INPUTS MATCHED NN	7215
MEDALS INPUTS MATCHED P1	7203
MEDALS INPUTS MATCHED P2	7209
MEDALS INPUTS NOT MATCHED D1	7195
MEDALS INPUTS NOT MATCHED D2	7808
MEDALS INPUTS NOT MATCHED D3	7224
MEDALS INPUTS NOT MATCHED NN	7218
MEDALS INPUTS NOT MATCHED P1	7206
MEDALS INPUTS NOT MATCHED P2	7212
MEDALS INVALID TYPE ERROR COUNTER	7450
MEDALS JEDMICS MEDIA CODE	8017
MEDALS JEDMICS MEDIA DEFINITION TEXT	8018
MEDALS MEDIA CODE	2289
MEDALS NIIN ADD TRANSACTION QUANTITY	7381
MEDALS NIIN CURRENT QUANTITY	7384
MEDALS NIIN DELETE TRANSACTION QUANTITY	7382
MEDALS NIIN ERROR COUNT	7443
MEDALS NIIN ERROR TRANSACTION QUANTITY	7380
MEDALS NIIN PERCENT OF CHANGE	7385
MEDALS NIIN PREVIOUS QUANTITY	7383
MEDALS NIIN TRANSACTION QUANTITY	7379
MEDALS ON-LINE AVERAGE OFFERED	7658
MEDALS ON-LINE DATA ASSET IDENTIFIER AVERAGE QUANTITY	7694
MEDALS ON-LINE DATA ASSET IDENTIFIER INQUIRY PCT OF MATCH	7696
MEDALS ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QUANTITY	7693
MEDALS ON-LINE DOCUMENT NUMBER AVERAGE OFFERED	7664
MEDALS ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7666
MEDALS ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7663
MEDALS ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7670
MEDALS ON-LINE DOCUMENT NUMBER/CAGE INQUIRY PCT. OF MATCH	7672
MEDALS ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	7669
MEDALS ON-LINE INQUIRY PERCENT OF MATCH	7660
MEDALS ON-LINE NIIN AVERAGE OFFERED	7687
MEDALS ON-LINE NIIN INQUIRY PERCENT OF MATCH	7689
MEDALS ON-LINE NIIN TOTAL OFFERED QUANTITY	7686
MEDALS ON-LINE PART NUMBER AVERAGE OFFERED	7676
MEDALS ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7678
MEDALS ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7675
MEDALS ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7682
MEDALS ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7684
MEDALS ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7681
MEDALS ON-LINE TOTAL OFFERED QUANTITY	7657
MEDALS ORDER ERRORS	7635
MEDALS PART NUMBER ADD TRANSACTION QUANTITY	7374
MEDALS PART NUMBER CURRENT QUANTITY	7376
MEDALS PART NUMBER DELETE TRANSACTION QUANTITY	7375
MEDALS PART NUMBER ERROR TRANSACTION QUANTITY	7373
MEDALS PART NUMBER PERCENT OF CHANGE	7378
MEDALS PART NUMBER PREVIOUS QUANTITY	7377

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS PART NUMBER TRANSACTIONS QUANTITY	7372
MEDALS PERCENT OF MATCH D1	7196
MEDALS PERCENT OF MATCH D3	7225
MEDALS PERCENT OF MATCH NN	7219
MEDALS PERCENT OF MATCH P1	7207
MEDALS PERCENT OF MATCH P2	7213
MEDALS PERCENT OF MATCH D2	7201
MEDALS PREFERRED MEDIA CODE	2288
MEDALS PRIMARY MEDIA CODE	3273
MEDALS REFERENCE NUMBER ERROR COUNT	7439
MEDALS REPOSITORY DATA ASSET COUNT	1258
MEDALS REPOSITORY NIIN COUNT	1260
MEDALS REPOSITORY PART NUMBER COUNT	1259
MEDALS REPOSITORY PULL DAY CODE	3272
MEDALS REPOSITORY TITLE COUNT	1261
MEDALS TITLE	2344
MEDALS TITLE ADD TRANSACTION QUANTITY	7388
MEDALS TITLE CURRENT QUANTITY	7391
MEDALS TITLE DELETE TRANSACTION QUANTITY	7389
MEDALS TITLE ERROR COUNT	7447
MEDALS TITLE ERROR TRANSACTION QUANTITY	7387
MEDALS TITLE PERCENT OF CHANGE	7392
MEDALS TITLE PREVIOUS QUANTITY	7390
MEDALS TITLE TRANSACTION QUANTITY	7386
MEDALS TOTAL ADD TRANSACTION QUANTITY	7361
MEDALS TOTAL BATCH AVERAGE OFFERED	7188
MEDALS TOTAL BATCH INQUIRIES	7185
MEDALS TOTAL BATCH INQUIRIES ERRORS	7633
MEDALS TOTAL BATCH INQUIRIES MATCHED	7186
MEDALS TOTAL BATCH INQUIRIES NOT MATCHED	7189
MEDALS TOTAL BATCH INQUIRIES OFFERED	7187
MEDALS TOTAL BATCH INQUIRIES PERCENT OF MATCH	7190
MEDALS TOTAL BATCH UPDATE ADDS	7431
MEDALS TOTAL BATCH UPDATE DELETES	7432
MEDALS TOTAL BATCH UPDATE ERRORS	7430
MEDALS TOTAL BATCH UPDATE TRANSACTIONS	7429
MEDALS TOTAL CHANGE TRANSACTION QUANTITY	7363
MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT	7433
MEDALS TOTAL DATA ASSET IDENTIFIER TRANSACTIONS	7434
MEDALS TOTAL DELETE TRANSACTION QUANTITY	7362
MEDALS TOTAL ERROR TRANSACTION QUANTITY	7360
MEDALS TOTAL INQUIRIES D1	7191
MEDALS TOTAL INQUIRIES D2	7197
MEDALS TOTAL INQUIRIES D3	7220
MEDALS TOTAL INQUIRIES NN	7214
MEDALS TOTAL INQUIRIES P1	7202
MEDALS TOTAL INQUIRIES P2	7208
MEDALS TOTAL INQUIRIES UNDEF	7632
MEDALS TOTAL NIIN TRANSACTIONS	7442
MEDALS TOTAL OFFERED D1	7193
MEDALS TOTAL OFFERED D2	7199
MEDALS TOTAL OFFERED D3	7222
MEDALS TOTAL OFFERED NN	7216

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS TOTAL OFFERED P1	7204
MEDALS TOTAL OFFERED P2	7210
MEDALS TOTAL ON LINE AVERAGE OFFERED	7642
MEDALS TOTAL ON LINE ERRORS	7639
MEDALS TOTAL ON LINE INQUIRIES	7638
MEDALS TOTAL ON LINE INQUIRIES MATCHED	7640
MEDALS TOTAL ON LINE INQUIRIES NOT MATCHED	7643
MEDALS TOTAL ON LINE INQUIRIES OFFERED	7641
MEDALS TOTAL ON LINE INQUIRIES PERCENT OF MATCH	7644
MEDALS TOTAL ORDERS	7634
MEDALS TOTAL REFERENCE NUMBER TRANSACTIONS	7438
MEDALS TOTAL TITLE TRANSACTIONS	7446
MEDALS TOTAL TRANSACTION QUANTITY	7359
MEDALS TRANSMITTING ACTIVITY IDENTIFIER	2739
MEDALS UNDEFINED MAINTENANCE TRANSACTION QUANTITY	7393
MEDALS-DOC-DIST-DESC-TX	8016
MEDIA HEADER	9178
MESSAGE	0983
MESSAGE CODE	1105
MESSAGE LENGTH	9179
METHOD OF PRESERVATION CODE	5160
MICROFICHE COUNT PER FSC	1435
MICROFICHE FRAME COUNT PER FSC	1432
MICROFICHE FRAME NUMBER	4675
MICROFICHE NUMBER	4273
MICROFICHE TITLE LINE	9570
MILITARY VOLUNTARY INDICATOR	3454
MILSTICCS REPLY FIELD	0114
MILSTRIP ROUTING INDICATOR	6459
MINIMIZE ALTERNATE MODE MEDIA	9180
MINIMIZE FLAG	9181
MINIMUM ADDRESS CODE	2645
MINIMUM ADDRESS CODE EXPLANATION	5288
MINIMUM LENGTH	4592
MINIMUM RECORD LENGTH	9182
MODE CODE	4735
MODE TYPE	1035
MOE ASSIGNED RESERVED TOTAL POSITION 1	7819
MOE BATCH DELETE ERROR COUNT	2279
MOE CURRENT ADD ERROR COUNT	1116
MOE CURRENT CHANGE COUNT	1117
MOE CURRENT CHANGE ERROR COUNT	1118
MOE CURRENT DELETE COUNT	1119
MOE CURRENT DELETE ERROR COUNT	1492
MOE EFFECTIVE DATE ADD COUNT	1493
MOE EFFECTIVE DATE ADD ERROR COUNT	1494
MOE EFFECTIVE DATE CHANGE COUNT	1495
MOE EFFECTIVE DATE CHANGE ERROR COUNT	1496
MOE EFFECTIVE DATE DELETE COUNT	1497
MOE EFFECTIVE DATE DELETE ERROR COUNT	1498
MOE EFFECTIVE DATED ADD NSN	7814
MOE EFFECTIVE DATED ADD NSN POSITION 1	7817
MOE EFFECTIVE DATED DELETE NSN	7813

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MOE EFFECTIVE DATED DELETE NSN POSITION 1	7816
MOE FEDERAL SUPPLY CLASS NSN	5754
MOE FEDERAL SUPPLY GROUP NSN	5753
MOE FSC TOTAL NSN	6647
MOE MASTER INQUIRY DATE	1535
MOE MOE MASTER INQUIRY COUNT	1499
MOE MOE MASTER INQUIRY ERROR COUNT	1534
MOE NSN	7812
MOE NSN POSITION 1	7815
MOE REGISTRATION COLLABORATOR ACTIVITY	7820
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY	7822
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL	7823
MOE REGISTRATION RECEIVER ACTIVITY	7821
MOE RULE STATUS CODE DEFINITION	5307
MOE UNASSIGNED RESERVED POSITION 1	7818
MOE USER REQUEST	1911
MONITORING INVENTORY MANAGER/SYSTEM MANAGER	2085
MONTH	2004
MONTHLY DRAWING COUNT	1430
MOP OUTPUT RECORD	9184
MORE CURREND ADD COUNT	1109
MOVEMENT PRIORITY DESIGNATOR	1463
MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER	8311
MRC ASSIGNED STATUS INDICATOR	3462
MRC COUNTS	0895
MRC DECODE TABLE AND PRINT SEQUENCE	2795
MRC NUMERIC VALUE	3058
MRC REQUIREMENT STATEMENT DEFINITION	5193
MRC VALUE MAXIMUM	3074
MRC VALUE MINIMUM	3075
MRC VALUE NOMINAL	3076
MRD AUDIT REPLY STATUS INDICATOR	3461
MRD AUDIT REQUIREMENT STATUS INDICATOR	3460
MULT INDICATOR	9477
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL	2174
MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA	9470
MULTIPLE INPUT FLAG	9479
MULTIPLE LABELS INDICATOR CODE	9463
N6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN	7928
NAME CODE	2303
NAME CODE, NONAPPROVED	8470
NAME DEFINITION DELIMINATION ADD COUNT	1920
NAME DEFINITION DELIMINATION CHANGED COUNT	1921
NAME DEFINITION DELIMINATION DELETED COUNT	1922
NAME FIELD	2304
NAME LINE 1	3480
NAME LINE 2	3481
NAME MASTER DATE RANGE SEARCH	1915
NAME MASTER DICTIONARY SEARCH	1541
NAME PREFIX	2516
NAME ROOT REMAINDER	2517
NAME/INC/FIG/EFFECTIVE DATE DATA	3662
NARRATIVE FORM CHARACTERISTICS SEG.	9112

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NARRATIVE IDENTIFICATION NUMBER	1709
NATIONAL CODIFICATION BUREAU CODE	4130
NATIONAL CODIFICATION BUREAU CODE COUNTRY	5101
NATIONAL CODIFICATION BUREAU CODE NOTE	5102
NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT	1937
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE	2850
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) SUB-ITEM NUMBER	0861
NATIONAL STOCK NUMBER (NSN) COUNT	1421
NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE	6998
NATIONAL SUPPLY CD FOR MANUFACTURERS CODIFICATION BUREAU	4180
NATIONAL WEATHER SERVICE MANAGEMENT CONTROL DATA	2204
NATIONAL WEATHER SERVICE REPAIRABILITY CODE	2201
NATO AC 135 NO7 DATA	1012
NATO BATCH CONTROL DATE	2546
NATO CODIFICATION CONTROL COMMENT TEXT	8976
NATO FILE MAINT SEQUENCE NUMBER	1516
NATO FOREIGN GOVERNMENT TRANSACTION PRICE	1024
NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE	1972
NATO KRP DOCUMENT IDENTIFIER CODE COUNT	9129
NATO MANUFACTURER ADDRESS TEXT	8973
NATO MANUFACTURER NAME	8972
NATO MANUFACTURER TELEPHONE NUMBER IDENTIFIER	8974
NATO MANUFACTURERS DATA PREFIX CODE	8975
NATO ONLY INDICATOR	3451
NATO PRIORITY INDICATOR VALUE IDENTIFIER	9187
NATO REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION IDENTIFIER	8971
NATO SUPPLY CODE FOR MANUFACTURERS	4140
NATO TRANSACTION FLAG	9185
NATO TRANSACTION PRIORITY INDICATOR CODE	9186
NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE	1973
NAVY AMMUNITION LOGISTICS CODE	2441
NAVY SOURCE OF SUPPLY CODE	9404
NAVY SPECIAL SOURCE OF SUPPLY CODE	0135
NEW CERTIFICATION NUMBER LOCKED STATUS CODE	9050
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE	0481
NEW QUANTITATIVE EXPRESSION	3045
NEW UNIT OF ISSUE CODE	3042
NEW UNIT OF ISSUE TEXT	3047
NIIN ALL ITEM NAME CODE FSC QUANTITY	6601
NIIN BY FEDERAL SUPPLY CLASS	0930
NIIN BY FEDERAL SUPPLY CLASS COUNTER	0931
NIIN COUNT	1426
NIIN COUNT PER TRANSACTION	1427
NIIN DRAWING COUNT	1425
NIIN ITEM NAME CODE FSC QUANTITY	6602
NIIN MCRL SERVICE AGENCY DESIGNATOR	5312
NIIN PSCN INDICATOR	5038
NIIN TO DRAWING IDENTIFICATION LIST	0928
NIIN TO DRAWING MAINTENANCE SEGMENT	0811
NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER	1464
NIIN/PSCN STATUS CODE	2670
NIIN/PSCN STATUS CODE CONDITIONAL NOTE	5203
NIIN/PSCN STATUS CODE DEFINITION AND INSTRUCTIONS	5201

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NIIN/PSCN STATUS CODE NOTE	5202
NIIN/PSCN STATUS-CANC DATA SEGMENT	9109
NIINS ADDED COUNT	1428
NIINS CHANGED COUNT	1429
NIINS DELETED COUNT	1424
NO LABEL SETS	9061
NO Q8 RETURN CODE EDIT	3136
NO Q8 RETURN CODE EDIT NAVY	3181
NON APPROVED ITEM NAME STRING	6589
NON PROCURED ITEM COUNT PER FSC	1423
NON-APPROVED BASIC NAME	5186
NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER, H2	5180
NON-APPROVED COLLOQUIAL NAME	5190
NON-APPROVED DATE ESTABLISHED, CANCELLED RECORD DIDS	5181
NON-APPROVED FSC CONDITION CODE	5187
NON-APPROVED INDEX ENTRY	5192
NON-APPROVED ITEM NAME (NAIN)	5020
NON-APPROVED ITEM NAME CODE	3237
NON-APPROVED ITEM NAME DEFINITION DELIMITATION	5184
NON-APPROVED ITEM NAME DELIMITER	5191
NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION	5189
NON-PROCURED ITEMS CANCELLED COUNT PER FSC	1422
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN	5619
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT	5622
NONAPPROVED ITEM NAME ACTIVITY FSC NSN	5623
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT	5624
NONAPPROVED ITEM NAME ACTIVITY RPD MRC NSN	5625
NONAPPROVED ITEM NAME ACTIVITY RPD MRC PERCENT	5626
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTIVITY NSN	5618
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE	0076
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION	5210
NONMANUFACTURES CODE COUNT	1420
NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR	0782
NORMAL SOURCE OF PROCUREMENT CODE	0721
NORMAL SOURCE OF PROCUREMENT CODE EXPLANATION	5214
NORMAL SOURCE OF PROCUREMENT CODE TITLE	5213
NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER	4150
NOTES	1484
NOTIFICATION OF DLSC CHANGE DATA SEGMENT	9121
NSCM COUNTRY ABBREVIATION	4496
NSCM PREFIX CODIFICATION BUREAU CODE EXPLANATION	5272
NSCM PREFIX CODIFICATION BUREAU CODE NOTE	5268
NSCM SUFFIX CODIFICATION BUREAU CODE	5267
NSCM SUFFIX CODIFICATION BUREAU CODE EXPLANATION	5266
NSCM SUFFIX CODIFICATION BUREAU CODE NOTE	5265
NSN INDEX NUMBER	0566
NSN MARKUP HYPHEN INDICATOR	4181
NUCLEAR HARDENED CRITICAL ITEM (NHCI)	2042
NULL MESSAGE INDICATOR CODE	2577
NUMBER IN PROCESS IN BATCH	1985
NUMBER OF ADDRESSES PROCESSED	3220
NUMBER OF COPIES	0890
NUMBER OF COPIES RELATIVE ROW	3223

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NUMBER OF COPIES SORT SEQUENCE	3218
NUMBER OF COPIES, DRIS REPORT	0638
NUMBER OF DATA COLLABORATORS	8375
NUMBER OF DATA RECEIVERS	8380
NUMBER OF DAYS	1964
NUMBER OF DRAWING VIEWS COUNTER	0936
NUMBER OF DRAWINGS VIEWS	0955
NUMBER OF LABELS ACROSS	3224
NUMBER OF MONTHS, PRODUCTION LEAD TIME	0730
NUMBER OF SEGMENTS	9188
NUMBER OF TABLES	4444
NUMBER OF UNITS, ESTIMATED DEMAND	0727
NUMBER OF UNITS, ON HAND/DUE IN	0722
NUMBER PROCESSED BILLED IN BATCH	1984
NUMBER PURGED FROM BATCH	1983
NUMBER RECEIVED IN BATCH	1982
NUMERIC MONTH	2539
NUMERIC PARTS PREFERENCE CODES	1488
OCCURS COUNTER/1/	0211
OCCURS COUNTER/2/	0212
OFF LINE CHARACTER MASS CHANGE DATA GROUP	0356
OFFICE EXTENSION	0886
OFFICE NAME LINE TEXT	3351
OFFICE SYMBOL	0888
ORGANIZATIONAL TITLE	1286
OLD DATA ASSET IDENTIFIER	4562
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER	0319
OLD FEDERAL SUPPLY CLASSIFICATION	4200
OLD QUANTITATIVE EXPRESSION	3044
OLD UNIT OF ISSUE CODE	3041
OLD UNIT OF ISSUE TEXT	3046
ON HOLD TIMESTAMP	9190
OPERATIONAL TEST CODE	0572
OPERATIONAL TEST CODE EXPLANATION	3176
OPERATOR MESSAGE	3229
OPTIONAL NAME LINE TEXT	3352
OPTIONAL PROCEDURE INDICATOR CODE	5173
OPTIONAL SEGMENT STRING	4625
OPTIONAL/MANDATORY ISAC INDICATOR CODE	0826
OPTIONAL/MANDATORY MRC INDICATOR CODE	8450
OR SYMBOL	8951
ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER	0248
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION	5287
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE	5286
ORGANIZATIONAL ENTITY DUPLICATE/NON DUP CERTIFICATION CODE	9080
ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT	0251
ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE	0247
ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE	0244
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER	1001
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER EXPLANATION	0011
ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT	0246
ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT	0249
ORGANIZATIONAL IDENTIFICATION IN THE CLEAR TEXT LINE SEGM	0010

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ORIGINAL IMAGE KEY	9759
ORIGINATING ACTIVITY CODE	4210
ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H	6822
ORIGINATING ACTIVITY INDICATOR	2222
ORIGINATOR OF STANDARDIZATION DECISION	9325
OTHER DIC	4215
OTHER DIC DATE	4216
OTHER STATE PROVINCE NAME	8978
OUT TO MANUFACTURER CODE	1017
OUTPUT DATA REQUEST CODE	4690
OUTPUT DATA REQUEST CODE SEQUENCER	9189
OUTPUT DESTINATION	2096
OUTPUT DRN POSITION	2037
OUTPUT FILE DATA HEADER SEGMENT	9110
OUTPUT FORMAT NAME	9195
OUTPUT LOCATION PARTITION	9192
OUTPUT MODE/MEDIA CODE	3740
OUTPUT MODE/MEDIA CODE DESCRIPTION	3118
OUTPUT PRODUCT EXTRACT QUANTITY	2672
OUTPUT RECIPIENT	2104
OUTPUT RECORD COUNT	1418
OUTPUT SCHEDULE	2103
OUTPUT TIMESTAMP	9193
OUTPUT TRACK INFO	9062
OUTPUT TRANSACTION RECORD	9196
OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE	5228
OVER 144 HOURS	6920
OVERALL QUANTITY OF OCCURRENCE	0273
OWNERSHIP CODE	2089
PACKAGE SEQUENCE NUMBER (PSN)	1070
PACKAGING CATEGORY CODE	5159
PACKAGING CODE (PKG)	7978
PACKAGING DATA SEGMENT	9127
PACKAGING DESIGN ACTIVITY CODE	5179
PACKAGING REFERENCE	5149
PACKAGING REFERENCE NUMBER	2447
PACKING CODE (PNG)	7979
PAGE NUMBER	1077
PALLET CUBE	2395
PALLET HEIGHT	2394
PALLET LENGTH	2392
PALLET WEIGHT	2391
PALLET WIDTH	2393
PARAMETER CODE	9063
PARAMETER INFORMATION	3201
PARAMETER VALUE	9064
PARENT TAXPAYER IDENTIFIER	3403
PART NUMBER FOR MEDALS	2259
PARTIAL DESCRIPTIVE 2	6676
PARTIAL DESCRIPTIVE 7	1700
PASSTHROUGH ACTIVITY IDENTIFIER	2139
PASSTHROUGH ACTIVITY NAME	2140
PASSTHROUGH IDENTIFICATION CODE	1076



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PASSTHROUGH RESPONSE CODE	1103
PC DOWNLOAD LINE	3087
PERCENT CERTIFICATION NUMBER CHANGE	1419
PERCENT DATA CHANGE	1416
PERCENT KNA AND RETURN TO COUNTRY	1978
PERCENT NIIN CHANGE	1417
PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES	1673
PERCENT RETURNED 5	6658
PERCENT RETURNED 6	6664
PERMANENT SYSTEM CONTROL NUMBER (PSCN)	4250
PERMISSIVE CODING CODE	0724
PHONE NUMBER TYPE CODE DEFINITION	3413
PHRASE	1414
PHRASE CODE AND RELATED NATIONAL STOCK NUMBER	0260
PHRASE CODE COMBINATION NOTE INDICATOR	3051
PHRASE CODE EXPLANATION	5241
PHRASE CODE PHRASE	5240
PHRASE CODE SERVICE EXPLANATION	3450
PHRASE CODE-MANAGEMENT DATA LIST	2862
PHRASE RELATIONSHIP GROUP	0217
PHYSICAL CATEGORY CODE	0573
PHYSICAL CATEGORY CODE EXPLANATION	3177
PHYSICAL DRAWING IDENTIFIER	5037
PHYSICAL TYPE INDICATOR	5074
PIC RESPONSE HOURS	9412
PICA ACTIVITY INDICATOR	2142
PICA LCR COUNT	1502
PICA LEVEL OF AUTHORITY CODE DEFINITION	5303
POPULATION FIIG ALL	6610
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED	6713
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	6717
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL	6714
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	6715
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	6716
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED	6735
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL	6736
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL	6737
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE	6738
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED	6718
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY	6722
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL	6719
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL	6720
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE	6721
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED	6739
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL	6740
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL	6741
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE	6742
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED	6723
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY	6726
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL	6724
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL	6725
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE	7172
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED	6743

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

#### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL	7828
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL	7829
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE	7830
POPULATION FIIG EFFECTIVE DATED ALL	6609
POPULATION FIIG EFFECTIVE DATED ITEM NAME CODE	6611
POPULATION FIIG ITEM NAME CODE NSN	6612
POPULATION FSC ALL APPROVED ITEM NAME MANAGED	7831
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY	5592
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL	5589
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL	5590
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE	5591
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED	5604
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL	5605
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL	5606
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE	5607
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED	5595
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	5599
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL	5596
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	5597
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	5598
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	5608
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	5609
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER	5611
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL	5610
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED	5600
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY	5603
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL	5601
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL	5617
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE	5602
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED	5612
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL	5613
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL	5614
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE	5615
POPULATION NONAPPROVED ITEM NAME ALL FSC	6727
POPULATION NONAPPROVED ITEM NAME FSC	6728
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY	6731
POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY	6734
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE	6732
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED	6733
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE	6729
POPULATION NONAPPROVED ITEM NAME FSC MANAGED	6730
PORT NUMBER	9213
POST OFFICE BOX	1361
POSTAL ZONE	2549
PRECIOUS METAL INDICATOR CODE 2	7826
PRECIOUS METAL INDICATOR CODE CODED REPLY	3572
PRECIOUS METAL INDICATOR CODE MRC	3573
PRECIOUS METAL INDICATOR CODE NOTE	5264
PRECIOUS METAL INDICATOR CODE TABLE TYPE	3574
PRECIOUS METALS INDICATOR CODE (PMIC)	0802
PRESERVATION MATERIAL CODE	5162
PREVIOUS UNIT OF ISSUE	2066
PRICE NOTE	3447

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PRICE VALIDATION CODE AIR FORCE DEFINITION	3191
PRICE VALIDATION CODE, AIR FORCE	0858
PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE W/I FII	0272
PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT	0262
PRIMARY BUSINESS CATEGORY CODE	1365
PRIMARY BUSINESS CATEGORY DEFINITION	3368
PRIMARY COMMUNICATIONS ROUTING INDICATOR INDICATOR	9214
PRIMARY DOCUMENT IDENTIFIER CODE	4549
PRIMARY FUNCTIONAL AREA	1945
PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT	6922
PRIMARY INVENTORY CONTROL ACTIVITY (PICA)	2866
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L	3505
PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE	5099
PRIME DRN	1948
PRIME NSN MCN	1489
PRINT CONTROL CODE	0234
PRINT SKELETON CODE	0368
PRINT SKELTON CODE 1	4445
PRINT SKELTON CODE 2	4446
PRINT SKELTON CODE 3	4447
PRINT/DRAWING SUPPRESSION INDICATOR CODE	8261
PRIORITY DESIGNATOR	2084
PRIORITY INDICATOR CODE	2867
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE	9688
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO	9689
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO	5821
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE	9690
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO	9691
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ZERO	5822
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE	9677
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO	9678
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO	5817
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	6266
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	9679
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO	9680
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO	5818
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR	9673
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE	9670
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE	9672
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO	9671
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO	5815
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD	5816
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE	9675
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO	9676
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL	9674
PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO	5819
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR	9684
PRIORITY INDICATOR CODE ACTIVITY PIC ONE	9681
PRIORITY INDICATOR CODE ACTIVITY PIC THREE	9683
PRIORITY INDICATOR CODE ACTIVITY PIC TWO	9682
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE	9686
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO	9687
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO	5820

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PRIORITY INDICATOR CODE ACTIVITY TOTAL	9685
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE	9699
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO	9700
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ZERO	5825
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE	9701
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO	9702
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ZERO	5826
PRIORITY INDICATOR CODE DEPARTMENT PIC CODE ZERO	5823
PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR	9695
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE	9692
PRIORITY INDICATOR CODE DEPARTMENT PIC THREE	9694
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO	9693
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE	9697
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO	9698
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ZERO	5824
PRIORITY INDICATOR CODE DEPARTMENT TOTAL	9696
PRIORITY INDICATOR CODE DESCRIPTION	9200
PRIORITY INDICATOR CODE TIME FRAME	5669
PRIORITY INDICATOR CODE TOTAL PROCESSED	6923
PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS	6921
PROCESSED 6	6661
PROCESSED TIMESTAMP	9201
PROCESSING COMPLETION DATE	1697
PROCESSING ERROR RESOLUTION	9411
PROCESSING TIME PER MACHINE	1415
PROCUREMENT SOURCE CODE	2063
PRODUCT TITLE	0982
PRODUCT TITLE RELATIVE ROW	3199
PRODUCT TITLE SORT SEQUENCE	3222
PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING	0757
PROGRAM CICS TRANSACTION IDENTIFIER	9199
PROGRAM IDENTIFIER	1108
PROGRAM NAME	9198
PROJECT CODE	2088
PROPORTION CHAR CD	2514
PROPORTION EDIT CRITERIA STATEMENT	0304
PROPORTION EDIT DATA GROUP	0305
PROPORTION EDIT SYMBOLOGY INDICATOR CODE	0762
PROPRIETARY INDICATOR	4409
PROPRIETARY INDICATOR	5066
PROPRIETARY NIINs EXCLUDED COUNT	1412
PRORATED CUBE (FEET)	2439
PRORATED WEIGHT (POUNDS)	2438
PROVISIONING SCREENING RECEIVER'S ADDRESS	0232
PSCN MCRL SERVICE AGENCY DESIGNATOR	5313
PSEUDO ACTIVITY CODE	0892
PSEUDO INC ITEM NAME CODE	3084
PSEUDO SOURCE OF SUPPLY CODE	0133
PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION	5113
PSN ZONE OR DECIMAL	1906
PUBLICATION CYCLE IDENTIFICATION LIST BASIC	0345
PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN	0346
PUBLICATION FIIG DATE	5065

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PUBLICATION INTRODUCTION IDENTIFIER CODE	0093
PUBLICATION INTRODUCTORY DATA	0399
PUBLICATION TERM	3192
PUBLICATION UNITS COUNT	1413
PUBLICATIONS TERM ABBREVIATION	3190
PUBLICATIONS UNIT IDENTIFICATION LIST	4234
QE NOTE	3448
QUALITY CONTROL COMPLETION DATE	1677
QUALITY CONTROL VALIDATE	0915
QUANTITATIVE EXPRESSION	8575
QUANTITATIVE EXPRESSION TERM	5258
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED	6934
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT	6935
QUANTITY OF COPIES REQUIRED	0261
QUANTITY OF OCCURRENCES	0116
QUANTITY PER ASSEMBLY	0106
QUANTITY PER SHIPPING CONTAINER	2443
QUANTITY PER UNIT PACK (QUP) CODE	6106
QUANTITY PER UNIT PACK CODE NOTE	5249
QUANTITY PER UNIT PACK CODE QUANTITY	5248
QUANTITY, ASSETS REPORTED	6060
QUANTITY, AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER	9541
QUARTERLY DIC ALL SAC RULES	5382
QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS	5401
QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL	5426
QUARTERLY DIC ALL OAC DEPARTMENT APPROVED	5424
QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL	5428
QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS	5430
QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES	5427
QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED	5423
QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED	5422
QUARTERLY DIC ALL OAC DEPARTMENT RETURNED	5425
QUARTERLY DIC ALL OAC DEPARTMENT RULES	5429
QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	5437
QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED	5435
QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL	5439
QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS	5441
QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	5438
QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED	5434
QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED	5433
QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED	5436
QUARTERLY DIC ALL OAC GRAND TOTAL RULES	5440
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE	5417
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED	5415
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	5419
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	5421
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC	5418
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	5414
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	2176
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED	5416
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES	5420
QUARTERLY DIC ALL SAC APPROVED	5375
QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES	5388

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
QUARTERLY DIC ALL SAC DEPARTMENT APPROVED	5386
QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL	5390
QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS	5392
QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES	5389
QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED	5385
QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED	5384
QUARTERLY DIC ALL SAC DEPARTMENT RETURNED	5387
QUARTERLY DIC ALL SAC DEPARTMENT RULES	5391
QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED	5395
QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL	5399
QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES	5398
QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED	5394
QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED	5393
QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED	5396
QUARTERLY DIC ALL SAC GRAND TOTAL RULES	5400
QUARTERLY DIC ALL SAC NIIN STATUS	5383
QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES	5380
QUARTERLY DIC ALL SAC PROCESSED	5374
QUARTERLY DIC ALL SAC RECEIVED	5373
QUARTERLY DIC ALL SAC RETURNED	5376
QUARTERLY DIC OAC ACTUAL DUPLICATES	5446
QUARTERLY DIC OAC DIC ACTUAL DUPLICATES	6820
QUARTERLY DIC OAC DIC APPROVED	6823
QUARTERLY DIC OAC DIC CLERICAL	6818
QUARTERLY DIC OAC DIC NIIN STATUS	6816
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES	6819
QUARTERLY DIC OAC DIC PROCESSED	6824
QUARTERLY DIC OAC DIC RECEIVED	6825
QUARTERLY DIC OAC DIC RETURNED	6821
QUARTERLY DIC OAC DIC RULES	6817
QUARTERLY DIC OAC TOTAL APPROVED	5444
QUARTERLY DIC OAC TOTAL CLERICAL	5448
QUARTERLY DIC OAC TOTAL NIIN STATUS	5450
QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES	5447
QUARTERLY DIC OAC TOTAL PROCESSED	5443
QUARTERLY DIC OAC TOTAL RECEIVED	5442
QUARTERLY DIC OAC TOTAL RETURNED	5445
QUARTERLY DIC OAC TOTAL RULES	5449
QUARTERLY DIC SAC DIC ACTUAL DUPLICATES	6830
QUARTERLY DIC SAC DIC APPROVED	6833
QUARTERLY DIC SAC DIC CLERICAL	6828
QUARTERLY DIC SAC DIC NIIN STATUS	6826
QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES	6829
QUARTERLY DIC SAC DIC PROCESSED	6834
QUARTERLY DIC SAC DIC RECEIVED	6835
QUARTERLY DIC SAC DIC RETURNED	6831
QUARTERLY DIC SAC DIC RULES	6827
QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES	5408
QUARTERLY DIC SAC TOTAL APPROVED	5406
QUARTERLY DIC SAC TOTAL CLERICAL	5410
QUARTERLY DIC SAC TOTAL NIIN STATUS	5412
QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES	5409
QUARTERLY DIC SAC TOTAL PROCESSED	5405

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
QUARTERLY DIC SAC TOTAL RECEIVED	5402
QUARTERLY DIC SAC TOTAL RULES	5411
QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES	5397
QUATERLY DIC ALL SAC ACTUAL DUPLICATES	5379
QUATERLY DIC ALL SAC CLERICAL	5381
QUATERLY DIC SAC TOTAL RETURNED	5407
QUEUE IDENTIFICATION	0900
QUP NOTE	3499
RAIL VARIATION CODE	4760
RANDOM SAMPLE INDICATOR CODE	2671
RANGE AND MATERIAL CRITERIA	2257
RAW FIIG INC 9001 USAGE	6687
RAW FIIG INC ACTUAL MATCH	6682
RAW FIIG INC INPUT	6680
RAW FIIG INC MAINTENANCE INPUT	6685
RAW FIIG INC MAINTENANCE MATCH	6686
RAW FIIG INC NEW INPUT	6683
RAW FIIG INC NEW MATCH	6684
RAW FIIG INC POSSIBLE MATCH	6681
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER	9484
REASON FOR RETURN/NOTIFICATION CODE	7325
RECEIVED SEND TIMESTAMP	9202
RECEIVED TIMESTAMP	9204
RECEIVER ACTIVITY INDICATOR	2145
RECIPROCAL PERMANENT SYSTEM CONTROL NUMBER	0764
RECORD COLUMN	2109
RECORD COUNT PER ACTIVITY	1408
RECORD COUNT PER DOCUMENT NUMBER	1409
RECORD IDENTIFIER	2405
RECORD IMAGE	1407
RECORD TYPE	2637
RECORDED SUBMITTED DRN VALUE	9979
RECORDED SUSPENSE FILE ENTRY DATE	0870
RECORDS ADDED COUNT PER ACTIVITY/FSC	1410
RECORDS CHANGED COUNT PER ACTIVITY/FSC	1411
RECORDS DELETED COUNT PER ACTIVITY/FSC	1406
RECOVERABILITY CODE EXPLANATION MARINE CORPS	3154
RECOVERABILITY CODE EXPLANATION, ARMY	5259
RECOVERABILITY CODE, ARMY	2892
RECOVERABILITY CODE, MARINE CORPS	2891
RECOVERABLE ITEM MOVEMENT CONTROL SYSTEM DATA (RIMCS) EFF DT	2082
RECOVERY CODE	1873
REEL COUNT	1404
REEL FIRST CERTIFICATION NUMBER	1405
REEL FIRST NIIN	1402
REEL LAST CERTIFICATION NUMBER	1403
REEL LAST NIIN	1400
REEL NATIONAL STOCK NUMBER (NSN) COUNT	1401
REEL NUMBER	3459
REEL SEQUENCE	1398
REEL SERIAL NUMBER	1399
REFERENCE	1883
REFERENCE BACK MASTER REQUIREMENT CODE	4475

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REFERENCE DRAWING GROUP DESIGNATION	3565
REFERENCE DRAWING GROUP TITLE	0964
REFERENCE METHOD 2	6677
REFERENCE METHOD 7	1701
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC)	2900
REFERENCE NUMBER CATEGORY CODE (RNCC)	2910
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE	3130
REFERENCE NUMBER CATEGORY CODE EXPLANATION	5125
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE	3109
REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE	3105
REFERENCE NUMBER CATEGORY CODE NOTE	5126
REFERENCE NUMBER CATEGORY CODE RNCC INCOMING	3128
REFERENCE NUMBER CHARACTER COUNTER	0209
REFERENCE NUMBER DATA SEGMENT	9102
REFERENCE NUMBER DECISION CATEGORY CODE	2561
REFERENCE NUMBER DUPLICATION DECISION	3133
REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR	3117
REFERENCE NUMBER FORMAT CODE (RNFC)	2920
REFERENCE NUMBER FORMAT CODE EXPLANATION	5114
REFERENCE NUMBER FORMAT CODE NOTE	5115
REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER	2023
REFERENCE NUMBER JUSTIFICATION CODE	2750
REFERENCE NUMBER JUSTIFICATION CODE EXPLANATION	5121
REFERENCE NUMBER JUSTIFICATION CODE NOTE	5122
REFERENCE NUMBER STATUS CODE	2923
REFERENCE NUMBER STATUS CODE EXPLANATION	5131
REFERENCE NUMBER TOTAL OUT TO MANUFACTURER	2022
REFERENCE NUMBER VARIATION CODE (RNVC)	4780
REFERENCE NUMBER VARIATION CODE (RNVC) DATA BASE	3131
REFERENCE NUMBER VARIATION CODE EXPLANATION	5127
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE	3110
REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE	3106
REFERENCE NUMBER VARIATION CODE NOTE	5128
REFERENCE NUMBER VARIATION CODE RNVC INCOMING	3129
REFERENCE NUMBER, LOGISTICS	3570
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE EXPLN	5119
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE NOTE	5120
REFERENCE SCREENING INDICATOR	3101
REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (RPDMRC)	4765
REIMBURSEMENT CODE	2930
REIMBURSEMENT CODE EXPLANATION	3185
REINSPECTION LIMIT (RL)	7980
REINSPECTION PERIOD (RM)	7981
REJECT MESSAGE	1396
REJECTED TRANSACTION FLAG	9205
REJECTED TRANSACTION TIMESTAMP	9206
RELATED ASSEMBLY	2522
RELATED DATA ELEMENT CODES	0438
RELATED END ITEM WEAPON SYSTEM	2524
RELATED FEDERAL SUPPLY CLASS	3981
RELATED ITEM NAME CODE	2926
RELATED NATIONAL STOCK NUMBER	2895
RELATED SCREENING DATA SEGMENT	9116



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
RELATED SKO	2523
RELATIONSHIP CODE	1486
RELATIONSHIP EDIT CRITERIA STATEMENT	8454
RELATIONSHIP EDIT DATA GROUP	3673
RELEASE	0916
RELEASE COUNT TO CICS	9065
RELEASED TRANSACTION COUNT	9207
RELEASED TRANSACTION TIMESTAMP	9208
REMAIN IN PLACE INDICATOR	1482
REMOTE OUTPUT DATA REQUEST CODE	1102
REMOTE OUTPUT DEVICE CODE	0849
REMOTE OUTPUT FORMAT CODE	0841
REORDER TRANSACTION TIMESTAMP	9209
REORGANIZATION STATUS FLAG IDENTIFIER	9504
REPAIR MAINTENANCE CODE	1465
REPAIR NET PRICE	5235
REPARABILITY ACTIVITY LOA NSN	1650
REPARABILITY ACTIVITY NSN	1651
REPARABILITY CODE	2745
REPARABILITY CODE ARMY	2933
REPARABILITY CODE COAST GUARD EXPLANATION	3180
REPARABILITY CODE, COAST GUARD	0709
REPARABILITY DEPARTMENT LOA NSN	1652
REPARABILITY DEPARTMENT NSN	1653
REPARABLE CHARACTERISTICS INDICATOR CODE, DLA	2934
REPARABLE CHARACTERISTICS INDICATOR CODE, DLA DEFINITION	5261
REPEATING SEGMENT INDICATOR	4594
REPLACED AMMUNITION CODE	8815
REPLACED FEDERAL SUPPLY CLASS CODE	2647
REPLACED ITEM NAME CODE	2646
REPLACED NATIONAL STOCK NUMBER, STANDARDIZATION RELATIONSHIP	8977
REPLACED PSCN, STANDARDIZATION RELATIONSHIP	8979
REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE	3595
REPLACEMENT IDENTIFICATION NUMBER, DRAWING CROSS-REFERENCE	1241
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1	0226
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 2	2526
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 3	2527
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 4	2528
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 5	2529
REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER	4300
REPLACEMENT NATIONAL STOCK NUMBER ACCEPTANCE CODE	0853
REPLACEMENT NATIONAL STOCK NUMBER, CANCELLATION	8875
REPLACEMENT NATIONAL STOCK NUMBER, FOR A PSCN	8878
REPLACEMENT NATO SUPPLY CODE FOR MANUFACTURERS	9292
REPLACEMENT NSN, STANDARDIZATION RELATIONSHIP	9525
REPLACEMENT PERMANENT SYSTEM CONTROL NUMBER, CANCELLATION	8985
REPLACEMENT PSCN, STANDARDIZATION RELATIONSHIP	9530
REPLY CANCELLATION PROPOSAL TEXT	6999
REPLY CONVERSION CRITERIA STATEMENT	8453
REPLY CONVERSION INDICATOR	8326
REPLY COUNTS	0894
REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST	3612
REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST	3616

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REPLY DECODE GUIDE	0366
REPLY FIELD DISPLAY CRITERIA, DD FORM 146	8327
REPLY INSTRUCTION	2242
REPLY RECORD COUNT	0442
REPLY SEQUENCE NUMBER	4408
REPLY TABLE CODE, FIIG DECODE GUIDES	3845
REPLY TABLE CODE, MASTER REQUIREMENTS DIRECTORY (MRD)	8254
REPLY TABLE CODES STATUS INDICATOR	3463
REPLY TABLE DECODE SEQUENCE NUMBER	0510
REPLY TABLE STATUS INDICATOR	2498
REPORT REQUEST CODE	1896
REPORTABLE ITEM CONTROL CODE	1479
REPORTING DATE	1996
REPORTING PERIOD	0911
REPORTING PERIOD	1995
REPOSITORY AVERAGE INQUIRY RESPONSE TIME	1274
REPOSITORY BATCH AVERAGE OFFERED	7272
REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7308
REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH	7310
REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY	7307
REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED	7278
REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7280
REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7277
REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7284
REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH	7286
REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	7283
REPOSITORY BATCH INQUIRY PERCENT OF MATCH	7274
REPOSITORY BATCH NIIN AVERAGE OFFERED	7302
REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH	7304
REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY	7301
REPOSITORY BATCH PART NUMBER AVERAGE OFFERED	7290
REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7292
REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY	7289
REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED	7296
REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7298
REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7295
REPOSITORY BATCH TOTAL OFFERED QUANTITY	7271
REPOSITORY CITY	0884
REPOSITORY CLEAR TEXT - 1	0889
REPOSITORY CLEAR TEXT - 2	2625
REPOSITORY CLEAR TEXT - 3	2626
REPOSITORY CLEAR TEXT - 4	2627
REPOSITORY E MAIL ADDRESS	2624
REPOSITORY IDENTIFIER	2638
REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER	2345
REPOSITORY IDENTIFIER FOR NIIN	2346
REPOSITORY IDENTIFIER FOR TITLE	2286
REPOSITORY NAME	0882
REPOSITORY OFFICE SYMBOL	2621
REPOSITORY ON-LINE AVERAGE OFFERED	7356
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7761
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7760
REPOSITORY ON-LINE DATA ASSET INDENT INQUIRY PCT OF MATCH	7776

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REPOSITORY ON-LINE DOCUMENT NUMBER AVERAGE OFFERED QUANTITY	7775
REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7745
REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7743
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7749
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	7747
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	7748
REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH	7358
REPOSITORY ON-LINE NIIN AVERAGE OFFERED	7755
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH	7757
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY	7754
REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED	7772
REPOSITORY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7774
REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7771
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7766
REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7768
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7765
REPOSITORY ON-LINE TOTAL OFFERED QUANTITY	7355
REPOSITORY STATE/U.S. POSSESSION ABBREVIATION	2622
REPOSITORY STREET ADDRESS	0883
REPOSITORY TELEPHONE EXTENSION	2574
REPOSITORY TELEPHONE NUMBER	2572
REPOSITORY TITLE ADD TRANSACTIONS QUANTITY	1247
REPOSITORY TITLE CURRENT QUANTITY	1250
REPOSITORY TITLE DELETE TRANSACTION QUANTITY	1248
REPOSITORY TITLE ERROR TRANSACTION QUANTITY	1246
REPOSITORY TITLE PERCENT OF CHANGE	1251
REPOSITORY TITLE PREVIOUS QUANTITY	1249
REPOSITORY TITLE TRANSACTION QUANTITY	1245
REPOSITORY TYPE OF PHONE NUMBER CODE	2571
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	1252
REPOSITORY ZIP CODE	2623
REPROCESSED TIMESTAMP	9203
REPROCESSING ENTRY POINT	1874
REPRODUCTION COMPLETION DATE	1711
REQUEST CODE	0973
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE	2179
REQUIREMENT REPLY INSTRUCTION	2648
REQUIREMENT STATEMENT	3614
REQUIREMENT STATEMENT CHARACTER CTR	0213
REQUIREMENT STATEMENT DEFINITION	5027
REROUTE TRANSACTION KEY	9763
REROUTED TRANSACTION TIMESTAMP	9210
REPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH	7751
RESTART COMMIT IDENTIFIER	9515
RESTORE FLAG	9066
RESTORE STATUS FLAG	9314
RESULT ACTION	3104
RETURN CODE	9480
RETURN CODE COMMENT	4559
RETURN CODE COUNT	1998
RETURN CODE DEFINITION AND INSTRUCTION	3140
RETURN CODE DRN COMMENT	4557
RETURN TO COUNTRY CODE	1002

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
RETURN TO COUNTRY PERCENT	1974
RETURN TO COUNTRY PERCENT TOTAL	1975
RETURN TO COUNTRY QUANTITY	1976
RETURN TO COUNTRY QUANTITY TOTAL	1977
RETURN TO COUNTRY TOTAL	1999
RETURNED 6	6663
REVISION LEVEL	2644
RNAAC INDICATOR	2221
ROLL UP CODE	9460
ROLL UP DEPARTMENT CODE	9459
ROLL-UP DOCUMENT IDENTIFIER CODE	2097
ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION	2098
ROUTING IDENTIFIER CODE, DEFENSE PROPERTY DISPOSAL OFFICE	3342
ROW HOLD FLAG IDENTIFIER	9191
ROW INDICATOR	4205
ROW NUMBER	4518
ROW OBSOLETE DATE	4489
RPDMRC KFP FOLLOW UP DATE	4532
RPDMRC KFP FOLLOW UP INDICATOR	4531
RULE INDICATOR CODE, SECTION II, FIIG	0322
SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER	8330
SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER	8337
SAMPLE SIZE QUANTITY	2675
SCHEDULES REMOVAL COMPONENT CARD CODE COUNT	1466
SCREEN IDENTIFICATION CODE	0981
SCREEN NAME	1680
SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY	6212
SCREENING CRITERIA	8456
SCREENING KEY INDICATORS	2169
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED	5469
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED	5470
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY	5472
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS	5471
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED	5477
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED	5480
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS	5479
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED	5473
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED	5474
SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED	5476
SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT	5475
SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED	5478
SCREENING LSN NSN TOTAL MATCHED	5481
SCREENING LSN NSN TOTAL NOT MATCHED	5482
SCREENING LSN NSN TOTAL RECEIVED	5484
SCREENING LSN NSN TOTAL REJECT	5483
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED	6241
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED	6244
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS	6243
SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED	6242
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH	6250
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED	6252
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH	6249
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT	6251

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED	6245
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED	6246
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED	6248
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT	6247
SCREENING PREPROCUREMENT NSN TOTAL MATCHED	6253
SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED	6254
SCREENING PREPROCUREMENT NSN TOTAL RECEIVED	6256
SCREENING PREPROCUREMENT NSN TOTAL REJECT	6255
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED	5461
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH	5462
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED	5464
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED	5463
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH	5451
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED	5452
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED	5454
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS	5453
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED	5455
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD	5460
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT	5459
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH	5456
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED	5465
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED	5466
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED	5468
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED	5467
SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED	6209
SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH	6210
SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS	6211
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED	6213
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH	6214
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED	6216
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT	6215
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED	6217
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH	6218
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED	6220
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS	6219
SCREENING PROVISIONING NSN TOTAL MATCHED	6221
SCREENING PROVISIONING NSN TOTAL NOT MATCHED	6222
SCREENING PROVISIONING NSN TOTAL RECEIVED	6224
SCREENING PROVISIONING NSN TOTAL REJECT	6223
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED	6233
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH	6234
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED	6236
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED	6235
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED	6230
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH	6225
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED	6226
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED	6228
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS	6227
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED	6229
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED	6232
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED	6231
SCREENING PROVISIONING REFERENCE TOTAL MATCHED	6237
SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED	6238

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SCREENING PROVISIONING REFERENCE TOTAL RECEIVED	6240
SCREENING PROVISIONING REFERENCE TOTAL REJECTED	6239
SCREENING REFERENCE NUMBER CATEGORY CODE	3115
SCREENING REFERENCE NUMBER VARIATION CODE	3116
SCREENING REQUEST, NIIN DATA SEGMENT	9124
SCREENING REQUEST, REFERENCE NUMBER DATA SEGMENT	9125
SCREENING RESPONSE HEADER SEGMENT	9122
SCREENING SEARCH KEY CODE	1047
SEARCH SCREENING INDICATOR CODE	0323
SECOND FORMER NAME OR LOCATION	1363
SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4692
SECOND PHRASE CODE	3049
SECOND QUARTER CURRENT FISCAL YEAR 1	6670
SECONDARY ADDRESS CODE	8990
SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR	0115
SECONDARY ADDRESS INDICATOR CODE	9485
SECONDARY INVENTORY CONTROL ACTIVITY (SICA)	2938
SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY	9547
SECONDARY SEQUENCE CODE	0513
SECONDARY SEQUENCING DECODE GUIDE	0367
SECTION II EDIT DATA GROUP	0340
SECTION RULE TABLE NUMBER	8585
SEGMENT CODE SUPPLEMENTAL EXPLANATION	3174
SEGMENT CODE, SUPPLEMENTAL	0225
SEGMENT CODE, SUPPLEMENTAL, INPUT	0252
SEGMENT INPUT TRANSACTIONS	4508
SEGMENT LENGTH	0189
SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE	3143
SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE	3144
SEGMENT SEQUENCER	9414
SEGMENT V TERMINATOR CODE	0339
SEGMENT X - NATO ITEM APPLICATION DATA	2521
SEQUENCE KEY	3043
SEQUENCE NUMBER, DRAWING CROSS REFERENCE	1240
SEQUENCE NUMBER, HIGHEST DOCUMENT CONTROL NUMBER	2199
SEQUENCE NUMBER, LOWEST DOCUMENT CONTROL NUMBER	2198
SEQUENCING CODE	0487
SEQUENCING INSERT CODE	2282
SEQUENTIAL NIIN FILE END DATE	9308
SEQUENTIAL NIIN FILE TYPE UPDATE	9309
SERIAL NUMBER CONTROL CODE EXPLANATION	3182
SERIAL NUMBER CONTROL CODE, COAST GUARD	0763
SERVICE AGENCY	2247
SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED	7235
SERVICE AGENCY BATCH TOTAL OFFERED	7228
SERVICE AGENCY DESIGNATOR CODE DEFINITION	5319
SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED	7702
SERVICE CODE P S EXPLANATION	3449
SERVICE CODE, PROVISIONING SCREENING DESTINATION TABLE	0264
SERVICE INDICATOR CODE, DRIS	0654
SERVICE NAME	3479
SERVICE QUALITY LEVEL (SQL)	7985
SERVICE SICA	3493

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SERVICE/ACTIVITY & ADDRESS, SOURCE OF SUPPLY CODE	5108
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME	1268
SERVICE/AGENCY BATCH AVERAGE OFFERED	7229
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH	7268
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7266
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7265
SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH	7243
SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH	7237
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7241
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY	7240
SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH	7231
SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED	7260
SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH	7262
SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY	7259
SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH	7256
SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED	7248
SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7250
SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY	7246
SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED	7254
SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7253
SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY	7400
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY	7402
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY	7404
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY	7401
SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY	7399
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE	7405
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY	7403
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY	7406
SERVICE/AGENCY DESIGNATOR CODE (SADC)	4672
SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY	7416
SERVICE/AGENCY NIIN CURRENT QUANTITY	7419
SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY	7417
SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY	7415
SERVICE/AGENCY NIIN PERCENT OF CHANGE	7420
SERVICE/AGENCY NIIN PREVIOUS QUANTITY	7418
SERVICE/AGENCY NIIN TRANSACTION QUANTITY	7414
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	7708
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	7732
SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH	7740
SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY	7737
SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7738
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY	7712
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH	7716
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY	7713
SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH	7710
SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH	7704
SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH	7734
SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY	7731
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH	7728
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED	7720
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7722
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7719
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7726

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY	7725
SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY	7701
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7714
SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY	7409
SERVICE/AGENCY PART NUMBER CURRENT QUANTITY	7412
SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY	7410
SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE	7413
SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY	7411
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	7407
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	7408
SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY	7423
SERVICE/AGENCY TITLE CURRENT QUANTITY	7426
SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY	7424
SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY	7422
SERVICE/AGENCY TITLE PERCENT OF CHANGE	7427
SERVICE/AGENCY TITLE PREVIOUS QUANTITY	7425
SERVICE/AGENCY TITLE TRANSACTION QUANTITY	7421
SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY	7396
SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY	7398
SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY	7397
SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY	7395
SERVICE/AGENCY TOTAL TRANSACTION QUANTITY	7394
SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	7428
SERVICE/CONTRACTOR IDENTIFICATION CODE	0744
SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL	0877
SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL	0878
SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL	0879
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION	5236
SETS KITS AND OUTFITS FEDERAL SUPPLY CLASS	8594
SETS KITS AND OUTFITS ITEM NAME	8596
SETS KITS AND OUTFITS QUANTITY	8593
SETS KITS OUTFITS NATIONAL CODIFICATION BUREAU CODE	8582
SETS KITS OUTFITS NIIN	8591
SETS KITS OUTFITS NIIN ITEM IDENTIFICATION NUMBER	8581
SGML ELEMENT NAME	9481
SGML FORMATTING KEEP VALUE	9476
SGML SORT SELECTION MAIN VALUE	9475
SGML SORT SELECTION VALUE 1	9471
SGML SORT SELECTION VALUE 2	9472
SGML SORT SELECTION VALUE 3	9473
SGML SORT SELECTION VALUE 4	9474
SHELF LIFE ACTION CODES	1485
SHELF LIFE CODE	2943
SHELF LIFE CODE NOTE	5239
SHELF LIFE MONTH (SL)	7982
SHIP TO STOCK RECORD ACCOUNT NUMBER	2086
SHIPPING CODE	2249
SHIPPING CONTAINER CUBE	2284
SHIPPING CONTAINER DIAMETER	2449
SHIPPING CONTAINER HEIGHT	2448
SHIPPING CONTAINER LENGTH	2322
SHIPPING CONTAINER WEIGHT	2450
SHIPPING CONTAINERS PER PALLET	2390



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SHORT NAME	2301
SICA ACTIVITY INDICATOR	2141
SICA LEVEL OF AUTHORITY CODE DEFINITION	5302
SINGLE HANDLING CONDITION CODE	5226
SINGLE MANAGER ACTIVITY CODE	3680
SINGLE MULTIPLE OUTPUT CODE EXPLANATION	3455
SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT	1557
SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT	1556
SINGLE SUBMITTING ACTIVITY CODE	9255
SINGLE/MULTIPLE OUTPUT CODE	4535
SIX DIGIT TIME	1871
SIZE OF BUSINESS CODE	1364
SIZE OF BUSINESS CODE DEFINITION	3367
SKELETON CODE	2319
SKIP COUNT	4412
SLC NOTE	3495
SNA REMOTE SYSTEM IDENTIFIER	3054
SORT ALLOWED INDICATOR	9482
SORT CONTROL DATA	1067
SORT SUPPRESS	0822
SORTING PRIORITY CODE IDENTIFICATION LIST DATA	8335
SOS NOTE	3498
SOSM NOTE	3496
SOURCE OF REQUEST	3200
SOURCE OF SUPPLY (SOS) CODE	3690
SOURCE OF SUPPLY CODE CONDITIONAL NOTE	5109
SOURCE OF SUPPLY MODIFIER (SOSM) CODE	2948
SOURCE OF SUPPLY MODIFIER CODE EXPLANATION	5252
SOURCE OF SUPPLY MODIFIER CODE NOTE	5253
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX	3597
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER	3596
SPACE ALLOCATION	9313
SPECIAL CONTROL ITEM CODE	1480
SPECIAL HANDLING CODE	9240
SPECIAL HANDLING CODE CONDITIONAL NOTE	5230
SPECIAL HANDLING CODE EXPLANATION	3168
SPECIAL MARKING CODE	5169
SPECIAL MATERIAL APPLICATION ITEM OR KIT	3155
SPECIAL MATERIAL CONTENT CODE	0121
SPECIAL MATERIAL CONTENT CODE EXPLANATION	3172
SPECIAL MATERIAL IDENTIFICATION CODE	2834
SPECIAL NOTATIONS	5028
SPECIAL PACKAGING INSTRUCTION (SPI) DATE	5177
SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER	5175
SPECIAL PACKAGING INSTRUCTION (SPI) REVISION	5176
SPECIAL PACKAGING REQUIREMENT CODE	0725
SPECIAL PACKAGING REQUIREMENT CODE EXPLANATION	5216
SPECIAL PACKING INSTRUCTION DATE	2074
SPECIAL PACKING INSTRUCTION INDICATOR	2076
SPECIAL REQUIREMENT CODE (SRC)	7983
SPECIAL SOURCE OF SUPPLY INPUT	0296
SPECIAL PACKING INSTRUCTION NUMBER	2081
STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO	9368

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE	4829
STANDARD INDUSTRIAL CODE TITLE TEXT	4838
STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT	0111
STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA	0112
STANDARDIZATION DECISION DATA SEGMENT	9104
STANDARDIZATION FEDERAL SUPPLY CLASS COUNT	1558
STANDARDIZATION SUBMITTING ACTIVITY CODE	0749
START RECORD INDICATOR CODE	0815
START TIME	1870
STAT ACCESS CURRENT ACTIVITY DEPARTMENT	2484
STAT ACCESS CURRENT STAT CODE ACTIVITY	2489
STAT ACCESS CURRENT USER CODE ACTIVITY	2481
STAT ACCESS GRAND TOTAL	2493
STAT ACCESS GRAND TOTAL CURRENT	2492
STAT ACCESS GRAND TOTAL HISTORY	2491
STAT ACCESS HISTORY ACTIVITY DEPARTMENT	2483
STAT ACCESS HISTORY DEPARTMENT STAT	2486
STAT ACCESS HISTORY STAT	2488
STAT ACCESS HISTORY USER CODE ACTIVITY	2480
STAT ACCESS TOTAL ACTIVITY DEPARTMENT	2485
STAT ACCESS TOTAL DEPARTMENT STAT	2487
STAT ACCESS TOTAL STAT	2490
STAT ACCESS TOTAL USER CODE ACTIVITY	2482
STAT DEPARTMENT ACTIVITY DATE CHANGED	0908
STAT DEPARTMENT ACTIVITY DATE ESTABLISHED	0906
STATE NAME	4490
STATE/U.S. POSSESSION ABBREVIATION	0186
STATION SERIAL NUMBER	9765
STATISTIC EXCEPTION DEPARTMENT IDENTIFIER	3424
STATISTICAL INDICATOR CODE	3708
STATISTICAL INDICATOR CODE EXPLANATION	5133
STATISTICAL MOE MASTER INQUIRY COUNT	1536
STATISTICAL MOE MASTER INQUIRY ERROR COUNT	1537
STATISTICS ACCESS DATE	9705
STATISTICS ACTIVITY	0898
STATISTICS COMMODITY CATEGORY	3995
STATISTICS DAC SERVICE ACTIVITY	6592
STATISTICS DEPARTMENT	0897
STATISTICS DEPARTMENT NAME	9704
STATISTICS JULIAN DATE	7646
STATISTICS LEVEL OF AUTHORITY CODE	3066
STATISTICS LEVEL OF AUTHORITY CODE1	3065
STATISTICS LEVEL OF AUTHORITY CODE2	3067
STATISTICS LEVEL OF AUTHORITY CODE3	3068
STATISTICS LEVEL OF AUTHORITY CODE4	3069
STATISTICS LEVEL OF AUTHORITY CODE5	3070
STATISTICS LEVEL OF AUTHORITY CODE6	3071
STATISTICS LEVEL OF AUTHORITY COMBINATION	3090
STATISTICS LIMITED RIGHTS GROUP	8159
STATISTICS LOG DATE	3339
STATISTICS MANAGER	2506
STATISTICS NAME	5668
STATISTICS REASON CODE	0910

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
STATISTICS REQUEST DATE	0899
STATISTICS REQUEST TYPE IDENTIFIER	3421
STATISTICS RETURN CATEGORY	5666
STATISTICS SERVICE AGENCY PREFERENCE CODE	3844
STATISTICS USER REQUEST DATE	3309
STATISTICS VALID DEPARTMENT IDENTIFIER	3422
STATUS CODE NAME/FEDERAL SUPPLY CLASS	0320
STOCK FUND CREDIT INDICATOR	2062
STOP TIME	1869
STOP WORD CDM	4463
STORAGE CODE (SC)	7984
STORAGE TIME PERIOD	5237
STORE M J TABLE	4424
STORE M MAXIMUM	4426
STORE M MINIMUM	4425
STORE TYPE	4421
STORED JULIAN DATE	9462
STORES ACCOUNT EXPLANATION MARINE CORPS	3153
STORES ACCOUNT-MARINE CORPS	2959
STREET ADDRESS LINE 1	1082
STREET ADDRESS LINE 2	1083
STYLE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE	0768
STYLE NUMBER IDENTIFIER CODE, FIIG	0767
STYLE TITLE	0965
STYLE/REPLY CODE, IDENTIFICATION LIST DRAWING	0771
SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE	9545
SUBJECT TO ITEM MANAGEMENT CODING	9546
SUBJECT TO SINGLE SUBMITTER PROCEDURE	9544
SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT	0090
SUBMITTED FEDERAL SUPPLY CLASS	9075
SUBMITTED PACKAGE SEQUENCE NUMBER	8328
SUBMITTED RECORDED MRC REPLY	9919
SUBMITTER ACTIVITY INDICATOR	2143
SUBMITTER CONTROL NUMBER	1120
SUBMITTER RACF USERID	3205
SUBMITTING ACTIVITY CODE	3720
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F	6832
SUBMITTING ACTIVITY CODE, RELATED TRANSACTION	0780
SUBMODULE SELECTION KEY	9764
SUBSIDIARY DIVISION NAME	5274
SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)	1472
SUBSTITUTE ITEM NAME CODE	2281
SUBTOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY	0949
SUBTOTAL DLN PRODUCTS ISSUED	0951
SUPPLEMENTAL INSTRUCTIONS	5174
SUPPLEMENTAL SOURCE CODE	1483
SUPPLEMENTARY COLLABORATOR	2533
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT	1028
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE OUTPUT	1029
SUPPLEMENTARY RECEIVER	2534
SUPPLIER NAME	2245
SUPPLIER/RECEIVER AREA CODE	0635
SUPPLY CATEGORIES OF MATERIEL CODE	1481

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SUPPORT DATA INDICATOR	4623
SURCHARGE ERROR INDICATOR	2598
SURCHARGE PROCESSING INDICATOR CODE	0872
SURCHARGE PROCESSING UNIT PRICE	2599
SURCHARGE PROCESSING YEAR	2597
SYMBOL INDICATOR	3456
SYSTEM CONTROL NUMBER (SCN)	3735
SYSTEM SUPPORT RECORD OUTPUT SEGMENT	0242
TABLE ACCESS COUNT BY USER IDENTIFICATION	1290
TABLE ACCESS DATE	1291
TABLE ALLOCATION	2471
TABLE COLUMN HEADERS	1292
TABLE COLUMN NUMBER	1078
TABLE COLUMN WIDTH	1301
TABLE CUSTODIAN	2232
TABLE CUSTODIAN ALTERNATE	2231
TABLE ELEMENT IDENTIFICATION	1079
TABLE ENTRY	1293
TABLE ENTRY DATE	1294
TABLE ENTRY EFFECTIVE DATE	1295
TABLE ENTRY KEY	2755
TABLE ENTRY NUMBER	0437
TABLE FORMAT PARAMETERS	1296
TABLE NAME REMAINDER	4449
TABLE NUMBER	1298
TABLE RESPONSIBLE DIRECTORATE	2233
TABLE ROW COUNT	1302
TABLE VALIDITY CRITERIA DATA	1303
TABLE VALIDITY DESCRIPTION TYPE CODE	1304
TABLE VOLUME	2473
TABLE/VARIABLE INDICATOR CODE	0941
TABULAR PRINT POSITION	0543
TAIL SEQUENCE NUMBER	4403
TAILORED ACT CODE	2513
TAILORED CHAR INDICATOR	2512
TAXPAYER IDENTIFIER	3401
TAXPAYER IDENTIFIER EXEMPTION CODE	3402
TAXPAYER IDENTIFIER EXEMPTION DEFINITION	3371
TEAM CODE	1987
TECHNICAL DATA SUPPORT CODE	2980
TECHNICAL DATA SUPPORT CODE COMPUTATION DAC	5129
TECHNICAL DATA SUPPORT CODE COMPUTATION NOTE	5130
TECHNICAL DATA TABLE NUMBER	2243
TECHNICAL DOCUMENT NUMBER	2893
TECHNICAL EDIT CRITERIA STATEMENT	8452
TECHNICAL EDIT DATA GROUP	3668
TECHNICAL DOCUMENT CONTROL NUMBER TOTAL	2015
TELEPHONE NUMBER	1359
TEMPORARY STORAGE QUEUE NAME	9408
TERM/ABBREVIATION H6 DATA GROUP	0405
TERMINAL AVERAGE INQUIRY RESPONSE TIME	1280
TERMINAL BATCH AVERAGE OFFERED	7314
TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH	7352

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TERMINAL BATCH DATA ASSET IDENTIFER TOTAL OFFERED QTY	7349
TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7350
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY	7348
TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	7351
TERMINAL BATCH DOCUMENT NUMBER AVERAGE OFFERED	7320
TERMINAL BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7322
TERMINAL BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7319
TERMINAL BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7326
TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH	7328
TERMINAL BATCH DOCUMENT NUMBER/CAGE NOT MATCHED QUANTITY	7327
TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	2056
TERMINAL BATCH INQUIRY PERCENT OF MATCH	7316
TERMINAL BATCH NIIN AVERAGE OFFERED	7344
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH	7346
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY	7343
TERMINAL BATCH PART NUMBER AVERAGE OFFERED	7332
TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7334
TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY	7331
TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED	7338
TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7340
TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7337
TERMINAL BATCH TOTAL OFFERED QUANTITY	7313
TERMINAL IDENTIFIER CODE	0838
TERMINAL ON-LINE AVERAGE OFFERED	7780
TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH	7184
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7182
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY	7180
TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	7183
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7181
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH	7794
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED	7786
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7788
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7785
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7792
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	7790
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	7791
TERMINAL ON-LINE INQUIRY PERCENT OF MATCH	7782
TERMINAL ON-LINE NIIN AVERAGE OFFERED	7176
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH	7178
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY	7175
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED	7798
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY	7797
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7804
TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7806
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7803
TERMINAL ON-LINE TOTAL OFFERED QUANTITY	7779
TERMINAL SERIAL NUMBER	0840
TEST REQUIREMENTS CODE (TC)	7986
TEST/PRODUCTION MODE IDENTIFICATION CODE	1397
TEXT KEYWORD	3063
TEXT TABLE HEADER INDICATOR	3453
TEXTUAL LINE	4519
THICKNESS OF CUSHIONING OR DUNNAGE CODE	5165

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4693
THIRD MODE CODE INDICATOR	0584
THIRD QUARTER CURRENT FISCAL YEAR 1	6671
TIME APPLICATION COMPLETED TRANSACTION	1095
TIME RANGE 1 TO 10 SECONDS 2	1265
TIME RANGE 1 TO 10 SECONDS 3	1271
TIME RANGE 1 TO 10 SECONDS 4	1277
TIME RANGE 1 TO 10 SECONDS A1A	7505
TIME RANGE 1 TO 10 SECONDS A1B	7469
TIME RANGE 1 TO 10 SECONDS A1C	7475
TIME RANGE 1 TO 10 SECONDS A1D	7481
TIME RANGE 1 TO 10 SECONDS A1E	7487
TIME RANGE 1 TO 10 SECONDS A1F	7493
TIME RANGE 1 TO 10 SECONDS A2	7499
TIME RANGE 1 TO 10 SECONDS A2B	7511
TIME RANGE 1 TO 10 SECONDS A2C	7517
TIME RANGE 1 TO 10 SECONDS A2D	7523
TIME RANGE 1 TO 10 SECONDS A2E	7529
TIME RANGE 1 TO 10 SECONDS A2F	7535
TIME RANGE 1 TO 10 SECONDS A3	7541
TIME RANGE 1 TO 10 SECONDS A3A	7547
TIME RANGE 1 TO 10 SECONDS A3B	7553
TIME RANGE 1 TO 10 SECONDS A3C	7559
TIME RANGE 1 TO 10 SECONDS A3D	7565
TIME RANGE 1 TO 10 SECONDS A3E	7571
TIME RANGE 1 TO 10 SECONDS A3F	7576
TIME RANGE 1 TO 10 SECONDS A4	7583
TIME RANGE 1 TO 10 SECONDS A4A	7589
TIME RANGE 1 TO 10 SECONDS A4B	7595
TIME RANGE 1 TO 10 SECONDS A4C	7601
TIME RANGE 1 TO 10 SECONDS A4D	7607
TIME RANGE 1 TO 10 SECONDS A4F	7619
TIME RANGE 11 TO 30 SECONDS 2	1266
TIME RANGE 11 TO 30 SECONDS 3	1272
TIME RANGE 11 TO 30 SECONDS 4	1278
TIME RANGE 11 TO 30 SECONDS A1B	7470
TIME RANGE 11 TO 30 SECONDS A1C	7476
TIME RANGE 11 TO 30 SECONDS A1D	7482
TIME RANGE 11 TO 30 SECONDS A1E	7488
TIME RANGE 11 TO 30 SECONDS A1F	7494
TIME RANGE 11 TO 30 SECONDS A2	7500
TIME RANGE 11 TO 30 SECONDS A2A	7506
TIME RANGE 11 TO 30 SECONDS A2B	7512
TIME RANGE 11 TO 30 SECONDS A2C	7518
TIME RANGE 11 TO 30 SECONDS A2D	7524
TIME RANGE 11 TO 30 SECONDS A2E	7530
TIME RANGE 11 TO 30 SECONDS A2F	7536
TIME RANGE 11 TO 30 SECONDS A3	7542
TIME RANGE 11 TO 30 SECONDS A3A	7548
TIME RANGE 11 TO 30 SECONDS A3B	7554
TIME RANGE 11 TO 30 SECONDS A3C	7560
TIME RANGE 11 TO 30 SECONDS A3D	7566
TIME RANGE 11 TO 30 SECONDS A3E	7572

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TIME RANGE 11 TO 30 SECONDS A3F	7577
TIME RANGE 11 TO 30 SECONDS A4A	7590
TIME RANGE 11 TO 30 SECONDS A4B	7596
TIME RANGE 11 TO 30 SECONDS A4C	7602
TIME RANGE 11 TO 30 SECONDS A4D	7608
TIME RANGE 11 TO 30 SECONDS A4E	7614
TIME RANGE 11 TO 30 SECONDS A4F	7620
TIME RANGE 11-30 SECONDS A4	7584
TIME RANGE OVER 30 SECONDS 2	1267
TIME RANGE OVER 30 SECONDS 3	1273
TIME RANGE OVER 30 SECONDS 4	1279
TIME RANGE OVER 30 SECONDS A1B	7471
TIME RANGE OVER 30 SECONDS A1C	7477
TIME RANGE OVER 30 SECONDS A1D	7483
TIME RANGE OVER 30 SECONDS A1E	7489
TIME RANGE OVER 30 SECONDS A1F	7495
TIME RANGE OVER 30 SECONDS A2	7501
TIME RANGE OVER 30 SECONDS A2A	7507
TIME RANGE OVER 30 SECONDS A2B	7513
TIME RANGE OVER 30 SECONDS A2C	7519
TIME RANGE OVER 30 SECONDS A2D	7525
TIME RANGE OVER 30 SECONDS A2E	7531
TIME RANGE OVER 30 SECONDS A2F	7537
TIME RANGE OVER 30 SECONDS A3	7543
TIME RANGE OVER 30 SECONDS A3A	7549
TIME RANGE OVER 30 SECONDS A3B	7555
TIME RANGE OVER 30 SECONDS A3C	7561
TIME RANGE OVER 30 SECONDS A3D	7567
TIME RANGE OVER 30 SECONDS A3E	7573
TIME RANGE OVER 30 SECONDS A3F	7578
TIME RANGE OVER 30 SECONDS A4	7585
TIME RANGE OVER 30 SECONDS A4A	7591
TIME RANGE OVER 30 SECONDS A4B	7597
TIME RANGE OVER 30 SECONDS A4C	7603
TIME RANGE OVER 30 SECONDS A4D	7609
TIME RANGE OVER 30 SECONDS A4E	7615
TIME RANGE OVER 30 SECONDS A4F	7621
TIME STAMP	3059
TIME STAMP 1	4564
TIME STAMP 2	4402
TIME STAMP 3	4443
TIME STAMP 4	4472
TIME STAMP 5	4473
TIME STAMP 6	4474
TIME STAMP 7	9478
TIME TERMINAL RANGE 1 TO 10 SECONDS A4E	7613
TIME TRANSACTION COMPLETED PROCESSING	1096
TIME TRANSACTION RELEASED TO APPLICATION	1094
TIME TRANSACTION STARTED PROCESSING	1093
TIMING DIC TIMEFRAME ALL	6907
TIMING DIC TIMEFRAME ALL PERCENT	6908
TIMING PIC QUEUE AVERAGE TIME	6910
TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME	6905

# CHAPTER 5

## DATA DICTIONARY

### CLEAR TEXT HOST/COBOL NAME TO DRN

### CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TIMING PRIORITY INDICATOR CODE DIC	6895
TIMING PRIORITY INDICATOR CODE DIC ALL	6904
TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME	6906
TIMING PRIORITY INDICATOR CODE DIC PERCENT	6896
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME	6892
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME	6893
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT	6894
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL	6900
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT	6901
TIMING PRIORITY INDICATOR CODE DIC TOTAL	6897
TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME	6899
TIMING PRIORITY INDICATOR CODE QUEUE	6909
TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME	6914
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME	6912
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT	6913
TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED	6911
TIMING PRIORITY INDICATOR CODE TOTAL	6902
TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME	6898
TIMING PRIORITY INDICATOR CODE TOTAL PERCENT	6903
TIR OUTPUT MEDIA CODE	2093
TITLE	2642
TM APPLICATION ARCHIVE KEY IDENTIFIER	9224
TM ARCHIVE DATA TYPE IDENTIFIER	9225
TM BATCH KEY	9768
TM BATCH NUMBER	9424
TM BATCH SEQUENCE NUMBER	9425
TM BATCH TRANSACTION	9426
TM FILE NAME	9429
TM INPUT TRACKING IDENTIFIER	9221
TM MEDIA TRAILER TEXT	9387
TM MESSAGE TEXT	9389
TM OUTPUT DATA GROUP CODE	9802
TM OUTPUT DISTRIBUTION FREQUENCY CODE	9804
TM OUTPUT SEQUENCE FIELD	9801
TM OUTPUT TRACKING IDENTIFIER	9222
TM PARTITION CLOSE REQUEST	9769
TM RECEIVED MESSAGE TIMESTAMP	9386
TM RECEIVED TD QUEUE TEXT	9388
TM RECORD NUMBER	9430
TM RELEASED MESSAGE TIMESTAMP	9385
TM REPROCESSED MESSAGE TIMESTAMP	9394
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY	9514
TM RESTART CHECKPOINT COUNTER ONE QUANTITY	9511
TM RESTART CHECKPOINT COUNTER THREE QUANTITY	9513
TM RESTART CHECKPOINT COUNTER TWO QUANTITY	9512
TM SPECIAL PROJECT IDENTIFIER	9223
TM TAPE INPUT TIME	9228
TM TAPE LOGGED INPUT TIME	9226
TM TAPE VOLUME SERIAL NUMBER IDENTIFIER	9227
TM TRANSACTION OUTPUT ADDRESS IDENTIFIER	2628
TM TRANSACTION PROCESS FLAG IDENTIFIER	9229
TM USER DEFINED FLAG CODE	9803
TO ACQUISITION METHOD CODE 4	6444



# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TO ACQUISITION METHOD CODE 5	8225
TO ZIP CODE	3415
TOAL NUMBER OF MODIF TO DE	1889
TOT SVC/AGENCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY	7724
TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME	7616
TOT-NIIN-FSG-QTY	6606
TOTAL ADDRESSES FOR DISTRIBUTION LIST NUMBER	0975
TOTAL ADDRESSES ON PSMAT COUNTER	1511
TOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY	0976
TOTAL DIC DOLLAR AMOUNT	2026
TOTAL DISTRIBUTION LIST NUMBER PRODUCT PER ADDRESS	0978
TOTAL DLN PRODUCT ISSUED	0977
TOTAL IN PROCESS IN BATCH	1990
TOTAL MAXIMUM LENGTH	4596
TOTAL NIIN ALL FSC MOE CODE QUANTITY	6608
TOTAL NIIN MANUFACTURER CODE QUANTITY	6613
TOTAL NIIN MANUFACTURERS ITEM NAME CODE QUANTITY	6604
TOTAL NIINS FSC MANUFACTURERS CODE	6616
TOTAL NIINS FSC MOE CODE QUANTITY	6607
TOTAL NIINS ITEM NAME CODE QUANTITY	6603
TOTAL NIINS ITEM NAME QUANTITY	6615
TOTAL NUMBER CAGE RECORDS IN PROCESS OF MASS CHANGE	1389
TOTAL NUMBER CAGE RECORDS WITH ASSOCIATION CODE	1388
TOTAL NUMBER DRAWINGS IN FILE	0947
TOTAL NUMBER OF ACTIVE DATA EL	1890
TOTAL NUMBER OF ADD TRAN	1891
TOTAL NUMBER OF ADDRESSES, PSMAT	0876
TOTAL NUMBER OF CAGE RECORDS ADDED	1391
TOTAL NUMBER OF CAGE RECORDS BY DESIGNATOR CODE	1387
TOTAL NUMBER OF CAGE RECORDS BY FOREIGN DOMESTIC CODE	1384
TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE	1390
TOTAL NUMBER OF CAGE RECORDS BY TYPE CODE	1383
TOTAL NUMBER OF CAGE RECORDS CHANGED	1392
TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE	1386
TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE	1385
TOTAL NUMBER OF CANCELLED DE	1892
TOTAL NUMBER OF CHANGE TRAN	1893
TOTAL NUMBER OF DELETE TRAN	1894
TOTAL NUMBER OF DRAWING IN FILE COUNTER	0934
TOTAL NUMBER OF DRAWINGS	0957
TOTAL NUMBER OF INPUT TRAN	1895
TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER	0970
TOTAL NUMBER OF NIINs ASSIGNED	0935
TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME	7556
TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY	8003
TOTAL REFERENCE NUMBER MANUFACTURERS CODE QUANTITY	6614
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES	7579
TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES	7545
TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F	7618
TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C	7516
TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME	7514
TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B	7510
TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME	7520

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY	7715
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY	7711
TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY	7700
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY	7730
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY	7729
TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY	7733
TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY	7703
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY	7727
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY	7718
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY	7717
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY	7721
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY	7723
TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES	7515
TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES	7521
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME	7538
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES	7539
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F	7534
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY	7347
TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED	7318
TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY	7317
TOTAL TERMINAL BATCH DOCUMENT NUMBER NOT MATCHED QUANTITY	7321
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INPUTS MATCHED	7324
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	7323
TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY	7312
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY	7342
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY	7341
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY	7345
TOTAL TERMINAL BATCH NOT MATCHED QUANTITY	7315
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED	7330
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY	7329
TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY	7333
TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY	7336
TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY	7335
TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY	7339
TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES	7617
TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E	7612
TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME	7586
TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A	7588
TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME	7592
TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY	7593
TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES	7587
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4	7582
TOTAL TERMINAL INQUIRIES	1281
TOTAL TERMINAL INQUIRIES BATCH QUANTITY	7311
TOTAL TERMINAL INQUIRIES ON-LINE QUANTITY	7777
TOTAL TERMINAL INQUIRY RESPONSE TIME	1276
TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME	7610
TOTAL TERMINAL NIIN INQUIRIES	7611
TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME	7606
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY	7179
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY	7787
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INPUTS MATCHED QTY	7784
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY QUANTITY	7783

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	7789
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY	7793
TOTAL TERMINAL ON-LINE INPUTS MATCHED QUANTITY	7778
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY	7174
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY	7173
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY	7177
TOTAL TERMINAL ON-LINE NOT MATCHED QUANTITY	7781
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY	7796
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY	7795
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY	7799
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY	7802
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY	7805
TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME	7604
TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY REPOSENSE TIME	7598
TOTAL TERMINAL PART NUMBER INQUIRIES	7599
TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B	7594
TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES	7605
TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME	7600
TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPOSENSE TIME	7622
TOTAL TERMINAL RECEIVED HOUR INQUIRIES	7624
TRAILING NARRATIVE	4454
TRANDFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER	6769
TRANDFER ORIGINATING DEPARTMENT TYPE 4 TO 2 NSN	1565
TRANSFER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN	9658
TRANSACTION AUDIT DATE	1378
TRANSACTION AUDIT TIME	1379
TRANSACTION COUNT	9433
TRANSACTION DEFINITION	2127
TRANSACTION ERROR FLAG	9434
TRANSACTION INSTRUCTION	2131
TRANSACTION MANAGEMENT ACTIVITY OUTPUT	9217
TRANSACTION MANAGEMENT COMMIT CHECKPOINT RATE	9509
TRANSACTION MANAGEMENT DISPLAY ORDER IDENTIFIER	8269
TRANSACTION MANAGEMENT HELD COUNT QUANTITY	9501
TRANSACTION MANAGEMENT JOB STATUS CODE	9508
TRANSACTION MANAGEMENT MEDALS FLAG	9216
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY	9483
TRANSACTION MANAGEMENT RELEASE DATA	9503
TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY	9502
TRANSACTION MANAGEMENT RESTART CHECKPOINT WKG STOR FIELD	9510
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE	9446
TRANSACTION MGMT COMPLETED TIMESTAMP	9427
TRANSACTION MGMT TRANSMIT TIMESTAMP	2578
TRANSACTION NUMBER	9437
TRANSACTION RETURN TYPE	9413
TRANSACTION SEGMENT CODE	9415
TRANSACTION SEGMENT DATA	9416
TRANSACTION SEGMENT FLAG	9418
TRANSACTION SEGMENT IDENTIFIER	9417
TRANSACTION SEGMENT POSITION	9419
TRANSACTION SEGMENT STATUS	9420
TRANSACTION STATUS CODE	0854
TRANSACTION STATUS CODE OUTPUT	3188

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSACTION STATUS CODES	3186
TRANSACTION STATUS CODES INSTRUCTIONS	3187
TRANSACTION STATUS CODES TSC NOTE INDICATOR	3189
TRANSACTION STATUS DATE	2019
TRANSACTION TITLE	2057
TRANSACTION TYPE FLAG	9440
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT	6768
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL	6770
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	6767
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN	6765
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN	6764
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN	6766
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN	3267
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	3251
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	3252
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN	3266
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	3253
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	3254
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN	3268
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	3255
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	3256
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL	6777
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN	6774
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN	6772
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT	6775
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE	6776
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL	9653
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE	9654
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN	9651
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 1 NSN	9649
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 2 NSN	9648
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 4 NSN	9650
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN	3264
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	3257
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	3258
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN	3263
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	3259
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	3260
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN	3265
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	3261
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	3262
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL	9660
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT	9659
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERENCE	9661
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 1 NSN	9656
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 2 NSN	9655
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 4 NSN	9657
TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT	6748
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT	6753
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	6752
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN	1580
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN	6750
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 2 NSN	1574

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN	6749
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 1 NSN	1576
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 4 NSN	1577
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN	6751
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 1 NSN	1578
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 2 NSN	1579
TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN	6747
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 1 NSN	6745
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 2 NSN	6744
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 4 NSN	6746
TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN	1573
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 2 NSN	1567
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 4 NSN	1568
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 1 NSN	1569
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 4 NSN	1570
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 1 NSN	1571
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 2 NSN	1572
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN	6757
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 1 NSN	6755
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 4 NSN	6756
TRANSFER ORIGINATING DEPARTMENT FYD TYPE 1 TO 4 NSN	1582
TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN	1566
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 2 NSN	6778
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 4 NSN	1561
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 1 NSN	1562
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 4 NSN	1563
TRANSFER ORIGINATING DEPARTMENT TYPE 4 TO 1 NSN	1564
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT	6758
TRANSFER ORIGINATING DEPT CURRENT TYPE 2 NSN	6754
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN	6762
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT	6763
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN	1587
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN	6760
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 TO 2 NSN	1581
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 NSN	6759
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 1 NSN	1583
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 4 NSN	1584
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 NSN	6761
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 1 NSN	1585
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 2 NSN	1586
TRANSFER OTIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 4 NSN	1575
TRANSFER SUBMITTING ACTIVITY CODE FISCAL YEAR TO DATE TOTAL	9639
TRANSFER SUBMITTING ACTIVITY CURRENT DES METHOD PERCENT	9638
TRANSFER SUBMITTING ACTIVITY CURRENT TOTAL NSN	2454
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 1 NSN	2452
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 2 NSN	2451
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 4 NSN	2453
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE	2457
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 NSN	2456
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 2	2466
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 4	2467
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 NSN	2455
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 1	2468

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 4	2469
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 T	2741
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 TO 1	2470
TRANSFER SUBMITTING ACTIVITY FISCAL YTDJ DESCRIPTIVE MTHD PT	2458
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN	9666
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 2 NSN	9662
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 4 NSN	9663
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 1 NSN	2147
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 4 NSN	2146
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 1 NSN	9664
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 2 NSN	9665
TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN	2472
TRANSFER SUBMITTING DEPARTMENT CURRENT DES METHOD PERCENT	9642
TRANSFER SUBMITTING DEPARTMENT CURRENT TOTAL NSN	9641
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 1 NSN	2460
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 2 NSN	2459
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 4 NSN	9640
TRANSFER SUBMITTING DEPARTMENT FISCAL YR DATE DES METH PCT	9647
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TOTAL NSN	9646
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 1 NSN	9644
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 2 NSN	9643
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 4 NSN	9645
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN	2479
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 1 TO 2 NSN	2743
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 1 NSN	2475
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 4 NSN	2476
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 1 NSN	2477
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 2 NSN	2478
TRANSFER SUBMITTING DEPARTMENT FYD TYPE 1 TO 4 NSN	2474
TRANSFER SUBMITTING DEPARTMENT TRANSFER TOTAL NSN	2465
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 2 NSN	2461
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 4 NSN	2462
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 1 NSN	2463
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 4 NSN	9667
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 1 NSN	9668
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 2 NSN	2464
TRANSMITTAL TYPE DESIGNATOR CODE	2629
TRANSPORTATION DATA EFFECTIVE DATE	2069
TRANSPORTATION TYPE CARGO CODE	2072
TSQ UPDATE COMPLETE INDICATOR	9409
TYPE 2 DRAWING COUNT	1462
TYPE DATA CODE	0411
TYPE INQUIRY CODE	0881
TYPE ITEM IDENTIFICATION 1	3490
TYPE ITEM IDENTIFICATION 1A-B33	1228
TYPE ITEM IDENTIFICATION 2	3486
TYPE ITEM IDENTIFICATION 4	3487
TYPE ITEM IDENTIFICATION 4B-B14	8249
TYPE ITEM IDENTIFICATION K	3491
TYPE ITEM IDENTIFICATION L	3492
TYPE ITEM IDENTIFICATION M	3488
TYPE ITEM IDENTIFICATION N	3489
TYPE LAST ACTION	0044

# CHAPTER 5 DATA DICTIONARY CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TYPE MATCH	3103
TYPE OF BUSINESS CODE	1366
TYPE OF BUSINESS DEFINITION	3369
TYPE OF CAGE/NSCM AFFILIATION CODE	0250
TYPE OF CAGE/NSCM AFFILIATION CODE DEFINITION	3366
TYPE OF CARGO CODE	9260
TYPE OF CARGO CODE EXPLANATION	5224
TYPE OF FINANCIAL MANAGEMENT CONTROL CODE	0729
TYPE OF INQUIRY CODE	1104
TYPE OF INQUIRY CODE	4476
TYPE OF ITEM IDENTIFICATION CODE	4820
TYPE OF ITEM IDENTIFICATION CODE EXPLANATION	5117
TYPE OF ITEM IDENTIFICATION CODE NOTE	5118
TYPE OF ITEM IDENTIFICATION CODE TYPE	5116
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE	0723
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE EXPLANATION	5215
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION	3171
TYPE OF PHONE NUMBER CODE	1088
TYPE OF PRECIOUS METAL	5263
TYPE OF SCREENING CODE	8451
TYPE OF SHELF LIFE CODE NOTE	5238
TYPE OF SPECIAL HANDLING CARGO	5225
TYPE OF SPECIAL PROCESSING INDICATOR CODE	0568
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION	3178
TYPE OF STATISTICS	0907
TYPE OF TRANSACTION	9441
TYPE OF VALUE CODE	0238
TYPES OF FINANCIAL MANAGEMENT CONTROL CODE EXPLANATION	5218
TYPICAL NAME	5060
TYPICAL NAME CHARACTER COUNTER	1068
UI NOTE	3497
UNDEFINED SEGMENT	9442
UNIFORM CODE COUNCIL BAD MAIL FLAG IDENTIFIER	9351
UNIFORM CODE COUNCIL CITY NAME	9344
UNIFORM CODE COUNCIL CONTACT NAME	9348
UNIFORM CODE COUNCIL CONTACT NAME TITLE	9349
UNIFORM CODE COUNCIL CONTACT TELEPHONE IDENTIFIER	9350
UNIFORM CODE COUNCIL COUNTRY NAME	9347
UNIFORM CODE COUNCIL FIRST ADDRESS LINE TEXT	9341
UNIFORM CODE COUNCIL MEMBER NAME	9340
UNIFORM CODE COUNCIL SECOND ADDRESS LINE TEXT	9342
UNIFORM CODE COUNCIL STATE CODE	9345
UNIFORM CODE COUNCIL THIRD ADDRESS LINE TEXT	9343
UNIFORM CODE COUNCIL ZIP CODE	9346
UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)	3040
UNIT CONTAINER CODE	5166
UNIT CONTAINER LEVEL CODE	5168
UNIT MEASURE CODE	0107
UNIT MEASURE TERM	2347
UNIT OF ISSUE	3050
UNIT OF ISSUE CHANGE DATA	0218
UNIT OF ISSUE CONDITIONAL NOTE	5244
UNIT OF ISSUE CONVERSION FACTOR	3053

CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
UNIT OF ISSUE DEFINITION	5243
UNIT OF ISSUE TERM	5242
UNIT OF MEASURE	2511
UNIT OF MEASURE DESIGNATION	4411
UNIT PACK CODE QUANTITY	5322
UNIT PACK CUBE	5155
UNIT PACK QUANTITY	5321
UNIT PACK QUANTITY EXPLANATION	3464
UNIT PACK SIZE	5154
UNIT PACK WEIGHT	5153
UNITED NATIONS ORGANIZATION SERIAL NUMBER	2386
UNITED STATES GOVERNMENT 12	5847
UNIVERSAL PRODUCT CODE CHECK CHARACTER QUANTITY	9338
UNIVERSAL PRODUCT CODE MANUFACTURER IDENTIFIER	9336
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM IDENTIFIER	9337
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM NAME	9339
UNIVERSAL PRODUCT CODE SERIAL NUMBER IDENTIFIER	9305
UNKNOWN LSA TOTAL	1980
UNMATCHED REFERENCE NUMBER CATEGORY CODE	3132
UNPACKAGED ITEM DIMENSIONS	5158
UNPACKAGED ITEM WEIGHT	5157
UPDATE COUNT	9457
UPDATE RETURN CODE	9456
USER ACCESS LEVEL	1381
USER ACCESS LEVEL SUBSYSTEM CODE	3381
USER CODE	1101
USER OPTION	0958
USER PASSWORD	2138
USING SERVICE CODE	0745
USING SERVICE CODE EXPLANATION	3147
VALID DIC FOR LFU TYPE TRANSACTION	9444
VALID FOLLOW UP HX CODE FOR DIC	9443
VALID POSITION	9771
VALID REFERENCE MAY HAVE NOTE INDICATOR	3112
VALID REFERENCE MUST HAVE NOTE INDICATOR	3108
VALUE SOURCE	1885
VARIABLE DATA CHARACTER COUNTER	1061
VENDOR REGISTRATION RENEWAL DATE	3373
WATER COMMODITY CODE	9275
WEAPON SYSTEM CRITICAL GROUP CODE	3885
WEAPON SYSTEM GROUP CODE	3889
WEAPON SYSTEM IDENTIFIER	3881
WEAPON SYSTEM INDICATOR CODE	3883
WEAPON SYSTEM NAME	3887
WEAPON SYSTEM SERVICE CODE	3882
WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	1555
WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT	1554
WEIGHT OF PACKAGED UNIT	2313
WEIGHT OF UNPACKAGED UNIT	2314
WOMAN OWNED BUSINESS CODE	1367
WORK LOAD LOCK OUT CODE	2024
WORKLOAD COUNT	1026
WRAPPING MATERIAL CODE	5163



CHAPTER 5  
DATA DICTIONARY  
CLEAR TEXT HOST/COBOL NAME TO DRN  
CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ZIP ADD-ON CODE	4398
ZIP CODE	4400
ZIP CODE RANGE	0300
ZIP CODE RELATIVE ROW	3219
ZIP CODE SORT SEQUENCE	3216
ZIP PLUS FOUR CODE	4399
10 PART NUMBER PERCENT	6938
1001-1500 PART NUMBER PERCENT	6957
101-200 PART NUMBER PERCENT	6948
11-20 PART NUMBER PERCENT	6939
12-18 HOURS	6915
120-144 HOURS	6919
20 NSN FAMILY	8136
201-300 PART NUMBER PERCENT	6949
21-30 PART NUMBER PERCENT	6940
301-400 PART NUMBER PERCENT	6950
31-40 PART NUMBER PERCENT	6941
401-500 PART NUMBER PERCENT	6951
41-50 PART NUMBER PERCENT	6942
45 NSN FAMILY	8161
48-72 HOURS	6916
50 NSN FAMILY 1	8116
501-600 PART NUMBER PERCENT	6952
51-60 PART NUMBER PERCENT	6943
6-10 NSN FAMILY	8169
601-700 PART NUMBER PERCENT	6953
61-70 PART NUMBER PERCENT	6944
701-800 PART NUMBER PERCENT	6954
71-80 PART NUMBER PERCENT	6945
72-96 HOURS	6917
8 PART NUMBER PERCENT	6936
801-900 PART NUMBER PERCENT	6955
81-90 PART NUMBER PERCENT	6946
9 PART NUMBER PERCENT	6937
901-1000 PART NUMBER PERCENT	6956
91-100 PART NUMBER PERCENT	6947
96-120 HOURS	6918

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
	AAT_LBL_ID_9999	969		DIDS_TBL_NAME_4466	392		SNA_CVSN_ID_3052	618
	AAT_LID_ACES_9999	969		DISAGREE_NC_CD	129			619
	AAT_USERID_9999	969		EXTRNL_PASWD_6574	709		SP_RQMT_CD_7983	943
	ACCESS_FLAG	967		EXTRNL_USRID_6573	709		STAT_JUL_DATE_7646	924
	ACTIVITY_CD	967		FIRST_INIT	967		STD_IND_CL_CD_1368	079
	AMLS_LBL_ID_9999	967		FSC_WI_FSG_3994	944		STOR_CODE_7984	943
	AMLS_LID_ACES_9999	967		FSG_3996	944		ST_US_PDSN_AB_0186	355
	ASGND_FSC_3990	943		FUTURE_REVIEW	129		SUBMB_ACTY_CD_3720	258
	ASGND_NIIN_4000	943		GROUPID	967			259
	CITY_1083	834		GROUP_ID	968		SVC_ENT_9999	967
	CLECT_I_1	968		HZR_STR_CMPAT_7974	943		SVC_QTTY_LVL_7985	943
	CLECT_I_2	968		IBMSNAP_LOGMARKER	010		TABLE_GROUP	971
	CLECT_I_3	968			1QF		TABLE_KEYLEN	971
	CLECT_I_4	968		IDENT_MKG_CD2_8598	943		TABLE_NAME	971
	CLECT_I_5	968		IDENT_MKG_CD_7975	943		TABLE_TYP_DV_1079	392
	CLECT_I_6	968		INPUT_RECORDS_9171	848		TBL_ALL0C_2471	913
	CLECT_I_7	968		INSP_LVL_7977	943		TERMINAL_ID	970
	CLECT_T_1	968		IO_STST_CNT_6546	064		TEST_RQMT_DE_7986	943
	CLECT_T_2	968			540		TMSTP	041
	CLECT_T_3	968		ITEM_NAME	129		TOTAL_MSG_SEGS	041
	CLECT_T_4	968		LAST_NAME	967		TRFR_STAT_CNT_6771	548
	CLECT_T_5	968		LN_2780_DESC_9213	926		TRFR_STAT_CNT_6773	548
	CLECT_T_6	968		LST_INSP_PED_7972	943		TYPE_IL_4_3487	830
	CLECT_T_7	968		MAX_OCURS_4594	479		USERID	967
	CLECT_X_1	968		MENU_ID	968	0010	ORG_ID_TXT_SG_0010	069
	CLECT_X_2	968		MENU_SCR_TITLE	968	0011	OE_LI_SEG_EXP_0011	160
	CLECT_X_3	968		MENU_TITLE	968	0041	EXTD_FRT_DESC_0041	732
	CLECT_X_4	968		MESSAGE_LENGTH	041	0043	DATE_LST_CHG_0043	090
	CLECT_X_5	968		MESSAGE_SEG	041			093
	CLECT_X_6	968		MR_STAT_DT_3474	088			732
	CLECT_X_7	968		MSG_SEGMENT_NO	041	0044	TYP_LST_ACT_0044	090
	CNTL_SERVER	010		NEW_CIIC	129			710
		1QF		NEW_DEMIL	129			732
	COMM_ADRS_ID_6572	709		OPTNL_NM_3352	355	0076	NIMSC_0076	256
	COMM_FILE_NM_6575	709		OUT_UI_TEXT_3046	813			345
	COPY_OWNER	010		PC_CODE	967			521
		1QF		PKG_CODE_7978	943			829
	COPY_SERVER	010		PK_CD_7979	943	0090	SUBJ_TO_WIMM_0090	094
		1QF		PORT_NBR_9212	926			515
	COPY_STRUCTURE	010		PRINTER_ID	970	0095	CONF_NOTI_CD_0095	187
		1QF		PRNT1	967	0096	FMR_NMFC_0096	149
	COPY_TABLE	010		PRNT2_9999	967	0097	FMR_UFC_0097	149
		1QF		PROPRITORY	967	0099	CRD_ID_CD_IMC_0099	040
	DB2_GRP_NUM_4457	913		PRUNE_LIMIT_SEQ	010			179
	DB2_TBL_NAME_4466	913			1QF			345
	DEMIL_MATCH	129		REF_NBR_9999	108			436
	DIC_DRN_N_NBR_2112	208		REINSP_LMT_7980	943			457
	DIDS_INTRO_4469	177		REINSP_PED_7981	943			521
		392		SHLF_LIF_MO_7982	943			563

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
0103	APPLB_KEY_CD_0103	098	0189	SEG_LGTH_0189	404	0326	DIML_MRC_IND_0326	120
		593			406	0365	CD_F_LGT_RPLY_0365	126
0106	QTY_PER_ASBL_0106	007	0225	SEG_CD_SUPMTL_0225	207			922
		506			293	0368	PRT_SKLTN_CD_0368	127
0107	UNIT_MEAS_CD_0107	007			771			921
		276	0226	RPLM_M_RL_NBR_0226	093	0375	FSC_INCL_NAR_0375	076
		506			730			591
0113	MRC_CLR_TXT_R_0113	498	0232	P_SCR_RCV_ADD_0232	144	0376	FSC_EXCL_NAR_0376	076
		688	0233	ADRS_SEQ_CD_0233	144			591
0115	SAC_CDNG_IND_0115	120			408	0420	ALT_OP_MED_CD_0420	144
0121	SP_MAT_CONT_0121	006			475			157
		301			862			783
		505			866	0478	DIST_AC_SEG_M_0478	148
0122	FSC_M_RL_C_IN_0122	093	0250	TYP_CAGE_AFFL_0250	082			530
		094			700	0510	RPLY_DCOD_SEQ_0510	126
		215	0264	SVC_CD_P_SCRN_0264	144			922
		515			835	0511	DLA_GSA_EXCPT_0511	016
0132	IRRC_NVY_0132	006	0297	FUT_M_RL_ST_C_0297	093			523
		261			218	0568	TYP_SP_PRC_0568	006
		262	0308	DT_ESTB_CANC_0308	001			310
		505			073			505
0133	PSDO_SOS_CD_0133	274			091	0572	OPRTL_TST_MC_0572	006
0134	INACT_SOS_IND_0134	331			098			266
		519			099			505
0135	NVY_SP_SOS_CD_0135	260			363	0573	PHY_CTGY_MC_0573	006
		261			513			269
		331			518			505
		519			592	0581	FIIG_LCKT_IND_0581	123
0155	FU_COND_CD_0155	217			593	0583	INC_LOCKT_IND_0583	122
0166	FU_STAT_CD_0166	233			594	0595	DEG_MTCH_CD_0595	191
		383	0320	STA_CD_NM_FSC_0320	001	0708	INV_ACT_CG_0708	006
0167	DEMIL_CD_0167	016			073			229
		028			076			505
		129			094	0709	REP_CD_CG_0709	006
		194			098			184
		426			316			505
		428			489	0721	NRM_SRC_PR_CD_0721	257
		450			491	0723	TYP_MBL_RSV_0723	246
		523			492	0725	S_PKG_RQM_CD_0725	302
		557			513	0728	DMD_IND_CD_0728	193
		559			515	0729	TYP_FIN_MGT_0729	308
		782			518	0731	EST_ACT_PR_CD_0731	212
		941			530	0744	SVC_CON_ID_CD_0744	144
0177	ACTY_CD_SCRNG_0177	144			591			863
		782			593	0745	USI_SVC_CD_0745	006
0186	ST_US_POSN_AB_0186	077			595			007
		139			723			313
		483			724			505
		834	0324	MC_CRITE_STMT_0324	878			506

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		883	0854	TRN_STATUS_CD_0854	306			046
0749	STDZN_SUBMR_0749	094			958			047
		515	0857	CRYPTO_IND_CD_0857	093			048
0756	D_TRN_CTL_CD_0756	190	0858	PVC_AF_0858	006			049
0759	CMD_AUTHZN_CD_0759	144			273			050
		858			505			055
0762	PRPTN_EDIT_CD_0762	120	0861	SUB_ITM_NBR_0861	016			056
0763	SER_NO_CTL.CG_0763	006			035			057
		180			090			058
		505			149			062
0768	STYL_NBR_FIIG_0768	072			416			065
		131			423			066
		826			503			067
		827			523			068
		828			732			112
		842	0862	FMR_NMFC_SUB_0862	149			113
		951	0864	INTGTY_CD_0864	016			114
0771	STYL_RP_IL_DW_0771	016			227			195
		523			523			223
0772	DGTZD_DWG_NBR_0772	075	0865	HMIC_0865	016			326
		136			110			329
		816			523			330
		842	0866	DBRD_STAT_CD_0866	092			368
		966	0867	DBRD_END_DT_0867	092			369
0792	JTC_0792	007	0868	DBR_PRO_I_SYM_0868	092			371
		506			203			372
0793	OOU_0793	007	0872	SUR_PRC_ID_CD_0872	016			373
		506			523			374
0801	ADPEC_0801	010	0874	DT_ESB_PSMT_R_0874	144			377
		161	0875	DT_LST_ACC_PS_0875	144			381
		509	0882	RPTY_NAME_0882	325			396
0802	PMIC_0802	010	0883	RPTY_ST_ADRS_0883	325			424
		272	0884	RPTY_CITY_0884	325			425
		509	0889	RPTY_CLR_TXT1_0889	325			426
		987	0890	NBR_CPY_0890	324			429
0808	GIRDER_CD_0808	317	0892	PSO_ACT_CD_0892	144			436
		779			409			439
0809	MFR_NOTES_0809	317	0893	CONTR_LBL_CD_0893	860			441
		772	0897	STAT_DEPT_0897	019			442
		781			021			444
		932			022			445
0816	MRD_STATUS_CD_0816	127			024			446
		921			029			451
0825	ISAC_LMTN_CD_0825	121			030			452
0826	ISAC_IND_CD_0826	120			031			453
0845	CNBR_SYS_I_0845	082			032			454
		186			039			456
0847	MRC_USG_DESI_0847	127			040			457
		921			045			460

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		462			627			695
		463			628			698
		464			629			739
		526			630			740
		527			631			741
		528			634			742
		532			635			744
		533			636			745
		534			637			749
		535			638			750
		541			639			751
		542			640			752
		546			641			753
		548			643			754
		549			645			755
		550			646			756
		551			647			757
		552			648			758
		554			649			759
		555			650			760
		556			651			761
		557			652			762
		560			653			763
		563			654			764
		566			655			784
		568			656			785
		569			657			786
		570			658			787
		571			659			788
		573			662			789
		574			663			790
		575			664			791
		576			668			792
		577			670			794
		578			672			795
		580			673			796
		581			676			797
		582			677			798
		583			678			799
		584			679			800
		585			680			801
		586			681			802
		587			682			803
		589			683			804
		590			690			805
		608			691			808
		620			692			809
		622			693			810
		625			694			818

CHAPTER 6  
DATA DICTIONARY  
DRN TO TABLE GROUP NO.  
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		819			453			629
		820			454			630
		821			457			631
		822			460			634
		823			462			635
		824			463			636
		825			467			637
		934			471			638
		935			493			639
		939			526			640
		940			527			641
		959			528			642
0898	STAT_ACTIVITY_0898	019			533			643
		021			535			644
		022			540			645
		029			541			646
		031			548			647
		032			549			648
		040			550			649
		045			551			650
		046			552			651
		048			555			652
		049			556			653
		050			563			654
		056			566			655
		058			569			656
		063			570			657
		064			571			658
		065			572			659
		067			573			660
		068			574			661
		329			575			662
		330			576			663
		371			577			664
		372			580			668
		373			581			670
		377			582			672
		396			583			673
		419			584			676
		424			585			677
		425			586			678
		430			587			679
		434			588			680
		436			589			681
		439			611			682
		442			615			683
		444			625			739
		445			627			740
		451			628			751

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		752			056			435
		794			057			436
		795			058			437
		800			061			438
		801			063			439
		802			064			441
		803			065			442
		808			066			444
		809			067			445
		810			068			446
		818			112			449
		819			113			450
		820			114			451
		821			141			452
		822			142			453
		823			195			454
		824			223			455
		825			326			456
0899	STAT_REQ_DATE_0899	019			329			457
		020			330			458
		021			367			459
		022			369			460
		023			370			463
		024			371			464
		026			372			465
		027			373			466
		028			376			467
		029			377			468
		030			396			470
		031			413			471
		032			414			472
		033			415			493
		034			416			494
		035			417			495
		036			419			503
		037			420			526
		038			421			527
		039			423			528
		040			424			529
		042			425			531
		043			426			532
		046			427			533
		047			428			534
		048			429			535
		049			430			540
		050			431			541
		051			432			542
		053			433			545
		055			434			546

CHAPTER 6  
DATA DICTIONARY  
DRN TO TABLE GROUP NO.  
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		547			634			696
		548			635			697
		549			636			739
		550			637			740
		551			638			741
		552			639			742
		555			640			744
		556			641			745
		557			642			749
		558			643			750
		559			644			751
		560			645			752
		561			646			753
		562			647			754
		563			648			755
		564			649			756
		565			650			757
		566			651			758
		568			652			759
		569			653			760
		570			654			761
		571			655			762
		572			656			763
		573			657			764
		574			658			784
		575			659			785
		576			660			786
		577			661			787
		578			662			788
		580			663			789
		581			664			790
		582			668			791
		583			670			792
		584			672			793
		585			673			794
		586			676			795
		587			677			796
		588			678			797
		589			679			798
		590			680			799
		611			681			800
		615			682			801
		624			683			802
		625			690			803
		627			691			804
		628			692			805
		629			693			808
		630			694			809
		631			695			810



# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		811			375			523
		818			404			524
		819			406			875
		820			489			928
		821			491			972
		822			492			973
		823			536			974
		824			746			975
		825			883			976
		857			889			977
		933			890			978
		934			891			979
		935			892			980
		938			918			981
		939			957			982
		940			989			983
0903	DSOR_0903	009	0964	RDG_TI_0964	965			984
		508	0978	TOT_PRD_ADRS_0978	146			997
		833	0979	AA_0979	145			998
0904	FMR_DSOR_0904	009			146			999
		508	0981	SCRN_ID_0981	366	1001	OE_LI_SEG_NBR_1001	083
0905	CTGY_CD_0905	158	0982	PRDCT_TI_0982	147			160
		159			340	1002	RTC_CD_1002	060
		175	0983	MSG_0983	132	1008	DT_PRIM_OP_1008	060
0907	TYPE_OF_STAT_0907	026			780	1009	DT_SECD_IP_1009	106
		062	0985	MLNG_PIC_0985	145	1011	DT_SECD_OP_1011	106
		140	0997	BRNCH_CD_0997	060	1013	DT_DSK_CD_CHG_1013	060
		141			109	1015	DOC_CTL_NBR_1015	012
		448			525			918
		879	0998	BTCH_CTL_NBR_0998	060	1016	DT_RTC_1016	060
		913	1000	DCSN_1000	025	1024	NATO_FG_TR_P_1024	104
		993			044	1026	WRKLD_CNT_1026	109
0908	STAT_ACTY_CH_0908	029			059	1028	SUPL_DIC_IP_1028	106
		451			060	1029	SUPL_DIC_OP_1029	106
		857			105	1031	DT_PRCSD_1031	060
0911	RPT_PERIOD_0911	448			106	1036	DT_FOR_BLNG_1036	060
0912	BEG_DATE_0912	026			341	1041	DT_BILD_1041	060
		448			380	1042	DT_FOR_PRG_1042	060
0913	ENDING_DATE_0913	026			422	1044	DT_FOR_RTC_1044	060
		448			505	1047	SCR_KEY_CD_1047	120
0914	DATE_RPT_THRU_0914	448			506	1051	DT_PURGED_1051	060
0941	TBL_V_IN_CT_C_0941	842			507	1052	DIC_OP_1052	052
0950	DRN_0950	081			508			060
		105			509			061
		177			510			064
		207			511			104
		228			512			183
		249			521			197
		292			522			368

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		374			375	1132	LRN_STAT_CNT_1132	045
		375			381			462
		540			489	1137	LRN_STAT_CNT_1137	620
		604			491			622
		624			492	1142	LRN_STAT_CNT_1142	621
		924			513			623
		957			515	1153	LRN_STAT_CNT_1153	045
1070	PKG_SEQ_NBR_1070	341			518			462
		957			554	1158	LRN_STAT_CNT_1158	620
1071	LST_KWN_SOS_1071	016			579			622
		523			597	1163	LRN_STAT_CNT_1163	621
1082	ST_ADRS_1_1082	002			599			623
		328			603	1173	LRN_STAT_CNT_1173	045
		834			710			462
1083	ST_ADRS_2_1083	002			725	1178	LRN_STAT_CNT_1178	620
		328			850			622
		834			919	1183	LRN_STAT_CNT_1183	621
1084	CITY_1084	139			920			623
		328			921	1193	LRN_STAT_CNT_1193	045
		355			923			462
1085	CNTRY_1085	355			925	1198	LRN_STAT_CNT_1198	620
		701			950			622
1086	ADRS_NM_C_TXT_1086	003			951	1203	LRN_STAT_CNT_1203	621
1087	ADRS_NM_LN_NO_1087	003			952			623
1088	TEL_NBR_TYP_1088	005			954	1233	LRN_STAT_CNT_1233	045
		702	1105	MSG_CD_1105	025			462
1092	F_OR_V_KEY_1092	177			132	1258	MDLS_R_DA_CT_1258	047
		207			323			114
		208			405			195
		214	1107	BTCH_STAT_CTR_1107	924			464
		249	1108	PGM_ID_1108	025	1259	MDLS_R_PN_CT_1259	047
		305			086			114
		992			323			195
1097	DE_START_POS_1097	404			383			464
		406			405	1260	MDLS_R_NIINCT_1260	047
1101	USR_CD_1101	001			407			114
		073			617			195
		081	1109	MOE_CR_ADD_CT_1109	088			464
		082	1117	MOE_CR_CHG_CT_1117	088	1261	MDLS_R_TITLCT_1261	047
		092	1119	MOE_CR_DEL_CT_1119	088			114
		102	1120	SUBMR_CTL_NBR_1120	602			195
		140			604			464
		141			774	1282	CLR_MLNG_ADRS_1282	145
		324			776	1283	DLN_1283	146
		340			871			147
		355			876			378
		365			953			966
		366	1121	LRN_STAT_CNT_1121	621	1288	DIDS_NOTE_NBR_1288	305
		368			623			394

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		864			676			560
1298	TBL_NBR_1298	150			677	1593	M3AC_STAT_CNT_1593	429
		392	1562	TRFR_STAT_CNT_1562	664			560
		393			676	1594	M3AC_STAT_CNT_1594	429
		394			677			560
		395	1563	TRFR_STAT_CNT_1563	664	1597	M3AC_STAT_CNT_1597	429
		736			676			560
1300	DIDS_NOTE_NAR_1300	305			677	1598	M3AC_STAT_CNT_1598	429
		394	1564	TRFR_STAT_CNT_1564	664			560
		864			676	1601	M3A_STAT_CNT_1601	744
1359	TEL_NBR_1359	005			677			745
		355	1565	TRFR_STAT_CNT_1565	664	1602	M3A_STAT_CNT_1602	744
1361	POBOX_1361	002			676			745
		328			677	1603	M3A_STAT_CNT_1603	744
1364	SZ_OF_BUS_CD_1364	082	1567	TRFR_STAT_CNT_1567	664			745
		705			676	1606	M3A_STAT_CNT_1606	744
1365	PR_BUS_CAT_CD_1365	082			677			745
		704	1568	TRFR_STAT_CNT_1568	664	1607	M3A_STAT_CNT_1607	744
1366	TYP_BUS_CD_1366	082			676			745
		703			677	1610	M3A_STAT_CNT_1610	744
1367	WMN_OWND_BUS_1367	082	1569	TRFR_STAT_CNT_1569	664			745
1369	FIPS_CTY_CD_1369	139			676	1611	M3A_STAT_CNT_1611	744
1370	FIPS_STA_CD_1370	139			677			745
1371	FIPS_CNTY_CD_1371	139	1570	TRFR_STAT_CNT_1570	664	1614	M3BC_STAT_CNT_1614	798
1374	DT_DBR_REC_ES_1374	092			676			799
1375	DT_DBR_REC_CH_1375	092			677	1615	M3BC_STAT_CNT_1615	798
1376	DE_IMG_BEFG_CG_1376	081	1571	TRFR_STAT_CNT_1571	664			799
		710			676	1616	M3BC_STAT_CNT_1616	798
1377	DE_IMG_AFT_CG_1377	081			677			799
		710	1572	TRFR_STAT_CNT_1572	664	1618	M3BC_STAT_CNT_1618	798
1380	DBRMT_SYM- _MNG_1380	092			676			799
					677	1619	M3BC_STAT_CNT_1619	798
1381	USR_ACCS_LVL_1381	954	1574	TRFR_STAT_CNT_1574	377			799
1493	MOE_ED_ADD_CT_1493	088	1575	TRFR_STAT_CNT_1575	377	1621	M3BC_STAT_CNT_1621	798
1495	MOE_ED_CHG_CT_1495	088	1576	TRFR_STAT_CNT_1576	377			799
1497	MOE_ED_DEL_CT_1497	088	1577	TRFR_STAT_CNT_1577	377	1622	M3BC_STAT_CNT_1622	798
1499	MOE_MST_INQ_C_1499	088	1578	TRFR_STAT_CNT_1578	377			799
1501	GC_PICA_LAR_1501	779	1579	TRFR_STAT_CNT_1579	377	1624	M3B_STAT_CNT_1624	796
1502	GC_PICA_LCR_1502	779	1581	TRFR_STAT_CNT_1581	377			797
1515	FMSN_1515	016	1582	TRFR_STAT_CNT_1582	377	1625	M3B_STAT_CNT_1625	796
		523	1583	TRFR_STAT_CNT_1583	377			797
1516	NATO_FMSN_1516	016	1584	TRFR_STAT_CNT_1584	377	1626	M3B_STAT_CNT_1626	796
		523	1585	TRFR_STAT_CNT_1585	377			797
1517	FR_MST_ADD_ER_1517	097	1586	TRFR_STAT_CNT_1586	377	1628	M3B_STAT_CNT_1628	796
1524	FR_MST_ADD_CT_1524	097	1588	M3AC_STAT_CNT_1588	429			797
1528	FR_MST_TI_FRM_1528	097			560	1629	M3B_STAT_CNT_1629	796
1532	FR_EXD_CHG_ER_1532	097	1589	M3AC_STAT_CNT_1589	429			797
1533	FR_MST_DEL_ER_1533	097			560	1631	M3B_STAT_CNT_1631	796
1561	TRFR_STAT_CNT_1561	664	1590	M3AC_STAT_CNT_1590	429			797

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
1632	M3B_STAT_CNT_1632	796			340			054
		797			342			074
1634	M3C1_STAT_CNT_1634	794			359			082
		795			388			086
1635	M3C1_STAT_CNT_1635	794			418			157
		795			447			158
1636	M3C1_STAT_CNT_1636	794			461			238
		795			473			299
1638	M3C1_STAT_CNT_1638	794			477			314
		795			478			315
1639	M3C1_STAT_CNT_1639	794			486			323
		795			497			325
1641	M3C1_STAT_CNT_1641	794			498			327
		795	1729	LRN_STAT_CNT_1729	045			368
1642	M3C1_STAT_CNT_1642	794			462			374
		795	1734	LRN_STAT_CNT_1734	620			381
1644	M3C2_STAT_CNT_1644	802			622			382
		803	1739	LRN_STAT_CNT_1739	621			385
1645	M3C2_STAT_CNT_1645	802			623			387
		803	1882	DE_LENGTH_1882	404			389
1646	M3C2_STAT_CNT_1646	802			406			398
		803	1952	FR_MST_INQ_DT_1952	097			401
1648	M3C2_STAT_CNT_1648	802	1954	FR_MST_DEL_CT_1954	097			405
		803	1955	FR_EXD_ADD_ER_1955	097			409
1649	M3C2_STAT_CNT_1649	802	1957	FR_EXD_DEL_ER_1957	097			475
		803	1959	FR_MST_CHG_CT_1959	097			554
1650	REP_STAT_CNT_1650	058	1960	FR_EXD_ADD_CT_1960	097			602
		535	1961	FR_EXD_CHG_CT_1961	097			603
1651	REP_STAT_CNT_1651	056	1962	FR_EXD_DEL_CT_1962	097			604
		533	1966	CNTRY_NM_1966	157			608
1652	REP_STAT_CNT_1652	057	1967	DT_PR_EFF_1967	104			613
		534	1972	NATO_O_TR_PR_1972	104			614
1653	REP_STAT_CNT_1653	055	1973	NATO_TRAN_PR_1973	060			616
		532			104			618
1657	LRN_STAT_CNT_1657	621	1987	TM_CD_1987	060			626
		623			109			716
1667	LRN_STAT_CNT_1667	045	1997	DOC_ID_CD_CT_1997	624			717
		462	2024	WRKLD_LOCK_OT_2024	109			718
1672	LRN_STAT_CNT_1672	620	2029	FR_MST_CHG_ER_2029	097			719
		622	2033	KEYWRD-				720
1720	INFO_DISEM_ID_1720	130		_MOD_ST_2033	127			721
		133			921			735
		135	2034	KEYWRD_GRP_CD_2034	127			774
		138			391			776
		333			921			783
		334	2043	ESD_EMI_CD_2043	016			841
		335			211			843
		336			523			845
		339	2046	ACTY_CD_2046	012			849

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		850			489	2164	AR_MCC_AP_TXT_2164	169
		869			491	2165	AR_MCC_SG_CD_2165	171
		871			492	2166	AR_MCC_SG_TX_2166	171
		886			505	2167	AR_MCC_SG_CD1_2167	006
		887			506			172
		888			507			505
		912			508	2168	AR_MCC_SG_TX1_2168	172
		925			509	2177	NAIN_RMDR_2177	363
		926			510	2180	DT_NIIN_ASGMT_2180	016
		936			511			523
		955			512	2181	ID_STAT_CNT_2181	458
		994			513	2182	ID_STAT_CNT_2182	458
2051	KRT_IND_2051	258			515	2184	ID_STAT_CNT_2184	458
		259			518	2185	ID_STAT_CNT_2185	458
2052	DIC_I_O_TYPE_2052	196			519	2187	ID_STAT_CNT_2187	458
2057	TRANS_TI_2057	196			521	2188	ID_STAT_CNT_2188	458
2090	FRT_CD_STAT_2090	090			592	2195	ID_STAT_CNT_2195	458
2093	TIR_OP_MED_CD_2093	157			594	2196	ID_STAT_CNT_2196	458
2094	SSR_OP_MED_CD_2094	157			783	2198	LWST_DCSN_SEQ_2198	998
2096	OP_DESTN_2096	197			918	2199	HI_DCSN_SEQ_2199	998
2097	ROLL_UP_DIC_2097	197	2131	TRANS_INST_2131	214	2211	DIC_REF_2211	196
2098	RL_UP_DIC_DES_2098	197	2132	GLOS_TERM_2132	220	2212	DIC_TO_FD_2212	198
2099	ED_DIC_2099	197	2133	GLOS_TERM_DEF_2133	220	2213	DIC_CSTDN_ALT_2213	196
2101	CM_NOTE_IND_2101	197	2134	GLS_TRM_VL_RF_2134	219	2214	DIC_CSTDN_2214	196
2102	ED_DIC_DESTN_2102	197			220	2219	INCR_NBR_2219	948
2109	REC_COL_2109	207	2135	GLOS_ACRNM_2135	219	2221	RNAAC_IND_2221	157
		249	2136	GLOS_ACRNM_TI_2136	219	2222	ORG_ACT_IND_2222	157
2111	DIC_DRN_NOTE_2111	207	2137	ADRS_TYP_CD_2137	002	2223	DROP_IN_MAINT_2223	157
2113	DIC_DRN_N_DEF_2113	208			003	2224	DROP_IN_NOTIF_2224	157
2127	TRANS_DEF_2127	214			328	2225	DROP_INDX_CD_2225	209
2128	EFF_DT_2128	006			504			210
		007	2139	PSTHRU_ACT_ID_2139	206			480
		008	2140	PSTHRU_ACT_NM_2140	206	2227	CTGY_CD_ACT_X_2227	159
		009	2143	SUBMR_ACT_IND_2143	157	2231	TBL_CSTDN_ALT_2231	150
		010	2146	TRFR_STAT_CNT_2146	672	2232	TBL_CSTDN_2232	150
		015			673	2233	TBL_RSP_DIR_2233	150
		017			680	2234	IAN_SIZE_2234	373
		073			681			550
		091	2147	TRFR_STAT_CNT_2147	672	2235	LBL_ID_2235	145
		093			673			146
		094			680			378
		095			681			482
		096	2161	AR_MCC_USE_CD_2161	006	2254	COCO_NBR_2254	117
		099			170			118
		115			505	2259	MDLS_PN_2259	343
		331	2162	AR_MCC_USE_TX_2162	170	2260	DT_LST_MRN_2260	016
		345	2163	AR_MCC_AP_SUB_2163	006			523
		380			169	2262	DT_OE_RCD_EST_2262	082
		382			505	2272	MDLS_CAGE_CD_2272	320

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		321			505	2455	TRFR_STAT_CNT_2455	068
		324			506	2456	TRFR_STAT_CNT_2456	068
		343			507	2457	TRFR_STAT_CNT_2457	068
		344			508	2459	TRFR_STAT_CNT_2459	668
2274	MDLS_ASG_NIIN_2274	344			509	2460	TRFR_STAT_CNT_2460	668
2283	MAJ_MCC_AR_EX_2283	237			510	2461	TRFR_STAT_CNT_2461	672
2286	RPTY_ID_TI_2286	321			511			673
2287	MDLS_CAGE_PN_2287	343			512			680
2288	MDLS_PRF_MD_C_2288	325			513			681
2289	MDLS_MED_CD_2289	322			515	2462	TRFR_STAT_CNT_2462	672
		324			518			673
2300	DT_STDZN_DEC_2300	016			521			680
		523			522			681
2301	SHRT_NM_2301	098			523	2463	TRFR_STAT_CNT_2463	672
		438			524			673
		565			554			680
		593			928			681
		684			972	2464	TRFR_STAT_CNT_2464	672
		772			973			673
		782			974			680
		932			975			681
2303	NM_CD_2303	091			976	2466	TRFR_STAT_CNT_2466	670
		098			977	2467	TRFR_STAT_CNT_2467	670
		099			978	2468	TRFR_STAT_CNT_2468	670
		489			979	2469	TRFR_STAT_CNT_2469	670
		513			980	2470	TRFR_STAT_CNT_2470	670
		518			981	2473	TBL_VOLUME_2473	913
		592			982	2474	TRFR_STAT_CNT_2474	670
		593			983	2475	TRFR_STAT_CNT_2475	670
		594			984	2476	TRFR_STAT_CNT_2476	670
		724			997	2477	TRFR_STAT_CNT_2477	670
		990			998	2478	TRFR_STAT_CNT_2478	670
2308	DCOD_ISAC_RPY_2308	125			999	2495	CIIC_CLS_TI_2495	182
		950	2319	SKEL_CODE_2319	118	2496	CIIC_CLS_EX_2496	182
2309	DCOD_STYL_RPY_2309	131			119	2497	AIR_CMDTY_CD_2497	162
		951	2344	MDLS_TI_2344	321	2498	RPLY_STAT_IND_2498	128
2310	DT_TRAN_2310	025	2345	RPTY_ID_CG_PN_2345	343			923
		044	2346	RPTY_ID_NIIN_2346	344	2499	LKD_LKU_RPLM_2499	010
		059	2347	UNIT_MEAS_TRM_2347	276			509
		060	2348	ISAC_PRES_CD_2348	121	2506	STAT_MANAGER_2506	024
		105	2410	LRN_STAT_CNT_2410	045			040
		106			462			369
		365	2422	LRN_STAT_CNT_2422	621			370
		380			623			436
		381	2429	LRN_STAT_CNT_2429	620			446
		422			622			457
		489	2451	TRFR_STAT_CNT_2451	668			546
		491	2452	TRFR_STAT_CNT_2452	668			547
		492	2453	TRFR_STAT_CNT_2453	668			563

CHAPTER 6  
DATA DICTIONARY  
DRN TO TABLE GROUP NO.  
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		570			625	2597	SUR_PRC_YR_2597	016
		572			627			523
		575			628	2599	SUR_PRC_UN_PR_2599	016
		577			629			523
		584			630	2602	BTCH_FMT_PARM_2602	102
		585			631	2604	STAT_BTCH_TIM_2604	376
		588			634			468
		589			635	2607	FSC_COND_CD_2607	098
		634			636			593
		635			637	2608	COG_CD_NVY_2608	006
		636			638			093
		637			639			252
		642			640			260
		643			641			505
		644			642	2611	CMDTY_MMC- _DOD_2611	093
		645			643			094
		652			644			202
		653			645			515
		654	2508	ESD_EMI_CD_EX_2508	211			082
		655	2513	TAIL_ACT_CD_2513	122	2620	CAGE_NSCM_DES_2620	263
		660	2514	PROP_CHAR_CD_2514	121			325
		661	2516	NM_PREFIX_2516	098	2621	RPTY_OFC_SYM_2621	325
		662			593	2622	RPTY_ST_US_AB_2622	325
		663	2517	NM_ROOT_RMDR_2517	098	2623	RPTY_ZIP_CD_2623	325
		692			593	2624	RPTY_E_ML_ADR_2624	325
		693	2531	AUTH_II_COLBR_2531	095	2625	RPTY_CLR_TXT2_2625	325
		694	2532	AUTH_II_RCVR_2532	096	2626	RPTY_CLR_TXT3_2626	325
		695	2533	SUPPLM_COLLBR_2533	008	2627	RPTY_CLR_TXT4_2627	325
		763			507	2632	MDLS_DOC_NBR_2632	320
		764	2534	SUPPLM_RCVR_2534	017			321
		784			512			324
		785	2535	AUTH_II_SUBMR_2535	093			343
		786			129			344
		787	2538	FRST_MNTH_JUL_2538	956	2633	DOC_TYP_2633	320
		788	2539	NUMERIC_MONTH_2539	956			321
		789	2541	L07_TRAN_SENT_2541	998			324
		790	2542	L07_TRAN_RCVD_2542	998			343
		791	2544	CASE_NBR_2544	044			344
		792	2549	POS_ZONE_2549	328	2634	DRC_2634	320
		857	2561	RN_DEC_CAT_CD_2561	287			324
2507	AAC_2507	006	2564	DFLT_OP_FMT_2564	382	2638	RPTY_ID_2638	047
		015	2571	RPTY_T_NBR_TP_2571	488			320
		019	2572	RPTY_TEL_NBR_2572	488			322
		156	2574	RPTY_TEL_EXT_2574	488			324
		419	2576	FTP_STAT_IND_2576	709			325
		442	2577	NULL_MSG_IND_2577	709			464
		493	2578	TM_TRNSMT_TS_2578	143			475
		505			324			488
		511	2579	HCC_2579	711			783

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
2639	LOC_SHRT_TI_2639	325			505			533
2640	DAC_2640	014	2665	ACTG_RQMT_AR_2665	006			534
		201			168			535
		522			505	2746	DB2_ARC_GP_NO_2746	141
		772	2670	NIIN_STAT_CD_2670	016			142
2644	REV_LVL_2644	130			028			913
		133			255	2747	INVLD_IMC_IND_2747	231
		135			426	2748	IMC_ACTY_2748	318
		138			427			345
		320			428			521
		321			450	2750	RNJC_2750	014
		324			523			283
		333			557			522
		334			558			686
		335			559	2760	LCL_CD_2760	016
		336			684			234
		339			782			523
		340			960	2770	LST_TL_CD_2770	090
		342	2671	RNDM_SMPL_IND_2671	133			235
		343			340	2832	MAT_CTL_NVY_2832	006
		344	2672	OP_PROD_EXTR_2672	699			253
		359	2673	CNFDNC_LVL_RT_2673	699			505
		388	2674	ERR_RT_2674	699	2833	MOE_CD_2833	006
		418	2675	SMPL_SZ_QY_2675	699			007
		447	2694	CAGE_STAT_CD_2694	070			137
		461			082			148
		473			185			152
		477			502			157
		478			725			247
		486	2695	FUND_CD_AF_2695	006			318
		497			166			433
		498			505			505
2645	MINM_ADRS_CD_2645	082	2720	HMC_2720	016			506
		226			224			530
2646	RPLD_INC_2646	489			523			561
		990	2741	TRFR_STAT_CNT_2741	670			734
2647	RPLD_FSC_2647	491	2743	TRFR_STAT_CNT_2743	670			886
		492	2744	IMC_2744	040			887
2648	RQMT_RPY_INST_2648	127			231	2834	SMIC_NVY_2834	006
		390			345			254
		921			436			505
2650	ISC_2650	016			457	2836	MMAC_AF_2836	006
		042			521			093
		232			563			238
		459	2745	REPBL_CD_2745	055			505
		523			056	2841	ERRC_CNDM_LV_2841	165
		915			057	2842	ERRC_DSG_AF_2842	165
2655	ERRC_CD_AF_2655	006			058	2843	ERRC_EXP_Y_N_2843	165
		165			532	2844	ERRC_REP_Y_N_2844	165



# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
2850	NMFC_2850	016			155	2959	STRS_ACT_MC_2959	006
		035			345			244
		090			445			505
		149			521	3040	UFC_CD_MODF_3040	016
		416	2891	RECOV_CD_MC_2891	006			035
		423			243			090
		503			505			149
		523	2892	RECOV_CD_AR_2892	006			416
		732			173			423
2862	PHRS_CD_2862	007			505			503
		268	2893	TECH_DOC_NBR_2893	007			523
		506			506	3041	OLD_UI_CD_3041	813
		836	2895	REL_NSN_2895	007	3042	NEW_UI_CD_3042	813
		882			506	3043	SEQ_KEY_3043	228
		884	2900	RNAAC_2900	014			291
2863	CIIC_2863	006			522			394
		129			686			536
		270			772			770
		505			932			771
		941	2910	RNCC_2910	014			813
2866	PICA_2866	093			245	3044	OLD_QUANT_EXP_3044	813
		129			280	3045	NEW_QUANT_EXP_3045	813
		152			522	3047	NEW_UI_TEXT_3047	813
		772			686	3048	FRST_PHRS_CD_3048	839
		773			772	3049	SCND_PHRS_CD_3049	839
		779			932	3050	UI_3050	006
		781	2920	RNFC_2920	014			312
		932			282			505
2867	PRI_IND_CD_2867	341			522	3051	PH_CD_NT_IND_3051	839
		376			686	3053	UI_CONV_FAC_3053	006
		378	2923	RNSC_2923	014			505
		412			284			813
		468			522	3059	TMSTMP_3059	006
		600			686			007
		777	2926	REL_INC_2926	091			008
		852			513			009
		872			592			010
2871	AMC_2871	021	2930	REIMB_CD_2930	288			011
		022	2934	REP_CD_DLA_2934	006			014
		153			200			015
		154			505			016
		345	2938	SICA_2938	093			017
		425			152			018
		444	2943	SLC_2943	006			025
		445			295			044
		521			505			054
		556	2948	SOSM_CD_2948	006			059
2876	AMSC_2876	022			298			105
		153			505			106

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		149			974			653
		345			975			656
		346			976			657
		366			977			660
		381			978			661
		422			979			744
		505			980			745
		506			981			796
		507			982			797
		508			983			800
		509			984			801
		510			997	3073	J_TBL_REPLY_3073	352
		511			998			360
		512			999	3078	F_MIN_VALUE_3078	353
		519	3060	AND_OR_IND_3060	348			361
		521			350	3084	PINC_3084	010
		522			351			348
		523			352			349
		524			353			350
		554			354			351
		598	3066	STAT_LOA_3066	019			352
		599			050			353
		604			057			354
		606			058			356
		612			371			357
		614			442			358
		616			528			360
		617			534			361
		619			535			362
		666			569			364
		773			570			509
		780			571	3085	AMC_TO_3085	329
		781			572			330
		782			580	3086	AMC_FROM_3086	329
		843			582			330
		844			584	3087	PC_DN_LD_LINE_3087	366
		919			586	3088	CLRTXT_KEY_3088	349
		920			588	3090	STAT_LOA_COMB_3090	024
		921			628			369
		922			630			446
		923			634			546
		924			636			786
		928			638			787
		937			640			792
		950			642	3101	REF_SCRN_IND_3101	191
		951			644			230
		952			648	3102	CHAR_SCRN_IND_3102	191
		972			649			230
		973			652	3103	TYP_MATCH_3103	230

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
3104	RESULT_ACTN_3104	230	3138	CIIM_IN_IND_3138	183	3183	CON_CD_FD1_TI_3183	831
3105	RNCC_MS_H_RNG_3105	278	3139	CIIM_RTN_TO_3139	183	3184	CON_CD_FD1_3184	831
		290	3140	RTN_DEF_INST_3140	291	3185	REIMB_CD_EX_3185	288
3106	RNVC_MS_H_RNG_3106	278	3141	FU_STAT_DEF_3141	233	3186	TRAN_STAT_DEF_3186	306
		290	3142	FU_STAT_INST_3142	233	3187	TRAN_STAT_INS_3187	306
3107	DAC_MUST_RNG_3107	278	3143	SGR_W_OP_DIC_3143	233	3188	TRAN_STAT_OP_3188	306
3108	VLD_REF_MST_3108	278	3144	SGR_WO_OP_DIC_3144	233	3189	TRAN_STAT_NOT_3189	306
3109	RNCC_MA_H_RNG_3109	278	3145	CURR_TIR_SEG_3145	233	3190	PUB_TRM_ABR_3190	174
		289	3146	ADD_R_P_Q_SEG_3146	233	3191	PVC_AF_DEF_3191	273
3110	RNVC_MA_H_RNG_3110	278	3147	USI_SVC_CD_X_3147	313	3192	PUB_TERM_3192	174
		289	3148	MAT_CAT_MC_3148	242	3193	DBR_PRO_INIT_3193	203
3111	DAC_MAY_RNG_3111	278	3149	MGT_AG_G_C_MC_3149	242	3194	MA_AA_ROW_3194	379
3112	VLD_REF_MAY_3112	278	3150	ECH_CD_MC_3150	006	3195	MA_AA_SEQ_3195	379
		289			240	3196	ADRS_OFST_IN_3196	379
3113	FMT_R_NBR_CAG_3113	176			505	3197	ADRS_WIDTH_IN_3197	379
3114	FMT_EXAMPLE_3114	176	3151	EC_ACQ_STK_MC_3151	240	3198	DLN_SEQ_3198	379
3115	SCRN_RNCC_3115	289	3152	ECH_REM_MC_3152	240	3199	PRDCT_TI_ROW_3199	379
		290	3153	STRS_ACT_MC_X_3153	244	3200	SRC_OF_RQST_3200	378
3116	SCRN_RNVC_3116	289	3154	RECOV_EX_MC_3154	243	3201	PARM_INFO_3201	378
		290	3155	SP_MAT_APL_IK_3155	254	3202	AMLS_RUN_ID_3202	378
3117	R_N_DUP_DEC_I_3117	287	3156	MCC_NVY_EX_3156	253	3203	AMLS_RI_SEQ_3203	378
3118	OP_MOD_MED_EX_3118	267	3157	ACT_RQM_BR_EX_3157	168	3204	AMLS_TRGT_PGM_3204	378
		410	3158	MMAC_DEF_AF_3158	238	3205	SUBMTR_USERID_3205	378
3119	F_V_LEN_IND_3119	267	3159	AF_BDGT_PGM_3159	164	3206	ADRS_1_ROW_3206	379
		410	3160	AF_BDGT_APPRP_3160	164	3207	LBL_ID_ROW_3207	379
3120	EAM_CRD_INTRP_3120	267	3161	BDGT_CD_AF_EX_3161	164	3208	ADRS_2_ROW_3208	379
		410	3162	AF_BGT_STK_FD_3162	164	3209	ADRS_3_ROW_3209	379
3121	LST_PRT_P_IND_3121	267	3163	FD_CD_DEF_AF_3163	166	3210	ADRS_4_ROW_3210	379
		410	3164	ERRC_EX_AF_3164	165	3211	ADRS_5_ROW_3211	379
3122	MT_TRC_ENCD_I_3122	267	3165	CMBT_MC_EXP_3165	239	3212	ADRS_6_ROW_3212	379
3123	MT_USG_NOTE_3123	267	3166	MAT_ID_MC_EX_3166	241	3213	ADRS_7_ROW_3213	379
3124	MT_DNSTY_IND_3124	267	3167	MAT_ID_MC_NOT_3167	241	3214	ADRS_8_ROW_3214	379
		410	3168	SP_HDLG_CD_EX_3168	300	3216	ZIP_CD_SEQ_3216	379
3125	MT_PRTY_IND_3125	267	3169	AIR_S_HDLG_3169	167	3218	NBR_COPY_SEQ_3218	379
		410	3170	AIR_S_HDLG_EX_3170	167	3219	ZIP_CD_ROW_3219	379
3126	MT_BLACK_FAC_3126	267			728	3220	NBR_ADRS_PRC_3220	378
		410			729	3221	DELETER_USRID_3221	378
3127	MT_LAB_IND_3127	267	3171	TYP_OE_CD_EXP_3171	265	3222	PRDCT_TI_SEQ_3222	379
		410	3172	SP_MAT_CON_EX_3172	301	3223	NBR_COPY_ROW_3223	379
3128	RNCC_IN_3128	287	3173	FILE_MAINT_EX_3173	213	3224	NBR_LBL_ACRS_3224	379
3129	RNVC_IN_3129	287	3174	SEG_CD_SUP_EX_3174	293	3225	CHAR_ADRS_LI_3225	379
3130	RNCC_DB_3130	287	3175	DIDS_SEG_EX_3175	199	3226	WIDTH_INCH_3226	379
3131	RNVC_DB_3131	287	3176	OPRTL_T_MC_EX_3176	266	3227	LENGTH_INCH_3227	379
3132	UNMTCH_RNCC_3132	287	3177	PHY_CTGY_MC_X_3177	269	3228	LBL_FORMAT_3228	378
3133	R_N_DUP_DEC_3133	287	3178	TYP_SP_PRC_E_3178	310			379
3134	CIIM_RTN_CD_3134	183	3179	INV_ACT.CG_EX_3179	229			482
		746	3180	REP_CD.CG_EX_3180	184	3229	OPER_MSG_3229	379
3136	NO_Q8_ED_3136	299	3181	NO_Q8_ED_NVY_3181	252	3230	LBL_ID_SEQ_3230	379
3137	CIIM_RTN_DEF_3137	183	3182	SRN_CTL.CG_EX_3182	180	3231	MLNG_PIC_ROW_3231	379

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
3232	MLNG_PIC_SEQ_3232	379	3324	UPDT_DIC_CT_3324	374			131
3233	DLN_ROW_3233	379	3339	LOG_DT_3339	141			339
3234	LINES_INCH_3234	379	3351	OFC_NM_LI_3351	355			347
3235	CHAR_PER_INCH_3235	379	3354	DLVR_ADRS_LI_3354	355			348
3237	NAIN_CD_3237	363	3366	CAGE_AFFL_DEF_3366	700			349
3238	ACTY_NM_LINE1_3238	157	3367	SZ_OF_BUS_DEF_3367	705			350
3239	ACTY_NM_LINE2_3239	157	3368	BUS_CAT_DEF_3368	704			351
3240	ACTY_NM_LINE3_3240	157	3369	TYP_BUS_DEF_3369	703			352
3241	ACTY_NM_LINE4_3241	157	3370	CAGE_RSN_DEF_3370	708			353
3242	ACTY_NM_LINE5_3242	157	3371	TPYR_EXMP_DEF_3371	707			354
3243	ACTY_OFC_SYM_3243	157	3372	BUS_FM_CD_DEF_3372	706			356
3244	ACTY_ST_ADRS1_3244	157	3373	RGSTR_RNWL_DT_3373	222			357
3245	ACTY_ST_ADRS2_3245	157	3374	CNTCT_NM_3374	222			358
3246	ACTY_CITY_3246	157	3375	EMAIL_ADRS_3375	222			360
3247	ACTY_ST_US_AB_3247	157	3381	USR_ACCS_SUB_3381	954			361
3248	ACTY_ZIP_CD_3248	157	3401	TAX_PYR_ID_3401	082			362
3281	LBL_ID_TEXT_3281	482	3402	TAX_PYR_EXMPN_3402	082			472
3282	LBL_ID_MA_IND_3282	482			707			473
3283	LBL_ID_DLN_3283	482	3403	PARNT_TAXPYR_3403	082			498
3284	AMLS_SUB_DT_3284	378	3404	CONTR_ESTBMT_3404	082			501
3285	AMLS_SUB_TM_3285	378	3405	DUNS_3405	070			688
3286	AMLS_PROC_DT_3286	378			082			827
3287	AMLS_PROC_TM_3287	378			222			880
3288	LBL_FORM_CD_3288	378	3406	BUS_FM_CD_3406	082			919
3289	LBL_SET_QTY_3289	378			706			921
3290	AMLS_LST_CNTL_3290	378	3407	CAGE_RQST_RSN_3407	082			951
3306	LOLA_REQ_DATE_3306	045			708	3447	PRICE_NOTE_3447	837
		462	3408	CNTRY_CD_3408	328	3448	QE_NOTE_3448	837
		620			701	3449	SVC_CD_P_S_EX_3449	835
		621	3409	CNTY_NM_3409	139	3450	PHRS_CD_SVC_X_3450	836
		622	3410	CNGRSL_DSTRCT_3410	139	3451	NATO_ONLY_IND_3451	198
		623	3411	PLND_PRDCR_CD_3411	082			207
3307	LOLA_STAT_SC_3307	045	3412	CONTR_ID_CHNG_3412	082			214
		462	3413	TEL_TYP_DEF_3413	702	3452	DLIS_CHP_NBR_3452	394
		620	3414	FRM_ZIP_CD_3414	077			736
		621	3415	TO_ZIP_CD_3415	077			864
		622	3418	CMMD_CPBLTY_3418	709	3453	TX_TB_HDR_IND_3453	736
		623	3428	H_D_BRK_CMDTY_3428	094	3454	MIL_VOL_IND_3454	917
3308	ITM_NM_TYP_CD_3308	098			221	3455	SIN_MLT_OP_EX_3455	873
		593			515	3456	SYM_IND_3456	156
		724	3445	MRC_3445	020			194
3309	USER_RQST_DT_3309	140			115			312
3311	CMBT_ESTL_MC_3311	006			116	3457	CNTR_LBL_CD_X_3457	860
		239			119	3458	CMD_AUTH_CD_X_3458	858
		505			120	3460	AUD_RQMT_STAT_3460	921
3313	UPDT_TRAN_HDR_3313	375			121			922
3314	UPDT_COMM_3314	375			124	3461	AUD_RPLY_STAT_3461	923
3323	UPDT_PRC_TIME_3323	368			126	3462	MRC_ASGN_STAT_3462	919
		608			127	3464	UP_QTY_EXPL_3464	946

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
3465	CDD_RPLY_3465	128			772			521
		339			781			522
		473			932			523
		923	3571	CONV_REF_NBR_3571	014			524
3466	HMIC_EXPLN_3466	110			108			875
3467	CRT_CD_FIG_EX_3467	111			522			893
3475	CON_CD_FED1_3475	831			953			894
3476	CON_CD_FED2_3476	832	3572	PMIC_CDD_RPLY_3572	987			924
3477	CON_CD_FD2_TI_3477	832	3573	PMIC_MRC_3573	988			928
3478	CON_CD_FD2_XD_3478	832	3574	PMIC_TBL_TYPE_3574	987			948
3479	SVC_NM_3479	829			988			949
		833	3595	RPLM_CAGE_CD_3595	101			972
		834			103			973
3480	NM_LINE1_3480	834	3614	RQMT_STMT_3614	127			974
3481	NM_LINE2_3481	834			498			975
3482	ATTN_LINE_3482	834			688			976
3483	DSOR_ACTY_NM_3483	833			921			977
3484	DSOR_STMT_3484	829	3631	MC_DEL_CDG_3631	881			978
3485	INC_FIIG_CORL_3485	830	3690	SOS_CD_3690	006			979
3486	TYPE_II_2_3486	830			260			980
3488	TYP_II_M_3488	830			261			981
3489	TYP_II_N_3489	830			299			982
3490	TYP_II_1_3490	830			427			983
3491	TYP_II_K_3491	830			428			984
3492	TYP_II_L_3492	830			440			997
3493	SVC_SICA_3493	837			505			998
3494	CIIC_NOTE_3494	837			558			999
3495	SLC_NOTE_3495	837			559	3740	OP_MOD_MED_CD_3740	012
3496	SOSM_NOTE_3496	837	3708	STATL_IND_CD_3708	303			054
3497	UI_NOTE_3497	837			924			144
3498	SOS_NOTE_3498	837	3720	SUBMG_ACTY_CD_3720	025			267
3499	QUP_NOTE_3499	837			044			410
3505	PICA_LOA_3505	093			059			474
		152			060			604
		271			105			715
		952			106			783
3561	ASGN_ISAC_RPY_3561	950			304			841
3562	AUD_ISAC_RPY_3562	951			341			843
3563	AUD_STYL_RPY_3563	072			380			945
3565	REF_DWG_GP_DS_3565	826			422	3742	LRN_STAT_CNT_3742	045
		827			490			462
		828			505			620
		965			506			621
		014			507			622
3570	REF_NBR_3570	059			508			623
		103			509	3765	BDGT_CD_AF_3765	006
		108			510			164
		522			511			505
		686			512	3843	CRITL_CD_FIIG_3843	010

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		111			385			961
		509			386			972
		782			387			973
3844	STATS_SA_PREF_3844	063			389			974
3845	RPLY_TBL_DCOD_3845	120			398			975
		124			401			976
		125			403			977
		950			404			978
		952			405			979
3864	DCOD_RPLY_ST_3864	128			406			980
		923			408			981
3870	DSK_CD_CATLG_3870	060			411			982
		109			474			983
3880	DEST_ACTY_OP_3880	188			475			984
3881	WPN_SYS_ID_3881	846			476			992
		847			480			997
3882	WPN_SYS_SVC_3882	846			499			999
		847			505	3921	DIC_IP_3921	064
3883	WPN_SYS_IND_3883	847			506			065
3885	WPN_SYS_ESNTL_3885	847			507			104
3886	DLA_CTR_CD_3886	847			508			206
3887	WPN_SYS_NM_3887	846			509			368
3890	DEST_CD_SCRNG_3890	144			510			372
		782			511			374
3891	DLAC_3891	948			512			376
3892	LMD_ODIC_3892	875			521			468
		948			522			540
3893	LVA_ODIC_3893	875			523			541
		948			524			549
3920	DIC_3920	012			602			608
		013			604			739
		025			613			740
		060			614			808
		074			616			809
		121			774			822
		175			776			823
		181			782			924
		188			845			958
		196			849	3960	NSN_3960	772
		197			850			781
		198			855			782
		207			859			932
		209			866	3990	FSC_3990	304
		214			869			487
		292			871			602
		323			876			774
		341			918			776
		380			928			871
		383			953	3994	FSG_3994	001

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		010			492			697
		019			494			733
		024			509			741
		031			515			742
		034			518			763
		036			525			764
		038			528			784
		039			530			785
		042			531			786
		050			546			787
		053			547			788
		073			548			789
		076			555			790
		094			561			791
		099			562			792
		103			564			793
		106			572			796
		129			573			797
		148			577			798
		216			578			799
		221			580			800
		316			581			801
		338			588			802
		369			589			803
		370			590			804
		371			591			805
		377			594			857
		396			595			875
		415			611			895
		420			615			896
		430			625			897
		431			627			898
		432			642			899
		433			643			900
		434			644			901
		435			645			902
		437			646			903
		442			647			904
		446			660			905
		453			661			906
		455			662			907
		456			663			908
		459			670			909
		465			684			916
		466			692			935
		467			693			940
		470			694			948
		471			695			962
		491			696			985

CHAPTER 6  
DATA DICTIONARY  
DRN TO TABLE GROUP NO.  
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		986			465			693
3995	STAT_CCTGY_3995	021			466			694
		329			467			695
		330			470			696
		444			471			697
		944			491			733
3996	FSC_WI_FSG_3996	001			494			741
		010			509			742
		019			515			763
		024			518			764
		031			525			784
		034			528			785
		036			530			786
		038			531			787
		039			546			788
		042			547			789
		050			548			790
		053			555			791
		073			561			792
		076			562			793
		094			564			796
		099			572			797
		103			573			798
		106			577			799
		129			578			800
		148			580			801
		216			581			802
		221			588			803
		338			589			804
		369			590			805
		370			591			857
		371			594			875
		377			611			895
		396			615			896
		415			625			898
		420			627			900
		430			642			902
		431			643			904
		432			644			907
		433			645			908
		434			646			909
		435			647			916
		437			660			948
		442			661			962
		446			662			985
		453			663			986
		455			670	4000	NIIN_4000	602
		456			684			774
		459			692			776



# CHAPTER 6

## DATA DICTIONARY

### DRN TO TABLE GROUP NO.

### APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		871			094			009
4020	FRT_DESC_4020	090			515			010
4061	ILL_RTN_DT_4061	136	4080	INC_4080	001			011
4062	ILL_START_DT_4062	136			010			014
4063	ILL_ACPT_IND_4063	136			020			015
4064	DWG_FIIG_INIT_4064	815			033			016
4065	FIIG_4065	010			034			017
		020			035			018
		033			037			075
		034			038			089
		038			073			103
		075			106			106
		098			120			115
		119			122			116
		120			124			129
		121			225			251
		122			414			331
		123			415			345
		124			416			346
		127			417			348
		131			421			349
		414			430			350
		415			431			351
		430			432			352
		431			434			353
		434			435			354
		435			465			380
		466			466			497
		467			467			498
		470			470			505
		471			471			506
		472			472			507
		501			495			508
		509			509			509
		562			562			510
		593			684			511
		782			782			512
		878			828			519
		921			878			521
		951	4126	MAT_IDEN_MC_4126	006			522
4066	ILL_ID_4066	136			241			523
4069	DWG_FIIG_4069	072			505			524
		815	4128	CDD_CLR_RPLY_4128	115			626
		826			116			684
		827			348			686
		828	4129	ED_CRITE_STMT_4129	121			687
		963	4130	NCB_CD_4130	006			688
		965			007			847
4075	IMCA_4075	080			008			875

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		876			521			336
		877			522	4167	SRT_SEQ_TXT_4167	486
		881			523	4168	CMPNT_FILE_NM_4168	333
		914			524			418
		918			626	4169	RCD_TYP_ORDR_4169	478
		928			684	4171	CMPNT_DSCRD_4171	334
		948			686			336
		957			687			339
		960			688			477
4131	I_I_NBR_4131	006			847	4172	CMPNT_SEQ_4172	334
		007			875			336
		008			876			339
		009			877	4173	CMPNT_CATNT_4173	334
		010			881			339
		011			914	4174	CMPNT_LGTH_4174	334
		014			918			336
		015			928			339
		016			948			388
		017			957			447
		018			960			473
		075	4140	NSCM_4140	685			477
		089	4152	FILE_OFST_NBR_4152	447	4176	DATA_STRM_BRK_4176	334
		103	4153	PARM_STNG_TXT_4153	461			339
		106			477	4177	CMPNT_SRT_4177	334
		115	4154	PRDCT_PT_NBR_4154	478	4179	MRKP_DSRPTR_4179	334
		116			486			335
		129	4155	EDIT_MBR_TXT_4155	388			336
		331			473			339
		345	4156	MARKUP_TXT_4156	335	4180	NSCM_CDFN_BUR_4180	258
		346			388	4181	MRKP_HPHN_4181	335
		348			447	4182	MRKP_CPTLZTN_4182	335
		349			473	4183	ACCS_SUBRTN_4183	336
		350			477			337
		351	4157	DCOD_SVC_IND_4157	461			477
		352	4158	EX_FILE_LGTH_4158	334	4184	PASD_PARM_4184	336
		353			447	4185	ACCS_PARM_4185	336
		354	4159	XFILE_RPETD_4159	334	4187	CMPNT_OFST_4187	334
		380			447	4188	NXT_PUB_DT_4188	133
		497	4160	IDS_CMPNT_NBR_4160	334			340
		498			339	4189	LST_UPDT_DT_4189	340
		505			388	4191	LST_PUB_DT_4191	133
		506			447			340
		507			473	4192	DEF_ESTB_DT_4192	340
		508	4161	CMPNT_ELE_NM_4161	388	4193	DEF_STAT_CD_4193	133
		509	4162	CMPNT_BLN_4162	333			340
		510	4163	CMPNT_OMIT_4163	333	4194	PUB_CYCL_TM_4194	340
		511	4164	CMPNT_FAIL_4164	333	4195	FUNC_MNEM_NM_4195	340
		512	4165	CMPNT_MANY_4165	333			342
		519	4166	EXTR_TYP_SEQ_4166	333			359

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		388	4205	ROW_IND_4205	336	4214	KVI_SPNS_E_DT_4214	948
		418			359	4215	OTHER_DIC_4215	948
		447			418	4216	OTHR_DIC_DATE_4216	948
		461	4206	COND_TXT_4206	359	4217	LVA_DATE_4217	875
		473	4207	TBL_QRY_STNG_4207	333			948
		477	4208	LINK_PARM_4208	333	4218	LMD_DATE_4218	875
		478	4209	EXTR_ITM_QY_4209	133			948
		486	4210	ORIG_ACTY_CD_4210	016	4235	FRN_DOM_CD_4235	082
4196	ACT_USR_IND_4196	340			025			307
4197	REC_TYP_CD_4197	333			044	4238	CAGE_TYP_CD_4238	082
		334			059			265
		336			060	4251	USER_PAD_CHAR_4251	133
		339			105			340
		342			106	4252	SRT_RPL_4252	133
		359			341			340
		388			380	4253	PRPY_DCOD_4253	133
		418			422			340
		447			505	4254	PRPY_NOTC_4254	133
		461			506			340
		473			507	4255	DATA_RPL_4255	333
		477			508			359
		478			509			418
4198	ACCS_TYP_CD_4198	333			510	4256	ACCS_RPET_CT_4256	333
		342			511			359
		579			512			418
4199	ACCS_SEQ_NBR_4199	333			521	4257	FLD_JUST_4257	334
		334			522			339
		336			523			388
		339			524			447
		342			924			473
		359			928	4258	POST_MRKP_4258	335
		388			972			388
		418			973			447
		447			974			473
		461			975			477
		473			976	4259	PRE_DELIM_4259	335
		477			977			388
4201	ITM_PRC SG_QTY_4201	133			978			447
		340			979			473
4202	EXTR_OP_FL_4202	133			980			477
		340			981	4260	POST_DELIM_4260	335
4203	MBR_STNG_TX_4203	359			982			388
4204	PRCSG_ACTN_4204	359			983			447
		388			984			473
		418			997			477
		447			998	4311	JOB_JCL_4311	134
		461			999	4312	STEP_JCL_4312	134
		473	4211	KVI_DECR_CTR_4211	949	4313	JCL_TYP_4313	134
		477	4212	KVI_ORIG_CTR_4212	949	4314	STEP_SEQ_4314	134

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
4315	JCL_TX_4315	134			119			361
4316	FILE_TYP_4316	135	4414	CHNG_RPLY_TO_4414	118			362
4317	PRIM_SPC_ALOC_4317	135			119	4443	TMSTMP3_4443	115
4318	SECD_SPC_ALOC_4318	135	4415	COCO_CONV_TYP_4415	117			380
4319	PRIM_WS_ALOC_4319	135			119	4444	NBR_OF_TBLS_4444	390
4320	SECD_WS_ALOC_4320	135	4416	CNV_FRM_LEFT_4416	117	4445	PRT_SKLTN_1_4445	390
4321	STOR_UNIT_TYP_4321	135			119	4446	PRT_SKLTN_2_4446	390
4322	FILE_RET_TIME_4322	135	4417	CNV_FRM_RIGHT_4417	117	4447	PRT_SKLTN_3_4447	390
4323	FXD_LRECL_4323	135			119	4448	KEY_GRP_DESC_4448	391
4324	FXD_BLKCSZ_4324	135	4418	DL_REPLY_4418	350	4449	TABL_NAME_REM_4449	392
4325	ASCII_IND_4325	135			357	4450	DIDS_SUB_SEC_4450	393
4326	PRFL_PRFX_TX_4326	340	4419	AB_VALUE_4419	351			394
4327	PRFX_JCL_MBR_4327	340			358			395
4328	FILEAID_MBR_4328	340	4420	J_MIN_L_VAL_4420	352	4453	HEAD_NARRTV_4453	177
4329	CANC_ITM_IND_4329	133			360			393
		340	4421	STORE_TYPE_4421	352	4454	TRAIL_NARRATV_4454	395
4356	KHN_ACTY_IND_4356	327			360	4463	STOP_WORD_CDM_4463	485
4361	DUNS_PLUS4_4361	222	4422	J_MAX_L_VAL_4422	352	4465	DB2_TBL_NAME_4465	359
4398	ZIP_ADD_ON_4398	002			360			392
4399	ZIP_PLUS_FOUR_4399	355	4423	J_MIN_R_VAL_4423	352	4467	DIDS_SUB_PART_4467	392
4400	ZIP_CD_4400	002			360	4469	DRN_FULL_VAL_4469	489
		139	4424	STORE_M_J_TBL_4424	352			491
		145	4425	STORE_M_MIN_4425	352			492
		834	4426	STORE_M_MAX_4426	352	4470	HISTORY_DT_4470	115
4401	ITEM_NM_KY_WD_4401	364	4427	J_MAX_R_VAL_4427	352			505
4402	TMSTMP2_4402	094			360			506
		365	4428	F_MAX_VALUE_4428	353			507
		513			361			508
		515	4429	H_TAB1_VAL_4429	354			509
		518			362			510
		530	4430	H_TAB2_VAL_4430	354			511
4403	TAIL_SEQ_NO_4403	120			362			512
4404	FIIG_SEQ_NO_4404	120	4431	H_TAB3_VAL_4431	354			513
4405	INC_APPL_IND_4405	122			362			518
4407	MRC_SEQ_NBR_4407	115	4432	H_TAB4_VAL_4432	354			519
		116			362			521
4408	RPLY_SEQ_NBR_4408	115	4433	H_TAB5_VAL_4433	354			522
		116			362			523
		348	4434	H_TAB6_VAL_4434	354			524
		354			362			928
		498	4435	H_TAB7_VAL_4435	354	4471	CAGE_KEYWORD_4471	504
4409	PRPY_IND_4409	115			362	4472	TMSTMP4_4472	489
		116	4436	H_TAB8_VAL_4436	354	4473	TMSTMP5_4473	491
4410	AND_OR_4410	115			362	4474	TMSTMP6_4474	492
		116	4437	H_J_TEXT_4437	354	4475	REF_MRC_4475	121
4411	UNIT_MEAS_DES_4411	117	4439	MRC_COUNT_4439	356			501
4412	SKIP_CNT_4412	118			357	4476	QUERY_TYPE_4476	381
		119			358			554
4413	CHNG_RPLY_FRM_4413	118			360	4477	INQ_OUT_VIEW_4477	381

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		554			752	4594	REPT_SEG_IND_4594	479
4488	CONCEPT_NBR_4488	098			753	4596	TOT_MAX_LGTH_4596	479
		593			754	4621	DLSC_ONLY_IND_4621	196
4489	ROW_OBS_DT_4489	006	4541	GRDR_CD_NW_1_4541	772	4622	I_I_DATA_IND_4622	196
		007			781	4623	SUPT_DATA_IND_4623	196
		345	4542	GRDR_CD_NW_2_4542	772	4624	MAND_SEG_STNG_4624	196
		505			781	4625	OPTL_SEG_STNG_4625	196
		506	4543	GRDR_SEQ_NBR_4543	772	4626	CTGY_DIC_CMNT_4626	175
		521	4544	GRDR_NW_CG_CD_4544	772	4645	LMT_DIST_CD_4645	016
4490	STATE_NAME_4490	483			781			236
4491	HLP_PRC_PGMNM_4491	392	4545	GRDR_NW_RN_LG_4545	772			523
4492	DB2_GRP_NUM_4492	392			781			782
		393	4546	GRDR_MFR_DATA_4546	780			936
4495	FST_POS_MR_4495	734	4547	GRDR_DUP_PROT_4547	780	4672	SADC_4672	014
4497	INCL_EXCL_CD_4497	733	4548	GRDR_MFR_PROT_4548	780			294
4503	CAT_SGL_SUB_4503	236	4549	PRIM_DIC_4549	972			522
4504	FSC_M_RL_C_TI_4504	215			973	4690	ODRC_4690	782
4505	DRP_N_OR_M_4505	209			974			855
		480			975			859
4506	AUTH_INT_SUB_4506	236			976			958
4507	AUTH_UPD_RCVR_4507	236			977	4691	FIRST_ODRC_4691	499
4508	SEG_IP_TRAN_4508	773			978	4692	SECOND_ODRC_4692	499
		937			979	4693	THIRD_ODRC_4693	499
4511	FMT_REMARKS_4511	176			980	4694	SEG_VALUES_4694	499
4518	ROW_NBR_4518	207	4557	RTN_CD_DRN_CM_4557	292	4695	TRANS_DT_4695	341
		228	4558	COG_CD_NV_CM_4558	260			368
		249	4559	RTN_CD_CMMT_4559	291			374
		393	4564	TMSTMP1_4564	073			579
		536			081			608
		736			102	4696	LSN_LTI_RMDR_4696	341
		771	4571	MC_INC_4571	878	4735	MODE_CD_4735	115
		992			880			116
4519	TEXT_LINE_4519	736			881			121
		992	4572	MC_CDG_TMSTMP_4572	880			127
4521	AIR_S_HDLG_P1_4521	728			881			390
4522	AIR_S_HDLG_S1_4522	728	4573	MC_LGG_TMSTMP_4573	878			501
4523	AIR_S_HDLG_S2_4523	728			880			921
4524	AIR_S_HDLG_P2_4524	729	4574	MC_FIIG_4574	878	4760	RAIL_VARI_CD_4760	016
4528	SEG_NOTE_NBR1_4528	249			880			523
4529	SEG_NOTE_NBR2_4529	249			881	4765	RPDMRC_4765	010
4531	RPDMRC_FU_IND_4531	877	4575	MC_CDG_4575	880			286
4532	RPDMRC_FU_DT_4532	877	4581	IN_EX_IND_4581	771			509
4535	SIN_MLT_OP_CD_4535	873	4582	BSC_CM_IM_IND_4582	536	4780	RNVC_4780	014
4540	DELT_RSN_CD_4540	010	4583	ED_VAL_CRI_EX_4583	228			285
		192			536			522
		509	4584	FILE_VAL_IND_4584	771			686
		510	4591	I_OR_O_IND_4591	479			772
		626	4592	MIN_LGTH_4592	479			932
		751	4593	MAX_LGTH_4593	479	4820	TYP_II_4820	010

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		309	5066	PRPRTY_IND_5066	075			928
		509	5068	FIIG_SB_SC_TI_5068	963	5154	UP_SZ_5154	346
		782	5069	FIIG_SCTN_ID_5069	072			928
4962	FSC_NOTE_4962	076			826	5155	UP_CU_5155	346
		591			827			928
4965	FSG_NOTE_4965	316			828	5156	ITM_TYP_STOR_5156	346
		595			963			928
4970	FSC_TI_4970	076			964	5157	UNPKG_ITM_WT_5157	346
		591	5070	FIIG_SEC_TI_5070	964			928
4972	FSG_TI_4972	316	5071	FIIG_SB_SC_ID_5071	072	5158	UNPKG_ITM_DIM_5158	346
		595			826			928
4981	DR_ODRC_REC_4981	859			827	5159	PKG_CTGY_CD_5159	346
4982	DR_SEG_A_4982	859			828			928
4983	DR_SEG_B_4983	859			963	5160	MTHD_PRSRV_CD_5160	346
4984	DR_SEG_C_4984	859	5072	DWG_STAT_IND_5072	072			928
4985	DR_SEG_E_4985	859	5073	DWG_STAT_DT_5073	072	5161	CLNG_DRY_PRC_5161	346
4986	DR_SEG_F_4986	859	5074	PHYS_TYP_IND_5074	816			928
4987	DR_SEG_G_4987	859	5099	PICA_SICA_IND_5099	346	5162	PRSRV_MAT_CD_5162	346
4988	DR_SEG_H_4988	859			928			928
4989	DR_SEG_M_4989	859	5100	GIRDER_CD_EX_5100	317	5163	WRAP_MAT_CD_5163	346
4990	DR_SEG_N_4990	859	5101	NCB_CD_CTRY_5101	251			928
4991	DR_SEG_V_4991	859	5102	NCB_CD_NOTE_5102	251	5164	CUSH_DUN_MAT_5164	346
4992	DR_SEG_Z_4992	859	5104	FU_COND_DEF_5104	217			928
4993	DR_CONTR_LBL1_4993	860	5105	FU_COND_INST_5105	217	5165	THK_CUSH_DUN_5165	346
4994	DR_CONTR_LBL2_4994	860	5106	LMT_DIST_EX_5106	236			928
4995	DR_CONTR_LBL3_4995	860	5108	SA_ADD_SOS_CD_5108	299	5166	UNIT_CTNR_CD_5166	346
4996	DR_SEG_W_4996	859	5110	CONF_NOTI_EX_5110	187			928
5015	ITM_NM_DEF_5015	098	5111	CONF_NOT_CDRK_5111	187	5167	INTMD_CTNR_CD_5167	346
		593	5113	PSDO_SOS_DESC_5113	274			928
5020	NAIN_5020	053	5114	RNFC_EX_5114	282	5168	UNIT_CTNR_LVL_5168	346
		106	5116	TYP_IL_CD_TYP_5116	278			928
		363			309	5169	SP_MKG_CD_5169	346
		531	5117	TYP_IL_CD_EXP_5117	309			928
		611	5119	RPDMRC_EXP_5119	286	5170	LVL_A_PKG_CD_5170	346
		615	5121	RNJC_EX_5121	283			928
5027	RQMT_STMT_DEF_5027	347	5123	DAC_EX_5123	201	5171	LVL_B_PKG_CD_5171	346
		921	5125	RNCC_EX_5125	280			928
5037	PHYS_DWG_ID_5037	816	5127	RNVC_EX_5127	285	5172	LVL_C_PKG_CD_5172	346
5038	NIIN_PSCN_IND_5038	914	5131	R_N_STAT_EX_5131	284			928
5039	DRN_SEQ_NBR_5039	889	5132	DELT_RSN_EX_5132	192	5173	OPTNL_PRO_IND_5173	346
		890	5133	STATL_I_CD_EX_5133	303			928
		891	5134	ITM_STDZN_EX_5134	232	5174	SUPMTL_INST_5174	346
		892	5135	D_TRN_CTL_EX_5135	190			928
		918	5136	DEMIL_CD_EX_5136	194	5175	SPI_NBR_5175	346
		989	5151	LOP_CD_5151	346			928
5061	FIIG_DWG_SEQ_5061	072			928	5176	SPI_REV_5176	346
5062	FIIG_DWG_TI_5062	072	5152	INTMD_CTN_QTY_5152	346			928
		842			928	5177	SPI_DT_5177	346
5064	FIIG_DWG_NOTE_5064	826	5153	UP_WT_5153	346			928

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
5178	CTNR_NSN_5178	346	5257	COG_RETL_OFC_5257	252	5355	DIC_STAT_CNT_5355	739
		928	5259	RECOV_EX_AR_5259	173			740
5179	PKG_DSGN_ACTY_5179	346	5260	IRRC_NVY_DEF_5260	262	5357	DIC_STAT_CNT_5357	739
		928	5261	REP_CD_DLA_EX_5261	200			740
5182	FSC_DT_E_C_RC_5182	076	5262	ADPEC_DEF_5262	161	5359	DIC_STAT_CNT_5359	739
		094	5263	TYP_PREC_MTL_5263	272			740
		515	5265	NSCM_S_CD_B_N_5265	259	5360	DIC_STAT_CNT_5360	739
		591	5266	NSCM_S_CD_B_X_5266	259			740
5183	FSG_DT_E_C_RC_5183	316	5267	NSCM_S_CD_BR_5267	259	5361	DIC_STAT_CNT_5361	739
		595	5268	NSCM_CD_BUR_N_5268	258			740
5201	N_PSCN_ST_DEF_5201	255	5270	CAO_EX_PR_EX_5270	178	5362	DIC_STAT_CNT_5362	739
5203	N_PSCN_ST_NOT_5203	255	5271	CNBR_SYS_I_EX_5271	186			740
5204	AMC_EX_5204	154	5272	NSCM_CD_BUR_X_5272	258	5363	DIC_STAT_CNT_5363	739
5205	AMSC_EX_5205	155	5287	OE_DESL_EX_5287	263			740
5208	IMC_TI_5208	231	5288	MINM_ADRS_EX_5288	226	5378	AAC_STAT_CNT_5378	625
5209	IMC_DEF_5209	231	5289	FRN_DOM_EX_5289	307			627
5210	NIMSC_EXPLN_5210	256	5293	CAGE_USR_INTP_5293	185			643
5211	CRD_ID_CD_TI_5211	179	5295	CRTFN_NBR_5295	082			645
5212	CRD_ID_CD_EX_5212	179	5299	MOE_CD_IDEN_5299	247	5384	QDIC_STAT_CNT_5384	824
5213	NRM_SRC_PR_TI_5213	257	5301	CMDTY_CT_EXP_5301	221			825
5214	NRM_SRC_PR_EX_5214	257	5302	SICA_LOA_DEF_5302	296	5386	QDIC_STAT_CNT_5386	824
5215	TYP_MBL_RSV_X_5215	246	5303	PICA_LOA_DEF_5303	271			825
5216	S_PKG_RQM_EX_5216	302	5305	FSC_M_RL_C_EX_5305	215	5388	QDIC_STAT_CNT_5388	824
5217	DMD_IND_EX_5217	193	5306	FUT_M_RL_ST_D_5306	218			825
5218	TYP_FIN_MGT_X_5218	308	5308	CMDTY_MMC_ID_5308	202	5389	QDIC_STAT_CNT_5389	824
5219	EST_ACT_PR_EX_5219	212	5319	SA_DESL_CD_X_5319	294			825
5220	INTGTY_CD_DEF_5220	227	5321	UP_QTY_5321	346	5390	QDIC_STAT_CNT_5390	824
5222	HMC_EXPLN_5222	224			928			825
5224	TYP_CGO_EXP_5224	311			946	5391	QDIC_STAT_CNT_5391	824
5231	AIR_DIM_CD_EX_5231	163	5325	DIC_STAT_CNT_5325	065			825
5232	AIR_CMTY_EX_5232	162			541	5392	QDIC_STAT_CNT_5392	824
5233	LCL_EX_5233	234	5335	DIC_STAT_CNT_5335	818			825
5234	LST_TL_EX_5234	235			819	5402	QDIC_STAT_CNT_5402	824
5235	REP_NET_PR_5235	006	5337	DIC_STAT_CNT_5337	818			825
		505			819	5406	QDIC_STAT_CNT_5406	824
5236	SVC_CNTR_CD_X_5236	863	5339	DIC_STAT_CNT_5339	818			825
5237	STR_TM_PED_5237	295			819	5408	QDIC_STAT_CNT_5408	824
5240	PHRS_CD_PHRS_5240	268	5340	DIC_STAT_CNT_5340	818			825
		836			819	5409	QDIC_STAT_CNT_5409	824
5241	PHRS_CD_EXPLN_5241	268	5341	DIC_STAT_CNT_5341	818			825
5242	UI_TRM_5242	312			819	5410	QDIC_STAT_CNT_5410	824
5243	UI_DEF_5243	312	5342	DIC_STAT_CNT_5342	818			825
5248	QUP_CD_QTY_5248	277			819	5411	QDIC_STAT_CNT_5411	824
5250	AAC_EXPLN_5250	156	5343	DIC_STAT_CNT_5343	818			825
5252	SOSM_CD_EX_5252	298			819	5412	QDIC_STAT_CNT_5412	824
5254	CIIC_CTGY_EX_5254	270	5349	AAC_STAT_CNT_5349	019			825
5255	CIIC_CLS_CD_5255	182			442	5422	QDIC_STAT_CNT_5422	810
		270			642			811
5256	COG_CD_NVY_EX_5256	252			644	5424	QDIC_STAT_CNT_5424	810

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		811	5494	M8A1_STAT_CNT_5494	576			582
5426	QDIC_STAT_CNT_5426	810			587	5516	M8B1_STAT_CNT_5516	569
		811	5495	M8A1_STAT_CNT_5495	576			582
5427	QDIC_STAT_CNT_5427	810			587	5519	M8B1_STAT_CNT_5519	574
		811	5496	M8A1_STAT_CNT_5496	576			583
5428	QDIC_STAT_CNT_5428	810			587	5520	M8B1_STAT_CNT_5520	574
		811			741			583
5429	QDIC_STAT_CNT_5429	810			742	5521	M8B1_STAT_CNT_5521	574
		811	5499	M8C1_STAT_CNT_5499	571			583
5430	QDIC_STAT_CNT_5430	810			572	5522	M8B1_STAT_CNT_5522	574
		811			586			583
5431	AAC_STAT_CNT_5431	019			588	5525	M8B2_STAT_CNT_5525	569
		442	5500	M8C1_STAT_CNT_5500	571			572
5442	QDIC_STAT_CNT_5442	810			572			582
		811			586			588
5444	QDIC_STAT_CNT_5444	810			588	5526	M8B2_STAT_CNT_5526	569
5446	QDIC_STAT_CNT_5446	810	5501	M8C1_STAT_CNT_5501	571			572
5447	QDIC_STAT_CNT_5447	810			572			582
		811			586			588
5448	QDIC_STAT_CNT_5448	810			588	5527	M8B2_STAT_CNT_5527	569
		811	5502	M8C1_STAT_CNT_5502	571			572
5449	QDIC_STAT_CNT_5449	810			572			582
		811			586			588
5450	QDIC_STAT_CNT_5450	810			588	5528	M8B2_STAT_CNT_5528	569
		811	5505	M8C1_STAT_CNT_5505	576			572
5451	PRER_STAT_CNT_5451	755			577			582
		756			587			588
5452	PRER_STAT_CNT_5452	755			589	5531	M8B2_STAT_CNT_5531	574
		756	5506	M8C1_STAT_CNT_5506	576			577
5453	PRER_STAT_CNT_5453	755			577			583
		756			587			589
5458	AAC_STAT_CNT_5458	625			589	5532	M8B2_STAT_CNT_5532	574
		627	5507	M8C1_STAT_CNT_5507	576			577
5469	LSND_STAT_CNT_5469	066			577			583
		542			587			589
5470	LSND_STAT_CNT_5470	066			589	5533	M8B2_STAT_CNT_5533	574
		542	5508	M8C1_STAT_CNT_5508	576			577
5471	LSND_STAT_CNT_5471	066			577			583
		542			587			589
5487	M8A1_STAT_CNT_5487	571			589	5534	M8B2_STAT_CNT_5534	574
		586	5511	AAC_STAT_CNT_5511	638			577
5488	M8A1_STAT_CNT_5488	571			640			583
		586			642			589
5489	M8A1_STAT_CNT_5489	571			644	5537	M8B3_STAT_CNT_5537	570
		586	5513	M8B1_STAT_CNT_5513	569			584
5490	M8A1_STAT_CNT_5490	571			582	5538	M8B3_STAT_CNT_5538	570
		586	5514	M8B1_STAT_CNT_5514	569			584
5493	M8A1_STAT_CNT_5493	576			582	5540	AAC_STAT_CNT_5540	639
		587	5515	M8B1_STAT_CNT_5515	569			641



# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		643			580			581
		645			371			589
5541	M8B3_STAT_CNT_5541	570	5567	M8B5_STAT_CNT_5567	580	5586	M8B6_STAT_CNT_5586	573
		584			371			577
5542	M8B3_STAT_CNT_5542	570	5568	M8B5_STAT_CNT_5568	580			581
		584			573			589
5545	M8B3_STAT_CNT_5545	575	5571	M8B5_STAT_CNT_5571	578	5593	AAC_STAT_CNT_5593	638
		585			581			640
5546	M8B3_STAT_CNT_5546	575			590	5601	POP_STAT_CNT_5601	038
		585	5572	M8B5_STAT_CNT_5572	573			470
5547	M8B3_STAT_CNT_5547	575			578	5602	POP_STAT_CNT_5602	038
		585			581			470
5548	M8B3_STAT_CNT_5548	575			590	5603	POP_STAT_CNT_5603	434
		585	5573	M8B5_STAT_CNT_5573	573			471
5551	M8B4_STAT_CNT_5551	570			578	5613	POP_STAT_CNT_5613	435
		572			581			562
		584			590	5614	POP_STAT_CNT_5614	435
		588	5574	M8B5_STAT_CNT_5574	573			562
5552	M8B4_STAT_CNT_5552	570			578	5615	POP_STAT_CNT_5615	435
		572			581			562
		584			590	5617	POP_STAT_CNT_5617	038
		588			741			470
5553	M8B4_STAT_CNT_5553	570			742	5621	AAC_STAT_CNT_5621	639
		572	5575	M8B5_STAT_CHG_5575	578			641
		584			590	5629	DAC_STAT_CNT_5629	027
		588	5576	M8B5_STAT_PCT_5576	578			449
5554	M8B4_STAT_CNT_5554	570			590	5630	DAC_STAT_CNT_5630	027
		572	5577	M8B6_STAT_CNT_5577	371			449
		584			572	5631	DAC_STAT_CNT_5631	027
		588			580			449
5557	M8B4_STAT_CNT_5557	575			588	5632	DAC_STAT_CNT_5632	027
		577	5578	M8B6_STAT_CNT_5578	371			449
		585			572	5633	DAC_STAT_CNT_5633	027
		589			580			449
5558	M8B4_STAT_CNT_5558	575			588	5634	DAC_STAT_CNT_5634	027
		577	5579	M8B6_STAT_CNT_5579	371			449
		585			572	5635	DAC_STAT_CNT_5635	027
		589			580			449
5559	M8B4_STAT_CNT_5559	575			588	5637	DAC_STAT_CNT_5637	027
		577	5583	M8B6_STAT_CNT_5583	573			449
		585			577	5639	IMC_STAT_CNT_5639	436
		589			581			563
5560	M8B4_STAT_CNT_5560	575			589	5653	IMC_STAT_CNT_5653	040
		577	5584	M8B6_STAT_CNT_5584	573			457
		585			577	5666	STAT_RETN_CAT_5666	061
		589			581	5674	AAC_STAT_CNT_5674	628
5563	M8B5_STAT_CNT_5563	371			589			630
		580	5585	M8B6_STAT_CNT_5585	573			642
5564	M8B5_STAT_CNT_5564	371			577			644

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
5703	AAC_STAT_CNT_5703	629			764	5805	ICWD_STAT_CNT_5805	370
		631	5781	ICWD_STAT_CNT_5781	763			547
		643			764	5806	ICWD_STAT_CNT_5806	370
		645	5782	ICWD_STAT_CNT_5782	763			547
5740	ISC_STAT_CNT_5740	741			764	5807	ICWS_STAT_CNT_5807	694
		742	5783	ICWD_STAT_CNT_5783	763			695
5746	ISC_STAT_CNT_5746	042			764	5809	ICWS_STAT_CNT_5809	694
		459	5784	ICWD_STAT_CNT_5784	763			695
5747	ISC_STAT_CNT_5747	042			764	5811	ICWS_STAT_CNT_5811	694
		459	5785	ICWD_STAT_CNT_5785	763			695
5748	ISC_STAT_CNT_5748	042			764	5813	ICWS_STAT_CNT_5813	694
		459	5786	ICWD_STAT_CNT_5786	763			695
5749	ISC_STAT_CNT_5749	042			764	5815	PIC_STAT_CNT_5815	372
		459	5787	ICWD_STAT_CNT_5787	763			549
5750	INC_STAT_CNT_5750	037			764	5819	PIC_STAT_CNT_5819	551
		417	5788	ICWD_STAT_CNT_5788	763			552
5751	FSC_INC_NSN_5751	432			764	5823	PIC_STAT_CNT_5823	441
		465	5789	ICWD_STAT_CNT_5789	763			568
5752	FSC_STAT_CNT_5752	432			764	5824	PIC_STAT_CNT_5824	030
		465	5790	ICWD_STAT_CNT_5790	763			452
5753	MOE_STAT_CNT_5753	433			764	5827	ICDS_STAT_CNT_5827	692
		561	5791	ICWD_STAT_CNT_5791	763			693
5754	MOE_STAT_CNT_5754	433			764	5829	ICDS_STAT_CNT_5829	692
		437	5792	ICWD_STAT_CNT_5792	763			693
		561			764	5831	ICDS_STAT_CNT_5831	692
		564	5793	ICWD_STAT_CNT_5793	763			693
5755	ICWS_STAT_CNT_5755	694			764	5833	ICDS_STAT_CNT_5833	692
5757	ICWS_STAT_CNT_5757	694	5794	ICWD_STAT_CNT_5794	763			693
5759	ICWS_STAT_CNT_5759	694			764	5835	ICDS_STAT_CNT_5835	024
		695	5795	ICWD_STAT_CNT_5795	763			446
5761	ICWS_STAT_CNT_5761	694			764	5837	ICDS_STAT_CNT_5837	024
5763	ICWS_STAT_CNT_5763	694	5796	ICWD_STAT_CNT_5796	763			446
		695			764	5839	ICDS_STAT_CNT_5839	024
5765	ICWS_STAT_CNT_5765	694	5797	ICWD_STAT_CNT_5797	763			446
		695			764	5841	ICDS_STAT_CNT_5841	024
5767	ICWS_STAT_CNT_5767	694	5798	ICWD_STAT_CNT_5798	763			446
		695			764	5843	ICDS_STAT_CNT_5843	692
5769	ICWS_STAT_CNT_5769	694	5799	ICWD_STAT_CNT_5799	763			693
		695			764	5849	ICMD_STAT_CNT_5849	369
5771	ICWS_STAT_CNT_5771	694	5800	ICWD_STAT_CNT_5800	370			546
		695			547	5850	ICMD_STAT_CNT_5850	369
5773	ICWS_STAT_CNT_5773	694	5801	ICWD_STAT_CNT_5801	370			546
		695			547	5851	ICMD_STAT_CNT_5851	369
5775	ICWS_STAT_CNT_5775	694	5802	ICWD_STAT_CNT_5802	370			546
5777	ICWS_STAT_CNT_5777	694			547	5852	ICMD_STAT_CNT_5852	369
		695	5803	ICWD_STAT_CNT_5803	370			546
5779	ICWD_STAT_CNT_5779	763			547	5853	ICMD_STAT_CNT_5853	369
		764	5804	ICWD_STAT_CNT_5804	370			546
5780	ICWD_STAT_CNT_5780	763			547	5854	ICMD_STAT_CNT_5854	369

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		546	5881	ICMD_STAT_CNT_5881	369			693
5855	ICMD_STAT_CNT_5855	369			546	5919	ICDS_STAT_CNT_5919	692
		546	5882	ICMD_STAT_CNT_5882	369			693
5856	ICMD_STAT_CNT_5856	369			546	5921	ICDS_STAT_CNT_5921	692
		546	5883	ICMD_STAT_CNT_5883	369			693
5857	ICMD_STAT_CNT_5857	369			546	5923	ICDS_STAT_CNT_5923	692
		546	5884	ICMD_STAT_CNT_5884	369			693
5858	ICMD_STAT_CNT_5858	369			546	5925	ICDS_STAT_CNT_5925	024
		546	5885	ICMD_STAT_CNT_5885	369			446
5860	ICDS_STAT_CNT_5860	692			546	5927	ICDS_STAT_CNT_5927	024
		693	5886	ICMD_STAT_CNT_5886	369			446
5861	ICMD_STAT_CNT_5861	369			546	5929	ICDS_STAT_CNT_5929	024
		546	5887	ICMD_STAT_CNT_5887	369			446
5862	ICMD_STAT_CNT_5862	369			546	5931	ICDS_STAT_CNT_5931	024
		546	5888	ICMD_STAT_CNT_5888	369			446
5863	ICMD_STAT_CNT_5863	369			546	5933	ICDS_STAT_CNT_5933	692
		546	5889	ICMD_STAT_CNT_5889	369			693
5864	ICMD_STAT_CNT_5864	788			546	5935	ICDS_STAT_CNT_5935	692
		789	5890	ICMD_STAT_CNT_5890	369			693
5865	ICMD_STAT_CNT_5865	788			546	5937	ICDS_STAT_CNT_5937	692
		789	5891	ICMD_STAT_CNT_5891	369			693
5866	ICMD_STAT_CNT_5866	788			546	5939	ICDS_STAT_CNT_5939	692
		789	5892	ICMD_STAT_CNT_5892	369			693
5867	ICMD_STAT_CNT_5867	788			546	5941	ICDS_STAT_CNT_5941	024
		789	5893	ICMD_STAT_CNT_5893	369			446
5869	ICMD_STAT_CNT_5869	788			546	5943	ICDS_STAT_CNT_5943	024
		789	5894	ICMD_STAT_CNT_5894	369			446
5870	ICMD_STAT_CNT_5870	788			546	5945	ICDS_STAT_CNT_5945	024
		789	5895	ICFS_STAT_CNT_5895	367			446
5871	ICMD_STAT_CNT_5871	788			545	5947	ICDS_STAT_CNT_5947	024
		789	5896	ICFS_STAT_CNT_5896	367			446
5872	ICMD_STAT_CNT_5872	788			545	5949	ICDD_STAT_CNT_5949	790
		789	5898	ICFS_STAT_CNT_5898	367			791
5873	ICMD_STAT_CNT_5873	788			545	5950	ICDD_STAT_CNT_5950	790
		789	5901	ICFS_STAT_CNT_5901	367			791
5874	ICMD_STAT_CNT_5874	788			545	5951	ICDD_STAT_CNT_5951	790
		789	5905	ICDS_STAT_CNT_5905	692			791
5875	ICMD_STAT_CNT_5875	788			693	5952	ICDD_STAT_CNT_5952	790
		789	5907	ICDS_STAT_CNT_5907	692			791
5876	ICMD_STAT_CNT_5876	788			693	5953	ICDD_STAT_CNT_5953	790
		789	5909	ICDS_STAT_CNT_5909	024			791
5877	ICMD_STAT_CNT_5877	788			446	5954	ICDD_STAT_CNT_5954	790
		789	5911	ICDS_STAT_CNT_5911	024			791
5878	ICMD_STAT_CNT_5878	788			446	5955	ICDD_STAT_CNT_5955	790
		789	5913	ICDS_STAT_CNT_5913	024			791
5879	ICMD_STAT_CNT_5879	788			446	5956	ICDD_STAT_CNT_5956	792
		789	5915	ICDS_STAT_CNT_5915	024			793
5880	ICMD_STAT_CNT_5880	369			446	5957	ICDD_STAT_CNT_5957	792
		546	5917	ICDS_STAT_CNT_5917	692			793

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
5958	ICDD_STAT_CNT_5958	792			462	6299	M3C2_STAT_CNT_6299	800
		793	6183	LRN_STAT_CNT_6183	620			801
5959	ICDD_STAT_CNT_5959	792			622	6301	M3C2_STAT_CNT_6301	800
		793	6189	LRN_STAT_CNT_6189	621			801
5960	ICDD_STAT_CNT_5960	792			623	6302	M3C2_STAT_CNT_6302	800
5961	ICDD_STAT_CNT_5961	792	6202	LRN_STAT_CNT_6202	045			801
		793			462	6304	M3D_STAT_CNT_6304	804
5962	ICDD_STAT_CNT_5962	792	6207	LRN_STAT_CNT_6207	620			805
		793			622	6305	M3D_STAT_CNT_6305	804
5963	ICDD_STAT_CNT_5963	790	6209	PRON_STAT_CNT_6209	761			805
		791			762	6306	M3D_STAT_CNT_6306	804
5964	ICDD_STAT_CNT_5964	790	6210	PRON_STAT_CNT_6210	761			805
		791			762	6308	M3D_STAT_CNT_6308	804
5965	ICDD_STAT_CNT_5965	790	6211	PRON_STAT_CNT_6211	761			805
		791			762	6309	M3D_STAT_CNT_6309	804
5966	ICDD_STAT_CNT_5966	790	6225	PROR_STAT_CNT_6225	759			805
		791			760	6312	M3D_STAT_CNT_6312	804
5967	ICDD_STAT_CNT_5967	790	6226	PROR_STAT_CNT_6226	759			805
		791			760	6313	M3D_STAT_CNT_6313	804
5968	ICDD_STAT_CNT_5968	790	6227	PROR_STAT_CNT_6227	759			805
		791			760	6318	M3D_STAT_CNT_6318	036
5969	ICDD_STAT_CNT_5969	790	6241	PREN_STAT_CNT_6241	757			455
		791			758	6322	M3D_STAT_CNT_6322	036
5975	LRN_STAT_CNT_5975	045	6242	PREN_STAT_CNT_6242	757			455
		462			758	6326	M3D_STAT_CNT_6326	036
5983	LRN_STAT_CNT_5983	620	6243	PREN_STAT_CNT_6243	757			455
		622			758	6329	M3D_STAT_CNT_6329	031
5989	LRN_STAT_CNT_5989	621	6267	ID_STAT_CNT_6267	458			453
		623	6268	ID_STAT_CNT_6268	458	6330	M3D_STAT_CNT_6330	031
6088	IANSTAT_CNT_6088	373	6270	ID_STAT_CNT_6270	458			453
		550	6271	ID_STAT_CNT_6271	458	6331	M3D_STAT_CNT_6331	031
6089	IANSTAT_CNT_6089	373	6273	ID_STAT_CNT_6273	458			453
		550	6274	ID_STAT_CNT_6274	458	6334	M3D_STAT_CNT_6334	031
6099	IANSTAT_CNT_6099	373	6279	ID_STAT_CNT_6279	458			453
		550	6280	ID_STAT_CNT_6280	458	6335	M3D_STAT_CNT_6335	031
6106	QUP_6106	006	6282	ID_STAT_CNT_6282	458			453
		277	6283	ID_STAT_CNT_6283	458	6338	M3D_STAT_CNT_6338	031
		505	6285	ID_STAT_CNT_6285	458			453
6137	ID_STAT_CNT_6137	458	6286	ID_STAT_CNT_6286	458	6339	M3D_STAT_CNT_6339	031
6154	ID_STAT_CNT_6154	458	6292	M3C2_STAT_CNT_6292	802			453
6159	ID_STAT_CNT_6159	458			803	6342	M3E_STAT_CNT_6342	804
6161	ID_STAT_CNT_6161	458	6293	M3C2_STAT_CNT_6293	802			805
6162	ID_STAT_CNT_6162	458			803	6343	M3E_STAT_CNT_6343	804
6164	ID_STAT_CNT_6164	458	6295	M3C2_STAT_CNT_6295	800			805
6166	ID_STAT_CNT_6166	458			801	6344	M3E_STAT_CNT_6344	804
6169	ID_STAT_CNT_6169	458	6296	M3C2_STAT_CNT_6296	800			805
6171	ID_STAT_CNT_6171	458			801	6346	M3E_STAT_CNT_6346	804
6172	ID_STAT_CNT_6172	458	6298	M3C2_STAT_CNT_6298	800			805
6178	LRN_STAT_CNT_6178	045			801	6347	M3E_STAT_CNT_6347	804

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		805	6420	FCS_STAT_CNT_6420	032	6476	ICDD_STAT_CNT_6476	792
6349	M3E_STAT_CNT_6349	804			454			793
		805	6423	FCS_STAT_CNT_6423	032	6477	ICDD_STAT_CNT_6477	792
6350	M3E_STAT_CNT_6350	804			454			793
		805	6428	FCS_STAT_CNT_6428	682	6478	ICDD_STAT_CNT_6478	792
6355	AMC_STAT_CNT_6355	021			683			793
		444	6431	FCS_STAT_CNT_6431	683	6479	ICDD_STAT_CNT_6479	792
6357	AMC_STAT_CNT_6357	021	6432	FCS_STAT_CNT_6432	683			793
		444	6438	FCS_STAT_CNT_6438	683	6480	ICDD_STAT_CNT_6480	792
6359	AMC_STAT_CNT_6359	021	6439	FCS_STAT_CNT_6439	683			793
		444	6440	FCS_STAT_CNT_6440	683	6481	ICDD_STAT_CNT_6481	790
6363	AMC_STAT_CNT_6363	329	6445	FCS_STAT_CNT_6445	683			791
		330	6446	FCS_STAT_CNT_6446	683	6482	ICDD_STAT_CNT_6482	790
6371	AMC_STAT_CNT_6371	021	6447	FCS_STAT_CNT_6447	683			791
		444	6453	FCS_STAT_CNT_6453	683	6483	ICDD_STAT_CNT_6483	790
6373	AMC_STAT_CNT_6373	021	6454	FCS_STAT_CNT_6454	683			791
		444	6455	FCS_STAT_CNT_6455	683	6484	ICDD_STAT_CNT_6484	790
6377	AMC_STAT_CNT_6377	021	6460	ICDD_STAT_CNT_6460	792			791
		444			793	6485	ICDD_STAT_CNT_6485	790
6381	AMC_STAT_CNT_6381	329	6461	ICDD_STAT_CNT_6461	792			791
		330			793	6486	ICDD_STAT_CNT_6486	790
6387	AMC_STAT_CNT_6387	022	6462	ICDD_STAT_CNT_6462	792			791
		445			793	6487	ICDD_STAT_CNT_6487	790
6388	AMSC_STAT_TOT_6388	425	6463	ICDD_STAT_CNT_6463	792			791
		556			793	6488	ICDD_STAT_CNT_6488	792
6392	FCS_STAT_CNT_6392	032	6464	ICDD_STAT_CNT_6464	792			793
		454			793	6489	ICDD_STAT_CNT_6489	792
6393	FCS_STAT_CNT_6393	032	6465	ICDD_STAT_CNT_6465	792			793
		454			793	6490	ICDD_STAT_CNT_6490	792
6394	FCS_STAT_CNT_6394	032	6466	ICDD_STAT_CNT_6466	792			793
		454			793	6491	ICDD_STAT_CNT_6491	792
6400	AMC_STAT_CNT_6400	022	6467	ICDD_STAT_CNT_6467	790			793
		445			791	6492	ICDD_STAT_CNT_6492	792
6401	AMSC_STAT_TOT_6401	425	6468	ICDD_STAT_CNT_6468	790			793
		556			791	6493	ICDD_STAT_CNT_6493	792
6402	FCS_STAT_CNT_6402	032	6469	ICDD_STAT_CNT_6469	790			793
		454			791	6494	ICDD_STAT_CNT_6494	792
6403	FCS_STAT_CNT_6403	032	6470	ICDD_STAT_CNT_6470	790			793
		454			791	6495	ICMS_STAT_CNT_6495	784
6404	FCS_STAT_CNT_6404	032	6471	ICDD_STAT_CNT_6471	790			785
		454			791	6497	ICMS_STAT_CNT_6497	784
6410	FCS_STAT_CNT_6410	032	6472	ICDD_STAT_CNT_6472	790			785
		454			791	6499	ICMS_STAT_CNT_6499	784
6411	FCS_STAT_CNT_6411	032	6473	ICDD_STAT_CNT_6473	790			785
		454			791	6501	ICMS_STAT_CNT_6501	784
6412	FCS_STAT_CNT_6412	032	6474	ICDD_STAT_CNT_6474	792			785
		454			793	6503	ICMS_STAT_CNT_6503	784
6419	FCS_STAT_CNT_6419	032	6475	ICDD_STAT_CNT_6475	792			785
		454			793	6505	ICMS_STAT_CNT_6505	786

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		787	6651	CAGE_STAT_CNT_6651	419	6760	TRFR_STAT_CNT_6760	424
6507	ICMS_STAT_CNT_6507	786			493	6761	TRFR_STAT_CNT_6761	424
		787	6654	CAGE_STAT_CNT_6654	023	6764	TRFR_STAT_CNT_6764	548
6509	ICMS_STAT_CNT_6509	786			413	6765	TRFR_STAT_CNT_6765	548
		787	6655	CAGE_STAT_CNT_6655	023	6766	TRFR_STAT_CNT_6766	548
6511	ICMS_STAT_CNT_6511	786			413	6772	TRFR_STAT_CNT_6772	548
		787	6656	CAGE_STAT_CNT_6656	421	6777	TRFR_STAT_CNT_6777	036
6513	ICMS_STAT_CNT_6513	786			495			455
		787	6657	CAGE_STAT_CNT_6657	420	6778	TRFR_STAT_CNT_6778	664
6515	ICMS_STAT_CNT_6515	784			494			676
		785	6688	IN_STAT_CNT_6688	460			677
6517	ICMS_STAT_CNT_6517	784	6689	IN_STAT_CNT_6689	460	6779	DIC_STAT_CNT_6779	065
		785	6691	IN_STAT_CNT_6691	690			541
6519	ICMS_STAT_CNT_6519	784			691	6780	DIC_STAT_CNT_6780	065
		785	6692	IN_STAT_CNT_6692	690			541
6521	ICMS_STAT_CNT_6521	784			691	6781	DIC_STAT_CNT_6781	065
		785	6695	IN_STAT_CNT_6695	043			541
6523	ICMS_STAT_CNT_6523	784			460	6782	DIC_STAT_CNT_6782	065
		785	6696	IN_STAT_CNT_6696	460			541
6525	ICMS_STAT_CNT_6525	786	6699	IN_STAT_CNT_6699	690	6783	DIC_STAT_CNT_6783	065
		787			691			541
6527	ICMS_STAT_CNT_6527	786	6700	IN_STAT_CNT_6700	690	6786	DIC_STAT_CNT_6786	065
		787			691			541
6529	ICMS_STAT_CNT_6529	786	6724	POP_STAT_CNT_6724	034	6788	DIC_STAT_CNT_6788	065
		787			415			541
6531	ICMS_STAT_CNT_6531	786	6725	POP_STAT_CNT_6725	034	6789	DIC_STAT_CNT_6789	820
		787			415			821
6533	ICMS_STAT_CNT_6533	786	6726	POP_STAT_CNT_6726	430	6790	DIC_STAT_CNT_6790	820
		787			467			821
6535	ICMS_STAT_CNT_6535	784	6729	POP_STAT_CNT_6729	053	6791	DIC_STAT_CNT_6791	820
		785			531			821
6538	ICMS_STAT_CNT_6538	784	6730	POP_STAT_CNT_6730	053	6792	DIC_STAT_CNT_6792	820
		785			531			821
6589	NAIN_STRING_6589	985	6731	POP_STAT_CNT_6731	611	6793	DIC_STAT_CNT_6793	820
		986			615			821
6592	STAT_DAC_SA_6592	027	6732	POP_STAT_CNT_6732	696	6796	DIC_STAT_CNT_6796	820
		063			697			821
		449	6733	POP_STAT_CNT_6733	696	6798	DIC_STAT_CNT_6798	820
6599	FRGT_STAT_CNT_6599	035			697			821
		416	6744	TRFR_STAT_CNT_6744	067	6799	DIC_STAT_CNT_6799	739
6600	FRGT_STAT_CNT_6600	423	6745	TRFR_STAT_CNT_6745	067			740
		503	6746	TRFR_STAT_CNT_6746	067	6800	DIC_STAT_CNT_6800	739
6605	MGR_STAT_CNT_6605	062	6749	TRFR_STAT_CNT_6749	424			740
6611	POP_STAT_CNT_6611	033	6750	TRFR_STAT_CNT_6750	424	6803	DIC_STAT_CNT_6803	739
		414	6751	TRFR_STAT_CNT_6751	424			740
6612	POP_STAT_CNT_6612	033	6754	TRFR_STAT_CNT_6754	067	6805	DIC_STAT_CNT_6805	739
		414	6755	TRFR_STAT_CNT_6755	067			740
6650	M3C2_STAT_CNT_6650	800	6756	TRFR_STAT_CNT_6756	067	6806	DIC_STAT_CNT_6806	818
		801	6759	TRFR_STAT_CNT_6759	424			819

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
6807	DIC_STAT_CNT_6807	818			527	6964	ICMS_STAT_CNT_6964	786
		819	6842	MCHG_STAT_CNT_6842	049			787
6808	DIC_STAT_CNT_6808	818			527	6966	ICMS_STAT_CNT_6966	784
		819	6843	MCHG_STAT_CNT_6843	049			785
6809	DIC_STAT_CNT_6809	818			527	6968	ICMS_STAT_CNT_6968	784
		819	6845	MCHG_STAT_CNT_6845	751			785
6810	DIC_STAT_CNT_6810	818			752	6970	ICMS_STAT_CNT_6970	784
		819	6848	MCHG_STAT_CNT_6848	749			785
6813	DIC_STAT_CNT_6813	818			750	6972	ICMS_STAT_CNT_6972	784
		819	6849	MCHG_STAT_CNT_6849	749			785
6815	DIC_STAT_CNT_6815	818			750	6974	ICMS_STAT_CNT_6974	784
		819	6850	MCHG_STAT_CNT_6850	749			785
6816	QDIC_STAT_CNT_6816	808			750	6976	ICMS_STAT_CNT_6976	786
		809	6851	MCHG_STAT_CNT_6851	749			787
6817	QDIC_STAT_CNT_6817	808			750	6978	ICMS_STAT_CNT_6978	786
		809	6853	MCHG_STAT_CNT_6853	753			787
6818	QDIC_STAT_CNT_6818	808			754	7075	UNIT_PR_7075	006
		809	6860	LRN_STAT_CNT_6860	620			505
6819	QDIC_STAT_CNT_6819	808			622	7081	ICMS_STAT_CNT_7081	786
		809	6865	LRN_STAT_CNT_6865	621			787
6820	QDIC_STAT_CNT_6820	808			623	7083	ICMS_STAT_CNT_7083	786
		809	6871	IANSTAT_CNT_6871	934			787
6823	QDIC_STAT_CNT_6823	808			939	7085	ICMS_STAT_CNT_7085	786
		809	6882	IANSTAT_CNT_6882	935			787
6825	QDIC_STAT_CNT_6825	808			940	7087	ICMD_STAT_CNT_7087	788
		809	6885	IANSTAT_CNT_6885	935			789
6826	QDIC_STAT_CNT_6826	822			940	7088	ICMD_STAT_CNT_7088	788
		823	6886	FCS_STAT_CNT_6886	678			789
6827	QDIC_STAT_CNT_6827	822			679	7089	ICMD_STAT_CNT_7089	788
		823	6887	FCS_STAT_CNT_6887	678			789
6828	QDIC_STAT_CNT_6828	822			679	7090	ICMD_STAT_CNT_7090	788
		823	6888	FCS_STAT_CNT_6888	678			789
6829	QDIC_STAT_CNT_6829	822			679	7091	ICMD_STAT_CNT_7091	788
		823	6892	TMG_STAT_CNT_6892	376			789
6830	QDIC_STAT_CNT_6830	822			468	7092	ICMD_STAT_CNT_7092	788
		823	6893	TMG_STAT_CNT_6893	376			789
6833	QDIC_STAT_CNT_6833	822			468	7093	ICMD_STAT_CNT_7093	788
		823	6928	ICMS_STAT_CNT_6928	786			789
6835	QDIC_STAT_CNT_6835	822			787	7094	ICMD_STAT_CNT_7094	788
		823	6930	ICMS_STAT_CNT_6930	784			789
6836	DIC_STAT_CNT_6836	739			785	7095	ICMD_STAT_CNT_7095	788
		740	6932	ICMS_STAT_CNT_6932	784			789
6837	DIC_STAT_CNT_6837	739			785	7096	ICMD_STAT_CNT_7096	788
		740	6958	ICMS_STAT_CNT_6958	786			789
6838	DIC_STAT_CNT_6838	739			787	7097	ICMD_STAT_CNT_7097	788
		740	6960	ICMS_STAT_CNT_6960	786			789
6840	MCHG_STAT_CNT_6840	049			787	7098	ICMD_STAT_CNT_7098	788
		527	6962	ICMS_STAT_CNT_6962	786			789
6841	MCHG_STAT_CNT_6841	049			787	7099	ICMD_STAT_CNT_7099	788

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		789	7124	ICMD_STAT_CNT_7124	788			789
7100	ICMD_STAT_CNT_7100	788			789	7149	ICMD_STAT_CNT_7149	788
		789	7125	ICMD_STAT_CNT_7125	788			789
7101	ICMD_STAT_CNT_7101	788			789	7150	ICMD_STAT_CNT_7150	788
		789	7126	ICMD_STAT_CNT_7126	788			789
7102	ICMD_STAT_CNT_7102	369			789	7151	ICMD_STAT_CNT_7151	788
		546	7127	ICMD_STAT_CNT_7127	788			789
7103	ICMD_STAT_CNT_7103	369			789	7152	ICMD_STAT_CNT_7152	788
		546	7128	ICMD_STAT_CNT_7128	788			789
7104	ICMD_STAT_CNT_7104	369			789	7153	ICMD_STAT_CNT_7153	788
		546	7129	ICMD_STAT_CNT_7129	788			789
7105	ICMD_STAT_CNT_7105	369			789	7154	ICMD_STAT_CNT_7154	788
		546	7130	ICMD_STAT_CNT_7130	788			789
7106	ICMD_STAT_CNT_7106	369			789	7155	ICMD_STAT_CNT_7155	788
		546	7131	ICMD_STAT_CNT_7131	788			789
7107	ICMD_STAT_CNT_7107	369			789	7156	ICMD_STAT_CNT_7156	788
		546	7132	ICMD_STAT_CNT_7132	369			789
7108	ICMD_STAT_CNT_7108	369			546	7157	ICMD_STAT_CNT_7157	788
		546	7133	ICMD_STAT_CNT_7133	369			789
7109	ICMD_STAT_CNT_7109	369			546	7158	ICMD_STAT_CNT_7158	788
		546	7134	ICMD_STAT_CNT_7134	369			789
7110	ICMD_STAT_CNT_7110	369			546	7159	ICMD_STAT_CNT_7159	788
		546	7135	ICMD_STAT_CNT_7135	369			789
7111	ICMD_STAT_CNT_7111	369			546	7160	ICMD_STAT_CNT_7160	788
		546	7136	ICMD_STAT_CNT_7136	369			789
7112	ICMD_STAT_CNT_7112	369			546	7161	ICMD_STAT_CNT_7161	788
		546	7137	ICMD_STAT_CNT_7137	369			789
7113	ICMD_STAT_CNT_7113	369			546	7162	ICMD_STAT_CNT_7162	369
		546	7138	ICMD_STAT_CNT_7138	369			546
7114	ICMD_STAT_CNT_7114	369			546	7163	ICMD_STAT_CNT_7163	369
		546	7139	ICMD_STAT_CNT_7139	369			546
7115	ICMD_STAT_CNT_7115	369			546	7172	POP_STAT_CNT_7172	034
		546	7140	ICMD_STAT_CNT_7140	369			415
7116	ICMD_STAT_CNT_7116	369			546	7191	MDLS_STAT_CNT_7191	046
		546	7141	ICMD_STAT_CNT_7141	369			048
7117	ICMD_STAT_CNT_7117	788			546			112
		789	7142	ICMD_STAT_CNT_7142	369			113
7118	ICMD_STAT_CNT_7118	788			546			223
		789	7143	ICMD_STAT_CNT_7143	369			326
7119	ICMD_STAT_CNT_7119	788			546			463
		789	7144	ICMD_STAT_CNT_7144	369			526
7120	ICMD_STAT_CNT_7120	788			546	7192	MDLS_STAT_CNT_7192	046
		789	7145	ICMD_STAT_CNT_7145	369			048
7121	ICMD_STAT_CNT_7121	788			546			112
		789	7146	ICMD_STAT_CNT_7146	369			113
7122	ICMD_STAT_CNT_7122	788			546			223
		789	7147	ICMD_STAT_CNT_7147	788			326
7123	ICMD_STAT_CNT_7123	788			789			463
		789	7148	ICMD_STAT_CNT_7148	788			526



# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
7193	MDLS_STAT_CNT_7193	046			048			112
		048			112			113
		112			113			223
		113			223			326
		223			326			463
		326			463			526
		463			526	7220	MDLS_STAT_CNT_7220	046
		526	7208	MDLS_STAT_CNT_7208	046			048
7197	MDLS_STAT_CNT_7197	046			048			112
		048			112			113
		112			113			223
		113			223			326
		223			326			463
		326			463			526
		463			526	7221	MDLS_STAT_CNT_7221	046
		526	7209	MDLS_STAT_CNT_7209	046			048
7198	MDLS_STAT_CNT_7198	046			048			112
		048			112			113
		112			113			223
		113			223			326
		223			326			463
		326			463			526
		463			526	7222	MDLS_STAT_CNT_7222	046
		526	7210	MDLS_STAT_CNT_7210	046			048
7199	MDLS_STAT_CNT_7199	046			048			112
		048			112			113
		112			113			223
		113			223			326
		223			326			463
		326			463			526
		463			526	7433	MDLS_STAT_CNT_7433	047
		526	7214	MDLS_STAT_CNT_7214	046			114
7202	MDLS_STAT_CNT_7202	046			048			195
		048			112			464
		112			113	7435	MDLS_STAT_CNT_7435	047
		113			223			114
		223			326			195
		326			463			464
		463			526	7436	MDLS_STAT_CNT_7436	047
		526	7215	MDLS_STAT_CNT_7215	046			114
7203	MDLS_STAT_CNT_7203	046			048			195
		048			112			464
		112			113	7437	MDLS_STAT_CNT_7437	047
		113			223			114
		223			326			195
		326			463			464
		463			526	7439	MDLS_STAT_CNT_7439	047
		526	7216	MDLS_STAT_CNT_7216	046			114
7204	MDLS_STAT_CNT_7204	046			048			195

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		464			223			112
7440	MDLS_STAT_CNT_7440	047			326			113
		114			463			463
		195			526	7647	DIC_STAT_CNT_7647	820
		464	7627	MDLS_STAT_CNT_7627	046			821
7441	MDLS_STAT_CNT_7441	047			048	7649	DIC_STAT_CNT_7649	820
		114			112			821
		195			113	7651	DIC_STAT_CNT_7651	820
		464			223			821
7443	MDLS_STAT_CNT_7443	047			326	7652	DIC_STAT_CNT_7652	820
		114			463			821
		195			526	7653	DIC_STAT_CNT_7653	820
		464	7628	MDLS_STAT_CNT_7628	046			821
7444	MDLS_STAT_CNT_7444	047			048	7654	DIC_STAT_CNT_7654	820
		114			112			821
		195			113	7810	ICFS_STAT_CNT_7810	367
		464			223			545
7445	MDLS_STAT_CNT_7445	047			326	7812	MOE_STAT_CNT_7812	051
		114			463			529
		195			526	7813	MOE_STAT_CNT_7813	051
		464	7629	MDLS_STAT_CNT_7629	046			529
7447	MDLS_STAT_CNT_7447	047			048	7814	MOE_STAT_CNT_7814	051
		114			112			529
		195			113	7820	MOE_STAT_CNT_7820	439
		464			223			566
7448	MDLS_STAT_CNT_7448	047			326	7821	MOE_STAT_CNT_7821	439
		114			463			566
		195			526	7824	INAM_STAT_CNT_7824	438
		464	7630	MDLS_STAT_CNT_7630	046			565
7449	MDLS_STAT_CNT_7449	047			048	7828	POP_STAT_CNT_7828	431
		114			112			466
		195			113	7829	POP_STAT_CNT_7829	431
		464			223			466
7450	MDLS_STAT_CNT_7450	047			326	7830	POP_STAT_CNT_7830	431
		114			463			466
		195			526	7832	M6A1_STAT_CNT_7832	656
		464	7632	MDLS_STAT_CNT_7632	048			657
7625	MDLS_STAT_CNT_7625	046			223	7833	M6A1_STAT_CNT_7833	656
		048			326			657
		112			526	7834	M6A1_STAT_CNT_7834	656
		113	7635	MDLS_STAT_CNT_7635	046			657
		223			112	7835	M6A1_STAT_CNT_7835	656
		326			113			657
		463			463	7836	M6A1_STAT_CNT_7836	656
		526	7636	MDLS_STAT_CNT_7636	046			657
7626	MDLS_STAT_CNT_7626	046			112	7837	M6A1_STAT_CNT_7837	656
		048			113			657
		112			463	7838	M6A1_STAT_CNT_7838	656
		113	7637	MDLS_STAT_CNT_7637	046			657

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
7842	M6A1_STAT_CNT_7842	658			663	7896	M6B3_STAT_CNT_7896	652
		659	7864	M6C1_STAT_CNT_7864	658			653
7843	M6A1_STAT_CNT_7843	658			659	7897	M6B3_STAT_CNT_7897	652
		659			662			653
7844	M6A1_STAT_CNT_7844	658			663	7898	M6B3_STAT_CNT_7898	652
		659	7865	M6C1_STAT_CNT_7865	658			653
7845	M6A1_STAT_CNT_7845	658			659	7899	M6B3_STAT_CNT_7899	652
		659			662			653
7846	M6A1_STAT_CNT_7846	658			663	7902	M6B3_STAT_CNT_7902	654
		659	7866	M6C1_STAT_CNT_7866	658			655
7847	M6A1_STAT_CNT_7847	658			659	7903	M6B3_STAT_CNT_7903	654
		659			662			655
7848	M6A1_STAT_CNT_7848	658			663	7904	M6B3_STAT_CNT_7904	654
		659	7867	M6C1_STAT_CNT_7867	658			655
7852	M6C1_STAT_CNT_7852	656			659	7905	M6B3_STAT_CNT_7905	654
		657			662			655
		660			663	7906	M6B3_STAT_CNT_7906	654
		661	7868	M6C1_STAT_CNT_7868	658			655
7853	M6C1_STAT_CNT_7853	656			659	7907	M6B3_STAT_CNT_7907	654
		657			662			655
		660			663	7908	M6B3_STAT_CNT_7908	654
		661	7873	M6B1_STAT_CNT_7873	648			655
7854	M6C1_STAT_CNT_7854	656			649	7912	M6B2_STAT_CNT_7912	648
		657	7874	M6B1_STAT_CNT_7874	648			649
		660			649			660
		661	7875	M6B1_STAT_CNT_7875	648			661
7855	M6C1_STAT_CNT_7855	656			649	7913	M6B2_STAT_CNT_7913	648
		657	7876	M6B1_STAT_CNT_7876	648			649
		660			649			660
		661	7877	M6B1_STAT_CNT_7877	648			661
7856	M6C1_STAT_CNT_7856	656			649	7914	M6B2_STAT_CNT_7914	648
		657	7878	M6B1_STAT_CNT_7878	648			649
		660			649			660
		661	7879	M6B1_STAT_CNT_7879	648			661
7857	M6C1_STAT_CNT_7857	656			649	7915	M6B2_STAT_CNT_7915	648
		657	7883	M6B1_STAT_CNT_7883	650			649
		660			651			660
		661	7884	M6B1_STAT_CNT_7884	651			661
7858	M6C1_STAT_CNT_7858	656	7885	M6B1_STAT_CNT_7885	651	7916	M6B2_STAT_CNT_7916	648
		657	7886	M6B1_STAT_CNT_7886	651			649
		660	7887	M6B1_STAT_CNT_7887	651			660
		661	7888	M6B1_STAT_CNT_7888	651			661
7862	M6C1_STAT_CNT_7862	658	7889	M6B1_STAT_CNT_7889	651	7917	M6B2_STAT_CNT_7917	648
		659	7893	M6B3_STAT_CNT_7893	652			649
		662			653			660
		663	7894	M6B3_STAT_CNT_7894	652			661
7863	M6C1_STAT_CNT_7863	658			653	7918	M6B2_STAT_CNT_7918	648
		659	7895	M6B3_STAT_CNT_7895	652			649
		662			653			660

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		661			660			647
7922	M6B2_STAT_CNT_7922	650			661	7965	M6B5_STAT_CNT_7965	646
		651	7942	M6B4_STAT_CNT_7942	654			647
		662			655	7966	M6B5_STAT_CNT_7966	646
		663			662			647
7923	M6B2_STAT_CNT_7923	651			663	7967	M6B5_STAT_CNT_7967	646
		662	7943	M6B4_STAT_CNT_7943	654			647
		663			655	7968	M6B5_STAT_CNT_7968	646
7924	M6B2_STAT_CNT_7924	651			662			647
		662			663	7973	ADDNL_RQM_CD_7973	943
		663	7944	M6B4_STAT_CNT_7944	654	7987	M6B6_STAT_CNT_7987	050
7925	M6B2_STAT_CNT_7925	651			655			528
		662			662			660
		663			663			661
7926	M6B2_STAT_CNT_7926	651	7945	M6B4_STAT_CNT_7945	654	7988	M6B6_STAT_CNT_7988	050
		662			655			528
		663			662			660
7927	M6B2_STAT_CNT_7927	651			663			661
		662	7946	M6B4_STAT_CNT_7946	654	7989	M6B6_STAT_CNT_7989	050
		663			655			528
7928	M6B2_STAT_CNT_7928	651			662			660
		662			663			661
		663	7947	M6B4_STAT_CNT_7947	654	7990	M6B6_STAT_CNT_7990	050
7932	M6B4_STAT_CNT_7932	652			655			528
		653			662			660
		660			663			661
		661	7948	M6B4_STAT_CNT_7948	654	7991	M6B6_STAT_CNT_7991	050
7933	M6B4_STAT_CNT_7933	652			655			528
		653			662			660
		660			663			661
		661	7952	M6B5_STAT_CNT_7952	050	7992	M6B6_STAT_CNT_7992	050
7934	M6B4_STAT_CNT_7934	652			528			528
		653	7953	M6B5_STAT_CNT_7953	050			660
		660			528			661
		661	7954	M6B5_STAT_CNT_7954	050	7993	M6B6_STAT_CNT_7993	050
7935	M6B4_STAT_CNT_7935	652			528			528
		653	7955	M6B5_STAT_CNT_7955	050			660
		660			528			661
		661	7956	M6B5_STAT_CNT_7956	050	7998	M6B6_STAT_CNT_7998	646
7936	M6B4_STAT_CNT_7936	652			528			647
		653	7957	M6B5_STAT_CNT_7957	050			662
		660			528			663
		661	7958	M6B5_STAT_CNT_7958	050	7999	M6B6_STAT_CNT_7999	646
7937	M6B4_STAT_CNT_7937	652			528			647
		653	7962	M6B5_STAT_CNT_7962	646			662
		660			647			663
		661	7963	M6B5_STAT_CNT_7963	646	8000	M6B6_STAT_CNT_8000	646
7938	M6B4_STAT_CNT_7938	652			647			647
		653	7964	M6B5_STAT_CNT_7964	646			662

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		663	8172	FCS_STAT_CNT_8172	678			128
8001	M6B6_STAT_CNT_8001	646			679			922
		647	8173	FCS_STAT_CNT_8173	678			923
		662			679	8261	PRT_DWG_SUPR_8261	842
		663	8174	FCS_STAT_CNT_8174	678	8264	CRD_SEQ_CD_8264	121
8002	M6B6_STAT_CNT_8002	646			679	8269	DSPL_ORDR_8269	383
		647	8175	FCS_STAT_CNT_8175	678	8280	FMR_MOE_RULE_8280	345
		662			679			521
		663	8180	AAC_STAT_CNT_8180	628	8290	MOE_RULE_NBR_8290	008
8009	AMSC_AMC_VC_8009	153			630			009
8011	DOC_SEC_8011	205	8183	AAC_STAT_CNT_8183	629			011
		320			631			015
8012	DOC_NUC_8012	320	8186	AAC_STAT_CNT_8186	634			017
8013	DOC_DIST_STMT_8013	204			636			051
		320			642			093
8014	EDRS_8014	320			644			095
8015	DOC_SEC_DESC_8015	205	8189	AAC_STAT_CNT_8189	635			096
8016	DOC_DIST_DESC_8016	204			637			137
8017	JED_MED_CD_8017	279			643			345
8018	JED_MED_DEF_8018	279			645			437
8019	DGTZD_MED_ABR_8019	279	8204	M6B6_STAT_CNT_8204	646			440
8071	ICMS_STAT_CNT_8071	784			647			507
		785			662			508
8118	IANS_STAT_CNT_8118	373			663			510
		550	8205	M6B6_STAT_CNT_8205	646			511
8121	IANS_STAT_CNT_8121	373			647			512
		550			662			521
8123	IANS_STAT_CNT_8123	933			663			529
		938	8211	AAC_STAT_CNT_8211	634			564
8124	IANS_STAT_CNT_8124	933			636			687
		938	8214	AAC_STAT_CNT_8214	635			730
8125	IANS_STAT_CNT_8125	933			637			733
		938	8215	DS1_STAT_CNT_8215	028	8329	DEPT_CD_8329	955
8126	IANS_STAT_CNT_8126	933			450	8351	BB_MSG_ID_8351	598
		938	8217	DS2_STAT_CNT_8217	426			599
8127	IANS_STAT_CNT_8127	933			557	8352	BB_LI_SEQ_8352	598
		938	8219	DS3_STAT_CNT_8219	427	8353	MDLS_BB_MSG_8353	598
8159	STAT_LMD_RT_G_8159	027			558	8354	MDLS_BB_CMNT_8354	599
		449	8221	DS4_STAT_CNT_8221	428	8450	MRC_IND_CD_8450	120
8162	FCS_STAT_CNT_8162	678			559	8458	M_RL_STAT_CD_8458	093
		679	8224	AMRC_STAT_CNT_8224	020	8525	REP_ISC_8525	915
8163	FCS_STAT_CNT_8163	678			472	8555	CONTI_IND_CD_8555	853
		679	8232	LRN_STAT_CNT_8232	045	8575	QNTV_EXPRSN_8575	007
8164	FCS_STAT_CNT_8164	678			462			506
		679	8237	LRN_STAT_CNT_8237	620	8581	SKO_I_I_NBR_8581	942
8170	FCS_STAT_CNT_8170	678			622	8582	SKO_NCB_CD_8582	942
		679	8242	LRN_STAT_CNT_8242	621	8583	CMP_I_I_NBR_8583	942
8171	FCS_STAT_CNT_8171	678			623	8584	CMP_NCB_CD_8584	942
		679	8254	RPLY_TBL_MRD_8254	126	8589	HMIC_FSC_TB_N_8589	962

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
8593	SKO_QTY_8593	942			340			950
8594	SKO_FSC_8594	942	8628	FILE_NM_HLQ_8628	133	8999	DIDS_SEG_CD_8999	177
8595	CMP_FSC_8595	942			340			199
8596	SKO_ITEM_NAME_8596	942	8656	DT_OE_LI_CHG_8656	083			207
8597	CMP_ITEM_NAME_8597	942	8657	DT_OE_RCD_DEL_8657	502			209
8599	INSP_CD_STNG_8599	943	8805	AMMO_CD_8805	001			210
8601	GRP_NBR_8601	130			073			249
		138			496			291
8602	START_RCD_TYP_8602	130			723			292
8603	START_ACCS_8603	130	8809	AMMO_CD_PRFX_8809	487			293
8604	START_CMP_8604	130	8815	RPLD_AMMO_8815	496			305
8605	END_RCD_TYP_8605	130	8831	AR_FSC_MGR_8831	094			479
8606	END_ACCS_NBR_8606	130			515			746
8607	END_CMP_8607	130	8835	ADP_PNT_CD_8835	004			889
8608	PRE_BRK_RCD_8608	130			077			890
8609	PRE_BRK_ACCS_8609	130	8850	FILE_MAINT_CD_8850	213			891
8610	PRE_BRK_CMP_8610	130			878			892
8611	POST_BRK_RCD_8611	130	8855	ASSOC_CD_CAGE_8855	082	9066	RESTORE_FLAG_9066	840
8612	POST_BRK_ACCS_8612	130	8860	AF_FSC_MGR_8860	094	9069	CICS_PASS_KEY_9069	443
8613	POST_BRK_CMP_8613	130			515	9070	CICS_PASS_TX_9070	443
8614	POST_BRK_POS_8614	130	8868	CAO_EX_PR_CD_8868	178	9077	HCC_ABRV_DEF_9077	711
		138	8870	CAO_CD_8870	004	9079	HCC_GP_9079	711
8615	FORCED_WRITE_8615	130			077	9090	IMM_9090	094
		138	8875	RPLM_NSN_CANC_8875	010			515
8616	CTR_ATTR_8616	130			509	9128	DT_MR_ASGND_9128	345
		138	8905	FILE_MNT_RCVR_8905	148			521
8617	ZER_SUPRSN_8617	130			530	9131	ACTIVITY_FLAG_9131	772
		138	8971	NATO_RPLM_NSN_8971	684			929
		335	8972	NATO_MFR_NM_8972	685	9133	ACTY_GRP_9133	143
		388	8974	NATO_MFR_TEL_8974	685			474
		447	8975	NATO_MFR_FAX_8975	685			606
		473	8976	NCC_CMNT_8976	422			709
		486	8977	RP_NSN_STD_RL_8977	018			715
8618	GRP_TYP_8618	138			524			945
8619	START_CMP_SEQ_8619	138	8990	SAC_8990	115	9134	ACTY_TYPE_9134	382
8620	END_CMP_SEQ_8620	138			116	9135	ALLOWED_DIC_9135	403
8621	DAT_LGTH_ATTR_8621	335			125			961
		388			348	9136	APPL_OP_REC_9136	044
		447			349			151
		473			350			408
		486			351			866
8622	RCD_LGTH_ATTR_8622	133			352			961
8623	CTR_FUNC_8623	138			353			997
8624	EXTR_UPDT_8624	133			354			999
		340			357	9137	ARCHIVE_TS_9137	840
8625	FMT_OP_8625	133			358	9138	ARCHVNG_USER_9138	840
		340			360	9139	ASCII_EBCDIC_9139	410
8626	UPDT_KEY_LGTH_8626	133			361	9140	AUTODIN_IO_9140	397
8627	DYN_ALLOC_8627	133			362			841

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
9141	BLOCK_SIZE_9141	410			666	9181	MINIMIZE_FLAG_9181	783
9142	COMM_RI_9142	054	9161	FOOTPRNT_DATE_9161	840	9182	MIN_REC_LGTH_9182	410
		084	9162	FORMAT_NAME_9162	404	9185	NATO_FLAG_9185	855
		409			406	9186	NATO_PIC_9186	600
		841	9164	FORMATTED_TS_9164	601			777
		843			777			852
9143	CPU_ROUTED_TO_9143	401			852			872
9144	DATASET_NAME_9144	840			872	9187	NATO_PIC_VAL_9187	412
9146	DIC_SEQ_9146	151	9167	I_O_TYPE_9167	383	9189	ODRC_SEQ_9189	855
		385	9169	INPUT_FORMAT_9169	382	9190	ON_HOLD_TS_9190	601
		389	9170	INPUT_MEDIA_9170	052			777
		408			084			852
		474			401			872
		475			600	9191	ROW_HLD_FLG_9191	618
		476			604	9192	OP_PARTITION_9192	601
		866			777			852
		869			852			872
		961			872	9195	OUTPUT_FORMAT_9195	382
9151	ERROR_SEQ_9151	323	9171	INPUT_RECORD_9171	070	9196	OUTPUT_RECORD_9196	475
		405			314			715
9152	ERROR_TS_9152	086			315			945
		323			399	9198	PGM_NAME_9198	383
		405			402	9199	PGM_TRANSID_9199	383
9153	EXEC_COUNT_9153	600			867	9200	PIC_DESC_9200	412
		777			868	9201	PROCESSED_TS_9201	601
		852			994			852
		872			995			872
9154	EXT_SEG_DATA_9154	747			996	9202	RCVD_SND_STMP_9202	397
		838	9173	LOGGED_TS_9173	314			841
		854			315	9203	RE_PROCESS_TS_9203	054
		931			481			601
9155	EXT_SEG_SEQ_9155	747			617			843
		838			994			852
		848	9176	MAX_REC_LGTH_9176	410			872
		854	9178	MEDIA_HEADER_9178	054	9204	RECVD_STAMP_9204	151
		868			084			181
		931			085			368
9156	EXTEND_FLAG_9156	071			385			375
		319			389			602
		402			397			710
		609			481			774
		775			612			776
		778			843			871
		867			844			961
		995			869	9205	REJECT_FLAG_9205	600
		996	9179	MESSAGE_LGTH_9179	054			777
9157	FILE_CHAR_CNT_9157	474			084			852
		666			397			872
9158	FILE_REC_CNT_9158	474	9180	MIN_ALT_MED_9180	783	9206	REJECTED_TS_9206	601

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		852	9242	FILE_REC_MIN_9242	666			505
		872	9243	FILE_CHAR_MIN_9243	666	9257	MAT_MGMT_MC_9257	006
9207	RELEASED_CNT_9207	850	9250	CAGE_CD_9250	002			093
9208	RELEASED_TS_9208	143			003			242
		601			004			505
		666			005	9260	TYPE_CGO_CD_9260	016
		852			014			311
		872			023			523
9209	REORDER_TS_9209	850			059	9275	WTR_CMDTY_CD_9275	016
9210	REROUTED_TIME_9210	401			069			523
9211	LN_2780_IDEN_9211	926			070	9306	AUTODIN_CIC_9306	841
9214	PRIM_COMM_RI_9214	409			079	9308	SNF_END_DT_9308	089
9215	AIR_CMTY_HDLG_9215	016			081	9309	SNF_TYP_UPDT_9309	089
		523			082	9310	AUTODIN_MSG_9310	612
9216	MEDALS_FLG_9216	052			083			843
		604			092	9311	ARCH_BEG_DT_9311	140
9217	ACTY_OP_9217	052			101			913
		604			103	9312	ARCH_END_DT_9312	140
9220	AIR_DIM_CD_9220	016			151			913
		163			176	9314	RSTR_STAT_FLG_9314	141
		523			189			913
9221	IP_TRK_9221	052			222	9325	ORG_STDZN_DEC_9325	016
		604			225			523
		613			245	9368	SIC_CD_SQ_IND_9368	079
		614			328	9381	LOG_MSG_TS_9381	084
		616			413			085
9222	OP_TRK_9222	052			420			086
		604			421	9382	EDIT_STAT_9382	084
9223	SP_PROJ_9223	052			494	9383	EDIT_CMPLT_TS_9383	084
		603			495	9384	EDIT_RESULTS_9384	084
		604			502	9385	RELED_MSG_TS_9385	084
		613			504	9386	RECVD_MSG_TS_9386	084
		614			522	9387	MED_TRAIL_9387	084
		616			686	9388	RECVD_TD_QUE_9388	084
		715			725	9389	MSG_TX_9389	085
9224	APP_ARCH_KEY_9224	604			772			619
		605			773	9390	DB2_SQL_ERR_9390	086
		840			779	9391	DB2_SQL_STA_9391	086
9225	ARCH_DATA_TYP_9225	840			780	9392	CICS_ERR_9392	086
9226	TAPE_LOG_IP_9226	603			781	9393	ERR_MSG_9393	086
9227	TAPE_VOL_SER_9227	603			917	9394	RE_PRCSD_TS_9394	084
9228	TAPE_IP_TM_9228	603			929	9401	IMM_SOS_9401	331
9229	TRAN_PROC_FLG_9229	604			937			519
9230	LFU_PROC_STAT_9230	605			953	9402	AR_SOS_9402	331
9240	SP_HDLG_CD_9240	016	9255	SIN_SUBM_ACTY_9255	094			519
		300			515	9403	AF_SOS_9403	331
		523	9256	MAJ_MCC_AR_9256	006			519
9241	MADS_DB2_PART_9241	612			093	9404	NVY_SOS_9404	331
		666			237			519



# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
9410	MIOS_TRAN_KEY_9410	876			852			854
		953			872			866
9411	RESOLUTION_9411	323	9430	TM_REC_NBR_9430	084			871
		405			085			872
9412	RESPONSE_HRS_9412	412			151			876
9414	SEG_SEQ_9414	044			314			931
		071			315			953
		105			408			957
		319			475	9437	TRANS_NBR_9437	385
		609			476			389
		747			481			481
		775			604			869
		778			612	9438	TRANS_REF_KEY_9438	600
		838			619			852
		854			666			872
		931			715	9440	TRANS_TYP_FLG_9440	383
9415	SEGMENT_CD_9415	071			843	9441	TYPE_OF_TRNS_9441	602
		319			866			608
		385			945			774
		389			961			776
		404			994			871
		406	9432	TRAILER_9432	397	9442	UNDEF_SEGMENT_9442	481
		411	9433	TRANS_COUNT_9433	397	9443	VALID_HX_DIC_9443	383
		609	9434	TRANS_ERR_FLG_9434	851	9444	VALID_LFU_DIC_9444	383
		747	9435	TRANS_KEY_9435	052	9445	LFU_TRANS_KEY_9445	605
		775			071	9446	TRANS_TS_STAT_9446	604
		778			319	9451	EXTR_RTN_CD_9451	879
		838			323			993
		853			375	9452	ACCUM_RTN_CD_9452	879
		854			405			993
		869			408	9453	CARRY_OVR_FLG_9453	879
		931			474			993
		957			475	9454	CARRY_OVR_RTN_9454	879
9416	SEGMENT_DATA_9416	071			476			993
		319			600	9455	CARRY_OVR_CNT_9455	879
		609			601			993
		775			602	9456	UPDT_RTN_CD_9456	879
		778			604			993
9418	SEGMENT_FLAG_9418	411			605	9457	UPDT_CNT_9457	879
9419	SEGMENT_POS_9419	411			609			993
9420	SEGMENT_STATS_9420	403			616	9458	FORCED_FLAG_9458	879
9424	TM_BATCH_NBR_9424	606			747			993
		851			774	9459	ROLL_UP_DEPT_9459	959
9425	TM_BATCH_SEQ_9425	851			775	9460	ROLL_UP_CD_9460	959
9426	TM_BATCH_TRNS_9426	851			776	9461	JOB_CTL_JUL_9461	879
9427	TM_COMPLT_TS_9427	601			777			993
		852			778	9462	STORED_JUL_DT_9462	879
		872			838	9478	TMSTMP7_9478	324
9429	TM_FILE_NAME_9429	601			852	9479	MULTI_INP_FLG_9479	926

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
9480	RTN_CD_9480	061	9542	MGMT_EXCP_NTS_9542	093			940
		064	9544	SUBJ_SI_SUB_P_9544	094	9605	IANSTAT_CNT_9605	935
		105			515			940
		291	9545	SUBJ_IMM_M_CD_9545	094	9606	IANSTAT_CNT_9606	935
		292			515			940
		323	9546	SUBJ_IM_CDNG_9546	094	9607	IANSTAT_CNT_9607	934
		368			515			939
		374	9547	SICA_LOA_9547	093	9608	IANSTAT_CNT_9608	934
		375			152			939
		405			296	9609	IANSTAT_CNT_9609	934
		476	9553	CL_ASST_MODH3_9553	001			939
		536			073	9610	IANSTAT_CNT_9610	934
		540	9554	CL_ASST_MODH2_9554	099			939
		608			518	9640	TRFR_STAT_CNT_9640	668
		771			594	9643	TRFR_STAT_CNT_9643	068
		875	9562	KWA_NO_NOTI_9562	409	9644	TRFR_STAT_CNT_9644	068
		924	9563	KWA_ACTY_NOTI_9563	409	9645	TRFR_STAT_CNT_9645	068
		948	9564	KWA_NATO_ZZ_9564	409	9648	TRFR_STAT_CNT_9648	396
		957	9576	M8B6_STAT_CNT_9576	371			555
9481	SGML_ELE_NAME_9481	337			572	9649	TRFR_STAT_CNT_9649	396
9482	SRT_ALLOWED_9482	337			580			555
9483	MULT_MED_TRAN_9483	603			588	9650	TRFR_STAT_CNT_9650	396
9484	RE_OP_AUTO_TS_9484	841	9577	DIC_STAT_CNT_9577	820			555
9485	SEC_AD_IND_CD_9485	115			821	9655	TRFR_STAT_CNT_9655	396
		116	9587	DIC_STAT_CNT_9587	065			555
		125			541	9656	TRFR_STAT_CNT_9656	396
		950	9589	DIC_STAT_CNT_9589	065			555
9486	AUTODIN_DT_TM_9486	012			541	9657	TRFR_STAT_CNT_9657	396
9487	JRNL_TMSTMP_9487	012	9591	DIC_STAT_CNT_9591	065			555
9500	DFLT_RELE_TDQ_9500	383			541	9662	TRFR_STAT_CNT_9662	672
		613	9592	DIC_STAT_CNT_9592	065			673
9501	HELD_CNT_9501	613			541			680
9502	RELED_CNT_9502	613	9593	DIC_STAT_CNT_9593	065			681
9503	RELE_DATA_9503	614			541	9663	TRFR_STAT_CNT_9663	672
		616	9594	DIC_STAT_CNT_9594	065			673
9504	REORG_FLAG_9504	614			541			680
		616	9596	IANSTAT_CNT_9596	373			681
9506	CIT_ELGBL_IND_9506	398			550	9664	TRFR_STAT_CNT_9664	672
9507	JCL_JOB_NM_9507	617	9599	IANSTAT_CNT_9599	039			673
9508	TM_JOB_STAT_9508	617			456			680
9509	TM_COMMIT_RT_9509	617	9600	IANSTAT_CNT_9600	039			681
9510	TM_CKPNT_WS_9510	617			456	9665	TRFR_STAT_CNT_9665	672
9511	TM_CKPNT_CT_1_9511	617	9601	IANSTAT_CNT_9601	039			673
9512	TM_CKPNT_CT_2_9512	617			456			680
9513	TM_CKPNT_CT_3_9513	617	9602	IANSTAT_CNT_9602	039			681
9514	TM_CKPNT_CT_4_9514	617			456	9667	TRFR_STAT_CNT_9667	672
9515	RESTRT_COMMIT_9515	710	9603	IANSTAT_CNT_9603	039			673
9525	RPLM_NSN_STDZ_9525	016			456			680
		523	9604	IANSTAT_CNT_9604	935			681

# CHAPTER 6 DATA DICTIONARY DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
9668	TRFR_STAT_CNT_9668	672	9704	STAT_DEPT_NM_9704	698			866
		673	9705	STATS_ACCS_DT_9705	062			961
		680	9711	DRPD_SEG_1_9711	074	9759	ORIG_IMAG_KEY_9759	385
		681	9712	DRPD_SEG_6_9712	074			399
9670	PIC_STAT_CNT_9670	372	9713	DRPD_SEG_7_9713	074			848
		549	9714	DRPD_SEG_9_9714	074			867
9671	PIC_STAT_CNT_9671	372	9715	DRPD_SEG_A_9715	074			868
		549	9716	DRPD_SEG_B_9716	074			869
9672	PIC_STAT_CNT_9672	372	9717	DRPD_SEG_C_9717	074	9763	RR_TRANS_KEY_9763	389
		549	9718	DRPD_SEG_D_9718	074			401
9673	PIC_STAT_CNT_9673	372	9719	DRPD_SEG_E_9719	074			402
		549	9720	DRPD_SEG_F_9720	074			995
9681	PIC_STAT_CNT_9681	551	9721	DRPD_SEG_G_9721	074			996
		552	9722	DRPD_SEG_H_9722	074	9764	SELECT_KEY_9764	407
9682	PIC_STAT_CNT_9682	551	9723	DRPD_SEG_J_9723	074	9765	SSN_9765	012
		552	9724	DRPD_SEG_K_9724	074			054
9683	PIC_STAT_CNT_9683	551	9725	DRPD_SEG_L_9725	074			084
		552	9726	DRPD_SEG_M_9726	074			841
9684	PIC_STAT_CNT_9684	551	9727	DRPD_SEG_N_9727	074			843
		552	9728	DRPD_SEG_P_9728	074	9771	VALID_POSIT_9771	853
9692	PIC_STAT_CNT_9692	441	9729	DRPD_SEG_Q_9729	074	9779	DWG_FIIG_TI_9779	815
		568	9730	DRPD_SEG_R_9730	074	9801	OP_SEQ_FLD_9801	715
9693	PIC_STAT_CNT_9693	441	9731	DRPD_SEG_V_9731	074			945
		568	9732	DRPD_SEG_W_9732	074	9802	OP_DATA_GP_9802	383
9694	PIC_STAT_CNT_9694	441	9733	DRPD_SEG_Y_9733	074			715
		568	9734	DRPD_SEG_Z_9734	074			945
9695	PIC_STAT_CNT_9695	441	9735	ALL_SEGS_DRPD_9735	074	9803	USER_DEF_FLG_9803	715
		568	9751	ACTY_CATEGORY_9751	382			945
9697	PIC_STAT_CNT_9697	030			475	9804	OP_DIST_FREQ_9804	783
		452	9756	DIC_CATEGORY_9756	181	9975	DRN_VAL_9975	105
9698	PIC_STAT_CNT_9698	030			383			
		452			408			